

Computer algebra independent integration tests

5-Inverse-trig-functions/5.5-Inverse-secant/5.5.1-u-a+b-arcsec-c-x-^n

Nasser M. Abbasi

May 24, 2020

Compiled on May 24, 2020 at 11:05am

Contents

1	Introduction	9
1.1	Listing of CAS systems tested	9
1.2	Results	10
1.3	Performance	13
1.4	list of integrals that has no closed form antiderivative	14
1.5	list of integrals solved by CAS but has no known antiderivative	14
1.6	list of integrals solved by CAS but failed verification	14
1.7	Timing	15
1.8	Verification	15
1.9	Important notes about some of the results	15
1.10	Design of the test system	17
2	detailed summary tables of results	19
2.1	List of integrals sorted by grade for each CAS	19
2.2	Detailed conclusion table per each integral for all CAS systems	21
2.3	Detailed conclusion table specific for Rubi results	57
3	Listing of integrals	63
3.1	$\int x^6 (a + b \sec^{-1}(cx)) dx$	63
3.2	$\int x^5 (a + b \sec^{-1}(cx)) dx$	68
3.3	$\int x^4 (a + b \sec^{-1}(cx)) dx$	72
3.4	$\int x^3 (a + b \sec^{-1}(cx)) dx$	77

3.5	$\int x^2 (a + b \sec^{-1}(cx)) dx$	81
3.6	$\int x (a + b \sec^{-1}(cx)) dx$	85
3.7	$\int (a + b \sec^{-1}(cx)) dx$	88
3.8	$\int \frac{a+b \sec^{-1}(cx)}{x} dx$	92
3.9	$\int \frac{a+b \sec^{-1}(cx)}{x^2} dx$	96
3.10	$\int \frac{a+b \sec^{-1}(cx)}{x^3} dx$	99
3.11	$\int \frac{a+b \sec^{-1}(cx)}{x^4} dx$	103
3.12	$\int \frac{a+b \sec^{-1}(cx)}{x^5} dx$	107
3.13	$\int \frac{a+b \sec^{-1}(cx)}{x^6} dx$	111
3.14	$\int \frac{a+b \sec^{-1}(cx)}{x^7} dx$	115
3.15	$\int x^3 (a + b \sec^{-1}(cx))^2 dx$	119
3.16	$\int x^2 (a + b \sec^{-1}(cx))^2 dx$	123
3.17	$\int x (a + b \sec^{-1}(cx))^2 dx$	128
3.18	$\int (a + b \sec^{-1}(cx))^2 dx$	132
3.19	$\int \frac{(a+b \sec^{-1}(cx))^2}{x} dx$	136
3.20	$\int \frac{(a+b \sec^{-1}(cx))^2}{x^2} dx$	141
3.21	$\int \frac{(a+b \sec^{-1}(cx))^2}{x^3} dx$	145
3.22	$\int \frac{(a+b \sec^{-1}(cx))^2}{x^4} dx$	149
3.23	$\int \frac{(a+b \sec^{-1}(cx))^2}{x^5} dx$	153
3.24	$\int x^3 (a + b \sec^{-1}(cx))^3 dx$	157
3.25	$\int x^2 (a + b \sec^{-1}(cx))^3 dx$	163
3.26	$\int x (a + b \sec^{-1}(cx))^3 dx$	169
3.27	$\int (a + b \sec^{-1}(cx))^3 dx$	174
3.28	$\int \frac{(a+b \sec^{-1}(cx))^3}{x} dx$	179
3.29	$\int \frac{(a+b \sec^{-1}(cx))^3}{x^2} dx$	185
3.30	$\int \frac{(a+b \sec^{-1}(cx))^3}{x^3} dx$	189
3.31	$\int \frac{(a+b \sec^{-1}(cx))^3}{x^4} dx$	195
3.32	$\int \frac{(a+b \sec^{-1}(cx))^3}{x^5} dx$	200
3.33	$\int \frac{1}{a+b \sec^{-1}(cx)} dx$	206

3.34	$\int \frac{1}{a+b \sec^{-1}(cx)} dx$	209
3.35	$\int \frac{1}{x(a+b \sec^{-1}(cx))} dx$	212
3.36	$\int \frac{1}{x^2(a+b \sec^{-1}(cx))} dx$	215
3.37	$\int \frac{1}{x^3(a+b \sec^{-1}(cx))} dx$	219
3.38	$\int \frac{1}{x^4(a+b \sec^{-1}(cx))} dx$	223
3.39	$\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$	227
3.40	$\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$	230
3.41	$\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$	233
3.42	$\int \frac{1}{x^2(a+b \sec^{-1}(cx))^2} dx$	236
3.43	$\int \frac{1}{x^3(a+b \sec^{-1}(cx))^2} dx$	241
3.44	$\int \frac{1}{x^4(a+b \sec^{-1}(cx))^2} dx$	246
3.45	$\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$	251
3.46	$\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$	255
3.47	$\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$	259
3.48	$\int \frac{1}{x^2(a+b \sec^{-1}(cx))^3} dx$	263
3.49	$\int \frac{1}{x^3(a+b \sec^{-1}(cx))^3} dx$	268
3.50	$\int \frac{1}{x^4(a+b \sec^{-1}(cx))^3} dx$	274
3.51	$\int (dx)^m (a + b \sec^{-1}(cx))^3 dx$	280
3.52	$\int (dx)^m (a + b \sec^{-1}(cx))^2 dx$	283
3.53	$\int (dx)^m (a + b \sec^{-1}(cx)) dx$	286
3.54	$\int \frac{(dx)^m}{a+b \sec^{-1}(cx)} dx$	290
3.55	$\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$	293
3.56	$\int (d + ex)^3 (a + b \sec^{-1}(cx)) dx$	296
3.57	$\int (d + ex)^2 (a + b \sec^{-1}(cx)) dx$	303
3.58	$\int (d + ex) (a + b \sec^{-1}(cx)) dx$	309
3.59	$\int (a + b \sec^{-1}(cx)) dx$	314
3.60	$\int \frac{a+b \sec^{-1}(cx)}{d+ex} dx$	318
3.61	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^2} dx$	322

3.62	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^3} dx$	327
3.63	$\int (d+ex)^{3/2} (a+b \sec^{-1}(cx)) dx$	333
3.64	$\int \sqrt{d+ex} (a+b \sec^{-1}(cx)) dx$	341
3.65	$\int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex}} dx$	348
3.66	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{3/2}} dx$	354
3.67	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{5/2}} dx$	359
3.68	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{7/2}} dx$	366
3.69	$\int x^4 (d+ex^2) (a+b \sec^{-1}(cx)) dx$	374
3.70	$\int x^2 (d+ex^2) (a+b \sec^{-1}(cx)) dx$	379
3.71	$\int (d+ex^2) (a+b \sec^{-1}(cx)) dx$	384
3.72	$\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^2} dx$	388
3.73	$\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^4} dx$	392
3.74	$\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^6} dx$	396
3.75	$\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^8} dx$	401
3.76	$\int x^5 (d+ex^2) (a+b \sec^{-1}(cx)) dx$	406
3.77	$\int x^3 (d+ex^2) (a+b \sec^{-1}(cx)) dx$	411
3.78	$\int x (d+ex^2) (a+b \sec^{-1}(cx)) dx$	415
3.79	$\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x} dx$	419
3.80	$\int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^3} dx$	425
3.81	$\int x^2 (d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$	432
3.82	$\int (d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$	438
3.83	$\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^2} dx$	443
3.84	$\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^4} dx$	448
3.85	$\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^6} dx$	453
3.86	$\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^8} dx$	458
3.87	$\int x^3 (d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$	463
3.88	$\int x (d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$	468
3.89	$\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x} dx$	473
3.90	$\int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^3} dx$	480

3.91	$\int \frac{x^2(a+b \sec^{-1}(cx))}{d+ex^2} dx$	487
3.92	$\int \frac{x(a+b \sec^{-1}(cx))}{d+ex^2} dx$	494
3.93	$\int \frac{a+b \sec^{-1}(cx)}{d+ex^2} dx$	501
3.94	$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)} dx$	507
3.95	$\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)} dx$	514
3.96	$\int \frac{x^5(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$	521
3.97	$\int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$	529
3.98	$\int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$	537
3.99	$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^2} dx$	542
3.100	$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$	550
3.101	$\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$	559
3.102	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^2} dx$	567
3.103	$\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^2} dx$	576
3.104	$\int \frac{x^5(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$	585
3.105	$\int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$	594
3.106	$\int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$	600
3.107	$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^3} dx$	606
3.108	$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$	613
3.109	$\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$	623
3.110	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^3} dx$	632
3.111	$\int x^5 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$	642
3.112	$\int x^3 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$	649
3.113	$\int x \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$	656
3.114	$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x} dx$	662

3.115	$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^3} dx$	665
3.116	$\int x^2 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$	668
3.117	$\int \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$	671
3.118	$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^2} dx$	674
3.119	$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^4} dx$	677
3.120	$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^6} dx$	683
3.121	$\int x^3 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$	689
3.122	$\int x (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$	696
3.123	$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x} dx$	703
3.124	$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$	706
3.125	$\int x^2 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$	709
3.126	$\int (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$	712
3.127	$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2} dx$	715
3.128	$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$	718
3.129	$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^6} dx$	721
3.130	$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^8} dx$	727
3.131	$\int \frac{x^5 (a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$	734
3.132	$\int \frac{x^3 (a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$	741
3.133	$\int \frac{x (a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$	748
3.134	$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{d+ex^2}} dx$	753
3.135	$\int \frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$	756
3.136	$\int \frac{x^2 (a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$	759
3.137	$\int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}} dx$	762
3.138	$\int \frac{a+b \sec^{-1}(cx)}{x^2 \sqrt{d+ex^2}} dx$	765
3.139	$\int \frac{a+b \sec^{-1}(cx)}{x^4 \sqrt{d+ex^2}} dx$	771
3.140	$\int \frac{a+b \sec^{-1}(cx)}{x^6 \sqrt{d+ex^2}} dx$	777
3.141	$\int \frac{x^5 (a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	784

3.142	$\int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	791
3.143	$\int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	797
3.144	$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$	801
3.145	$\int \frac{a+b \sec^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$	804
3.146	$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	807
3.147	$\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	810
3.148	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^{3/2}} dx$	813
3.149	$\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$	817
3.150	$\int \frac{a+b \sec^{-1}(cx)}{x^4(d+ex^2)^{3/2}} dx$	823
3.151	$\int \frac{x^5(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	830
3.152	$\int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	837
3.153	$\int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	842
3.154	$\int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$	847
3.155	$\int \frac{a+b \sec^{-1}(cx)}{x^3(d+ex^2)^{5/2}} dx$	850
3.156	$\int \frac{x^6(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	853
3.157	$\int \frac{x^4(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	856
3.158	$\int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	859
3.159	$\int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^{5/2}} dx$	865
3.160	$\int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^{5/2}} dx$	871
3.161	$\int (fx)^m (d+ex^2)^3 (a+b \sec^{-1}(cx)) dx$	879
3.162	$\int (fx)^m (d+ex^2)^2 (a+b \sec^{-1}(cx)) dx$	885
3.163	$\int (fx)^m (d+ex^2) (a+b \sec^{-1}(cx)) dx$	890
3.164	$\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{d+ex^2} dx$	895

3.165	$\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$	898
3.166	$\int (fx)^m (d+ex^2)^{3/2} (a+b \sec^{-1}(cx)) dx$	901
3.167	$\int (fx)^m \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx$	904
3.168	$\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$	907
3.169	$\int \frac{(fx)^m (a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	910
3.170	$\int \frac{x^{11} (a+b \sec^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$	913
3.171	$\int \frac{x^7 (a+b \sec^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$	919
3.172	$\int \frac{x^3 (a+b \sec^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$	925
3.173	$\int \frac{a+b \sec^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$	930
3.174	$\int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$	933
4	Listing of Grading functions	937

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [174]. This is test number [156].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. (174)	% 0. (0)
Mathematica	% 97.13 (169)	% 2.87 (5)
Maple	% 79.89 (139)	% 20.11 (35)
Maxima	% 34.48 (60)	% 65.52 (114)
Fricas	% 62.07 (108)	% 37.93 (66)
Sympy	% 10.92 (19)	% 89.08 (155)
Giac	% 26.44 (46)	% 73.56 (128)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	83.91	1.72	11.49	2.87
Maple	52.87	17.24	9.77	20.11
Maxima	33.91	0.57	0.	65.52
Fricas	56.32	5.75	0.	37.93
Sympy	10.92	0.	0.	89.08
Giac	26.44	0.	0.	73.56

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.39	197.64	0.75	129.5	1.
Mathematica	2.32	228.63	0.85	124.	0.87
Maple	0.83	396.2	1.42	145.	1.15
Maxima	0.78	146.98	1.22	118.5	1.31
Fricas	2.6	532.49	2.98	152.	1.62
Sympy	0.15	1.89	0.06	0.	0.
Giac	0.05	2.7	0.08	0.	0.

1.4 list of integrals that has no closed form antiderivative

{33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {163}

Mathematica {8, 16, 19, 24, 25, 26, 27, 28, 60, 79, 80, 89, 90, 91, 92, 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 108, 109, 110, 111, 121}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via `sagemath`) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in>

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

    except Exception as ee:
        leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 66, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 100, 101, 102, 103, 108, 109, 110, 112, 113, 114, 115, 116, 117, 118, 122, 123, 124, 125, 126, 127, 128, 131, 132, 133, 134, 135, 136, 137, 138, 141, 142, 143, 144, 145, 146, 147, 148, 151, 152, 153, 154, 155, 156, 157, 158, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174 }

B grade: { 96, 97, 104 }

C grade: { 63, 64, 65, 67, 68, 98, 105, 106, 111, 119, 120, 121, 129, 130, 139, 140, 149, 150, 159, 160 }

F grade: { 99, 107, 161, 162, 163 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 6, 7, 8, 9, 11, 13, 14, 18, 19, 22, 26, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 55, 58, 59, 60, 64, 65, 66, 69, 72, 73, 74, 75, 76, 77, 78, 79, 80, 83, 84, 85, 86, 87, 88, 89, 90, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { 5, 10, 12, 15, 16, 17, 20, 21, 23, 24, 25, 28, 29, 30, 31, 32, 56, 57, 61, 62, 63, 67, 68, 70, 71, 81, 82, 98, 105, 106 }

C grade: { 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 102, 103, 104, 107, 108, 109, 110 }

F grade: { 27, 53, 111, 112, 113, 119, 120, 121, 122, 129, 130, 131, 132, 133, 138, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14, 15, 17, 20, 22, 29, 33, 34, 35, 39, 40, 41, 45, 46, 47, 54, 55, 56, 57, 58, 59, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 81, 82, 83, 84, 85, 86, 87, 88, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { 31 }

C grade: { }

F grade: { 8, 16, 18, 19, 21, 23, 24, 25, 26, 27, 28, 30, 32, 36, 37, 38, 42, 43, 44, 48, 49, 50, 51, 52, 53, 60, 61, 62, 63, 64, 65, 66, 67, 68, 79, 80, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 20, 21, 22, 23, 29, 30, 31, 32, 33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 56, 57, 58, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 81, 82, 83, 84, 85, 86, 87, 88, 98, 111, 112, 113, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 128, 131, 132, 133, 134, 135, 136, 137, 141, 142, 143, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { 7, 17, 59, 61, 62, 105, 106, 151, 152, 153 }

C grade: { }

F grade: { 8, 16, 18, 19, 24, 25, 26, 27, 28, 36, 37, 38, 42, 43, 44, 48, 49, 50, 53, 60, 63, 64, 65, 66, 67, 68, 79, 80, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 102, 103, 104, 107, 108, 109, 110, 119, 120, 129, 130, 138, 139, 140, 148, 149, 150, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.1.6 Sympy

A grade: { 9, 33, 34, 35, 39, 40, 41, 45, 46, 47, 52, 54, 55, 114, 117, 118, 134, 137, 173 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36, 37, 38, 42, 43, 44, 48, 49, 50, 51, 53, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 135, 136, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 174 }

2.1.7 Giac

A grade: { 7, 33, 34, 35, 39, 40, 41, 45, 46, 47, 51, 52, 54, 55, 59, 114, 115, 116, 117, 118, 123, 124, 125, 126, 127, 128, 134, 135, 136, 137, 144, 145, 146, 147, 154, 155, 156, 157, 164, 165, 166, 167, 168, 169, 173, 174 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36, 37, 38, 42, 43, 44, 48, 49, 50, 53, 56, 57, 58, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 119, 120, 121, 122, 129, 130, 131, 132, 133, 138, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 158, 159, 160, 161, 162, 163, 170, 171, 172 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the

system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	107	177	219	275	0	0
normalized size	1	1.	0.94	1.55	1.92	2.41	0.	0.
time (sec)	N/A	0.061	0.133	0.19	0.987	3.107	0.	0.

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	72	83	109	143	0	0
normalized size	1	1.	0.81	0.93	1.22	1.61	0.	0.
time (sec)	N/A	0.041	0.081	0.16	0.987	2.78	0.	0.

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	97	150	177	248	0	0
normalized size	1	1.	1.09	1.69	1.99	2.79	0.	0.
time (sec)	N/A	0.046	0.069	0.19	1.007	2.79	0.	0.

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	62	74	81	119	0	0
normalized size	1	1.	0.97	1.16	1.27	1.86	0.	0.
time (sec)	N/A	0.027	0.1	0.162	0.977	2.665	0.	0.

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	85	123	132	219	0	0
normalized size	1	1.	1.33	1.92	2.06	3.42	0.	0.
time (sec)	N/A	0.035	0.05	0.162	1.028	2.67	0.	0.

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	39	39	50	65	50	90	0	0
normalized size	1	1.	1.28	1.67	1.28	2.31	0.	0.
time (sec)	N/A	0.012	0.021	0.161	0.995	2.686	0.	0.

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	59	38	72	154	0	62
normalized size	1	1.	1.84	1.19	2.25	4.81	0.	1.94
time (sec)	N/A	0.02	0.063	0.155	0.962	2.641	0.	1.132

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	64	64	59	86	0	0	0	0
normalized size	1	1.	0.92	1.34	0.	0.	0.	0.
time (sec)	N/A	0.084	0.016	0.281	0.	0.	0.	0.

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	40	62	45	62	36	0
normalized size	1	1.	1.29	2.	1.45	2.	1.16	0.
time (sec)	N/A	0.02	0.028	0.164	0.982	2.441	2.787	0.

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	66	118	112	93	0	0
normalized size	1	1.	1.29	2.31	2.2	1.82	0.	0.
time (sec)	N/A	0.033	0.033	0.163	1.445	2.852	0.	0.

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	59	75	78	97	0	0
normalized size	1	1.	0.98	1.25	1.3	1.62	0.	0.
time (sec)	N/A	0.039	0.045	0.161	0.97	2.655	0.	0.

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	78	147	169	122	0	0
normalized size	1	1.	1.03	1.93	2.22	1.61	0.	0.
time (sec)	N/A	0.045	0.059	0.16	1.497	2.685	0.	0.

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	69	83	103	123	0	0
normalized size	1	1.	0.84	1.01	1.26	1.5	0.	0.
time (sec)	N/A	0.049	0.066	0.165	0.977	2.722	0.	0.

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	88	174	223	150	0	0
normalized size	1	1.	0.87	1.72	2.21	1.49	0.	0.
time (sec)	N/A	0.059	0.071	0.16	1.464	2.489	0.	0.

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	124	208	220	339	0	0
normalized size	1	1.	1.16	1.94	2.06	3.17	0.	0.
time (sec)	N/A	0.107	0.21	0.248	2.094	2.845	0.	0.

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	147	147	225	343	0	0	0	0
normalized size	1	1.	1.53	2.33	0.	0.	0.	0.
time (sec)	N/A	0.123	1.197	0.392	0.	0.	0.	0.

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	56	56	90	134	117	266	0	0
normalized size	1	1.	1.61	2.39	2.09	4.75	0.	0.
time (sec)	N/A	0.068	0.149	0.249	1.02	2.757	0.	0.

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	163	212	0	0	0	0
normalized size	1	1.	1.77	2.3	0.	0.	0.	0.
time (sec)	N/A	0.072	0.166	0.294	0.	0.	0.	0.

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	93	93	129	215	0	0	0	0
normalized size	1	1.	1.39	2.31	0.	0.	0.	0.
time (sec)	N/A	0.119	0.12	0.358	0.	0.	0.	0.

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	50	50	75	117	105	140	0	0
normalized size	1	1.	1.5	2.34	2.1	2.8	0.	0.
time (sec)	N/A	0.059	0.123	0.24	1.022	2.666	0.	0.

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	94	94	102	199	0	196	0	0
normalized size	1	1.	1.09	2.12	0.	2.09	0.	0.
time (sec)	N/A	0.079	0.114	0.244	0.	2.389	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	108	154	221	224	0	0
normalized size	1	1.	1.06	1.51	2.17	2.2	0.	0.
time (sec)	N/A	0.094	0.184	0.243	2.186	2.226	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	148	265	0	275	0	0
normalized size	1	1.	1.1	1.98	0.	2.05	0.	0.
time (sec)	N/A	0.111	0.174	0.253	0.	2.211	0.	0.

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	207	207	288	447	0	0	0	0
normalized size	1	1.	1.39	2.16	0.	0.	0.	0.
time (sec)	N/A	0.211	0.836	0.472	0.	0.	0.	0.

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	236	236	403	687	0	0	0	0
normalized size	1	1.	1.71	2.91	0.	0.	0.	0.
time (sec)	N/A	0.192	1.322	0.52	0.	0.	0.	0.

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	126	126	184	285	0	0	0	0
normalized size	1	1.	1.46	2.26	0.	0.	0.	0.
time (sec)	N/A	0.142	0.46	0.401	0.	0.	0.	0.

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	158	158	289	0	0	0	0	0
normalized size	1	1.	1.83	0.	0.	0.	0.	0.
time (sec)	N/A	0.118	0.236	0.508	0.	0.	0.	0.

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	128	128	204	390	0	0	0	0
normalized size	1	1.	1.59	3.05	0.	0.	0.	0.
time (sec)	N/A	0.141	0.17	0.431	0.	0.	0.	0.

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	141	198	197	238	0	0
normalized size	1	1.	1.76	2.48	2.46	2.98	0.	0.
time (sec)	N/A	0.083	0.161	0.319	1.044	2.221	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	185	324	0	342	0	0
normalized size	1	1.	1.35	2.36	0.	2.5	0.	0.
time (sec)	N/A	0.105	0.202	0.323	0.	2.219	0.	0.

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	204	299	787	401	0	0
normalized size	1	1.	1.2	1.76	4.63	2.36	0.	0.
time (sec)	N/A	0.147	0.28	0.319	3.223	2.244	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	283	472	0	512	0	0
normalized size	1	1.	1.36	2.27	0.	2.46	0.	0.
time (sec)	N/A	0.173	0.336	0.342	0.	2.344	0.	0.

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	14	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.014	2.556	0.973	0.	0.	0.	0.

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.006	2.187	0.447	0.	0.	0.	0.

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.025	0.269	0.74	0.	0.	0.	0.

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	43	47	0	0	0	0
normalized size	1	1.	0.93	1.02	0.	0.	0.	0.
time (sec)	N/A	0.105	0.074	0.247	0.	0.	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	56	58	0	0	0	0
normalized size	1	1.	0.89	0.92	0.	0.	0.	0.
time (sec)	N/A	0.136	0.072	0.24	0.	0.	0.	0.

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	91	102	0	0	0	0
normalized size	1	1.	0.78	0.87	0.	0.	0.	0.
time (sec)	N/A	0.225	0.165	0.246	0.	0.	0.	0.

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	14	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.015	9.877	1.09	0.	0.	0.	0.

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.006	21.574	0.461	0.	0.	0.	0.

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.024	3.249	0.75	0.	0.	0.	0.

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	69	78	0	0	0	0
normalized size	1	1.	0.92	1.04	0.	0.	0.	0.
time (sec)	N/A	0.129	0.256	0.241	0.	0.	0.	0.

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	80	77	0	0	0	0
normalized size	1	1.	0.95	0.92	0.	0.	0.	0.
time (sec)	N/A	0.149	0.351	0.243	0.	0.	0.	0.

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	223	153	0	0	0	0
normalized size	1	1.	1.25	0.86	0.	0.	0.	0.
time (sec)	N/A	0.267	0.446	0.247	0.	0.	0.	0.

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	14	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.014	3.353	1.274	0.	0.	0.	0.

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.006	11.262	0.545	0.	0.	0.	0.

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.025	1.688	0.799	0.	0.	0.	0.

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	88	154	0	0	0	0
normalized size	1	1.	0.85	1.5	0.	0.	0.	0.
time (sec)	N/A	0.147	0.372	0.27	0.	0.	0.	0.

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	114	157	0	0	0	0
normalized size	1	1.	1.02	1.4	0.	0.	0.	0.
time (sec)	N/A	0.18	0.401	0.248	0.	0.	0.	0.

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	169	307	0	0	0	0
normalized size	1	1.	0.74	1.35	0.	0.	0.	0.
time (sec)	N/A	0.313	0.445	0.25	0.	0.	0.	0.

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.022	4.393	1.964	0.	0.	0.	0.

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.022	2.863	1.876	0.	0.	0.	0.

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	82	0	0	0	0	0
normalized size	1	1.	1.22	0.	0.	0.	0.	0.
time (sec)	N/A	0.043	0.24	1.828	0.	0.	0.	0.

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.026	0.245	1.791	0.	0.	0.	0.

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.024	0.5	1.411	0.	0.	0.	0.

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	166	486	367	633	0	0
normalized size	1	1.	0.99	2.91	2.2	3.79	0.	0.
time (sec)	N/A	0.401	0.279	0.135	0.976	4.563	0.	0.

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	124	362	270	462	0	0
normalized size	1	1.	1.	2.92	2.18	3.73	0.	0.
time (sec)	N/A	0.266	0.177	0.129	1.01	3.902	0.	0.

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	114	141	126	302	0	0
normalized size	1	1.	1.36	1.68	1.5	3.6	0.	0.
time (sec)	N/A	0.167	0.208	0.163	0.995	2.829	0.	0.

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	59	38	72	154	0	62
normalized size	1	1.	1.84	1.19	2.25	4.81	0.	1.94
time (sec)	N/A	0.022	0.051	0.158	0.982	2.824	0.	1.118

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	247	247	333	456	0	0	0	0
normalized size	1	1.	1.35	1.85	0.	0.	0.	0.
time (sec)	N/A	0.373	0.588	0.374	0.	0.	0.	0.

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	142	214	0	960	0	0
normalized size	1	1.	1.37	2.06	0.	9.23	0.	0.
time (sec)	N/A	0.156	0.223	0.25	0.	3.283	0.	0.

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	247	1005	0	2223	0	0
normalized size	1	1.	1.44	5.84	0.	12.92	0.	0.
time (sec)	N/A	0.292	0.48	0.28	0.	7.152	0.	0.

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	372	372	333	812	0	0	0	0
normalized size	1	1.	0.9	2.18	0.	0.	0.	0.
time (sec)	N/A	0.759	1.406	0.371	0.	0.	0.	0.

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	315	315	277	388	0	0	0	0
normalized size	1	1.	0.88	1.23	0.	0.	0.	0.
time (sec)	N/A	0.463	6.018	0.255	0.	0.	0.	0.

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	212	212	212	254	0	0	0	0
normalized size	1	1.	1.	1.2	0.	0.	0.	0.
time (sec)	N/A	0.304	2.658	0.257	0.	0.	0.	0.

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	124	217	0	0	0	0
normalized size	1	1.	1.04	1.82	0.	0.	0.	0.
time (sec)	N/A	0.219	0.267	0.247	0.	0.	0.	0.

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	298	298	326	886	0	0	0	0
normalized size	1	1.	1.09	2.97	0.	0.	0.	0.
time (sec)	N/A	0.406	6.175	0.267	0.	0.	0.	0.

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	540	637	407	1640	0	0	0	0
normalized size	1	1.18	0.75	3.04	0.	0.	0.	0.
time (sec)	N/A	0.711	8.302	0.276	0.	0.	0.	0.

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	206	206	141	338	400	459	0	0
normalized size	1	1.	0.68	1.64	1.94	2.23	0.	0.
time (sec)	N/A	0.128	0.223	0.167	0.974	4.522	0.	0.

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	123	282	313	398	0	0
normalized size	1	1.	0.76	1.75	1.94	2.47	0.	0.
time (sec)	N/A	0.103	0.166	0.179	0.98	3.411	0.	0.

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	150	195	208	327	0	0
normalized size	1	1.	1.38	1.79	1.91	3.	0.	0.
time (sec)	N/A	0.051	0.264	0.171	0.965	2.541	0.	0.

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	104	137	120	286	0	0
normalized size	1	1.	1.2	1.57	1.38	3.29	0.	0.
time (sec)	N/A	0.063	0.118	0.172	0.981	2.321	0.	0.

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	69	121	127	157	0	0
normalized size	1	1.	0.66	1.15	1.21	1.5	0.	0.
time (sec)	N/A	0.075	0.079	0.171	0.983	1.999	0.	0.

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	94	140	185	217	0	0
normalized size	1	1.	0.62	0.92	1.22	1.43	0.	0.
time (sec)	N/A	0.094	0.125	0.172	0.985	1.835	0.	0.

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	110	158	232	273	0	0
normalized size	1	1.	0.56	0.8	1.18	1.39	0.	0.
time (sec)	N/A	0.117	0.144	0.184	0.991	2.058	0.	0.

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	118	152	250	304	0	0
normalized size	1	1.	0.6	0.78	1.28	1.55	0.	0.
time (sec)	N/A	0.147	0.224	0.181	0.963	2.411	0.	0.

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	98	134	194	247	0	0
normalized size	1	1.	0.64	0.88	1.27	1.61	0.	0.
time (sec)	N/A	0.122	0.253	0.171	0.968	2.182	0.	0.

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	79	115	135	192	0	0
normalized size	1	1.	0.57	0.83	0.98	1.39	0.	0.
time (sec)	N/A	0.093	0.099	0.171	0.979	2.05	0.	0.

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	124	124	104	142	0	0	0	0
normalized size	1	1.	0.84	1.15	0.	0.	0.	0.
time (sec)	N/A	0.284	0.122	0.531	0.	0.	0.	0.

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	137	137	136	145	0	0	0	0
normalized size	1	1.	0.99	1.06	0.	0.	0.	0.
time (sec)	N/A	0.291	0.442	0.386	0.	0.	0.	0.

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	186	494	547	641	0	0
normalized size	1	1.	0.74	1.96	2.17	2.54	0.	0.
time (sec)	N/A	0.236	0.355	0.167	1.022	4.634	0.	0.

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	153	372	400	547	0	0
normalized size	1	1.	0.8	1.95	2.09	2.86	0.	0.
time (sec)	N/A	0.115	0.229	0.168	0.999	3.529	0.	0.

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	136	286	267	502	0	0
normalized size	1	1.	0.84	1.77	1.65	3.1	0.	0.
time (sec)	N/A	0.127	0.195	0.174	0.993	2.58	0.	0.

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	127	255	215	501	0	0
normalized size	1	1.	0.8	1.61	1.36	3.17	0.	0.
time (sec)	N/A	0.131	0.213	0.179	0.973	2.227	0.	0.

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	127	191	244	302	0	0
normalized size	1	1.	0.69	1.04	1.33	1.65	0.	0.
time (sec)	N/A	0.157	0.211	0.177	0.974	1.67	0.	0.

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	241	241	153	223	325	401	0	0
normalized size	1	1.	0.63	0.93	1.35	1.66	0.	0.
time (sec)	N/A	0.193	0.229	0.175	1.001	1.658	0.	0.

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	242	242	162	214	346	431	0	0
normalized size	1	1.	0.67	0.88	1.43	1.78	0.	0.
time (sec)	N/A	0.224	0.275	0.171	0.986	2.189	0.	0.

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	125	182	259	336	0	0
normalized size	1	1.	0.64	0.93	1.33	1.72	0.	0.
time (sec)	N/A	0.148	0.286	0.166	0.974	1.934	0.	0.

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	186	186	160	242	0	0	0	0
normalized size	1	1.	0.86	1.3	0.	0.	0.	0.
time (sec)	N/A	0.412	0.333	0.714	0.	0.	0.	0.

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	189	189	187	218	0	0	0	0
normalized size	1	1.	0.99	1.15	0.	0.	0.	0.
time (sec)	N/A	0.417	0.638	0.608	0.	0.	0.	0.

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	546	546	1023	374	0	0	0	0
normalized size	1	1.	1.87	0.68	0.	0.	0.	0.
time (sec)	N/A	1.294	1.362	1.723	0.	0.	0.	0.

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	487	487	891	453	0	0	0	0
normalized size	1	1.	1.83	0.93	0.	0.	0.	0.
time (sec)	N/A	1.152	0.376	0.5	0.	0.	0.	0.

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	509	509	871	272	0	0	0	0
normalized size	1	1.	1.71	0.53	0.	0.	0.	0.
time (sec)	N/A	0.869	0.326	0.961	0.	0.	0.	0.

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	459	459	402	2933	0	0	0	0
normalized size	1	1.	0.88	6.39	0.	0.	0.	0.
time (sec)	N/A	0.896	0.828	0.605	0.	0.	0.	0.

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	551	551	997	331	0	0	0	0
normalized size	1	1.	1.81	0.6	0.	0.	0.	0.
time (sec)	N/A	1.096	1.291	1.541	0.	0.	0.	0.

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	608	608	1255	783	0	0	0	0
normalized size	1	1.	2.06	1.29	0.	0.	0.	0.
time (sec)	N/A	1.306	3.904	0.695	0.	0.	0.	0.

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	570	570	1213	594	0	0	0	0
normalized size	1	1.	2.13	1.04	0.	0.	0.	0.
time (sec)	N/A	1.216	1.113	0.647	0.	0.	0.	0.

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	286	354	0	833	0	0
normalized size	1	1.	2.18	2.7	0.	6.36	0.	0.
time (sec)	N/A	0.121	0.575	0.256	0.	1.943	0.	0.

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	546	546	0	3095	0	0	0	0
normalized size	1	1.	0.	5.67	0.	0.	0.	0.
time (sec)	N/A	1.14	35.01	0.879	0.	0.	0.	0.

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	784	784	1331	1887	0	0	0	0
normalized size	1	1.	1.7	2.41	0.	0.	0.	0.
time (sec)	N/A	2.354	2.257	9.726	0.	0.	0.	0.

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	745	745	1245	1756	0	0	0	0
normalized size	1	1.	1.67	2.36	0.	0.	0.	0.
time (sec)	N/A	1.217	1.532	1.681	0.	0.	0.	0.

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	739	739	1239	1748	0	0	0	0
normalized size	1	1.	1.68	2.37	0.	0.	0.	0.
time (sec)	N/A	2.211	1.97	1.806	0.	0.	0.	0.

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	785	785	1291	1817	0	0	0	0
normalized size	1	1.	1.64	2.31	0.	0.	0.	0.
time (sec)	N/A	2.307	1.952	8.437	0.	0.	0.	0.

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	707	707	1805	1626	0	0	0	0
normalized size	1	1.	2.55	2.3	0.	0.	0.	0.
time (sec)	N/A	1.404	7.807	0.819	0.	0.	0.	0.

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	389	1870	0	2093	0	0
normalized size	1	1.	2.48	11.91	0.	13.33	0.	0.
time (sec)	N/A	0.175	1.311	0.277	0.	4.356	0.	0.

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	193	193	386	1840	0	1839	0	0
normalized size	1	1.	2.	9.53	0.	9.53	0.	0.
time (sec)	N/A	0.19	0.877	0.262	0.	5.009	0.	0.

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	685	685	0	5373	0	0	0	0
normalized size	1	1.	0.	7.84	0.	0.	0.	0.
time (sec)	N/A	1.291	50.101	1.949	0.	0.	0.	0.

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1124	1124	1819	3223	0	0	0	0
normalized size	1	1.	1.62	2.87	0.	0.	0.	0.
time (sec)	N/A	1.583	6.177	2.084	0.	0.	0.	0.

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1124	1124	1827	2357	0	0	0	0
normalized size	1	1.	1.63	2.1	0.	0.	0.	0.
time (sec)	N/A	3.022	6.113	2.354	0.	0.	0.	0.

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1114	1114	1812	3214	0	0	0	0
normalized size	1	1.	1.63	2.89	0.	0.	0.	0.
time (sec)	N/A	3.791	6.055	2.15	0.	0.	0.	0.

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	403	403	366	0	0	3776	0	0
normalized size	1	1.	0.91	0.	0.	9.37	0.	0.
time (sec)	N/A	1.275	0.647	1.842	0.	33.813	0.	0.

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	294	294	327	0	0	3039	0	0
normalized size	1	1.	1.11	0.	0.	10.34	0.	0.
time (sec)	N/A	0.398	0.737	1.681	0.	15.325	0.	0.

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	266	0	0	2425	0	0
normalized size	1	1.	1.36	0.	0.	12.44	0.	0.
time (sec)	N/A	0.19	0.457	1.386	0.	6.691	0.	0.

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.098	4.094	1.288	0.	0.	0.	0.

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.101	4.428	1.26	0.	0.	0.	0.

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.094	8.824	1.629	0.	0.	0.	0.

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.034	4.207	1.29	0.	0.	0.	0.

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.086	1.408	1.257	0.	0.	0.	0.

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	328	328	247	0	0	0	0	0
normalized size	1	1.	0.75	0.	0.	0.	0.	0.
time (sec)	N/A	0.424	0.613	1.7	0.	0.	0.	0.

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	453	453	325	0	0	0	0	0
normalized size	1	1.	0.72	0.	0.	0.	0.	0.
time (sec)	N/A	0.601	0.667	2.864	0.	0.	0.	0.

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	374	374	339	0	0	3771	0	0
normalized size	1	1.	0.91	0.	0.	10.08	0.	0.
time (sec)	N/A	0.508	0.595	1.519	0.	31.276	0.	0.

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	262	262	305	0	0	3004	0	0
normalized size	1	1.	1.16	0.	0.	11.47	0.	0.
time (sec)	N/A	0.27	0.714	1.191	0.	10.902	0.	0.

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.115	4.984	1.133	0.	0.	0.	0.

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.119	5.339	1.036	0.	0.	0.	0.

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.112	8.753	1.458	0.	0.	0.	0.

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.042	4.864	1.105	0.	0.	0.	0.

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.103	8.089	1.031	0.	0.	0.	0.

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.104	10.674	1.447	0.	0.	0.	0.

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	416	416	303	0	0	0	0	0
normalized size	1	1.	0.73	0.	0.	0.	0.	0.
time (sec)	N/A	0.539	0.642	1.676	0.	0.	0.	0.

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	554	554	383	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.778	0.835	2.136	0.	0.	0.	0.

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	321	321	328	0	0	3060	0	0
normalized size	1	1.	1.02	0.	0.	9.53	0.	0.
time (sec)	N/A	1.012	0.718	2.826	0.	11.84	0.	0.

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	272	0	0	2452	0	0
normalized size	1	1.	1.21	0.	0.	10.9	0.	0.
time (sec)	N/A	0.308	0.507	2.027	0.	5.059	0.	0.

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	211	0	0	1925	0	0
normalized size	1	1.	1.6	0.	0.	14.58	0.	0.
time (sec)	N/A	0.146	0.22	1.591	0.	2.6	0.	0.

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.097	1.422	1.52	0.	0.	0.	0.

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.108	11.006	1.239	0.	0.	0.	0.

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.091	8.703	1.276	0.	0.	0.	0.

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.03	0.795	1.261	0.	0.	0.	0.

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	246	246	143	0	0	0	0	0
normalized size	1	1.	0.58	0.	0.	0.	0.	0.
time (sec)	N/A	0.255	0.194	1.273	0.	0.	0.	0.

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	362	362	249	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.447	0.635	1.717	0.	0.	0.	0.

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	1006	1006	329	0	0	0	0	0
normalized size	1	1.	0.33	0.	0.	0.	0.	0.
time (sec)	N/A	1.78	0.806	1.97	0.	0.	0.	0.

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	303	0	0	3171	0	0
normalized size	1	1.	1.2	0.	0.	12.58	0.	0.
time (sec)	N/A	1.006	0.65	1.828	0.	4.994	0.	0.

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	221	0	0	2360	0	0
normalized size	1	1.	1.41	0.	0.	15.03	0.	0.
time (sec)	N/A	0.259	0.352	1.589	0.	3.339	0.	0.

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	95	0	0	626	0	0
normalized size	1	1.	1.19	0.	0.	7.82	0.	0.
time (sec)	N/A	0.102	0.145	1.233	0.	2.355	0.	0.

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.11	15.089	1.081	0.	0.	0.	0.

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.123	21.066	1.079	0.	0.	0.	0.

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.106	7.663	1.148	0.	0.	0.	0.

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.099	3.641	1.159	0.	0.	0.	0.

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	113	0	0	0	0	0
normalized size	1	1.	1.04	0.	0.	0.	0.	0.
time (sec)	N/A	0.088	0.188	1.088	0.	0.	0.	0.

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	212	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.31	0.475	1.032	0.	0.	0.	0.

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	701	701	292	0	0	0	0	0
normalized size	1	1.	0.42	0.	0.	0.	0.	0.
time (sec)	N/A	1.392	0.717	1.481	0.	0.	0.	0.

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	312	0	0	4483	0	0
normalized size	1	1.	1.28	0.	0.	18.37	0.	0.
time (sec)	N/A	1.063	0.522	1.862	0.	5.146	0.	0.

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	172	0	0	1380	0	0
normalized size	1	1.	1.06	0.	0.	8.47	0.	0.
time (sec)	N/A	0.243	0.256	1.631	0.	3.348	0.	0.

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	158	0	0	1189	0	0
normalized size	1	1.	1.14	0.	0.	8.62	0.	0.
time (sec)	N/A	0.131	0.205	1.233	0.	3.091	0.	0.

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	25.452	1.078	0.	0.	0.	0.

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.138	31.587	1.08	0.	0.	0.	0.

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.116	9.905	1.224	0.	0.	0.	0.

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.106	9.378	1.169	0.	0.	0.	0.

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	276	276	186	0	0	0	0	0
normalized size	1	1.	0.67	0.	0.	0.	0.	0.
time (sec)	N/A	0.276	0.285	1.157	0.	0.	0.	0.

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	296	296	248	0	0	0	0	0
normalized size	1	1.	0.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.235	0.556	1.08	0.	0.	0.	0.

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	631	631	323	0	0	0	0	0
normalized size	1	1.	0.51	0.	0.	0.	0.	0.
time (sec)	N/A	1.396	0.791	1.022	0.	0.	0.	0.

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	589	570	0	0	0	0	0	0
normalized size	1	0.97	0.	0.	0.	0.	0.	0.
time (sec)	N/A	2.415	0.212	4.007	0.	0.	0.	0.

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	374	355	0	0	0	0	0	0
normalized size	1	0.95	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.432	0.141	3.049	0.	0.	0.	0.

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	F	F(-1)	F
verified	N/A	NO	N/A	TBD	TBD	TBD	TBD	TBD
size	178	204	0	0	0	0	0	0
normalized size	1	1.15	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.187	0.101	2.319	0.	0.	0.	0.

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.071	1.937	1.646	0.	0.	0.	0.

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.071	1.916	1.95	0.	0.	0.	0.

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.105	0.885	1.532	0.	0.	0.	0.

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.094	0.108	1.655	0.	0.	0.	0.

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.096	1.108	2.517	0.	0.	0.	0.

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.105	1.365	1.757	0.	0.	0.	0.

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	401	401	194	0	0	0	0	0
normalized size	1	1.	0.48	0.	0.	0.	0.	0.
time (sec)	N/A	2.484	0.249	17.217	0.	0.	0.	0.

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	268	268	159	0	0	0	0	0
normalized size	1	1.	0.59	0.	0.	0.	0.	0.
time (sec)	N/A	2.018	0.316	4.461	0.	0.	0.	0.

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	135	118	0	0	0	0	0
normalized size	1	1.07	0.94	0.	0.	0.	0.	0.
time (sec)	N/A	0.208	0.213	1.641	0.	0.	0.	0.

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.088	0.333	1.9	0.	0.	0.	0.

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.099	6.369	1.836	0.	0.	0.	0.

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [160] had the largest ratio of [0.7826]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	7	5	1.	12	0.417
2	A	4	3	1.	12	0.25
3	A	6	5	1.	12	0.417
4	A	3	3	1.	12	0.25
5	A	5	5	1.	12	0.417
6	A	2	2	1.	10	0.2
7	A	5	4	1.	8	0.5
8	A	6	6	1.	12	0.5
9	A	2	2	1.	12	0.167
10	A	4	4	1.	12	0.333
11	A	4	3	1.	12	0.25
12	A	5	4	1.	12	0.333
13	A	4	3	1.	12	0.25
14	A	6	4	1.	12	0.333
15	A	5	5	1.	14	0.357
16	A	8	6	1.	14	0.429
17	A	4	4	1.	12	0.333
18	A	7	5	1.	10	0.5
19	A	6	6	1.	14	0.429
20	A	4	3	1.	14	0.214
21	A	4	3	1.	14	0.214
22	A	5	5	1.	14	0.357
23	A	5	3	1.	14	0.214

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
24	A	10	10	1.	14	0.714
25	A	11	8	1.	14	0.571
26	A	7	7	1.	12	0.583
27	A	9	6	1.	10	0.6
28	A	7	7	1.	14	0.5
29	A	5	3	1.	14	0.214
30	A	6	6	1.	14	0.429
31	A	8	6	1.	14	0.429
32	A	10	6	1.	14	0.429
33	A	0	0	0.	0	0.
34	A	0	0	0.	0	0.
35	A	0	0	0.	0	0.
36	A	4	4	1.	14	0.286
37	A	6	6	1.	14	0.429
38	A	9	5	1.	14	0.357
39	A	0	0	0.	0	0.
40	A	0	0	0.	0	0.
41	A	0	0	0.	0	0.
42	A	5	5	1.	14	0.357
43	A	7	7	1.	14	0.5
44	A	11	6	1.	14	0.429
45	A	0	0	0.	0	0.
46	A	0	0	0.	0	0.
47	A	0	0	0.	0	0.
48	A	6	5	1.	14	0.357
49	A	8	7	1.	14	0.5
50	A	13	6	1.	14	0.429
51	A	0	0	0.	0	0.
52	A	0	0	0.	0	0.
53	A	3	3	1.	14	0.214
54	A	0	0	0.	0	0.
55	A	0	0	0.	0	0.

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
56	A	11	9	1.	16	0.562
57	A	10	9	1.	16	0.562
58	A	9	9	1.	14	0.643
59	A	5	4	1.	8	0.5
60	A	4	2	1.	16	0.125
61	A	7	7	1.	16	0.438
62	A	8	8	1.	16	0.5
63	A	22	13	1.	18	0.722
64	A	15	11	1.	18	0.611
65	A	9	9	1.	18	0.5
66	A	6	6	1.	18	0.333
67	A	12	11	1.	18	0.611
68	A	19	14	1.18	18	0.778
69	A	7	7	1.	19	0.368
70	A	6	7	1.	19	0.368
71	A	5	5	1.	16	0.312
72	A	4	5	1.	19	0.263
73	A	4	5	1.	19	0.263
74	A	5	6	1.	19	0.316
75	A	6	6	1.	19	0.316
76	A	5	5	1.	19	0.263
77	A	5	5	1.	19	0.263
78	A	6	5	1.	17	0.294
79	A	11	11	1.	19	0.579
80	A	13	13	1.	19	0.684
81	A	7	8	1.	21	0.381
82	A	6	7	1.	18	0.389
83	A	6	7	1.	21	0.333
84	A	6	7	1.	21	0.333
85	A	5	6	1.	21	0.286
86	A	6	7	1.	21	0.333
87	A	5	6	1.	21	0.286

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
88	A	6	5	1.	19	0.263
89	A	12	13	1.	21	0.619
90	A	14	15	1.	21	0.714
91	A	25	12	1.	21	0.571
92	A	26	9	1.	19	0.474
93	A	19	7	1.	18	0.389
94	A	19	7	1.	21	0.333
95	A	24	10	1.	21	0.476
96	A	31	14	1.	21	0.667
97	A	29	12	1.	21	0.571
98	A	7	5	1.	19	0.263
99	A	24	10	1.	21	0.476
100	A	51	15	1.	21	0.714
101	A	27	10	1.	21	0.476
102	A	47	11	1.	18	0.611
103	A	50	13	1.	21	0.619
104	A	33	13	1.	21	0.619
105	A	6	7	1.	21	0.333
106	A	8	6	1.	19	0.316
107	A	28	11	1.	21	0.524
108	A	35	11	1.	21	0.524
109	A	63	12	1.	21	0.571
110	A	81	12	1.	18	0.667
111	A	12	12	1.	23	0.522
112	A	11	12	1.	23	0.522
113	A	9	9	1.	21	0.429
114	A	0	0	0.	0	0.
115	A	0	0	0.	0	0.
116	A	0	0	0.	0	0.
117	A	0	0	0.	0	0.
118	A	0	0	0.	0	0.
119	A	11	11	1.	23	0.478

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
120	A	12	12	1.	23	0.522
121	A	12	12	1.	23	0.522
122	A	10	10	1.	21	0.476
123	A	0	0	0.	0	0.
124	A	0	0	0.	0	0.
125	A	0	0	0.	0	0.
126	A	0	0	0.	0	0.
127	A	0	0	0.	0	0.
128	A	0	0	0.	0	0.
129	A	12	12	1.	23	0.522
130	A	13	12	1.	23	0.522
131	A	11	12	1.	23	0.522
132	A	10	12	1.	23	0.522
133	A	8	8	1.	21	0.381
134	A	0	0	0.	0	0.
135	A	0	0	0.	0	0.
136	A	0	0	0.	0	0.
137	A	0	0	0.	0	0.
138	A	11	11	1.	23	0.478
139	A	11	12	1.	23	0.522
140	A	32	15	1.	23	0.652
141	A	10	11	1.	23	0.478
142	A	9	11	1.	23	0.478
143	A	4	4	1.	21	0.19
144	A	0	0	0.	0	0.
145	A	0	0	0.	0	0.
146	A	0	0	0.	0	0.
147	A	0	0	0.	0	0.
148	A	5	5	1.	20	0.25
149	A	10	11	1.	23	0.478
150	A	25	14	1.	23	0.609
151	A	10	11	1.	23	0.478

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
152	A	7	8	1.	23	0.348
153	A	5	5	1.	21	0.238
154	A	0	0	0.	0	0.
155	A	0	0	0.	0	0.
156	A	0	0	0.	0	0.
157	A	0	0	0.	0	0.
158	A	10	10	1.	23	0.435
159	A	10	11	1.	20	0.55
160	A	26	18	1.	23	0.783
161	A	6	7	0.97	23	0.304
162	A	6	7	0.95	23	0.304
163	A	5	6	1.15	21	0.286
164	A	0	0	0.	0	0.
165	A	0	0	0.	0	0.
166	A	0	0	0.	0	0.
167	A	0	0	0.	0	0.
168	A	0	0	0.	0	0.
169	A	0	0	0.	0	0.
170	A	16	11	1.	26	0.423
171	A	13	11	1.	26	0.423
172	A	8	9	1.07	26	0.346
173	A	0	0	0.	0	0.
174	A	0	0	0.	0	0.

Chapter 3

Listing of integrals

3.1 $\int x^6 \left(a + b \sec^{-1}(cx) \right) dx$

Optimal. Leaf size=114

$$\frac{1}{7}x^7 \left(a + b \sec^{-1}(cx) \right) - \frac{bx^6 \sqrt{1 - \frac{1}{c^2x^2}}}{42c} - \frac{5bx^4 \sqrt{1 - \frac{1}{c^2x^2}}}{168c^3} - \frac{5bx^2 \sqrt{1 - \frac{1}{c^2x^2}}}{112c^5} - \frac{5b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2x^2}} \right)}{112c^7}$$

[Out] $(-5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(112*c^5) - (5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(168*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^6)/(42*c) + (x^7*(a + b*\text{ArcSec}[c*x]))/7 - (5*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(112*c^7)$

Rubi [A] time = 0.0608637, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5220, 266, 51, 63, 208}

$$\frac{1}{7}x^7 \left(a + b \sec^{-1}(cx) \right) - \frac{bx^6 \sqrt{1 - \frac{1}{c^2x^2}}}{42c} - \frac{5bx^4 \sqrt{1 - \frac{1}{c^2x^2}}}{168c^3} - \frac{5bx^2 \sqrt{1 - \frac{1}{c^2x^2}}}{112c^5} - \frac{5b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2x^2}} \right)}{112c^7}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^6*(a + b*\text{ArcSec}[c*x]),x]$

[Out] $(-5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(112*c^5) - (5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(168*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^6)/(42*c) + (x^7*(a + b*\text{ArcSec}[c*x]))/7 - (5*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(112*c^7)$

Rule 5220

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] := Sim
p[((d*x)^(m + 1)*(a + b*ArcSec[c*x]))/(d*(m + 1)), x] - Dist[(b*d)/(c*(m +
1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int x^6 (a + b \sec^{-1}(cx)) dx &= \frac{1}{7} x^7 (a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^5}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{7c} \\
&= \frac{1}{7} x^7 (a + b \sec^{-1}(cx)) + \frac{b \operatorname{Subst} \left(\int \frac{1}{x^4 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{14c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \sec^{-1}(cx)) + \frac{(5b) \operatorname{Subst} \left(\int \frac{1}{x^3 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{84c^3} \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \sec^{-1}(cx)) + \frac{(5b) \operatorname{Subst} \left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{112c^5} \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{112c^5} - \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \sec^{-1}(cx)) + \frac{(5b) \operatorname{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{112c^5} \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{112c^5} - \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \sec^{-1}(cx)) - \frac{(5b) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{112c^5} \\
&= -\frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{112c^5} - \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \sec^{-1}(cx)) - \frac{5b \tanh^{-1} \left(\sqrt{1 - \frac{x}{c^2}} \right)}{112c^5}
\end{aligned}$$

Mathematica [A] time = 0.133162, size = 107, normalized size = 0.94

$$\frac{ax^7}{7} + b \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \left(-\frac{5x^4}{168c^3} - \frac{5x^2}{112c^5} - \frac{x^6}{42c} \right) - \frac{5b \log \left(x \left(\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 1 \right) \right)}{112c^7} + \frac{1}{7} b x^7 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^6*(a + b*ArcSec[c*x]),x]

[Out] (a*x^7)/7 + b*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]*((-5*x^2)/(112*c^5) - (5*x^4)/(168*c^3) - x^6/(42*c)) + (b*x^7*ArcSec[c*x])/7 - (5*b*Log[x*(1 + Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])])/(112*c^7)

Maple [A] time = 0.19, size = 177, normalized size = 1.6

$$\frac{x^7 a}{7} + \frac{bx^7 \operatorname{arcsec}(cx)}{7} - \frac{bx^6}{42c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{bx^4}{168c^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5bx^2}{336c^5} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{5b}{112c^7} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5b}{112c^8 x} \sqrt{c^2 x^2 - 1} \ln(cx + \sqrt{c^2 x^2 - 1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(a+b*arcsec(c*x)),x)

[Out] 1/7*x^7*a+1/7*b*x^7*arcsec(c*x)-1/42/c*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^6-1/168/c^3*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^4-5/336/c^5*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^2+5/112/c^7*b/((c^2*x^2-1)/c^2/x^2)^(1/2)-5/112/c^8*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*ln(c*x+(c^2*x^2-1)^(1/2))

Maxima [A] time = 0.987097, size = 219, normalized size = 1.92

$$\frac{1}{7} ax^7 + \frac{1}{672} \left(96 x^7 \operatorname{arcsec}(cx) - \frac{2 \left(15 \left(-\frac{1}{2x^2} + 1 \right)^{\frac{5}{2}} - 40 \left(-\frac{1}{2x^2} + 1 \right)^{\frac{3}{2}} + 33 \sqrt{-\frac{1}{2x^2} + 1} \right)}{c^6 \left(\frac{1}{2x^2} - 1 \right)^3 + 3c^6 \left(\frac{1}{2x^2} - 1 \right)^2 + 3c^6 \left(\frac{1}{2x^2} - 1 \right) + c^6} + \frac{15 \log \left(\sqrt{-\frac{1}{2x^2} + 1} + 1 \right)}{c^6} - \frac{15 \log \left(\sqrt{-\frac{1}{2x^2} + 1} - 1 \right)}{c^6} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/7*a*x^7 + 1/672*(96*x^7*arcsec(c*x) - (2*(15*(-1/(c^2*x^2) + 1)^(5/2) - 40*(-1/(c^2*x^2) + 1)^(3/2) + 33*sqrt(-1/(c^2*x^2) + 1))/(c^6*(1/(c^2*x^2) - 1)^3 + 3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^6 - 15*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^6)/c)*b

Fricas [A] time = 3.10748, size = 275, normalized size = 2.41

$$\frac{48 ac^7 x^7 + 96 bc^7 \arctan(-cx + \sqrt{c^2 x^2 - 1}) + 48 (bc^7 x^7 - bc^7) \operatorname{arcsec}(cx) + 15 b \log(-cx + \sqrt{c^2 x^2 - 1}) - (8 bc^5 x^5 + 10 bc^5 x^3 + 10 bc^5 x)}{336 c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] 1/336*(48*a*c^7*x^7 + 96*b*c^7*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 48*(b*c^7*x^7 - b*c^7)*arcsec(c*x) + 15*b*log(-c*x + sqrt(c^2*x^2 - 1)) - (8*b*c^5*x^5 + 10*b*c^3*x^3 + 15*b*c*x)*sqrt(c^2*x^2 - 1))/c^7
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^6 (a + b \operatorname{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(a+b*asec(c*x)),x)
```

```
[Out] Integral(x**6*(a + b*asec(c*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)x^6 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^6, x)
```

3.2 $\int x^5 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=89

$$\frac{1}{6}x^6(a + b \sec^{-1}(cx)) - \frac{bx^5\sqrt{1 - \frac{1}{c^2x^2}}}{30c} - \frac{2bx^3\sqrt{1 - \frac{1}{c^2x^2}}}{45c^3} - \frac{4bx\sqrt{1 - \frac{1}{c^2x^2}}}{45c^5}$$

[Out] $(-4*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(45*c^5) - (2*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(45*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^5)/(30*c) + (x^6*(a + b*\text{ArcSec}[c*x]))/6$

Rubi [A] time = 0.0413837, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5220, 271, 191}

$$\frac{1}{6}x^6(a + b \sec^{-1}(cx)) - \frac{bx^5\sqrt{1 - \frac{1}{c^2x^2}}}{30c} - \frac{2bx^3\sqrt{1 - \frac{1}{c^2x^2}}}{45c^3} - \frac{4bx\sqrt{1 - \frac{1}{c^2x^2}}}{45c^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $(-4*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(45*c^5) - (2*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(45*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^5)/(30*c) + (x^6*(a + b*\text{ArcSec}[c*x]))/6$

Rule 5220

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_)]*(b_.)]*((d_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcSec}[c*x])/(d*(m+1)), x] - \text{Dist}[(b*d)/(c*(m+1)), \text{Int}[(d*x)^{(m-1)}/\text{Sqrt}[1 - 1/(c^2*x^2)], x], x] /;$ FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 271

$\text{Int}[(x_)^{(m_)}*((a_.) + (b_.)*(x_)^{(n_)})^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(x^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*(m+1)), x] - \text{Dist}[(b*(m+n*(p+1)+1))/(a*(m+1)), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m+1)/n+p+1], 0] && NeQ[m, -1]

Rule 191

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :- Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rubi steps

$$\begin{aligned}
 \int x^5 (a + b \sec^{-1}(cx)) dx &= \frac{1}{6} x^6 (a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^4}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{6c} \\
 &= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^5}{30c} + \frac{1}{6} x^6 (a + b \sec^{-1}(cx)) - \frac{(2b) \int \frac{x^2}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{15c^3} \\
 &= -\frac{2b \sqrt{1 - \frac{1}{c^2 x^2}} x^3}{45c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^5}{30c} + \frac{1}{6} x^6 (a + b \sec^{-1}(cx)) - \frac{(4b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{45c^5} \\
 &= -\frac{4b \sqrt{1 - \frac{1}{c^2 x^2}} x}{45c^5} - \frac{2b \sqrt{1 - \frac{1}{c^2 x^2}} x^3}{45c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^5}{30c} + \frac{1}{6} x^6 (a + b \sec^{-1}(cx))
 \end{aligned}$$

Mathematica [A] time = 0.0811036, size = 72, normalized size = 0.81

$$\frac{ax^6}{6} + b \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \left(-\frac{2x^3}{45c^3} - \frac{4x}{45c^5} - \frac{x^5}{30c} \right) + \frac{1}{6} bx^6 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(a + b*ArcSec[c*x]),x]

[Out] (a*x^6)/6 + b*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]*((-4*x)/(45*c^5) - (2*x^3)/(45*c^3) - x^5/(30*c)) + (b*x^6*ArcSec[c*x])/6

Maple [A] time = 0.16, size = 83, normalized size = 0.9

$$\frac{1}{c^6} \left(\frac{c^6 x^6 a}{6} + b \left(\frac{c^6 x^6 \operatorname{arcsec}(cx)}{6} - \frac{(c^2 x^2 - 1)(3c^4 x^4 + 4c^2 x^2 + 8)}{90cx} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsec(c*x)),x)`

[Out] $\frac{1}{c^6} \left(\frac{1}{6} c^6 x^6 a + b \left(\frac{1}{6} c^6 x^6 \operatorname{arcsec}(c x) - \frac{1}{90} (c^2 x^2 - 1) (3 c^4 x^4 + 4 c^2 x^2 + 8) \right) \right) / \left(\frac{c^2 x^2 - 1}{c^2 x^2} \right)^{(1/2)} / c/x$

Maxima [A] time = 0.987436, size = 109, normalized size = 1.22

$$\frac{1}{6} a x^6 + \frac{1}{90} \left(15 x^6 \operatorname{arcsec}(c x) - \frac{3 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} + 10 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^5} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{6} a x^6 + \frac{1}{90} (15 x^6 \operatorname{arcsec}(c x) - (3 c^4 x^5 (-1/(c^2 x^2) + 1)^{(5/2)} + 10 c^2 x^3 (-1/(c^2 x^2) + 1)^{(3/2)} + 15 x \sqrt{-1/(c^2 x^2) + 1}) / c^5) b$

Fricas [A] time = 2.77975, size = 143, normalized size = 1.61

$$\frac{15 b c^6 x^6 \operatorname{arcsec}(c x) + 15 a c^6 x^6 - (3 b c^4 x^4 + 4 b c^2 x^2 + 8 b) \sqrt{c^2 x^2 - 1}}{90 c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{90} (15 b c^6 x^6 \operatorname{arcsec}(c x) + 15 a c^6 x^6 - (3 b c^4 x^4 + 4 b c^2 x^2 + 8 b) \sqrt{c^2 x^2 - 1}) / c^6$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{asec}(c x)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asec(c*x)),x)
```

```
[Out] Integral(x**5*(a + b*asec(c*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^5, x)
```

3.3 $\int x^4 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=89

$$\frac{1}{5}x^5 (a + b \sec^{-1}(cx)) - \frac{bx^4 \sqrt{1 - \frac{1}{c^2 x^2}}}{20c} - \frac{3bx^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{40c^3} - \frac{3b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{40c^5}$$

[Out] $(-3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(40*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(20*c) + (x^5*(a + b*\text{ArcSec}[c*x]))/5 - (3*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(40*c^5)$

Rubi [A] time = 0.0463687, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5220, 266, 51, 63, 208}

$$\frac{1}{5}x^5 (a + b \sec^{-1}(cx)) - \frac{bx^4 \sqrt{1 - \frac{1}{c^2 x^2}}}{20c} - \frac{3bx^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{40c^3} - \frac{3b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{40c^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $(-3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(40*c^3) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(20*c) + (x^5*(a + b*\text{ArcSec}[c*x]))/5 - (3*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(40*c^5)$

Rule 5220

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.)]*((d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcSec}[c*x])]/(d*(m+1)), x] - \text{Dist}[(b*d)/(c*(m+1)), \text{Int}[(d*x)^{(m-1)}/\text{Sqrt}[1 - 1/(c^2*x^2)], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{NeQ}[m, -1]$

Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 51


```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int x^4 (a + b \sec^{-1}(cx)) dx &= \frac{1}{5} x^5 (a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^3}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{5c} \\
&= \frac{1}{5} x^5 (a + b \sec^{-1}(cx)) + \frac{b \operatorname{Subst} \left(\int \frac{1}{x^3 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{10c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 (a + b \sec^{-1}(cx)) + \frac{(3b) \operatorname{Subst} \left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{40c^3} \\
&= -\frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{40c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 (a + b \sec^{-1}(cx)) + \frac{(3b) \operatorname{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{80c^5} \\
&= -\frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{40c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 (a + b \sec^{-1}(cx)) - \frac{(3b) \operatorname{Subst} \left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{40c^3} \\
&= -\frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{40c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 (a + b \sec^{-1}(cx)) - \frac{3b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{40c^5}
\end{aligned}$$

Mathematica [A] time = 0.0688045, size = 97, normalized size = 1.09

$$\frac{ax^5}{5} + b\sqrt{\frac{c^2x^2-1}{c^2x^2}} \left(-\frac{3x^2}{40c^3} - \frac{x^4}{20c} \right) - \frac{3b \log \left(x \left(\sqrt{\frac{c^2x^2-1}{c^2x^2}} + 1 \right) \right)}{40c^5} + \frac{1}{5}bx^5 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*ArcSec[c*x]),x]

[Out] (a*x^5)/5 + b*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]*((-3*x^2)/(40*c^3) - x^4/(20*c)) + (b*x^5*ArcSec[c*x])/5 - (3*b*Log[x*(1 + Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])]/(40*c^5))

Maple [A] time = 0.19, size = 150, normalized size = 1.7

$$\frac{ax^5}{5} + \frac{x^5 b \operatorname{arcsec}(cx)}{5} - \frac{bx^4}{20c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bx^2}{40c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{3b}{40c^5} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{3b}{40c^6x} \sqrt{c^2x^2-1} \ln \left(cx + \sqrt{c^2x^2-1} \right) \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*arcsec(c*x)),x)

[Out] 1/5*a*x^5+1/5*x^5*b*arcsec(c*x)-1/20/c*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^4-1/40/c^3*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^2+3/40/c^5*b/((c^2*x^2-1)/c^2/x^2)^(1/2)-3/40/c^6*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*ln(c*x+(c^2*x^2-1)^(1/2))

Maxima [A] time = 1.00718, size = 177, normalized size = 1.99

$$\frac{1}{5}ax^5 + \frac{1}{80} \left(16x^5 \operatorname{arcsec}(cx) + \frac{2 \left(3 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 5 \sqrt{-\frac{1}{c^2x^2} + 1} \right)}{c^4 \left(\frac{1}{c^2x^2} - 1 \right)^2 + 2c^4 \left(\frac{1}{c^2x^2} - 1 \right) + c^4} - \frac{3 \log \left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1 \right)}{c^4} + \frac{3 \log \left(\sqrt{-\frac{1}{c^2x^2} + 1} - 1 \right)}{c^4} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{5}ax^5 + \frac{1}{80}(16x^5\text{arcsec}(cx) + (2(3(-1/(c^2x^2) + 1))^{3/2} - 5\sqrt{-1/(c^2x^2) + 1}))/c^4(1/(c^2x^2) - 1)^2 + 2c^4(1/(c^2x^2) - 1) + c^4 - 3\log(\sqrt{-1/(c^2x^2) + 1} + 1)/c^4 + 3\log(\sqrt{-1/(c^2x^2) + 1} - 1)/c^4)/c * b$

Fricas [A] time = 2.79015, size = 248, normalized size = 2.79

$$\frac{8ac^5x^5 + 16bc^5 \arctan(-cx + \sqrt{c^2x^2 - 1}) + 8(bc^5x^5 - bc^5) \text{arcsec}(cx) + 3b \log(-cx + \sqrt{c^2x^2 - 1}) - (2bc^3x^3 + 3bcx)}{40c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{40}(8ac^5x^5 + 16b^2c^5 \arctan(-cx + \sqrt{c^2x^2 - 1}) + 8(b^2c^5x^5 - b^2c^5) \text{arcsec}(cx) + 3b^2 \log(-cx + \sqrt{c^2x^2 - 1}) - (2b^2c^3x^3 + 3b^2cx) \sqrt{c^2x^2 - 1})/c^5$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 (a + b \text{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asec(c*x)),x)

[Out] Integral(x**4*(a + b*asec(c*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \text{arcsec}(cx) + a)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^4, x)
```

3.4 $\int x^3 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=64

$$\frac{1}{4}x^4(a + b \sec^{-1}(cx)) - \frac{bx^3\sqrt{1 - \frac{1}{c^2x^2}}}{12c} - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}}{6c^3}$$

[Out] $-(b\sqrt{1 - 1/(c^2x^2)})*x)/(6*c^3) - (b\sqrt{1 - 1/(c^2x^2)})*x^3)/(12*c) + (x^4*(a + b*\text{ArcSec}[c*x]))/4$

Rubi [A] time = 0.0265671, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5220, 271, 191}

$$\frac{1}{4}x^4(a + b \sec^{-1}(cx)) - \frac{bx^3\sqrt{1 - \frac{1}{c^2x^2}}}{12c} - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}}{6c^3}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*ArcSec[c*x]),x]

[Out] $-(b\sqrt{1 - 1/(c^2x^2)})*x)/(6*c^3) - (b\sqrt{1 - 1/(c^2x^2)})*x^3)/(12*c) + (x^4*(a + b*\text{ArcSec}[c*x]))/4$

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[p[((d*x)^(m + 1)*(a + b*ArcSec[c*x]))/(d*(m + 1)), x] - Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 271

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rubi steps

$$\begin{aligned} \int x^3 (a + b \sec^{-1}(cx)) dx &= \frac{1}{4} x^4 (a + b \sec^{-1}(cx)) - \frac{b \int \frac{x^2}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{4c} \\ &= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3}{12c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx)) - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{6c^3} \\ &= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x}{6c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3}{12c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx)) \end{aligned}$$

Mathematica [A] time = 0.100045, size = 62, normalized size = 0.97

$$\frac{ax^4}{4} + b \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \left(-\frac{x}{6c^3} - \frac{x^3}{12c} \right) + \frac{1}{4} b x^4 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*ArcSec[c*x]),x]

[Out] (a*x^4)/4 + b*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]*(-x/(6*c^3) - x^3/(12*c)) + (b*x^4*ArcSec[c*x])/4

Maple [A] time = 0.162, size = 74, normalized size = 1.2

$$\frac{1}{c^4} \left(\frac{c^4 x^4 a}{4} + b \left(\frac{c^4 x^4 \operatorname{arcsec}(cx)}{4} - \frac{(c^2 x^2 - 1)(c^2 x^2 + 2)}{12 c x} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x)),x)

[Out] $1/c^4*(1/4*c^4*x^4*a+b*(1/4*c^4*x^4*\text{arcsec}(c*x)-1/12*(c^2*x^2-1)*(c^2*x^2+2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x))$

Maxima [A] time = 0.976702, size = 81, normalized size = 1.27

$$\frac{1}{4}ax^4 + \frac{1}{12} \left(3x^4 \text{arcsec}(cx) - \frac{c^2x^3 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} + 3x \sqrt{-\frac{1}{c^2x^2} + 1}}{c^3} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $1/4*a*x^4 + 1/12*(3*x^4*\text{arcsec}(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^{(3/2)} + 3*x*\text{sqrt}(-1/(c^2*x^2) + 1))/c^3)*b$

Fricas [A] time = 2.66535, size = 119, normalized size = 1.86

$$\frac{3bc^4x^4 \text{arcsec}(cx) + 3ac^4x^4 - (bc^2x^2 + 2b)\sqrt{c^2x^2 - 1}}{12c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $1/12*(3*b*c^4*x^4*\text{arcsec}(c*x) + 3*a*c^4*x^4 - (b*c^2*x^2 + 2*b)*\text{sqrt}(c^2*x^2 - 1))/c^4$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \text{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*asec(c*x)),x)`

[Out] Integral($x^{**3}*(a + b*asec(c*x))$), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^3*(a+b*\operatorname{arcsec}(c*x))$),x, algorithm="giac")

[Out] integrate($(b*\operatorname{arcsec}(c*x) + a)*x^3$), x)

3.5 $\int x^2 \left(a + b \sec^{-1}(cx) \right) dx$

Optimal. Leaf size=64

$$\frac{1}{3}x^3 \left(a + b \sec^{-1}(cx) \right) - \frac{bx^2 \sqrt{1 - \frac{1}{c^2x^2}}}{6c} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2x^2}} \right)}{6c^3}$$

[Out] $-(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(6*c) + (x^3*(a + b*\text{ArcSec}[c*x]))/3 - (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(6*c^3)$

Rubi [A] time = 0.0348788, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5220, 266, 51, 63, 208}

$$\frac{1}{3}x^3 \left(a + b \sec^{-1}(cx) \right) - \frac{bx^2 \sqrt{1 - \frac{1}{c^2x^2}}}{6c} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2x^2}} \right)}{6c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(6*c) + (x^3*(a + b*\text{ArcSec}[c*x]))/3 - (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(6*c^3)$

Rule 5220

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.)]*((d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcSec}[c*x])]/(d*(m+1)), x] - \text{Dist}[(b*d)/(c*(m+1)), \text{Int}[(d*x)^{(m-1)}/\text{Sqrt}[1 - 1/(c^2*x^2)], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{NeQ}[m, -1]$

Rule 266

$\text{Int}[(x_.)^{(m_.)]*((a_.) + (b_.)*(x_.)^{(n_.))^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n) - 1}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 51

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)]*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^{(n+1)}/((b*c - a*d)*(m+1)), x] - \text{Dist}[(d*($

```
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \sec^{-1}(cx)) dx &= \frac{1}{3} x^3 (a + b \sec^{-1}(cx)) - \frac{b \int \frac{x}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{3c} \\
&= \frac{1}{3} x^3 (a + b \sec^{-1}(cx)) + \frac{b \operatorname{Subst} \left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{6c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{6c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx)) + \frac{b \operatorname{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{12c^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{6c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx)) - \frac{b \operatorname{Subst} \left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{6c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx)) - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c^3}
\end{aligned}$$

Mathematica [A] time = 0.0503631, size = 85, normalized size = 1.33

$$\frac{ax^3}{3} - \frac{bx^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{6c} - \frac{b \log \left(x \left(\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 1 \right) \right)}{6c^3} + \frac{1}{3} bx^3 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*ArcSec[c*x]),x]

[Out] (a*x^3)/3 - (b*x^2*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(6*c) + (b*x^3*ArcSec[c*x])/3 - (b*Log[x*(1 + Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])])/(6*c^3)

Maple [B] time = 0.162, size = 123, normalized size = 1.9

$$\frac{x^3 a}{3} + \frac{x^3 b \operatorname{arcsec}(cx)}{3} - \frac{bx^2}{6c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{b}{6c^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b}{6c^4 x} \sqrt{c^2 x^2 - 1} \ln\left(cx + \sqrt{c^2 x^2 - 1}\right) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x)),x)

[Out] 1/3*x^3*a+1/3*x^3*b*arcsec(c*x)-1/6/c*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^2+1/6/c^3*b/((c^2*x^2-1)/c^2/x^2)^(1/2)-1/6/c^4*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*ln(c*x+(c^2*x^2-1)^(1/2))

Maxima [A] time = 1.02803, size = 132, normalized size = 2.06

$$\frac{1}{3} ax^3 + \frac{1}{12} \left[4x^3 \operatorname{arcsec}(cx) - \frac{\frac{2\sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 \left(\frac{1}{c^2 x^2} - 1\right) + c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1\right)}{c^2}}{c} \right] b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/3*a*x^3 + 1/12*(4*x^3*arcsec(c*x) - (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b

Fricas [A] time = 2.67018, size = 219, normalized size = 3.42

$$\frac{2ac^3x^3 + 4bc^3 \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) - \sqrt{c^2x^2 - 1}bcx + 2(bc^3x^3 - bc^3) \operatorname{arcsec}(cx) + b \log\left(-cx + \sqrt{c^2x^2 - 1}\right)}{6c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] 1/6*(2*a*c^3*x^3 + 4*b*c^3*arctan(-c*x + sqrt(c^2*x^2 - 1)) - sqrt(c^2*x^2 - 1)*b*c*x + 2*(b*c^3*x^3 - b*c^3)*arcsec(c*x) + b*log(-c*x + sqrt(c^2*x^2 - 1)))/c^3

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x)),x)

[Out] Integral(x**2*(a + b*asec(c*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^2, x)

3.6 $\int x \left(a + b \sec^{-1}(cx) \right) dx$

Optimal. Leaf size=39

$$\frac{1}{2}x^2 \left(a + b \sec^{-1}(cx) \right) - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}}{2c}$$

[Out] $-(b\sqrt{1 - 1/(c^2x^2)})*x)/(2*c) + (x^2*(a + b*\text{ArcSec}[c*x]))/2$

Rubi [A] time = 0.0119012, antiderivative size = 39, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {5220, 191}

$$\frac{1}{2}x^2 \left(a + b \sec^{-1}(cx) \right) - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}}{2c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b\sqrt{1 - 1/(c^2x^2)})*x)/(2*c) + (x^2*(a + b*\text{ArcSec}[c*x]))/2$

Rule 5220

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^{(m_.)}, x_Symbol] \text{ :> Simp}[\frac{(d*x)^{(m+1)}*(a + b*\text{ArcSec}[c*x])}{d*(m+1)}, x] - \text{Dist}[\frac{b*d}{c*(m+1)}], \text{Int}[\frac{(d*x)^{(m-1)}}{\sqrt{1 - 1/(c^2*x^2)}}, x], x] \text{ /; FreeQ}\{a, b, c, d, m\}, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 191

$\text{Int}[(a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \text{ :> Simp}[(x*(a + b*x^n)^{(p+1)})/a, x] \text{ /; FreeQ}\{a, b, n, p\}, x] \ \&\& \ \text{EqQ}[1/n + p + 1, 0]$

Rubi steps

$$\int x(a + b \sec^{-1}(cx)) dx = \frac{1}{2}x^2(a + b \sec^{-1}(cx)) - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{2c}$$

$$= -\frac{b\sqrt{1 - \frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}x^2(a + b \sec^{-1}(cx))$$

Mathematica [A] time = 0.0213695, size = 50, normalized size = 1.28

$$\frac{ax^2}{2} - \frac{bx\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{2c} + \frac{1}{2}bx^2 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcSec[c*x]),x]

[Out] (a*x^2)/2 - (b*x*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(2*c) + (b*x^2*ArcSec[c*x])/2

Maple [A] time = 0.161, size = 65, normalized size = 1.7

$$\frac{1}{c^2} \left(\frac{c^2x^2a}{2} + b \left(\frac{c^2x^2 \operatorname{arcsec}(cx)}{2} - \frac{c^2x^2 - 1}{2cx} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arcsec(c*x)),x)

[Out] 1/c^2*(1/2*c^2*x^2*a+b*(1/2*c^2*x^2*arcsec(c*x)-1/2/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*(c^2*x^2-1)))

Maxima [A] time = 0.995462, size = 50, normalized size = 1.28

$$\frac{1}{2}ax^2 + \frac{1}{2} \left(x^2 \operatorname{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2} + 1}}{c} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $1/2*a*x^2 + 1/2*(x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*b$

Fricas [A] time = 2.68638, size = 90, normalized size = 2.31

$$\frac{bc^2x^2 \operatorname{arcsec}(cx) + ac^2x^2 - \sqrt{c^2x^2 - 1}b}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $1/2*(b*c^2*x^2*arcsec(c*x) + a*c^2*x^2 - sqrt(c^2*x^2 - 1)*b)/c^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x(a + b \operatorname{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*asec(c*x)),x)`

[Out] `Integral(x*(a + b*asec(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)*x, x)`

3.7 $\int (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=32

$$ax - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c} + bx \sec^{-1}(cx)$$

[Out] a*x + b*x*ArcSec[c*x] - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c

Rubi [A] time = 0.0203169, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5214, 266, 63, 208}

$$ax - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c} + bx \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcSec[c*x],x]

[Out] a*x + b*x*ArcSec[c*x] - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c

Rule 5214

Int[ArcSec[(c_.)*(x_)], x_Symbol] :> Simp[x*ArcSec[c*x], x] - Dist[1/c, Int[1/(x*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[c, x]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned}
 \int (a + b \sec^{-1}(cx)) dx &= ax + b \int \sec^{-1}(cx) dx \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{c} \\
 &= ax + bx \sec^{-1}(cx) + \frac{b \operatorname{Subst}\left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{2c} \\
 &= ax + bx \sec^{-1}(cx) - (bc) \operatorname{Subst}\left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}}\right) \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c}
 \end{aligned}$$

Mathematica [A] time = 0.0628324, size = 59, normalized size = 1.84

$$ax - \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2 x^2 - 1}}\right)}{\sqrt{c^2 x^2 - 1}} + bx \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[a + b*ArcSec[c*x], x]

[Out] a*x + b*x*ArcSec[c*x] - (b*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2]

Maple [A] time = 0.155, size = 38, normalized size = 1.2

$$ax + bx \operatorname{arcsec}(cx) - \frac{b}{c} \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a+b*arcsec(c*x),x)`

[Out] `a*x+b*x*arcsec(c*x)-b/c*ln(c*x+c*x*(1-1/c^2/x^2)^(1/2))`

Maxima [A] time = 0.961775, size = 72, normalized size = 2.25

$$ax + \frac{\left(2cx \operatorname{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right) + \log\left(-\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right)\right)b}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="maxima")`

[Out] `a*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b/c`

Fricas [B] time = 2.64069, size = 154, normalized size = 4.81

$$\frac{acx + 2bc \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) + (bcx - bc) \operatorname{arcsec}(cx) + b \log\left(-cx + \sqrt{c^2x^2 - 1}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="fricas")`

[Out] `(a*c*x + 2*b*c*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c*x - b*c)*arcsec(c*x) + b*log(-c*x + sqrt(c^2*x^2 - 1)))/c`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*asec(c*x),x)

[Out] Integral(a + b*asec(c*x), x)

Giac [A] time = 1.13203, size = 62, normalized size = 1.94

$$\left(x \arccos\left(\frac{1}{cx}\right) + \frac{c \log\left(|-x|c| + \sqrt{c^2x^2 - 1}\right)}{|c|^2 \operatorname{sgn}(x)} \right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arcsec(c*x),x, algorithm="giac")

[Out] (x*arccos(1/(c*x)) + c*log(abs(-x*abs(c) + sqrt(c^2*x^2 - 1)))/(abs(c)^2*sgn(x)))*b + a*x

3.8 $\int \frac{a+b \sec^{-1}(cx)}{x} dx$

Optimal. Leaf size=64

$$\frac{1}{2}ib\text{PolyLog}\left(2, -e^{2i\sec^{-1}(cx)}\right) + \frac{i\left(a + b \sec^{-1}(cx)\right)^2}{2b} - \log\left(1 + e^{2i\sec^{-1}(cx)}\right)\left(a + b \sec^{-1}(cx)\right)$$

[Out] ((I/2)*(a + b*ArcSec[c*x])^2)/b - (a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])] + (I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]

Rubi [A] time = 0.0843917, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5218, 4626, 3719, 2190, 2279, 2391}

$$\frac{1}{2}ib\text{PolyLog}\left(2, -e^{2i\sec^{-1}(cx)}\right) + \frac{i\left(a + b \sec^{-1}(cx)\right)^2}{2b} - \log\left(1 + e^{2i\sec^{-1}(cx)}\right)\left(a + b \sec^{-1}(cx)\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x,x]

[Out] ((I/2)*(a + b*ArcSec[c*x])^2)/b - (a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])] + (I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]

Rule 5218

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] :> -Subst[Int[(a + b *ArcCos[x/c])/x, x], x, 1/x] /; FreeQ[{a, b, c}, x]

Rule 4626

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.)^n_/(x_), x_Symbol] :> -Subst[Int[(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3719

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m * E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x, x] /; FreeQ[{c, d, e, f}, x] && IGtQ

[m, 0]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x} \right) \\
&= \text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - (a + b \sec^{-1}(cx)) \log(1 + e^{2i \sec^{-1}(cx)}) + b \text{Subst} \left(\int \log(1 + e^{2ix}) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - (a + b \sec^{-1}(cx)) \log(1 + e^{2i \sec^{-1}(cx)}) - \frac{1}{2}(ib) \text{Subst} \left(\int \frac{\log(1 + x)}{x} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2b} - (a + b \sec^{-1}(cx)) \log(1 + e^{2i \sec^{-1}(cx)}) + \frac{1}{2}ib \text{Li}_2(-e^{2i \sec^{-1}(cx)})
\end{aligned}$$

Mathematica [A] time = 0.0164604, size = 59, normalized size = 0.92

$$\frac{1}{2}ib \text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) + a \log(x) + \frac{1}{2}ib \sec^{-1}(cx)^2 - b \sec^{-1}(cx) \log(1 + e^{2i \sec^{-1}(cx)})$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/x,x]

[Out] (I/2)*b*ArcSec[c*x]^2 - b*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] + a*Log[x] + (I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]

Maple [A] time = 0.281, size = 86, normalized size = 1.3

$$a \ln(cx) + \frac{i}{2}b(\operatorname{arcsec}(cx))^2 - b\operatorname{arcsec}(cx) \ln\left(1 + \left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2x^2}}\right)^2\right) + \frac{i}{2}b\operatorname{polylog}\left(2, -\left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2x^2}}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x,x)

[Out] a*ln(c*x)+1/2*I*b*arcsec(c*x)^2-b*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+1/2*I*b*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\left(c^2 \int \frac{\sqrt{cx+1}\sqrt{cx-1} \log(x)}{c^4x^3 - c^2x} dx - \arctan\left(\sqrt{cx+1}\sqrt{cx-1}\right) \log(x)\right) b + a \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x,x, algorithm="maxima")

[Out] -(c^2*integrate(sqrt(c*x + 1)*sqrt(c*x - 1)*log(x)/(c^4*x^3 - c^2*x), x) - arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x))*b + a*log(x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x,x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)/x, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/x,x)
```

```
[Out] Integral((a + b*asec(c*x))/x, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/x, x)
```

3.9 $\int \frac{a+b \sec^{-1}(cx)}{x^2} dx$

Optimal. Leaf size=31

$$bc\sqrt{1-\frac{1}{c^2x^2}}-\frac{a+b \sec^{-1}(cx)}{x}$$

[Out] b*c*Sqrt[1 - 1/(c^2*x^2)] - (a + b*ArcSec[c*x])/x

Rubi [A] time = 0.0202613, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {5220, 261}

$$bc\sqrt{1-\frac{1}{c^2x^2}}-\frac{a+b \sec^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^2, x]

[Out] b*c*Sqrt[1 - 1/(c^2*x^2)] - (a + b*ArcSec[c*x])/x

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[p[((d*x)^(m + 1)*(a + b*ArcSec[c*x]))/(d*(m + 1)), x] - Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x^2} dx = -\frac{a + b \sec^{-1}(cx)}{x} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{c}$$

$$= bc \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{x}$$

Mathematica [A] time = 0.0276364, size = 40, normalized size = 1.29

$$-\frac{a}{x} + bc \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b \sec^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^2,x]

[Out] -(a/x) + b*c*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/x

Maple [A] time = 0.164, size = 62, normalized size = 2.

$$c \left(-\frac{a}{cx} + b \left(-\frac{\operatorname{arcsec}(cx)}{cx} + \frac{c^2 x^2 - 1}{c^2 x^2} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^2,x)

[Out] c*(-1/c/x*a+b*(-1/c/x*arcsec(c*x)+1/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^2/x^2*(c^2*x^2-1)))

Maxima [A] time = 0.981653, size = 45, normalized size = 1.45

$$\left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) b - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2,x, algorithm="maxima")

[Out] (c*sqrt(-1/(c^2*x^2) + 1) - arcsec(c*x)/x)*b - a/x

Fricas [A] time = 2.44086, size = 62, normalized size = 2.

$$\frac{b \operatorname{arcsec}(cx) - \sqrt{c^2x^2 - 1}b + a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2,x, algorithm="fricas")

[Out] -(b*arcsec(c*x) - sqrt(c^2*x^2 - 1)*b + a)/x

Sympy [A] time = 2.78728, size = 36, normalized size = 1.16

$$\begin{cases} -\frac{a}{x} + bc\sqrt{1 - \frac{1}{c^2x^2}} - \frac{b \operatorname{asec}(cx)}{x} & \text{for } c \neq 0 \\ -\frac{a + \infty b}{x} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2,x)

[Out] Piecewise((-a/x + b*c*sqrt(1 - 1/(c**2*x**2)) - b*asec(c*x)/x, Ne(c, 0)), (-a + zoo*b)/x, True))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/x^2, x)

$$3.10 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3} dx$$

Optimal. Leaf size=51

$$-\frac{a+b \sec^{-1}(cx)}{2x^2} + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2 \csc^{-1}(cx)$$

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(4*x) - (b*c^2*ArcCsc[c*x])/4 - (a + b*ArcSec[c*x])/(2*x^2)

Rubi [A] time = 0.0332673, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5220, 335, 321, 216}

$$-\frac{a+b \sec^{-1}(cx)}{2x^2} + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^3, x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(4*x) - (b*c^2*ArcCsc[c*x])/4 - (a + b*ArcSec[c*x])/(2*x^2)

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a + b*ArcSec[c*x]))/(d*(m+1)), x] - Dist[(b*d)/(c*(m+1)), Int[(d*x)^(m-1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 335

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^(m+2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]

Rule 321

Int[((c_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a + b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[

$(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), \text{Int}[(c*x)^{(m - n)}*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \text{:>} \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\begin{aligned} \int \frac{a + b \sec^{-1}(cx)}{x^3} dx &= -\frac{a + b \sec^{-1}(cx)}{2x^2} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{2c} \\ &= -\frac{a + b \sec^{-1}(cx)}{2x^2} - \frac{b \text{Subst}\left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2c} \\ &= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{a + b \sec^{-1}(cx)}{2x^2} - \frac{1}{4}(bc) \text{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\ &= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{1}{4}bc^2 \csc^{-1}(cx) - \frac{a + b \sec^{-1}(cx)}{2x^2} \end{aligned}$$

Mathematica [A] time = 0.0325762, size = 66, normalized size = 1.29

$$-\frac{a}{2x^2} + \frac{bc\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{4x} - \frac{1}{4}bc^2 \sin^{-1}\left(\frac{1}{cx}\right) - \frac{b \sec^{-1}(cx)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^3, x]

[Out] -a/(2*x^2) + (b*c*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)]/(4*x) - (b*ArcSec[c*x])/(2*x^2) - (b*c^2*ArcSin[1/(c*x)])/4

Maple [B] time = 0.163, size = 118, normalized size = 2.3

$$-\frac{a}{2x^2} - \frac{b \operatorname{arcsec}(cx)}{2x^2} - \frac{cb}{4x} \sqrt{c^2x^2 - 1} \arctan\left(\frac{1}{\sqrt{c^2x^2 - 1}}\right) \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} + \frac{cb}{4x} \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} - \frac{b}{4cx^3} \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^3,x)`

[Out] $-1/2*a/x^2 - 1/2*b/x^2*\operatorname{arcsec}(c*x) - 1/4*c*b*(c^2*x^2 - 1)^{(1/2)} / ((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} / x * \arctan(1/(c^2*x^2 - 1)^{(1/2)}) + 1/4*c*b / ((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} / x - 1/4/c*b / ((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} / x^3$

Maxima [A] time = 1.44524, size = 112, normalized size = 2.2

$$-\frac{1}{4}b \left(\frac{c^4x \sqrt{-\frac{1}{c^2x^2} + 1}}{c^2x^2 \left(\frac{1}{c^2x^2} - 1\right) - 1} - c^3 \arctan\left(cx \sqrt{-\frac{1}{c^2x^2} + 1}\right) + \frac{2 \operatorname{arcsec}(cx)}{x^2} \right) - \frac{a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3,x, algorithm="maxima")`

[Out] $-1/4*b*((c^4*x*\sqrt{-1/(c^2*x^2)} + 1)/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*\arctan(c*x*\sqrt{-1/(c^2*x^2)} + 1))/c + 2*\operatorname{arcsec}(c*x)/x^2 - 1/2*a/x^2$

Fricas [A] time = 2.8523, size = 93, normalized size = 1.82

$$\frac{(bc^2x^2 - 2b) \operatorname{arcsec}(cx) + \sqrt{c^2x^2 - 1}b - 2a}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3,x, algorithm="fricas")`

[Out] $1/4*((b*c^2*x^2 - 2*b)*\operatorname{arcsec}(c*x) + \sqrt{c^2*x^2 - 1}*b - 2*a)/x^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**3,x)`

[Out] `Integral((a + b*asec(c*x))/x**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3,x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/x^3, x)`

$$3.11 \quad \int \frac{a+b \sec^{-1}(cx)}{x^4} dx$$

Optimal. Leaf size=60

$$-\frac{a+b \sec^{-1}(cx)}{3x^3} - \frac{1}{9}bc^3 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{1}{3}bc^3 \sqrt{1 - \frac{1}{c^2x^2}}$$

[Out] (b*c^3*Sqrt[1 - 1/(c^2*x^2)])/3 - (b*c^3*(1 - 1/(c^2*x^2))^(3/2))/9 - (a + b*ArcSec[c*x])/(3*x^3)

Rubi [A] time = 0.0390767, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5220, 266, 43}

$$-\frac{a+b \sec^{-1}(cx)}{3x^3} - \frac{1}{9}bc^3 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{1}{3}bc^3 \sqrt{1 - \frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^4, x]

[Out] (b*c^3*Sqrt[1 - 1/(c^2*x^2)])/3 - (b*c^3*(1 - 1/(c^2*x^2))^(3/2))/9 - (a + b*ArcSec[c*x])/(3*x^3)

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] := Simp[(((d*x)^(m + 1)*(a + b*ArcSec[c*x]))/(d*(m + 1)), x] - Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},

x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec^{-1}(cx)}{x^4} dx &= -\frac{a + b \sec^{-1}(cx)}{3x^3} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^5} dx}{3c} \\
 &= -\frac{a + b \sec^{-1}(cx)}{3x^3} - \frac{b \operatorname{Subst}\left(\int \frac{x}{\sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{6c} \\
 &= -\frac{a + b \sec^{-1}(cx)}{3x^3} - \frac{b \operatorname{Subst}\left(\int \left(\frac{c^2}{\sqrt{1 - \frac{x}{c^2}}} - c^2 \sqrt{1 - \frac{x}{c^2}}\right) dx, x, \frac{1}{x^2}\right)}{6c} \\
 &= \frac{1}{3} b c^3 \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{1}{9} b c^3 \left(1 - \frac{1}{c^2 x^2}\right)^{3/2} - \frac{a + b \sec^{-1}(cx)}{3x^3}
 \end{aligned}$$

Mathematica [A] time = 0.0453873, size = 59, normalized size = 0.98

$$-\frac{a}{3x^3} + b \left(\frac{2c^3}{9} + \frac{c}{9x^2} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b \sec^{-1}(cx)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^4, x]

[Out] -a/(3*x^3) + b*((2*c^3)/9 + c/(9*x^2))*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/(3*x^3)

Maple [A] time = 0.161, size = 75, normalized size = 1.3

$$c^3 \left(-\frac{a}{3c^3x^3} + b \left(-\frac{\operatorname{arcsec}(cx)}{3c^3x^3} + \frac{(c^2x^2 - 1)(2c^2x^2 + 1)}{9c^4x^4} \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^4,x)`

[Out] $c^3*(-1/3*a/c^3/x^3+b*(-1/3/c^3/x^3*arcsec(c*x)+1/9*(c^2*x^2-1)*(2*c^2*x^2+1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^4/x^4))$

Maxima [A] time = 0.969521, size = 78, normalized size = 1.3

$$-\frac{1}{9}b\left(\frac{c^4\left(-\frac{1}{c^2x^2}+1\right)^{\frac{3}{2}}-3c^4\sqrt{-\frac{1}{c^2x^2}+1}}{c}+\frac{3\operatorname{arcsec}(cx)}{x^3}\right)-\frac{a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4,x, algorithm="maxima")`

[Out] $-1/9*b*((c^4*(-1/(c^2*x^2)+1)^{(3/2)}-3*c^4*\sqrt{-1/(c^2*x^2)+1}))/c+3*arcsec(c*x)/x^3-1/3*a/x^3$

Fricas [A] time = 2.65475, size = 97, normalized size = 1.62

$$\frac{3b\operatorname{arcsec}(cx)-(2bc^2x^2+b)\sqrt{c^2x^2-1}+3a}{9x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^4,x, algorithm="fricas")`

[Out] $-1/9*(3*b*arcsec(c*x)-(2*b*c^2*x^2+b)*sqrt(c^2*x^2-1)+3*a)/x^3$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a+b\operatorname{asec}(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/x**4,x)
```

```
[Out] Integral((a + b*asec(c*x))/x**4, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^4,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/x^4, x)
```

$$3.12 \quad \int \frac{a+b \sec^{-1}(cx)}{x^5} dx$$

Optimal. Leaf size=76

$$-\frac{a+b \sec^{-1}(cx)}{4x^4} + \frac{3bc^3 \sqrt{1-\frac{1}{c^2x^2}}}{32x} + \frac{bc \sqrt{1-\frac{1}{c^2x^2}}}{16x^3} - \frac{3}{32}bc^4 \csc^{-1}(cx)$$

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(16*x^3) + (3*b*c^3*Sqrt[1 - 1/(c^2*x^2)])/(32*x) - (3*b*c^4*ArcCsc[c*x])/32 - (a + b*ArcSec[c*x])/(4*x^4)

Rubi [A] time = 0.0453043, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5220, 335, 321, 216}

$$-\frac{a+b \sec^{-1}(cx)}{4x^4} + \frac{3bc^3 \sqrt{1-\frac{1}{c^2x^2}}}{32x} + \frac{bc \sqrt{1-\frac{1}{c^2x^2}}}{16x^3} - \frac{3}{32}bc^4 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^5, x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(16*x^3) + (3*b*c^3*Sqrt[1 - 1/(c^2*x^2)])/(32*x) - (3*b*c^4*ArcCsc[c*x])/32 - (a + b*ArcSec[c*x])/(4*x^4)

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a + b*ArcSec[c*x]))/(d*(m+1)), x] - Dist[(b*d)/(c*(m+1)), Int[(d*x)^(m-1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 335

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^(m+2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]

Rule 321

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a + b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[

$(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), \text{Int}[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{GtQ}\{m, n - 1\} \&\& \text{NeQ}\{m + n*p + 1, 0\} \&\& \text{IntBinomialQ}\{a, b, c, n, m, p, x\}$

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{GtQ}\{a, 0\} \&\& \text{NegQ}\{b\}$

Rubi steps

$$\begin{aligned} \int \frac{a + b \sec^{-1}(cx)}{x^5} dx &= -\frac{a + b \sec^{-1}(cx)}{4x^4} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^6} dx}{4c} \\ &= -\frac{a + b \sec^{-1}(cx)}{4x^4} - \frac{b \text{Subst}\left(\int \frac{x^4}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{4c} \\ &= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} - \frac{a + b \sec^{-1}(cx)}{4x^4} - \frac{1}{16}(3bc) \text{Subst}\left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\ &= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} + \frac{3bc^3\sqrt{1 - \frac{1}{c^2 x^2}}}{32x} - \frac{a + b \sec^{-1}(cx)}{4x^4} - \frac{1}{32}(3bc^3) \text{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\ &= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} + \frac{3bc^3\sqrt{1 - \frac{1}{c^2 x^2}}}{32x} - \frac{3}{32}bc^4 \csc^{-1}(cx) - \frac{a + b \sec^{-1}(cx)}{4x^4} \end{aligned}$$

Mathematica [A] time = 0.0587985, size = 78, normalized size = 1.03

$$-\frac{a}{4x^4} + b\left(\frac{3c^3}{32x} + \frac{c}{16x^3}\right)\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} - \frac{3}{32}bc^4 \sin^{-1}\left(\frac{1}{cx}\right) - \frac{b \sec^{-1}(cx)}{4x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^5, x]

[Out] -a/(4*x^4) + b*(c/(16*x^3) + (3*c^3)/(32*x))*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/(4*x^4) - (3*b*c^4*ArcSin[1/(c*x)])/32

Maple [B] time = 0.16, size = 147, normalized size = 1.9

$$-\frac{a}{4x^4} - \frac{b \operatorname{arcsec}(cx)}{4x^4} - \frac{3bc^3}{32x} \sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{3bc^3}{32x} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{cb}{32x^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{b}{16cx^5} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^5,x)`

[Out] $-1/4*a/x^4 - 1/4*b/x^4*\operatorname{arcsec}(c*x) - 3/32*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*\arctan(1/(c^2*x^2-1)^{(1/2)}) + 3/32*c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x - 1/32*c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^3 - 1/16/c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^5$

Maxima [A] time = 1.49674, size = 169, normalized size = 2.22

$$\frac{1}{32} b \left(\frac{3c^5 \arctan\left(cx \sqrt{-\frac{1}{c^2x^2} + 1}\right) + \frac{3c^8x^3\left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} + 5c^6x\sqrt{-\frac{1}{c^2x^2} + 1}}{c^4x^4\left(\frac{1}{c^2x^2} - 1\right)^2 - 2c^2x^2\left(\frac{1}{c^2x^2} - 1\right) + 1}}{c} - \frac{8 \operatorname{arcsec}(cx)}{x^4} \right) - \frac{a}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5,x, algorithm="maxima")`

[Out] $1/32*b*((3*c^5*\arctan(c*x*\sqrt{-1/(c^2*x^2)} + 1)) + (3*c^8*x^3*(-1/(c^2*x^2) + 1)^{(3/2)} + 5*c^6*x*\sqrt{-1/(c^2*x^2)} + 1))/((c^4*x^4*(1/(c^2*x^2) - 1)^2 - 2*c^2*x^2*(1/(c^2*x^2) - 1) + 1))/c - 8*\operatorname{arcsec}(c*x)/x^4) - 1/4*a/x^4$

Fricas [A] time = 2.68544, size = 122, normalized size = 1.61

$$\frac{(3bc^4x^4 - 8b) \operatorname{arcsec}(cx) + (3bc^2x^2 + 2b)\sqrt{c^2x^2-1} - 8a}{32x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^5,x, algorithm="fricas")
```

```
[Out] 1/32*((3*b*c^4*x^4 - 8*b)*arcsec(c*x) + (3*b*c^2*x^2 + 2*b)*sqrt(c^2*x^2 - 1) - 8*a)/x^4
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/x**5,x)
```

```
[Out] Integral((a + b*asec(c*x))/x**5, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^5,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/x^5, x)
```

3.13 $\int \frac{a+b \sec^{-1}(cx)}{x^6} dx$

Optimal. Leaf size=82

$$-\frac{a+b \sec^{-1}(cx)}{5x^5} + \frac{1}{25}bc^5 \left(1 - \frac{1}{c^2x^2}\right)^{5/2} - \frac{2}{15}bc^5 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{1}{5}bc^5 \sqrt{1 - \frac{1}{c^2x^2}}$$

[Out] (b*c^5*Sqrt[1 - 1/(c^2*x^2)])/5 - (2*b*c^5*(1 - 1/(c^2*x^2))^(3/2))/15 + (b*c^5*(1 - 1/(c^2*x^2))^(5/2))/25 - (a + b*ArcSec[c*x])/(5*x^5)

Rubi [A] time = 0.0493282, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5220, 266, 43}

$$-\frac{a+b \sec^{-1}(cx)}{5x^5} + \frac{1}{25}bc^5 \left(1 - \frac{1}{c^2x^2}\right)^{5/2} - \frac{2}{15}bc^5 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{1}{5}bc^5 \sqrt{1 - \frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^6, x]

[Out] (b*c^5*Sqrt[1 - 1/(c^2*x^2)])/5 - (2*b*c^5*(1 - 1/(c^2*x^2))^(3/2))/15 + (b*c^5*(1 - 1/(c^2*x^2))^(5/2))/25 - (a + b*ArcSec[c*x])/(5*x^5)

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[(((d*x)^(m + 1)*(a + b*ArcSec[c*x]))/(d*(m + 1)), x] - Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},

x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec^{-1}(cx)}{x^6} dx &= -\frac{a + b \sec^{-1}(cx)}{5x^5} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^7} dx}{5c} \\
 &= -\frac{a + b \sec^{-1}(cx)}{5x^5} - \frac{b \operatorname{Subst}\left(\int \frac{x^2}{\sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{10c} \\
 &= -\frac{a + b \sec^{-1}(cx)}{5x^5} - \frac{b \operatorname{Subst}\left(\int \left(\frac{c^4}{\sqrt{1 - \frac{x}{c^2}}} - 2c^4 \sqrt{1 - \frac{x}{c^2}} + c^4 \left(1 - \frac{x}{c^2}\right)^{3/2}\right) dx, x, \frac{1}{x^2}\right)}{10c} \\
 &= \frac{1}{5} b c^5 \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{2}{15} b c^5 \left(1 - \frac{1}{c^2 x^2}\right)^{3/2} + \frac{1}{25} b c^5 \left(1 - \frac{1}{c^2 x^2}\right)^{5/2} - \frac{a + b \sec^{-1}(cx)}{5x^5}
 \end{aligned}$$

Mathematica [A] time = 0.0656741, size = 69, normalized size = 0.84

$$-\frac{a}{5x^5} + b \left(\frac{4c^3}{75x^2} + \frac{8c^5}{75} + \frac{c}{25x^4} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b \sec^{-1}(cx)}{5x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^6, x]

[Out] -a/(5*x^5) + b*((8*c^5)/75 + c/(25*x^4) + (4*c^3)/(75*x^2))*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcSec[c*x])/(5*x^5)

Maple [A] time = 0.165, size = 83, normalized size = 1.

$$c^5 \left(-\frac{a}{5c^5 x^5} + b \left(-\frac{\operatorname{arcsec}(cx)}{5c^5 x^5} + \frac{(c^2 x^2 - 1)(8c^4 x^4 + 4c^2 x^2 + 3)}{75c^6 x^6} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^6,x)`

[Out] $c^5*(-1/5*a/c^5/x^5+b*(-1/5/c^5/x^5*arcsec(c*x)+1/75*(c^2*x^2-1)*(8*c^4*x^4+4*c^2*x^2+3)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^6/x^6))$

Maxima [A] time = 0.976573, size = 103, normalized size = 1.26

$$\frac{1}{75} b \left(\frac{3 c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} - 10 c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15 c^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} - \frac{15 \operatorname{arcsec}(cx)}{x^5} \right) - \frac{a}{5 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^6,x, algorithm="maxima")`

[Out] $1/75*b*((3*c^6*(-1/(c^2*x^2) + 1)^{(5/2)} - 10*c^6*(-1/(c^2*x^2) + 1)^{(3/2)} + 15*c^6*\sqrt{-1/(c^2*x^2) + 1})/c - 15*arcsec(c*x)/x^5) - 1/5*a/x^5$

Fricas [A] time = 2.72224, size = 123, normalized size = 1.5

$$-\frac{15 b \operatorname{arcsec}(cx) - (8 b c^4 x^4 + 4 b c^2 x^2 + 3 b) \sqrt{c^2 x^2 - 1} + 15 a}{75 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^6,x, algorithm="fricas")`

[Out] $-1/75*(15*b*arcsec(c*x) - (8*b*c^4*x^4 + 4*b*c^2*x^2 + 3*b)*\sqrt{c^2*x^2 - 1} + 15*a)/x^5$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/x**6,x)
```

```
[Out] Integral((a + b*asec(c*x))/x**6, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^6,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/x^6, x)
```

$$3.14 \quad \int \frac{a+b \sec^{-1}(cx)}{x^7} dx$$

Optimal. Leaf size=101

$$-\frac{a+b \sec^{-1}(cx)}{6x^6} + \frac{5bc^5 \sqrt{1-\frac{1}{c^2x^2}}}{96x} + \frac{5bc^3 \sqrt{1-\frac{1}{c^2x^2}}}{144x^3} + \frac{bc \sqrt{1-\frac{1}{c^2x^2}}}{36x^5} - \frac{5}{96} bc^6 \csc^{-1}(cx)$$

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(36*x^5) + (5*b*c^3*Sqrt[1 - 1/(c^2*x^2)])/(144*x^3) + (5*b*c^5*Sqrt[1 - 1/(c^2*x^2)])/(96*x) - (5*b*c^6*ArcCsc[c*x])/96 - (a + b*ArcSec[c*x])/(6*x^6)

Rubi [A] time = 0.0588217, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5220, 335, 321, 216}

$$-\frac{a+b \sec^{-1}(cx)}{6x^6} + \frac{5bc^5 \sqrt{1-\frac{1}{c^2x^2}}}{96x} + \frac{5bc^3 \sqrt{1-\frac{1}{c^2x^2}}}{144x^3} + \frac{bc \sqrt{1-\frac{1}{c^2x^2}}}{36x^5} - \frac{5}{96} bc^6 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/x^7, x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(36*x^5) + (5*b*c^3*Sqrt[1 - 1/(c^2*x^2)])/(144*x^3) + (5*b*c^5*Sqrt[1 - 1/(c^2*x^2)])/(96*x) - (5*b*c^6*ArcCsc[c*x])/96 - (a + b*ArcSec[c*x])/(6*x^6)

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a + b*ArcSec[c*x]))/(d*(m+1)), x] - Dist[(b*d)/(c*(m+1)), Int[(d*x)^(m-1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 335

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^(m+2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]

Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^7} dx &= -\frac{a + b \sec^{-1}(cx)}{6x^6} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^8} dx}{6c} \\
&= -\frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{b \operatorname{Subst}\left(\int \frac{x^6}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{6c} \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} - \frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{1}{36} (5bc) \operatorname{Subst}\left(\int \frac{x^4}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} - \frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{1}{48} (5bc^3) \operatorname{Subst}\left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} + \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} - \frac{a + b \sec^{-1}(cx)}{6x^6} - \frac{1}{96} (5bc^5) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right) \\
&= \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} + \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} - \frac{5}{96} bc^6 \csc^{-1}(cx) - \frac{a + b \sec^{-1}(cx)}{6x^6}
\end{aligned}$$

Mathematica [A] time = 0.0707693, size = 88, normalized size = 0.87

$$-\frac{a}{6x^6} + b \left(\frac{5c^3}{144x^3} + \frac{5c^5}{96x} + \frac{c}{36x^5} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{5}{96} bc^6 \sin^{-1}\left(\frac{1}{cx}\right) - \frac{b \sec^{-1}(cx)}{6x^6}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/x^7,x]

[Out] $-\frac{a}{6x^6} - \frac{b \operatorname{arcsec}(cx)}{6x^6} - \frac{5c^5b}{96x} \sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) - \frac{1}{96x} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{5c^5b}{96x} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{5bc^3}{288x^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{cb}{144x^5} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$
96

Maple [A] time = 0.16, size = 174, normalized size = 1.7

$$-\frac{a}{6x^6} - \frac{b \operatorname{arcsec}(cx)}{6x^6} - \frac{5c^5b}{96x} \sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) - \frac{1}{96x} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{5c^5b}{96x} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{5bc^3}{288x^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{cb}{144x^5} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^7,x)

[Out] $-\frac{1}{6} \frac{a}{x^6} - \frac{1}{6} \frac{b}{x^6} \operatorname{arcsec}(cx) - \frac{5}{96} c^5 b \frac{(c^2x^2-1)^{1/2}}{(c^2x^2-1)/c^2x^2} - \frac{1}{96} \frac{1}{x} \arctan\left(\frac{1}{(c^2x^2-1)^{1/2}}\right) + \frac{5}{96} c^5 b \frac{(c^2x^2-1)/c^2x^2}{(c^2x^2-1)^{1/2}} - \frac{5}{288} c^3 b \frac{(c^2x^2-1)/c^2x^2}{(c^2x^2-1)^{1/2}} - \frac{1}{144} c b \frac{(c^2x^2-1)/c^2x^2}{(c^2x^2-1)^{1/2}} - \frac{1}{36} \frac{c b}{x^5} \frac{(c^2x^2-1)/c^2x^2}{(c^2x^2-1)^{1/2}} - \frac{1}{x^7}$

Maxima [A] time = 1.4639, size = 223, normalized size = 2.21

$$\frac{1}{288} b \left(\frac{15c^7 \arctan\left(cx \sqrt{-\frac{1}{c^2x^2} + 1}\right) - \frac{15c^{12}x^5 \left(-\frac{1}{c^2x^2} + 1\right)^{5/2} + 40c^{10}x^3 \left(-\frac{1}{c^2x^2} + 1\right)^{3/2} + 33c^8x \sqrt{-\frac{1}{c^2x^2} + 1}}{c^6x^6 \left(\frac{1}{c^2x^2} - 1\right)^3 - 3c^4x^4 \left(\frac{1}{c^2x^2} - 1\right)^2 + 3c^2x^2 \left(\frac{1}{c^2x^2} - 1\right) - 1}}{c} - \frac{48 \operatorname{arcsec}(cx)}{x^6} \right) - \frac{a}{6x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^7,x, algorithm="maxima")

[Out] $\frac{1}{288} b \left((15c^7 \arctan(cx \sqrt{-1/(c^2x^2) + 1}) - (15c^{12}x^5 (-1/(c^2x^2) + 1)^{5/2} + 40c^{10}x^3 (-1/(c^2x^2) + 1)^{3/2} + 33c^8x \sqrt{-1/(c^2x^2) + 1})) / (c^6x^6 (1/(c^2x^2) - 1)^3 - 3c^4x^4 (1/(c^2x^2) - 1)^2 + 3c^2x^2 (1/(c^2x^2) - 1) - 1) / c - 48 \operatorname{arcsec}(cx) / x^6 \right) - \frac{1}{6} \frac{a}{x^6}$

Fricas [A] time = 2.48944, size = 150, normalized size = 1.49

$$\frac{3(5bc^6x^6 - 16b)\operatorname{arcsec}(cx) + (15bc^4x^4 + 10bc^2x^2 + 8b)\sqrt{c^2x^2 - 1} - 48a}{288x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^7,x, algorithm="fricas")

[Out] 1/288*(3*(5*b*c^6*x^6 - 16*b)*arcsec(c*x) + (15*b*c^4*x^4 + 10*b*c^2*x^2 + 8*b)*sqrt(c^2*x^2 - 1) - 48*a)/x^6

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**7,x)

[Out] Integral((a + b*asec(c*x))/x**7, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^7,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/x^7, x)

3.15 $\int x^3 (a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=107

$$\frac{bx^3\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))}{6c} - \frac{bx\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))}{3c^3} + \frac{1}{4}x^4(a+b\sec^{-1}(cx))^2 + \frac{b^2x^2}{12c^2} + \frac{b^2\log(x)}{3c^4}$$

[Out] (b^2*x^2)/(12*c^2) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(a + b*ArcSec[c*x]))/(3*c^3) - (b*Sqrt[1 - 1/(c^2*x^2)]*x^3*(a + b*ArcSec[c*x]))/(6*c) + (x^4*(a + b*ArcSec[c*x])^2)/4 + (b^2*Log[x])/(3*c^4)

Rubi [A] time = 0.106724, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5222, 4409, 4185, 4184, 3475}

$$\frac{bx^3\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))}{6c} - \frac{bx\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))}{3c^3} + \frac{1}{4}x^4(a+b\sec^{-1}(cx))^2 + \frac{b^2x^2}{12c^2} + \frac{b^2\log(x)}{3c^4}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*ArcSec[c*x])^2,x]

[Out] (b^2*x^2)/(12*c^2) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(a + b*ArcSec[c*x]))/(3*c^3) - (b*Sqrt[1 - 1/(c^2*x^2)]*x^3*(a + b*ArcSec[c*x]))/(6*c) + (x^4*(a + b*ArcSec[c*x])^2)/4 + (b^2*Log[x])/(3*c^4)

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4409

Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] :> Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] :=
-Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x
, x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int x^3 (a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \sec^4(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c^4} \\ &= \frac{1}{4}x^4 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \sec^4(x) dx, x, \sec^{-1}(cx)\right)}{2c^4} \\ &= \frac{b^2x^2}{12c^2} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x^3 (a + b \sec^{-1}(cx))}{6c} + \frac{1}{4}x^4 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \sec^2(x) dx, x, \sec^{-1}(cx)\right)}{3c^4} \\ &= \frac{b^2x^2}{12c^2} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x (a + b \sec^{-1}(cx))}{3c^3} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x^3 (a + b \sec^{-1}(cx))}{6c} + \frac{1}{4}x^4 (a + b \sec^{-1}(cx))^2 \\ &= \frac{b^2x^2}{12c^2} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x (a + b \sec^{-1}(cx))}{3c^3} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x^3 (a + b \sec^{-1}(cx))}{6c} + \frac{1}{4}x^4 (a + b \sec^{-1}(cx))^2 \end{aligned}$$

Mathematica [A] time = 0.210462, size = 124, normalized size = 1.16

$$\frac{cx \left(3a^2c^3x^3 - 2ab\sqrt{1 - \frac{1}{c^2x^2}}(c^2x^2 + 2) + b^2cx \right) - 2bcx \sec^{-1}(cx) \left(b\sqrt{1 - \frac{1}{c^2x^2}}(c^2x^2 + 2) - 3ac^3x^3 \right) + 3b^2c^4x^4 \sec^{-1}(cx)^2 + 3b^2c^4x^4}{12c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*ArcSec[c*x])^2,x]

[Out] (c*x*(b^2*c*x + 3*a^2*c^3*x^3 - 2*a*b*Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2)) - 2*b*c*x*(-3*a*c^3*x^3 + b*Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2))*ArcSec[c*x] + 3*b^2*c^4*x^4*ArcSec[c*x]^2 + 4*b^2*Log[x])/(12*c^4)

Maple [B] time = 0.248, size = 208, normalized size = 1.9

$$\frac{a^2x^4}{4} + \frac{b^2(\operatorname{arcsec}(cx))^2x^4}{4} - \frac{b^2\operatorname{arcsec}(cx)x^3}{6c}\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{b^2x^2}{12c^2} - \frac{b^2\operatorname{arcsec}(cx)x}{3c^3}\sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{b^2}{3c^4}\ln\left(\frac{1}{cx}\right) + \frac{abx^4\operatorname{arcsec}(cx)}{c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))^2,x)

[Out] 1/4*a^2*x^4+1/4*b^2*arcsec(c*x)^2*x^4-1/6/c*b^2*arcsec(c*x)*x^3*((c^2*x^2-1)/c^2/x^2)^(1/2)+1/12*b^2*x^2/c^2-1/3/c^3*b^2*arcsec(c*x)*x*((c^2*x^2-1)/c^2/x^2)^(1/2)-1/3/c^4*b^2*ln(1/c/x)+1/2*a*b*x^4*arcsec(c*x)-1/6/c*a*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^3-1/6/c^3*a*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x+1/3/c^5*a*b/((c^2*x^2-1)/c^2/x^2)^(1/2)/x

Maxima [A] time = 2.09367, size = 220, normalized size = 2.06

$$\frac{1}{4}b^2x^4\operatorname{arcsec}(cx)^2 + \frac{1}{4}a^2x^4 + \frac{1}{6}\left(3x^4\operatorname{arcsec}(cx) - \frac{c^2x^3\left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} + 3x\sqrt{-\frac{1}{c^2x^2} + 1}}{c^3}\right)ab + \frac{\left((c^2x^2 + 2\log(x^2))\sqrt{cx}\right)}{c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out] 1/4*b^2*x^4*arcsec(c*x)^2 + 1/4*a^2*x^4 + 1/6*(3*x^4*arcsec(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*a*b + 1/12*((c^2*x^2 + 2*log(x^2))*sqrt(c*x + 1)*sqrt(c*x - 1) - 2*(c^4*x^4 + c^2*x^2 - 2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)))*b^2/(sqrt(c*x + 1)*sqrt(c*x - 1)*c^4)

Fricas [A] time = 2.84531, size = 339, normalized size = 3.17

$$\frac{3b^2c^4x^4 \operatorname{arcsec}(cx)^2 + 3a^2c^4x^4 + 12abc^4 \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) + b^2c^2x^2 + 4b^2 \log(x) + 6(abc^4x^4 - abc^4) \operatorname{arcsec}(cx)}{12c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] 1/12*(3*b^2*c^4*x^4*arcsec(c*x)^2 + 3*a^2*c^4*x^4 + 12*a*b*c^4*arctan(-c*x + sqrt(c^2*x^2 - 1)) + b^2*c^2*x^2 + 4*b^2*log(x) + 6*(a*b*c^4*x^4 - a*b*c^4)*arcsec(c*x) - 2*(a*b*c^2*x^2 + 2*a*b + (b^2*c^2*x^2 + 2*b^2)*arcsec(c*x))*sqrt(c^2*x^2 - 1))/c^4

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))**2,x)

[Out] Integral(x**3*(a + b*asec(c*x))**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^2 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^2*x^3, x)

3.16 $\int x^2 (a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=147

$$-\frac{ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right)}{3c^3} + \frac{ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right)}{3c^3} - \frac{bx^2 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{3c} + \frac{2ib \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{3c^3}$$

[Out] $(b^2 x)/(3c^2) - (b \sqrt{1 - 1/(c^2 x^2)}) x^2 (a + b \text{ArcSec}[c x]) / (3c) + (x^3 (a + b \text{ArcSec}[c x])^2) / 3 + ((2I)/3) b (a + b \text{ArcSec}[c x]) \text{ArcTan}[E^{(I \text{ArcSec}[c x])}] / c^3 - ((I/3) b^2 \text{PolyLog}[2, (-I) E^{(I \text{ArcSec}[c x])}]) / c^3 + ((I/3) b^2 \text{PolyLog}[2, I E^{(I \text{ArcSec}[c x])}]) / c^3$

Rubi [A] time = 0.123132, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 4409, 4185, 4181, 2279, 2391}

$$-\frac{ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right)}{3c^3} + \frac{ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right)}{3c^3} - \frac{bx^2 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{3c} + \frac{2ib \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{3c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2 (a + b \text{ArcSec}[c x])^2, x]$

[Out] $(b^2 x)/(3c^2) - (b \sqrt{1 - 1/(c^2 x^2)}) x^2 (a + b \text{ArcSec}[c x]) / (3c) + (x^3 (a + b \text{ArcSec}[c x])^2) / 3 + ((2I)/3) b (a + b \text{ArcSec}[c x]) \text{ArcTan}[E^{(I \text{ArcSec}[c x])}] / c^3 - ((I/3) b^2 \text{PolyLog}[2, (-I) E^{(I \text{ArcSec}[c x])}]) / c^3 + ((I/3) b^2 \text{PolyLog}[2, I E^{(I \text{ArcSec}[c x])}]) / c^3$

Rule 5222

$\text{Int}[(a + \text{ArcSec}[c x])^n (x)^m, x_Symbol] \rightarrow \text{Dist}[1/c^{m+1}, \text{Subst}[\text{Int}[(a + b x)^n \text{Sec}[x]^{m+1} \text{Tan}[x], x], x, \text{ArcSec}[c x]], x] /;$ FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4409

$\text{Int}[(c + d x)^m \text{Sec}[a + b x]^n \text{Tan}[a + b x]^p, x_Symbol] \rightarrow \text{Simp}[(c + d x)^m \text{Sec}[a + b x]^n / (b n), x] - \text{Dist}[(d m) / (b n), \text{Int}[(c + d x)^{m-1} \text{Sec}[a + b x]^n, x], x] /;$ FreeQ[{a

, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] :>
-Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x
, x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst} \left(\int (a + bx)^2 \sec^3(x) \tan(x) dx, x, \sec^{-1}(cx) \right)}{c^3} \\
&= \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 - \frac{(2b) \text{Subst} \left(\int (a + bx) \sec^3(x) dx, x, \sec^{-1}(cx) \right)}{3c^3} \\
&= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst} \left(\int (a + bx) \sec^3(x) dx, x, \sec^{-1}(cx) \right)}{3c^3} \\
&= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 + \frac{2ib (a + b \sec^{-1}(cx)) \tan^{-1} \left(\frac{a + b \sec^{-1}(cx)}{c} \right)}{3c^3} \\
&= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 + \frac{2ib (a + b \sec^{-1}(cx)) \tan^{-1} \left(\frac{a + b \sec^{-1}(cx)}{c} \right)}{3c^3} \\
&= \frac{b^2 x}{3c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^2 + \frac{2ib (a + b \sec^{-1}(cx)) \tan^{-1} \left(\frac{a + b \sec^{-1}(cx)}{c} \right)}{3c^3}
\end{aligned}$$

Mathematica [A] time = 1.1968, size = 225, normalized size = 1.53

$$\frac{1}{3} \left(\frac{-i \text{PolyLog} \left(2, -ie^{i \sec^{-1}(cx)} \right) + i \text{PolyLog} \left(2, ie^{i \sec^{-1}(cx)} \right) + c^3 x^3 \sec^{-1}(cx)^2 - c^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}} \sec^{-1}(cx) + cx - \sec^{-1}(cx)}{c^3} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(a + b*ArcSec[c*x])^2,x]

[Out] (a^2*x^3 + (a*b*(2*x^4*ArcSec[c*x] - ((-c*x) + c^3*x^3 + Sqrt[-1 + c^2*x^2])*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(c^4*Sqrt[1 - 1/(c^2*x^2)])))/x + (b^2*(c*x - c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2*ArcSec[c*x] + c^3*x^3*ArcSec[c*x]^2 - ArcSec[c*x]*Log[1 - I*E^(I*ArcSec[c*x])] + ArcSec[c*x]*Log[1 + I*E^(I*ArcSec[c*x])] - I*PolyLog[2, (-I)*E^(I*ArcSec[c*x])] + I*PolyLog[2, I*E^(I*ArcSec[c*x])]))/c^3)/3

Maple [B] time = 0.392, size = 343, normalized size = 2.3

$$\frac{x^3 a^2}{3} + \frac{x^3 b^2 (\text{arcsec}(cx))^2}{3} - \frac{b^2 \text{arcsec}(cx) x^2}{3c} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{b^2 x}{3c^2} + \frac{b^2 \text{arcsec}(cx)}{3c^3} \ln \left(1 + i \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right) - \frac{b^2 \text{arcsec}(cx)}{3c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(a+b*\text{arcsec}(c*x))^2,x)$

[Out] $\frac{1}{3}x^3a^2 + \frac{1}{3}x^3b^2*\text{arcsec}(c*x)^2 - \frac{1}{3}c*b^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)} * \text{arcsec}(c*x)*x^2 + \frac{1}{3}b^2*x/c^2 + \frac{1}{3}/c^3*b^2*\text{arcsec}(c*x)*\ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})) - \frac{1}{3}/c^3*b^2*\text{arcsec}(c*x)*\ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})) - \frac{1}{3}I/c^3*b^2*\text{dilog}(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})) + \frac{1}{3}I/c^3*b^2*\text{dilog}(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})) + \frac{2}{3}x^3*a*b*\text{arcsec}(c*x) - \frac{1}{3}c*a*b/(c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^2 + \frac{1}{3}/c^3*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)} - \frac{1}{3}/c^4*a*b*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*\ln(c*x+(c^2*x^2-1)^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(a+b*\text{arcsec}(c*x))^2,x, \text{algorithm}="maxima")$

[Out] $\frac{1}{3}a^2*x^3 + \frac{1}{6}(4*x^3*\text{arcsec}(c*x) - (2*\sqrt{-1/(c^2*x^2)} + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2*x^2)} + 1) + 1)/c^2 - \log(\sqrt{-1/(c^2*x^2)} + 1) - 1)/c^2)/c)*a*b + \frac{1}{12}(4*x^3*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})^2 - x^3*\log(c^2*x^2)^2 - 2*c^2*(2*(c^2*x^3 + 3*x)/c^4 - 3*\log(c*x + 1)/c^5 + 3*\log(c*x - 1)/c^5)*\log(c)^2 + 36*c^2*\text{integrate}(1/3*x^4*\log(c^2*x^2)/(c^2*x^2 - 1), x)*\log(c) - 72*c^2*\text{integrate}(1/3*x^4*\log(x)/(c^2*x^2 - 1), x)*\log(c) + 36*c^2*\text{integrate}(1/3*x^4*\log(c^2*x^2)*\log(x)/(c^2*x^2 - 1), x) - 36*c^2*\text{integrate}(1/3*x^4*\log(x)^2/(c^2*x^2 - 1), x) + 12*c^2*\text{integrate}(1/3*x^4*\log(c^2*x^2)/(c^2*x^2 - 1), x) + 6*(2*x/c^2 - \log(c*x + 1)/c^3 + \log(c*x - 1)/c^3)*\log(c)^2 - 36*\text{integrate}(1/3*x^2*\log(c^2*x^2)/(c^2*x^2 - 1), x)*\log(c) + 72*\text{integrate}(1/3*x^2*\log(x)/(c^2*x^2 - 1), x)*\log(c) - 24*\text{integrate}(1/3*\sqrt{c*x + 1}*\sqrt{c*x - 1}*x^2*\arctan(\sqrt{c*x + 1})*\sqrt{c*x - 1})/(c^2*x^2 - 1), x) - 36*\text{integrate}(1/3*x^2*\log(c^2*x^2)*\log(x)/(c^2*x^2 - 1), x) + 36*\text{integrate}(1/3*x^2*\log(x)^2/(c^2*x^2 - 1), x) - 12*\text{integrate}(1/3*x^2*\log(c^2*x^2)/(c^2*x^2 - 1), x))*b^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}(b^2x^2 \text{arcsec}(cx)^2 + 2abx^2 \text{arcsec}(cx) + a^2x^2, x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] `integral(b^2*x^2*arcsec(c*x)^2 + 2*a*b*x^2*arcsec(c*x) + a^2*x^2, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{arcsec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asec(c*x))**2,x)`

[Out] `Integral(x**2*(a + b*asec(c*x))**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^2 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))^2,x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)^2*x^2, x)`

3.17 $\int x \left(a + b \sec^{-1}(cx) \right)^2 dx$

Optimal. Leaf size=56

$$-\frac{bx\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))}{c} + \frac{1}{2}x^2(a+b\sec^{-1}(cx))^2 + \frac{b^2\log(x)}{c^2}$$

[Out] $-\left(\frac{b\sqrt{1-1/(c^2x^2)}}{c}\right)x(a+b\text{ArcSec}[cx]) + \frac{x^2(a+b\text{ArcSec}[cx])^2}{2} + \frac{b^2\text{Log}[x]}{c^2}$

Rubi [A] time = 0.0682639, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5222, 4409, 4184, 3475}

$$-\frac{bx\sqrt{1-\frac{1}{c^2x^2}}(a+b\sec^{-1}(cx))}{c} + \frac{1}{2}x^2(a+b\sec^{-1}(cx))^2 + \frac{b^2\log(x)}{c^2}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*ArcSec[c*x])^2, x]

[Out] $-\left(\frac{b\sqrt{1-1/(c^2x^2)}}{c}\right)x(a+b\text{ArcSec}[cx]) + \frac{x^2(a+b\text{ArcSec}[cx])^2}{2} + \frac{b^2\text{Log}[x]}{c^2}$

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4409

Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] :> Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4184


```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int x (a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \sec^2(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c^2} \\ &= \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \sec^2(x) dx, x, \sec^{-1}(cx)\right)}{c^2} \\ &= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{c} + \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^2 + \frac{b^2 \text{Subst}\left(\int \tan(x) dx, x, \sec^{-1}(cx)\right)}{c^2} \\ &= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{c} + \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^2 + \frac{b^2 \log(x)}{c^2} \end{aligned}$$

Mathematica [A] time = 0.149093, size = 90, normalized size = 1.61

$$\frac{acx \left(acx - 2b \sqrt{1 - \frac{1}{c^2 x^2}} \right) + 2bcx \sec^{-1}(cx) \left(acx - b \sqrt{1 - \frac{1}{c^2 x^2}} \right) + b^2 c^2 x^2 \sec^{-1}(cx)^2 + 2b^2 \log(cx)}{2c^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(a + b*ArcSec[c*x])^2,x]
```

```
[Out] (a*c*x*(-2*b*Sqrt[1 - 1/(c^2*x^2)] + a*c*x) + 2*b*c*x*(-(b*Sqrt[1 - 1/(c^2*
x^2)]) + a*c*x)*ArcSec[c*x] + b^2*c^2*x^2*ArcSec[c*x]^2 + 2*b^2*Log[c*x])/(
2*c^2)
```

Maple [B] time = 0.249, size = 134, normalized size = 2.4

$$\frac{a^2 x^2}{2} + \frac{x^2 b^2 (\text{arcsec}(cx))^2}{2} - \frac{b^2 \text{arcsec}(cx) x \sqrt{c^2 x^2 - 1}}{c} - \frac{b^2}{c^2} \ln\left(\frac{1}{cx}\right) + abx^2 \text{arcsec}(cx) - \frac{xab}{c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{ab}{c^3 x} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))^2,x)`

[Out] $\frac{1}{2}a^2x^2 + \frac{1}{2}x^2b^2\operatorname{arcsec}(cx)^2 - \frac{1}{c}b^2\operatorname{arcsec}(cx)x\sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{1}{c^2}b^2\ln\left(\frac{1}{c/x}\right) + a^2bx^2 + \frac{1}{c}a^2b\sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{1}{c^2}abx\sqrt{\frac{c^2x^2-1}{c^2x^2}}$

Maxima [A] time = 1.0201, size = 117, normalized size = 2.09

$$\frac{1}{2}b^2x^2\operatorname{arcsec}(cx)^2 + \frac{1}{2}a^2x^2 + \left(x^2\operatorname{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2}+1}}{c}\right)ab - \left(\frac{x\sqrt{-\frac{1}{c^2x^2}+1}\operatorname{arcsec}(cx)}{c} - \frac{\log(x)}{c^2}\right)b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out] $\frac{1}{2}b^2x^2\operatorname{arcsec}(cx)^2 + \frac{1}{2}a^2x^2 + (x^2\operatorname{arcsec}(cx) - x\sqrt{-1/(c^2x^2)+1}/c)ab - (x\sqrt{-1/(c^2x^2)+1}\operatorname{arcsec}(cx)/c - \log(x)/c^2)b^2$

Fricas [B] time = 2.75695, size = 266, normalized size = 4.75

$$\frac{b^2c^2x^2\operatorname{arcsec}(cx)^2 + a^2c^2x^2 + 4abc^2\arctan\left(-cx + \sqrt{c^2x^2-1}\right) + 2b^2\log(x) + 2(abc^2x^2 - abc^2)\operatorname{arcsec}(cx) - 2\sqrt{c^2x^2-1}}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] $\frac{1}{2}(b^2c^2x^2\operatorname{arcsec}(cx)^2 + a^2c^2x^2 + 4a^2bc^2\arctan(-cx + \sqrt{c^2x^2-1}) + 2b^2\log(x) + 2(a^2bc^2x^2 - a^2bc^2)\operatorname{arcsec}(cx) - 2\sqrt{c^2x^2-1}(b^2\operatorname{arcsec}(cx) + a^2b))/c^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x (a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))**2,x)

[Out] Integral(x*(a + b*asec(c*x))**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^2 x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^2*x, x)

3.18 $\int (a + b \sec^{-1}(cx))^2 dx$

Optimal. Leaf size=92

$$-\frac{2ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right)}{c} + \frac{2ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right)}{c} + x(a + b \sec^{-1}(cx))^2 + \frac{4ib \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)(a + b \sec^{-1}(cx))}{c}$$

[Out] x*(a + b*ArcSec[c*x])^2 + ((4*I)*b*(a + b*ArcSec[c*x])*ArcTan[E^(I*ArcSec[c*x])])/c - ((2*I)*b^2*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c + ((2*I)*b^2*PolyLog[2, I*E^(I*ArcSec[c*x])])/c

Rubi [A] time = 0.0719971, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5216, 4409, 4181, 2279, 2391}

$$-\frac{2ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right)}{c} + \frac{2ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right)}{c} + x(a + b \sec^{-1}(cx))^2 + \frac{4ib \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)(a + b \sec^{-1}(cx))}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2, x]

[Out] x*(a + b*ArcSec[c*x])^2 + ((4*I)*b*(a + b*ArcSec[c*x])*ArcTan[E^(I*ArcSec[c*x])])/c - ((2*I)*b^2*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c + ((2*I)*b^2*PolyLog[2, I*E^(I*ArcSec[c*x])])/c

Rule 5216

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^n_, x_Symbol] := Dist[1/c, Subst[Int[(a + b*x)^n*Sec[x]*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[n, 0]

Rule 4409

Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m-1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int (a + b \sec^{-1}(cx))^2 dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \sec(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 - \frac{(2b) \text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sec^{-1}(cx)\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 + \frac{4ib(a + b \sec^{-1}(cx)) \tan^{-1}(e^{i \sec^{-1}(cx)})}{c} + \frac{(2ib^2) \text{Subst}\left(\int \log(1 - ie^{ix}) dx, x, \sec^{-1}(cx)\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 + \frac{4ib(a + b \sec^{-1}(cx)) \tan^{-1}(e^{i \sec^{-1}(cx)})}{c} - \frac{(2ib^2) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, \sec^{-1}(cx)\right)}{c} \\ &= x(a + b \sec^{-1}(cx))^2 + \frac{4ib(a + b \sec^{-1}(cx)) \tan^{-1}(e^{i \sec^{-1}(cx)})}{c} - \frac{2ib^2 \text{Li}_2(-ie^{i \sec^{-1}(cx)})}{c} + \frac{2ib^2}{c} \end{aligned}$$

Mathematica [A] time = 0.166325, size = 163, normalized size = 1.77

$$b^2 \left(-2i \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right) + 2i \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right) + \sec^{-1}(cx) \left(cx \sec^{-1}(cx) - 2 \log\left(1 - ie^{i \sec^{-1}(cx)}\right) + 2 \log\left(1 + ie^{i \sec^{-1}(cx)}\right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])^2, x]
```

[Out] $(a^2cx + 2ab(cxArcSec[cx] + Log[Cos[ArcSec[cx]/2] - Sin[ArcSec[cx]/2]) - Log[Cos[ArcSec[cx]/2] + Sin[ArcSec[cx]/2])) + b^2(ArcSec[cx](cxArcSec[cx] - 2Log[1 - I*E^(I*ArcSec[cx])]) + 2Log[1 + I*E^(I*ArcSec[cx])]) - (2I)*PolyLog[2, (-I)*E^(I*ArcSec[cx])] + (2I)*PolyLog[2, I*E^(I*ArcSec[cx])]))/c$

Maple [A] time = 0.294, size = 212, normalized size = 2.3

$$xb^2(\operatorname{arcsec}(cx))^2 + 2xab\operatorname{arcsec}(cx) - 2\frac{b^2\operatorname{arcsec}(cx)}{c}\ln\left(1 - i\left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2x^2}}\right)\right) + 2\frac{b^2\operatorname{arcsec}(cx)}{c}\ln\left(1 + i\left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2x^2}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^2,x)`

[Out] $x*b^2*arcsec(c*x)^2 + 2*x*a*b*arcsec(c*x) - 2/c*b^2*arcsec(c*x)*\ln(1 - I*(1/c/x + I*(1 - 1/c^2/x^2)^{1/2})) + 2/c*b^2*arcsec(c*x)*\ln(1 + I*(1/c/x + I*(1 - 1/c^2/x^2)^{1/2})) - 2*I/c*dilog(1 + I*(1/c/x + I*(1 - 1/c^2/x^2)^{1/2})) * b^2 + 2*I/c*dilog(1 - I*(1/c/x + I*(1 - 1/c^2/x^2)^{1/2})) * b^2 + a^2*x - 2/c*\ln(c*x + c*x*(1 - 1/c^2/x^2)^{1/2}) * a*b$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}\left(2c^2\left(\frac{2x}{c^2} - \frac{\log(cx+1)}{c^3} + \frac{\log(cx-1)}{c^3}\right)\log(c)^2 - 4c^2\int\frac{x^2\log(c^2x^2)}{c^2x^2-1}dx\log(c) + 8c^2\int\frac{x^2\log(x)}{c^2x^2-1}dx\log(c) - 4x\arctan\left(\frac{\sqrt{cx+1}\sqrt{cx-1}}{c}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out] $-1/4*(2*c^2*(2*x/c^2 - \log(c*x + 1)/c^3 + \log(c*x - 1)/c^3)*\log(c)^2 - 4*c^2*\integrate(x^2*\log(c^2*x^2)/(c^2*x^2 - 1), x)*\log(c) + 8*c^2*\integrate(x^2*\log(x)/(c^2*x^2 - 1), x)*\log(c) - 4*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 - 4*c^2*\integrate(x^2*\log(c^2*x^2)*\log(x)/(c^2*x^2 - 1), x) + 4*c^2*\integrate(x^2*\log(x)^2/(c^2*x^2 - 1), x) - 4*c^2*\integrate(x^2*\log(c^2*x^2)/(c^2*x^2 - 1), x) + x*\log(c^2*x^2)^2 + 2*(\log(c*x + 1)/c - \log(c*x - 1)/c)*\log(c)^2 + 4*\integrate(\log(c^2*x^2)/(c^2*x^2 - 1), x)*\log(c) - 8*\integrate(\log(x)/(c^2*x^2 - 1), x)*\log(c) + 8*\integrate(\sqrt{c*x + 1}*\sqrt{c*x - 1})*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})/c$

```
n(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 - 1), x) + 4*integrate(log(c^2*x^2)
*log(x)/(c^2*x^2 - 1), x) - 4*integrate(log(x)^2/(c^2*x^2 - 1), x) + 4*inte
grate(log(c^2*x^2)/(c^2*x^2 - 1), x))*b^2 + a^2*x + (2*c*x*arcsec(c*x) - lo
g(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*a*b/c
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(b^2 \operatorname{arcsec}(cx)^2 + 2ab \operatorname{arcsec}(cx) + a^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))**2,x)
```

```
[Out] Integral((a + b*asec(c*x))**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^2, x)
```

$$3.19 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x} dx$$

Optimal. Leaf size=93

$$ib \operatorname{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) - \frac{1}{2} b^2 \operatorname{PolyLog}\left(3, -e^{2i \sec^{-1}(cx)}\right) + \frac{i (a + b \sec^{-1}(cx))^3}{3b} - \log\left(1 + e^{2i \sec^{-1}(cx)}\right)$$

[Out] ((I/3)*(a + b*ArcSec[c*x])^3)/b - (a + b*ArcSec[c*x])^2*Log[1 + E^((2*I)*ArcSec[c*x])] + I*b*(a + b*ArcSec[c*x])*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - (b^2*PolyLog[3, -E^((2*I)*ArcSec[c*x])])/2

Rubi [A] time = 0.118987, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 3719, 2190, 2531, 2282, 6589}

$$ib \operatorname{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) - \frac{1}{2} b^2 \operatorname{PolyLog}\left(3, -e^{2i \sec^{-1}(cx)}\right) + \frac{i (a + b \sec^{-1}(cx))^3}{3b} - \log\left(1 + e^{2i \sec^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x, x]

[Out] ((I/3)*(a + b*ArcSec[c*x])^3)/b - (a + b*ArcSec[c*x])^2*Log[1 + E^((2*I)*ArcSec[c*x])] + I*b*(a + b*ArcSec[c*x])*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - (b^2*PolyLog[3, -E^((2*I)*ArcSec[c*x])])/2

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^n*(x_)^m, x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 3719

Int[((c_.) + (d_.)*(x_)^m)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^2}{x} dx &= \text{Subst} \left(\int (a + bx)^2 \tan(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)^2}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log(1 + e^{2i \sec^{-1}(cx)}) + (2b) \text{Subst} \left(\int (a + bx) \log(1 + e^{2ix}) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log(1 + e^{2i \sec^{-1}(cx)}) + ib(a + b \sec^{-1}(cx)) \text{Li}_2(-e^{2i \sec^{-1}(cx)}) \\
&= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log(1 + e^{2i \sec^{-1}(cx)}) + ib(a + b \sec^{-1}(cx)) \text{Li}_2(-e^{2i \sec^{-1}(cx)}) \\
&= \frac{i(a + b \sec^{-1}(cx))^3}{3b} - (a + b \sec^{-1}(cx))^2 \log(1 + e^{2i \sec^{-1}(cx)}) + ib(a + b \sec^{-1}(cx)) \text{Li}_2(-e^{2i \sec^{-1}(cx)})
\end{aligned}$$

Mathematica [A] time = 0.120485, size = 129, normalized size = 1.39

$$ib \text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) (a + b \sec^{-1}(cx)) - \frac{1}{2} b^2 \text{PolyLog} \left(3, -e^{2i \sec^{-1}(cx)} \right) + a^2 \log(cx) + iab \sec^{-1}(cx)^2 - 2ab \sec^{-1}(cx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])^2/x, x]

[Out] I*a*b*ArcSec[c*x]^2 + (I/3)*b^2*ArcSec[c*x]^3 - 2*a*b*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - b^2*ArcSec[c*x]^2*Log[1 + E^((2*I)*ArcSec[c*x])] + a^2*Log[c*x] + I*b*(a + b*ArcSec[c*x])*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - (b^2*PolyLog[3, -E^((2*I)*ArcSec[c*x])])/2

Maple [A] time = 0.358, size = 215, normalized size = 2.3

$$a^2 \ln(cx) + \frac{i}{3} b^2 (\text{arcsec}(cx))^3 - b^2 (\text{arcsec}(cx))^2 \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right) + ib^2 \text{arcsec}(cx) \text{polylog} \left(2, - \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^2/x, x)

```
[Out] a^2*ln(c*x)+1/3*I*b^2*arcsec(c*x)^3-b^2*arcsec(c*x)^2*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+I*b^2*arcsec(c*x)*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)-1/2*b^2*polylog(3,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+I*a*b*arcsec(c*x)^2-2*a*b*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+I*a*b*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}b^2c^2\left(\frac{\log(cx+1)}{c^2} + \frac{\log(cx-1)}{c^2}\right)\log(c)^2 + b^2c^2 \int \frac{x^2 \log(c^2x^2)}{c^2x^3 - x} dx \log(c) - 2b^2c^2 \int \frac{x^2 \log(x)}{c^2x^3 - x} dx \log(c) + 2b^2c^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2/x,x, algorithm="maxima")
```

```
[Out] -1/2*b^2*c^2*(log(c*x + 1)/c^2 + log(c*x - 1)/c^2)*log(c)^2 + b^2*c^2*integrate(x^2*log(c^2*x^2)/(c^2*x^3 - x), x)*log(c) - 2*b^2*c^2*integrate(x^2*log(x)/(c^2*x^3 - x), x)*log(c) + 2*b^2*c^2*integrate(x^2*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) - b^2*c^2*integrate(x^2*log(x)^2/(c^2*x^3 - x), x) + 2*a*b*c^2*integrate(x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^3 - x), x) + 1/2*b^2*(log(c*x + 1) + log(c*x - 1) - 2*log(x))*log(c)^2 + b^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2*log(x) - 1/4*b^2*log(c^2*x^2)^2*log(x) - b^2*integrate(log(c^2*x^2)/(c^2*x^3 - x), x)*log(c) + 2*b^2*integrate(log(x)/(c^2*x^3 - x), x)*log(c) - 2*b^2*integrate(sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^3 - x), x) - 2*b^2*integrate(log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + b^2*integrate(log(x)^2/(c^2*x^3 - x), x) - 2*a*b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^3 - x), x) + a^2*log(x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2 \operatorname{arcsec}(cx)^2 + 2ab \operatorname{arcsec}(cx) + a^2}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2/x,x, algorithm="fricas")
```

```
[Out] integral((b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2)/x, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))**2/x,x)
```

```
[Out] Integral((a + b*asec(c*x))**2/x, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2/x,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^2/x, x)
```

$$3.20 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x^2} dx$$

Optimal. Leaf size=50

$$2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x} + \frac{2b^2}{x}$$

[Out] (2*b^2)/x + 2*b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]) - (a + b*ArcSec[c*x])^2/x

Rubi [A] time = 0.0586854, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5222, 3296, 2638}

$$2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x} + \frac{2b^2}{x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x^2,x]

[Out] (2*b^2)/x + 2*b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]) - (a + b*ArcSec[c*x])^2/x

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec^{-1}(cx))^2}{x^2} dx &= c \operatorname{Subst} \left(\int (a + bx)^2 \sin(x) dx, x, \sec^{-1}(cx) \right) \\ &= -\frac{(a + b \sec^{-1}(cx))^2}{x} + (2bc) \operatorname{Subst} \left(\int (a + bx) \cos(x) dx, x, \sec^{-1}(cx) \right) \\ &= 2bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x} - (2b^2 c) \operatorname{Subst} \left(\int \sin(x) dx, x, \sec^{-1}(cx) \right) \\ &= \frac{2b^2}{x} + 2bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx)) - \frac{(a + b \sec^{-1}(cx))^2}{x} \end{aligned}$$

Mathematica [A] time = 0.122778, size = 75, normalized size = 1.5

$$\frac{-a^2 + 2abcx \sqrt{1 - \frac{1}{c^2 x^2}} + 2b \sec^{-1}(cx) \left(bcx \sqrt{1 - \frac{1}{c^2 x^2}} - a \right) - b^2 \sec^{-1}(cx)^2 + 2b^2}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSec[c*x])^2/x^2, x]`

`[Out] (-a^2 + 2*b^2 + 2*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x + 2*b*(-a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x)*ArcSec[c*x] - b^2*ArcSec[c*x]^2)/x`

Maple [B] time = 0.24, size = 117, normalized size = 2.3

$$c \left(-\frac{a^2}{cx} + b^2 \left(-\frac{(\operatorname{arcsec}(cx))^2}{cx} + 2 \frac{1}{cx} + 2 \operatorname{arcsec}(cx) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \right) + 2ab \left(-\frac{\operatorname{arcsec}(cx)}{cx} + \frac{c^2 x^2 - 1}{c^2 x^2} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsec(c*x))^2/x^2, x)`

[Out] $c*(-a^2/c/x+b^2*(-1/c/x*\operatorname{arcsec}(c*x))^2+2/c/x+2*\operatorname{arcsec}(c*x)*((c^2*x^2-1)/c^2/x^2)^{(1/2)})+2*a*b*(-1/c/x*\operatorname{arcsec}(c*x)+1/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^2/x^2*(c^2*x^2-1))$

Maxima [A] time = 1.0221, size = 105, normalized size = 2.1

$$2\left(c\sqrt{-\frac{1}{c^2x^2}+1}-\frac{\operatorname{arcsec}(cx)}{x}\right)ab+2\left(c\sqrt{-\frac{1}{c^2x^2}+1}\operatorname{arcsec}(cx)+\frac{1}{x}\right)b^2-\frac{b^2\operatorname{arcsec}(cx)^2}{x}-\frac{a^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^2,x, algorithm="maxima")`

[Out] $2*(c*\sqrt{-1/(c^2*x^2)}+1)-\operatorname{arcsec}(c*x)/x)*a*b+2*(c*\sqrt{-1/(c^2*x^2)}+1)*\operatorname{arcsec}(c*x)+1/x)*b^2-b^2*\operatorname{arcsec}(c*x)^2/x-a^2/x$

Fricas [A] time = 2.66604, size = 140, normalized size = 2.8

$$\frac{b^2\operatorname{arcsec}(cx)^2+2ab\operatorname{arcsec}(cx)+a^2-2b^2-2\sqrt{c^2x^2-1}(b^2\operatorname{arcsec}(cx)+ab)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^2,x, algorithm="fricas")`

[Out] $-(b^2*\operatorname{arcsec}(c*x)^2+2*a*b*\operatorname{arcsec}(c*x)+a^2-2*b^2-2*\sqrt{c^2*x^2-1}*(b^2*\operatorname{arcsec}(c*x)+a*b))/x$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b*\operatorname{asec}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))**2/x**2,x)`

[Out] Integral((a + b*asec(c*x))**2/x**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^2/x^2, x)

$$3.21 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x^3} dx$$

Optimal. Leaf size=94

$$\frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{2x} + \frac{1}{2}\left(c^2-\frac{1}{x^2}\right)(a+b \sec^{-1}(cx))^2 - \frac{1}{2}abc^2 \sec^{-1}(cx) - \frac{1}{4}b^2c^2 \sec^{-1}(cx)^2 + \frac{b^2}{4x^2}$$

[Out] $b^2/(4*x^2) - (a*b*c^2*ArcSec[c*x])/2 - (b^2*c^2*ArcSec[c*x]^2)/4 + (b*c*sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(2*x) + ((c^2 - x^(-2))*(a + b*ArcSec[c*x])^2)/2$

Rubi [A] time = 0.0793479, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5222, 4404, 3310}

$$\frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{2x} + \frac{1}{2}\left(c^2-\frac{1}{x^2}\right)(a+b \sec^{-1}(cx))^2 - \frac{1}{2}abc^2 \sec^{-1}(cx) - \frac{1}{4}b^2c^2 \sec^{-1}(cx)^2 + \frac{b^2}{4x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x^3, x]

[Out] $b^2/(4*x^2) - (a*b*c^2*ArcSec[c*x])/2 - (b^2*c^2*ArcSec[c*x]^2)/4 + (b*c*sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(2*x) + ((c^2 - x^(-2))*(a + b*ArcSec[c*x])^2)/2$

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :>
  Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec^{-1}(cx))^2}{x^3} dx &= c^2 \text{Subst} \left(\int (a + bx)^2 \cos(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\ &= \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^2 - (bc^2) \text{Subst} \left(\int (a + bx) \sin^2(x) dx, x, \sec^{-1}(cx) \right) \\ &= \frac{b^2}{4x^2} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{2x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^2 - \frac{1}{2} (bc^2) \text{Subst} \left(\int (a + bx) \sin(x) dx, x, \sec^{-1}(cx) \right) \\ &= \frac{b^2}{4x^2} - \frac{1}{2} abc^2 \sec^{-1}(cx) - \frac{1}{4} b^2 c^2 \sec^{-1}(cx)^2 + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{2x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^2 \end{aligned}$$

Mathematica [A] time = 0.113702, size = 102, normalized size = 1.09

$$\frac{-2a^2 + 2abcx \sqrt{1 - \frac{1}{c^2 x^2}} - 2abc^2 x^2 \sin^{-1} \left(\frac{1}{cx} \right) + 2b \sec^{-1}(cx) \left(bcx \sqrt{1 - \frac{1}{c^2 x^2}} - 2a \right) + b^2 (c^2 x^2 - 2) \sec^{-1}(cx)^2 + b^2}{4x^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])^2/x^3, x]
```

```
[Out] (-2*a^2 + b^2 + 2*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x + 2*b*(-2*a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x)*ArcSec[c*x] + b^2*(-2 + c^2*x^2)*ArcSec[c*x]^2 - 2*a*b*c^2*x^2*ArcSin[1/(c*x)])/(4*x^2)
```

Maple [B] time = 0.244, size = 199, normalized size = 2.1

$$\frac{a^2}{2x^2} - \frac{b^2 (\operatorname{arcsec}(cx))^2}{2x^2} + \frac{b^2 c^2 (\operatorname{arcsec}(cx))^2}{4} + \frac{cb^2 \operatorname{arcsec}(cx)}{2x} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b^2 c^2}{4} + \frac{b^2}{4x^2} - \frac{ab \operatorname{arcsec}(cx)}{x^2} - \frac{acb}{2x} \sqrt{c^2 x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^2/x^3,x)`

[Out]
$$-1/2*a^2/x^2-1/2*b^2/x^2*arcsec(c*x)^2+1/4*b^2*c^2*arcsec(c*x)^2+1/2*c*b^2*arcsec(c*x)/x*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-1/4*b^2*c^2+1/4*b^2/x^2-a*b/x^2*arcsec(c*x)-1/2*c*a*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*arctan(1/(c^2*x^2-1)^{(1/2)})+1/2*c*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x-1/2/c*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^3$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^3,x, algorithm="maxima")`

[Out]
$$-1/2*a*b*((c^4*x*\sqrt{-1/(c^2*x^2)+1})/(c^2*x^2*(1/(c^2*x^2)-1)-1)-c^3*arctan(c*x*\sqrt{-1/(c^2*x^2)+1}))/c+2*arcsec(c*x)/x^2-1/8*(4*(c^2*(\log(c*x+1)+\log(c*x-1)-2*\log(x))*\log(c)^2-4*c^2*integrate(1/2*x^2*\log(c^2*x^2)/(c^2*x^5-x^3),x)*\log(c)+8*c^2*integrate(1/2*x^2*\log(x)/(c^2*x^5-x^3),x)*\log(c)-4*c^2*integrate(1/2*x^2*\log(c^2*x^2)*\log(x)/(c^2*x^5-x^3),x)+4*c^2*integrate(1/2*x^2*\log(x)^2/(c^2*x^5-x^3),x)+2*c^2*integrate(1/2*x^2*\log(c^2*x^2)/(c^2*x^5-x^3),x)-(c^2*\log(c*x+1)+c^2*\log(c*x-1)-2*c^2*\log(x)+1/x^2)*\log(c)^2+4*integrate(1/2*\log(c^2*x^2)/(c^2*x^5-x^3),x)*\log(c)-8*integrate(1/2*\log(x)/(c^2*x^5-x^3),x)*\log(c)-4*integrate(1/2*\sqrt{c*x+1}*\sqrt{c*x-1}*arctan(\sqrt{c*x+1}*\sqrt{c*x-1}))/c^2*x^5-x^3,x)+4*integrate(1/2*\log(c^2*x^2)*\log(x)/(c^2*x^5-x^3),x)-4*integrate(1/2*\log(x)^2/(c^2*x^5-x^3),x)-2*integrate(1/2*\log(c^2*x^2)/(c^2*x^5-x^3),x))*x^2+4*arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2-\log(c^2*x^2)^2*b^2/x^2-1/2*a^2/x^2$$

Fricas [A] time = 2.38939, size = 196, normalized size = 2.09

$$\frac{(b^2c^2x^2 - 2b^2) \operatorname{arcsec}(cx)^2 - 2a^2 + b^2 + 2(abc^2x^2 - 2ab) \operatorname{arcsec}(cx) + 2\sqrt{c^2x^2 - 1}(b^2 \operatorname{arcsec}(cx) + ab)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2/x^3,x, algorithm="fricas")
```

```
[Out] 1/4*((b^2*c^2*x^2 - 2*b^2)*arcsec(c*x)^2 - 2*a^2 + b^2 + 2*(a*b*c^2*x^2 - 2
*a*b)*arcsec(c*x) + 2*sqrt(c^2*x^2 - 1)*(b^2*arcsec(c*x) + a*b))/x^2
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))**2/x**3,x)
```

```
[Out] Integral((a + b*asec(c*x))**2/x**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^2/x^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^2/x^3, x)
```

$$3.22 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x^4} dx$$

Optimal. Leaf size=102

$$\frac{4}{9}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx)) + \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{9x^2} - \frac{(a+b \sec^{-1}(cx))^2}{3x^3} + \frac{4b^2c^2}{9x} + \frac{2b^2}{27x^3}$$

[Out] (2*b^2)/(27*x^3) + (4*b^2*c^2)/(9*x) + (4*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/9 + (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(9*x^2) - (a + b*ArcSec[c*x])^2/(3*x^3)

Rubi [A] time = 0.0940474, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5222, 4405, 3310, 3296, 2638}

$$\frac{4}{9}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx)) + \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))}{9x^2} - \frac{(a+b \sec^{-1}(cx))^2}{3x^3} + \frac{4b^2c^2}{9x} + \frac{2b^2}{27x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x^4, x]

[Out] (2*b^2)/(27*x^3) + (4*b^2*c^2)/(9*x) + (4*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/9 + (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(9*x^2) - (a + b*ArcSec[c*x])^2/(3*x^3)

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^n*(x_)^m, x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4405

Int[Cos[(a_.) + (b_.)*(x_.)]^n*((c_.) + (d_.)*(x_.))^m*Sin[(a_.) + (b_.)*(x_.)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
  Simp[(d*(b*SIn[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*SIn[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*SIn[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^2}{x^4} dx &= c^3 \text{Subst} \left(\int (a + bx)^2 \cos^2(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^2}{3x^3} + \frac{1}{3} (2bc^3) \text{Subst} \left(\int (a + bx) \cos^3(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{2b^2}{27x^3} + \frac{2bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{9x^2} - \frac{(a + b \sec^{-1}(cx))^2}{3x^3} + \frac{1}{9} (4bc^3) \text{Subst} \left(\int (a + bx) \cos^5(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{2b^2}{27x^3} + \frac{4}{9} bc^3 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx)) + \frac{2bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{9x^2} - \frac{(a + b \sec^{-1}(cx))^2}{3x^3} \\
&= \frac{2b^2}{27x^3} + \frac{4b^2c^2}{9x} + \frac{4}{9} bc^3 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx)) + \frac{2bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{9x^2} - \frac{(a + b \sec^{-1}(cx))^2}{3x^3}
\end{aligned}$$

Mathematica [A] time = 0.183608, size = 108, normalized size = 1.06

$$\frac{-9a^2 + 6abcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2x^2 + 1) + 6b \sec^{-1}(cx) \left(bcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2x^2 + 1) - 3a \right) + 2b^2(6c^2x^2 + 1) - 9b^2 \sec^{-1}(cx)^2}{27x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^2/x^4,x]

[Out] $(-9*a^2 + 6*a*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(1 + 2*c^2*x^2) + 2*b^2*(1 + 6*c^2*x^2) + 6*b*(-3*a + b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(1 + 2*c^2*x^2))*\text{ArcSec}[c*x] - 9*b^2*\text{ArcSec}[c*x]^2)/(27*x^3)$

Maple [A] time = 0.243, size = 154, normalized size = 1.5

$$c^3 \left(-\frac{a^2}{3c^3x^3} + b^2 \left(-\frac{(\text{arcsec}(cx))^2}{3c^3x^3} + \frac{2 \text{arcsec}(cx)(2c^2x^2 + 1)}{9c^2x^2} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{2}{27c^3x^3} + \frac{4}{9cx} \right) + 2ab \left(-\frac{1}{3} \frac{\text{arcsec}(cx)}{c^3x^3} + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^2/x^4,x)

[Out] $c^3*(-1/3*a^2/c^3/x^3+b^2*(-1/3/c^3/x^3*\text{arcsec}(c*x)^2+2/9*\text{arcsec}(c*x)*(2*c^2*x^2+1)/c^2/x^2*((c^2*x^2-1)/c^2/x^2)^(1/2)+2/27/c^3/x^3+4/9/c/x)+2*a*b*(-1/3/c^3/x^3*\text{arcsec}(c*x)+1/9*(c^2*x^2-1)*(2*c^2*x^2+1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^4/x^4)$

Maxima [A] time = 2.18582, size = 221, normalized size = 2.17

$$-\frac{2}{9}ab \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + \frac{3 \text{arcsec}(cx)}{x^3} \right) - \frac{b^2 \text{arcsec}(cx)^2}{3x^3} - \frac{a^2}{3x^3} + \frac{2 \left((6c^3x^2 + c)\sqrt{cx+1}\sqrt{cx-1} + \dots \right)}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^4,x, algorithm="maxima")

[Out] $-2/9*a*b*((c^4*(-1/(c^2*x^2) + 1)^(3/2) - 3*c^4*\text{sqrt}(-1/(c^2*x^2) + 1))/c + 3*\text{arcsec}(c*x)/x^3) - 1/3*b^2*\text{arcsec}(c*x)^2/x^3 - 1/3*a^2/x^3 + 2/27*((6*c^3*x^2 + c)*\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1) + 3*(2*c^5*x^4 - c^3*x^2 - c)*\text{arctan}(\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)))*b^2/(\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)*c*x^3)$

Fricas [A] time = 2.22573, size = 224, normalized size = 2.2

$$\frac{12b^2c^2x^2 - 9b^2 \operatorname{arcsec}(cx)^2 - 18ab \operatorname{arcsec}(cx) - 9a^2 + 2b^2 + 6(2abc^2x^2 + ab + (2b^2c^2x^2 + b^2) \operatorname{arcsec}(cx))\sqrt{c^2x^2 - 1}}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^4,x, algorithm="fricas")

[Out] 1/27*(12*b^2*c^2*x^2 - 9*b^2*arcsec(c*x)^2 - 18*a*b*arcsec(c*x) - 9*a^2 + 2*b^2 + 6*(2*a*b*c^2*x^2 + a*b + (2*b^2*c^2*x^2 + b^2)*arcsec(c*x))*sqrt(c^2*x^2 - 1))/x^3

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))^2/x**4,x)

[Out] Integral((a + b*asec(c*x))^2/x**4, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^4,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^2/x^4, x)

$$3.23 \quad \int \frac{(a+b \sec^{-1}(cx))^2}{x^5} dx$$

Optimal. Leaf size=134

$$\frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{16x} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{8x^3} + \frac{3}{16} abc^4 \sec^{-1}(cx) - \frac{(a + b \sec^{-1}(cx))^2}{4x^4} + \frac{3b^2 c^2}{32x^2} + \frac{3}{32}$$

[Out] b^2/(32*x^4) + (3*b^2*c^2)/(32*x^2) + (3*a*b*c^4*ArcSec[c*x])/16 + (3*b^2*c^4*ArcSec[c*x]^2)/32 + (b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(8*x^3) + (3*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(16*x) - (a + b*ArcSec[c*x])^2/(4*x^4)

Rubi [A] time = 0.111133, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5222, 4405, 3310}

$$\frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{16x} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))}{8x^3} + \frac{3}{16} abc^4 \sec^{-1}(cx) - \frac{(a + b \sec^{-1}(cx))^2}{4x^4} + \frac{3b^2 c^2}{32x^2} + \frac{3}{32}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^2/x^5, x]

[Out] b^2/(32*x^4) + (3*b^2*c^2)/(32*x^2) + (3*a*b*c^4*ArcSec[c*x])/16 + (3*b^2*c^4*ArcSec[c*x]^2)/32 + (b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(8*x^3) + (3*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x]))/(16*x) - (a + b*ArcSec[c*x])^2/(4*x^4)

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4405

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1),

x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
  Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec^{-1}(cx))^2}{x^5} dx &= c^4 \text{Subst} \left(\int (a + bx)^2 \cos^3(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{(a + b \sec^{-1}(cx))^2}{4x^4} + \frac{1}{2} (bc^4) \text{Subst} \left(\int (a + bx) \cos^4(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{b^2}{32x^4} + \frac{bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{8x^3} - \frac{(a + b \sec^{-1}(cx))^2}{4x^4} + \frac{1}{8} (3bc^4) \text{Subst} \left(\int (a + bx) \cos^2(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{b^2}{32x^4} + \frac{3b^2c^2}{32x^2} + \frac{bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{8x^3} + \frac{3bc^3 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{16x} - \frac{(a + b \sec^{-1}(cx))^2}{4x^4} \\
 &= \frac{b^2}{32x^4} + \frac{3b^2c^2}{32x^2} + \frac{3}{16} abc^4 \sec^{-1}(cx) + \frac{3}{32} b^2c^4 \sec^{-1}(cx)^2 + \frac{bc \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{8x^3} + \frac{3bc^3 \sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{16x} - \frac{(a + b \sec^{-1}(cx))^2}{4x^4}
 \end{aligned}$$

Mathematica [A] time = 0.173987, size = 148, normalized size = 1.1

$$\frac{-8a^2 + 6abc^3x^3 \sqrt{1 - \frac{1}{c^2x^2}} + 4abcx \sqrt{1 - \frac{1}{c^2x^2}} - 6abc^4x^4 \sin^{-1}\left(\frac{1}{cx}\right) + 2b \sec^{-1}(cx) \left(bcx \sqrt{1 - \frac{1}{c^2x^2}} (3c^2x^2 + 2) - 8a \right) + 3b^2c^2}{32x^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])^2/x^5, x]
```

```
[Out] (-8*a^2 + b^2 + 4*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x + 3*b^2*c^2*x^2 + 6*a*b*c^3
*Sqrt[1 - 1/(c^2*x^2)]*x^3 + 2*b*(-8*a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(2 + 3
*c^2*x^2))*ArcSec[c*x] + b^2*(-8 + 3*c^4*x^4)*ArcSec[c*x]^2 - 6*a*b*c^4*x^4
*ArcSin[1/(c*x)])/(32*x^4)
```

Maple [B] time = 0.253, size = 265, normalized size = 2.

$$-\frac{a^2}{4x^4} - \frac{b^2 (\operatorname{arcsec}(cx))^2}{4x^4} + \frac{3b^2c^4 (\operatorname{arcsec}(cx))^2}{32} + \frac{3c^3b^2 \operatorname{arcsec}(cx)}{16x} \sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{cb^2 \operatorname{arcsec}(cx)}{8x^3} \sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{b^2}{32x^4} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^2/x^5,x)`

[Out]
$$-1/4*a^2/x^4 - 1/4*b^2/x^4*arcsec(c*x)^2 + 3/32*b^2*c^4*arcsec(c*x)^2 + 3/16*c^3*b^2*arcsec(c*x)/x*((c^2*x^2-1)/c^2/x^2)^{(1/2)} + 1/8*c*b^2*arcsec(c*x)/x^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)} + 1/32*b^2/x^4 + 3/32*b^2*c^2/x^2 - 1/2*a*b/x^4*arcsec(c*x) - 3/16*c^3*a*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*arctan(1/(c^2*x^2-1)^{(1/2)}) + 3/16*c^3*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x - 1/16*c*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^3 - 1/8/c*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^5$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^2/x^5,x, algorithm="maxima")`

[Out]
$$1/16*a*b*((3*c^5*arctan(c*x*\sqrt{-1/(c^2*x^2)} + 1)) + (3*c^8*x^3*(-1/(c^2*x^2) + 1)^{(3/2)} + 5*c^6*x*\sqrt{-1/(c^2*x^2)} + 1))/(c^4*x^4*(1/(c^2*x^2) - 1)^2 - 2*c^2*x^2*(1/(c^2*x^2) - 1) + 1)/c - 8*arcsec(c*x)/x^4 - 1/16*(4*(2*(c^2*\log(c*x + 1) + c^2*\log(c*x - 1) - 2*c^2*\log(x) + 1/x^2)*c^2*\log(c)^2 - 16*c^2*\integrate(1/4*x^2*\log(c^2*x^2)/(c^2*x^7 - x^5), x)*\log(c) + 32*c^2*\integrate(1/4*x^2*\log(x)/(c^2*x^7 - x^5), x)*\log(c) - 16*c^2*\integrate(1/4*x^2*\log(c^2*x^2)*\log(x)/(c^2*x^7 - x^5), x) + 16*c^2*\integrate(1/4*x^2*\log(x)^2/(c^2*x^7 - x^5), x) + 4*c^2*\integrate(1/4*x^2*\log(c^2*x^2)/(c^2*x^7 - x^5), x) - (2*c^4*\log(c*x + 1) + 2*c^4*\log(c*x - 1) - 4*c^4*\log(x) + (2*c^2*x^2 + 1)/x^4)*\log(c)^2 + 16*\integrate(1/4*\log(c^2*x^2)/(c^2*x^7 - x^5), x)*\log(c) - 32*\integrate(1/4*\log(x)/(c^2*x^7 - x^5), x)*\log(c) - 8*\integrate(1/4*\sqrt{c*x + 1}*\sqrt{c*x - 1}*arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))/((c^2*x^7 - x^5), x) + 16*\integrate(1/4*\log(c^2*x^2)*\log(x)/(c^2*x^7 - x^5), x) - 16*\integrate(1/4*\log(x)^2/(c^2*x^7 - x^5), x) - 4*\integrate(1/4*\log(c^2*x^2)/(c^2*x^7 - x^5), x))*x^4 + 4*arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 - \log(c^2*x^2)^2)*b^2/x^4 - 1/4*a^2/x^4$$

Fricas [A] time = 2.21055, size = 275, normalized size = 2.05

$$\frac{3b^2c^2x^2 + (3b^2c^4x^4 - 8b^2)\operatorname{arcsec}(cx)^2 - 8a^2 + b^2 + 2(3abc^4x^4 - 8ab)\operatorname{arcsec}(cx) + 2(3abc^2x^2 + 2ab + (3b^2c^2x^2 + 2b^2)\operatorname{arcsec}(cx))\sqrt{c^2x^2 - 1}}{32x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^5,x, algorithm="fricas")

[Out] 1/32*(3*b^2*c^2*x^2 + (3*b^2*c^4*x^4 - 8*b^2)*arcsec(c*x)^2 - 8*a^2 + b^2 + 2*(3*a*b*c^4*x^4 - 8*a*b)*arcsec(c*x) + 2*(3*a*b*c^2*x^2 + 2*a*b + (3*b^2*c^2*x^2 + 2*b^2)*arcsec(c*x))*sqrt(c^2*x^2 - 1))/x^4

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**2/x**5,x)

[Out] Integral((a + b*asec(c*x))**2/x**5, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^2/x^5,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^2/x^5, x)

3.24 $\int x^3 \left(a + b \sec^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=207

$$\frac{ib^3 \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right)}{2c^4} + \frac{b^2 x^2 \left(a + b \sec^{-1}(cx)\right)}{4c^2} - \frac{b^2 \log\left(1 + e^{2i \sec^{-1}(cx)}\right) \left(a + b \sec^{-1}(cx)\right)}{c^4} - \frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} \left(a + b \sec^{-1}(cx)\right)}{4c}$$

[Out] $-(b^3 \sqrt{1 - 1/(c^2 x^2)} x)/(4c^3) + (b^2 x^2 (a + b \text{ArcSec}[c x]))/(4c^2) + ((I/2) b (a + b \text{ArcSec}[c x])^2)/c^4 - (b \sqrt{1 - 1/(c^2 x^2)} x (a + b \text{ArcSec}[c x])^2)/(2c^3) - (b \sqrt{1 - 1/(c^2 x^2)} x^3 (a + b \text{ArcSec}[c x])^2)/(4c) + (x^4 (a + b \text{ArcSec}[c x])^3)/4 - (b^2 (a + b \text{ArcSec}[c x]) \text{Log}[1 + E^{((2I) \text{ArcSec}[c x])}])/c^4 + ((I/2) b^3 \text{PolyLog}[2, -E^{((2I) \text{ArcSec}[c x])}])/c^4$

Rubi [A] time = 0.211203, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5222, 4409, 4186, 3767, 8, 4184, 3719, 2190, 2279, 2391}

$$\frac{ib^3 \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right)}{2c^4} + \frac{b^2 x^2 \left(a + b \sec^{-1}(cx)\right)}{4c^2} - \frac{b^2 \log\left(1 + e^{2i \sec^{-1}(cx)}\right) \left(a + b \sec^{-1}(cx)\right)}{c^4} - \frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} \left(a + b \sec^{-1}(cx)\right)}{4c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3 (a + b \text{ArcSec}[c x])^3, x]$

[Out] $-(b^3 \sqrt{1 - 1/(c^2 x^2)} x)/(4c^3) + (b^2 x^2 (a + b \text{ArcSec}[c x]))/(4c^2) + ((I/2) b (a + b \text{ArcSec}[c x])^2)/c^4 - (b \sqrt{1 - 1/(c^2 x^2)} x (a + b \text{ArcSec}[c x])^2)/(2c^3) - (b \sqrt{1 - 1/(c^2 x^2)} x^3 (a + b \text{ArcSec}[c x])^2)/(4c) + (x^4 (a + b \text{ArcSec}[c x])^3)/4 - (b^2 (a + b \text{ArcSec}[c x]) \text{Log}[1 + E^{((2I) \text{ArcSec}[c x])}])/c^4 + ((I/2) b^3 \text{PolyLog}[2, -E^{((2I) \text{ArcSec}[c x])}])/c^4$

Rule 5222

$\text{Int}[(a + \text{ArcSec}[c x])^n (b x)^m, x_Symbol] \rightarrow \text{Dist}[1/c^{m+1}, \text{Subst}[\text{Int}[(a + b x)^n \text{Sec}[x]^{m+1} \text{Tan}[x], x], x, \text{ArcSec}[c x]], x] /;$ FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))))^n], x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && GtQ[m, 0]
```

))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
 :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
 , -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
 \int x^3 (a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst}\left(\int (a + bx)^3 \sec^4(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c^4} \\
 &= \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^3 - \frac{(3b) \text{Subst}\left(\int (a + bx)^2 \sec^4(x) dx, x, \sec^{-1}(cx)\right)}{4c^4} \\
 &= \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))^2}{4c} + \frac{1}{4} x^4 (a + b \sec^{-1}(cx))^3 - \frac{b \text{Subst}\left(\int (a + bx) \sec^4(x) dx, x, \sec^{-1}(cx)\right)}{4c^4} \\
 &= \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c^3} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \sec^{-1}(cx))}{4c} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib (a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{2c^3} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib (a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{2c^3} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib (a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{2c^3} \\
 &= -\frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \sec^{-1}(cx))}{4c^2} + \frac{ib (a + b \sec^{-1}(cx))^2}{2c^4} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))}{2c^3}
 \end{aligned}$$

Mathematica [A] time = 0.835647, size = 288, normalized size = 1.39

$$2ib^3 \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right) + b \sec^{-1}(cx) \left(cx \left(3a^2 c^3 x^3 - 2ab \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 x^2 + 2) + b^2 cx\right) - 4b^2 \log\left(1 + e^{2i \sec^{-1}(cx)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3*(a + b*ArcSec[c*x])^3,x]

[Out] $(-2*a^2*b*c*\sqrt{1 - 1/(c^2*x^2)}*x - b^3*c*\sqrt{1 - 1/(c^2*x^2)}*x + a*b^2*c^2*x^2 - a^2*b*c^3*\sqrt{1 - 1/(c^2*x^2)}*x^3 + a^3*c^4*x^4 - b^2*(-3*a*c^4*x^4 + b*(-2*I + 2*c*\sqrt{1 - 1/(c^2*x^2)})*x + c^3*\sqrt{1 - 1/(c^2*x^2)}*x^3))*\text{ArcSec}[c*x]^2 + b^3*c^4*x^4*\text{ArcSec}[c*x]^3 + b*\text{ArcSec}[c*x]*(c*x*(b^2*c*x + 3*a^2*c^3*x^3 - 2*a*b*\sqrt{1 - 1/(c^2*x^2)})*(2 + c^2*x^2)) - 4*b^2*\text{Log}[1 + E^((2*I)*\text{ArcSec}[c*x])] - 4*a*b^2*\text{Log}[1/(c*x)] + (2*I)*b^3*\text{PolyLog}[2, -E^((2*I)*\text{ArcSec}[c*x])])/(4*c^4)$

Maple [B] time = 0.472, size = 447, normalized size = 2.2

$$\frac{x^4 a^3}{4} + \frac{b^3 (\operatorname{arcsec}(cx))^3 x^4}{4} - \frac{b^3 (\operatorname{arcsec}(cx))^2 x^3}{4c} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b^3 (\operatorname{arcsec}(cx))^2 x}{2c^3} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{\frac{i}{2} b^3 (\operatorname{arcsec}(cx))^2}{c^4} + \frac{b^3 a}{c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))^3,x)

[Out] $\frac{1}{4}x^4a^3 + \frac{1}{4}b^3*\operatorname{arcsec}(c*x)^3*x^4 - \frac{1}{4}c*b^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*\operatorname{arcsec}(c*x)^2*x^3 - \frac{1}{2}c^3*b^3*\operatorname{arcsec}(c*x)^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x + \frac{1}{2}I/c^4*b^3*\operatorname{arcsec}(c*x)^2 + \frac{1}{4}c^2*b^3*\operatorname{arcsec}(c*x)*x^2 - \frac{1}{4}c^3*b^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x + \frac{1}{2}I*b^3*\text{polylog}(2, -(1/c/x + I*(1-1/c^2/x^2)^{(1/2)})^2)/c^4 - \frac{1}{c^4}*b^3*\operatorname{arcsec}(c*x)*\ln(1 + (1/c/x + I*(1-1/c^2/x^2)^{(1/2)})^2) - \frac{1}{4}I/c^4*b^3 + \frac{3}{4}a^2*b*x^4*\operatorname{arcsec}(c*x) - \frac{1}{4}c*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^3 - \frac{1}{4}c^3*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x + \frac{1}{2}c^5*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x + \frac{3}{4}a*b^2*\operatorname{arcsec}(c*x)^2*x^4 - \frac{1}{2}c*a*b^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*\operatorname{arcsec}(c*x)*x^3 + \frac{1}{4}c^2*x^2*a*b^2 - \frac{1}{c^3}*a*b^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*\operatorname{arcsec}(c*x)*x - \frac{1}{c^4}*a*b^2*\ln(1/c/x)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{3}{4}ab^2x^4 \operatorname{arcsec}(cx)^2 + \frac{1}{4}a^3x^4 + \frac{1}{4} \left(3x^4 \operatorname{arcsec}(cx) - \frac{c^2x^3 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} + 3x \sqrt{-\frac{1}{c^2x^2} + 1}}{c^3} \right) a^2b + \frac{1}{16} \left(4x^4 \arctan \left(\sqrt{cx + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out] $\frac{3}{4}ab^2x^4\text{arcsec}(cx)^2 + \frac{1}{4}a^3x^4 + \frac{1}{4}(3x^4\text{arcsec}(cx) - (c^2x^3(-1/(c^2x^2) + 1))^{3/2} + 3x\sqrt{-1/(c^2x^2) + 1})/c^3)a^2b + 1/16 * (4x^4\arctan(\sqrt{cx + 1})\sqrt{cx - 1})^3 - 3x^4\arctan(\sqrt{cx + 1})\sqrt{cx - 1})\log(c^2x^2)^2 - 16\int(3/16((4x^3\arctan(\sqrt{cx + 1})\sqrt{cx - 1})^2 - x^3\log(c^2x^2)^2)\sqrt{cx + 1}\sqrt{cx - 1} + 4(4c^2x^5\log(c)^2 - 4x^3\log(c)^2 + 4(c^2x^5 - x^3)\log(x)^2 - ((4c^2\log(c) + c^2)x^5 - x^3(4\log(c) + 1) + 4(c^2x^5 - x^3)\log(x))\log(c^2x^2) + 8(c^2x^5\log(c) - x^3\log(c))\log(x))\arctan(\sqrt{cx + 1})\sqrt{cx - 1}))/c^2x^2 - 1, x)b^3 + 1/4((c^2x^2 + 2\log(x^2))\sqrt{cx + 1})\sqrt{cx - 1} - 2(c^4x^4 + c^2x^2 - 2)\arctan(\sqrt{cx + 1})\sqrt{cx - 1}))a^2b^2/(\sqrt{cx + 1})\sqrt{cx - 1}c^4)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\int (b^3x^3 \operatorname{arcsec}(cx)^3 + 3ab^2x^3 \operatorname{arcsec}(cx)^2 + 3a^2bx^3 \operatorname{arcsec}(cx) + a^3x^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(b^3*x^3*arcsec(c*x)^3 + 3*a*b^2*x^3*arcsec(c*x)^2 + 3*a^2*b*x^3*arcsec(c*x) + a^3*x^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{asec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))**3,x)

[Out] Integral(x**3*(a + b*asec(c*x))**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^3 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3*x^3, x)
```

3.25 $\int x^2 (a + b \sec^{-1}(cx))^3 dx$

Optimal. Leaf size=236

$$\frac{ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c^3} + \frac{ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c^3} + \frac{b^3 \text{PolyLog}\left(3, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c^3}$$

```
[Out] (b^2*x*(a + b*ArcSec[c*x]))/c^2 - (b*Sqrt[1 - 1/(c^2*x^2)]*x^2*(a + b*ArcSec[c*x])^2)/(2*c) + (x^3*(a + b*ArcSec[c*x])^3)/3 + (I*b*(a + b*ArcSec[c*x])^2*ArcTan[E^(I*ArcSec[c*x])])/c^3 - (b^3*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c^3 - (I*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c^3 + (I*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])])/c^3 + (b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])])/c^3 - (b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c^3
```

Rubi [A] time = 0.192231, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5222, 4409, 4186, 3770, 4181, 2531, 2282, 6589}

$$\frac{ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c^3} + \frac{ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c^3} + \frac{b^3 \text{PolyLog}\left(3, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*(a + b*ArcSec[c*x])^3, x]
```

```
[Out] (b^2*x*(a + b*ArcSec[c*x]))/c^2 - (b*Sqrt[1 - 1/(c^2*x^2)]*x^2*(a + b*ArcSec[c*x])^2)/(2*c) + (x^3*(a + b*ArcSec[c*x])^3)/3 + (I*b*(a + b*ArcSec[c*x])^2*ArcTan[E^(I*ArcSec[c*x])])/c^3 - (b^3*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c^3 - (I*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c^3 + (I*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])])/c^3 + (b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])])/c^3 - (b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c^3
```

Rule 5222

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
```

(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int x^2 (a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst}\left(\int (a + bx)^3 \sec^3(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c^3} \\
 &= \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^3 - \frac{b \text{Subst}\left(\int (a + bx)^2 \sec^3(x) dx, x, \sec^{-1}(cx)\right)}{c^3} \\
 &= \frac{b^2 x (a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^3 - \frac{b \text{Subst}\left(\int (a + bx) \sec^3(x) dx, x, \sec^{-1}(cx)\right)}{c^3} \\
 &= \frac{b^2 x (a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^3 + \frac{ib (a + b \sec^{-1}(cx))}{c} \\
 &= \frac{b^2 x (a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^3 + \frac{ib (a + b \sec^{-1}(cx))}{c} \\
 &= \frac{b^2 x (a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^3 + \frac{ib (a + b \sec^{-1}(cx))}{c} \\
 &= \frac{b^2 x (a + b \sec^{-1}(cx))}{c^2} - \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \sec^{-1}(cx))^3 + \frac{ib (a + b \sec^{-1}(cx))}{c}
 \end{aligned}$$

Mathematica [A] time = 1.32206, size = 403, normalized size = 1.71

$$-6ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) + 6ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) + 6b^3 \text{PolyLog}\left(3, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))^3 - 6b^3 \text{PolyLog}\left(3, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))^3$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(a + b*ArcSec[c*x])^3,x]

[Out] (6*a*b^2*c*x - 3*a^2*b*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2 + 2*a^3*c^3*x^3 + 6*b^3*c*x*ArcSec[c*x] - 6*a*b^2*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2*ArcSec[c*x] + 6*a

$$\begin{aligned} &^2*b*c^3*x^3*ArcSec[c*x] - 3*b^3*c^2*sqrt[1 - 1/(c^2*x^2)]*x^2*ArcSec[c*x]^2 \\ &+ 6*a*b^2*c^3*x^3*ArcSec[c*x]^2 + 2*b^3*c^3*x^3*ArcSec[c*x]^3 + (6*I)*b^3 \\ &*ArcSec[c*x]^2*ArcTan[E^(I*ArcSec[c*x])] - 6*b^3*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]] \\ &- 6*a*b^2*ArcSec[c*x]*Log[1 - I*E^(I*ArcSec[c*x])] + 6*a*b^2*ArcSec[c*x] \\ &*Log[1 + I*E^(I*ArcSec[c*x])] - 3*a^2*b*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x] \\ &- (6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])] + (6*I) \\ &)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])] + 6*b^3*PolyLog[3 \\ &, (-I)*E^(I*ArcSec[c*x])] - 6*b^3*PolyLog[3, I*E^(I*ArcSec[c*x])]/(6*c^3) \end{aligned}$$

Maple [B] time = 0.52, size = 687, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))^3,x)

[Out] $\frac{1}{3}a^3x^3 + \frac{1}{3}x^3b^3\text{arcsec}(cx)^3 - \frac{1}{2}cb^3\left(\frac{c^2x^2-1}{c^2/x^2}\right)^{1/2} \text{arcsec}(cx)^2x^2 + \frac{1}{c^2}b^3\text{arcsec}(cx)x + \frac{1}{2c^3}b^3\text{arcsec}(cx)^2\ln(1 + I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) - I/c^3a*b^2\text{dilog}(1 + I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) + b^3\text{polylog}(3, -I*(1/c/x + I*(1-1/c^2/x^2)^{1/2}))/c^3 - \frac{1}{2}c^3b^3a\text{rcsec}(cx)^2\ln(1 - I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) + I/c^3b^3\text{arcsec}(cx)*\text{polylog}(2, I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) - b^3\text{polylog}(3, I*(1/c/x + I*(1-1/c^2/x^2)^{1/2}))/c^3 + 2*I/c^3b^3\text{arctan}(1/c/x + I*(1-1/c^2/x^2)^{1/2}) + b^2x^3a*\text{arcsec}(cx)^2 - \frac{1}{c}a*b^2\left(\frac{c^2x^2-1}{c^2/x^2}\right)^{1/2}\text{arcsec}(cx)*x^2 - I/c^3b^3\text{arcsec}(cx)*\text{polylog}(2, -I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) + I/c^3a*b^2\text{dilog}(1 - I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) + \frac{1}{c^3}a*b^2\text{arcsec}(cx)*\ln(1 + I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) - \frac{1}{c^3}a*b^2\text{arcsec}(cx)*\ln(1 - I*(1/c/x + I*(1-1/c^2/x^2)^{1/2})) + \frac{1}{c^2}x*a*b^2 + x^3a^2b*\text{arcsec}(cx) - \frac{1}{2}c*a^2b/\left(\frac{c^2x^2-1}{c^2/x^2}\right)^{1/2}*x^2 + \frac{1}{2}c^3a^2b/\left(\frac{c^2x^2-1}{c^2/x^2}\right)^{1/2} - \frac{1}{2}c^4a^2b*(c^2x^2-1)^{1/2}/\left(\frac{c^2x^2-1}{c^2/x^2}\right)^{1/2}/x*\ln(cx + (c^2x^2-1)^{1/2})$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))^3,x, algorithm="maxima")

```
[Out] 1/3*b^3*x^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 1/4*b^3*x^3*arctan(sqrt
(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2 - 1/2*a*b^2*c^2*(2*(c^2*x^3 + 3*x)/
c^4 - 3*log(c*x + 1)/c^5 + 3*log(c*x - 1)/c^5)*log(c)^2 - 12*b^3*c^2*integr
ate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 - 1), x)*log(c)^2
+ 12*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*
x^2)/(c^2*x^2 - 1), x)*log(c) - 24*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*
x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^2 - 1), x)*log(c) + 12*a*b^2*c^2*integr
ate(1/4*x^4*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) - 24*a*b^2*c^2*integrate(
1/4*x^4*log(x)/(c^2*x^2 - 1), x)*log(c) + 1/3*a^3*x^3 + 12*b^3*c^2*integrat
e(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^2
- 1), x) - 12*b^3*c^2*integrate(1/4*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))
*log(x)^2/(c^2*x^2 - 1), x) + 12*a*b^2*c^2*integrate(1/4*x^4*arctan(sqrt(c*
x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 - 1), x) + 4*b^3*c^2*integrate(1/4*x^4*arc
tan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x) - 3*a*b^2*c
^2*integrate(1/4*x^4*log(c^2*x^2)^2/(c^2*x^2 - 1), x) + 12*a*b^2*c^2*integr
ate(1/4*x^4*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) - 12*a*b^2*c^2*integrate(
1/4*x^4*log(x)^2/(c^2*x^2 - 1), x) + 3/2*a*b^2*(2*x/c^2 - log(c*x + 1)/c^3
+ log(c*x - 1)/c^3)*log(c)^2 + 12*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1
))*sqrt(c*x - 1))/(c^2*x^2 - 1), x)*log(c)^2 - 12*b^3*integrate(1/4*x^2*arct
an(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) + 24*
b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^2 -
1), x)*log(c) - 12*a*b^2*integrate(1/4*x^2*log(c^2*x^2)/(c^2*x^2 - 1), x)*
log(c) + 24*a*b^2*integrate(1/4*x^2*log(x)/(c^2*x^2 - 1), x)*log(c) + 1/4*(
4*x^3*arcsec(c*x) - (2*sqrt(-1/(c^2*x^2) + 1))/(c^2*(1/(c^2*x^2) - 1) + c^2)
+ log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^
2)/c*a^2*b - 4*b^3*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*x^2*arctan(sq
rt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 - 1), x) + b^3*integrate(1/4*sqrt(c*x
+ 1)*sqrt(c*x - 1)*x^2*log(c^2*x^2)^2/(c^2*x^2 - 1), x) - 12*b^3*integrate
(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^2 -
1), x) + 12*b^3*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(
x)^2/(c^2*x^2 - 1), x) - 12*a*b^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sq
rt(c*x - 1))^2/(c^2*x^2 - 1), x) - 4*b^3*integrate(1/4*x^2*arctan(sqrt(c*x
+ 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x) + 3*a*b^2*integrate(1/4*
x^2*log(c^2*x^2)^2/(c^2*x^2 - 1), x) - 12*a*b^2*integrate(1/4*x^2*log(c^2*x
^2)*log(x)/(c^2*x^2 - 1), x) + 12*a*b^2*integrate(1/4*x^2*log(x)^2/(c^2*x^2
- 1), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(b^3 x^2 \operatorname{arcsec}(cx)^3 + 3 a b^2 x^2 \operatorname{arcsec}(cx)^2 + 3 a^2 b x^2 \operatorname{arcsec}(cx) + a^3 x^2, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral(b^3*x^2*arcsec(c*x)^3 + 3*a*b^2*x^2*arcsec(c*x)^2 + 3*a^2*b*x^2*ar
csec(c*x) + a^3*x^2, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{arcsec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asec(c*x))**3,x)
```

```
[Out] Integral(x**2*(a + b*asec(c*x))**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^3 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3*x^2, x)
```


3.26 $\int x \left(a + b \sec^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=126

$$\frac{3ib^3 \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right)}{2c^2} - \frac{3b^2 \log\left(1 + e^{2i \sec^{-1}(cx)}\right) \left(a + b \sec^{-1}(cx)\right)}{c^2} - \frac{3bx \sqrt{1 - \frac{1}{c^2 x^2}} \left(a + b \sec^{-1}(cx)\right)^2}{2c} + \frac{3ib \left(a + b \sec^{-1}(cx)\right)^3}{c^2}$$

[Out] (((3*I)/2)*b*(a + b*ArcSec[c*x])^2)/c^2 - (3*b*Sqrt[1 - 1/(c^2*x^2)]*x*(a + b*ArcSec[c*x])^2)/(2*c) + (x^2*(a + b*ArcSec[c*x])^3)/2 - (3*b^2*(a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])])/c^2 + (((3*I)/2)*b^3*PolyLog[2, -E^((2*I)*ArcSec[c*x])])/c^2

Rubi [A] time = 0.142431, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5222, 4409, 4184, 3719, 2190, 2279, 2391}

$$\frac{3ib^3 \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right)}{2c^2} - \frac{3b^2 \log\left(1 + e^{2i \sec^{-1}(cx)}\right) \left(a + b \sec^{-1}(cx)\right)}{c^2} - \frac{3bx \sqrt{1 - \frac{1}{c^2 x^2}} \left(a + b \sec^{-1}(cx)\right)^2}{2c} + \frac{3ib \left(a + b \sec^{-1}(cx)\right)^3}{c^2}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*ArcSec[c*x])^3, x]

[Out] (((3*I)/2)*b*(a + b*ArcSec[c*x])^2)/c^2 - (3*b*Sqrt[1 - 1/(c^2*x^2)]*x*(a + b*ArcSec[c*x])^2)/(2*c) + (x^2*(a + b*ArcSec[c*x])^3)/2 - (3*b^2*(a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])])/c^2 + (((3*I)/2)*b^3*PolyLog[2, -E^((2*I)*ArcSec[c*x])])/c^2

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^n_.*(x_.)^m_.], x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4409

Int[((c_.) + (d_.)*(x_.))^m_.*Sec[(a_.) + (b_.)*(x_.)]^n_.*Tan[(a_.) + (b_.)*(x_.)]^p_.], x_Symbol] :> Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a

, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3719

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int x (a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst} \left(\int (a + bx)^3 \sec^2(x) \tan(x) dx, x, \sec^{-1}(cx) \right)}{c^2} \\
&= \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^3 - \frac{(3b) \text{Subst} \left(\int (a + bx)^2 \sec^2(x) dx, x, \sec^{-1}(cx) \right)}{2c^2} \\
&= -\frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^3 + \frac{(3b^2) \text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{c^2} \\
&= \frac{3ib (a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^3 - \frac{(6ib^2) \text{Subst} \left(\int \tan(x) dx, x, \sec^{-1}(cx) \right)}{c^2} \\
&= \frac{3ib (a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^3 - \frac{3b^2 (a + b \sec^{-1}(cx))}{c^2} \\
&= \frac{3ib (a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^3 - \frac{3b^2 (a + b \sec^{-1}(cx))}{c^2} \\
&= \frac{3ib (a + b \sec^{-1}(cx))^2}{2c^2} - \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \sec^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \sec^{-1}(cx))^3 - \frac{3b^2 (a + b \sec^{-1}(cx))}{c^2}
\end{aligned}$$

Mathematica [A] time = 0.459848, size = 184, normalized size = 1.46

$$\frac{3ib^3 \text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) + a \left(acx \left(acx - 3b \sqrt{1 - \frac{1}{c^2 x^2}} \right) - 6b^2 \log \left(\frac{1}{cx} \right) \right) - 3b^2 \sec^{-1}(cx)^2 \left(-ac^2 x^2 + b \left(cx \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{1}{cx} \right) \right)}{2c^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x*(a + b*ArcSec[c*x])^3,x]

[Out] $(-3*b^2*(-(a*c^2*x^2) + b*(-I + c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x))*\text{ArcSec}[c*x]^2 + b^3*c^2*x^2*\text{ArcSec}[c*x]^3 - 3*b*\text{ArcSec}[c*x]*(a*c*x*(2*b*\text{Sqrt}[1 - 1/(c^2*x^2)] - a*c*x) + 2*b^2*\text{Log}[1 + E^((2*I)*\text{ArcSec}[c*x])]) + a*(a*c*x*(-3*b*\text{Sqrt}[1 - 1/(c^2*x^2)] + a*c*x) - 6*b^2*\text{Log}[1/(c*x)]) + (3*I)*b^3*\text{PolyLog}[2, -E^((2*I)*\text{ArcSec}[c*x])]))/(2*c^2)$

Maple [A] time = 0.401, size = 285, normalized size = 2.3

$$\frac{x^2 a^3}{2} + \frac{x^2 b^3 (\text{arcsec}(cx))^3}{2} - \frac{3 b^3 (\text{arcsec}(cx))^2 x \sqrt{c^2 x^2 - 1}}{2c} + \frac{\frac{3i}{2} b^3 (\text{arcsec}(cx))^2}{c^2} - 3 \frac{b^3 \text{arcsec}(cx)}{c^2} \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))^3,x)`

[Out] $\frac{1}{2}x^2a^3 + \frac{1}{2}x^2b^3\text{arcsec}(cx)^3 - \frac{3}{2}cb^3\text{arcsec}(cx)^2 \left(\frac{c^2x^2-1}{c^2/x^2} \right)^{1/2} + \frac{3}{2}I/c^2b^3\text{arcsec}(cx)^2 - \frac{3}{c^2}b^3\text{arcsec}(cx) \ln\left(1 + \frac{1}{c/x + I(1-1/c^2/x^2)^{1/2}}\right)^2 + \frac{3}{2}Ib^3\text{polylog}\left(2, -\frac{1}{c/x + I(1-1/c^2/x^2)^{1/2}}\right)^2 / c^2 + \frac{3}{2}x^2a^2b^2\text{arcsec}(cx)^2 - \frac{3}{c}a^2b^2 \left(\frac{c^2x^2-1}{c^2/x^2} \right)^{1/2} \text{arcsec}(cx) * x - \frac{3}{c^2}a^2b^2 \ln(1/c/x) + \frac{3}{2}a^2b^2x^2\text{arcsec}(cx) - \frac{3}{2}c^2a^2b^2 / \left(\frac{c^2x^2-1}{c^2/x^2} \right)^{1/2} * x + \frac{3}{2}c^3a^2b^2 / \left(\frac{c^2x^2-1}{c^2/x^2} \right)^{1/2} / x$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{3}{2}ab^2x^2\text{arcsec}(cx)^2 + \frac{1}{2}a^3x^2 + \frac{3}{2}\left(x^2\text{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2}+1}}{c}\right)a^2b - 3\left(\frac{x\sqrt{-\frac{1}{c^2x^2}+1}\text{arcsec}(cx)}{c} - \frac{\log(x)}{c^2}\right)ab^2 + \frac{1}{8}\left(4x^2\text{arctan}(\sqrt{cx+1})\sqrt{cx-1}\right)^3 - 3x^2\text{arctan}(\sqrt{cx+1})\sqrt{cx-1}\log(c^2x^2)^2 - 8\int(3/8((4x^2\text{arctan}(\sqrt{cx+1})\sqrt{cx-1})^2 - x\log(c^2x^2)^2)\sqrt{cx+1}\sqrt{cx-1} + 4(2c^2x^3\log(c)^2 - 2x\log(c)^2 + 2(c^2x^3 - x)\log(x)^2 - ((2c^2\log(c) + c^2)x^3 - x(2\log(c) + 1) + 2(c^2x^3 - x)\log(x))\log(c^2x^2) + 4(c^2x^3\log(c) - x\log(c))\log(x))\text{arctan}(\sqrt{cx+1})\sqrt{cx-1})) / (c^2x^2 - 1), x) * b^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^3,x, algorithm="maxima")`

[Out] $\frac{3}{2}a^2b^2x^2\text{arcsec}(cx)^2 + \frac{1}{2}a^3x^2 + \frac{3}{2}(x^2\text{arcsec}(cx) - x\sqrt{-1/(c^2x^2) + 1}/c)a^2b - 3(x\sqrt{-1/(c^2x^2) + 1}\text{arcsec}(cx)/c - \log(x)/c^2)a^2b^2 + \frac{1}{8}(4x^2\text{arctan}(\sqrt{cx+1})\sqrt{cx-1})^3 - 3x^2\text{arctan}(\sqrt{cx+1})\sqrt{cx-1}\log(c^2x^2)^2 - 8\int(3/8((4x^2\text{arctan}(\sqrt{cx+1})\sqrt{cx-1})^2 - x\log(c^2x^2)^2)\sqrt{cx+1}\sqrt{cx-1} + 4(2c^2x^3\log(c)^2 - 2x\log(c)^2 + 2(c^2x^3 - x)\log(x)^2 - ((2c^2\log(c) + c^2)x^3 - x(2\log(c) + 1) + 2(c^2x^3 - x)\log(x))\log(c^2x^2) + 4(c^2x^3\log(c) - x\log(c))\log(x))\text{arctan}(\sqrt{cx+1})\sqrt{cx-1})) / (c^2x^2 - 1), x) * b^3$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(b^3x\text{arcsec}(cx)^3 + 3ab^2x\text{arcsec}(cx)^2 + 3a^2bx\text{arcsec}(cx) + a^3x, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^3,x, algorithm="fricas")`

[Out] `integral(b^3*x*arcsec(c*x)^3 + 3*a*b^2*x*arcsec(c*x)^2 + 3*a^2*b*x*arcsec(c*x) + a^3*x, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x (a + b \operatorname{arcsec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*asec(c*x))**3,x)`

[Out] `Integral(x*(a + b*asec(c*x))**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^3 x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))^3,x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)^3*x, x)`

3.27 $\int (a + b \sec^{-1}(cx))^3 dx$

Optimal. Leaf size=158

$$\frac{6ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c} + \frac{6ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c} + \frac{6b^3 \text{PolyLog}\left(3, -ie^{i \sec^{-1}(cx)}\right)}{c}$$

```
[Out] x*(a + b*ArcSec[c*x])^3 + ((6*I)*b*(a + b*ArcSec[c*x])^2*ArcTan[E^(I*ArcSec[c*x])])/c - ((6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c + ((6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])])/c + (6*b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])])/c - (6*b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c
```

Rubi [A] time = 0.118292, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$, Rules used = {5216, 4409, 4181, 2531, 2282, 6589}

$$\frac{6ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c} + \frac{6ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))}{c} + \frac{6b^3 \text{PolyLog}\left(3, -ie^{i \sec^{-1}(cx)}\right)}{c}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSec[c*x])^3, x]
```

```
[Out] x*(a + b*ArcSec[c*x])^3 + ((6*I)*b*(a + b*ArcSec[c*x])^2*ArcTan[E^(I*ArcSec[c*x])])/c - ((6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])])/c + ((6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])])/c + (6*b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])])/c - (6*b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c
```

Rule 5216

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)^n_, x_Symbol] := Dist[1/c, Subst[Int[(a + b*x)^n*Sec[x]*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[n, 0]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a
```

, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^(n)])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^(n)]]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol]
:> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec^{-1}(cx))^3 dx &= \frac{\text{Subst}\left(\int (a + bx)^3 \sec(x) \tan(x) dx, x, \sec^{-1}(cx)\right)}{c} \\
&= x (a + b \sec^{-1}(cx))^3 - \frac{(3b) \text{Subst}\left(\int (a + bx)^2 \sec(x) dx, x, \sec^{-1}(cx)\right)}{c} \\
&= x (a + b \sec^{-1}(cx))^3 + \frac{6ib (a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} + \frac{(6b^2) \text{Subst}\left(\int (a + bx) \log\left(\frac{1 - i \sec^{-1}(cx)}{1 + i \sec^{-1}(cx)}\right) dx, x, \sec^{-1}(cx)\right)}{c} \\
&= x (a + b \sec^{-1}(cx))^3 + \frac{6ib (a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{6ib^2 (a + b \sec^{-1}(cx)) \text{Li}_2\left(\frac{1 - i \sec^{-1}(cx)}{1 + i \sec^{-1}(cx)}\right)}{c} \\
&= x (a + b \sec^{-1}(cx))^3 + \frac{6ib (a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{6ib^2 (a + b \sec^{-1}(cx)) \text{Li}_2\left(\frac{1 - i \sec^{-1}(cx)}{1 + i \sec^{-1}(cx)}\right)}{c} \\
&= x (a + b \sec^{-1}(cx))^3 + \frac{6ib (a + b \sec^{-1}(cx))^2 \tan^{-1}\left(e^{i \sec^{-1}(cx)}\right)}{c} - \frac{6ib^2 (a + b \sec^{-1}(cx)) \text{Li}_2\left(\frac{1 - i \sec^{-1}(cx)}{1 + i \sec^{-1}(cx)}\right)}{c}
\end{aligned}$$

Mathematica [A] time = 0.236383, size = 289, normalized size = 1.83

$$-6ib^2 \text{PolyLog}\left(2, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) + 6ib^2 \text{PolyLog}\left(2, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) + 6b^3 \text{PolyLog}\left(3, -ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) - 6b^3 \text{PolyLog}\left(3, ie^{i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])^3, x]

[Out] (a^3*c*x + 3*a^2*b*c*x*ArcSec[c*x] + 3*a*b^2*c*x*ArcSec[c*x]^2 + b^3*c*x*ArcSec[c*x]^3 - 6*a*b^2*ArcSec[c*x]*Log[1 - I*E^(I*ArcSec[c*x])] - 3*b^3*ArcSec[c*x]^2*Log[1 - I*E^(I*ArcSec[c*x])] + 6*a*b^2*ArcSec[c*x]*Log[1 + I*E^(I*ArcSec[c*x])] + 3*b^3*ArcSec[c*x]^2*Log[1 + I*E^(I*ArcSec[c*x])] - 3*a^2*b*Log[c*(1 + Sqrt[1 - 1/(c^2*x^2)])*x] - (6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, (-I)*E^(I*ArcSec[c*x])] + (6*I)*b^2*(a + b*ArcSec[c*x])*PolyLog[2, I*E^(I*ArcSec[c*x])] + 6*b^3*PolyLog[3, (-I)*E^(I*ArcSec[c*x])] - 6*b^3*PolyLog[3, I*E^(I*ArcSec[c*x])])/c

Maple [F] time = 0.508, size = 0, normalized size = 0.

$$\int (a + b \text{arcsec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int((a+b*arcsec(c*x))^3,x)
```

```
[Out] int((a+b*arcsec(c*x))^3,x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3,x, algorithm="maxima")
```

```
[Out] -3/2*a*b^2*c^2*(2*x/c^2 - log(c*x + 1)/c^3 + log(c*x - 1)/c^3)*log(c)^2 - 1
2*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 -
1), x)*log(c)^2 + b^3*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 3/4*b^3*x*a
rctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2 + 12*b^3*c^2*integrate(1/
4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1), x)*lo
g(c) - 24*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log
(x)/(c^2*x^2 - 1), x)*log(c) + 12*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)/
(c^2*x^2 - 1), x)*log(c) - 24*a*b^2*c^2*integrate(1/4*x^2*log(x)/(c^2*x^2 -
1), x)*log(c) + 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x
- 1))*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) - 12*b^3*c^2*integrate(1/4*x^2
*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^2 - 1), x) + 12*a*b^2*c
^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 - 1),
x) + 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c
^2*x^2)/(c^2*x^2 - 1), x) - 3*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)^2/(c
^2*x^2 - 1), x) + 12*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)*log(x)/(c^2*x
^2 - 1), x) - 12*a*b^2*c^2*integrate(1/4*x^2*log(x)^2/(c^2*x^2 - 1), x) - 3
/2*a*b^2*(log(c*x + 1)/c - log(c*x - 1)/c)*log(c)^2 + 12*b^3*integrate(1/4*
arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^2 - 1), x)*log(c)^2 - 12*b^3*int
egrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^2 - 1),
x)*log(c) + 24*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)
/(c^2*x^2 - 1), x)*log(c) - 12*a*b^2*integrate(1/4*log(c^2*x^2)/(c^2*x^2 -
1), x)*log(c) + 24*a*b^2*integrate(1/4*log(x)/(c^2*x^2 - 1), x)*log(c) + a^
3*x - 12*b^3*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)
*sqrt(c*x - 1))^2/(c^2*x^2 - 1), x) + 3*b^3*integrate(1/4*sqrt(c*x + 1)*sqr
t(c*x - 1)*log(c^2*x^2)^2/(c^2*x^2 - 1), x) - 12*b^3*integrate(1/4*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) + 12*b^3*
integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^2 - 1), x
) - 12*a*b^2*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^2 -
1), x) - 12*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*
x^2)/(c^2*x^2 - 1), x) + 3*a*b^2*integrate(1/4*log(c^2*x^2)^2/(c^2*x^2 - 1)
```

, x) - 12*a*b^2*integrate(1/4*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) + 12*a*b^2*integrate(1/4*log(x)^2/(c^2*x^2 - 1), x) + 3/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*a^2*b/c

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(b^3 \operatorname{arcsec}(cx)^3 + 3ab^2 \operatorname{arcsec}(cx)^2 + 3a^2b \operatorname{arcsec}(cx) + a^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**3,x)

[Out] Integral((a + b*asec(c*x))**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^3, x)

$$3.28 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x} dx$$

Optimal. Leaf size=128

$$-\frac{3}{2}b^2 \text{PolyLog}\left(3, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) + \frac{3}{2}ib \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))^2 - \frac{3}{4}ib^3 \text{PolyLog}\left(4, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))^3$$

```
[Out] ((I/4)*(a + b*ArcSec[c*x])^4)/b - (a + b*ArcSec[c*x])^3*Log[1 + E^((2*I)*ArcSec[c*x])] + ((3*I)/2)*b*(a + b*ArcSec[c*x])^2*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - (3*b^2*(a + b*ArcSec[c*x])*PolyLog[3, -E^((2*I)*ArcSec[c*x])])/2 - ((3*I)/4)*b^3*PolyLog[4, -E^((2*I)*ArcSec[c*x])]
```

Rubi [A] time = 0.140944, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5222, 3719, 2190, 2531, 6609, 2282, 6589}

$$-\frac{3}{2}b^2 \text{PolyLog}\left(3, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx)) + \frac{3}{2}ib \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))^2 - \frac{3}{4}ib^3 \text{PolyLog}\left(4, -e^{2i \sec^{-1}(cx)}\right) (a + b \sec^{-1}(cx))^3$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSec[c*x])^3/x, x]
```

```
[Out] ((I/4)*(a + b*ArcSec[c*x])^4)/b - (a + b*ArcSec[c*x])^3*Log[1 + E^((2*I)*ArcSec[c*x])] + ((3*I)/2)*b*(a + b*ArcSec[c*x])^2*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - (3*b^2*(a + b*ArcSec[c*x])*PolyLog[3, -E^((2*I)*ArcSec[c*x])])/2 - ((3*I)/4)*b^3*PolyLog[4, -E^((2*I)*ArcSec[c*x])]
```

Rule 5222

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^n_.*(x_.)^m_.], x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_.))^m_.*tan[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
```

[m, 0]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*(a_) + (b_)*(x_)))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*(a_) + (b_
)*(x_)))^(p_)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_) ]/((d_) + (e_)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x} dx &= \text{Subst} \left(\int (a + bx)^3 \tan(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)^3}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log(1 + e^{2i \sec^{-1}(cx)}) + (3b) \text{Subst} \left(\int (a + bx)^2 \log \right) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log(1 + e^{2i \sec^{-1}(cx)}) + \frac{3}{2} ib (a + b \sec^{-1}(cx))^2 \text{Li}_2(-) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log(1 + e^{2i \sec^{-1}(cx)}) + \frac{3}{2} ib (a + b \sec^{-1}(cx))^2 \text{Li}_2(-) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log(1 + e^{2i \sec^{-1}(cx)}) + \frac{3}{2} ib (a + b \sec^{-1}(cx))^2 \text{Li}_2(-) \\
&= \frac{i(a + b \sec^{-1}(cx))^4}{4b} - (a + b \sec^{-1}(cx))^3 \log(1 + e^{2i \sec^{-1}(cx)}) + \frac{3}{2} ib (a + b \sec^{-1}(cx))^2 \text{Li}_2(-)
\end{aligned}$$

Mathematica [A] time = 0.17005, size = 204, normalized size = 1.59

$$\frac{1}{4} \left(-6b^2 \text{PolyLog} \left(3, -e^{2i \sec^{-1}(cx)} \right) (a + b \sec^{-1}(cx)) + 6ib \text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) (a + b \sec^{-1}(cx))^2 - 3ib^3 \text{PolyLog} \left(4, -e^{2i \sec^{-1}(cx)} \right) (a + b \sec^{-1}(cx))^3 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])^3/x,x]

[Out] ((6*I)*a^2*b*ArcSec[c*x]^2 + (4*I)*a*b^2*ArcSec[c*x]^3 + I*b^3*ArcSec[c*x]^4 - 12*a^2*b*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 12*a*b^2*ArcSec[c*x]^2*Log[1 + E^((2*I)*ArcSec[c*x])] - 4*b^3*ArcSec[c*x]^3*Log[1 + E^((2*I)*ArcSec[c*x])] + 4*a^3*Log[c*x] + (6*I)*b*(a + b*ArcSec[c*x])^2*PolyLog[2, -E^((2*I)*ArcSec[c*x])] - 6*b^2*(a + b*ArcSec[c*x])*PolyLog[3, -E^((2*I)*ArcSec[c*x])] - (3*I)*b^3*PolyLog[4, -E^((2*I)*ArcSec[c*x])])/4

Maple [B] time = 0.431, size = 390, normalized size = 3.1

$$a^3 \ln(cx) + \frac{i}{4} b^3 (\text{arcsec}(cx))^4 - b^3 (\text{arcsec}(cx))^3 \ln \left(1 + \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right) + \frac{3i}{2} b^3 (\text{arcsec}(cx))^2 \text{polylog} \left(2, - \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))^3/x,x)
```

```
[Out] a^3*ln(c*x)+1/4*I*b^3*arcsec(c*x)^4-b^3*arcsec(c*x)^3*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+3/2*I*b^3*arcsec(c*x)^2*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)-3/2*b^3*arcsec(c*x)*polylog(3,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)-3/4*I*b^3*polylog(4,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+I*a*b^2*arcsec(c*x)^3-3*a*b^2*arcsec(c*x)^2*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+3*I*a*b^2*arcsec(c*x)*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)-3/2*a*b^2*polylog(3,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+3/2*I*a^2*b*arcsec(c*x)^2-3*a^2*b*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+3/2*I*a^2*b*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x,x, algorithm="maxima")
```

```
[Out] -3/2*a*b^2*c^2*(log(c*x + 1)/c^2 + log(c*x - 1)/c^2)*log(c)^2 - 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^3 - x), x)*log(c)^2 + 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^3 - x), x)*log(c) - 24*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^3 - x), x)*log(c) + 12*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)/(c^2*x^3 - x), x)*log(c) - 24*a*b^2*c^2*integrate(1/4*x^2*log(x)/(c^2*x^3 - x), x)*log(c) + b^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3*log(x) - 3/4*b^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2*log(x) + 24*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) - 12*b^3*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^3 - x), x) + 12*a*b^2*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^3 - x), x) - 3*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)^2/(c^2*x^3 - x), x) + 12*a*b^2*c^2*integrate(1/4*x^2*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) - 12*a*b^2*c^2*integrate(1/4*x^2*log(x)^2/(c^2*x^3 - x), x) + 12*a^2*b*c^2*integrate(1/4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^3 - x), x) + 3/2*a*b^2*(log(c*x + 1) + log(c*x - 1) - 2*log(x))*log(c)^2 + 12*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^3 - x), x)*log(c)^2 - 12*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^3 - x), x)*log(c) + 24*b^3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^3 - x), x)*log(c)
```

```

2*x^3 - x), x)*log(c) - 12*a*b^2*integrate(1/4*log(c^2*x^2)/(c^2*x^3 - x),
x)*log(c) + 24*a*b^2*integrate(1/4*log(x)/(c^2*x^3 - x), x)*log(c) - 12*b^3
*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)*sqrt(c*x -
1))^2*log(x)/(c^2*x^3 - x), x) + 3*b^3*integrate(1/4*sqrt(c*x + 1)*sqrt(c*x
- 1)*log(c^2*x^2)^2*log(x)/(c^2*x^3 - x), x) - 24*b^3*integrate(1/4*arctan
(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + 12*b^
3*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^3 - x),
x) - 12*a*b^2*integrate(1/4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^3
- x), x) + 3*a*b^2*integrate(1/4*log(c^2*x^2)^2/(c^2*x^3 - x), x) - 12*a*b
^2*integrate(1/4*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + 12*a*b^2*integrate
(1/4*log(x)^2/(c^2*x^3 - x), x) - 12*a^2*b*integrate(1/4*arctan(sqrt(c*x +
1)*sqrt(c*x - 1))/(c^2*x^3 - x), x) + a^3*log(x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^3 \operatorname{arcsec}(cx)^3 + 3ab^2 \operatorname{arcsec}(cx)^2 + 3a^2b \operatorname{arcsec}(cx) + a^3}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x,x, algorithm="fricas")

[Out] integral((b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3)/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**3/x,x)

[Out] Integral((a + b*asec(c*x))**3/x, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3/x, x)
```


$$3.29 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^2} dx$$

Optimal. Leaf size=80

$$\frac{6b^2 (a + b \sec^{-1}(cx))}{x} + 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - \frac{(a + b \sec^{-1}(cx))^3}{x} - 6b^3 c \sqrt{1 - \frac{1}{c^2 x^2}}$$

[Out] $-6*b^3*c*\text{Sqrt}[1 - 1/(c^2*x^2)] + (6*b^2*(a + b*\text{ArcSec}[c*x]))/x + 3*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2 - (a + b*\text{ArcSec}[c*x])^3/x$

Rubi [A] time = 0.0831653, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5222, 3296, 2637}

$$\frac{6b^2 (a + b \sec^{-1}(cx))}{x} + 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - \frac{(a + b \sec^{-1}(cx))^3}{x} - 6b^3 c \sqrt{1 - \frac{1}{c^2 x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])^3/x^2, x]$

[Out] $-6*b^3*c*\text{Sqrt}[1 - 1/(c^2*x^2)] + (6*b^2*(a + b*\text{ArcSec}[c*x]))/x + 3*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2 - (a + b*\text{ArcSec}[c*x])^3/x$

Rule 5222

$\text{Int}[(a + \text{ArcSec}[c*x])^3/x^2, x] \rightarrow \text{Dist}[1/c^{m+1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{m+1}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]]]$; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 3296

$\text{Int}[(c + d*x)^m*\sin[e + f*x], x] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x], x], x]$; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec^{-1}(cx))^3}{x^2} dx &= c \operatorname{Subst} \left(\int (a + bx)^3 \sin(x) dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{(a + b \sec^{-1}(cx))^3}{x} + (3bc) \operatorname{Subst} \left(\int (a + bx)^2 \cos(x) dx, x, \sec^{-1}(cx) \right) \\
 &= 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - \frac{(a + b \sec^{-1}(cx))^3}{x} - (6b^2 c) \operatorname{Subst} \left(\int (a + bx) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{6b^2 (a + b \sec^{-1}(cx))}{x} + 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - \frac{(a + b \sec^{-1}(cx))^3}{x} - (6b^3 c) \operatorname{Subst} \left(\int \sin(x) dx, x, \sec^{-1}(cx) \right) \\
 &= -6b^3 c \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{6b^2 (a + b \sec^{-1}(cx))}{x} + 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 - \frac{(a + b \sec^{-1}(cx))^3}{x}
 \end{aligned}$$

Mathematica [A] time = 0.161152, size = 141, normalized size = 1.76

$$\frac{3b \sec^{-1}(cx) \left(-a^2 + 2abcx \sqrt{1 - \frac{1}{c^2 x^2}} + 2b^2 \right) + 3a^2 bcx \sqrt{1 - \frac{1}{c^2 x^2}} - a^3 + 3b^2 \sec^{-1}(cx)^2 \left(bcx \sqrt{1 - \frac{1}{c^2 x^2}} - a \right) + 6ab^2 - 6b^3 cx \sqrt{1 - \frac{1}{c^2 x^2}}}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])^3/x^2,x]
```

```
[Out] (-a^3 + 6*a*b^2 + 3*a^2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x - 6*b^3*c*Sqrt[1 - 1/(c^2*x^2)]*x + 3*b*(-a^2 + 2*b^2 + 2*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x)*ArcSec[c*x] + 3*b^2*(-a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x)*ArcSec[c*x]^2 - b^3*ArcSec[c*x]^3)/x
```

Maple [B] time = 0.319, size = 198, normalized size = 2.5

$$c \left(-\frac{a^3}{cx} + b^3 \left(-\frac{(\operatorname{arcsec}(cx))^3}{cx} + 3 (\operatorname{arcsec}(cx))^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - 6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 6 \frac{\operatorname{arcsec}(cx)}{cx} \right) \right) + 3ab^2 \left(-\frac{(\operatorname{arcsec}(cx))^2}{cx} + 2 \frac{\operatorname{arcsec}(cx)}{cx} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))^3/x^2,x)`

[Out] $c*(-a^3/c/x+b^3*(-1/c/x*\text{arcsec}(c*x)^3+3*\text{arcsec}(c*x)^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-6*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+6/c/x*\text{arcsec}(c*x))+3*a*b^2*(-1/c/x*\text{arcsec}(c*x)^2+2/c/x+2*\text{arcsec}(c*x)*((c^2*x^2-1)/c^2/x^2)^{(1/2}))+3*a^2*b*(-1/c/x*\text{arcsec}(c*x)+1/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^2/x^2*(c^2*x^2-1)))$

Maxima [A] time = 1.04359, size = 197, normalized size = 2.46

$$-\frac{b^3 \operatorname{arcsec}(cx)^3}{x} + 3 \left(c\sqrt{-\frac{1}{c^2x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) a^2b + 6 \left(c\sqrt{-\frac{1}{c^2x^2} + 1} \operatorname{arcsec}(cx) + \frac{1}{x} \right) ab^2 + 3 \left(c\sqrt{-\frac{1}{c^2x^2} + 1} \operatorname{arcsec}(cx) + \frac{1}{x} \right) a^2b + 3 \left(c\sqrt{-\frac{1}{c^2x^2} + 1} \operatorname{arcsec}(cx) + \frac{1}{x} \right) ab^2 + 3 \left(c\sqrt{-\frac{1}{c^2x^2} + 1} \operatorname{arcsec}(cx) + \frac{1}{x} \right) a^2b + 3 \left(c\sqrt{-\frac{1}{c^2x^2} + 1} \operatorname{arcsec}(cx) + \frac{1}{x} \right) ab^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^3/x^2,x, algorithm="maxima")`

[Out] $-b^3*\text{arcsec}(c*x)^3/x + 3*(c*\text{sqrt}(-1/(c^2*x^2) + 1) - \text{arcsec}(c*x)/x)*a^2*b + 6*(c*\text{sqrt}(-1/(c^2*x^2) + 1)*\text{arcsec}(c*x) + 1/x)*a*b^2 + 3*(c*\text{sqrt}(-1/(c^2*x^2) + 1)*\text{arcsec}(c*x)^2 - 2*c*\text{sqrt}(-1/(c^2*x^2) + 1) + 2*\text{arcsec}(c*x)/x)*b^3 - 3*a*b^2*\text{arcsec}(c*x)^2/x - a^3/x$

Fricas [A] time = 2.22056, size = 238, normalized size = 2.98

$$\frac{b^3 \operatorname{arcsec}(cx)^3 + 3 ab^2 \operatorname{arcsec}(cx)^2 + a^3 - 6 ab^2 + 3 (a^2b - 2 b^3) \operatorname{arcsec}(cx) - 3 (b^3 \operatorname{arcsec}(cx)^2 + 2 ab^2 \operatorname{arcsec}(cx) + a^3)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))^3/x^2,x, algorithm="fricas")`

[Out] $-(b^3*\text{arcsec}(c*x)^3 + 3*a*b^2*\text{arcsec}(c*x)^2 + a^3 - 6*a*b^2 + 3*(a^2*b - 2*b^3)*\text{arcsec}(c*x) - 3*(b^3*\text{arcsec}(c*x)^2 + 2*a*b^2*\text{arcsec}(c*x) + a^2*b - 2*b^3)*\text{sqrt}(c^2*x^2 - 1))/x$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**3/x**2,x)

[Out] Integral((a + b*asec(c*x))**3/x**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^3/x^2, x)

$$3.30 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^3} dx$$

Optimal. Leaf size=137

$$-\frac{3}{4}b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^3 - \frac{1}{4}c^2 (a + b \sec^{-1}(cx))^3$$

[Out] $(-3*b^3*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(8*x) + (3*b^3*c^2*\text{ArcSec}[c*x])/8 - (3*b^2*(c^2 - x^{-2})*(a + b*\text{ArcSec}[c*x]))/4 + (3*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/(4*x) - (c^2*(a + b*\text{ArcSec}[c*x])^3)/4 + ((c^2 - x^{-2})*(a + b*\text{ArcSec}[c*x])^3)/2$

Rubi [A] time = 0.10455, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 4404, 3311, 32, 2635, 8}

$$-\frac{3}{4}b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^3 - \frac{1}{4}c^2 (a + b \sec^{-1}(cx))^3$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])^3/x^3, x]$

[Out] $(-3*b^3*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(8*x) + (3*b^3*c^2*\text{ArcSec}[c*x])/8 - (3*b^2*(c^2 - x^{-2})*(a + b*\text{ArcSec}[c*x]))/4 + (3*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/(4*x) - (c^2*(a + b*\text{ArcSec}[c*x])^3)/4 + ((c^2 - x^{-2})*(a + b*\text{ArcSec}[c*x])^3)/2$

Rule 5222

$\text{Int}[(a + \text{ArcSec}[c*x])^3/x^3, x] \text{ :> Dist}[1/c^{m+1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{m+1}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]], x] /;$ FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4404

$\text{Int}[\text{Cos}[(a + b*x)*(c + d*x)]*((c + d*x)^m*\text{Sin}[a + b*x]^{n+1})/(b*(n+1)), x] \text{ :> Simp}[(c + d*x)^m*\text{Sin}[a + b*x]^{n+1}/(b*(n+1))$

```
, x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1),
x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:= Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
*(b*Sine[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sine[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x^3} dx &= c^2 \text{Subst} \left(\int (a + bx)^3 \cos(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx))^3 - \frac{1}{2} (3bc^2) \text{Subst} \left(\int (a + bx)^2 \sin^2(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{3}{4} b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x} + \frac{1}{2} \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) \\
&= -\frac{3b^3 c \sqrt{1 - \frac{1}{c^2 x^2}}}{8x} - \frac{3}{4} b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x} - \frac{1}{4} c^2 \\
&= -\frac{3b^3 c \sqrt{1 - \frac{1}{c^2 x^2}}}{8x} + \frac{3}{8} b^3 c^2 \sec^{-1}(cx) - \frac{3}{4} b^2 \left(c^2 - \frac{1}{x^2} \right) (a + b \sec^{-1}(cx)) + \frac{3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{4x}
\end{aligned}$$

Mathematica [A] time = 0.202228, size = 185, normalized size = 1.35

$$\frac{3bc^2x^2(b^2 - 2a^2)\sin^{-1}\left(\frac{1}{cx}\right) + 6b\sec^{-1}(cx)\left(-2a^2 + 2abcx\sqrt{1 - \frac{1}{c^2x^2}} + b^2\right) + 6a^2bcx\sqrt{1 - \frac{1}{c^2x^2}} - 4a^3 + 6b^2\sec^{-1}(cx)^2(a + b\sec^{-1}(cx))}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x^3,x]

[Out] $(-4a^3 + 6ab^2 + 6a^2b^2c\sqrt{1 - 1/(c^2x^2)})x - 3b^3c\sqrt{1 - 1/(c^2x^2)}x + 6b(-2a^2 + b^2 + 2ab^2c\sqrt{1 - 1/(c^2x^2)})\text{ArcSec}[c*x] + 6b^2(b^2c\sqrt{1 - 1/(c^2x^2)})x + a(-2 + c^2x^2)\text{ArcSec}[c*x]^2 + 2b^3(-2 + c^2x^2)\text{ArcSec}[c*x]^3 + 3b(-2a^2 + b^2)c^2x^2\text{ArcSin}[1/(c*x)]/(8x^2)$

Maple [B] time = 0.323, size = 324, normalized size = 2.4

$$-\frac{a^3}{2x^2} - \frac{b^3(\text{arcsec}(cx))^3}{2x^2} + \frac{c^2b^3(\text{arcsec}(cx))^3}{4} + \frac{3cb^3(\text{arcsec}(cx))^2}{4x} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{3b^3\text{arcsec}(cx)}{4x^2} - \frac{3cb^3}{8x} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^3/x^3,x)

```
[Out] -1/2*a^3/x^2-1/2*b^3/x^2*arcsec(c*x)^3+1/4*c^2*b^3*arcsec(c*x)^3+3/4*c*b^3*
arcsec(c*x)^2/x*((c^2*x^2-1)/c^2/x^2)^(1/2)+3/4*b^3/x^2*arcsec(c*x)-3/8*c*b
^3*((c^2*x^2-1)/c^2/x^2)^(1/2)/x-3/8*b^3*c^2*arcsec(c*x)-3/2*a*b^2/x^2*arcs
ec(c*x)^2+3/4*c^2*a*b^2*arcsec(c*x)^2+3/2*c*a*b^2*arcsec(c*x)/x*((c^2*x^2-1
)/c^2/x^2)^(1/2)-3/4*c^2*a*b^2+3/4*a*b^2/x^2-3/2*a^2*b/x^2*arcsec(c*x)-3/4*
c*a^2*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*arctan(1/(c^2*x^2-1
)^(1/2))+3/4*c*a^2*b/((c^2*x^2-1)/c^2/x^2)^(1/2)/x-3/4/c*a^2*b/((c^2*x^2-1
)/c^2/x^2)^(1/2)/x^3
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x^3,x, algorithm="maxima")
```

```
[Out] -3/4*a^2*b*((c^4*x*sqrt(-1/(c^2*x^2) + 1)/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) -
c^3*arctan(c*x*sqrt(-1/(c^2*x^2) + 1)))/c + 2*arcsec(c*x)/x^2) - 1/2*a^3/x
^2 - 1/8*(4*b^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 3*b^3*arctan(sqrt(c
*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2 + 12*(a*b^2*c^2*(log(c*x + 1) + log(c
*x - 1) - 2*log(x))*log(c)^2 + 16*b^3*c^2*integrate(1/8*x^2*arctan(sqrt(c*x
+ 1)*sqrt(c*x - 1))/(c^2*x^5 - x^3), x)*log(c)^2 - 16*b^3*c^2*integrate(1/
8*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^5 - x^3), x)*
log(c) + 32*b^3*c^2*integrate(1/8*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*l
og(x)/(c^2*x^5 - x^3), x)*log(c) - 16*a*b^2*c^2*integrate(1/8*x^2*log(c^2*x
^2)/(c^2*x^5 - x^3), x)*log(c) + 32*a*b^2*c^2*integrate(1/8*x^2*log(x)/(c^2
*x^5 - x^3), x)*log(c) - 16*b^3*c^2*integrate(1/8*x^2*arctan(sqrt(c*x + 1)*
sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^5 - x^3), x) + 16*b^3*c^2*integra
te(1/8*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^5 - x^3), x)
- 16*a*b^2*c^2*integrate(1/8*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^
2*x^5 - x^3), x) + 8*b^3*c^2*integrate(1/8*x^2*arctan(sqrt(c*x + 1)*sqrt(c*
x - 1))*log(c^2*x^2)/(c^2*x^5 - x^3), x) + 4*a*b^2*c^2*integrate(1/8*x^2*lo
g(c^2*x^2)^2/(c^2*x^5 - x^3), x) - 16*a*b^2*c^2*integrate(1/8*x^2*log(c^2*x
^2)*log(x)/(c^2*x^5 - x^3), x) + 16*a*b^2*c^2*integrate(1/8*x^2*log(x)^2/(c
^2*x^5 - x^3), x) - (c^2*log(c*x + 1) + c^2*log(c*x - 1) - 2*c^2*log(x) + 1
/x^2)*a*b^2*log(c)^2 - 16*b^3*integrate(1/8*arctan(sqrt(c*x + 1)*sqrt(c*x -
1))/(c^2*x^5 - x^3), x)*log(c)^2 + 16*b^3*integrate(1/8*arctan(sqrt(c*x +
1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) - 32*b^3*integrat
e(1/8*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^5 - x^3), x)*log(c)
+ 16*a*b^2*integrate(1/8*log(c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) - 32*a*b^
2*integrate(1/8*log(x)/(c^2*x^5 - x^3), x)*log(c) - 8*b^3*integrate(1/8*sqrt
```



```
t(c*x + 1)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^5 - x^3), x) + 2*b^3*integrate(1/8*sqrt(c*x + 1)*sqrt(c*x - 1)*log(c^2*x^2)^2/(c^2*x^5 - x^3), x) + 16*b^3*integrate(1/8*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)*log(x)/(c^2*x^5 - x^3), x) - 16*b^3*integrate(1/8*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^5 - x^3), x) + 16*a*b^2*integrate(1/8*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^5 - x^3), x) - 8*b^3*integrate(1/8*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^5 - x^3), x) - 4*a*b^2*integrate(1/8*log(c^2*x^2)^2/(c^2*x^5 - x^3), x) + 16*a*b^2*integrate(1/8*log(c^2*x^2)*log(x)/(c^2*x^5 - x^3), x) - 16*a*b^2*integrate(1/8*log(x)^2/(c^2*x^5 - x^3), x))*x^2)/x^2
```

Fricas [A] time = 2.21898, size = 342, normalized size = 2.5

$$\frac{2(b^3c^2x^2 - 2b^3)\operatorname{arcsec}(cx)^3 - 4a^3 + 6ab^2 + 6(ab^2c^2x^2 - 2ab^2)\operatorname{arcsec}(cx)^2 + 3((2a^2b - b^3)c^2x^2 - 4a^2b + 2b^3)\operatorname{arcsec}(cx) + 3(2b^3\operatorname{arcsec}(cx)^2 + 4a*b^2\operatorname{arcsec}(cx) + 2a^2b - b^3)\sqrt{c^2x^2 - 1}}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x^3,x, algorithm="fricas")
```

```
[Out] 1/8*(2*(b^3*c^2*x^2 - 2*b^3)*arcsec(c*x)^3 - 4*a^3 + 6*a*b^2 + 6*(a*b^2*c^2*x^2 - 2*a*b^2)*arcsec(c*x)^2 + 3*((2*a^2*b - b^3)*c^2*x^2 - 4*a^2*b + 2*b^3)*arcsec(c*x) + 3*(2*b^3*arcsec(c*x)^2 + 4*a*b^2*arcsec(c*x) + 2*a^2*b - b^3)*sqrt(c^2*x^2 - 1))/x^2
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))**3/x**3,x)
```

```
[Out] Integral((a + b*asec(c*x))**3/x**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3/x^3, x)
```

$$3.31 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^4} dx$$

Optimal. Leaf size=170

$$\frac{4b^2c^2(a+b \sec^{-1}(cx))}{3x} + \frac{2b^2(a+b \sec^{-1}(cx))}{9x^3} + \frac{2}{3}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2 + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2}{3x^2}$$

[Out] $(-14*b^3*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/9 + (2*b^3*c^3*(1 - 1/(c^2*x^2))^(3/2))/27 + (2*b^2*(a + b*\text{ArcSec}[c*x]))/(9*x^3) + (4*b^2*c^2*(a + b*\text{ArcSec}[c*x]))/(3*x) + (2*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/3 + (b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/(3*x^2) - (a + b*\text{ArcSec}[c*x])^3/(3*x^3)$

Rubi [A] time = 0.146838, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 4405, 3311, 3296, 2637, 2633}

$$\frac{4b^2c^2(a+b \sec^{-1}(cx))}{3x} + \frac{2b^2(a+b \sec^{-1}(cx))}{9x^3} + \frac{2}{3}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2 + \frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2}{3x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^3/x^4, x]

[Out] $(-14*b^3*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/9 + (2*b^3*c^3*(1 - 1/(c^2*x^2))^(3/2))/27 + (2*b^2*(a + b*\text{ArcSec}[c*x]))/(9*x^3) + (4*b^2*c^2*(a + b*\text{ArcSec}[c*x]))/(3*x) + (2*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/3 + (b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcSec}[c*x])^2)/(3*x^2) - (a + b*\text{ArcSec}[c*x])^3/(3*x^3)$

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4405

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*cos[e + f*x]*(b*sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x^4} dx &= c^3 \text{Subst} \left(\int (a + bx)^3 \cos^2(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^3}{3x^3} + (bc^3) \text{Subst} \left(\int (a + bx)^2 \cos^3(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{2b^2 (a + b \sec^{-1}(cx))}{9x^3} + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{3x^2} - \frac{(a + b \sec^{-1}(cx))^3}{3x^3} + \frac{1}{3} (2bc^3) \text{Subst} \\
&= \frac{2b^2 (a + b \sec^{-1}(cx))}{9x^3} + \frac{2}{3} bc^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2 + \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \sec^{-1}(cx))^2}{3x^2} \\
&= -\frac{2}{9} b^3 c^3 \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{2}{27} b^3 c^3 \left(1 - \frac{1}{c^2 x^2}\right)^{3/2} + \frac{2b^2 (a + b \sec^{-1}(cx))}{9x^3} + \frac{4b^2 c^2 (a + b \sec^{-1}(cx))}{3x} \\
&= -\frac{14}{9} b^3 c^3 \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{2}{27} b^3 c^3 \left(1 - \frac{1}{c^2 x^2}\right)^{3/2} + \frac{2b^2 (a + b \sec^{-1}(cx))}{9x^3} + \frac{4b^2 c^2 (a + b \sec^{-1}(cx))}{3x}
\end{aligned}$$

Mathematica [A] time = 0.280422, size = 204, normalized size = 1.2

$$\frac{3b \sec^{-1}(cx) \left(-9a^2 + 6abcx \sqrt{1 - \frac{1}{c^2 x^2}} (2c^2 x^2 + 1) + 2b^2 (6c^2 x^2 + 1)\right) + 9a^2 bcx \sqrt{1 - \frac{1}{c^2 x^2}} (2c^2 x^2 + 1) - 9a^3 + 6ab^2 (6c^2 x^2 + 1)}{27x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x^4, x]

[Out] $(-9a^3 + 9a^2 b c \sqrt{1 - 1/(c^2 x^2)}) x (1 + 2c^2 x^2) + 6a^2 b^2 (1 + 6c^2 x^2) - 2b^3 c \sqrt{1 - 1/(c^2 x^2)} x (1 + 20c^2 x^2) + 3b^2 (-9a^2 + 6a^2 b c \sqrt{1 - 1/(c^2 x^2)}) x (1 + 2c^2 x^2) + 2b^2 (1 + 6c^2 x^2) \text{ArcSec}[c x] + 9b^2 (-3a + b c \sqrt{1 - 1/(c^2 x^2)}) x (1 + 2c^2 x^2) \text{ArcSec}[c x]^2 - 9b^3 \text{ArcSec}[c x]^3) / (27x^3)$

Maple [B] time = 0.319, size = 299, normalized size = 1.8

$$c^3 \left(-\frac{a^3}{3c^3 x^3} + b^3 \left(-\frac{(\text{arcsec}(cx))^3}{3c^3 x^3} + \frac{(\text{arcsec}(cx))^2 (2c^2 x^2 + 1)}{3c^2 x^2} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{4}{3} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{4 \text{arcsec}(cx)}{3cx} + \frac{2 \text{arcsec}(cx)}{9c^3 x^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))^3/x^4,x)

[Out] $c^3*(-1/3*a^3/c^3/x^3+b^3*(-1/3/c^3/x^3*arcsec(c*x)^3+1/3*arcsec(c*x)^2*(2*c^2*x^2+1)/c^2/x^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-4/3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+4/3/c/x*arcsec(c*x)+2/9/c^3/x^3*arcsec(c*x)-2/27*(2*c^2*x^2+1)/c^2/x^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)})+3*a*b^2*(-1/3/c^3/x^3*arcsec(c*x)^2+2/9*arcsec(c*x)*(2*c^2*x^2+1)/c^2/x^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+2/27/c^3/x^3+4/9/c/x)+3*a^2*b*(-1/3/c^3/x^3*arcsec(c*x)+1/9*(c^2*x^2-1)*(2*c^2*x^2+1)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^4/x^4)$

Maxima [B] time = 3.22333, size = 787, normalized size = 4.63

$$-\frac{1}{216} \left(\frac{72 \left(c^4 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3 c^4 \sqrt{-\frac{1}{c^2 x^2} + 1} \right) \operatorname{arcsec}(cx)^2}{c} + \frac{72 c^4 \left(\frac{c^2 \arcsin\left(\frac{1}{\sqrt{c^2|x|}}\right) + \frac{2\sqrt{c^2 x^2 - 1}c - \sqrt{c^2 x^2 - 1}}{x}}{c} - \frac{c^2 \arcsin\left(\frac{1}{\sqrt{c^2|x|}}\right) - \frac{2\sqrt{c^2 x^2 - 1}}{x}}{c} \right)}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^4,x, algorithm="maxima")

[Out] $-1/216*(72*(c^4*(-1/(c^2*x^2) + 1)^{(3/2)} - 3*c^4*\sqrt{-1/(c^2*x^2) + 1}))*arcsec(c*x)^2/c + (72*c^4*((c^2*arcsin(1/(\sqrt{c^2}*abs(x))) + 2*\sqrt{c^2*x^2 - 1})*c/x - \sqrt{c^2*x^2 - 1}/x^2)/c - (c^2*arcsin(1/(\sqrt{c^2}*abs(x))) - 2*\sqrt{c^2*x^2 - 1})*c/x - \sqrt{c^2*x^2 - 1}/x^2)/c - 4*arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})/x) + c^2*((9*c^4*arcsin(1/(\sqrt{c^2}*abs(x))) + 16*\sqrt{c^2*x^2 - 1})*c^3/x - 9*\sqrt{c^2*x^2 - 1}*c^2/x^2 + 8*\sqrt{c^2*x^2 - 1}*c/x^3 - 6*\sqrt{c^2*x^2 - 1}/x^4)/c - (9*c^4*arcsin(1/(\sqrt{c^2}*abs(x))) - 16*\sqrt{c^2*x^2 - 1})*c^3/x - 9*\sqrt{c^2*x^2 - 1}*c^2/x^2 - 8*\sqrt{c^2*x^2 - 1}*c/x^3 - 6*\sqrt{c^2*x^2 - 1}/x^4)/c - 48*arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})/x^3)/c^2)*b^3 - 1/3*a^2*b*((c^4*(-1/(c^2*x^2) + 1)^{(3/2)} - 3*c^4*\sqrt{-1/(c^2*x^2) + 1}))/c + 3*arcsec(c*x)/x^3) - 1/3*b^3*arcsec(c*x)^3/x^3 - a*b^2*arcsec(c*x)^2/x^3 - 1/3*a^3/x^3 + 2/9*((6*c^3*x^2 + c)*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 3*(2*c^5*x^4 - c^3*x^2 - c)*arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))*a*b^2/(\sqrt{c*x + 1}*\sqrt{c*x - 1}*c*x^3)$

Fricas [A] time = 2.24396, size = 401, normalized size = 2.36

$$\frac{36 ab^2 c^2 x^2 - 9 b^3 \operatorname{arcsec}(cx)^3 - 27 ab^2 \operatorname{arcsec}(cx)^2 - 9 a^3 + 6 ab^2 + 3(12 b^3 c^2 x^2 - 9 a^2 b + 2 b^3) \operatorname{arcsec}(cx) + (2(9 a^2 b - 20 b^3) c^2 x^2 + 9 a^2 b - 2 b^3 + 9(2 b^3 c^2 x^2 + b^3) \operatorname{arcsec}(cx))^2 + 18(2 a b^2 c^2 x^2 + a b^2) \operatorname{arcsec}(cx) \sqrt{c^2 x^2 - 1}}{27 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^4,x, algorithm="fricas")

[Out] 1/27*(36*a*b^2*c^2*x^2 - 9*b^3*arcsec(c*x)^3 - 27*a*b^2*arcsec(c*x)^2 - 9*a^3 + 6*a*b^2 + 3*(12*b^3*c^2*x^2 - 9*a^2*b + 2*b^3)*arcsec(c*x) + (2*(9*a^2*b - 20*b^3)*c^2*x^2 + 9*a^2*b - 2*b^3 + 9*(2*b^3*c^2*x^2 + b^3)*arcsec(c*x))^2 + 18*(2*a*b^2*c^2*x^2 + a*b^2)*arcsec(c*x))*sqrt(c^2*x^2 - 1)/x^3

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))**3/x**4,x)

[Out] Integral((a + b*asec(c*x))**3/x**4, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^4,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^3/x^4, x)

$$3.32 \quad \int \frac{(a+b \sec^{-1}(cx))^3}{x^5} dx$$

Optimal. Leaf size=208

$$\frac{9b^2c^2(a+b \sec^{-1}(cx))}{32x^2} + \frac{3b^2(a+b \sec^{-1}(cx))}{32x^4} + \frac{9bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2}{32x} + \frac{3bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2}{16x^3} +$$

[Out] $(-3*b^3*c*Sqrt[1 - 1/(c^2*x^2)])/(128*x^3) - (45*b^3*c^3*Sqrt[1 - 1/(c^2*x^2)])/(256*x) - (45*b^3*c^4*ArcSec[c*x])/256 + (3*b^2*(a + b*ArcSec[c*x]))/(32*x^4) + (9*b^2*c^2*(a + b*ArcSec[c*x]))/(32*x^2) + (3*b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x])^2)/(16*x^3) + (9*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x])^2)/(32*x) + (3*c^4*(a + b*ArcSec[c*x])^3)/32 - (a + b*ArcSec[c*x])^3/(4*x^4)$

Rubi [A] time = 0.173491, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 4405, 3311, 32, 2635, 8}

$$\frac{9b^2c^2(a+b \sec^{-1}(cx))}{32x^2} + \frac{3b^2(a+b \sec^{-1}(cx))}{32x^4} + \frac{9bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2}{32x} + \frac{3bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \sec^{-1}(cx))^2}{16x^3} +$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])^3/x^5, x]

[Out] $(-3*b^3*c*Sqrt[1 - 1/(c^2*x^2)])/(128*x^3) - (45*b^3*c^3*Sqrt[1 - 1/(c^2*x^2)])/(256*x) - (45*b^3*c^4*ArcSec[c*x])/256 + (3*b^2*(a + b*ArcSec[c*x]))/(32*x^4) + (9*b^2*c^2*(a + b*ArcSec[c*x]))/(32*x^2) + (3*b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x])^2)/(16*x^3) + (9*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcSec[c*x])^2)/(32*x) + (3*c^4*(a + b*ArcSec[c*x])^3)/32 - (a + b*ArcSec[c*x])^3/(4*x^4)$

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4405


```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec^{-1}(cx))^3}{x^5} dx &= c^4 \text{Subst} \left(\int (a + bx)^3 \cos^3(x) \sin(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{(a + b \sec^{-1}(cx))^3}{4x^4} + \frac{1}{4} (3bc^4) \text{Subst} \left(\int (a + bx)^2 \cos^4(x) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{3b^2 (a + b \sec^{-1}(cx))}{32x^4} + \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))^2}{16x^3} - \frac{(a + b \sec^{-1}(cx))^3}{4x^4} + \frac{1}{16} (9bc^4) \text{Subst} \left(\int (a + bx) \cos^5(x) dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} + \frac{3b^2 (a + b \sec^{-1}(cx))}{32x^4} + \frac{9b^2c^2 (a + b \sec^{-1}(cx))}{32x^2} + \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{16x^3} \\
&= -\frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} - \frac{45b^3c^3\sqrt{1 - \frac{1}{c^2x^2}}}{256x} + \frac{3b^2 (a + b \sec^{-1}(cx))}{32x^4} + \frac{9b^2c^2 (a + b \sec^{-1}(cx))}{32x^2} + \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{16x^3} \\
&= -\frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} - \frac{45b^3c^3\sqrt{1 - \frac{1}{c^2x^2}}}{256x} - \frac{45}{256} b^3c^4 \sec^{-1}(cx) + \frac{3b^2 (a + b \sec^{-1}(cx))}{32x^4} + \frac{9b^2c^2 (a + b \sec^{-1}(cx))}{32x^2} + \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}} (a + b \sec^{-1}(cx))}{16x^3}
\end{aligned}$$

Mathematica [A] time = 0.335836, size = 283, normalized size = 1.36

$$9bc^4x^4(5b^2 - 8a^2)\sin^{-1}\left(\frac{1}{cx}\right) + 24b\sec^{-1}(cx)\left(-8a^2 + 2abcx\sqrt{1 - \frac{1}{c^2x^2}}(3c^2x^2 + 2) + b^2(3c^2x^2 + 1)\right) + 72a^2bc^3x^3\sqrt{1 - \frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])^3/x^5, x]

[Out] (-64*a^3 + 24*a*b^2 + 48*a^2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x - 6*b^3*c*Sqrt[1 - 1/(c^2*x^2)]*x + 72*a*b^2*c^2*x^2 + 72*a^2*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*x^3 - 45*b^3*c^3*Sqrt[1 - 1/(c^2*x^2)]*x^3 + 24*b*(-8*a^2 + b^2*(1 + 3*c^2*x^2) + 2*a*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(2 + 3*c^2*x^2))*ArcSec[c*x] + 24*b^2*(b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(2 + 3*c^2*x^2) + a*(-8 + 3*c^4*x^4))*ArcSec[c*x]^2 + 8*b^3*(-8 + 3*c^4*x^4)*ArcSec[c*x]^3 + 9*b*(-8*a^2 + 5*b^2)*c^4*x^4*ArcSin[1/(c*x)]/(256*x^4)

Maple [B] time = 0.342, size = 472, normalized size = 2.3

$$-\frac{a^3}{4x^4} - \frac{b^3(\operatorname{arcsec}(cx))^3}{4x^4} + \frac{3c^4b^3(\operatorname{arcsec}(cx))^3}{32} + \frac{9c^3b^3(\operatorname{arcsec}(cx))^2}{32x}\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{3cb^3(\operatorname{arcsec}(cx))^2}{16x^3}\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{3b^3(\operatorname{arcsec}(cx))}{16x^3}\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{3b^3(\operatorname{arcsec}(cx))}{16x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arcsec}(c*x))^3/x^5,x)$

[Out]
$$-1/4*a^3/x^4-1/4*b^3/x^4*\text{arcsec}(c*x)^3+3/32*c^4*b^3*\text{arcsec}(c*x)^3+9/32*c^3*b^3*\text{arcsec}(c*x)^2/x*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+3/16*c*b^3*\text{arcsec}(c*x)^2/x^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+3/32*b^3/x^4*\text{arcsec}(c*x)-45/256*c^3*b^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x-3/128*c*b^3/x^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-45/256*b^3*c^4*\text{arcsec}(c*x)+9/32*c^2*b^3/x^2*\text{arcsec}(c*x)-3/4*a*b^2/x^4*\text{arcsec}(c*x)^2+9/32*c^4*a*b^2*\text{arcsec}(c*x)^2+9/16*c^3*a*b^2*\text{arcsec}(c*x)/x*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+3/8*c*a*b^2*\text{arcsec}(c*x)/x^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+3/32*a*b^2/x^4+9/32*c^2*a*b^2/x^2-3/4*a^2*b/x^4*\text{arcsec}(c*x)-9/32*c^3*a^2*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*\text{arctan}(1/(c^2*x^2-1)^{(1/2)})+9/32*c^3*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x-3/32*c*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^3-3/16/c*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^5$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arcsec}(c*x))^3/x^5,x, \text{algorithm}="maxima")$

[Out]
$$3/32*a^2*b*((3*c^5*\text{arctan}(c*x*\text{sqrt}(-1/(c^2*x^2)+1))+(3*c^8*x^3*(-1/(c^2*x^2)+1)^{(3/2)}+5*c^6*x*\text{sqrt}(-1/(c^2*x^2)+1)))/(c^4*x^4*(1/(c^2*x^2)-1)^2-2*c^2*x^2*(1/(c^2*x^2)-1)+1)/c-8*\text{arcsec}(c*x)/x^4)-1/4*a^3/x^4-1/16*(4*b^3*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))^3-3*b^3*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))*\log(c^2*x^2)^2+12*(2*(c^2*\log(c*x+1)+c^2*\log(c*x-1)-2*c^2*\log(x)+1/x^2)*a*b^2*c^2*\log(c)^2+64*b^3*c^2*\text{integrate}(1/16*x^2*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))/(c^2*x^7-x^5),x)*\log(c)^2-64*b^3*c^2*\text{integrate}(1/16*x^2*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))*\log(c^2*x^2)/(c^2*x^7-x^5),x)*\log(c)+128*b^3*c^2*\text{integrate}(1/16*x^2*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))*\log(x)/(c^2*x^7-x^5),x)*\log(c)-64*a*b^2*c^2*\text{integrate}(1/16*x^2*\log(c^2*x^2)/(c^2*x^7-x^5),x)*\log(c)+128*a*b^2*c^2*\text{integrate}(1/16*x^2*\log(x)/(c^2*x^7-x^5),x)*\log(c)-64*b^3*c^2*\text{integrate}(1/16*x^2*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))*\log(c^2*x^2)*\log(x)/(c^2*x^7-x^5),x)+64*b^3*c^2*\text{integrate}(1/16*x^2*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))*\log(x)^2/(c^2*x^7-x^5),x)-64*a*b^2*c^2*\text{integrate}(1/16*x^2*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))^2/(c^2*x^7-x^5),x)+16*b^3*c^2*\text{integrate}(1/16*x^2*\text{arctan}(\text{sqrt}(c*x+1)*\text{sqrt}(c*x-1))*\log(c^2*x^2)/(c^2*x^7-x^5),x)+16*a*b^2*c^2*\text{integrate}(1/16*x^2*\log(c^2*x^2)^2/(c^2*x^7-x^5),x)-64*$$

```

a*b^2*c^2*integrate(1/16*x^2*log(c^2*x^2)*log(x)/(c^2*x^7 - x^5), x) + 64*a
*b^2*c^2*integrate(1/16*x^2*log(x)^2/(c^2*x^7 - x^5), x) - (2*c^4*log(c*x +
1) + 2*c^4*log(c*x - 1) - 4*c^4*log(x) + (2*c^2*x^2 + 1)/x^4)*a*b^2*log(c)
^2 - 64*b^3*integrate(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(c^2*x^7 - x
^5), x)*log(c)^2 + 64*b^3*integrate(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)
)*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) - 128*b^3*integrate(1/16*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1))*log(x)/(c^2*x^7 - x^5), x)*log(c) + 64*a*b^2*in
tegrate(1/16*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) - 128*a*b^2*integrate(
1/16*log(x)/(c^2*x^7 - x^5), x)*log(c) - 16*b^3*integrate(1/16*sqrt(c*x + 1
)*sqrt(c*x - 1)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^7 - x^5), x) +
4*b^3*integrate(1/16*sqrt(c*x + 1)*sqrt(c*x - 1)*log(c^2*x^2)^2/(c^2*x^7 -
x^5), x) + 64*b^3*integrate(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c
^2*x^2)*log(x)/(c^2*x^7 - x^5), x) - 64*b^3*integrate(1/16*arctan(sqrt(c*x
+ 1)*sqrt(c*x - 1))*log(x)^2/(c^2*x^7 - x^5), x) + 64*a*b^2*integrate(1/16*
arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2/(c^2*x^7 - x^5), x) - 16*b^3*integrat
e(1/16*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)/(c^2*x^7 - x^5), x)
- 16*a*b^2*integrate(1/16*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) + 64*a*b^2*in
tegrate(1/16*log(c^2*x^2)*log(x)/(c^2*x^7 - x^5), x) - 64*a*b^2*integrate(1
/16*log(x)^2/(c^2*x^7 - x^5), x))*x^4)/x^4

```

Fricas [A] time = 2.34434, size = 512, normalized size = 2.46

$$72 ab^2 c^2 x^2 + 8(3b^3 c^4 x^4 - 8b^3) \operatorname{arcsec}(cx)^3 - 64a^3 + 24ab^2 + 24(3ab^2 c^4 x^4 - 8ab^2) \operatorname{arcsec}(cx)^2 + 3(3(8a^2 b - 5b^3)c^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))^3/x^5,x, algorithm="fricas")

[Out] 1/256*(72*a*b^2*c^2*x^2 + 8*(3*b^3*c^4*x^4 - 8*b^3)*arcsec(c*x)^3 - 64*a^3 + 24*a*b^2 + 24*(3*a*b^2*c^4*x^4 - 8*a*b^2)*arcsec(c*x)^2 + 3*(3*(8*a^2*b - 5*b^3)*c^4*x^4 + 24*b^3*c^2*x^2 - 64*a^2*b + 8*b^3)*arcsec(c*x) + 3*(3*(8*a^2*b - 5*b^3)*c^2*x^2 + 16*a^2*b - 2*b^3 + 8*(3*b^3*c^2*x^2 + 2*b^3)*arcsec(c*x)^2 + 16*(3*a*b^2*c^2*x^2 + 2*a*b^2)*arcsec(c*x))*sqrt(c^2*x^2 - 1)/x^4

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))**3/x**5,x)
```

```
[Out] Integral((a + b*asec(c*x))**3/x**5, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))^3/x^5,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3/x^5, x)
```

$$3.33 \quad \int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Optimal. Leaf size=14

$$\text{Unintegrable}\left(\frac{x}{a+b \sec^{-1}(cx)}, x\right)$$

[Out] Unintegrable[x/(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.0144259, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*ArcSec[c*x]), x]

[Out] Defer[Int][x/(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int \frac{x}{a+b \sec^{-1}(cx)} dx = \int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Mathematica [A] time = 2.55557, size = 0, normalized size = 0.

$$\int \frac{x}{a+b \sec^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*ArcSec[c*x]), x]

[Out] Integrate[x/(a + b*ArcSec[c*x]), x]

Maple [A] time = 0.973, size = 0, normalized size = 0.

$$\int \frac{x}{a + b \operatorname{arcsec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arcsec(c*x)),x)

[Out] int(x/(a+b*arcsec(c*x)),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \operatorname{arcsec}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] integrate(x/(b*arcsec(c*x) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{x}{b \operatorname{arcsec}(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] integral(x/(b*arcsec(c*x) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{a + b \operatorname{asec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*asec(c*x)),x)
```

```
[Out] Integral(x/(a + b*asec(c*x)), x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \operatorname{arcsec}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate(x/(b*arcsec(c*x) + a), x)
```


$$3.34 \quad \int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Optimal. Leaf size=12

$$\text{Unintegrable}\left(\frac{1}{a+b \sec^{-1}(cx)}, x\right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])^(-1), x]

Rubi [A] time = 0.0057647, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])^(-1), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])^(-1), x]

Rubi steps

$$\int \frac{1}{a+b \sec^{-1}(cx)} dx = \int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Mathematica [A] time = 2.18719, size = 0, normalized size = 0.

$$\int \frac{1}{a+b \sec^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])^(-1), x]

[Out] Integrate[(a + b*ArcSec[c*x])^(-1), x]

Maple [A] time = 0.447, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx))^{-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arcsec(c*x)),x)

[Out] int(1/(a+b*arcsec(c*x)),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{b \operatorname{arcsec}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] integrate(1/(b*arcsec(c*x) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{1}{b \operatorname{arcsec}(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] integral(1/(b*arcsec(c*x) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a + b \operatorname{asec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*asec(c*x)),x)
```

```
[Out] Integral(1/(a + b*asec(c*x)), x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{b \operatorname{arcsec}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate(1/(b*arcsec(c*x) + a), x)
```

$$3.35 \quad \int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Optimal. Leaf size=16

$$\text{Unintegrable}\left(\frac{1}{x(a+b \sec^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/(x*(a + b*ArcSec[c*x])), x]

Rubi [A] time = 0.0252971, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcSec[c*x])), x]

[Out] Defer[Int][1/(x*(a + b*ArcSec[c*x])), x]

Rubi steps

$$\int \frac{1}{x(a+b \sec^{-1}(cx))} dx = \int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Mathematica [A] time = 0.269491, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \sec^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSec[c*x])), x]

[Out] Integrate[1/(x*(a + b*ArcSec[c*x])), x]

Maple [A] time = 0.74, size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \operatorname{arcsec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arcsec(c*x)),x)

[Out] int(1/x/(a+b*arcsec(c*x)),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] integrate(1/((b*arcsec(c*x) + a)*x), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{1}{bx \operatorname{arcsec}(cx) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] integral(1/(b*x*arcsec(c*x) + a*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \operatorname{asec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*asec(c*x)),x)

[Out] Integral(1/(x*(a + b*asec(c*x))), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)*x), x)

$$3.36 \quad \int \frac{1}{x^2(a+b \sec^{-1}(cx))} dx$$

Optimal. Leaf size=46

$$\frac{c \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b} - \frac{c \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b}$$

[Out] -((c*CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b])/b) + (c*Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]])/b

Rubi [A] time = 0.105162, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {5222, 3303, 3299, 3302}

$$\frac{c \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b} - \frac{c \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(a + b*ArcSec[c*x])),x]

[Out] -((c*CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b])/b) + (c*Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]])/b

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2(a + b \sec^{-1}(cx))} dx &= c \operatorname{Subst} \left(\int \frac{\sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\ &= \left(c \cos \left(\frac{a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\sin \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) - \left(c \sin \left(\frac{a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\cos \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\ &= -\frac{c \operatorname{Ci} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \sin \left(\frac{a}{b} \right)}{b} + \frac{c \cos \left(\frac{a}{b} \right) \operatorname{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right)}{b} \end{aligned}$$

Mathematica [A] time = 0.0741781, size = 43, normalized size = 0.93

$$\frac{c \left(\cos \left(\frac{a}{b} \right) \operatorname{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right) - \sin \left(\frac{a}{b} \right) \operatorname{CosIntegral} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \right)}{b}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^2*(a + b*ArcSec[c*x])),x]
```

```
[Out] (c*(-(CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b]) + Cos[a/b]*SinIntegral[a/b +
ArcSec[c*x]]))/b
```

Maple [A] time = 0.247, size = 47, normalized size = 1.

$$c \left(\frac{1}{b} \operatorname{Si} \left(\frac{a}{b} + \operatorname{arcsec}(cx) \right) \cos \left(\frac{a}{b} \right) - \frac{1}{b} \operatorname{Ci} \left(\frac{a}{b} + \operatorname{arcsec}(cx) \right) \sin \left(\frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsec(c*x)),x)`

[Out] `c*(Si(a/b+arcsec(c*x))*cos(a/b)/b-Ci(a/b+arcsec(c*x))*sin(a/b)/b)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsec(c*x) + a)*x^2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{1}{bx^2 \operatorname{arcsec}(cx) + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x^2*arcsec(c*x) + a*x^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \operatorname{asec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*asec(c*x)),x)`

[Out] `Integral(1/(x**2*(a + b*asec(c*x))), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)*x^2), x)

$$3.37 \quad \int \frac{1}{x^3(a+b \sec^{-1}(cx))} dx$$

Optimal. Leaf size=63

$$\frac{c^2 \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b} - \frac{c^2 \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b}$$

[Out] $-(c^2 \operatorname{CosIntegral}[(2a)/b + 2 \operatorname{ArcSec}[c*x]] * \operatorname{Sin}[(2a)/b]) / (2*b) + (c^2 \operatorname{Cos}[(2a)/b] * \operatorname{SinIntegral}[(2a)/b + 2 \operatorname{ArcSec}[c*x]]) / (2*b)$

Rubi [A] time = 0.135768, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 4406, 12, 3303, 3299, 3302}

$$\frac{c^2 \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b} - \frac{c^2 \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/(x^3*(a + b*\operatorname{ArcSec}[c*x])), x]$

[Out] $-(c^2 \operatorname{CosIntegral}[(2a)/b + 2 \operatorname{ArcSec}[c*x]] * \operatorname{Sin}[(2a)/b]) / (2*b) + (c^2 \operatorname{Cos}[(2a)/b] * \operatorname{SinIntegral}[(2a)/b + 2 \operatorname{ArcSec}[c*x]]) / (2*b)$

Rule 5222

$\operatorname{Int}[(a + \operatorname{ArcSec}[c*x])*(b*x)^n*(x)^m, x_Symbol] \rightarrow \operatorname{Dist}[1/c^{m+1}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sec}[x]^{m+1}*\operatorname{Tan}[x], x], x, \operatorname{ArcSec}[c*x]], x] /;$ $\operatorname{FreeQ}\{a, b, c, x\} \ \&\& \ \operatorname{IntegerQ}[n] \ \&\& \ \operatorname{IntegerQ}[m] \ \&\& \ (\operatorname{GtQ}[n, 0] \ || \ \operatorname{LtQ}[m, -1])$

Rule 4406

$\operatorname{Int}[\operatorname{Cos}[a + (b*x)^p]*(c + d*x)^m*\operatorname{Sin}[a + (b*x)^n], x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sin}[a + b*x]^n*\operatorname{Cos}[a + b*x]^p, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, m, x\} \ \&\& \ \operatorname{IGtQ}[n, 0] \ \&\& \ \operatorname{IGtQ}[p, 0]$

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(a + b \sec^{-1}(cx))} dx &= c^2 \text{Subst} \left(\int \frac{\cos(x) \sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
&= c^2 \text{Subst} \left(\int \frac{\sin(2x)}{2(a + bx)} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{2} c^2 \text{Subst} \left(\int \frac{\sin(2x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{2} \left(c^2 \cos\left(\frac{2a}{b}\right) \right) \text{Subst} \left(\int \frac{\sin\left(\frac{2a}{b} + 2x\right)}{a + bx} dx, x, \sec^{-1}(cx) \right) - \frac{1}{2} \left(c^2 \sin\left(\frac{2a}{b}\right) \right) \text{Subst} \left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c^2 \text{Ci}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{2b} + \frac{c^2 \cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{2b}
\end{aligned}$$

Mathematica [A] time = 0.0716536, size = 56, normalized size = 0.89

$$\frac{c^2 \left(\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right) - \sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right) \right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(a + b*ArcSec[c*x])),x]

[Out] (c^2*(-(CosIntegral[(2*a)/b + 2*ArcSec[c*x]]*Sin[(2*a)/b]) + Cos[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcSec[c*x]]))/(2*b)

Maple [A] time = 0.24, size = 58, normalized size = 0.9

$$c^2 \left(\frac{1}{2b} \text{Si} \left(2 \frac{a}{b} + 2 \operatorname{arcsec}(cx) \right) \cos \left(2 \frac{a}{b} \right) - \frac{1}{2b} \text{Ci} \left(2 \frac{a}{b} + 2 \operatorname{arcsec}(cx) \right) \sin \left(2 \frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(a+b*arcsec(c*x)),x)

[Out] c^2*(1/2*Si(2*a/b+2*arcsec(c*x))*cos(2*a/b)/b-1/2*Ci(2*a/b+2*arcsec(c*x))*sin(2*a/b)/b)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] integrate(1/((b*arcsec(c*x) + a)*x^3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{1}{bx^3 \operatorname{arcsec}(cx) + ax^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] integral(1/(b*x^3*arcsec(c*x) + a*x^3), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \operatorname{arcsec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**3/(a+b*asec(c*x)),x)
```

```
[Out] Integral(1/(x**3*(a + b*asec(c*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate(1/((b*arcsec(c*x) + a)*x^3), x)
```

$$3.38 \quad \int \frac{1}{x^4(a+b \sec^{-1}(cx))} dx$$

Optimal. Leaf size=117

$$-\frac{c^3 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b} - \frac{c^3 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b} + \frac{c^3 \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b}$$

[Out] $-(c^3 \text{CosIntegral}[a/b + \text{ArcSec}[c*x]] * \text{Sin}[a/b]) / (4*b) - (c^3 \text{CosIntegral}[(3*a)/b + 3*\text{ArcSec}[c*x]] * \text{Sin}[(3*a)/b]) / (4*b) + (c^3 \text{Cos}[a/b] * \text{SinIntegral}[a/b + \text{ArcSec}[c*x]]) / (4*b) + (c^3 \text{Cos}[(3*a)/b] * \text{SinIntegral}[(3*a)/b + 3*\text{ArcSec}[c*x]]) / (4*b)$

Rubi [A] time = 0.224696, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5222, 4406, 3303, 3299, 3302}

$$-\frac{c^3 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b} - \frac{c^3 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b} + \frac{c^3 \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*(a + b*ArcSec[c*x])),x]

[Out] $-(c^3 \text{CosIntegral}[a/b + \text{ArcSec}[c*x]] * \text{Sin}[a/b]) / (4*b) - (c^3 \text{CosIntegral}[(3*a)/b + 3*\text{ArcSec}[c*x]] * \text{Sin}[(3*a)/b]) / (4*b) + (c^3 \text{Cos}[a/b] * \text{SinIntegral}[a/b + \text{ArcSec}[c*x]]) / (4*b) + (c^3 \text{Cos}[(3*a)/b] * \text{SinIntegral}[(3*a)/b + 3*\text{ArcSec}[c*x]]) / (4*b)$

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]^n * Cos[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG

tQ[p, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^4(a + b \sec^{-1}(cx))} dx &= c^3 \text{Subst} \left(\int \frac{\cos^2(x) \sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= c^3 \text{Subst} \left(\int \left(\frac{\sin(x)}{4(a + bx)} + \frac{\sin(3x)}{4(a + bx)} \right) dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(3x)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= \frac{1}{4} \left(c^3 \cos \left(\frac{a}{b} \right) \right) \text{Subst} \left(\int \frac{\sin \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} \left(c^3 \cos \left(\frac{3a}{b} \right) \right) \text{Subst} \left(\int \frac{\sin \left(\frac{3a}{b} + x \right)}{a + bx} dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{c^3 \text{Ci} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \sin \left(\frac{a}{b} \right)}{4b} - \frac{c^3 \text{Ci} \left(\frac{3a}{b} + 3 \sec^{-1}(cx) \right) \sin \left(\frac{3a}{b} \right)}{4b} + \frac{c^3 \cos \left(\frac{a}{b} \right) \text{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right)}{4b} + \frac{c^3 \cos \left(\frac{3a}{b} \right) \text{Si} \left(\frac{3a}{b} + 3 \sec^{-1}(cx) \right)}{4b}
 \end{aligned}$$

Mathematica [A] time = 0.165108, size = 91, normalized size = 0.78

$$\frac{c^3 \left(\sin \left(\frac{a}{b} \right) \left(-\text{CosIntegral} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \right) - \sin \left(\frac{3a}{b} \right) \text{CosIntegral} \left(3 \left(\frac{a}{b} + \sec^{-1}(cx) \right) \right) + \cos \left(\frac{a}{b} \right) \text{Si} \left(\frac{a}{b} + \sec^{-1}(cx) \right) + \cos \left(\frac{3a}{b} \right) \text{Si} \left(\frac{3a}{b} + 3 \sec^{-1}(cx) \right) \right)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(a + b*ArcSec[c*x])),x]

[Out] (c^3*(-(CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b]) - CosIntegral[3*(a/b + ArcSec[c*x]])*Sin[(3*a)/b] + Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]] + Cos[(3*a)/b]*SinIntegral[3*(a/b + ArcSec[c*x])]))/(4*b)

Maple [A] time = 0.246, size = 102, normalized size = 0.9

$$c^3 \left(\frac{1}{4b} \text{Si} \left(3 \frac{a}{b} + 3 \operatorname{arcsec}(cx) \right) \cos \left(3 \frac{a}{b} \right) - \frac{1}{4b} \text{Ci} \left(3 \frac{a}{b} + 3 \operatorname{arcsec}(cx) \right) \sin \left(3 \frac{a}{b} \right) + \frac{1}{4b} \text{Si} \left(\frac{a}{b} + \operatorname{arcsec}(cx) \right) \cos \left(\frac{a}{b} \right) - \frac{1}{4b} \text{Ci} \left(\frac{a}{b} + \operatorname{arcsec}(cx) \right) \sin \left(\frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(a+b*arcsec(c*x)),x)

[Out] c^3*(1/4*Si(3*a/b+3*arcsec(c*x))*cos(3*a/b)/b-1/4*Ci(3*a/b+3*arcsec(c*x))*sin(3*a/b)/b+1/4*Si(a/b+arcsec(c*x))*cos(a/b)/b-1/4*Ci(a/b+arcsec(c*x))*sin(a/b)/b)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] integrate(1/((b*arcsec(c*x) + a)*x^4), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{1}{bx^4 \operatorname{arcsec}(cx) + ax^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] integral(1/(b*x^4*arcsec(c*x) + a*x^4), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \operatorname{arcsec}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**4/(a+b*asec(c*x)),x)
```

```
[Out] Integral(1/(x**4*(a + b*asec(c*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate(1/((b*arcsec(c*x) + a)*x^4), x)
```

$$3.39 \quad \int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=14

$$\text{Unintegrable} \left(\frac{x}{(a+b \sec^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[x/(a + b*ArcSec[c*x])^2, x]

Rubi [A] time = 0.0145601, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*ArcSec[c*x])^2,x]

[Out] Defer[Int][x/(a + b*ArcSec[c*x])^2, x]

Rubi steps

$$\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx = \int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A] time = 9.87738, size = 0, normalized size = 0.

$$\int \frac{x}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*ArcSec[c*x])^2,x]

[Out] Integrate[x/(a + b*ArcSec[c*x])^2, x]

Maple [A] time = 1.09, size = 0, normalized size = 0.

$$\int \frac{x}{(a + b \operatorname{arcsec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arcsec(c*x))^2,x)

[Out] int(x/(a+b*arcsec(c*x))^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$4 \left(bx^2 \arctan(\sqrt{cx+1}\sqrt{cx-1}) + ax^2 \right) \sqrt{cx+1}\sqrt{cx-1} + 4 \left(4b^3 \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 + b^3 \log(c^2x^2)^2 + 4b^3 \log \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -(4*(b*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})) + a*x^2)*\sqrt{c*x + 1}*\sqrt{c*x - 1} - (4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 + b^3*\log(c^2*x^2)^2 \\ & + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) \\ & + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2) * \int (-4*(3*a*c^2*x^3 - 2*a*x + (3*b*c^2*x^3 - 2*b*x)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))) * \sqrt{c*x + 1}*\sqrt{c*x - 1} / (4*b^3*\log(c)^2 + 4*a^2*b - 4*(b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2 - b^3)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - b^3)*\log(x)^2 - 8*(a*b^2*c^2*x^2 - a*b^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x), x) / (4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2) \end{aligned}$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{x}{b^2 \operatorname{arcsec}(cx)^2 + 2ab \operatorname{arcsec}(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(x/(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*asec(c*x))**2,x)

[Out] Integral(x/(a + b*asec(c*x))**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(b \operatorname{arcsec}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate(x/(b*arcsec(c*x) + a)^2, x)

$$3.40 \quad \int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=12

$$\text{Unintegrable} \left(\frac{1}{(a+b \sec^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])^(-2), x]

Rubi [A] time = 0.0056968, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])^(-2), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])^(-2), x]

Rubi steps

$$\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx = \int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A] time = 21.5741, size = 0, normalized size = 0.

$$\int \frac{1}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])^(-2), x]

[Out] Integrate[(a + b*ArcSec[c*x])^(-2), x]

Maple [A] time = 0.461, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx))^{-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arcsec(c*x))^2,x)

[Out] int(1/(a+b*arcsec(c*x))^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$4 \left(bx \arctan(\sqrt{cx+1}\sqrt{cx-1}) + ax \right) \sqrt{cx+1}\sqrt{cx-1} + 4 \left(4b^3 \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 + b^3 \log(c^2x^2) \right)^2 + 4b^3 \log(c^2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -(4*(b*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + a*x)*\sqrt{c*x + 1}*\sqrt{c*x - 1} - (4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + b^3*\log(c^2*x^2)^2 + \\ & 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2)) \\ & *integrate(-4*(2*a*c^2*x^2 + (2*b*c^2*x^2 - b)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - a)*\sqrt{c*x + 1}*\sqrt{c*x - 1}/(4*b^3*\log(c)^2 + 4*a^2*b - 4*(\\ & b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2 - b^3)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 \\ & - b^3)*\log(x)^2 - 8*(a*b^2*c^2*x^2 - a*b^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log \\ & (c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x)), x)/(4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3 \\ & * \log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2)) \end{aligned}$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2 \operatorname{arcsec}(cx)^2 + 2ab \operatorname{arcsec}(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*asec(c*x))**2,x)

[Out] Integral((a + b*asec(c*x))**(-2), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^(-2), x)

$$3.41 \quad \int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=16

$$\text{Unintegrable} \left(\frac{1}{x(a+b \sec^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[1/(x*(a + b*ArcSec[c*x])^2), x]

Rubi [A] time = 0.0242067, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcSec[c*x])^2), x]

[Out] Defer[Int][1/(x*(a + b*ArcSec[c*x])^2), x]

Rubi steps

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx = \int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A] time = 3.24919, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSec[c*x])^2), x]

[Out] Integrate[1/(x*(a + b*ArcSec[c*x])^2), x]

Maple [A] time = 0.75, size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \operatorname{arcsec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arcsec(c*x))^2,x)

[Out] int(1/x/(a+b*arcsec(c*x))^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$4\sqrt{cx+1}\sqrt{cx-1}(b \arctan(\sqrt{cx+1}\sqrt{cx-1}) + a) + 4\left(4b^3 \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 + b^3 \log(c^2x^2)^2 + 4b^3 \log(c)^2 - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out] $-(4\sqrt{cx+1}\sqrt{cx-1}(b \arctan(\sqrt{cx+1}\sqrt{cx-1}) + a) - (4b^3 \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 + b^3 \log(c^2x^2)^2 + 4b^3 \log(c)^2 + 8b^3 \log(c) \log(x) + 4b^3 \log(x)^2 + 8ab^2 \arctan(\sqrt{cx+1}\sqrt{cx-1}) + 4a^2b - 4(b^3 \log(c) + b^3 \log(x)) \log(c^2x^2)) \int \frac{-4(b^3c^2x \arctan(\sqrt{cx+1}\sqrt{cx-1}) + a^2x) \sqrt{cx+1} \sqrt{cx-1}}{(4b^3 \log(c)^2 + 4a^2b - 4(b^3c^2 \log(c)^2 + a^2b^3c^2)x^2 - 4(b^3c^2x^2 - b^3) \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 - (b^3c^2x^2 - b^3) \log(c^2x^2)^2 - 4(b^3c^2x^2 - b^3) \log(x)^2 - 8(ab^2c^2x^2 - ab^2) \arctan(\sqrt{cx+1}\sqrt{cx-1}) + 4(b^3c^2x^2 \log(c) - b^3 \log(c) + (b^3c^2x^2 - b^3) \log(x)) \log(c^2x^2) - 8(b^3c^2x^2 \log(c) - b^3 \log(c)) \log(x))} dx + 4b^3 \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 + b^3 \log(c^2x^2)^2 + 4b^3 \log(c)^2 + 8b^3 \log(c) \log(x) + 4b^3 \log(x)^2 + 8ab^2 \arctan(\sqrt{cx+1}\sqrt{cx-1}) + 4a^2b - 4(b^3 \log(c) + b^3 \log(x)) \log(c^2x^2))$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2x \operatorname{arcsec}(cx)^2 + 2abx \operatorname{arcsec}(cx) + a^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x*arcsec(c*x)^2 + 2*a*b*x*arcsec(c*x) + a^2*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*asec(c*x))**2,x)

[Out] Integral(1/(x*(a + b*asec(c*x))**2), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)^2*x), x)

$$3.42 \quad \int \frac{1}{x^2(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=75

$$\frac{c \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2} + \frac{c \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2} - \frac{c\sqrt{1 - \frac{1}{c^2x^2}}}{b(a + b \sec^{-1}(cx))}$$

[Out] -((c*Sqrt[1 - 1/(c^2*x^2)])/(b*(a + b*ArcSec[c*x]))) + (c*Cos[a/b]*CosIntegral[a/b + ArcSec[c*x]])/b^2 + (c*Sin[a/b]*SinIntegral[a/b + ArcSec[c*x]])/b^2

Rubi [A] time = 0.128973, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5222, 3297, 3303, 3299, 3302}

$$\frac{c \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2} + \frac{c \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{b^2} - \frac{c\sqrt{1 - \frac{1}{c^2x^2}}}{b(a + b \sec^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(a + b*ArcSec[c*x])^2),x]

[Out] -((c*Sqrt[1 - 1/(c^2*x^2)])/(b*(a + b*ArcSec[c*x]))) + (c*Cos[a/b]*CosIntegral[a/b + ArcSec[c*x]])/b^2 + (c*Sin[a/b]*SinIntegral[a/b + ArcSec[c*x]])/b^2

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2 (a + b \sec^{-1}(cx))^2} dx &= c \operatorname{Subst} \left(\int \frac{\sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{b (a + b \sec^{-1}(cx))} + \frac{c \operatorname{Subst} \left(\int \frac{\cos(x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{b} \\
&= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{b (a + b \sec^{-1}(cx))} + \frac{(c \cos(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\cos(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{b} + \frac{(c \sin(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\sin(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{b} \\
&= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{b (a + b \sec^{-1}(cx))} + \frac{c \cos(\frac{a}{b}) \operatorname{Ci}(\frac{a}{b} + \sec^{-1}(cx))}{b^2} + \frac{c \sin(\frac{a}{b}) \operatorname{Si}(\frac{a}{b} + \sec^{-1}(cx))}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.256383, size = 69, normalized size = 0.92

$$\frac{c \left(-\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{a + b \sec^{-1}(cx)} + \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) + \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right) \right)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(a + b*ArcSec[c*x])^2),x]

[Out] (c*(-((b*Sqrt[1 - 1/(c^2*x^2)])/(a + b*ArcSec[c*x])) + Cos[a/b]*CosIntegral[a/b + ArcSec[c*x]] + Sin[a/b]*SinIntegral[a/b + ArcSec[c*x]]))/b^2

Maple [A] time = 0.241, size = 78, normalized size = 1.

$$c \left(-\frac{1}{(a + b \operatorname{arcsec}(cx)) b} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{1}{b^2} \left(\operatorname{Si} \left(\frac{a}{b} + \operatorname{arcsec}(cx) \right) \sin \left(\frac{a}{b} \right) + \operatorname{Ci} \left(\frac{a}{b} + \operatorname{arcsec}(cx) \right) \cos \left(\frac{a}{b} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arcsec(c*x))^2,x)

[Out] c*(-((c^2*x^2-1)/c^2/x^2)^(1/2)/(a+b*arcsec(c*x))/b+(Si(a/b+arcsec(c*x))*sin(a/b)+Ci(a/b+arcsec(c*x))*cos(a/b))/b^2)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$4 \sqrt{cx + 1} \sqrt{cx - 1} (b \arctan(\sqrt{cx + 1} \sqrt{cx - 1}) + a) - 4 \left(4 b^3 x \arctan(\sqrt{cx + 1} \sqrt{cx - 1})^2 + b^3 x \log(c^2 x^2)^2 + 8 b^3 x \log(c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out] -(4*sqrt(c*x + 1)*sqrt(c*x - 1)*(b*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + a) - (4*b^3*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^3*x*log(c^2*x^2)^2 + 8*b^3*x*log(c)*log(x) + 4*b^3*x*log(x)^2 + 8*a*b^2*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(b^3*log(c)^2 + a^2*b)*x - 4*(b^3*x*log(c) + b^3*x*log(x))*log(c^2*x^2))*integrate(4*sqrt(c*x + 1)*sqrt(c*x - 1)*(b*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + a)/(4*(b^3*c^2*log(c)^2 + a^2*b*c^2)*x^4 - 4*(b^3*log(c)^2 + a^2*b)*x^2 + 4*(b^3*c^2*x^4 - b^3*x^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + (b^3*c^2*x^4 - b^3*x^2)*log(c^2*x^2)^2 + 4*(b^3*c^2*x^4 - b^3*x^2)*log(x)^2 + 8*(a*b^2*c^2*x^4 - a*b^2*x^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)))/x^4)

- 1)) - 4*(b^3*c^2*x^4*log(c) - b^3*x^2*log(c) + (b^3*c^2*x^4 - b^3*x^2)*log(x))*log(c^2*x^2) + 8*(b^3*c^2*x^4*log(c) - b^3*x^2*log(c))*log(x)), x))/(4*b^3*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^3*x*log(c^2*x^2)^2 + 8*b^3*x*log(c)*log(x) + 4*b^3*x*log(x)^2 + 8*a*b^2*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(b^3*log(c)^2 + a^2*b)*x - 4*(b^3*x*log(c) + b^3*x*log(x))*log(c^2*x^2))

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2x^2 \operatorname{arcsec}(cx)^2 + 2abx^2 \operatorname{arcsec}(cx) + a^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^2*arcsec(c*x)^2 + 2*a*b*x^2*arcsec(c*x) + a^2*x^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*asec(c*x))**2,x)

[Out] Integral(1/(x**2*(a + b*asec(c*x))**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^2,x, algorithm="giac")

```
[Out] integrate(1/((b*arcsec(c*x) + a)^2*x^2), x)
```


$$3.43 \quad \int \frac{1}{x^3(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=84

$$\frac{c^2 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} + \frac{c^2 \sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} - \frac{c^2 \sin\left(2 \sec^{-1}(cx)\right)}{2b(a + b \sec^{-1}(cx))}$$

[Out] (c^2*cos[(2*a)/b]*CosIntegral[(2*a)/b + 2*ArcSec[c*x]])/b^2 - (c^2*Sin[2*ArcSec[c*x]]/(2*b*(a + b*ArcSec[c*x]))) + (c^2*Sin[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcSec[c*x]])/b^2

Rubi [A] time = 0.149351, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5222, 4406, 12, 3297, 3303, 3299, 3302}

$$\frac{c^2 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} + \frac{c^2 \sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} - \frac{c^2 \sin\left(2 \sec^{-1}(cx)\right)}{2b(a + b \sec^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(a + b*ArcSec[c*x])^2), x]

[Out] (c^2*cos[(2*a)/b]*CosIntegral[(2*a)/b + 2*ArcSec[c*x]])/b^2 - (c^2*Sin[2*ArcSec[c*x]]/(2*b*(a + b*ArcSec[c*x]))) + (c^2*Sin[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcSec[c*x]])/b^2

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG

tQ[p, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :=> Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3 (a + b \sec^{-1}(cx))^2} dx &= c^2 \text{Subst} \left(\int \frac{\cos(x) \sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
&= c^2 \text{Subst} \left(\int \frac{\sin(2x)}{2(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{2} c^2 \text{Subst} \left(\int \frac{\sin(2x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))} + \frac{c^2 \text{Subst} \left(\int \frac{\cos(2x)}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b} \\
&= -\frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))} + \frac{\left(c^2 \cos\left(\frac{2a}{b}\right) \right) \text{Subst} \left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b} + \frac{\left(c^2 \sin\left(\frac{2a}{b}\right) \right)}{b} \\
&= \frac{c^2 \cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{2b(a + b \sec^{-1}(cx))} + \frac{c^2 \sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.350875, size = 80, normalized size = 0.95

$$\frac{c \left(-\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{ax + bx \sec^{-1}(cx)} + c \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sec^{-1}(cx)\right)\right) + c \sin\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \sec^{-1}(cx)\right)\right) \right)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(a + b*ArcSec[c*x])^2),x]

[Out] (c*(-((b*Sqrt[1 - 1/(c^2*x^2)])/(a*x + b*x*ArcSec[c*x])) + c*Cos[(2*a)/b]*CosIntegral[2*(a/b + ArcSec[c*x])] + c*Sin[(2*a)/b]*SinIntegral[2*(a/b + ArcSec[c*x])]))/b^2

Maple [A] time = 0.243, size = 77, normalized size = 0.9

$$c^2 \left(-\frac{\sin(2 \operatorname{arcsec}(cx))}{(2a + 2b \operatorname{arcsec}(cx))b} + \frac{1}{b^2} \left(\text{Si}\left(2\frac{a}{b} + 2 \operatorname{arcsec}(cx)\right) \sin\left(2\frac{a}{b}\right) + \text{Ci}\left(2\frac{a}{b} + 2 \operatorname{arcsec}(cx)\right) \cos\left(2\frac{a}{b}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^3/(a+b*arcsec(c*x))^2,x)
```

```
[Out] c^2*(-1/2*sin(2*arcsec(c*x))/(a+b*arcsec(c*x))/b+(Si(2*a/b+2*arcsec(c*x))*s
in(2*a/b)+Ci(2*a/b+2*arcsec(c*x))*cos(2*a/b))/b^2)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x))^2,x, algorithm="maxima")
```

```
[Out] -(4*sqrt(c*x + 1)*sqrt(c*x - 1)*(b*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + a)
+ (4*b^3*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^3*x^2*log(c^2*x^2)^
2 + 8*b^3*x^2*log(c)*log(x) + 4*b^3*x^2*log(x)^2 + 8*a*b^2*x^2*arctan(sqrt(
c*x + 1)*sqrt(c*x - 1)) + 4*(b^3*log(c)^2 + a^2*b)*x^2 - 4*(b^3*x^2*log(c)
+ b^3*x^2*log(x))*log(c^2*x^2))*integrate(4*(a*c^2*x^2 + (b*c^2*x^2 - 2*b)*
arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 2*a)*sqrt(c*x + 1)*sqrt(c*x - 1)/(4*(
b^3*c^2*log(c)^2 + a^2*b*c^2)*x^5 - 4*(b^3*log(c)^2 + a^2*b)*x^3 + 4*(b^3*c
^2*x^5 - b^3*x^3)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + (b^3*c^2*x^5 - b^
3*x^3)*log(c^2*x^2)^2 + 4*(b^3*c^2*x^5 - b^3*x^3)*log(x)^2 + 8*(a*b^2*c^2*x
^5 - a*b^2*x^3)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 4*(b^3*c^2*x^5*log(c)
- b^3*x^3*log(c) + (b^3*c^2*x^5 - b^3*x^3)*log(x))*log(c^2*x^2) + 8*(b^3*c
^2*x^5*log(c) - b^3*x^3*log(c))*log(x)), x)/(4*b^3*x^2*arctan(sqrt(c*x + 1)
)*sqrt(c*x - 1))^2 + b^3*x^2*log(c^2*x^2)^2 + 8*b^3*x^2*log(c)*log(x) + 4*b
^3*x^2*log(x)^2 + 8*a*b^2*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(b^3*
log(c)^2 + a^2*b)*x^2 - 4*(b^3*x^2*log(c) + b^3*x^2*log(x))*log(c^2*x^2))
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2x^3 \operatorname{arcsec}(cx)^2 + 2abx^3 \operatorname{arcsec}(cx) + a^2x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(1/(b^2*x^3*arcsec(c*x)^2 + 2*a*b*x^3*arcsec(c*x) + a^2*x^3), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(a+b*asec(c*x))**2,x)

[Out] Integral(1/(x**3*(a + b*asec(c*x))**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)^2*x^3), x)

$$3.44 \quad \int \frac{1}{x^4(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=178

$$\frac{c^3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b^2} + \frac{3c^3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b^2} + \frac{c^3 \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b^2} + \dots$$

[Out] $-(c^3 \sqrt{1 - 1/(c^2 x^2)})/(4b(a + b \text{ArcSec}[c x])) + (c^3 \cos[a/b] \text{CosIntegral}[a/b + \text{ArcSec}[c x]])/(4b^2) + (3c^3 \cos[(3a)/b] \text{CosIntegral}[(3a)/b + 3 \text{ArcSec}[c x]])/(4b^2) - (c^3 \sin[3 \text{ArcSec}[c x]])/(4b(a + b \text{ArcSec}[c x])) + (c^3 \sin[a/b] \text{SinIntegral}[a/b + \text{ArcSec}[c x]])/(4b^2) + (3c^3 \sin[(3a)/b] \text{SinIntegral}[(3a)/b + 3 \text{ArcSec}[c x]])/(4b^2)$

Rubi [A] time = 0.266526, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 4406, 3297, 3303, 3299, 3302}

$$\frac{c^3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b^2} + \frac{3c^3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{4b^2} + \frac{c^3 \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{4b^2} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/(x^4(a + b \text{ArcSec}[c x])^2), x]$

[Out] $-(c^3 \sqrt{1 - 1/(c^2 x^2)})/(4b(a + b \text{ArcSec}[c x])) + (c^3 \cos[a/b] \text{CosIntegral}[a/b + \text{ArcSec}[c x]])/(4b^2) + (3c^3 \cos[(3a)/b] \text{CosIntegral}[(3a)/b + 3 \text{ArcSec}[c x]])/(4b^2) - (c^3 \sin[3 \text{ArcSec}[c x]])/(4b(a + b \text{ArcSec}[c x])) + (c^3 \sin[a/b] \text{SinIntegral}[a/b + \text{ArcSec}[c x]])/(4b^2) + (3c^3 \sin[(3a)/b] \text{SinIntegral}[(3a)/b + 3 \text{ArcSec}[c x]])/(4b^2)$

Rule 5222

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)(x_.)](b_.)]^{(n_.)}(x_.)^{(m_.)}, x_Symbol] :> \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b x)^n \text{Sec}[x]^{(m+1)} \text{Tan}[x], x], x, \text{ArcSec}[c x]], x] /;$ FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (a + b \sec^{-1}(cx))^2} dx &= c^3 \text{Subst} \left(\int \frac{\cos^2(x) \sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
&= c^3 \text{Subst} \left(\int \left(\frac{\sin(x)}{4(a + bx)^2} + \frac{\sin(3x)}{4(a + bx)^2} \right) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(3x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b (a + b \sec^{-1}(cx))} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))} + \frac{c^3 \text{Subst} \left(\int \frac{\cos(x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{4b} + \frac{(3c^3)}{4b} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b (a + b \sec^{-1}(cx))} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))} + \frac{(c^3 \cos(\frac{a}{b})) \text{Subst} \left(\int \frac{\cos(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{4b} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{4b (a + b \sec^{-1}(cx))} + \frac{c^3 \cos(\frac{a}{b}) \text{Ci}(\frac{a}{b} + \sec^{-1}(cx))}{4b^2} + \frac{3c^3 \cos(\frac{3a}{b}) \text{Ci}(\frac{3a}{b} + 3 \sec^{-1}(cx))}{4b^2}
\end{aligned}$$

Mathematica [A] time = 0.445924, size = 223, normalized size = 1.25

$$c^3 x^2 \cos\left(\frac{a}{b}\right) (a + b \sec^{-1}(cx)) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) + 3c^3 x^2 \cos\left(\frac{3a}{b}\right) (a + b \sec^{-1}(cx)) \text{CosIntegral}\left(3\left(\frac{a}{b} + \sec^{-1}(cx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(a + b*ArcSec[c*x])^2),x]

[Out] (-4*b*c*Sqrt[1 - 1/(c^2*x^2)] + c^3*x^2*(a + b*ArcSec[c*x])*Cos[a/b]*CosIntegral[a/b + ArcSec[c*x]] + 3*c^3*x^2*(a + b*ArcSec[c*x])*Cos[(3*a)/b]*CosIntegral[3*(a/b + ArcSec[c*x])] + a*c^3*x^2*Sin[a/b]*SinIntegral[a/b + ArcSec[c*x]] + b*c^3*x^2*ArcSec[c*x]*Sin[a/b]*SinIntegral[a/b + ArcSec[c*x]] + 3*a*c^3*x^2*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSec[c*x])] + 3*b*c^3*x^2*ArcSec[c*x]*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSec[c*x])])/(4*b^2*x^2*(a + b*ArcSec[c*x]))

Maple [A] time = 0.247, size = 153, normalized size = 0.9

$$c^3 \left(-\frac{\sin(3 \operatorname{arcsec}(cx))}{(4a + 4b \operatorname{arcsec}(cx))b} + \frac{3}{4b^2} \left(\operatorname{Si}\left(3\frac{a}{b} + 3 \operatorname{arcsec}(cx)\right) \sin\left(3\frac{a}{b}\right) + \operatorname{Ci}\left(3\frac{a}{b} + 3 \operatorname{arcsec}(cx)\right) \cos\left(3\frac{a}{b}\right) \right) - \frac{3c^3 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \operatorname{arcsec}(cx)\right)}{(4a + 4b \operatorname{arcsec}(cx))b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/x^4/(a+b*\text{arcsec}(c*x))^2,x)$

[Out] $c^3*(-1/4*\sin(3*\text{arcsec}(c*x))/(a+b*\text{arcsec}(c*x))/b+3/4*(\text{Si}(3*a/b+3*\text{arcsec}(c*x))*\sin(3*a/b)+\text{Ci}(3*a/b+3*\text{arcsec}(c*x))*\cos(3*a/b))/b^2-1/4*((c^2*x^2-1)/c^2/x^2)^{(1/2)/(a+b*\text{arcsec}(c*x))/b+1/4*(\text{Si}(a/b+\text{arcsec}(c*x))*\sin(a/b)+\text{Ci}(a/b+\text{arcsec}(c*x))*\cos(a/b))/b^2)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(1/x^4/(a+b*\text{arcsec}(c*x))^2,x, \text{algorithm}="maxima")$

[Out] $-(4*\sqrt{c*x+1}*\sqrt{c*x-1}*(b*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1})) + a) + (4*b^3*x^3*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1})^2 + b^3*x^3*\log(c^2*x^2)^2 + 8*b^3*x^3*\log(c)*\log(x) + 4*b^3*x^3*\log(x)^2 + 8*a*b^2*x^3*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1}) + 4*(b^3*\log(c)^2 + a^2*b)*x^3 - 4*(b^3*x^3*\log(c) + b^3*x^3*\log(x))*\log(c^2*x^2))*\text{integrate}(4*(2*a*c^2*x^2 + (2*b*c^2*x^2 - 3*b)*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1}) - 3*a)*\sqrt{c*x+1}*\sqrt{c*x-1}/(4*(b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^6 - 4*(b^3*\log(c)^2 + a^2*b)*x^4 + 4*(b^3*c^2*x^6 - b^3*x^4)*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1})^2 + (b^3*c^2*x^6 - b^3*x^4)*\log(c^2*x^2)^2 + 4*(b^3*c^2*x^6 - b^3*x^4)*\log(x)^2 + 8*(a*b^2*c^2*x^6 - a*b^2*x^4)*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1}) - 4*(b^3*c^2*x^6*\log(c) - b^3*x^4*\log(c) + (b^3*c^2*x^6 - b^3*x^4)*\log(x))*\log(c^2*x^2) + 8*(b^3*c^2*x^6*\log(c) - b^3*x^4*\log(c))*\log(x)), x)/(4*b^3*x^3*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1})^2 + b^3*x^3*\log(c^2*x^2)^2 + 8*b^3*x^3*\log(c)*\log(x) + 4*b^3*x^3*\log(x)^2 + 8*a*b^2*x^3*\arctan(\sqrt{c*x+1}*\sqrt{c*x-1}) + 4*(b^3*\log(c)^2 + a^2*b)*x^3 - 4*(b^3*x^3*\log(c) + b^3*x^3*\log(x))*\log(c^2*x^2))$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2x^4 \text{arcsec}(cx)^2 + 2abx^4 \text{arcsec}(cx) + a^2x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^4*arcsec(c*x)^2 + 2*a*b*x^4*arcsec(c*x) + a^2*x^4), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \operatorname{arccsc}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(a+b*asec(c*x))**2,x)

[Out] Integral(1/(x**4*(a + b*asec(c*x))**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)^2*x^4), x)

$$3.45 \quad \int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=14

$$\text{Unintegrable} \left(\frac{x}{(a+b \sec^{-1}(cx))^3}, x \right)$$

[Out] Unintegrable[x/(a + b*ArcSec[c*x])^3, x]

Rubi [A] time = 0.014366, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*ArcSec[c*x])^3,x]

[Out] Defer[Int][x/(a + b*ArcSec[c*x])^3, x]

Rubi steps

$$\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx = \int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Mathematica [A] time = 3.35315, size = 0, normalized size = 0.

$$\int \frac{x}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*ArcSec[c*x])^3,x]

[Out] Integrate[x/(a + b*ArcSec[c*x])^3, x]

Maple [A] time = 1.274, size = 0, normalized size = 0.

$$\int \frac{x}{(a + b \operatorname{arcsec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arcsec(c*x))^3,x)

[Out] int(x/(a+b*arcsec(c*x))^3,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -(24*(a*b^2*c^2*\log(c)^2 + a^3*c^2)*x^4 + 8*(3*b^3*c^2*x^4 - 2*b^3*x^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 - 16*(a*b^2*\log(c)^2 + a^3)*x^2 + 24*(3*a*b^2*c^2*x^4 - 2*a*b^2*x^2)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 2*(3*a*b^2*c^2*x^4 - 2*a*b^2*x^2)*\log(c^2*x^2)^2 + 8*(3*a*b^2*c^2*x^4 - 2*a*b^2*x^2)*\log(x)^2 + 2*(4*b^3*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 - b^3*x^2*\log(c^2*x^2)^2 - 8*b^3*x^2*\log(c)*\log(x) - 4*b^3*x^2*\log(x)^2 + 8*a*b^2*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - 4*(b^3*\log(c)^2 - a^2*b)*x^2 + 4*(b^3*x^2*\log(c) + b^3*x^2*\log(x))*\log(c^2*x^2))*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 2*(12*(b^3*c^2*\log(c)^2 + 3*a^2*b*c^2)*x^4 - 8*(b^3*\log(c)^2 + 3*a^2*b)*x^2 + (3*b^3*c^2*x^4 - 2*b^3*x^2)*\log(c^2*x^2)^2 + 4*(3*b^3*c^2*x^4 - 2*b^3*x^2)*\log(x)^2 - 4*(3*b^3*c^2*x^4*\log(c) - 2*b^3*x^2*\log(c) + (3*b^3*c^2*x^4 - 2*b^3*x^2)*\log(x))*\log(c^2*x^2) + 8*(3*b^3*c^2*x^4*\log(c) - 2*b^3*x^2*\log(c))*\log(x))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - (16*b^6*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) \end{aligned}$$

```

+ 3*b^6*log(x)^2 + a^2*b^4)*log(c^2*x^2)^2 + 32*(3*b^6*log(c)^2 + a^2*b^4)*
log(x)^2 + 16*(a*b^5*log(c^2*x^2)^2 + 4*a*b^5*log(c)^2 + 8*a*b^5*log(c)*log
(x) + 4*a*b^5*log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*log(c) + a*b^5*log(x))*log(c^
2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32*(b^6*log(c)^3 + 3*b^6*log(
c)*log(x)^2 + b^6*log(x)^3 + a^2*b^4*log(c) + (3*b^6*log(c)^2 + a^2*b^4)*lo
g(x))*log(c^2*x^2) + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*log(x))*integrate(8
*(3*a*c^2*x^3 - a*x + (3*b*c^2*x^3 - b*x)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1
)))/(4*b^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^4*log(c^2*x^2)^2 + 4*b
^4*log(c)^2 + 8*b^4*log(c)*log(x) + 4*b^4*log(x)^2 + 8*a*b^3*arctan(sqrt(c*
x + 1)*sqrt(c*x - 1)) + 4*a^2*b^2 - 4*(b^4*log(c) + b^4*log(x))*log(c^2*x^2
)), x) - 8*(3*a*b^2*c^2*x^4*log(c) - 2*a*b^2*x^2*log(c) + (3*a*b^2*c^2*x^4
- 2*a*b^2*x^2)*log(x))*log(c^2*x^2) + 16*(3*a*b^2*c^2*x^4*log(c) - 2*a*b^2*
x^2*log(c))*log(x))/(16*b^6*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^4 + b^6*log
(c^2*x^2)^4 + 16*b^6*log(c)^4 + 64*b^6*log(c)*log(x)^3 + 16*b^6*log(x)^4 +
64*a*b^5*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 + 32*a^2*b^4*log(c)^2 + 16*a
^4*b^2 - 8*(b^6*log(c) + b^6*log(x))*log(c^2*x^2)^3 + 8*(b^6*log(c^2*x^2)^2
+ 4*b^6*log(c)^2 + 8*b^6*log(c)*log(x) + 4*b^6*log(x)^2 + 12*a^2*b^4 - 4*(
b^6*log(c) + b^6*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^
2 + 8*(3*b^6*log(c)^2 + 6*b^6*log(c)*log(x) + 3*b^6*log(x)^2 + a^2*b^4)*log
(c^2*x^2)^2 + 32*(3*b^6*log(c)^2 + a^2*b^4)*log(x)^2 + 16*(a*b^5*log(c^2*x^
2)^2 + 4*a*b^5*log(c)^2 + 8*a*b^5*log(c)*log(x) + 4*a*b^5*log(x)^2 + 4*a^3*
b^3 - 4*(a*b^5*log(c) + a*b^5*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sq
rt(c*x - 1)) - 32*(b^6*log(c)^3 + 3*b^6*log(c)*log(x)^2 + b^6*log(x)^3 + a^
2*b^4*log(c) + (3*b^6*log(c)^2 + a^2*b^4)*log(x))*log(c^2*x^2) + 64*(b^6*lo
g(c)^3 + a^2*b^4*log(c))*log(x)

```

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{x}{b^3 \operatorname{arcsec}(cx)^3 + 3ab^2 \operatorname{arcsec}(cx)^2 + 3a^2b \operatorname{arcsec}(cx) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(x/(b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*asec(c*x))**3,x)

[Out] Integral(x/(a + b*asec(c*x))**3, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(b \operatorname{arcsec}(cx) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate(x/(b*arcsec(c*x) + a)^3, x)

$$3.46 \quad \int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=12

$$\text{Unintegrable} \left(\frac{1}{(a+b \sec^{-1}(cx))^3}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])^(-3), x]

Rubi [A] time = 0.0061648, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])^(-3), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])^(-3), x]

Rubi steps

$$\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx = \int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Mathematica [A] time = 11.2625, size = 0, normalized size = 0.

$$\int \frac{1}{(a+b \sec^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])^(-3), x]

[Out] Integrate[(a + b*ArcSec[c*x])^(-3), x]

Maple [A] time = 0.545, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx))^{-3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arcsec(c*x))^3,x)

[Out] int(1/(a+b*arcsec(c*x))^3,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out]
$$-(16*(a*b^2*c^2*\log(c)^2 + a^3*c^2)*x^3 + 8*(2*b^3*c^2*x^3 - b^3*x)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^3 + 24*(2*a*b^2*c^2*x^3 - a*b^2*x)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 2*(2*a*b^2*c^2*x^3 - a*b^2*x)*\log(c^2*x^2)^2 + 8*(2*a*b^2*c^2*x^3 - a*b^2*x)*\log(x)^2 + 2*(4*b^3*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 - b^3*x*\log(c^2*x^2)^2 - 8*b^3*x*\log(c)*\log(x) - 4*b^3*x*\log(x)^2 + 8*a*b^2*x*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - 4*(b^3*\log(c)^2 - a^2*b)*x + 4*(b^3*x*\log(c) + b^3*x*\log(x))*\log(c^2*x^2)*\sqrt{c*x + 1}*\sqrt{c*x - 1} - 8*(a*b^2*\log(c)^2 + a^3)*x + 2*(8*(b^3*c^2*\log(c)^2 + 3*a^2*b*c^2)*x^3 + (2*b^3*c^2*x^3 - b^3*x)*\log(c^2*x^2)^2 + 4*(2*b^3*c^2*x^3 - b^3*x)*\log(x)^2 - 4*(b^3*\log(c)^2 + 3*a^2*b)*x - 4*(2*b^3*c^2*x^3*\log(c) - b^3*x*\log(c) + (2*b^3*c^2*x^3 - b^3*x)*\log(x))*\log(c^2*x^2) + 8*(2*b^3*c^2*x^3*\log(c) - b^3*x*\log(c))*\log(x))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - (16*b^6*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log(c^2*x^2)^2 + 32*(3*b^6*\log$$

$(c)^2 + a^2*b^4)*\log(x)^2 + 16*(a*b^5*\log(c^2*x^2))^2 + 4*a*b^5*\log(c)^2 + 8$
 $*a*b^5*\log(c)*\log(x) + 4*a*b^5*\log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*\log(c) + a*b$
 $^5*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1)) - 32*(b^6*\log(c)$
 $^3 + 3*b^6*\log(c)*\log(x)^2 + b^6*\log(x)^3 + a^2*b^4*\log(c) + (3*b^6*\log(c)$
 $)^2 + a^2*b^4)*\log(x))*\log(c^2*x^2) + 64*(b^6*\log(c)^3 + a^2*b^4*\log(c))*\log$
 $(x))*\int(2*(6*a*c^2*x^2 + (6*b*c^2*x^2 - b)*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1)) - a)/(4*b^4*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^2 + b^4*\log(c^2$
 $*x^2)^2 + 4*b^4*\log(c)^2 + 8*b^4*\log(c)*\log(x) + 4*b^4*\log(x)^2 + 8*a*b^3*a$
 $\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1)) + 4*a^2*b^2 - 4*(b^4*\log(c) + b^4*\log(x)$
 $)*\log(c^2*x^2)), x) - 8*(2*a*b^2*c^2*x^3*\log(c) - a*b^2*x*\log(c) + (2*a*b^2$
 $*c^2*x^3 - a*b^2*x)*\log(x))*\log(c^2*x^2) + 16*(2*a*b^2*c^2*x^3*\log(c) - a*b$
 $^2*x*\log(c))*\log(x))/(16*b^6*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1))^4 + b^6*\log$
 $(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log(x)^3 + 16*b^6*\log(x)^4 +$
 $64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1))^3 + 32*a^2*b^4*\log(c)^2 + 16*$
 $a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2)^3 + 8*(b^6*\log(c^2*x^2)^$
 $2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6*\log(x)^2 + 12*a^2*b^4 - 4*$
 $(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1))$
 $^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3*b^6*\log(x)^2 + a^2*b^4)*\log$
 $(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log(x)^2 + 16*(a*b^5*\log(c^2*x$
 $^2)^2 + 4*a*b^5*\log(c)^2 + 8*a*b^5*\log(c)*\log(x) + 4*a*b^5*\log(x)^2 + 4*a^3$
 $*b^3 - 4*(a*b^5*\log(c) + a*b^5*\log(x))*\log(c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1)) - 32*(b^6*\log(c)^3 + 3*b^6*\log(c)*\log(x)^2 + b^6*\log(x)^3 + a$
 $^2*b^4*\log(c) + (3*b^6*\log(c)^2 + a^2*b^4)*\log(x))*\log(c^2*x^2) + 64*(b^6*\log(c)^3 + a^2*b^4*\log(c))*\log(x))$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3 \operatorname{arcsec}(cx)^3 + 3ab^2 \operatorname{arcsec}(cx)^2 + 3a^2b \operatorname{arcsec}(cx) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*asec(c*x))**3,x)

[Out] Integral((a + b*asec(c*x))**(-3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^(-3), x)

$$3.47 \quad \int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=16

$$\text{Unintegrable} \left(\frac{1}{x(a+b \sec^{-1}(cx))^3}, x \right)$$

[Out] Unintegrable[1/(x*(a + b*ArcSec[c*x])^3), x]

Rubi [A] time = 0.0249043, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcSec[c*x])^3), x]

[Out] Defer[Int][1/(x*(a + b*ArcSec[c*x])^3), x]

Rubi steps

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx = \int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Mathematica [A] time = 1.6879, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \sec^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcSec[c*x])^3), x]

[Out] Integrate[1/(x*(a + b*ArcSec[c*x])^3), x]

Maple [A] time = 0.799, size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \operatorname{arcsec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arcsec(c*x))^3,x)

[Out] int(1/x/(a+b*arcsec(c*x))^3,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -(8*b^3*c^2*x^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}))^3 + 24*a*b^2*c^2*x^2*\ar \\ & \operatorname{ctan}(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 2*a*b^2*c^2*x^2*\log(c^2*x^2)^2 + 16*a \\ & *b^2*c^2*x^2*\log(c)*\log(x) + 8*a*b^2*c^2*x^2*\log(x)^2 + 8*(a*b^2*c^2*\log(c) \\ & ^2 + a^3*c^2)*x^2 + 2*(4*b^3*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 - b^3*\log \\ & (c^2*x^2)^2 - 4*b^3*\log(c)^2 - 8*b^3*\log(c)*\log(x) - 4*b^3*\log(x)^2 + 8*a \\ & *b^2*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) + 4*a^2*b + 4*(b^3*\log(c) + b^3*\log \\ & (x))*\log(c^2*x^2))*\sqrt{c*x + 1}*\sqrt{c*x - 1} + 2*(b^3*c^2*x^2*\log(c^2*x^2) \\ &)^2 + 8*b^3*c^2*x^2*\log(c)*\log(x) + 4*b^3*c^2*x^2*\log(x)^2 + 4*(b^3*c^2*\log \\ & (c)^2 + 3*a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2*\log(c) + b^3*c^2*x^2*\log(x))*\log \\ & (c^2*x^2))*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1}) - (16*b^6*\arctan(\sqrt{c*x + 1} \\ &)*\sqrt{c*x - 1})^4 + b^6*\log(c^2*x^2)^4 + 16*b^6*\log(c)^4 + 64*b^6*\log(c)*\log \\ & (x)^3 + 16*b^6*\log(x)^4 + 64*a*b^5*\arctan(\sqrt{c*x + 1}*\sqrt{c*x - 1})^3 \\ & + 32*a^2*b^4*\log(c)^2 + 16*a^4*b^2 - 8*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2) \\ & ^3 + 8*(b^6*\log(c^2*x^2)^2 + 4*b^6*\log(c)^2 + 8*b^6*\log(c)*\log(x) + 4*b^6 \\ & *\log(x)^2 + 12*a^2*b^4 - 4*(b^6*\log(c) + b^6*\log(x))*\log(c^2*x^2))*\arctan \\ & (\sqrt{c*x + 1}*\sqrt{c*x - 1})^2 + 8*(3*b^6*\log(c)^2 + 6*b^6*\log(c)*\log(x) + 3 \\ & *b^6*\log(x)^2 + a^2*b^4)*\log(c^2*x^2)^2 + 32*(3*b^6*\log(c)^2 + a^2*b^4)*\log \\ & (x)^2 + 16*(a*b^5*\log(c^2*x^2)^2 + 4*a*b^5*\log(c)^2 + 8*a*b^5*\log(c)*\log(x) \\ & + 4*a*b^5*\log(x)^2 + 4*a^3*b^3 - 4*(a*b^5*\log(c) + a*b^5*\log(x))*\log(c^2*x \end{aligned}$$

$$\begin{aligned} &^2)) \arctan(\sqrt{cx+1}\sqrt{cx-1}) - 32(b^6 \log(c)^3 + 3b^6 \log(c) \log(x)^2 + b^6 \log(x)^3 + a^2 b^4 \log(c) + (3b^6 \log(c)^2 + a^2 b^4) \log(x)) \log(c^2 x^2) + 64(b^6 \log(c)^3 + a^2 b^4 \log(c)) \log(x) \int (4(b^2 c^2 x \arctan(\sqrt{cx+1}\sqrt{cx-1}) + a c^2 x) / (4b^4 \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 + b^4 \log(c^2 x^2)^2 + 4b^4 \log(c)^2 + 8b^4 \log(c) \log(x) + 4b^4 \log(x)^2 + 8a^2 b^3 \arctan(\sqrt{cx+1}\sqrt{cx-1}) + 4a^2 b^2 - 4(b^4 \log(c) + b^4 \log(x)) \log(c^2 x^2)), x) - 8(a^2 b^2 c^2 x^2 \log(c) + a^2 b^2 c^2 x^2 \log(x)) \log(c^2 x^2) / (16b^6 \arctan(\sqrt{cx+1}\sqrt{cx-1})^4 + b^6 \log(c^2 x^2)^4 + 16b^6 \log(c)^4 + 64b^6 \log(c) \log(x)^3 + 16b^6 \log(x)^4 + 64a^2 b^5 \arctan(\sqrt{cx+1}\sqrt{cx-1})^3 + 32a^2 b^4 \log(c)^2 + 16a^4 b^2 - 8(b^6 \log(c) + b^6 \log(x)) \log(c^2 x^2)^3 + 8(b^6 \log(c^2 x^2)^2 + 4b^6 \log(c)^2 + 8b^6 \log(c) \log(x) + 4b^6 \log(x)^2 + 12a^2 b^4 - 4(b^6 \log(c) + b^6 \log(x)) \log(c^2 x^2)) \arctan(\sqrt{cx+1}\sqrt{cx-1})^2 + 8(3b^6 \log(c)^2 + 6b^6 \log(c) \log(x) + 3b^6 \log(x)^2 + a^2 b^4) \log(c^2 x^2)^2 + 32(3b^6 \log(c)^2 + a^2 b^4) \log(x)^2 + 16(a^2 b^5 \log(c^2 x^2)^2 + 4a^2 b^5 \log(c)^2 + 8a^2 b^5 \log(c) \log(x) + 4a^2 b^5 \log(x)^2 + 4a^3 b^3 - 4(a^2 b^5 \log(c) + a^2 b^5 \log(x)) \log(c^2 x^2)) \arctan(\sqrt{cx+1}\sqrt{cx-1}) - 32(b^6 \log(c)^3 + 3b^6 \log(c) \log(x)^2 + b^6 \log(x)^3 + a^2 b^4 \log(c) + (3b^6 \log(c)^2 + a^2 b^4) \log(x)) \log(c^2 x^2) + 64(b^6 \log(c)^3 + a^2 b^4 \log(c)) \log(x) \end{aligned}$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3 x \operatorname{arcsec}(cx)^3 + 3ab^2 x \operatorname{arcsec}(cx)^2 + 3a^2 b x \operatorname{arcsec}(cx) + a^3 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x*arcsec(c*x)^3 + 3*a*b^2*x*arcsec(c*x)^2 + 3*a^2*b*x*arcsec(c*x) + a^3*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*asec(c*x))**3,x)

[Out] Integral(1/(x*(a + b*asec(c*x))**3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)^3*x), x)

$$3.48 \quad \int \frac{1}{x^2(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=103

$$\frac{c \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3} - \frac{c \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3} - \frac{1}{2b^2x(a+b \sec^{-1}(cx))} - \frac{c\sqrt{1-\frac{1}{c^2x^2}}}{2b(a+b \sec^{-1}(cx))^2}$$

[Out] $-(c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(2*b*(a + b*\text{ArcSec}[c*x])^2) - 1/(2*b^2*x*(a + b*\text{ArcSec}[c*x])) + (c*\text{CosIntegral}[a/b + \text{ArcSec}[c*x]]*\text{Sin}[a/b])/(2*b^3) - (c*\text{Cos}[a/b]*\text{SinIntegral}[a/b + \text{ArcSec}[c*x]])/(2*b^3)$

Rubi [A] time = 0.147265, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5222, 3297, 3303, 3299, 3302}

$$\frac{c \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3} - \frac{c \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{2b^3} - \frac{1}{2b^2x(a+b \sec^{-1}(cx))} - \frac{c\sqrt{1-\frac{1}{c^2x^2}}}{2b(a+b \sec^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/(x^2*(a + b*\text{ArcSec}[c*x])^3), x]$

[Out] $-(c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(2*b*(a + b*\text{ArcSec}[c*x])^2) - 1/(2*b^2*x*(a + b*\text{ArcSec}[c*x])) + (c*\text{CosIntegral}[a/b + \text{ArcSec}[c*x]]*\text{Sin}[a/b])/(2*b^3) - (c*\text{Cos}[a/b]*\text{SinIntegral}[a/b + \text{ArcSec}[c*x]])/(2*b^3)$

Rule 5222

$\text{Int}[\left((a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.)\right)^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x]^{(m+1)}*\text{Tan}[x], x], x, \text{ArcSec}[c*x]], x] /;$ FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 3297

$\text{Int}[\left((c_.) + (d_.)*(x_.)\right)^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\left((c + d*x)^{(m+1)}*\text{Sin}[e + f*x]\right)/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{(m+1)}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^2 (a + b \sec^{-1}(cx))^3} dx &= c \operatorname{Subst} \left(\int \frac{\sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
 &= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} + \frac{c \operatorname{Subst} \left(\int \frac{\cos(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right)}{2b} \\
 &= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} - \frac{1}{2b^2 x (a + b \sec^{-1}(cx))} - \frac{c \operatorname{Subst} \left(\int \frac{\sin(x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{2b^2} \\
 &= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} - \frac{1}{2b^2 x (a + b \sec^{-1}(cx))} - \frac{(c \cos(\frac{a}{b})) \operatorname{Subst} \left(\int \frac{\sin(\frac{a}{b} + x)}{a + bx} dx, x, \sec^{-1}(cx) \right)}{2b^2} \\
 &= -\frac{c \sqrt{1 - \frac{1}{c^2 x^2}}}{2b (a + b \sec^{-1}(cx))^2} - \frac{1}{2b^2 x (a + b \sec^{-1}(cx))} + \frac{c \operatorname{Ci} \left(\frac{a}{b} + \sec^{-1}(cx) \right) \sin \left(\frac{a}{b} \right)}{2b^3} - \frac{c \cos \left(\frac{a}{b} \right)}{2b^3}
 \end{aligned}$$

Mathematica [A] time = 0.371504, size = 88, normalized size = 0.85

$$\frac{b \left(a + bcx \sqrt{1 - \frac{1}{c^2 x^2}} + b \sec^{-1}(cx) \right) - c \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) + c \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{x(a + b \sec^{-1}(cx))^2} \frac{1}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(a + b*ArcSec[c*x])^3),x]

[Out] -((b*(a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x + b*ArcSec[c*x]))/(x*(a + b*ArcSec[c*x])^2) - c*CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b] + c*Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]])/(2*b^3)

Maple [A] time = 0.27, size = 154, normalized size = 1.5

$$c \left(-\frac{1}{2(a + b \operatorname{arcsec}(cx))^2 b} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{1}{2cx(a + b \operatorname{arcsec}(cx)) b^3} \left(\operatorname{Si}\left(\frac{a}{b} + \operatorname{arcsec}(cx)\right) \cos\left(\frac{a}{b}\right) \operatorname{arcsec}(cx) cx b - \operatorname{Ci}\left(\frac{a}{b} + \operatorname{arcsec}(cx)\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arcsec(c*x))^3,x)

[Out] c*(-1/2*((c^2*x^2-1)/c^2/x^2)^(1/2)/(a+b*arcsec(c*x))^2/b-1/2*(Si(a/b+arcsec(c*x))*cos(a/b)*arcsec(c*x)*c*x*b-Ci(a/b+arcsec(c*x))*sin(a/b)*arcsec(c*x)*c*x*b+Si(a/b+arcsec(c*x))*cos(a/b)*c*x*a-Ci(a/b+arcsec(c*x))*sin(a/b)*c*x*a+b)/c/x/(a+b*arcsec(c*x))/b^3)

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out] -(8*b^3*arctan(sqrt(c*x + 1))*sqrt(c*x - 1))^3 + 24*a*b^2*arctan(sqrt(c*x + 1))*sqrt(c*x - 1)^2 + 2*a*b^2*log(c^2*x^2)^2 + 8*a*b^2*log(c)^2 + 16*a*b^2*

```

log(c)*log(x) + 8*a*b^2*log(x)^2 + 8*a^3 + 2*(4*b^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 - b^3*log(c^2*x^2)^2 - 4*b^3*log(c)^2 - 8*b^3*log(c)*log(x) - 4*b^3*log(x)^2 + 8*a*b^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*a^2*b + 4*(b^3*log(c) + b^3*log(x))*log(c^2*x^2))*sqrt(c*x + 1)*sqrt(c*x - 1) + 2*(b^3*log(c^2*x^2)^2 + 4*b^3*log(c)^2 + 8*b^3*log(c)*log(x) + 4*b^3*log(x)^2 + 12*a^2*b - 4*(b^3*log(c) + b^3*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + (16*b^6*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^4 + b^6*x*log(c^2*x^2)^4 + 64*b^6*x*log(c)*log(x)^3 + 16*b^6*x*log(x)^4 + 64*a*b^5*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 8*(b^6*x*log(c) + b^6*x*log(x))*log(c^2*x^2)^3 + 32*(3*b^6*log(c)^2 + a^2*b^4)*x*log(x)^2 + 8*(b^6*x*log(c^2*x^2)^2 + 8*b^6*x*log(c)*log(x) + 4*b^6*x*log(x)^2 + 4*(b^6*log(c)^2 + 3*a^2*b^4)*x - 4*(b^6*x*log(c) + b^6*x*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + 8*(6*b^6*x*log(c)*log(x) + 3*b^6*x*log(x)^2 + (3*b^6*log(c)^2 + a^2*b^4)*x)*log(c^2*x^2)^2 + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x*log(x) + 16*(b^6*log(c)^4 + 2*a^2*b^4*log(c)^2 + a^4*b^2)*x + 16*(a*b^5*x*log(c^2*x^2)^2 + 8*a*b^5*x*log(c)*log(x) + 4*a*b^5*x*log(x)^2 + 4*(a*b^5*log(c)^2 + a^3*b^3)*x - 4*(a*b^5*x*log(c) + a*b^5*x*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32*(3*b^6*x*log(c)*log(x)^2 + b^6*x*log(x)^3 + (3*b^6*log(c)^2 + a^2*b^4)*x*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*x)*log(c^2*x^2))*integrate(2*(b*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + a)/(4*b^4*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + b^4*x^2*log(c^2*x^2)^2 + 8*b^4*x^2*log(c)*log(x) + 4*b^4*x^2*log(x)^2 + 8*a*b^3*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(b^4*log(c)^2 + a^2*b^2)*x^2 - 4*(b^4*x^2*log(c) + b^4*x^2*log(x))*log(c^2*x^2)), x) - 8*(a*b^2*log(c) + a*b^2*log(x))*log(c^2*x^2))/(16*b^6*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^4 + b^6*x*log(c^2*x^2)^4 + 64*b^6*x*log(c)*log(x)^3 + 16*b^6*x*log(x)^4 + 64*a*b^5*x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 8*(b^6*x*log(c) + b^6*x*log(x))*log(c^2*x^2)^3 + 32*(3*b^6*log(c)^2 + a^2*b^4)*x*log(x)^2 + 8*(b^6*x*log(c^2*x^2)^2 + 8*b^6*x*log(c)*log(x) + 4*b^6*x*log(x)^2 + 4*(b^6*log(c)^2 + 3*a^2*b^4)*x - 4*(b^6*x*log(c) + b^6*x*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + 8*(6*b^6*x*log(c)*log(x) + 3*b^6*x*log(x)^2 + (3*b^6*log(c)^2 + a^2*b^4)*x)*log(c^2*x^2)^2 + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x*log(x) + 16*(b^6*log(c)^4 + 2*a^2*b^4*log(c)^2 + a^4*b^2)*x + 16*(a*b^5*x*log(c^2*x^2)^2 + 8*a*b^5*x*log(c)*log(x) + 4*a*b^5*x*log(x)^2 + 4*(a*b^5*log(c)^2 + a^3*b^3)*x - 4*(a*b^5*x*log(c) + a*b^5*x*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32*(3*b^6*x*log(c)*log(x)^2 + b^6*x*log(x)^3 + (3*b^6*log(c)^2 + a^2*b^4)*x*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*x)*log(c^2*x^2))

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3x^2 \operatorname{arcsec}(cx)^3 + 3ab^2x^2 \operatorname{arcsec}(cx)^2 + 3a^2bx^2 \operatorname{arcsec}(cx) + a^3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsec(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral(1/(b^3*x^2*arcsec(c*x)^3 + 3*a*b^2*x^2*arcsec(c*x)^2 + 3*a^2*b*x^2*arcsec(c*x) + a^3*x^2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(a+b*asec(c*x))**3,x)
```

```
[Out] Integral(1/(x**2*(a + b*asec(c*x))**3), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsec(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate(1/((b*arcsec(c*x) + a)^3*x^2), x)
```

$$3.49 \quad \int \frac{1}{x^3(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=112

$$\frac{c^2 \sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^3} - \frac{c^2 \cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^3} - \frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2(a + b \sec^{-1}(cx))} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b(a + b \sec^{-1}(cx))}$$

[Out] $-(c^2 \text{Cos}[2 \text{ArcSec}[c*x]])/(2*b^2*(a + b*\text{ArcSec}[c*x])) + (c^2 \text{CosIntegral}[(2*a)/b + 2*\text{ArcSec}[c*x]]*\text{Sin}[(2*a)/b])/b^3 - (c^2 \text{Sin}[2*\text{ArcSec}[c*x]])/(4*b*(a + b*\text{ArcSec}[c*x])^2) - (c^2 \text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcSec}[c*x]])/b^3$

Rubi [A] time = 0.179502, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5222, 4406, 12, 3297, 3303, 3299, 3302}

$$\frac{c^2 \sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^3} - \frac{c^2 \cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sec^{-1}(cx)\right)}{b^3} - \frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2(a + b \sec^{-1}(cx))} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b(a + b \sec^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(a + b*ArcSec[c*x])^3), x]

[Out] $-(c^2 \text{Cos}[2 \text{ArcSec}[c*x]])/(2*b^2*(a + b*\text{ArcSec}[c*x])) + (c^2 \text{CosIntegral}[(2*a)/b + 2*\text{ArcSec}[c*x]]*\text{Sin}[(2*a)/b])/b^3 - (c^2 \text{Sin}[2*\text{ArcSec}[c*x]])/(4*b*(a + b*\text{ArcSec}[c*x])^2) - (c^2 \text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcSec}[c*x]])/b^3$

Rule 5222

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^ (m_.), x_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sec[x]^(m + 1)*Tan[x], x], x, ArcSec[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^ (p_.)*((c_.) + (d_.)*(x_)) ^ (m_.)*Sin[(a_.) + (b_.)*(x_)]^ (n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x

$]^n \cos[a + b*x]^p, x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :=> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3 (a + b \sec^{-1}(cx))^3} dx &= c^2 \text{Subst} \left(\int \frac{\cos(x) \sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= c^2 \text{Subst} \left(\int \frac{\sin(2x)}{2(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{2} c^2 \text{Subst} \left(\int \frac{\sin(2x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))^2} + \frac{c^2 \text{Subst} \left(\int \frac{\cos(2x)}{(a+bx)^2} dx, x, \sec^{-1}(cx) \right)}{2b} \\
&= -\frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2 (a + b \sec^{-1}(cx))} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))^2} - \frac{c^2 \text{Subst} \left(\int \frac{\sin(2x)}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b^2} \\
&= -\frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2 (a + b \sec^{-1}(cx))} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))^2} - \frac{\left(c^2 \cos\left(\frac{2a}{b}\right) \right) \text{Subst} \left(\int \frac{\sin\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sec^{-1}(cx) \right)}{b^2} \\
&= -\frac{c^2 \cos(2 \sec^{-1}(cx))}{2b^2 (a + b \sec^{-1}(cx))} + \frac{c^2 \text{Ci} \left(\frac{2a}{b} + 2 \sec^{-1}(cx) \right) \sin\left(\frac{2a}{b}\right)}{b^3} - \frac{c^2 \sin(2 \sec^{-1}(cx))}{4b (a + b \sec^{-1}(cx))^2} - \frac{c^2 \cos\left(\frac{2a}{b}\right)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.400985, size = 114, normalized size = 1.02

$$\frac{-\frac{b^2 c \sqrt{1 - \frac{1}{c^2 x^2}}}{x(a + b \sec^{-1}(cx))^2} + 2c^2 \left(\sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sec^{-1}(cx)\right)\right) - \cos\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \sec^{-1}(cx)\right)\right) \right) + \frac{b(c^2 x^2 - 2)}{x^2(a + b \sec^{-1}(cx))}}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(a + b*ArcSec[c*x])^3), x]

[Out] (-((b^2*c*Sqrt[1 - 1/(c^2*x^2)])/(x*(a + b*ArcSec[c*x])^2)) + (b*(-2 + c^2*x^2))/(x^2*(a + b*ArcSec[c*x]))) + 2*c^2*(CosIntegral[2*(a/b + ArcSec[c*x])] * Sin[(2*a)/b] - Cos[(2*a)/b]*SinIntegral[2*(a/b + ArcSec[c*x])])/(2*b^3)

Maple [A] time = 0.248, size = 157, normalized size = 1.4

$$c^2 \left(-\frac{\sin(2 \operatorname{arcsec}(cx))}{4(a + b \operatorname{arcsec}(cx))^2 b} - \frac{1}{(2a + 2b \operatorname{arcsec}(cx)) b^3} \left(2 \operatorname{Si} \left(2 \frac{a}{b} + 2 \operatorname{arcsec}(cx) \right) \cos \left(2 \frac{a}{b} \right) \operatorname{arcsec}(cx) b - 2 \operatorname{Ci} \left(2 \frac{a}{b} + 2 \operatorname{arcsec}(cx) \right) \sin \left(2 \frac{a}{b} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^3/(a+b*arcsec(c*x))^3,x)
```

```
[Out] c^2*(-1/4*sin(2*arcsec(c*x))/(a+b*arcsec(c*x))^2/b-1/2*(2*Si(2*a/b+2*arcsec
(c*x))*cos(2*a/b)*arcsec(c*x)*b-2*Ci(2*a/b+2*arcsec(c*x))*sin(2*a/b)*arcsec
(c*x)*b+2*Si(2*a/b+2*arcsec(c*x))*cos(2*a/b)*a-2*Ci(2*a/b+2*arcsec(c*x))*si
n(2*a/b)*a+cos(2*arcsec(c*x))*b)/(a+b*arcsec(c*x))/b^3)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x))^3,x, algorithm="maxima")
```

```
[Out] -(16*a*b^2*log(c)^2 - 8*(b^3*c^2*x^2 - 2*b^3)*arctan(sqrt(c*x + 1)*sqrt(c*x
- 1))^3 + 16*a^3 - 8*(a*b^2*c^2*log(c)^2 + a^3*c^2)*x^2 - 24*(a*b^2*c^2*x^
2 - 2*a*b^2)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 - 2*(a*b^2*c^2*x^2 - 2*a
*b^2)*log(c^2*x^2)^2 - 8*(a*b^2*c^2*x^2 - 2*a*b^2)*log(x)^2 + 2*(4*b^3*arct
an(sqrt(c*x + 1)*sqrt(c*x - 1))^2 - b^3*log(c^2*x^2)^2 - 4*b^3*log(c)^2 - 8
*b^3*log(c)*log(x) - 4*b^3*log(x)^2 + 8*a*b^2*arctan(sqrt(c*x + 1)*sqrt(c*x
- 1)) + 4*a^2*b + 4*(b^3*log(c) + b^3*log(x))*log(c^2*x^2))*sqrt(c*x + 1)*
sqrt(c*x - 1) + 2*(8*b^3*log(c)^2 + 24*a^2*b - 4*(b^3*c^2*log(c)^2 + 3*a^2*
b*c^2)*x^2 - (b^3*c^2*x^2 - 2*b^3)*log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - 2*b^3)
*log(x)^2 + 4*(b^3*c^2*x^2*log(c) - 2*b^3*log(c) + (b^3*c^2*x^2 - 2*b^3)*lo
g(x))*log(c^2*x^2) - 8*(b^3*c^2*x^2*log(c) - 2*b^3*log(c))*log(x))*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1)) + (16*b^6*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1
))^4 + b^6*x^2*log(c^2*x^2)^4 + 64*b^6*x^2*log(c)*log(x)^3 + 16*b^6*x^2*log
(x)^4 + 64*a*b^5*x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 + 32*(3*b^6*log(
c)^2 + a^2*b^4)*x^2*log(x)^2 - 8*(b^6*x^2*log(c) + b^6*x^2*log(x))*log(c^2*
x^2)^3 + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x^2*log(x) + 16*(b^6*log(c)^4 +
2*a^2*b^4*log(c)^2 + a^4*b^2)*x^2 + 8*(b^6*x^2*log(c^2*x^2)^2 + 8*b^6*x^2*
log(c)*log(x) + 4*b^6*x^2*log(x)^2 + 4*(b^6*log(c)^2 + 3*a^2*b^4)*x^2 - 4*(
b^6*x^2*log(c) + b^6*x^2*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x
- 1))^2 + 8*(6*b^6*x^2*log(c)*log(x) + 3*b^6*x^2*log(x)^2 + (3*b^6*log(c)
^2 + a^2*b^4)*x^2)*log(c^2*x^2)^2 + 16*(a*b^5*x^2*log(c^2*x^2)^2 + 8*a*b^5*
x^2*log(c)*log(x) + 4*a*b^5*x^2*log(x)^2 + 4*(a*b^5*log(c)^2 + a^3*b^3)*x^2
- 4*(a*b^5*x^2*log(c) + a*b^5*x^2*log(x))*log(c^2*x^2))*arctan(sqrt(c*x +
1)*sqrt(c*x - 1)) - 32*(3*b^6*x^2*log(c)*log(x)^2 + b^6*x^2*log(x)^3 + (3*b
^6*log(c)^2 + a^2*b^4)*x^2*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*x^2)*lo
```

```

g(c^2*x^2))*integrate(8*(b*arctan(sqrt(c*x + 1))*sqrt(c*x - 1)) + a)/(4*b^4*
x^3*arctan(sqrt(c*x + 1))*sqrt(c*x - 1))^2 + b^4*x^3*log(c^2*x^2)^2 + 8*b^4*
x^3*log(c)*log(x) + 4*b^4*x^3*log(x)^2 + 8*a*b^3*x^3*arctan(sqrt(c*x + 1))*s
qrt(c*x - 1)) + 4*(b^4*log(c)^2 + a^2*b^2)*x^3 - 4*(b^4*x^3*log(c) + b^4*x^
3*log(x))*log(c^2*x^2)), x) + 8*(a*b^2*c^2*x^2*log(c) - 2*a*b^2*log(c) + (a
*b^2*c^2*x^2 - 2*a*b^2)*log(x))*log(c^2*x^2) - 16*(a*b^2*c^2*x^2*log(c) - 2
*a*b^2*log(c))*log(x))/(16*b^6*x^2*arctan(sqrt(c*x + 1))*sqrt(c*x - 1))^4 +
b^6*x^2*log(c^2*x^2)^4 + 64*b^6*x^2*log(c)*log(x)^3 + 16*b^6*x^2*log(x)^4 +
64*a*b^5*x^2*arctan(sqrt(c*x + 1))*sqrt(c*x - 1))^3 + 32*(3*b^6*log(c)^2 +
a^2*b^4)*x^2*log(x)^2 - 8*(b^6*x^2*log(c) + b^6*x^2*log(x))*log(c^2*x^2)^3
+ 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x^2*log(x) + 16*(b^6*log(c)^4 + 2*a^2*
b^4*log(c)^2 + a^4*b^2)*x^2 + 8*(b^6*x^2*log(c^2*x^2)^2 + 8*b^6*x^2*log(c)*
log(x) + 4*b^6*x^2*log(x)^2 + 4*(b^6*log(c)^2 + 3*a^2*b^4)*x^2 - 4*(b^6*x^2
*log(c) + b^6*x^2*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1))*sqrt(c*x - 1))
^2 + 8*(6*b^6*x^2*log(c)*log(x) + 3*b^6*x^2*log(x)^2 + (3*b^6*log(c)^2 + a^
2*b^4)*x^2)*log(c^2*x^2)^2 + 16*(a*b^5*x^2*log(c^2*x^2)^2 + 8*a*b^5*x^2*log
(c)*log(x) + 4*a*b^5*x^2*log(x)^2 + 4*(a*b^5*log(c)^2 + a^3*b^3)*x^2 - 4*(a
*b^5*x^2*log(c) + a*b^5*x^2*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1))*sqrt
(c*x - 1)) - 32*(3*b^6*x^2*log(c)*log(x)^2 + b^6*x^2*log(x)^3 + (3*b^6*log(
c)^2 + a^2*b^4)*x^2*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*x^2)*log(c^2*x
^2))

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3x^3 \operatorname{arcsec}(cx)^3 + 3ab^2x^3 \operatorname{arcsec}(cx)^2 + 3a^2bx^3 \operatorname{arcsec}(cx) + a^3x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(a+b*arcsec(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral(1/(b^3*x^3*arcsec(c*x)^3 + 3*a*b^2*x^3*arcsec(c*x)^2 + 3*a^2*b*x^3
*arcsec(c*x) + a^3*x^3), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \operatorname{asec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(a+b*asec(c*x))**3,x)

[Out] Integral(1/(x**3*(a + b*asec(c*x))**3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^3 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*arcsec(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arcsec(c*x) + a)^3*x^3), x)

$$3.50 \quad \int \frac{1}{x^4(a+b \sec^{-1}(cx))^3} dx$$

Optimal. Leaf size=228

$$\frac{c^3 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{8b^3} + \frac{9c^3 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{8b^3} - \frac{c^3 \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{8b^3}$$

[Out] $-(c^3 \sqrt{1 - 1/(c^2 x^2)})/(8b(a + b \text{ArcSec}[c x])^2) - c^2/(8b^2 x(a + b \text{ArcSec}[c x])) - (3c^3 \cos[3 \text{ArcSec}[c x]])/(8b^2(a + b \text{ArcSec}[c x])) + (c^3 \text{CosIntegral}[a/b + \text{ArcSec}[c x]] \sin[a/b])/(8b^3) + (9c^3 \text{CosIntegral}[(3a)/b + 3 \text{ArcSec}[c x]] \sin[(3a)/b])/(8b^3) - (c^3 \sin[3 \text{ArcSec}[c x]])/(8b(a + b \text{ArcSec}[c x])^2) - (c^3 \cos[a/b] \text{SinIntegral}[a/b + \text{ArcSec}[c x]])/(8b^3) - (9c^3 \cos[(3a)/b] \text{SinIntegral}[(3a)/b + 3 \text{ArcSec}[c x]])/(8b^3)$

Rubi [A] time = 0.312718, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5222, 4406, 3297, 3303, 3299, 3302}

$$\frac{c^3 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{8b^3} + \frac{9c^3 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sec^{-1}(cx)\right)}{8b^3} - \frac{c^3 \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sec^{-1}(cx)\right)}{8b^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/(x^4(a + b \text{ArcSec}[c x])^3), x]$

[Out] $-(c^3 \sqrt{1 - 1/(c^2 x^2)})/(8b(a + b \text{ArcSec}[c x])^2) - c^2/(8b^2 x(a + b \text{ArcSec}[c x])) - (3c^3 \cos[3 \text{ArcSec}[c x]])/(8b^2(a + b \text{ArcSec}[c x])) + (c^3 \text{CosIntegral}[a/b + \text{ArcSec}[c x]] \sin[a/b])/(8b^3) + (9c^3 \text{CosIntegral}[(3a)/b + 3 \text{ArcSec}[c x]] \sin[(3a)/b])/(8b^3) - (c^3 \sin[3 \text{ArcSec}[c x]])/(8b(a + b \text{ArcSec}[c x])^2) - (c^3 \cos[a/b] \text{SinIntegral}[a/b + \text{ArcSec}[c x]])/(8b^3) - (9c^3 \cos[(3a)/b] \text{SinIntegral}[(3a)/b + 3 \text{ArcSec}[c x]])/(8b^3)$

Rule 5222

$\text{Int}[(a_. + \text{ArcSec}[(c_.)(x_.)](b_.))^n(x_.)^m, x_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b x)^n \text{Sec}[x]^{(m+1)} \text{Tan}[x], x], x, \text{ArcSec}[c x]]$

], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (a + b \sec^{-1}(cx))^3} dx &= c^3 \text{Subst} \left(\int \frac{\cos^2(x) \sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= c^3 \text{Subst} \left(\int \left(\frac{\sin(x)}{4(a + bx)^3} + \frac{\sin(3x)}{4(a + bx)^3} \right) dx, x, \sec^{-1}(cx) \right) \\
&= \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) + \frac{1}{4} c^3 \text{Subst} \left(\int \frac{\sin(3x)}{(a + bx)^3} dx, x, \sec^{-1}(cx) \right) \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{8b (a + b \sec^{-1}(cx))^2} + \frac{c^3 \text{Subst} \left(\int \frac{\cos(x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right)}{8b} + \frac{c^3 \text{Subst} \left(\int \frac{\cos(3x)}{(a + bx)^2} dx, x, \sec^{-1}(cx) \right)}{8b} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{8b (a + b \sec^{-1}(cx))} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} - \frac{c^3 \sin(3 \sec^{-1}(cx))}{8b (a + b \sec^{-1}(cx))} \\
&= -\frac{c^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{8b (a + b \sec^{-1}(cx))^2} - \frac{c^2}{8b^2 x (a + b \sec^{-1}(cx))} - \frac{3c^3 \cos(3 \sec^{-1}(cx))}{8b^2 (a + b \sec^{-1}(cx))} + \frac{c^3 \text{Ci} \left(\frac{a}{b} + \sec^{-1}(cx) \right)}{8b^3}
\end{aligned}$$

Mathematica [A] time = 0.444805, size = 169, normalized size = 0.74

$$\frac{-\frac{4b^2c\sqrt{1-\frac{1}{c^2x^2}}}{x^2(a+b\sec^{-1}(cx))^2} + c^3 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) + 9c^3 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(3\left(\frac{a}{b} + \sec^{-1}(cx)\right)\right) - c^3 \cos\left(\frac{a}{b}\right) \text{SinIntegral}\left(\frac{a}{b} + \sec^{-1}(cx)\right) - 9c^3 \cos\left(\frac{3a}{b}\right) \text{SinIntegral}\left(3\left(\frac{a}{b} + \sec^{-1}(cx)\right)\right)}{8b^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(a + b*ArcSec[c*x])^3), x]

[Out] ((-4*b^2*c*Sqrt[1 - 1/(c^2*x^2)])/(x^2*(a + b*ArcSec[c*x])^2) - (12*b)/(x^3*(a + b*ArcSec[c*x])) + (8*b*c^2)/(a*x + b*x*ArcSec[c*x]) + c^3*CosIntegral[a/b + ArcSec[c*x]]*Sin[a/b] + 9*c^3*CosIntegral[3*(a/b + ArcSec[c*x])]*Sin[(3*a)/b] - c^3*Cos[a/b]*SinIntegral[a/b + ArcSec[c*x]] - 9*c^3*Cos[(3*a)/b]*SinIntegral[3*(a/b + ArcSec[c*x])])/(8*b^3)

Maple [A] time = 0.25, size = 307, normalized size = 1.4

$$c^3 \left(-\frac{\sin(3 \operatorname{arcsec}(cx))}{8(a + b \operatorname{arcsec}(cx))^2 b} - \frac{3}{(8a + 8b \operatorname{arcsec}(cx)) b^3} \left(3 \operatorname{Si} \left(3 \frac{a}{b} + 3 \operatorname{arcsec}(cx) \right) \cos \left(3 \frac{a}{b} \right) \operatorname{arcsec}(cx) b - 3 \operatorname{Ci} \left(3 \frac{a}{b} + \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(a+b*arcsec(c*x))^3,x)

[Out] $c^3 \cdot (-1/8 \cdot \sin(3 \operatorname{arcsec}(c \cdot x)) / (a + b \operatorname{arcsec}(c \cdot x))^2 / b - 3/8 \cdot (3 \operatorname{Si}(3a/b + 3 \operatorname{arcsec}(c \cdot x)) \cos(3a/b) \operatorname{arcsec}(c \cdot x) \cdot b - 3 \operatorname{Ci}(3a/b + 3 \operatorname{arcsec}(c \cdot x)) \sin(3a/b) \operatorname{arcsec}(c \cdot x) \cdot b + 3 \operatorname{Si}(3a/b + 3 \operatorname{arcsec}(c \cdot x)) \cos(3a/b) \cdot a - 3 \operatorname{Ci}(3a/b + 3 \operatorname{arcsec}(c \cdot x)) \sin(3a/b) \cdot a + \cos(3 \operatorname{arcsec}(c \cdot x)) \cdot b) / (a + b \operatorname{arcsec}(c \cdot x)) / b^3 - 1/8 \cdot ((c^2 \cdot x^2 - 1) / c^2 / x^2)^{(1/2)} / (a + b \operatorname{arcsec}(c \cdot x))^2 / b - 1/8 \cdot (\operatorname{Si}(a/b + \operatorname{arcsec}(c \cdot x)) \cos(a/b) \operatorname{arcsec}(c \cdot x) \cdot c \cdot x \cdot b - \operatorname{Ci}(a/b + \operatorname{arcsec}(c \cdot x)) \sin(a/b) \operatorname{arcsec}(c \cdot x) \cdot c \cdot x \cdot b + \operatorname{Si}(a/b + \operatorname{arcsec}(c \cdot x)) \cos(a/b) \cdot c \cdot x \cdot a - \operatorname{Ci}(a/b + \operatorname{arcsec}(c \cdot x)) \sin(a/b) \cdot c \cdot x \cdot a + b) / c / x / (a + b \operatorname{arcsec}(c \cdot x)) / b^3)$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out] $-(24 \cdot a \cdot b^2 \cdot \log(c)^2 - 8 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^3 + 24 \cdot a^3 - 16 \cdot (a \cdot b^2 \cdot c^2 \cdot \log(c)^2 + a^3 \cdot c^2) \cdot x^2 - 24 \cdot (2 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 - 3 \cdot a \cdot b^2) \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^2 - 2 \cdot (2 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 - 3 \cdot a \cdot b^2) \cdot \log(c^2 \cdot x^2)^2 - 8 \cdot (2 \cdot a \cdot b^2 \cdot c^2 \cdot x^2 - 3 \cdot a \cdot b^2) \cdot \log(x)^2 + 2 \cdot (4 \cdot b^3 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^2 - b^3 \cdot \log(c^2 \cdot x^2)^2 - 4 \cdot b^3 \cdot \log(c)^2 - 8 \cdot b^3 \cdot \log(c) \cdot \log(x) - 4 \cdot b^3 \cdot \log(x)^2 + 8 \cdot a \cdot b^2 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1}) + 4 \cdot a^2 \cdot b + 4 \cdot (b^3 \cdot \log(c) + b^3 \cdot \log(x)) \cdot \log(c^2 \cdot x^2) \cdot \sqrt{c \cdot x + 1} \cdot \sqrt{c \cdot x - 1} + 2 \cdot (12 \cdot b^3 \cdot \log(c)^2 + 36 \cdot a^2 \cdot b - 8 \cdot (b^3 \cdot c^2 \cdot \log(c)^2 + 3 \cdot a^2 \cdot b \cdot c^2) \cdot x^2 - (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \log(c^2 \cdot x^2)^2 - 4 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \log(x)^2 + 4 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 \cdot \log(c) - 3 \cdot b^3 \cdot \log(c) + (2 \cdot b^3 \cdot c^2 \cdot x^2 - 3 \cdot b^3) \cdot \log(x)) \cdot \log(c^2 \cdot x^2) - 8 \cdot (2 \cdot b^3 \cdot c^2 \cdot x^2 \cdot \log(c) - 3 \cdot b^3 \cdot \log(c)) \cdot \log(x)) \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1}) - (16 \cdot b^6 \cdot x^3 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^4 + b^6 \cdot x^3 \cdot \log(c^2 \cdot x^2)^4 + 64 \cdot b^6 \cdot x^3 \cdot \log(c) \cdot \log(x)^3 + 16 \cdot b^6 \cdot x^3 \cdot \log(x)^4 + 64 \cdot a \cdot b^5 \cdot x^3 \cdot \arctan(\sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1})^3 + 32 \cdot (3 \cdot b^6 \cdot \log(c)^2 + a^2 \cdot b^4) \cdot x^3 \cdot \log(x)^2 + 64 \cdot (b^6 \cdot \log(c))^3 + a^2 \cdot b$

```

^4*log(c))*x^3*log(x) + 16*(b^6*log(c)^4 + 2*a^2*b^4*log(c)^2 + a^4*b^2)*x^
3 - 8*(b^6*x^3*log(c) + b^6*x^3*log(x))*log(c^2*x^2)^3 + 8*(b^6*x^3*log(c^2
*x^2)^2 + 8*b^6*x^3*log(c)*log(x) + 4*b^6*x^3*log(x)^2 + 4*(b^6*log(c)^2 +
3*a^2*b^4)*x^3 - 4*(b^6*x^3*log(c) + b^6*x^3*log(x))*log(c^2*x^2))*arctan(s
qrt(c*x + 1)*sqrt(c*x - 1))^2 + 8*(6*b^6*x^3*log(c)*log(x) + 3*b^6*x^3*log(
x)^2 + (3*b^6*log(c)^2 + a^2*b^4)*x^3)*log(c^2*x^2)^2 + 16*(a*b^5*x^3*log(c
^2*x^2)^2 + 8*a*b^5*x^3*log(c)*log(x) + 4*a*b^5*x^3*log(x)^2 + 4*(a*b^5*log
(c)^2 + a^3*b^3)*x^3 - 4*(a*b^5*x^3*log(c) + a*b^5*x^3*log(x))*log(c^2*x^2)
)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32*(3*b^6*x^3*log(c)*log(x)^2 + b^6
*x^3*log(x)^3 + (3*b^6*log(c)^2 + a^2*b^4)*x^3*log(x) + (b^6*log(c)^3 + a^2
*b^4*log(c))*x^3)*log(c^2*x^2))*integrate(2*(2*a*c^2*x^2 + (2*b*c^2*x^2 - 9
*b)*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 9*a)/(4*b^4*x^4*arctan(sqrt(c*x +
1)*sqrt(c*x - 1))^2 + b^4*x^4*log(c^2*x^2)^2 + 8*b^4*x^4*log(c)*log(x) + 4
*b^4*x^4*log(x)^2 + 8*a*b^3*x^4*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + 4*(b^
4*log(c)^2 + a^2*b^2)*x^4 - 4*(b^4*x^4*log(c) + b^4*x^4*log(x))*log(c^2*x^2
)), x) + 8*(2*a*b^2*c^2*x^2*log(c) - 3*a*b^2*log(c) + (2*a*b^2*c^2*x^2 - 3*
a*b^2)*log(x))*log(c^2*x^2) - 16*(2*a*b^2*c^2*x^2*log(c) - 3*a*b^2*log(c))*
log(x))/(16*b^6*x^3*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^4 + b^6*x^3*log(c^2
*x^2)^4 + 64*b^6*x^3*log(c)*log(x)^3 + 16*b^6*x^3*log(x)^4 + 64*a*b^5*x^3*a
rctan(sqrt(c*x + 1)*sqrt(c*x - 1))^3 + 32*(3*b^6*log(c)^2 + a^2*b^4)*x^3*lo
g(x)^2 + 64*(b^6*log(c)^3 + a^2*b^4*log(c))*x^3*log(x) + 16*(b^6*log(c)^4 +
2*a^2*b^4*log(c)^2 + a^4*b^2)*x^3 - 8*(b^6*x^3*log(c) + b^6*x^3*log(x))*lo
g(c^2*x^2)^3 + 8*(b^6*x^3*log(c^2*x^2)^2 + 8*b^6*x^3*log(c)*log(x) + 4*b^6*
x^3*log(x)^2 + 4*(b^6*log(c)^2 + 3*a^2*b^4)*x^3 - 4*(b^6*x^3*log(c) + b^6*x
^3*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))^2 + 8*(6*b^6*x
^3*log(c)*log(x) + 3*b^6*x^3*log(x)^2 + (3*b^6*log(c)^2 + a^2*b^4)*x^3)*log
(c^2*x^2)^2 + 16*(a*b^5*x^3*log(c^2*x^2)^2 + 8*a*b^5*x^3*log(c)*log(x) + 4*
a*b^5*x^3*log(x)^2 + 4*(a*b^5*log(c)^2 + a^3*b^3)*x^3 - 4*(a*b^5*x^3*log(c)
+ a*b^5*x^3*log(x))*log(c^2*x^2))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) - 32
*(3*b^6*x^3*log(c)*log(x)^2 + b^6*x^3*log(x)^3 + (3*b^6*log(c)^2 + a^2*b^4)
*x^3*log(x) + (b^6*log(c)^3 + a^2*b^4*log(c))*x^3)*log(c^2*x^2))

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3x^4 \operatorname{arcsec}(cx)^3 + 3ab^2x^4 \operatorname{arcsec}(cx)^2 + 3a^2bx^4 \operatorname{arcsec}(cx) + a^3x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x^4*arcsec(c*x)^3 + 3*a*b^2*x^4*arcsec(c*x)^2 + 3*a^2*b*x^4

`*arcsec(c*x) + a^3*x^4), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \operatorname{arcsec}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**4/(a+b*asec(c*x))**3,x)`

[Out] `Integral(1/(x**4*(a + b*asec(c*x))**3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arcsec}(cx) + a)^3 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^4/(a+b*arcsec(c*x))^3,x, algorithm="giac")`

[Out] `integrate(1/((b*arcsec(c*x) + a)^3*x^4), x)`

$$3.51 \quad \int (dx)^m \left(a + b \sec^{-1}(cx) \right)^3 dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left((dx)^m \left(a + b \sec^{-1}(cx) \right)^3, x\right)$$

[Out] Unintegrable[(d*x)^m*(a + b*ArcSec[c*x])^3, x]

Rubi [A] time = 0.0220289, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (dx)^m \left(a + b \sec^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcSec[c*x])^3,x]

[Out] Defer[Int] [(d*x)^m*(a + b*ArcSec[c*x])^3, x]

Rubi steps

$$\int (dx)^m \left(a + b \sec^{-1}(cx) \right)^3 dx = \int (dx)^m \left(a + b \sec^{-1}(cx) \right)^3 dx$$

Mathematica [A] time = 4.39341, size = 0, normalized size = 0.

$$\int (dx)^m \left(a + b \sec^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^3,x]

[Out] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^3, x]

Maple [A] time = 1.964, size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{arcsec}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a+b*arcsec(c*x))^3,x)

[Out] int((d*x)^m*(a+b*arcsec(c*x))^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(b^3 \operatorname{arcsec}(cx)^3 + 3ab^2 \operatorname{arcsec}(cx)^2 + 3a^2b \operatorname{arcsec}(cx) + a^3\right)(dx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x))^3,x, algorithm="fricas")

[Out] integral((b^3*arcsec(c*x)^3 + 3*a*b^2*arcsec(c*x)^2 + 3*a^2*b*arcsec(c*x) + a^3)*(d*x)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**m*(a+b*asec(c*x))**3,x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^3 (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(a+b*arcsec(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)^3*(d*x)^m, x)
```

$$3.52 \quad \int (dx)^m \left(a + b \sec^{-1}(cx) \right)^2 dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left((dx)^m \left(a + b \sec^{-1}(cx) \right)^2, x\right)$$

[Out] Unintegrable[(d*x)^m*(a + b*ArcSec[c*x])^2, x]

Rubi [A] time = 0.0222411, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (dx)^m \left(a + b \sec^{-1}(cx) \right)^2 dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcSec[c*x])^2,x]

[Out] Defer[Int] [(d*x)^m*(a + b*ArcSec[c*x])^2, x]

Rubi steps

$$\int (dx)^m \left(a + b \sec^{-1}(cx) \right)^2 dx = \int (dx)^m \left(a + b \sec^{-1}(cx) \right)^2 dx$$

Mathematica [A] time = 2.86291, size = 0, normalized size = 0.

$$\int (dx)^m \left(a + b \sec^{-1}(cx) \right)^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^2,x]

[Out] Integrate[(d*x)^m*(a + b*ArcSec[c*x])^2, x]

Maple [A] time = 1.876, size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{arcsec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m*(a+b*arcsec(c*x))^2,x)`

[Out] `int((d*x)^m*(a+b*arcsec(c*x))^2,x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(b^2 \operatorname{arcsec}(cx)^2 + 2ab \operatorname{arcsec}(cx) + a^2\right)(dx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x))^2,x, algorithm="fricas")`

[Out] `integral((b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2)*(d*x)^m, x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{asec}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m*(a+b*asec(c*x))**2,x)

[Out] Integral((d*x)**m*(a + b*asec(c*x))**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)^2 (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m*(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)^2*(d*x)^m, x)

3.53 $\int (dx)^m \left(a + b \sec^{-1}(cx) \right) dx$

Optimal. Leaf size=67

$$\frac{(dx)^{m+1} \left(a + b \sec^{-1}(cx) \right)}{d(m+1)} - \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2 x^2}\right)}{cm(m+1)}$$

[Out] $((d*x)^{(1+m)}*(a + b*ArcSec[c*x]))/(d*(1+m)) - (b*(d*x)^m*Hypergeometric2F1[1/2, -m/2, 1 - m/2, 1/(c^2*x^2)])/(c*m*(1+m))$

Rubi [A] time = 0.0426474, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5220, 339, 364}

$$\frac{(dx)^{m+1} \left(a + b \sec^{-1}(cx) \right)}{d(m+1)} - \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2 x^2}\right)}{cm(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(d*x)^m*(a + b*ArcSec[c*x]),x]

[Out] $((d*x)^{(1+m)}*(a + b*ArcSec[c*x]))/(d*(1+m)) - (b*(d*x)^m*Hypergeometric2F1[1/2, -m/2, 1 - m/2, 1/(c^2*x^2)])/(c*m*(1+m))$

Rule 5220

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a + b*ArcSec[c*x]))/(d*(m+1)), x] - Dist[(b*d)/(c*(m+1)), Int[(d*x)^(m-1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]

Rule 339

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Dist[((c*x)^(m+1)*(1/x)^(m+1))/c, Subst[Int[(a + b/x^n)^p/x^(m+2), x], x, 1/x], x] /; FreeQ[{a, b, c, m, p}, x] && ILtQ[n, 0] && !RationalQ[m]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a

)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\begin{aligned} \int (dx)^m (a + b \sec^{-1}(cx)) dx &= \frac{(dx)^{1+m} (a + b \sec^{-1}(cx))}{d(1+m)} - \frac{(bd) \int \frac{(dx)^{-1+m}}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{c(1+m)} \\ &= \frac{(dx)^{1+m} (a + b \sec^{-1}(cx))}{d(1+m)} + \frac{\left(b \left(\frac{1}{x}\right)^m (dx)^m\right) \text{Subst} \left(\int \frac{x^{-1-m}}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{c(1+m)} \\ &= \frac{(dx)^{1+m} (a + b \sec^{-1}(cx))}{d(1+m)} - \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2x^2}\right)}{cm(1+m)} \end{aligned}$$

Mathematica [A] time = 0.240203, size = 82, normalized size = 1.22

$$\frac{x(dx)^m \left((m+1)(a + b \sec^{-1}(cx)) + \frac{bcx \sqrt{1-\frac{1}{c^2x^2}} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{\sqrt{1-c^2x^2}} \right)}{(m+1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d*x)^m*(a + b*ArcSec[c*x]),x]

[Out] (x*(d*x)^m*((1 + m)*(a + b*ArcSec[c*x]) + (b*c*sqrt[1 - 1/(c^2*x^2)]*x*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/sqrt[1 - c^2*x^2]))/(1 + m)^2

Maple [F] time = 1.828, size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a+b*arcsec(c*x)),x)

[Out] `int((d*x)^m*(a+b*arcsec(c*x)),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((b \operatorname{arcsec}(cx) + a)(dx)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((b*arcsec(c*x) + a)*(d*x)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*(a+b*asec(c*x)),x)`

[Out] `Integral((d*x)**m*(a + b*asec(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arcsec}(cx) + a)(dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*(d*x)^m, x)
```

$$3.54 \quad \int \frac{(dx)^m}{a+b \sec^{-1}(cx)} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable} \left(\frac{(dx)^m}{a + b \sec^{-1}(cx)}, x \right)$$

[Out] Unintegrable[(d*x)^m/(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.0255718, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(d*x)^m/(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx = \int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx$$

Mathematica [A] time = 0.244577, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{a + b \sec^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcSec[c*x]), x]

[Out] Integrate[(d*x)^m/(a + b*ArcSec[c*x]), x]

Maple [A] time = 1.791, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{a + b \operatorname{arcsec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m/(a+b*arcsec(c*x)),x)`

[Out] `int((d*x)^m/(a+b*arcsec(c*x)),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{b \operatorname{arcsec}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate((d*x)^m/(b*arcsec(c*x) + a), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(dx)^m}{b \operatorname{arcsec}(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((d*x)^m/(b*arcsec(c*x) + a), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{a + b \operatorname{asec}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m/(a+b*asec(c*x)),x)

[Out] Integral((d*x)**m/(a + b*asec(c*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{b \operatorname{arcsec}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m/(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((d*x)^m/(b*arcsec(c*x) + a), x)

$$3.55 \quad \int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable} \left(\frac{(dx)^m}{(a+b \sec^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(d*x)^m/(a + b*ArcSec[c*x])^2, x]

Rubi [A] time = 0.0240248, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcSec[c*x])^2, x]

[Out] Defer[Int] [(d*x)^m/(a + b*ArcSec[c*x])^2, x]

Rubi steps

$$\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx = \int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Mathematica [A] time = 0.499552, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(a+b \sec^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcSec[c*x])^2, x]

[Out] Integrate[(d*x)^m/(a + b*ArcSec[c*x])^2, x]

Maple [A] time = 1.411, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(a + b \operatorname{arcsec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m/(a+b*arcsec(c*x))^2,x)

[Out] int((d*x)^m/(a+b*arcsec(c*x))^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m/(a+b*arcsec(c*x))^2,x, algorithm="maxima")

[Out]
$$-(4*(b*d^m*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + a*d^m*x^m)*\sqrt{c*x+1}*\sqrt{c*x-1} - (4*b^3*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))*\int(4*((b*d^m*m - (b*c^2*d^m*m + 2*b*c^2*d^m)*x^2 + b*d^m)*x^m*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + (a*d^m*m - (a*c^2*d^m*m + 2*a*c^2*d^m)*x^2 + a*d^m)*x^m)*\sqrt{c*x+1}*\sqrt{c*x-1}/(4*b^3*\log(c)^2 + 4*a^2*b - 4*(b^3*c^2*\log(c)^2 + a^2*b*c^2)*x^2 - 4*(b^3*c^2*x^2 - b^3)*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - b^3)*\log(x)^2 - 8*(a*b^2*c^2*x^2 - a*b^2)*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x), x)/(4*b^3*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan(\sqrt{c*x+1})*\sqrt{c*x-1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2))$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(dx)^m}{b^2 \operatorname{arcsec}(cx)^2 + 2ab \operatorname{arcsec}(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m/(a+b*arcsec(c*x))^2,x, algorithm="fricas")

[Out] integral((d*x)^m/(b^2*arcsec(c*x)^2 + 2*a*b*arcsec(c*x) + a^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(a + b \operatorname{asec}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**m/(a+b*asec(c*x))**2,x)

[Out] Integral((d*x)**m/(a + b*asec(c*x))**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(b \operatorname{arcsec}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^m/(a+b*arcsec(c*x))^2,x, algorithm="giac")

[Out] integrate((d*x)^m/(b*arcsec(c*x) + a)^2, x)

3.56 $\int (d + ex)^3 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=167

$$\frac{(d + ex)^4 (a + b \sec^{-1}(cx))}{4e} - \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}} (9c^2 d^2 + e^2)}{6c^3} - \frac{bd (2c^2 d^2 + e^2) \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{2c^3} - \frac{bde^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{be^3 x^3}{6c^3}$$

[Out] $-(b*e*(9*c^2*d^2 + e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(6*c^3) - (b*d*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(2*c) - (b*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(12*c) + (b*d^4*\text{ArcCsc}[c*x])/(4*e) + ((d + e*x)^4*(a + b*\text{ArcSec}[c*x]))/(4*e) - (b*d*(2*c^2*d^2 + e^2)*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(2*c^3)$

Rubi [A] time = 0.401404, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5226, 1568, 1475, 1807, 844, 216, 266, 63, 208}

$$\frac{(d + ex)^4 (a + b \sec^{-1}(cx))}{4e} - \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}} (9c^2 d^2 + e^2)}{6c^3} - \frac{bd (2c^2 d^2 + e^2) \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{2c^3} - \frac{bde^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{be^3 x^3}{6c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)^3*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*e*(9*c^2*d^2 + e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(6*c^3) - (b*d*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(2*c) - (b*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(12*c) + (b*d^4*\text{ArcCsc}[c*x])/(4*e) + ((d + e*x)^4*(a + b*\text{ArcSec}[c*x]))/(4*e) - (b*d*(2*c^2*d^2 + e^2)*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(2*c^3)$

Rule 5226

$\text{Int}[(a + \text{ArcSec}[c*x])*(d + e*x)^m, x]$
 $\text{Int}[(a + \text{ArcSec}[c*x])*(d + e*x)^m, x] := \text{Simp}[(d + e*x)^{m+1}*(a + b*\text{ArcSec}[c*x])/(e*(m+1)), x] - \text{Dist}[b/(c*e*(m+1)), \text{Int}[(d + e*x)^{m+1}/(x^2*\text{Sqrt}[1 - 1/(c^2*x^2)]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, m\}, x \ \&\& \ \text{NeQ}[m, -1]$

Rule 1568

$\text{Int}[x^m*(d + e*x)^{mn}*(a + c*x^n)^p, x]$
 $\text{Int}[x^m*(d + e*x)^{mn}*(a + c*x^n)^p, x] := \text{Int}[x^{m+mn*q}*(e + d/x^{mn})^q*(a + c*x^n)^p, x] /;$
 $\text{FreeQ}\{a, c, d, e, m, mn, p\}, x \ \&\& \ \text{EqQ}[n, -2*mn] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ (\text{PosQ}[n$

2] || !IntegerQ[p])

Rule 1475

Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1807

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])

Rule 844

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

$\text{Int}[(a_ + (b_.) * (x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int (d+ex)^3 (a+b\sec^{-1}(cx)) dx &= \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} - \frac{b \int \frac{(d+ex)^4 dx}{\sqrt{1-\frac{1}{c^2x^2}x^2}}}{4ce} \\
&= \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} - \frac{b \int \left(\frac{e+d}{x}\right)^4 x^2 dx}{4ce} \\
&= \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} + \frac{b \operatorname{Subst} \left(\int \frac{(e+dx)^4}{x^4 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{4ce} \\
&= \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}x^3}}{12c} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} - \frac{b \operatorname{Subst} \left(\int \frac{-12de^3-2e^2\left(9d^2+\frac{e^2}{c^2}\right)x-12d^3e}{x^3 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{12ce} \\
&= -\frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}x^2}}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}x^3}}{12c} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} + \frac{b \operatorname{Subst} \left(\int \frac{4e^2}{x^4} dx, x, \frac{1}{x} \right)}{12ce} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{1-\frac{1}{c^2x^2}x}}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}x^2}}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}x^3}}{12c} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{1-\frac{1}{c^2x^2}x}}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}x^2}}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}x^3}}{12c} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{1-\frac{1}{c^2x^2}x}}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}x^2}}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}x^3}}{12c} + \frac{bd^4 \csc^{-1}(cx)}{4e} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{1-\frac{1}{c^2x^2}x}}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}x^2}}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}x^3}}{12c} + \frac{bd^4 \csc^{-1}(cx)}{4e} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e} \\
&= -\frac{be(9c^2d^2+e^2)\sqrt{1-\frac{1}{c^2x^2}x}}{6c^3} - \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}x^2}}{2c} - \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}x^3}}{12c} + \frac{bd^4 \csc^{-1}(cx)}{4e} + \frac{(d+ex)^4 (a+b\sec^{-1}(cx))}{4e}
\end{aligned}$$

Mathematica [A] time = 0.278559, size = 166, normalized size = 0.99

$$\frac{3ac^3x(6d^2ex + 4d^3 + 4de^2x^2 + e^3x^3) - bex\sqrt{1 - \frac{1}{c^2x^2}}(c^2(18d^2 + 6dex + e^2x^2) + 2e^2) - 6bd(2c^2d^2 + e^2)\log\left(x\left(\sqrt{1 - \frac{1}{c^2x^2}}\right)\right)}{12c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^3*(a + b*ArcSec[c*x]),x]

[Out] (3*a*c^3*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3) - b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(2*e^2 + c^2*(18*d^2 + 6*d*e*x + e^2*x^2)) + 3*b*c^3*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3)*ArcSec[c*x] - 6*b*d*(2*c^2*d^2 + e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(12*c^3)

Maple [B] time = 0.135, size = 486, normalized size = 2.9

$$\frac{ae^3x^4}{4} + ae^2x^3d + \frac{3aex^2d^2}{2} + axd^3 + \frac{ad^4}{4e} + \frac{be^3\text{arcsec}(cx)x^4}{4} + be^2\text{arcsec}(cx)x^3d + \frac{3be\text{arcsec}(cx)x^2d^2}{2} + b\text{arcsec}(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^3*(a+b*arcsec(c*x)),x)

[Out] 1/4*a*e^3*x^4+a*e^2*x^3*d+3/2*a*e*x^2*d^2+a*x*d^3+1/4*a/e*d^4+1/4*b*e^3*arcsec(c*x)*x^4+b*e^2*arcsec(c*x)*x^3*d+3/2*b*e*arcsec(c*x)*x^2*d^2+b*arcsec(c*x)*x*d^3+1/4*b/e*arcsec(c*x)*d^4+1/4/c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^4*arctan(1/(c^2*x^2-1)^(1/2))-1/c^2*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^3*ln(c*x+(c^2*x^2-1)^(1/2))-1/12/c*b*e^3/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^3-1/12/c^3*b*e^3/((c^2*x^2-1)/c^2/x^2)^(1/2)*x-1/2/c*b*e^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*d*x^2+1/2/c^3*b*e^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*d-3/2/c*b*e/((c^2*x^2-1)/c^2/x^2)^(1/2)*x*d^2+3/2/c^3*b*e/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^2-1/2/c^4*b*e^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d*ln(c*x+(c^2*x^2-1)^(1/2))+1/6/c^5*b*e^3/((c^2*x^2-1)/c^2/x^2)^(1/2)/x

Maxima [A] time = 0.97603, size = 367, normalized size = 2.2

$$\frac{1}{4} a e^3 x^4 + a d e^2 x^3 + \frac{3}{2} a d^2 e x^2 + \frac{3}{2} \left(x^2 \operatorname{arcsec}(c x) - \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) b d^2 e + \frac{1}{4} \left(4 x^3 \operatorname{arcsec}(c x) - \frac{2 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 \left(\frac{1}{c^2 x^2} - 1 \right) + c^2} + \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/4*a*e^3*x^4 + a*d*e^2*x^3 + 3/2*a*d^2*e*x^2 + 3/2*(x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*b*d^2*e + 1/4*(4*x^3*arcsec(c*x) - (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b*d*e^2 + 1/12*(3*x^4*arcsec(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b*e^3 + a*d^3*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*d^3/c

Fricas [A] time = 4.56251, size = 633, normalized size = 3.79

$$3 a c^4 e^3 x^4 + 12 a c^4 d e^2 x^3 + 18 a c^4 d^2 e x^2 + 12 a c^4 d^3 x + 3 (b c^4 e^3 x^4 + 4 b c^4 d e^2 x^3 + 6 b c^4 d^2 e x^2 + 4 b c^4 d^3 x - 4 b c^4 d^3 - 6 b c^4 d^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] 1/12*(3*a*c^4*e^3*x^4 + 12*a*c^4*d*e^2*x^3 + 18*a*c^4*d^2*e*x^2 + 12*a*c^4*d^3*x + 3*(b*c^4*e^3*x^4 + 4*b*c^4*d*e^2*x^3 + 6*b*c^4*d^2*e*x^2 + 4*b*c^4*d^3*x - 4*b*c^4*d^3 - 6*b*c^4*d^3)*arcsec(c*x) + 6*(4*b*c^4*d^3 + 6*b*c^4*d^2*e + 4*b*c^4*d*e^2 + b*c^4*e^3)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 6*(2*b*c^3*d^3 + b*c*d*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) - (b*c^2*e^3*x^2 + 6*b*c^2*d*e^2*x + 18*b*c^2*d^2*e + 2*b*e^3)*sqrt(c^2*x^2 - 1)/c^4

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx))(d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**3*(a+b*asec(c*x)),x)

[Out] Integral((a + b*asec(c*x))*(d + e*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^3 (b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x + d)^3*(b*arcsec(c*x) + a), x)

3.57 $\int (d + ex)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=124

$$\frac{(d + ex)^3 (a + b \sec^{-1}(cx))}{3e} - \frac{b(6c^2d^2 + e^2) \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2x^2}}\right)}{6c^3} - \frac{bdex\sqrt{1 - \frac{1}{c^2x^2}}}{c} - \frac{be^2x^2\sqrt{1 - \frac{1}{c^2x^2}}}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e}$$

[Out] $-\left(\frac{bde\sqrt{1 - 1/(c^2x^2)}}{c} - \frac{be^2x^2\sqrt{1 - 1/(c^2x^2)}}{6c}\right) + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d + ex)^3(a + b \operatorname{ArcSec}[cx])}{3e} - \frac{b(6c^2d^2 + e^2) \operatorname{ArcTanh}\left[\sqrt{1 - 1/(c^2x^2)}\right]}{6c^3}$

Rubi [A] time = 0.266256, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5226, 1568, 1475, 1807, 844, 216, 266, 63, 208}

$$\frac{(d + ex)^3 (a + b \sec^{-1}(cx))}{3e} - \frac{b(6c^2d^2 + e^2) \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2x^2}}\right)}{6c^3} - \frac{bdex\sqrt{1 - \frac{1}{c^2x^2}}}{c} - \frac{be^2x^2\sqrt{1 - \frac{1}{c^2x^2}}}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + ex)^2(a + b \operatorname{ArcSec}[cx]), x]$

[Out] $-\left(\frac{bde\sqrt{1 - 1/(c^2x^2)}}{c} - \frac{be^2x^2\sqrt{1 - 1/(c^2x^2)}}{6c}\right) + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d + ex)^3(a + b \operatorname{ArcSec}[cx])}{3e} - \frac{b(6c^2d^2 + e^2) \operatorname{ArcTanh}\left[\sqrt{1 - 1/(c^2x^2)}\right]}{6c^3}$

Rule 5226

$\text{Int}[(a + \operatorname{ArcSec}[c \cdot x]) \cdot (d + e \cdot x)^m, x_Symbol] \rightarrow \text{Simp}[(d + ex)^{m+1}(a + b \operatorname{ArcSec}[cx]) / (e(m+1)), x] - \text{Dist}[b / (c \cdot e(m+1)), \text{Int}[(d + ex)^{m+1} / (x^2 \sqrt{1 - 1/(c^2x^2)})], x], x];$
 $\text{FreeQ}\{a, b, c, d, e, m\}, x \ \&\& \ \text{NeQ}[m, -1]$

Rule 1568

$\text{Int}[x^m (d + e \cdot x^{mn})^q (a + c \cdot x^{n2})^p, x_Symbol] \rightarrow \text{Int}[x^{m+mnq} (e + d/x^{mn})^q (a + c \cdot x^{n2})^p, x];$
 $\text{FreeQ}\{a, c, d, e, m, mn, p\}, x \ \&\& \ \text{EqQ}[n2, -2mn] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ (\text{PosQ}[n2] \ \|\ \ !\text{IntegerQ}[p])$

Rule 1475

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1807

```
Int[(Pq)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 844

```
Int[((d_.) + (e_)*(x_)^(m_)*((f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_.) + (b_)*(x_)^(m_)*((c_.) + (d_)*(x_)^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
```


Rt[-(a/b), 2]]/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int (d+ex)^2 (a+b \sec^{-1}(cx)) dx &= \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} - \frac{b \int \frac{(d+ex)^3}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{3ce} \\
 &= \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} - \frac{b \int \frac{\left(\frac{e+d}{x}\right)^3 x}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{3ce} \\
 &= \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} + \frac{b \operatorname{Subst}\left(\int \frac{(e+dx)^3}{x^3 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{3ce} \\
 &= -\frac{be^2 \sqrt{1-\frac{1}{c^2x^2}}}{6c} + \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} - \frac{b \operatorname{Subst}\left(\int \frac{-6de^2 - e\left(6d^2 + \frac{e^2}{c^2}\right)x - 2d^3x^2}{x^2 \sqrt{1-\frac{x^2}{c^2}}} dx\right)}{6ce} \\
 &= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}}}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}}}{6c} + \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} + \frac{b \operatorname{Subst}\left(\int \frac{e\left(6d^2 + \frac{e^2}{c^2}\right)}{x \sqrt{1-\frac{x^2}{c^2}}} dx\right)}{6ce} \\
 &= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}}}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}}}{6c} + \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} + \frac{(bd^3) \operatorname{Subst}\left(\int \frac{e}{x \sqrt{1-\frac{x^2}{c^2}}} dx\right)}{3ce} \\
 &= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}}}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}}}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} + \frac{bd^3 \csc^{-1}(cx)}{3e} \\
 &= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}}}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}}}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e} \\
 &= -\frac{bde \sqrt{1-\frac{1}{c^2x^2}}}{c} - \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}}}{6c} + \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b \sec^{-1}(cx))}{3e}
 \end{aligned}$$

Mathematica [A] time = 0.176971, size = 124, normalized size = 1.

$$\frac{c^2x \left(2ac(3d^2 + 3dex + e^2x^2) - be \sqrt{1-\frac{1}{c^2x^2}}(6d+ex) - b(6c^2d^2 + e^2) \log\left(x \left(\sqrt{1-\frac{1}{c^2x^2}} + 1\right)\right) + 2bc^3x \sec^{-1}(cx) (3d^2 + \dots)\right)}{6c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^2*(a + b*ArcSec[c*x]),x]

[Out] (c^2*x*(-(b*e*Sqrt[1 - 1/(c^2*x^2)]*(6*d + e*x)) + 2*a*c*(3*d^2 + 3*d*e*x + e^2*x^2)) + 2*b*c^3*x*(3*d^2 + 3*d*e*x + e^2*x^2)*ArcSec[c*x] - b*(6*c^2*d^2 + e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(6*c^3)

Maple [B] time = 0.129, size = 362, normalized size = 2.9

$$\frac{ae^2x^3}{3} + aex^2d + axd^2 + \frac{ad^3}{3e} + \frac{be^2\operatorname{arcsec}(cx)x^3}{3} + be\operatorname{arcsec}(cx)x^2d + b\operatorname{arcsec}(cx)xd^2 + \frac{b\operatorname{arcsec}(cx)d^3}{3e} + \frac{bd^3}{3cex}\sqrt{c^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^2*(a+b*arcsec(c*x)),x)

[Out] 1/3*a*e^2*x^3+a*e*x^2*d+a*x*d^2+1/3*a/e*d^3+1/3*b*e^2*arcsec(c*x)*x^3+b*e*a*rcsec(c*x)*x^2*d+b*arcsec(c*x)*x*d^2+1/3*b/e*arcsec(c*x)*d^3+1/3/c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^3*arctan(1/(c^2*x^2-1)^(1/2))-1/c^2*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^2*ln(c*x+(c^2*x^2-1)^(1/2))-1/6/c*b*e^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^2+1/6/c^3*b*e^2/((c^2*x^2-1)/c^2/x^2)^(1/2)-1/c*b*e/((c^2*x^2-1)/c^2/x^2)^(1/2)*x*d+1/c^3*b*e/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d-1/6/c^4*b*e^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*ln(c*x+(c^2*x^2-1)^(1/2))

Maxima [A] time = 1.01039, size = 270, normalized size = 2.18

$$\frac{1}{3}ae^2x^3 + adex^2 + \left(x^2 \operatorname{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2} + 1}}{c} \right) bde + \frac{1}{12} \left(4x^3 \operatorname{arcsec}(cx) - \frac{2\sqrt{-\frac{1}{c^2x^2} + 1}}{c^2\left(\frac{1}{c^2x^2} - 1\right) + c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1}\right)}{c^2} \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")

```
[Out] 1/3*a*e^2*x^3 + a*d*e*x^2 + (x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*
b*d*e + 1/12*(4*x^3*arcsec(c*x) - (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^
2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2
) + 1) - 1)/c^2)/c)*b*e^2 + a*d^2*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/
(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*d^2/c
```

Fricas [A] time = 3.90167, size = 462, normalized size = 3.73

$$\frac{2ac^3e^2x^3 + 6ac^3dex^2 + 6ac^3d^2x + 2(bc^3e^2x^3 + 3bc^3dex^2 + 3bc^3d^2x - 3bc^3d^2 - 3bc^3de - bc^3e^2) \operatorname{arcsec}(cx) + 4(3bc^3d^2x + 6c^3d^2e + 3c^3de^2) \arctan\left(\frac{-cx + \sqrt{c^2x^2 - 1}}{c}\right) - (b^2c^3e^2x^3 + 3b^2c^3dex^2 + 3b^2c^3d^2x - 3b^2c^3d^2 - 3b^2c^3de - b^2c^3e^2) \log\left(\frac{-cx + \sqrt{c^2x^2 - 1}}{c}\right) + (b^2c^3e^2x^3 + 3b^2c^3dex^2 + 3b^2c^3d^2x - 3b^2c^3d^2 - 3b^2c^3de - b^2c^3e^2) \log\left(\frac{cx + \sqrt{c^2x^2 - 1}}{c}\right)}{6c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*a*c^3*e^2*x^3 + 6*a*c^3*d*e*x^2 + 6*a*c^3*d^2*x + 2*(b*c^3*e^2*x^3 +
3*b*c^3*d*e*x^2 + 3*b*c^3*d^2*x - 3*b*c^3*d^2 - 3*b*c^3*d*e - b*c^3*e^2)*a
rcsec(c*x) + 4*(3*b*c^3*d^2 + 3*b*c^3*d*e + b*c^3*e^2)*arctan(-c*x + sqrt(c
^2*x^2 - 1)) + (6*b*c^2*d^2 + b*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) - (b*c*e
^2*x + 6*b*c*d*e)*sqrt(c^2*x^2 - 1))/c^3
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx))(d + ex)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**2*(a+b*asec(c*x)),x)
```

```
[Out] Integral((a + b*asec(c*x))*(d + e*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^2(b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^2*(b*arcsec(c*x) + a), x)
```

3.58 $\int (d + ex) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=84

$$\frac{(d + ex)^2 (a + b \sec^{-1}(cx))}{2e} - \frac{bd \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c} - \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e}$$

[Out] $-(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) + (b*d^2*\text{ArcCsc}[c*x])/(2*e) + ((d + e*x)^2*(a + b*\text{ArcSec}[c*x]))/(2*e) - (b*d*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/c$

Rubi [A] time = 0.166727, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.643$, Rules used = {5226, 1568, 1396, 1807, 844, 216, 266, 63, 208}

$$\frac{(d + ex)^2 (a + b \sec^{-1}(cx))}{2e} - \frac{bd \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c} - \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) + (b*d^2*\text{ArcCsc}[c*x])/(2*e) + ((d + e*x)^2*(a + b*\text{ArcSec}[c*x]))/(2*e) - (b*d*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/c$

Rule 5226

$\text{Int}[(a_. + \text{ArcSec}[c_.*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m + 1)}*(a + b*\text{ArcSec}[c*x])]/(e*(m + 1)), x] - \text{Dist}[b/(c*e*(m + 1)), \text{Int}[(d + e*x)^{(m + 1)}/(x^2*\text{Sqrt}[1 - 1/(c^2*x^2)]), x], x] /;$
 $\text{FreeQ}[\{a, b, c, d, e, m\}, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 1568

$\text{Int}[(x_.)^{(m_.))*((d_.) + (e_.)*(x_.)^{(mn_.)})^{(q_.))*((a_.) + (c_.)*(x_.)^{(n2_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Int}[x^{(m + mn*q)}*(e + d/x^{mn})^q*(a + c*x^{n2})^p, x] /;$
 $\text{FreeQ}[\{a, c, d, e, m, mn, p\}, x] \ \&\& \ \text{EqQ}[n2, -2*mn] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ (\text{PosQ}[n2] \ || \ !\text{IntegerQ}[p])$

Rule 1396

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol]
:= -Subst[Int[((d + e/x^n)^q*(a + c/x^(2*n))^p)/x^2, x], x, 1/x] /; FreeQ
[{a, c, d, e, p, q}, x] && EqQ[n2, 2*n] && ILtQ[n, 0]
```

Rule 1807

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)(a+b\sec^{-1}(cx)) dx &= \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{b \int \frac{(d+ex)^2}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{2ce} \\
&= \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{b \int \frac{\left(\frac{e+d}{x}\right)^2}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{2ce} \\
&= \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} + \frac{b \operatorname{Subst}\left(\int \frac{(e+dx)^2}{x^2\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2ce} \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{b \operatorname{Subst}\left(\int \frac{-2de-d^2x}{x\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2ce} \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} + \frac{(bd) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{c} + \frac{(bd^2) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2c} \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - (bcd) \operatorname{Subst}\left(\int \frac{1}{c^2-\frac{x^2}{c^2}} dx, x, \frac{1}{x}\right) \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b\sec^{-1}(cx))}{2e} - \frac{bd \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{c}
\end{aligned}$$

Mathematica [A] time = 0.20826, size = 114, normalized size = 1.36

$$adx + \frac{1}{2}aex^2 - \frac{bdx\sqrt{1-\frac{1}{c^2x^2}}\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}} - \frac{bex\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{2c} + bdx\sec^{-1}(cx) + \frac{1}{2}bex^2\sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)*(a + b*ArcSec[c*x]), x]

[Out] $a*d*x + (a*e*x^2)/2 - (b*e*x*\text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])/(2*c) + b*d*x*$
 $\text{ArcSec}[c*x] + (b*e*x^2*\text{ArcSec}[c*x])/2 - (b*d*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{ArcTan}$
 $h[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/\text{Sqrt}[-1 + c^2*x^2]$

Maple [A] time = 0.163, size = 141, normalized size = 1.7

$$\frac{ax^2e}{2} + adx + \frac{\text{barcsec}(cx)x^2e}{2} + \text{barcsec}(cx)xd - \frac{bd}{c^2x}\sqrt{c^2x^2-1}\ln\left(cx + \sqrt{c^2x^2-1}\right) \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bex}{2c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{be}{2c^3x} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(a+b*arcsec(c*x)),x)`

[Out] $1/2*a*x^2*e+a*d*x+1/2*b*\text{arcsec}(c*x)*x^2*e+b*\text{arcsec}(c*x)*x*d-1/c^2*b/((c^2*x$
 $^2-1)/c^2/x^2)^{(1/2)}/x*(c^2*x^2-1)^{(1/2)}*d*\ln(c*x+(c^2*x^2-1)^{(1/2)})-1/2/c*$
 $b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x*e+1/2/c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*e$

Maxima [A] time = 0.994765, size = 126, normalized size = 1.5

$$\frac{1}{2} aex^2 + \frac{1}{2} \left(x^2 \text{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2} + 1}}{c} \right) be + adx + \frac{\left(2cx \text{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right) + \log\left(-\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right) \right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $1/2*a*e*x^2 + 1/2*(x^2*\text{arcsec}(c*x) - x*\text{sqrt}(-1/(c^2*x^2) + 1)/c)*b*e + a*d*$
 $x + 1/2*(2*c*x*\text{arcsec}(c*x) - \log(\text{sqrt}(-1/(c^2*x^2) + 1) + 1) + \log(-\text{sqrt}(-1$
 $/(c^2*x^2) + 1) + 1))*b*d/c$

Fricas [A] time = 2.82923, size = 302, normalized size = 3.6

$$\frac{ac^2ex^2 + 2ac^2dx + 2bcd \log\left(-cx + \sqrt{c^2x^2-1}\right) - \sqrt{c^2x^2-1}be + (bc^2ex^2 + 2bc^2dx - 2bc^2d - bc^2e) \text{arcsec}(cx) + 2(2bc^2d - bc^2e)}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((e*x+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] 1/2*(a*c^2*e*x^2 + 2*a*c^2*d*x + 2*b*c*d*log(-c*x + sqrt(c^2*x^2 - 1)) - sqrt(c^2*x^2 - 1)*b*e + (b*c^2*e*x^2 + 2*b*c^2*d*x - 2*b*c^2*d - b*c^2*e)*arcsec(c*x) + 2*(2*b*c^2*d + b*c^2*e)*arctan(-c*x + sqrt(c^2*x^2 - 1)))/c^2
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx))(d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(a+b*asec(c*x)),x)
```

```
[Out] Integral((a + b*asec(c*x))*(d + e*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)(b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x + d)*(b*arcsec(c*x) + a), x)
```

3.59 $\int (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=32

$$ax - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c} + bx \sec^{-1}(cx)$$

[Out] a*x + b*x*ArcSec[c*x] - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c

Rubi [A] time = 0.0221793, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5214, 266, 63, 208}

$$ax - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c} + bx \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcSec[c*x],x]

[Out] a*x + b*x*ArcSec[c*x] - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c

Rule 5214

Int[ArcSec[(c_.)*(x_)], x_Symbol] :> Simp[x*ArcSec[c*x], x] - Dist[1/c, Int[1/(x*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[c, x]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned}
 \int (a + b \sec^{-1}(cx)) dx &= ax + b \int \sec^{-1}(cx) dx \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{c} \\
 &= ax + bx \sec^{-1}(cx) + \frac{b \operatorname{Subst}\left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{2c} \\
 &= ax + bx \sec^{-1}(cx) - (bc) \operatorname{Subst}\left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}}\right) \\
 &= ax + bx \sec^{-1}(cx) - \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c}
 \end{aligned}$$

Mathematica [A] time = 0.0508688, size = 59, normalized size = 1.84

$$ax - \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2 x^2 - 1}}\right)}{\sqrt{c^2 x^2 - 1}} + bx \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[a + b*ArcSec[c*x], x]

[Out] a*x + b*x*ArcSec[c*x] - (b*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2]

Maple [A] time = 0.158, size = 38, normalized size = 1.2

$$ax + b \operatorname{arcsec}(cx) - \frac{b}{c} \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a+b*arcsec(c*x),x)`

[Out] `a*x+b*x*arcsec(c*x)-b/c*ln(c*x+c*x*(1-1/c^2/x^2)^(1/2))`

Maxima [A] time = 0.981574, size = 72, normalized size = 2.25

$$ax + \frac{\left(2cx \operatorname{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right) + \log\left(-\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right)\right)b}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="maxima")`

[Out] `a*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b/c`

Fricas [B] time = 2.82384, size = 154, normalized size = 4.81

$$\frac{acx + 2bc \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) + (bcx - bc) \operatorname{arcsec}(cx) + b \log\left(-cx + \sqrt{c^2x^2 - 1}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arcsec(c*x),x, algorithm="fricas")`

[Out] `(a*c*x + 2*b*c*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c*x - b*c)*arcsec(c*x) + b*log(-c*x + sqrt(c^2*x^2 - 1)))/c`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*asec(c*x),x)

[Out] Integral(a + b*asec(c*x), x)

Giac [A] time = 1.11822, size = 62, normalized size = 1.94

$$\left(x \arccos\left(\frac{1}{cx}\right) + \frac{c \log\left(|-x|c| + \sqrt{c^2x^2 - 1}\right)}{|c|^2 \operatorname{sgn}(x)} \right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arcsec(c*x),x, algorithm="giac")

[Out] (x*arccos(1/(c*x)) + c*log(abs(-x*abs(c) + sqrt(c^2*x^2 - 1)))/(abs(c)^2*sgn(x)))*b + a*x

3.60 $\int \frac{a+b \sec^{-1}(cx)}{d+ex} dx$

Optimal. Leaf size=247

$$\frac{ibPolyLog\left(2, -\frac{(e-\sqrt{e^2-c^2d^2})e^{i\sec^{-1}(cx)}}{cd}\right)}{e} - \frac{ibPolyLog\left(2, -\frac{(\sqrt{e^2-c^2d^2}+e)e^{i\sec^{-1}(cx)}}{cd}\right)}{e} + \frac{ibPolyLog\left(2, -e^{2i\sec^{-1}(cx)}\right)}{2e} + \frac{(a+b \sec^{-1}(cx))}{e}$$

[Out] ((a + b*ArcSec[c*x])*Log[1 + ((e - Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e + ((a + b*ArcSec[c*x])*Log[1 + ((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e - ((a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x]))]/e - (I*b*PolyLog[2, -((e - Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e - (I*b*PolyLog[2, -((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x]))]/e

Rubi [A] time = 0.37276, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {5224, 2518}

$$\frac{ibPolyLog\left(2, -\frac{(e-\sqrt{e^2-c^2d^2})e^{i\sec^{-1}(cx)}}{cd}\right)}{e} - \frac{ibPolyLog\left(2, -\frac{(\sqrt{e^2-c^2d^2}+e)e^{i\sec^{-1}(cx)}}{cd}\right)}{e} + \frac{ibPolyLog\left(2, -e^{2i\sec^{-1}(cx)}\right)}{2e} + \frac{(a+b \sec^{-1}(cx))}{e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x), x]

[Out] ((a + b*ArcSec[c*x])*Log[1 + ((e - Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e + ((a + b*ArcSec[c*x])*Log[1 + ((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e - ((a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x]))]/e - (I*b*PolyLog[2, -((e - Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e - (I*b*PolyLog[2, -((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x]))]/e

Rule 5224

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))/((d_.) + (e_.)*(x_.)), x_Symbol] :> Simp[((a + b*ArcSec[c*x])*Log[1 + ((e - Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]/e, x] + (-Dist[b/(c*e), Int[Log[1 + ((e - Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d)]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] - Dist[b/(c*e), Int[Log[1 + ((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d))]

```
]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] + Dist[b/(c*e), Int[Log[1 + E^(2*I*ArcSec[c*x])]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] + Simp[((a + b*ArcSec[c*x])*Log[1 + ((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d)])/e, x] - Simp[((a + b*ArcSec[c*x])*Log[1 + E^(2*I*ArcSec[c*x])])/e, x] /; FreeQ[{a, b, c, d, e}, x]
```

Rule 2518

```
Int[Log[v_]*(u_), x_Symbol] := With[{w = DerivativeDivides[v, u*(1 - v), x]}, Simp[w*PolyLog[2, 1 - v], x] /; !FalseQ[w]]
```

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{d + ex} dx = \frac{(a + b \sec^{-1}(cx)) \log\left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd}\right)}{e} + \frac{(a + b \sec^{-1}(cx)) \log\left(1 + \frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd}\right)}{e}$$

$$= \frac{(a + b \sec^{-1}(cx)) \log\left(1 + \frac{(e - \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd}\right)}{e} + \frac{(a + b \sec^{-1}(cx)) \log\left(1 + \frac{(e + \sqrt{-c^2 d^2 + e^2}) e^{i \sec^{-1}(cx)}}{cd}\right)}{e}$$

Mathematica [A] time = 0.587821, size = 333, normalized size = 1.35

$$\frac{a \log(d + ex)}{e} + \frac{b \left(-i \left(\text{PolyLog}\left(2, \frac{(\sqrt{e^2 - c^2 d^2} - e) e^{i \sec^{-1}(cx)}}{cd}\right) + \text{PolyLog}\left(2, -\frac{(\sqrt{e^2 - c^2 d^2} + e) e^{i \sec^{-1}(cx)}}{cd}\right) \right) + \frac{1}{2} i \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right) \right)}{e}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x), x]
```

```
[Out] (a*Log[d + e*x])/e + (b*((4*I)*ArcSin[Sqrt[1 + e/(c*d)]]/Sqrt[2])*ArcTan[(-(c*d) + e)*Tan[ArcSec[c*x]/2]]/Sqrt[-(c^2*d^2) + e^2] + (ArcSec[c*x] + 2*ArcSin[Sqrt[1 + e/(c*d)]]/Sqrt[2])*Log[1 + ((e - Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d)] + (ArcSec[c*x] - 2*ArcSin[Sqrt[1 + e/(c*d)]]/Sqrt[2])*Log[1 + ((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d)] - ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - I*(PolyLog[2, ((-e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d)] + PolyLog[2, -((e + Sqrt[-(c^2*d^2) + e^2])*E^(I*ArcSec[c*x]))/(c*d)]]*E^(I*ArcSec[c*x]))/(c*d))] + (I/2)*PolyLog[2, -E^((2*I)*ArcSec[c*x])])
```

)/e

Maple [A] time = 0.374, size = 456, normalized size = 1.9

$$\frac{a \ln(cx + dc)}{e} + \frac{b \operatorname{arcsec}(cx)}{e} \ln \left(\left(dc \left(\frac{1}{cx} + i \sqrt{1 - \frac{1}{c^2 x^2}} \right) + \sqrt{-c^2 d^2 + e^2} + e \right) \left(e + \sqrt{-c^2 d^2 + e^2} \right)^{-1} \right) + \frac{b \operatorname{arcsec}(cx)}{e} \ln \left(\left(\right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x+d),x)`

[Out] `a*ln(c*e*x+c*d)/e+b/e*arcsec(c*x)*ln((d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2)+e)/(e+(-c^2*d^2+e^2)^(1/2)))+b/e*arcsec(c*x)*ln((-d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2)-e)/(-e+(-c^2*d^2+e^2)^(1/2)))-I*b/e*dilog((d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2)+e)/(e+(-c^2*d^2+e^2)^(1/2)))-I*b/e*dilog((-d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2))+(-c^2*d^2+e^2)^(1/2)-e)/(-e+(-c^2*d^2+e^2)^(1/2)))-b/e*arcsec(c*x)*ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))-b/e*arcsec(c*x)*ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+I*b/e*dilog(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+I*b/e*dilog(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$b \int \frac{\arctan(\sqrt{cx+1}\sqrt{cx-1})}{ex+d} dx + \frac{a \log(ex+d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d),x, algorithm="maxima")`

[Out] `b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(e*x + d), x) + a*log(e*x + d)/e`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{b \operatorname{arcsec}(cx) + a}{ex + d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d),x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(e*x + d), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d),x)

[Out] Integral((a + b*asec(c*x))/(d + e*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x + d), x)

3.61 $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^2} dx$

Optimal. Leaf size=104

$$-\frac{a+b \sec^{-1}(cx)}{e(d+ex)} - \frac{b \tanh^{-1}\left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{c^2 d^2 - e^2}}\right)}{d \sqrt{c^2 d^2 - e^2}} - \frac{b \csc^{-1}(cx)}{de}$$

[Out] $-\left(\frac{b \operatorname{ArcCsc}[c*x]}{d*e}\right) - \left(\frac{a + b \operatorname{ArcSec}[c*x]}{e*(d + e*x)}\right) - \left(\frac{b \operatorname{ArcTanh}\left[\frac{c^2*d + e/x}{c*\sqrt{1 - 1/(c^2*x^2)}}\right]}{d*\sqrt{c^2*d^2 - e^2}}\right) - \frac{b \operatorname{Csc}^{-1}(cx)}{de}$

Rubi [A] time = 0.156008, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {5226, 1568, 1475, 844, 216, 725, 206}

$$-\frac{a+b \sec^{-1}(cx)}{e(d+ex)} - \frac{b \tanh^{-1}\left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{c^2 d^2 - e^2}}\right)}{d \sqrt{c^2 d^2 - e^2}} - \frac{b \csc^{-1}(cx)}{de}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x)^2, x]

[Out] $-\left(\frac{b \operatorname{ArcCsc}[c*x]}{d*e}\right) - \left(\frac{a + b \operatorname{ArcSec}[c*x]}{e*(d + e*x)}\right) - \left(\frac{b \operatorname{ArcTanh}\left[\frac{c^2*d + e/x}{c*\sqrt{1 - 1/(c^2*x^2)}}\right]}{d*\sqrt{c^2*d^2 - e^2}}\right) - \frac{b \operatorname{Csc}^{-1}(cx)}{de}$

Rule 5226

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcSec[c*x]))/(e*(m + 1)), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rule 1568

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^(mn_.))^(q_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.), x_Symbol] := Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; F

reeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])

Rule 1475

Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 725

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^2} dx &= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2 (d + ex)} dx}{ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} \left(e + \frac{d}{x}\right) x^3} dx}{ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} - \frac{b \operatorname{Subst} \left(\int \frac{x}{(e + dx) \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce} \\
&= -\frac{a + b \sec^{-1}(cx)}{e(d + ex)} + \frac{b \operatorname{Subst} \left(\int \frac{1}{(e + dx) \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd} - \frac{b \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cde} \\
&= -\frac{b \csc^{-1}(cx)}{de} - \frac{a + b \sec^{-1}(cx)}{e(d + ex)} - \frac{b \operatorname{Subst} \left(\int \frac{1}{d^2 - \frac{e^2}{c^2} - x^2} dx, x, \frac{d + \frac{e}{c^2 x}}{\sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{cd} \\
&= -\frac{b \csc^{-1}(cx)}{de} - \frac{a + b \sec^{-1}(cx)}{e(d + ex)} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{d \sqrt{c^2 d^2 - e^2}}
\end{aligned}$$

Mathematica [A] time = 0.222711, size = 142, normalized size = 1.37

$$-\frac{a}{e(d + ex)} + \frac{b \log \left(cx \left(cd - \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{c^2 d^2 - e^2} \right) + e \right)}{d \sqrt{c^2 d^2 - e^2}} - \frac{b \log(d + ex)}{d \sqrt{c^2 d^2 - e^2}} - \frac{b \sin^{-1} \left(\frac{1}{cx} \right)}{de} - \frac{b \sec^{-1}(cx)}{e(d + ex)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^2,x]

[Out] -(a/(e*(d + e*x))) - (b*ArcSec[c*x])/(e*(d + e*x)) - (b*ArcSin[1/(c*x)])/(d*e) - (b*Log[d + e*x])/(d*sqrt[c^2*d^2 - e^2]) + (b*Log[e + c*(c*d - sqrt[c^2*d^2 - e^2]*sqrt[1 - 1/(c^2*x^2)])*x])/(d*sqrt[c^2*d^2 - e^2])

Maple [B] time = 0.25, size = 214, normalized size = 2.1

$$-\frac{ac}{(cex+dc)e} - \frac{c \operatorname{arcsec}(cx)}{(cex+dc)e} - \frac{b}{cexd} \sqrt{c^2x^2-1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{b}{cexd} \sqrt{c^2x^2-1} \ln\left(2 \frac{1}{cex+dc} \left(\sqrt{\frac{c^2d^2-e^2}{e^2}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x+d)^2,x)`

[Out]
$$-c*a/(c*e*x+c*d)/e - c*b/(c*e*x+c*d)/e * \operatorname{arcsec}(c*x) - 1/c*b/e * (c^2*x^2-1)^{(1/2)} / ((c^2*x^2-1)/c^2/x^2)^{(1/2)} / x/d * \arctan(1/(c^2*x^2-1)^{(1/2)}) + 1/c*b/e * (c^2*x^2-1)^{(1/2)} / ((c^2*x^2-1)/c^2/x^2)^{(1/2)} / x/d / ((c^2*d^2-e^2)/e^2)^{(1/2)} * \ln(2 * ((c^2*d^2-e^2)/e^2)^{(1/2)} * (c^2*x^2-1)^{(1/2)} * e - d*c^2*x - e) / (c*e*x+c*d)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d)^2,x, algorithm="maxima")`

[Out] Timed out

Fricas [B] time = 3.28274, size = 960, normalized size = 9.23

$$\frac{ac^2d^3 - ade^2 - \sqrt{c^2d^2 - e^2}(be^2x + bde) \log\left(\frac{c^3d^2x + cde - \sqrt{c^2d^2 - e^2}(c^2dx + e) + (c^2d^2 - \sqrt{c^2d^2 - e^2}cd - e^2)\sqrt{c^2x^2 - 1}}{ex + d}\right) + (bc^2d^3 - bde^2) \operatorname{arcsec}\left(\frac{cx}{d}\right)}{c^2d^4e - d^2e^3 + (c^2d^3e^2 - de^4)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d)^2,x, algorithm="fricas")`

[Out]
$$[-(a*c^2*d^3 - a*d*e^2 - \sqrt{c^2*d^2 - e^2}*(b*e^2*x + b*d*e))*\log((c^3*d^2*x + c*d*e - \sqrt{c^2*d^2 - e^2}*(c^2*d*x + e) + (c^2*d^2 - \sqrt{c^2*d^2 - e^2}cd - e^2)*\sqrt{c^2*x^2 - 1})/(e*x + d)) + (bc^2d^3 - bde^2) \operatorname{arcsec}(cx/d)]$$

```
e^2)*c*d - e^2)*sqrt(c^2*x^2 - 1))/(e*x + d)) + (b*c^2*d^3 - b*d*e^2)*arcse
c(c*x) - 2*(b*c^2*d^3 - b*d*e^2 + (b*c^2*d^2*e - b*e^3)*x)*arctan(-c*x + sq
rt(c^2*x^2 - 1)))/(c^2*d^4*e - d^2*e^3 + (c^2*d^3*e^2 - d*e^4)*x), -(a*c^2*
d^3 - a*d*e^2 - 2*sqrt(-c^2*d^2 + e^2)*(b*e^2*x + b*d*e)*arctan(-(sqrt(-c^2
*d^2 + e^2)*sqrt(c^2*x^2 - 1)*e - sqrt(-c^2*d^2 + e^2)*(c*e*x + c*d))/(c^2*
d^2 - e^2)) + (b*c^2*d^3 - b*d*e^2)*arcsec(c*x) - 2*(b*c^2*d^3 - b*d*e^2 +
(b*c^2*d^2*e - b*e^3)*x)*arctan(-c*x + sqrt(c^2*x^2 - 1)))/(c^2*d^4*e - d^2
*e^3 + (c^2*d^3*e^2 - d*e^4)*x)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/(e*x+d)**2,x)
```

```
[Out] Integral((a + b*asec(c*x))/(d + e*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^2, x)
```

$$3.62 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex)^3} dx$$

Optimal. Leaf size=172

$$-\frac{a+b \sec^{-1}(cx)}{2e(d+ex)^2} + \frac{bce\sqrt{1-\frac{1}{c^2x^2}}}{2d(c^2d^2-e^2)\left(\frac{d}{x}+e\right)} - \frac{b(2c^2d^2-e^2) \tanh^{-1}\left(\frac{c^2d+\frac{e}{x}}{c\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2d^2-e^2}}\right)}{2d^2(c^2d^2-e^2)^{3/2}} - \frac{b \csc^{-1}(cx)}{2d^2e}$$

[Out] (b*c*e*Sqrt[1 - 1/(c^2*x^2)])/(2*d*(c^2*d^2 - e^2)*(e + d/x)) - (b*ArcCsc[c*x])/(2*d^2*e) - (a + b*ArcSec[c*x])/(2*e*(d + e*x)^2) - (b*(2*c^2*d^2 - e^2)*ArcTanh[(c^2*d + e/x)/(c*Sqrt[c^2*d^2 - e^2]*Sqrt[1 - 1/(c^2*x^2)])])/(2*d^2*(c^2*d^2 - e^2)^(3/2))

Rubi [A] time = 0.29226, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5226, 1568, 1475, 1651, 844, 216, 725, 206}

$$-\frac{a+b \sec^{-1}(cx)}{2e(d+ex)^2} + \frac{bce\sqrt{1-\frac{1}{c^2x^2}}}{2d(c^2d^2-e^2)\left(\frac{d}{x}+e\right)} - \frac{b(2c^2d^2-e^2) \tanh^{-1}\left(\frac{c^2d+\frac{e}{x}}{c\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2d^2-e^2}}\right)}{2d^2(c^2d^2-e^2)^{3/2}} - \frac{b \csc^{-1}(cx)}{2d^2e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x)^3, x]

[Out] (b*c*e*Sqrt[1 - 1/(c^2*x^2)])/(2*d*(c^2*d^2 - e^2)*(e + d/x)) - (b*ArcCsc[c*x])/(2*d^2*e) - (a + b*ArcSec[c*x])/(2*e*(d + e*x)^2) - (b*(2*c^2*d^2 - e^2)*ArcTanh[(c^2*d + e/x)/(c*Sqrt[c^2*d^2 - e^2]*Sqrt[1 - 1/(c^2*x^2)])])/(2*d^2*(c^2*d^2 - e^2)^(3/2))

Rule 5226

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcSec[c*x]))/(e*(m + 1)), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] / ; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rule 1568

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^(mn_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; FreeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])
```

Rule 1475

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
```


Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec^{-1}(cx)}{(d + ex)^3} dx &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} x^2 (d + ex)^2}} dx}{2ce} \\
 &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} \left(e + \frac{d}{x}\right)^2 x^4}} dx}{2ce} \\
 &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{b \operatorname{Subst} \left(\int \frac{x^2}{(e + dx)^2 \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2ce} \\
 &= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} + \frac{(bc) \operatorname{Subst} \left(\int \frac{e - \left(d - \frac{e^2}{c^2 d}\right)x}{(e + dx) \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2e(c^2 d^2 - e^2)} \\
 &= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{b \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2cd^2 e} + \frac{(bc \left(2 - \frac{e^2}{c^2 d^2}\right)) \operatorname{Subst} \left(\int \frac{1}{d^2 - \frac{e^2}{c^2} - x^2} dx, x, \frac{1}{x} \right)}{2(c^2 d^2 - e^2)} \\
 &= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{b \csc^{-1}(cx)}{2d^2 e} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{(bc \left(2 - \frac{e^2}{c^2 d^2}\right)) \operatorname{Subst} \left(\int \frac{1}{d^2 - \frac{e^2}{c^2} - x^2} dx, x, \frac{1}{x} \right)}{2(c^2 d^2 - e^2)} \\
 &= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{2d(c^2 d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{b \csc^{-1}(cx)}{2d^2 e} - \frac{a + b \sec^{-1}(cx)}{2e(d + ex)^2} - \frac{b(2c^2 d^2 - e^2) \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2d^2 (c^2 d^2 - e^2)^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 0.480236, size = 247, normalized size = 1.44

$$\frac{1}{2} \left(-\frac{a}{e(d + ex)^2} + \frac{bcex \sqrt{1 - \frac{1}{c^2 x^2}}}{d(c^2 d^2 - e^2)(d + ex)} + \frac{b(2c^2 d^2 - e^2) \log \left(cx \left(cd - \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{c^2 d^2 - e^2} \right) + e \right)}{d^2 (cd - e)(cd + e) \sqrt{c^2 d^2 - e^2}} + \frac{b(e^2 - 2c^2 d^2) \log \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{d^2 (cd - e)(cd + e) \sqrt{c^2 d^2 - e^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^3,x]

[Out]
$$\begin{aligned} & \left(-\frac{a}{e(d+ex)^2} + \frac{bc\sqrt{1-1/(c^2x^2)}}{(d(c^2d^2-e^2)(d+ex))} - \frac{b\text{ArcSec}[c*x]}{e(d+ex)^2} - \frac{b\text{ArcSin}[1/(c*x)]}{d^2e} \right. \\ & + \frac{b(-2c^2d^2+e^2)\text{Log}[d+ex]}{d^2(c*d-e)(c*d+e)\sqrt{c^2d^2-e^2}} + \frac{b(2c^2d^2-e^2)\text{Log}[e+c(c*d-\sqrt{c^2d^2-e^2})\sqrt{1-1/(c^2x^2)}}{d^2(c*d-e)(c*d+e)\sqrt{c^2d^2-e^2}} \Big) / 2 \end{aligned}$$

Maple [B] time = 0.28, size = 1005, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^3,x)

[Out]
$$\begin{aligned} & -\frac{1}{2}c^2a/(cex+cd)^2/e - \frac{1}{2}c^2b/(cex+cd)^2/e \text{arcsec}(cx) - \frac{1}{2}c^2b * \\ & (c^2x^2-1)^{(1/2)} / ((c^2x^2-1)/c^2/x^2)^{(1/2)} / (c^2d^2-e^2) / (cex+cd) * \text{arc} \\ & \text{tan}(1/(c^2x^2-1)^{(1/2)}) - \frac{1}{2}c^2b/e * (c^2x^2-1)^{(1/2)} / ((c^2x^2-1)/c^2/x^2) \\ &)^{(1/2)} / x/d / (c^2d^2-e^2) / (cex+cd) * \text{arctan}(1/(c^2x^2-1)^{(1/2)}) + c^2b * (c^ \\ & 2x^2-1)^{(1/2)} / ((c^2x^2-1)/c^2/x^2)^{(1/2)} / ((c^2d^2-e^2)/e^2)^{(1/2)} / (c^2d \\ & ^2-e^2) / (cex+cd) * \ln(2 * (((c^2d^2-e^2)/e^2)^{(1/2)} * (c^2x^2-1)^{(1/2)} * e-d*c \\ & ^2*x-e) / (cex+cd)) + c^2b/e * (c^2x^2-1)^{(1/2)} / ((c^2x^2-1)/c^2/x^2)^{(1/2)} / \\ & x*d / ((c^2d^2-e^2)/e^2)^{(1/2)} / (c^2d^2-e^2) / (cex+cd) * \ln(2 * (((c^2d^2-e^2) \\ &)/e^2)^{(1/2)} * (c^2x^2-1)^{(1/2)} * e-d*c^2*x-e) / (cex+cd)) + \frac{1}{2}b * e^2 * (c^2x^2 \\ & -1)^{(1/2)} / ((c^2x^2-1)/c^2/x^2)^{(1/2)} / d^2 / (c^2d^2-e^2) / (cex+cd) * \text{arctan}(\\ & 1/(c^2x^2-1)^{(1/2)}) + \frac{1}{2}b * e * (c^2x^2-1)^{(1/2)} / ((c^2x^2-1)/c^2/x^2)^{(1/2)} / \\ & x/d / (c^2d^2-e^2) / (cex+cd) * \text{arctan}(1/(c^2x^2-1)^{(1/2)}) + \frac{1}{2}c^2b * e / ((c^2 \\ & *x^2-1)/c^2/x^2)^{(1/2)} * x/d / (c^2d^2-e^2) / (cex+cd) - \frac{1}{2}b * e / ((c^2x^2-1)/c \\ & ^2/x^2)^{(1/2)} / x/d / (c^2d^2-e^2) / (cex+cd) - \frac{1}{2}b * e^2 * (c^2x^2-1)^{(1/2)} / ((c \\ & ^2x^2-1)/c^2/x^2)^{(1/2)} / d^2 / ((c^2d^2-e^2)/e^2)^{(1/2)} / (c^2d^2-e^2) / (cex \\ & +cd) * \ln(2 * (((c^2d^2-e^2)/e^2)^{(1/2)} * (c^2x^2-1)^{(1/2)} * e-d*c^2*x-e) / (cex \\ & +cd)) - \frac{1}{2}b * e * (c^2x^2-1)^{(1/2)} / ((c^2x^2-1)/c^2/x^2)^{(1/2)} / x/d / ((c^2d^2- \\ & e^2)/e^2)^{(1/2)} / (c^2d^2-e^2) / (cex+cd) * \ln(2 * (((c^2d^2-e^2)/e^2)^{(1/2)} * (\\ & c^2x^2-1)^{(1/2)} * e-d*c^2*x-e) / (cex+cd)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{\left((c^2 e^3 x^2 + 2 c^2 d e^2 x + c^2 d^2 e) \int \frac{x e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(cx-1) \right)}}{c^2 e^3 x^4 + 2 c^2 d e^2 x^3 - 2 d e^2 x + (c^2 e^3 x^4 + 2 c^2 d e^2 x^3 - 2 d e^2 x - d^2 e + (c^2 d^2 e - e^3) x^2) (cx+1)(cx-1) - d^2 e + (c^2 d^2 e - e^3) x^2} dx - \arctan\left(\frac{\sqrt{c^2 e^3 x^2 + 2 d e^2 x + d^2 e}}{e^3 x^2 + 2 d e^2 x + d^2 e}\right) \right)}{2 \left(e^3 x^2 + 2 d e^2 x + d^2 e \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^3,x, algorithm="maxima")

[Out] 1/2*(2*(c^2*e^3*x^2 + 2*c^2*d*e^2*x + c^2*d^2*e)*integrate(1/2*x*e^(1/2*log(c*x + 1) + 1/2*log(c*x - 1))/(c^2*e^3*x^4 + 2*c^2*d*e^2*x^3 - 2*d*e^2*x - d^2*e + (c^2*d^2*e - e^3)*x^2 + (c^2*e^3*x^4 + 2*c^2*d*e^2*x^3 - 2*d*e^2*x - d^2*e + (c^2*d^2*e - e^3)*x^2)*e^(log(c*x + 1) + log(c*x - 1))), x) - arc tan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(e^3*x^2 + 2*d*e^2*x + d^2*e) - 1/2*a/(e^3*x^2 + 2*d*e^2*x + d^2*e)

Fricas [B] time = 7.15157, size = 2223, normalized size = 12.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^3,x, algorithm="fricas")

[Out] [-1/2*(a*c^4*d^6 - b*c^3*d^5*e - 2*a*c^2*d^4*e^2 + b*c*d^3*e^3 + a*d^2*e^4 - (b*c^3*d^3*e^3 - b*c*d*e^5)*x^2 - (2*b*c^2*d^4*e - b*d^2*e^3 + (2*b*c^2*d^2*e^3 - b*e^5)*x^2 + 2*(2*b*c^2*d^3*e^2 - b*d*e^4)*x)*sqrt(c^2*d^2 - e^2)*log((c^3*d^2*x + c*d*e - sqrt(c^2*d^2 - e^2)*(c^2*d*x + e) + (c^2*d^2 - sqrt(c^2*d^2 - e^2)*c*d - e^2)*sqrt(c^2*x^2 - 1))/(e*x + d)) - 2*(b*c^3*d^4*e^2 - b*c*d^2*e^4)*x + (b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4)*arcsec(c*x) - 2*(b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4 + (b*c^4*d^4*e^2 - 2*b*c^2*d^2*e^4 + b*e^6)*x^2 + 2*(b*c^4*d^5*e - 2*b*c^2*d^3*e^3 + b*d*e^5)*x)*arctan(-c*x + sqrt(c^2*x^2 - 1)) - (b*c^2*d^4*e^2 - b*d^2*e^4 + (b*c^2*d^3*e^3 - b*d*e^5)*x)*sqrt(c^2*x^2 - 1))/(c^4*d^8*e - 2*c^2*d^6*e^3 + d^4*e^5 + (c^4*d^6*e^3 - 2*c^2*d^4*e^5 + d^2*e^7)*x^2 + 2*(c^4*d^7*e^2 - 2*c^2*d^5*e^4 + d^3*e^6)*x), -1/2*(a*c^4*d^6 - b*c^3*d^5*e - 2*a*c^2*d^4*e^2 + b*c*d^3*e^3 + a*d^2*e^4 - (b*c^3*d^3*e^3 - b*c*d*e^5)*x^2 - 2*(2*b*c^2*d^4*e - b*d^2*e^3 + (2*b*c^2*d^2*e^3 - b*e^5)*x^2 + 2*(2*b*c^2*d^3*e^2 - b*d*e^4)*x)*sqrt(-c^2*d^2 + e^2)*arctan(-(sqrt(-c^2*d^2 + e^2)*sqrt(c^2*x^2 - 1)*e - sqrt(-c^2*d^2 + e^2)*(c*e*x + c*d))/(c^2*d^2 - e^2)) - 2*(b*c^3*d^4*e^2 - b*c*d^2*e^4)

```
*x + (b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4)*arcsec(c*x) - 2*(b*c^4*d^6 -
  2*b*c^2*d^4*e^2 + b*d^2*e^4 + (b*c^4*d^4*e^2 - 2*b*c^2*d^2*e^4 + b*e^6)*x^
  2 + 2*(b*c^4*d^5*e - 2*b*c^2*d^3*e^3 + b*d*e^5)*x)*arctan(-c*x + sqrt(c^2*x
  ^2 - 1)) - (b*c^2*d^4*e^2 - b*d^2*e^4 + (b*c^2*d^3*e^3 - b*d*e^5)*x)*sqrt(c
  ^2*x^2 - 1))/(c^4*d^8*e - 2*c^2*d^6*e^3 + d^4*e^5 + (c^4*d^6*e^3 - 2*c^2*d^
  4*e^5 + d^2*e^7)*x^2 + 2*(c^4*d^7*e^2 - 2*c^2*d^5*e^4 + d^3*e^6)*x]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/(e*x+d)**3,x)
```

```
[Out] Integral((a + b*asec(c*x))/(d + e*x)**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^3, x)
```

3.63 $\int (d + ex)^{3/2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=372

$$\frac{4b\sqrt{1-c^2x^2}(2c^2d^2+e^2)\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right),\frac{2e}{cd+e}\right)}{15c^4x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{2(d+ex)^{5/2}(a+b\sec^{-1}(cx))}{5e} + \frac{4bd^3\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}}{5cex}$$

```
[Out] (4*b*e*Sqrt[d + e*x]*(1 - c^2*x^2))/(15*c^3*Sqrt[1 - 1/(c^2*x^2)]*x) + (2*(d + e*x)^(5/2)*(a + b*ArcSec[c*x]))/(5*e) + (28*b*d*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(15*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (4*b*(2*c^2*d^2 + e^2)*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(15*c^4*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (4*b*d^3*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(5*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])
```

Rubi [A] time = 0.759352, antiderivative size = 372, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 13, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.722$, Rules used = {5226, 1574, 958, 719, 419, 933, 168, 538, 537, 844, 424, 931, 1584}

$$\frac{2(d+ex)^{5/2}(a+b\sec^{-1}(cx))}{5e} + \frac{4b\sqrt{1-c^2x^2}(2c^2d^2+e^2)\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{15c^4x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{4bd^3\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2,\text{ArcSin}\left[\frac{\sqrt{1-cx}}{\sqrt{2}}\right],\frac{2e}{cd+e}\right)}{5cex\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)^(3/2)*(a + b*ArcSec[c*x]),x]
```

```
[Out] (4*b*e*Sqrt[d + e*x]*(1 - c^2*x^2))/(15*c^3*Sqrt[1 - 1/(c^2*x^2)]*x) + (2*(d + e*x)^(5/2)*(a + b*ArcSec[c*x]))/(5*e) + (28*b*d*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(15*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (4*b*(2*c^2*d^2 + e^2)*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(15*c^4*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (4*b*d^3*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(5*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])
```

Rule 5226

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*ArcSec[c*x]))/(e*(m + 1)), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_.)*((d_.) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol]
:> Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^(FracPart[p])/(c + a*x^(2*n))^(FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_)^(n_))/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol]
:> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 719

```
Int[((d_) + (e_.)*(x_)^(m_))/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol]
:> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol]
:> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol]
:> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e))]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 931

```
Int[((d_.) + (e_.)*(x_))^(m_)/(Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := Simp[(2*e^2*(d + e*x)^(m - 2)*Sqrt[f + g*x]*Sqrt[a + c*x^2]/(c*g*(2*m - 1)), x] - Dist[1/(c*g*(2*m - 1)), Int[((d + e*x)^(m - 3))*Simp[a*e^2*(d*g + 2*e*f*(m - 2)) - c*d^3*g*(2*m - 1) + e*(e*(a*e*g*(2*m - 3)) + c*d*(2*e*f - 3*d*g*(2*m - 1)))*x + 2*e^2*(c*e*f - 3*c*d*g)*(m - 1)*x^2, x]/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[2*m] && GeQ[
```

m, 2]

Rule 1584

```
Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol]
:> Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x]
&& IntegerQ[n] && PosQ[q - p]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^{3/2} (a+b \sec^{-1}(cx)) dx &= \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} - \frac{(2b) \int \frac{(d+ex)^{5/2}}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{5ce} \\
&= \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{(d+ex)^{5/2}}{x\sqrt{-\frac{1}{c^2}+x^2}} dx}{5ce\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \left(\frac{3d^2e}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} + \frac{d^3}{x\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}}\right) dx}{5ce\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} - \frac{\left(6bd^2\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{5c\sqrt{1-\frac{1}{c^2x^2}x}} - \frac{\left(2bd^3\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{5c\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}x}} + \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} - \frac{\left(6bd\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{\sqrt{d+ex}}{\sqrt{-\frac{1}{c^2}+x^2}} dx}{5c\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}x}} + \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} + \frac{12bd^2\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}E}{5c^2\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}x}} + \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} + \frac{12bd\sqrt{d+ex}\sqrt{1-c^2x^2}E}{5c^2\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}x}} + \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} + \frac{12bd\sqrt{d+ex}\sqrt{1-c^2x^2}E}{5c^2\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}x}} + \frac{2(d+ex)^{5/2} (a+b \sec^{-1}(cx))}{5e} + \frac{28bd\sqrt{d+ex}\sqrt{1-c^2x^2}E}{15c^2\sqrt{1-\frac{1}{c^2x^2}x}}
\end{aligned}$$

Mathematica [C] time = 1.40631, size = 333, normalized size = 0.9

$$\frac{1}{15} \left(\frac{4ib \sqrt{\frac{e(cx+1)}{e-cd}} \sqrt{\frac{e-cex}{cd+e}} \left((9c^2d^2 - 7cde + e^2) \operatorname{EllipticF} \left(i \sinh^{-1} \left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex} \right), \frac{cd+e}{cd-e} \right) - 3c^2d^2 \Pi \left(\frac{e}{cd} + 1; i \sinh^{-1} \left(\sqrt{-\frac{c}{cd+e}} \right) \right)}{c^3ex \sqrt{1 - \frac{1}{c^2x^2}} \sqrt{-\frac{c}{cd+e}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^(3/2)*(a + b*ArcSec[c*x]),x]

[Out] ((-4*b*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])/c + (6*a*(d + e*x)^(5/2))/e + (6*b*(d + e*x)^(5/2)*ArcSec[c*x])/e + ((4*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d + e))] * Sqrt[(e - c*e*x)/(c*d + e)] * (-7*c*d*(c*d - e)*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (9*c^2*d^2 - 7*c*d*e + e^2)*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - 3*c^2*d^2*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)))/(c^3*e*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)]*x)/15

Maple [B] time = 0.371, size = 812, normalized size = 2.2

$$2 \frac{1}{e} \left(\frac{1}{5} (ex + d)^{5/2} a + b \left(\frac{1}{5} (ex + d)^{5/2} \operatorname{arcsec}(cx) + \frac{2}{15} \frac{1}{c^3x} \left(-\sqrt{\frac{c}{dc-e}} (ex + d)^{5/2} c^2 + 3d^2 \sqrt{-\frac{(ex+d)c-dc+e}{dc-e}} \sqrt{-\frac{c}{cd+e}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^(3/2)*(a+b*arcsec(c*x)),x)

[Out] 2/e*(1/5*(e*x+d)^(5/2)*a+b*(1/5*(e*x+d)^(5/2)*arcsec(c*x)+2/15/c^3*(-(c/(c*d-e))^(1/2)*(e*x+d)^(5/2)*c^2+3*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c^2-9*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^2+7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^2*d^2+2*(c/(c*d-e))^(1/2)*(e*x+d)^(3/2)*c^2*d-7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d+e+7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)

$$\frac{1}{2} * \text{EllipticE}((e*x+d)^{(1/2)} * (c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * c*d * e - (c/(c*d-e))^{(1/2)} * (e*x+d)^{(1/2)} * c^2*d^2 - (-(e*x+d)*c-d*c+e)/(c*d-e)^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticF}((e*x+d)^{(1/2)} * (c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * e^2 + (c/(c*d-e))^{(1/2)} * (e*x+d)^{(1/2)} * e^2 / (c/(c*d-e))^{(1/2)} / x / ((c^2*(e*x+d)^2 - 2*d*c^2*(e*x+d) + c^2*d^2 - e^2) / c^2 / e^2 / x^2)^{(1/2)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**(3/2)*(a+b*asec(c*x)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^(3/2)*(b*arcsec(c*x) + a), x)
```

3.64 $\int \sqrt{d+ex} \left(a + b \sec^{-1}(cx) \right) dx$

Optimal. Leaf size=315

$$\frac{4bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right),\frac{2e}{cd+e}\right)}{3c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{2(d+ex)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{4bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2;\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)}{3cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] (2*(d + e*x)^(3/2)*(a + b*ArcSec[c*x]))/(3*e) + (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)))/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (4*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)))/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (4*b*d^2*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)))/(3*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])

Rubi [A] time = 0.463358, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5226, 1574, 958, 719, 419, 933, 168, 538, 537, 844, 424}

$$\frac{2(d+ex)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{4bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2;\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)\frac{2e}{cd+e}}{3cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{4bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)}{3c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x]*(a + b*ArcSec[c*x]),x]

[Out] (2*(d + e*x)^(3/2)*(a + b*ArcSec[c*x]))/(3*e) + (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)))/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (4*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)))/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (4*b*d^2*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)))/(3*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])

Rule 5226

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*ArcSec[c*x]))/(e*(m + 1)), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_.)*((d_.) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol]
:> Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^(FracPart[p])/(c + a*x^(2*n))^(FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol]
:> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 719

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol]
:> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol]
:> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol]
:> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e))]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{d+ex} (a+b \sec^{-1}(cx)) dx &= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} - \frac{(2b) \int \frac{(d+ex)^{3/2}}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{3ce} \\
&= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{(d+ex)^{3/2}}{x\sqrt{-\frac{1}{c^2}+x^2}} dx}{3ce\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \left(\frac{2de}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} + \frac{d^2}{x\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} + \dots\right) dx}{3ce\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} - \frac{\left(4bd\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}}} - \frac{\left(2bd^2\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{3ce\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} - \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{\sqrt{d+ex}}{\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}}} + \frac{\left(2bd\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} + \frac{8bd\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{d+ex}} + \frac{\left(4bd^2\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{3ce\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} + \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{c(d+ex)}{cd+e}}} + \frac{4bd\sqrt{\frac{c(d+ex)}{cd+e}}}{3c\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a+b \sec^{-1}(cx))}{3e} + \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{c(d+ex)}{cd+e}}} + \frac{4bd\sqrt{\frac{c(d+ex)}{cd+e}}}{3c\sqrt{1-\frac{1}{c^2x^2}}}
\end{aligned}$$

Mathematica [C] time = 6.01815, size = 277, normalized size = 0.88

$$2 \left(\frac{2ib \sqrt{\frac{e(cx+1)}{e-cd}} \sqrt{\frac{e-cex}{cd+e}} (2cd-e) \text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) + (e-cd) E\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) - cd \Pi\left(\frac{e}{cd} + 1; i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right)}{c^2 x \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{-\frac{c}{cd+e}}}\right)$$

3e

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e*x]*(a + b*ArcSec[c*x]), x]

[Out] (2*(a*(d + e*x)^(3/2) + b*(d + e*x)^(3/2)*ArcSec[c*x] + ((2*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*e*x)/(c*d + e)]*((-(c*d) + e)*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (2*c*d - e)*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - c*d*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)))/(c^2*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)]*x))/(3*e)

Maple [A] time = 0.255, size = 388, normalized size = 1.2

$$2 \frac{1}{e} \left(\frac{1}{3} (ex + d)^{3/2} a + b \left(\frac{1}{3} (ex + d)^{3/2} \operatorname{arcsec}(cx) - \frac{2}{3} \frac{1}{c^2 x} \left(2 d \operatorname{EllipticF}\left(\sqrt{ex + d}, \sqrt{\frac{c}{dc - e}}, \sqrt{\frac{dc - e}{dc + e}}\right) c - \operatorname{EllipticE}\left(\sqrt{ex + d}, \sqrt{\frac{c}{dc - e}}, \sqrt{\frac{dc - e}{dc + e}}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^(1/2)*(a+b*arcsec(c*x)), x)

[Out] 2/e*(1/3*(e*x+d)^(3/2)*a+b*(1/3*(e*x+d)^(3/2)*arcsec(c*x)-2/3/c^2*(2*d*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c-EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c-d*EllipticPi(((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c+EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e-EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**(1/2)*(a+b*asec(c*x)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex + d}(b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x + d)*(b*arcsec(c*x) + a), x)
```

$$3.65 \quad \int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex}} dx$$

Optimal. Leaf size=212

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{2\sqrt{d+ex}(a+b\sec^{-1}(cx))}{e} + \frac{4bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\right)}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] (2*Sqrt[d + e*x]*(a + b*ArcSec[c*x]))/e + (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/ (c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (4*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])

Rubi [A] time = 0.303554, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5226, 1574, 944, 719, 419, 933, 168, 538, 537}

$$\frac{2\sqrt{d+ex}(a+b\sec^{-1}(cx))}{e} + \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \frac{4bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/Sqrt[d + e*x], x]

[Out] (2*Sqrt[d + e*x]*(a + b*ArcSec[c*x]))/e + (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/ (c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (4*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])

Rule 5226

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcSec[c*x]))/(e*(m + 1)), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

Rule 1574

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^p_)*((d_) + (e_.)*(x_)^(n_.))^
(q_.), x_Symbol] := Dist[(x^(2*n*FracPart[p])*(a + c/x^(2*n))^FracPart[p])/
(c + a*x^(2*n))^FracPart[p], Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n)
)^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !In
tegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 944

```
Int[Sqrt[(f_.) + (g_.)*(x_)]/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2
]), x_Symbol] := Dist[g/e, Int[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] +
Dist[(e*f - d*g)/e, Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x]
/; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2,
0]
```

Rule 719

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[(
2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(
d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2
]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/
a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ
[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)
^2]), x_Symbol] := With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[
a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x]
, x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a
*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_
)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g -
c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
```

, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)]]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplifierSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{\sqrt{d + ex}} dx &= \frac{2\sqrt{d + ex} (a + b \sec^{-1}(cx))}{e} - \frac{(2b) \int \frac{\sqrt{d+ex}}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2} dx}{ce} \\
&= \frac{2\sqrt{d + ex} (a + b \sec^{-1}(cx))}{e} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{\sqrt{d+ex}}{x\sqrt{-\frac{1}{c^2} + x^2}} dx}{ce\sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{2\sqrt{d + ex} (a + b \sec^{-1}(cx))}{e} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2} + x^2}} dx}{c\sqrt{1 - \frac{1}{c^2 x^2}} x} - \frac{\left(2bd\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x\sqrt{d+ex}\sqrt{-\frac{1}{c^2} + x^2}} dx}{ce\sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{2\sqrt{d + ex} (a + b \sec^{-1}(cx))}{e} - \frac{\left(2bd\sqrt{1 - c^2 x^2}\right) \int \frac{1}{x\sqrt{1-cx}\sqrt{1+cx}\sqrt{d+ex}} dx}{ce\sqrt{1 - \frac{1}{c^2 x^2}} x} + \frac{\left(4b\sqrt{\frac{d+ex}{d+\frac{e}{c}}}\sqrt{1 - c^2 x^2}\right) \text{Stieltjes}}{c^2\sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{2\sqrt{d + ex} (a + b \sec^{-1}(cx))}{e} + \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{c^2\sqrt{1 - \frac{1}{c^2 x^2}} x\sqrt{d + ex}} + \frac{\left(4bd\sqrt{1 - c^2 x^2}\right) \text{Stieltjes}}{c^2\sqrt{1 - \frac{1}{c^2 x^2}} x\sqrt{d + ex}} \\
&= \frac{2\sqrt{d + ex} (a + b \sec^{-1}(cx))}{e} + \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{c^2\sqrt{1 - \frac{1}{c^2 x^2}} x\sqrt{d + ex}} + \frac{\left(4bd\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1 - c^2 x^2}\right) \text{Stieltjes}}{c^2\sqrt{1 - \frac{1}{c^2 x^2}} x\sqrt{d + ex}} \\
&= \frac{2\sqrt{d + ex} (a + b \sec^{-1}(cx))}{e} + \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{c^2\sqrt{1 - \frac{1}{c^2 x^2}} x\sqrt{d + ex}} + \frac{4bd\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1 - c^2 x^2}}{ce\sqrt{1 - \frac{1}{c^2 x^2}} x}
\end{aligned}$$

Mathematica [C] time = 2.65761, size = 212, normalized size = 1.

$$\frac{2 \left(\frac{2ib\sqrt{\frac{e(cx+1)}{e-cd}}\sqrt{\frac{e-cex}{cd+e}} \left(\text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) - \Pi\left(\frac{e}{cd}+1; i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right) \middle| \frac{cd+e}{cd-e}\right) \right)}{cx\sqrt{1 - \frac{1}{c^2 x^2}}\sqrt{-\frac{c}{cd+e}}} + a\sqrt{d + ex} + b \sec^{-1}(cx)\sqrt{d + ex} \right)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/Sqrt[d + e*x],x]

[Out] (2*(a*Sqrt[d + e*x] + b*Sqrt[d + e*x]*ArcSec[c*x] + ((2*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*e*x)/(c*d + e)]*(EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)])))/(c*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)]*x))/e

Maple [A] time = 0.257, size = 254, normalized size = 1.2

$$2 \frac{1}{e} \left(a \sqrt{ex + d} + b \left(\sqrt{ex + d} \operatorname{arcsec}(cx) - 2 \frac{1}{cx} \sqrt{-\frac{(ex + d)c - dc + e}{dc - e}} \sqrt{-\frac{(ex + d)c - dc - e}{dc + e}} \left(\operatorname{EllipticF} \left(\sqrt{ex + d} \sqrt{\frac{c}{dc - e}} \right. \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^(1/2),x)

[Out] 2/e*(a*(e*x+d)^(1/2)+b*((e*x+d)^(1/2)*arcsec(c*x)-2/c*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*(EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))-EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2)))/(c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)/x/(c/(c*d-e))^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex + d}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(1/2),x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/sqrt(e*x + d), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**(1/2),x)

[Out] Integral((a + b*asec(c*x))/sqrt(d + e*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/sqrt(e*x + d), x)

3.66 $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{3/2}} dx$

Optimal. Leaf size=119

$$\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d+ex}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(-2*(a + b*\text{ArcSec}[c*x]))/(e*\text{Sqrt}[d + e*x]) - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 0.219172, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5226, 1574, 933, 168, 538, 537}

$$\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d+ex}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])/(d + e*x)^{(3/2)}, x]$

[Out] $(-2*(a + b*\text{ArcSec}[c*x]))/(e*\text{Sqrt}[d + e*x]) - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 5226

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol]
  := Simp[((d + e*x)^(m + 1)*(a + b*ArcSec[c*x]))/(e*(m + 1)), x] - Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_.)*((d_.) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol]
  := Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^(FracPart[p])/(c + a*x^(2*n))^(FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))
```

```
)^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_.) + (c_.)*(x_)^2]), x_Symbol] := With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_.) + (b_.)*(x_)^2)*Sqrt[(c_.) + (d_.)*(x_)^2]*Sqrt[(e_.) + (f_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_.) + (b_.)*(x_)^2)*Sqrt[(c_.) + (d_.)*(x_)^2]*Sqrt[(e_.) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^{3/2}} dx &= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} + \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} x^2 \sqrt{d + ex}}} dx}{ce} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x\sqrt{d + ex}\sqrt{-\frac{1}{c^2} + x^2}} dx}{ce\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} + \frac{\left(2b\sqrt{1 - c^2 x^2}\right) \int \frac{1}{x\sqrt{1 - cx}\sqrt{1 + cx}\sqrt{d + ex}} dx}{ce\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} - \frac{\left(4b\sqrt{1 - c^2 x^2}\right) \text{Subst}\left(\int \frac{1}{(1 - x^2)\sqrt{2 - x^2}\sqrt{d + \frac{e}{c} - \frac{ex^2}{c}}} dx, x, \sqrt{1 - cx}\right)}{ce\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} - \frac{\left(4b\sqrt{\frac{c(d + ex)}{cd + e}}\sqrt{1 - c^2 x^2}\right) \text{Subst}\left(\int \frac{1}{(1 - x^2)\sqrt{2 - x^2}\sqrt{1 - \frac{ex^2}{c(d + \frac{e}{c})}}} dx, x, \sqrt{1 - cx}\right)}{ce\sqrt{1 - \frac{1}{c^2 x^2} x}\sqrt{d + ex}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{e\sqrt{d + ex}} - \frac{4b\sqrt{\frac{c(d + ex)}{cd + e}}\sqrt{1 - c^2 x^2}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd + e}\right)}{ce\sqrt{1 - \frac{1}{c^2 x^2} x}\sqrt{d + ex}}
\end{aligned}$$

Mathematica [A] time = 0.267054, size = 124, normalized size = 1.04

$$\frac{2\left((c^2 x^2 - 1)(a + b \sec^{-1}(cx)) + 2bcx\sqrt{1 - \frac{1}{c^2 x^2}}\sqrt{1 - c^2 x^2}\sqrt{\frac{c(d + ex)}{cd + e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1 - cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd + e}\right)\right)}{e(c^2 x^2 - 1)\sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^(3/2), x]

[Out] (-2*((-1 + c^2*x^2)*(a + b*ArcSec[c*x]) + 2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]))/(e*Sqrt[d + e*x]*(-1 + c^2*x^2))

Maple [A] time = 0.247, size = 217, normalized size = 1.8

$$2 \frac{1}{e} \left(-\frac{a}{\sqrt{ex+d}} + b \left(-\frac{\operatorname{arcsec}(cx)}{\sqrt{ex+d}} - 2 \frac{1}{cdx} \sqrt{\frac{(ex+d)c-dc+e}{dc-e}} \sqrt{\frac{(ex+d)c-dc-e}{dc+e}} \operatorname{EllipticPi} \left(\sqrt{ex+d} \sqrt{\frac{c}{dc-e}}, \frac{dc}{dc-e} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x+d)^(3/2),x)`

[Out] `2/e*(-1/(e*x+d)^(1/2)*a+b*(-1/(e*x+d)^(1/2)*arcsec(c*x)-2/c/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)/x/d/(c/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2)))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x+d)^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**(3/2),x)

[Out] Integral((a + b*asec(c*x))/(d + e*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^(3/2), x)

3.67 $\int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{5/2}} dx$

Optimal. Leaf size=298

$$\frac{2(a+b \sec^{-1}(cx))}{3e(d+ex)^{3/2}} - \frac{4be(1-c^2x^2)}{3cdx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{d+ex}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3dx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{\frac{c(d+ex)}{cd+e}}} - \frac{4b\sqrt{1-c^2x^2}}{3e(d+ex)^{3/2}}$$

[Out] $(-4*b*e*(1 - c^2*x^2))/(3*c*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (2*(a + b*\text{ArcSec}[c*x]))/(3*e*(d + e*x)^{(3/2)}) + (4*b*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(3*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(3*c*d*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 0.405632, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5226, 1574, 958, 745, 21, 719, 424, 933, 168, 538, 537}

$$\frac{2(a+b \sec^{-1}(cx))}{3e(d+ex)^{3/2}} - \frac{4be(1-c^2x^2)}{3cdx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{d+ex}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\middle|\frac{2e}{cd+e}\right)}{3dx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{\frac{c(d+ex)}{cd+e}}} - \frac{4b\sqrt{1-c^2x^2}}{3e(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcSec}[c*x])/(d + e*x)^{(5/2)}, x]$

[Out] $(-4*b*e*(1 - c^2*x^2))/(3*c*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (2*(a + b*\text{ArcSec}[c*x]))/(3*e*(d + e*x)^{(3/2)}) + (4*b*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(3*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)))/(3*c*d*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 5226

$\text{Int}[(a + b*\text{ArcSec}[c*x])/(d + e*x)^{(5/2)}, x]$
 $\text{Int}[(a + b*\text{ArcSec}[c*x])/(d + e*x)^{(m+1)}, x] := \text{Simp}[(d + e*x)^{(m+1)}*(a + b*\text{ArcSec}[c*x])/(e*(m+1)), x] - \text{Dist}[b/$

```
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(mn2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] :=> Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^FracPart[p]]/(c + a*x^(2*n))^FracPart[p], Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_) + (g_)*(x_))^(n_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :=> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 745

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :=> Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[m + 2*p + 3], 0])
```

Rule 21

```
Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :=> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :=> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```


Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^{5/2}} dx &= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^2 (d + ex)^{3/2}} dx}{3ce} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x(d + ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3ce\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \left(-\frac{e}{d(d + ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} + \frac{1}{dx\sqrt{d + ex} \sqrt{-\frac{1}{c^2} + x^2}}\right) dx}{3ce\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d + ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3cd\sqrt{1 - \frac{1}{c^2 x^2} x}} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x\sqrt{d + ex} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3cde\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2)\sqrt{1 - \frac{1}{c^2 x^2} x} \sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(4b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{-\frac{d}{2} \frac{ex}{2}}{\sqrt{d + ex} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3cd(d^2 - \frac{e^2}{c^2})\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2)\sqrt{1 - \frac{1}{c^2 x^2} x} \sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{\sqrt{d + ex}}{\sqrt{-\frac{1}{c^2} + x^2}} dx}{3cd(d^2 - \frac{e^2}{c^2})\sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\left(4b\sqrt{\frac{c(d + ex)}{cd + e}} \sqrt{1 - c^2 x^2}\right) \text{Subst} \left[\int \frac{1}{(1 - cx^2)^{3/2}} dx \right]}{3cde\sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2)\sqrt{1 - \frac{1}{c^2 x^2} x} \sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{4b\sqrt{d + ex} \sqrt{1 - c^2 x^2} E\left(\sin^{-1}\left(\frac{\sqrt{1 - cx^2}}{\sqrt{2}}\right)\right)}{3d(c^2 d^2 - e^2)\sqrt{1 - \frac{1}{c^2 x^2} x} \sqrt{\frac{c(d + ex)}{cd + e}}}
\end{aligned}$$

Mathematica [C] time = 6.17543, size = 326, normalized size = 1.09

$$2 \left(\frac{2ib\sqrt{\frac{e(cx+1)}{e-cd}}\sqrt{\frac{e-cex}{cd+e}} \left(cd\text{EllipticF}\left(i\sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) - cdE\left(i\sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) + (cd+e)\Pi\left(\frac{e}{cd}+1; i\sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) \right)}{d^2x\sqrt{1-\frac{1}{c^2x^2}}\left(-\frac{c}{cd+e}\right)^{3/2}(cd+e)^2} \right)$$

3e

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^(5/2), x]

[Out] (2*(-(a/(d + e*x)^(3/2)) + (2*b*c*e^2*Sqrt[1 - 1/(c^2*x^2)]*x)/((c^2*d^3 - d*e^2)*Sqrt[d + e*x]) - (b*ArcSec[c*x])/(d + e*x)^(3/2) - ((2*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*e*x)/(c*d + e)]*(-(c*d*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e))] + c*d*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (c*d + e)*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)]))/(d^2*(-(c/(c*d + e))^(3/2)*(c*d + e)^2*Sqrt[1 - 1/(c^2*x^2)]*x)))/(3*e)

Maple [B] time = 0.267, size = 886, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^(5/2), x)

[Out] 2/e*(-1/3*a/(e*x+d)^(3/2)+b*(-1/3/(e*x+d)^(3/2)*arcsec(c*x)+2/3/c*((c/(c*d-e))^(1/2)*(e*x+d)^2*c^2*d-(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*(e*x+d)^(1/2)*c^2*d^2-(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c^2*d^2+(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c^2*d^2-2*(c/(c*d-e))^(1/2)*(e*x+d)*c^2*d^2-(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c*d*e+(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c*d*e+(c/(c*d-e))^(1/2)*c^

$$2*d^3+(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}$$

$$*EllipticPi((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)},1/c*(c*d-e)/d,(c/(c*d+e))^{(1/2)}$$

$$/(c/(c*d-e))^{(1/2)})*(e*x+d)^{(1/2)}*e^2-(c/(c*d-e))^{(1/2)}*d*e^2)/(c*d-e)/(e*x$$

$$+d)^{(1/2)}/(c*d+e)/(c/(c*d-e))^{(1/2)}/d^2/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c$$

$$^2*d^2-e^2)/c^2/e^2/x^2)^{(1/2))}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex+d}(b \operatorname{arcsec}(cx) + a)}{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(e*x + d)*(b*arcsec(c*x) + a)/(e^3*x^3 + 3*d*e^2*x^2 + 3*d^2*e*x + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^(5/2), x)

$$3.68 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex)^{7/2}} dx$$

Optimal. Leaf size=540

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right),\frac{2e}{cd+e}\right)}{15dx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} - \frac{2(a+b\sec^{-1}(cx))}{5e(d+ex)^{5/2}} - \frac{4be(1-c^2x^2)}{5cd^2x\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} - \frac{4be(1-c^2x^2)}{15cx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}}$$

[Out] $(-4*b*e*(1 - c^2*x^2))/(15*c*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x)^{(3/2)}) - (16*b*c*e*(1 - c^2*x^2))/(15*(c^2*d^2 - e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*e*(1 - c^2*x^2))/(5*c*d^2*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (2*(a + b*\text{ArcSec}[c*x]))/(5*e*(d + e*x)^{(5/2)}) + (4*b*(7*c^2*d^2 - 3*e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)]/(15*(c^2*d^3 - d*e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)]/(15*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)]/(5*c*d^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 0.710878, antiderivative size = 637, normalized size of antiderivative = 1.18, number of steps used = 19, number of rules used = 14, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$, Rules used = {5226, 1574, 958, 745, 835, 844, 719, 424, 419, 21, 933, 168, 538, 537}

$$\frac{2(a+b\sec^{-1}(cx))}{5e(d+ex)^{5/2}} - \frac{16bce(1-c^2x^2)}{15x\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)^2\sqrt{d+ex}} - \frac{4be(1-c^2x^2)}{5cd^2x\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} - \frac{4be(1-c^2x^2)}{15cdx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x)^(7/2), x]

[Out] $(-4*b*e*(1 - c^2*x^2))/(15*c*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x)^{(3/2)}) - (16*b*c*e*(1 - c^2*x^2))/(15*(c^2*d^2 - e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*e*(1 - c^2*x^2))/(5*c*d^2*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (2*(a + b*\text{ArcSec}[c*x]))/(5*e*(d + e*x)^{(5/2)}) + (16*b*c^2*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)]/(15*(c^2*d^2 - e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2$

```
*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(5*d^2*(c^
2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)] - (4*b*
Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c
*x]/Sqrt[2]], (2*e)/(c*d + e)]/(15*d*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]
*x*Sqrt[d + e*x]) - (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*El
lipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(5*c*d^2*e*Sqr
t[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])
```

Rule 5226

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol
] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcSec[c*x]))/(e*(m + 1)), x] - Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_.)*((d_.) + (e_.)*(x_)^(n_.))^(
q_.), x_Symbol] :> Dist[(x^(2*n*FracPart[p])*(a + c/x^(2*n))^(FracPart[p]))/
(c + a*x^(2*n))^(FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n)
)^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !In
tegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^
2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f
+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[
e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 745

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[
(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + D
ist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(
m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] &&
NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0,
c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[
m + 2*p + 3], 0])
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
```

```
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 719

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] := Dist[(
2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(
d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2
]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/
a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ
[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d))]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d))]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)
^2]), x_Symbol] := With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[
```



```
a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x]
, x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a
*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_
)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] := Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g -
c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)]]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex)^{7/2}} dx &= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}} x^2 (d+ex)^{5/2}} dx}{5ce} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x(d+ex)^{5/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{5ce\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \left(-\frac{e}{d(d+ex)^{5/2} \sqrt{-\frac{1}{c^2} + x^2}} - \frac{e}{d^2(d+ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} + \frac{1}{d^2x\sqrt{d+ex} \sqrt{-\frac{1}{c^2} + x^2}}\right) dx}{5ce\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= -\frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d+ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{5cd^2\sqrt{1 - \frac{1}{c^2x^2}x}} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d+ex)^{5/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{5cd\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= -\frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}(d + ex)^{3/2}} - \frac{4be(1 - c^2x^2)}{5cd^2(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} - \frac{2(a + b \sec^{-1}(cx))}{5e(d + ex)^{5/2}} \\
&= -\frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}(d + ex)^{3/2}} - \frac{16bce(1 - c^2x^2)}{15(c^2d^2 - e^2)^2\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} - \frac{4be(1 - c^2x^2)}{5cd^2(c^2d^2 - e^2)} \\
&= -\frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}(d + ex)^{3/2}} - \frac{16bce(1 - c^2x^2)}{15(c^2d^2 - e^2)^2\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} - \frac{4be(1 - c^2x^2)}{5cd^2(c^2d^2 - e^2)} \\
&= -\frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}(d + ex)^{3/2}} - \frac{16bce(1 - c^2x^2)}{15(c^2d^2 - e^2)^2\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} - \frac{4be(1 - c^2x^2)}{5cd^2(c^2d^2 - e^2)} \\
&= -\frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}(d + ex)^{3/2}} - \frac{16bce(1 - c^2x^2)}{15(c^2d^2 - e^2)^2\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} - \frac{4be(1 - c^2x^2)}{5cd^2(c^2d^2 - e^2)}
\end{aligned}$$

Mathematica [C] time = 8.30249, size = 407, normalized size = 0.75

$$2 \left(\frac{2ib \sqrt{\frac{e(cx+1)}{e-cd}} \sqrt{\frac{e-cex}{cd+e}} (-cd(6c^2d^2-cde-3e^2)) \text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) + cd(7c^2d^2-3e^2) E\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) - 3(cd-e)(cd+e)^2 \Pi\left(\frac{e}{cd}\right)}{d^3 x \sqrt{1-\frac{1}{c^2 x^2}} (cd-e) \left(-\frac{c}{cd+e}\right)^{3/2} (cd+e)^3}$$

15e

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x)^(7/2), x]

[Out] (2*((-3*a)/(d + e*x)^(5/2) + (2*b*c*e^2*Sqrt[1 - 1/(c^2*x^2)]*x*(-(e^2*(4*d + 3*e*x)) + c^2*d^2*(8*d + 7*e*x)))/((c^2*d^3 - d*e^2)^2*(d + e*x)^(3/2)) - (3*b*ArcSec[c*x])/(d + e*x)^(5/2) + ((2*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*e*x)/(c*d + e)]*(c*d*(7*c^2*d^2 - 3*e^2)*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - c*d*(6*c^2*d^2 - c*d*e - 3*e^2)*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - 3*(c*d - e)*(c*d + e)^2*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)]))/((d^3*(c*d - e)*(-(c/(c*d + e)))^(3/2)*(c*d + e)^3*Sqrt[1 - 1/(c^2*x^2)]*x)))/(15*e)

Maple [B] time = 0.276, size = 1640, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x+d)^(7/2), x)

[Out] 2/e*(-1/5*a/(e*x+d)^(5/2)+b*(-1/5/(e*x+d)^(5/2)*arcsec(c*x)+2/15/c*(7*(c/(c*d-e))^(1/2)*(e*x+d)^3*c^4*d^3-3*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*(e*x+d)^(3/2)*c^4*d^4-6*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(3/2)*c^4*d^4+7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(3/2)*c^4*d^4-13*(c/(c*d-e))^(1/2)*(e*x+d)^2*c^4*d^4-7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(3/2)*c^3*d^3*e+7*(-(e

$$\begin{aligned}
& *x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticE(\\
& (e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)},((c*d-e)/(c*d+e))^{(1/2)})*(e*x+d)^{(3/2)}*c^3* \\
& d^3*e-3*(c/(c*d-e))^{(1/2)}*(e*x+d)^3*c^2*d*e^2+5*(c/(c*d-e))^{(1/2)}*(e*x+d)*c \\
& ^4*d^5+6*(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1 \\
& /2)}*EllipticPi((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)},1/c*(c*d-e)/d,(c/(c*d+e))^{(1 \\
& /2)/(c/(c*d-e))^{(1/2)})*(e*x+d)^{(3/2)}*c^2*d^2*e^2+2*(-((e*x+d)*c-d*c+e)/(c*d \\
& -e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticF((e*x+d)^{(1/2)}*(c/(c \\
& *d-e))^{(1/2)},((c*d-e)/(c*d+e))^{(1/2)})*(e*x+d)^{(3/2)}*c^2*d^2*e^2-3*(-((e*x+d \\
&)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticE((e*x \\
& +d)^{(1/2)}*(c/(c*d-e))^{(1/2)},((c*d-e)/(c*d+e))^{(1/2)})*(e*x+d)^{(3/2)}*c^2*d^2* \\
& e^2+5*(c/(c*d-e))^{(1/2)}*(e*x+d)^2*c^2*d^2*e^2+(c/(c*d-e))^{(1/2)}*c^4*d^6+3*(\\
& -((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*Elliptic \\
& F((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)},((c*d-e)/(c*d+e))^{(1/2)})*(e*x+d)^{(3/2)}* \\
& c*d*e^3-3*(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(\\
& 1/2)}*EllipticE((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)},((c*d-e)/(c*d+e))^{(1/2)})*(e* \\
& x+d)^{(3/2)}*c*d*e^3-8*(c/(c*d-e))^{(1/2)}*(e*x+d)*c^2*d^3*e^2-3*(-((e*x+d)*c-d \\
& *c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticPi((e*x+d)^ \\
& (1/2)*(c/(c*d-e))^{(1/2)},1/c*(c*d-e)/d,(c/(c*d+e))^{(1/2)/(c/(c*d-e))^{(1/2)})* \\
& (e*x+d)^{(3/2)}*e^4-2*(c/(c*d-e))^{(1/2)}*c^2*d^4*e^2+3*(c/(c*d-e))^{(1/2)}*(e*x+ \\
& d)*d*e^4+(c/(c*d-e))^{(1/2)}*d^2*e^4)/(c*d-e)/(e*x+d)^{(3/2)/(c*d+e)/(c^2*d^2- \\
& e^2)/(c/(c*d-e))^{(1/2)}/d^3/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c \\
& ^2/e^2/x^2)^{(1/2))}
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(7/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(7/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x+d)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex + d)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x+d)^(7/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x + d)^(7/2), x)

3.69 $\int x^4 (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=206

$$\frac{1}{5}dx^5 (a + b \sec^{-1}(cx)) + \frac{1}{7}ex^7 (a + b \sec^{-1}(cx)) - \frac{bx^4\sqrt{c^2x^2-1}(42c^2d + 25e)}{840c^3\sqrt{c^2x^2}} - \frac{bx^2\sqrt{c^2x^2-1}(42c^2d + 25e)}{560c^5\sqrt{c^2x^2}} - \frac{bx(42c^2d + 25e)}{560c^6\sqrt{c^2x^2}}$$

[Out] $-(b*(42*c^2*d + 25*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(560*c^5*\text{Sqrt}[c^2*x^2]) - (b*(42*c^2*d + 25*e)*x^4*\text{Sqrt}[-1 + c^2*x^2])/(840*c^3*\text{Sqrt}[c^2*x^2]) - (b*e*x^6*\text{Sqrt}[-1 + c^2*x^2])/(42*c*\text{Sqrt}[c^2*x^2]) + (d*x^5*(a + b*\text{ArcSec}[c*x]))/5 + (e*x^7*(a + b*\text{ArcSec}[c*x]))/7 - (b*(42*c^2*d + 25*e)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(560*c^6*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.12817, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {14, 5238, 12, 459, 321, 217, 206}

$$\frac{1}{5}dx^5 (a + b \sec^{-1}(cx)) + \frac{1}{7}ex^7 (a + b \sec^{-1}(cx)) - \frac{bx^4\sqrt{c^2x^2-1}(42c^2d + 25e)}{840c^3\sqrt{c^2x^2}} - \frac{bx^2\sqrt{c^2x^2-1}(42c^2d + 25e)}{560c^5\sqrt{c^2x^2}} - \frac{bx(42c^2d + 25e)}{560c^6\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*(d + e*x^2)*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*(42*c^2*d + 25*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(560*c^5*\text{Sqrt}[c^2*x^2]) - (b*(42*c^2*d + 25*e)*x^4*\text{Sqrt}[-1 + c^2*x^2])/(840*c^3*\text{Sqrt}[c^2*x^2]) - (b*e*x^6*\text{Sqrt}[-1 + c^2*x^2])/(42*c*\text{Sqrt}[c^2*x^2]) + (d*x^5*(a + b*\text{ArcSec}[c*x]))/5 + (e*x^7*(a + b*\text{ArcSec}[c*x]))/7 - (b*(42*c^2*d + 25*e)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(560*c^6*\text{Sqrt}[c^2*x^2])$

Rule 14

$\text{Int}[(u_*)((c_*)(x_))^{(m_.)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_ + (b_)*(v_)) /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{InverseFunctionQ}[v]]$

Rule 5238

$\text{Int}[(a_ + \text{ArcSec}[(c_*)(x_)]*(b_))*((f_*)(x_))^{(m_)*((d_ + (e_)*(x_)^2)^{(p_.)}, x_Symbol] := \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dis}$

```
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 459

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int x^4 (d + ex^2) (a + b \sec^{-1}(cx)) dx &= \frac{1}{5} dx^5 (a + b \sec^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^4(7d+5ex^2)}{35\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{1}{5} dx^5 (a + b \sec^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^4(7d+5ex^2)}{\sqrt{-1+c^2x^2}} dx}{35\sqrt{c^2x^2}} \\
&= -\frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{5} dx^5 (a + b \sec^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sec^{-1}(cx)) + \frac{(bc(-42d + 5ex^2)) \int \frac{x^4(7d+5ex^2)}{\sqrt{-1+c^2x^2}} dx}{35\sqrt{c^2x^2}} \\
&= -\frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{5} dx^5 (a + b \sec^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sec^{-1}(cx)) \\
&= -\frac{b(42c^2d + 25e)x^2\sqrt{-1+c^2x^2}}{560c^5\sqrt{c^2x^2}} - \frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} \\
&= -\frac{b(42c^2d + 25e)x^2\sqrt{-1+c^2x^2}}{560c^5\sqrt{c^2x^2}} - \frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} \\
&= -\frac{b(42c^2d + 25e)x^2\sqrt{-1+c^2x^2}}{560c^5\sqrt{c^2x^2}} - \frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.223074, size = 141, normalized size = 0.68

$$\frac{48ac^7x^5(7d + 5ex^2) - bc^2x^2\sqrt{1 - \frac{1}{c^2x^2}}(c^4(84dx^2 + 40ex^4) + 2c^2(63d + 25ex^2) + 75e) - 3b(42c^2d + 25e)\log\left(x\left(\sqrt{1 - \frac{1}{c^2x^2}}\right)\right)}{1680c^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] (48*a*c^7*x^5*(7*d + 5*e*x^2) - b*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^2*(75*e + 2*c^2*(63*d + 25*e*x^2) + c^4*(84*d*x^2 + 40*e*x^4)) + 48*b*c^7*x^5*(7*d + 5*e*x^2)*ArcSec[c*x] - 3*b*(42*c^2*d + 25*e)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/ (1680*c^7)

Maple [A] time = 0.167, size = 338, normalized size = 1.6

$$\frac{aex^7}{7} + \frac{ax^5d}{5} + \frac{b\text{arcsec}(cx)ex^7}{7} + \frac{b\text{arcsec}(cx)x^5d}{5} - \frac{bx^6e}{42c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bx^4e}{168c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bx^4d}{20c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bx^2d}{40c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x)`

[Out] $\frac{1}{7}ax^7 + \frac{1}{5}ax^5d + \frac{1}{7}b\operatorname{arcsec}(cx)ex^7 + \frac{1}{5}b\operatorname{arcsec}(cx)x^5d - \frac{1}{4} \frac{2cb((c^2x^2-1)/c^2/x^2)^{(1/2)}x^6e - 1/168/c^3b((c^2x^2-1)/c^2/x^2)^{(1/2)}x^4e - 1/20/cb((c^2x^2-1)/c^2/x^2)^{(1/2)}x^4d - 1/40/c^3b((c^2x^2-1)/c^2/x^2)^{(1/2)}x^2d - 5/336/c^5b((c^2x^2-1)/c^2/x^2)^{(1/2)}x^2e + 3/40/c^5b((c^2x^2-1)/c^2/x^2)^{(1/2)}d - 3/40/c^6b((c^2x^2-1)/c^2/x^2)^{(1/2)}/x * (c^2x^2-1)^{(1/2)} * d * \ln(cx + (c^2x^2-1)^{(1/2)}) + 5/112/c^7b((c^2x^2-1)/c^2/x^2)^{(1/2)} * e - 5/112/c^8b * (c^2x^2-1)^{(1/2)}/((c^2x^2-1)/c^2/x^2)^{(1/2)}/x * e * \ln(cx + (c^2x^2-1)^{(1/2)})$

Maxima [A] time = 0.974069, size = 400, normalized size = 1.94

$$\frac{1}{7}ax^7 + \frac{1}{5}adx^5 + \frac{1}{80} \left(16x^5 \operatorname{arcsec}(cx) + \frac{2 \left(3 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 5 \sqrt{-\frac{1}{c^2x^2} + 1} \right)}{c^4 \left(\frac{1}{c^2x^2} - 1 \right)^2 + 2c^4 \left(\frac{1}{c^2x^2} - 1 \right) + c^4} - \frac{3 \log \left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1 \right)}{c^4} + \frac{3 \log \left(\sqrt{-\frac{1}{c^2x^2} + 1} - 1 \right)}{c^4} \right) bd + \frac{1}{672}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{7}ax^7 + \frac{1}{5}a*d*x^5 + \frac{1}{80} * (16*x^5*arcsec(c*x) + (2*(3*(-1/(c^2*x^2) + 1)^{(3/2)} - 5*sqrt(-1/(c^2*x^2) + 1))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^4 + 3*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^4)/c) * b * d + 1/672 * (96*x^7*arcsec(c*x) - (2*(15*(-1/(c^2*x^2) + 1)^{(5/2)} - 40*(-1/(c^2*x^2) + 1)^{(3/2)} + 33*sqrt(-1/(c^2*x^2) + 1))/(c^6*(1/(c^2*x^2) - 1)^3 + 3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^6 - 15*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^6)/c) * b * e$

Fricas [A] time = 4.52195, size = 459, normalized size = 2.23

$$240ac^7ex^7 + 336ac^7dx^5 + 48(5bc^7ex^7 + 7bc^7dx^5 - 7bc^7d - 5bc^7e) \operatorname{arcsec}(cx) + 96(7bc^7d + 5bc^7e) \operatorname{arctan}(-cx + \sqrt{\dots})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] 1/1680*(240*a*c^7*e*x^7 + 336*a*c^7*d*x^5 + 48*(5*b*c^7*e*x^7 + 7*b*c^7*d*x^5 - 7*b*c^7*d - 5*b*c^7*e)*arcsec(c*x) + 96*(7*b*c^7*d + 5*b*c^7*e)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 3*(42*b*c^2*d + 25*b*e)*log(-c*x + sqrt(c^2*x^2 - 1)) - (40*b*c^5*e*x^5 + 2*(42*b*c^5*d + 25*b*c^3*e)*x^3 + 3*(42*b*c^3*d + 25*b*c*e)*x)*sqrt(c^2*x^2 - 1))/c^7
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 (a + b \operatorname{asec}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(e*x**2+d)*(a+b*asec(c*x)),x)
```

```
[Out] Integral(x**4*(a + b*asec(c*x))*(d + e*x**2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arcsec}(cx) + a)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)*x^4, x)
```

3.70 $\int x^2 (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=161

$$\frac{1}{3}dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5}ex^5 (a + b \sec^{-1}(cx)) - \frac{bx^2\sqrt{c^2x^2-1}(20c^2d+9e)}{120c^3\sqrt{c^2x^2}} - \frac{bx(20c^2d+9e)\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{120c^4\sqrt{c^2x^2}} - \frac{bex}{2}$$

[Out] $-(b*(20*c^2*d + 9*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(120*c^3*\text{Sqrt}[c^2*x^2]) - (b*e*x^4*\text{Sqrt}[-1 + c^2*x^2])/(20*c*\text{Sqrt}[c^2*x^2]) + (d*x^3*(a + b*\text{ArcSec}[c*x]))/3 + (e*x^5*(a + b*\text{ArcSec}[c*x]))/5 - (b*(20*c^2*d + 9*e)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(120*c^4*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.103248, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {14, 5238, 12, 459, 321, 217, 206}

$$\frac{1}{3}dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5}ex^5 (a + b \sec^{-1}(cx)) - \frac{bx^2\sqrt{c^2x^2-1}(20c^2d+9e)}{120c^3\sqrt{c^2x^2}} - \frac{bx(20c^2d+9e)\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{120c^4\sqrt{c^2x^2}} - \frac{bex}{2}$$

Antiderivative was successfully verified.

[In] `Int[x^2*(d + e*x^2)*(a + b*ArcSec[c*x]),x]`

[Out] $-(b*(20*c^2*d + 9*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(120*c^3*\text{Sqrt}[c^2*x^2]) - (b*e*x^4*\text{Sqrt}[-1 + c^2*x^2])/(20*c*\text{Sqrt}[c^2*x^2]) + (d*x^3*(a + b*\text{ArcSec}[c*x]))/3 + (e*x^5*(a + b*\text{ArcSec}[c*x]))/5 - (b*(20*c^2*d + 9*e)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(120*c^4*\text{Sqrt}[c^2*x^2])$

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
```

$x] \&\& ((IGtQ[p, 0] \&\& !(ILtQ[(m - 1)/2, 0] \&\& GtQ[m + 2*p + 3, 0])) \|\ (IGtQ[(m + 1)/2, 0] \&\& !(ILtQ[p, 0] \&\& GtQ[m + 2*p + 3, 0])) \|\ (ILtQ[(m + 2*p + 1)/2, 0] \&\& !ILtQ[(m - 1)/2, 0]))$

Rule 12

$Int[(a_)*(u_), x_Symbol] \rightarrow Dist[a, Int[u, x], x] \;/; FreeQ[a, x] \&\& !MatchQ[u, (b_)*(v_)] \;/; FreeQ[b, x]$

Rule 459

$Int[((e_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow Simp[(d*(e*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(b*e*(m + n*(p+1) + 1)), x] - Dist[(a*d*(m+1) - b*c*(m + n*(p+1) + 1))/(b*(m + n*(p+1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] \;/; FreeQ[\{a, b, c, d, e, m, n, p\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[m + n*(p+1) + 1, 0]$

Rule 321

$Int[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow Simp[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*(m + n*p + 1)), x] - Dist[(a*c^{(n-1)}*(m-n+1))/(b*(m + n*p + 1)), Int[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] \;/; FreeQ[\{a, b, c, p\}, x] \&\& IGtQ[n, 0] \&\& GtQ[m, n-1] \&\& NeQ[m + n*p + 1, 0] \&\& IntBinomialQ[a, b, c, n, m, p, x]$

Rule 217

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] \;/; FreeQ[\{a, b\}, x] \&\& !GtQ[a, 0]$

Rule 206

$Int[((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] \;/; FreeQ[\{a, b\}, x] \&\& NegQ[a/b] \&\& (GtQ[a, 0] \|\ LtQ[b, 0])$

Rubi steps

$$\begin{aligned}
\int x^2 (d + ex^2) (a + b \sec^{-1}(cx)) dx &= \frac{1}{3} dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^2(5d+3ex^2)}{15\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{1}{3} dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^2(5d+3ex^2)}{\sqrt{-1+c^2x^2}} dx}{15\sqrt{c^2x^2}} \\
&= -\frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sec^{-1}(cx)) + \frac{(bc(-20c^2d+9e))}{120c^3\sqrt{c^2x^2}} \\
&= -\frac{b(20c^2d+9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sec^{-1}(cx)) \\
&= -\frac{b(20c^2d+9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sec^{-1}(cx)) \\
&= -\frac{b(20c^2d+9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} - \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A] time = 0.165548, size = 123, normalized size = 0.76

$$\frac{c^2x^2 \left(8ac^3x(5d+3ex^2) - b\sqrt{1-\frac{1}{c^2x^2}}(c^2(20d+6ex^2)+9e) \right) - b(20c^2d+9e) \log\left(x\left(\sqrt{1-\frac{1}{c^2x^2}}+1\right)\right) + 8bc^5x^3 \sec^{-1}(cx)}{120c^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(d + e*x^2)*(a + b*ArcSec[c*x]), x]

[Out] (c^2*x^2*(8*a*c^3*x*(5*d + 3*e*x^2) - b*Sqrt[1 - 1/(c^2*x^2)]*(9*e + c^2*(20*d + 6*e*x^2))) + 8*b*c^5*x^3*(5*d + 3*e*x^2)*ArcSec[c*x] - b*(20*c^2*d + 9*e)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(120*c^5)

Maple [B] time = 0.179, size = 282, normalized size = 1.8

$$\frac{aex^5}{5} + \frac{adx^3}{3} + \frac{barcsec(cx)ex^5}{5} + \frac{barcsec(cx)dx^3}{3} - \frac{bx^4e}{20c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bex^2}{40c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bdx^2}{6c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{bd}{6c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d)*(a+b*arcsec(c*x)),x)`

[Out] $\frac{1}{5}aex^5 + \frac{1}{3}adx^3 + \frac{1}{5}b\operatorname{arcsec}(cx)ex^5 + \frac{1}{3}b\operatorname{arcsec}(cx)dx^3 - \frac{1}{2} \frac{0/cb/((c^2x^2-1)/c^2/x^2)^{(1/2)}x^4e-1/40/c^3b/((c^2x^2-1)/c^2/x^2)^{(1/2)}x^2e-1/6/cb/((c^2x^2-1)/c^2/x^2)^{(1/2)}dx^2+1/6/c^3b/((c^2x^2-1)/c^2/x^2)^{(1/2)}d-1/6/c^4b/((c^2x^2-1)/c^2/x^2)^{(1/2)}/x*(c^2x^2-1)^{(1/2)}d*\ln(cx+(c^2x^2-1)^{(1/2)})+3/40/c^5b/((c^2x^2-1)/c^2/x^2)^{(1/2)}e-3/40/c^6b*(c^2x^2-1)^{(1/2)}/((c^2x^2-1)/c^2/x^2)^{(1/2)}/x*e*\ln(cx+(c^2x^2-1)^{(1/2)})}{c}$

Maxima [A] time = 0.980495, size = 313, normalized size = 1.94

$$\frac{1}{5} aex^5 + \frac{1}{3} adx^3 + \frac{1}{12} \left(4x^3 \operatorname{arcsec}(cx) - \frac{2\sqrt{-\frac{1}{c^2x^2}+1} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2}}{c^2\left(\frac{1}{c^2x^2}-1\right)+c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2} \right) bd + \frac{1}{80} 16x^5 \operatorname{arcsec}(cx) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{5}aex^5 + \frac{1}{3}adx^3 + \frac{1}{12}(4x^3\operatorname{arcsec}(cx) - (2\sqrt{-1/(c^2x^2)} + 1)/(c^2*(1/(c^2x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2x^2)} + 1) + 1)/c^2 - \log(\sqrt{-1/(c^2x^2)} + 1) - 1)/c^2)/c)*b*d + \frac{1}{80}(16x^5\operatorname{arcsec}(cx) + (2*(3*(-1/(c^2x^2) + 1)^{(3/2)} - 5\sqrt{-1/(c^2x^2)} + 1))/(c^4*(1/(c^2x^2) - 1)^2 + 2*c^4*(1/(c^2x^2) - 1) + c^4) - 3*\log(\sqrt{-1/(c^2x^2)} + 1) + 1)/c^4 + 3*\log(\sqrt{-1/(c^2x^2)} + 1) - 1)/c^4)/c)*b*e$

Fricas [A] time = 3.41077, size = 398, normalized size = 2.47

$$\frac{24ac^5ex^5 + 40ac^5dx^3 + 8(3bc^5ex^5 + 5bc^5dx^3 - 5bc^5d - 3bc^5e)\operatorname{arcsec}(cx) + 16(5bc^5d + 3bc^5e)\operatorname{arctan}\left(-cx + \sqrt{c^2x^2}\right)}{120c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

```
[Out] 1/120*(24*a*c^5*e*x^5 + 40*a*c^5*d*x^3 + 8*(3*b*c^5*e*x^5 + 5*b*c^5*d*x^3 -
5*b*c^5*d - 3*b*c^5*e)*arcsec(c*x) + 16*(5*b*c^5*d + 3*b*c^5*e)*arctan(-c*
x + sqrt(c^2*x^2 - 1)) + (20*b*c^2*d + 9*b*e)*log(-c*x + sqrt(c^2*x^2 - 1))
- (6*b*c^3*e*x^3 + (20*b*c^3*d + 9*b*c*e)*x)*sqrt(c^2*x^2 - 1))/c^5
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{asec}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d)*(a+b*asec(c*x)), x)
```

```
[Out] Integral(x**2*(a + b*asec(c*x))*(d + e*x**2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arcsec}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d)*(a+b*arcsec(c*x)), x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)*x^2, x)
```

3.71 $\int (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=109

$$dx (a + b \sec^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \sec^{-1}(cx)) - \frac{bx (6c^2d + e) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{6c^2\sqrt{c^2x^2}} - \frac{bex^2\sqrt{c^2x^2-1}}{6c\sqrt{c^2x^2}}$$

[Out] $-(bex^2\sqrt{-1+c^2x^2})/(6c\sqrt{c^2x^2}) + dx(a + b\text{ArcSec}[cx]) + (ex^3(a + b\text{ArcSec}[cx]))/3 - (b(6c^2d + e)x\text{ArcTanh}[(cx)/\sqrt{-1+c^2x^2}])/(6c^2\sqrt{c^2x^2})$

Rubi [A] time = 0.0513458, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {5228, 12, 388, 217, 206}

$$dx (a + b \sec^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \sec^{-1}(cx)) - \frac{bx (6c^2d + e) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{6c^2\sqrt{c^2x^2}} - \frac{bex^2\sqrt{c^2x^2-1}}{6c\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] $-(bex^2\sqrt{-1+c^2x^2})/(6c\sqrt{c^2x^2}) + dx(a + b\text{ArcSec}[cx]) + (ex^3(a + b\text{ArcSec}[cx]))/3 - (b(6c^2d + e)x\text{ArcTanh}[(cx)/\sqrt{-1+c^2x^2}])/(6c^2\sqrt{c^2x^2})$

Rule 5228

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:= With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x]
- Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x]]
/; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 388


```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int (d + ex^2)(a + b \sec^{-1}(cx)) dx &= dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{3d+ex^2}{3\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{3d+ex^2}{\sqrt{-1+c^2x^2}} dx}{3\sqrt{c^2x^2}} \\
&= -\frac{bex^2\sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) + \frac{(b(-6c^2d - e))}{6c\sqrt{c^2x^2}} \\
&= -\frac{bex^2\sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) + \frac{(b(-6c^2d - e))}{6c\sqrt{c^2x^2}} \\
&= -\frac{bex^2\sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx(a + b \sec^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sec^{-1}(cx)) - \frac{b(6c^2d + e)xt}{6c^2}
\end{aligned}$$

Mathematica [A] time = 0.26434, size = 150, normalized size = 1.38

$$adx + \frac{1}{3}aex^3 - \frac{bdx\sqrt{1 - \frac{1}{c^2x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}} - \frac{bex^2\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{6c} - \frac{be \log\left(x\left(\sqrt{\frac{c^2x^2-1}{c^2x^2}} + 1\right)\right)}{6c^3} + bdx \sec^{-1}(cx) + \frac{1}{3}bex^3 \sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] a*d*x + (a*e*x^3)/3 - (b*e*x^2*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(6*c) + b*d*x*ArcSec[c*x] + (b*e*x^3*ArcSec[c*x])/3 - (b*d*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]]/Sqrt[-1 + c^2*x^2] - (b*e*Log[x*(1 + Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])])/(6*c^3)

Maple [B] time = 0.171, size = 195, normalized size = 1.8

$$\frac{ax^3e}{3} + adx + \frac{b\text{arcsec}(cx)x^3e}{3} + b\text{arcsec}(cx)xd - \frac{bd}{c^2x}\sqrt{c^2x^2-1}\ln\left(cx + \sqrt{c^2x^2-1}\right) \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bex^2}{6c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{be}{6c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x)),x)

[Out] 1/3*a*x^3*e+a*d*x+1/3*b*arcsec(c*x)*x^3*e+b*arcsec(c*x)*x*d-1/c^2*b/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*(c^2*x^2-1)^(1/2)*d*ln(c*x+(c^2*x^2-1)^(1/2))-1/6/c*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*e*x^2+1/6/c^3*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*e-1/6/c^4*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*e*ln(c*x+(c^2*x^2-1)^(1/2))

Maxima [A] time = 0.96545, size = 208, normalized size = 1.91

$$\frac{1}{3} aex^3 + \frac{1}{12} \left(4x^3 \text{arcsec}(cx) - \frac{2\sqrt{-\frac{1}{c^2x^2}+1} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2}+1-1}\right)}{c^2}}{c^2\left(\frac{1}{c^2x^2}-1\right)+c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1-1}\right)}{c^2} \right) be + adx + \frac{(2cx \text{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right))}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] 1/3*a*e*x^3 + 1/12*(4*x^3*arcsec(c*x) - (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b*e + a*d*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-

$$1/(c^2x^2 + 1) + 1) + \log(-\sqrt{-1/(c^2x^2 + 1) + 1}) * b * d / c$$

Fricas [A] time = 2.54092, size = 327, normalized size = 3.

$$\frac{2ac^3ex^3 + 6ac^3dx - \sqrt{c^2x^2 - 1}bcex + 2(bc^3ex^3 + 3bc^3dx - 3bc^3d - bc^3e) \operatorname{arcsec}(cx) + 4(3bc^3d + bc^3e) \arctan(-cx + \sqrt{c^2x^2 - 1})}{6c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] 1/6*(2*a*c^3*e*x^3 + 6*a*c^3*d*x - sqrt(c^2*x^2 - 1)*b*c*e*x + 2*(b*c^3*e*x^3 + 3*b*c^3*d*x - 3*b*c^3*d - b*c^3*e)*arcsec(c*x) + 4*(3*b*c^3*d + b*c^3*e)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (6*b*c^2*d + b*e)*log(-c*x + sqrt(c^2*x^2 - 1)))/c^3

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx))(d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x)),x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a), x)

$$3.72 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=87

$$-\frac{d(a+b \sec^{-1}(cx))}{x} + ex(a+b \sec^{-1}(cx)) + \frac{bcd\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} - \frac{bex \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2}}$$

[Out] (b*c*d*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2] - (d*(a + b*ArcSec[c*x]))/x + e*x*(a + b*ArcSec[c*x]) - (b*e*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[c^2*x^2]

Rubi [A] time = 0.0628026, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5238, 451, 217, 206}

$$-\frac{d(a+b \sec^{-1}(cx))}{x} + ex(a+b \sec^{-1}(cx)) + \frac{bcd\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} - \frac{bex \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^2,x]

[Out] (b*c*d*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2] - (d*(a + b*ArcSec[c*x]))/x + e*x*(a + b*ArcSec[c*x]) - (b*e*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[c^2*x^2]

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5238

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
```

GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rule 451

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1]))

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^2} dx &= -\frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{-d+ex^2}{x^2\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= \frac{bcd\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{1}{\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= \frac{bcd\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{(bcx) \operatorname{Subst}\left(\int \frac{1}{1-c^2x^2}, \frac{cx}{\sqrt{c^2x^2}}\right)}{\sqrt{c^2x^2}} \\ &= \frac{bcd\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{x} + ex(a + b \sec^{-1}(cx)) - \frac{bcx \tanh^{-1}\left(\frac{cx}{\sqrt{-1+c^2x^2}}\right)}{\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.11802, size = 104, normalized size = 1.2

$$-\frac{ad}{x} + aex + bcd\sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{bcx\sqrt{1-\frac{1}{c^2x^2}}\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}} - \frac{bd\sec^{-1}(cx)}{x} + bcx\sec^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^2,x]

[Out] -((a*d)/x) + a*e*x + b*c*d*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*d*ArcSec[c*x])/x + b*e*x*ArcSec[c*x] - (b*e*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2]

Maple [A] time = 0.172, size = 137, normalized size = 1.6

$$aex - \frac{ad}{x} + b \operatorname{arcsec}(cx) ex - \frac{b \operatorname{arcsec}(cx) d}{x} + bcd \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bd}{cx^2} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{be}{c^2x} \sqrt{c^2x^2-1} \ln\left(cx + \sqrt{c^2x^2-1}\right) \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x^2,x)

[Out] a*e*x-a*d/x+b*arcsec(c*x)*e*x-b*arcsec(c*x)*d/x+c*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*d-b/c/x^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*d-b/c^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*e*ln(c*x+(c^2*x^2-1)^(1/2))

Maxima [A] time = 0.98064, size = 120, normalized size = 1.38

$$\left(c\sqrt{-\frac{1}{c^2x^2}+1} - \frac{\operatorname{arcsec}(cx)}{x}\right)bd + aex + \frac{\left(2cx \operatorname{arcsec}(cx) - \log\left(\sqrt{-\frac{1}{c^2x^2}+1}+1\right) + \log\left(-\sqrt{-\frac{1}{c^2x^2}+1}+1\right)\right)be}{2c} - \frac{ad}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^2,x, algorithm="maxima")

[Out] (c*sqrt(-1/(c^2*x^2) + 1) - arcsec(c*x)/x)*b*d + a*e*x + 1/2*(2*c*x*arcsec(c*x) - log(sqrt(-1/(c^2*x^2) + 1) + 1) + log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*e/c - a*d/x

Fricas [A] time = 2.32123, size = 286, normalized size = 3.29

$$\frac{bc^2dx + acex^2 + bex \log(-cx + \sqrt{c^2x^2 - 1}) + \sqrt{c^2x^2 - 1}bcd - acd - 2(bcd - bce)x \arctan(-cx + \sqrt{c^2x^2 - 1}) + (bcex^2 - \dots)}{cx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^2,x, algorithm="fricas")

[Out] (b*c^2*d*x + a*c*e*x^2 + b*e*x*log(-c*x + sqrt(c^2*x^2 - 1)) + sqrt(c^2*x^2 - 1)*b*c*d - a*c*d - 2*(b*c*d - b*c*e)*x*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c*e*x^2 - b*c*d + (b*c*d - b*c*e)*x)*arcsec(c*x))/(c*x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**2,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)/x**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arcsec}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^2,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)/x^2, x)

$$3.73 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=105

$$-\frac{d(a+b \sec^{-1}(cx))}{3x^3} - \frac{e(a+b \sec^{-1}(cx))}{x} + \frac{bc\sqrt{c^2x^2-1}(2c^2d+9e)}{9\sqrt{c^2x^2}} + \frac{bcd\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}}$$

[Out] (b*c*(2*c^2*d + 9*e)*Sqrt[-1 + c^2*x^2])/(9*Sqrt[c^2*x^2]) + (b*c*d*Sqrt[-1 + c^2*x^2])/(9*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcSec[c*x]))/(3*x^3) - (e*(a + b*ArcSec[c*x]))/x

Rubi [A] time = 0.0748212, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5238, 12, 453, 264}

$$-\frac{d(a+b \sec^{-1}(cx))}{3x^3} - \frac{e(a+b \sec^{-1}(cx))}{x} + \frac{bc\sqrt{c^2x^2-1}(2c^2d+9e)}{9\sqrt{c^2x^2}} + \frac{bcd\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^4,x]

[Out] (b*c*(2*c^2*d + 9*e)*Sqrt[-1 + c^2*x^2])/(9*Sqrt[c^2*x^2]) + (b*c*d*Sqrt[-1 + c^2*x^2])/(9*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcSec[c*x]))/(3*x^3) - (e*(a + b*ArcSec[c*x]))/x

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
```


*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 453

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1)/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rule 264

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*(a + b*x^n)^(p + 1)/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^4} dx &= -\frac{d(a + b \sec^{-1}(cx))}{3x^3} - \frac{e(a + b \sec^{-1}(cx))}{x} - \frac{(bcx) \int \frac{-d-3ex^2}{3x^4\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{d(a + b \sec^{-1}(cx))}{3x^3} - \frac{e(a + b \sec^{-1}(cx))}{x} - \frac{(bcx) \int \frac{-d-3ex^2}{x^4\sqrt{-1+c^2x^2}} dx}{3\sqrt{c^2x^2}} \\ &= \frac{bcd\sqrt{-1+c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{3x^3} - \frac{e(a + b \sec^{-1}(cx))}{x} - \frac{(bc(-2c^2d - 9e)x) \int}{9\sqrt{c^2x^2}} \\ &= \frac{bc(2c^2d + 9e)\sqrt{-1+c^2x^2}}{9\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1+c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{3x^3} - \frac{e(a + b \sec^{-1}(cx))}{x} \end{aligned}$$

Mathematica [A] time = 0.0785472, size = 69, normalized size = 0.66

$$\frac{-3a(d + 3ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2dx^2 + d + 9ex^2) - 3b \sec^{-1}(cx)(d + 3ex^2)}{9x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^4,x]

[Out] (-3*a*(d + 3*e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 9*e*x^2) - 3*b*(d + 3*e*x^2)*ArcSec[c*x])/(9*x^3)

Maple [A] time = 0.171, size = 121, normalized size = 1.2

$$c^3 \left(\frac{a}{c^2} \left(-\frac{e}{cx} - \frac{d}{3cx^3} \right) + \frac{b}{c^2} \left(-\frac{\operatorname{arcsec}(cx)e}{cx} - \frac{\operatorname{arcsec}(cx)d}{3cx^3} + \frac{(c^2x^2 - 1)(2c^4dx^2 + 9c^2ex^2 + c^2d)}{9c^4x^4} \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x)

[Out] c^3*(a/c^2*(-e/c/x-1/3/c*d/x^3)+b/c^2*(-arcsec(c*x)*e/c/x-1/3*arcsec(c*x)/c*d/x^3+1/9*(c^2*x^2-1)*(2*c^4*d*x^2+9*c^2*e*x^2+c^2*d)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^4/x^4)

Maxima [A] time = 0.983457, size = 127, normalized size = 1.21

$$\left(c\sqrt{-\frac{1}{c^2x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) be - \frac{1}{9} bd \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + \frac{3 \operatorname{arcsec}(cx)}{x^3} \right) - \frac{ae}{x} - \frac{ad}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x, algorithm="maxima")

[Out] (c*sqrt(-1/(c^2*x^2) + 1) - arcsec(c*x)/x)*b*e - 1/9*b*d*((c^4*(-1/(c^2*x^2) + 1)^(3/2) - 3*c^4*sqrt(-1/(c^2*x^2) + 1))/c + 3*arcsec(c*x)/x^3) - a*e/x - 1/3*a*d/x^3

Fricas [A] time = 1.99869, size = 157, normalized size = 1.5

$$\frac{9ax^2 + 3ad + 3(3bex^2 + bd)\operatorname{arcsec}(cx) - \sqrt{c^2x^2 - 1}((2bc^2d + 9be)x^2 + bd)}{9x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x, algorithm="fricas")

[Out] $-1/9*(9*a*e*x^2 + 3*a*d + 3*(3*b*e*x^2 + b*d)*\text{arcsec}(c*x) - \text{sqrt}(c^2*x^2 - 1)*((2*b*c^2*d + 9*b*e)*x^2 + b*d))/x^3$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**4,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)/x**4, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arcsec}(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^4,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)/x^4, x)

$$3.74 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=152

$$-\frac{d(a+b \sec^{-1}(cx))}{5x^5} - \frac{e(a+b \sec^{-1}(cx))}{3x^3} + \frac{2bc^3\sqrt{c^2x^2-1}(12c^2d+25e)}{225\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}(12c^2d+25e)}{225x^2\sqrt{c^2x^2}} + \frac{bcd\sqrt{c^2x^2-1}}{25x^4\sqrt{c^2x^2}}$$

[Out] $(2*b*c^3*(12*c^2*d + 25*e)*\text{Sqrt}[-1 + c^2*x^2])/(225*\text{Sqrt}[c^2*x^2]) + (b*c*d*\text{Sqrt}[-1 + c^2*x^2])/(25*x^4*\text{Sqrt}[c^2*x^2]) + (b*c*(12*c^2*d + 25*e)*\text{Sqrt}[-1 + c^2*x^2])/(225*x^2*\text{Sqrt}[c^2*x^2]) - (d*(a + b*\text{ArcSec}[c*x]))/(5*x^5) - (e*(a + b*\text{ArcSec}[c*x]))/(3*x^3)$

Rubi [A] time = 0.0944528, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 5238, 12, 453, 271, 264}

$$-\frac{d(a+b \sec^{-1}(cx))}{5x^5} - \frac{e(a+b \sec^{-1}(cx))}{3x^3} + \frac{2bc^3\sqrt{c^2x^2-1}(12c^2d+25e)}{225\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}(12c^2d+25e)}{225x^2\sqrt{c^2x^2}} + \frac{bcd\sqrt{c^2x^2-1}}{25x^4\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^6, x]`

[Out] $(2*b*c^3*(12*c^2*d + 25*e)*\text{Sqrt}[-1 + c^2*x^2])/(225*\text{Sqrt}[c^2*x^2]) + (b*c*d*\text{Sqrt}[-1 + c^2*x^2])/(25*x^4*\text{Sqrt}[c^2*x^2]) + (b*c*(12*c^2*d + 25*e)*\text{Sqrt}[-1 + c^2*x^2])/(225*x^2*\text{Sqrt}[c^2*x^2]) - (d*(a + b*\text{ArcSec}[c*x]))/(5*x^5) - (e*(a + b*\text{ArcSec}[c*x]))/(3*x^3)$

Rule 14

`Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Rule 5238

`Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},`

```
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 453

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=> Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=> Simp[(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^6} dx &= -\frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3} - \frac{(bcx) \int \frac{-3d-5ex^2}{15x^6\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3} - \frac{(bcx) \int \frac{-3d-5ex^2}{x^6\sqrt{-1+c^2x^2}} dx}{15\sqrt{c^2x^2}} \\
&= \frac{bcd\sqrt{-1+c^2x^2}}{25x^4\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3} - \frac{(bc(-12c^2d - 25e)x)}{75\sqrt{c^2x^2}} \\
&= \frac{bcd\sqrt{-1+c^2x^2}}{25x^4\sqrt{c^2x^2}} + \frac{bc(12c^2d + 25e)\sqrt{-1+c^2x^2}}{225x^2\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3} \\
&= \frac{2bc^3(12c^2d + 25e)\sqrt{-1+c^2x^2}}{225\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1+c^2x^2}}{25x^4\sqrt{c^2x^2}} + \frac{bc(12c^2d + 25e)\sqrt{-1+c^2x^2}}{225x^2\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{5x^5} - \frac{e(a + b \sec^{-1}(cx))}{3x^3}
\end{aligned}$$

Mathematica [A] time = 0.125195, size = 94, normalized size = 0.62

$$\frac{-15a(3d + 5ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(3d(8c^4x^4 + 4c^2x^2 + 3) + 25ex^2(2c^2x^2 + 1)) - 15b \sec^{-1}(cx)(3d + 5ex^2)}{225x^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^6, x]

[Out] (-15*a*(3*d + 5*e*x^2) + b*c*sqrt[1 - 1/(c^2*x^2)]*x*(25*e*x^2*(1 + 2*c^2*x^2) + 3*d*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d + 5*e*x^2)*ArcSec[c*x])/(225*x^5)

Maple [A] time = 0.172, size = 140, normalized size = 0.9

$$c^5 \left(\frac{a}{c^2} \left(-\frac{d}{5c^3x^5} - \frac{e}{3c^3x^3} \right) + \frac{b}{c^2} \left(-\frac{\operatorname{arcsec}(cx)d}{5c^3x^5} - \frac{\operatorname{arcsec}(cx)e}{3c^3x^3} + \frac{(c^2x^2 - 1)(24c^6dx^4 + 50c^4ex^4 + 12c^4dx^2 + 25c^2ex^2 + 3d)}{225c^6x^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x^6, x)

[Out] $c^5 \left(\frac{a}{c^2} \left(-\frac{1}{5} \frac{d}{x^5} - \frac{1}{3} \frac{e}{c^3} \frac{1}{x^3} \right) + \frac{b}{c^2} \left(-\frac{1}{5} \operatorname{arcsec}(cx) \frac{d}{x^5} - \frac{1}{3} \operatorname{arcsec}(cx) \frac{e}{c^3} \frac{1}{x^3} + \frac{1}{225} (c^2 x^2 - 1) (24 c^6 d x^4 + 50 c^4 e x^4 + 12 c^4 d x^2 + 25 c^2 e x^2 + 9 c^2 d) \right) \right) / \left(\frac{c^2 x^2 - 1}{c^2 x^2} \right)^{1/2} / c^6 x^6$

Maxima [A] time = 0.985028, size = 185, normalized size = 1.22

$$\frac{1}{75} bd \left(\frac{3c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} - 10c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15c^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} - \frac{15 \operatorname{arcsec}(cx)}{x^5} \right) - \frac{1}{9} be \left(\frac{c^4 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^6,x, algorithm="maxima")`

[Out] $\frac{1}{75} b d \left((3 c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{5/2} - 10 c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{3/2} + 15 c^6 \sqrt{-\frac{1}{c^2 x^2} + 1}) / c - 15 \operatorname{arcsec}(c x) / x^5 \right) - \frac{1}{9} b e \left(\left(-\frac{1}{c^2 x^2} + 1 \right)^{3/2} - 3 c^4 \sqrt{-\frac{1}{c^2 x^2} + 1} \right) / c + 3 \operatorname{arcsec}(c x) / x^3 - \frac{1}{3} a e / x^3 - \frac{1}{5} a d / x^5$

Fricas [A] time = 1.8346, size = 217, normalized size = 1.43

$$\frac{75 a e x^2 + 45 a d + 15 (5 b e x^2 + 3 b d) \operatorname{arcsec}(c x) - (2 (12 b c^4 d + 25 b c^2 e) x^4 + (12 b c^2 d + 25 b e) x^2 + 9 b d) \sqrt{c^2 x^2 - 1}}{225 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^6,x, algorithm="fricas")`

[Out] $-\frac{1}{225} (75 a e x^2 + 45 a d + 15 (5 b e x^2 + 3 b d) \operatorname{arcsec}(c x) - (2 (12 b c^4 d + 25 b c^2 e) x^4 + (12 b c^2 d + 25 b e) x^2 + 9 b d) \sqrt{c^2 x^2 - 1}) / x^5$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**6,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)/x**6, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arcsec}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^6,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)/x^6, x)

$$3.75 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=197

$$-\frac{d(a+b \sec^{-1}(cx))}{7x^7} - \frac{e(a+b \sec^{-1}(cx))}{5x^5} + \frac{8bc^5\sqrt{c^2x^2-1}(30c^2d+49e)}{3675\sqrt{c^2x^2}} + \frac{4bc^3\sqrt{c^2x^2-1}(30c^2d+49e)}{3675x^2\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}}{1225x^4\sqrt{c^2x^2}}$$

[Out] $(8*b*c^5*(30*c^2*d + 49*e)*\text{Sqrt}[-1 + c^2*x^2])/(3675*\text{Sqrt}[c^2*x^2]) + (b*c*d*\text{Sqrt}[-1 + c^2*x^2])/(49*x^6*\text{Sqrt}[c^2*x^2]) + (b*c*(30*c^2*d + 49*e)*\text{Sqrt}[-1 + c^2*x^2])/(1225*x^4*\text{Sqrt}[c^2*x^2]) + (4*b*c^3*(30*c^2*d + 49*e)*\text{Sqrt}[-1 + c^2*x^2])/(3675*x^2*\text{Sqrt}[c^2*x^2]) - (d*(a + b*\text{ArcSec}[c*x]))/(7*x^7) - (e*(a + b*\text{ArcSec}[c*x]))/(5*x^5)$

Rubi [A] time = 0.117144, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {14, 5238, 12, 453, 271, 264}

$$-\frac{d(a+b \sec^{-1}(cx))}{7x^7} - \frac{e(a+b \sec^{-1}(cx))}{5x^5} + \frac{8bc^5\sqrt{c^2x^2-1}(30c^2d+49e)}{3675\sqrt{c^2x^2}} + \frac{4bc^3\sqrt{c^2x^2-1}(30c^2d+49e)}{3675x^2\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}}{1225x^4\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^8, x]

[Out] $(8*b*c^5*(30*c^2*d + 49*e)*\text{Sqrt}[-1 + c^2*x^2])/(3675*\text{Sqrt}[c^2*x^2]) + (b*c*d*\text{Sqrt}[-1 + c^2*x^2])/(49*x^6*\text{Sqrt}[c^2*x^2]) + (b*c*(30*c^2*d + 49*e)*\text{Sqrt}[-1 + c^2*x^2])/(1225*x^4*\text{Sqrt}[c^2*x^2]) + (4*b*c^3*(30*c^2*d + 49*e)*\text{Sqrt}[-1 + c^2*x^2])/(3675*x^2*\text{Sqrt}[c^2*x^2]) - (d*(a + b*\text{ArcSec}[c*x]))/(7*x^7) - (e*(a + b*\text{ArcSec}[c*x]))/(5*x^5)$

Rule 14

Int[(u)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis

```
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 453

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e^(m + 1)),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*
(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^8} dx &= -\frac{d(a + b \sec^{-1}(cx))}{7x^7} - \frac{e(a + b \sec^{-1}(cx))}{5x^5} - \frac{(bcx) \int \frac{-5d-7ex^2}{35x^8\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{7x^7} - \frac{e(a + b \sec^{-1}(cx))}{5x^5} - \frac{(bcx) \int \frac{-5d-7ex^2}{x^8\sqrt{-1+c^2x^2}} dx}{35\sqrt{c^2x^2}} \\
&= \frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{7x^7} - \frac{e(a + b \sec^{-1}(cx))}{5x^5} - \frac{(bc(-30c^2d - 49e)x)}{245\sqrt{c^2x^2}} \\
&= \frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} + \frac{bc(30c^2d + 49e)\sqrt{-1+c^2x^2}}{1225x^4\sqrt{c^2x^2}} - \frac{d(a + b \sec^{-1}(cx))}{7x^7} - \frac{e(a + b \sec^{-1}(cx))}{5x^5} \\
&= \frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} + \frac{bc(30c^2d + 49e)\sqrt{-1+c^2x^2}}{1225x^4\sqrt{c^2x^2}} + \frac{4bc^3(30c^2d + 49e)\sqrt{-1+c^2x^2}}{3675x^2\sqrt{c^2x^2}} \\
&= \frac{8bc^5(30c^2d + 49e)\sqrt{-1+c^2x^2}}{3675\sqrt{c^2x^2}} + \frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} + \frac{bc(30c^2d + 49e)\sqrt{-1+c^2x^2}}{1225x^4\sqrt{c^2x^2}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.144323, size = 110, normalized size = 0.56

$$\frac{-105a(5d + 7ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(15d(16c^6x^6 + 8c^4x^4 + 6c^2x^2 + 5) + 49ex^2(8c^4x^4 + 4c^2x^2 + 3)) - 105b \sec^{-1}(cx)(5d + 7ex^2)}{3675x^7}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^8, x]

[Out] (-105*a*(5*d + 7*e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(49*e*x^2*(3 + 4*c^2*x^2 + 8*c^4*x^4) + 15*d*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)) - 105*b*(5*d + 7*e*x^2)*ArcSec[c*x])/(3675*x^7)

Maple [A] time = 0.184, size = 158, normalized size = 0.8

$$c^7 \left(\frac{a}{c^2} \left(-\frac{d}{7c^5x^7} - \frac{e}{5c^5x^5} \right) + \frac{b}{c^2} \left(-\frac{\operatorname{arcsec}(cx)d}{7c^5x^7} - \frac{\operatorname{arcsec}(cx)e}{5c^5x^5} + \frac{(c^2x^2 - 1)(240c^8dx^6 + 392c^6ex^6 + 120c^6dx^4 + 196c^6dx^2 + 105d^2 + 105e^2x^2)}{3675c^8x^8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arcsec(c*x))/x^8,x)`

[Out] $c^7*(a/c^2*(-1/7/c^5*d/x^7-1/5*e/c^5/x^5)+b/c^2*(-1/7*arcsec(c*x)/c^5*d/x^7-1/5*arcsec(c*x)*e/c^5/x^5+1/3675*(c^2*x^2-1)*(240*c^8*d*x^6+392*c^6*e*x^6+120*c^6*d*x^4+196*c^4*e*x^4+90*c^4*d*x^2+147*c^2*e*x^2+75*c^2*d)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^8/x^8)$

Maxima [A] time = 0.990804, size = 232, normalized size = 1.18

$$-\frac{1}{245}bd \left(\frac{5c^8 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{7}{2}} - 21c^8 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{5}{2}} + 35c^8 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} - 35c^8 \sqrt{-\frac{1}{c^2x^2} + 1} + \frac{35 \operatorname{arcsec}(cx)}{x^7}}{c} \right) + \frac{1}{75}be \left(\frac{3c^6(-}{c^2x^2} + 1)^{\frac{5}{2}} - 10c^6(-}{c^2x^2} + 1)^{\frac{3}{2}} + 15c^6 \sqrt{-\frac{1}{c^2x^2} + 1} \right) / c - 15 \operatorname{arcsec}(cx) / x^5 - 1/5 * a * e / x^5 - 1/7 * a * d / x^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^8,x, algorithm="maxima")`

[Out] $-1/245*b*d*((5*c^8*(-1/(c^2*x^2) + 1)^{(7/2)} - 21*c^8*(-1/(c^2*x^2) + 1)^{(5/2)} + 35*c^8*(-1/(c^2*x^2) + 1)^{(3/2)} - 35*c^8*\sqrt{-1/(c^2*x^2) + 1})/c + 35*arcsec(c*x)/x^7) + 1/75*b*e*((3*c^6*(-1/(c^2*x^2) + 1)^{(5/2)} - 10*c^6*(-1/(c^2*x^2) + 1)^{(3/2)} + 15*c^6*\sqrt{-1/(c^2*x^2) + 1})/c - 15*arcsec(c*x)/x^5) - 1/5*a*e/x^5 - 1/7*a*d/x^7$

Fricas [A] time = 2.05828, size = 273, normalized size = 1.39

$$\frac{735 aex^2 + 525 ad + 105 (7 bex^2 + 5 bd) \operatorname{arcsec}(cx) - (8 (30 bc^6d + 49 bc^4e)x^6 + 4 (30 bc^4d + 49 bc^2e)x^4 + 3 (30 bc^2d + 2d + 49 b * e)x^2 + 75 b * d) \sqrt{c^2 * x^2 - 1}}{3675 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^8,x, algorithm="fricas")`

[Out] $-1/3675*(735*a*e*x^2 + 525*a*d + 105*(7*b*e*x^2 + 5*b*d)*arcsec(c*x) - (8*(30*b*c^6*d + 49*b*c^4*e)*x^6 + 4*(30*b*c^4*d + 49*b*c^2*e)*x^4 + 3*(30*b*c^2*d + 2*d + 49*b*e)*x^2 + 75*b*d)*\sqrt{c^2*x^2 - 1})/x^7$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**8,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)/x**8, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arcsec}(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^8,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)/x^8, x)

3.76 $\int x^5 (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=196

$$\frac{1}{6}dx^6(a + b \sec^{-1}(cx)) + \frac{1}{8}ex^8(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{5/2}(4c^2d + 9e)}{120c^7\sqrt{c^2x^2}} - \frac{bx(c^2x^2 - 1)^{3/2}(8c^2d + 9e)}{72c^7\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}}{24c^7}$$

[Out] $-(b*(4*c^2*d + 3*e)*x*\text{Sqrt}[-1 + c^2*x^2])/(24*c^7*\text{Sqrt}[c^2*x^2]) - (b*(8*c^2*d + 9*e)*x*(-1 + c^2*x^2)^{(3/2)})/(72*c^7*\text{Sqrt}[c^2*x^2]) - (b*(4*c^2*d + 9*e)*x*(-1 + c^2*x^2)^{(5/2)})/(120*c^7*\text{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{(7/2)})/(56*c^7*\text{Sqrt}[c^2*x^2]) + (d*x^6*(a + b*\text{ArcSec}[c*x]))/6 + (e*x^8*(a + b*\text{ArcSec}[c*x]))/8$

Rubi [A] time = 0.146823, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5238, 12, 446, 77}

$$\frac{1}{6}dx^6(a + b \sec^{-1}(cx)) + \frac{1}{8}ex^8(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{5/2}(4c^2d + 9e)}{120c^7\sqrt{c^2x^2}} - \frac{bx(c^2x^2 - 1)^{3/2}(8c^2d + 9e)}{72c^7\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}}{24c^7}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*(d + e*x^2)*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*(4*c^2*d + 3*e)*x*\text{Sqrt}[-1 + c^2*x^2])/(24*c^7*\text{Sqrt}[c^2*x^2]) - (b*(8*c^2*d + 9*e)*x*(-1 + c^2*x^2)^{(3/2)})/(72*c^7*\text{Sqrt}[c^2*x^2]) - (b*(4*c^2*d + 9*e)*x*(-1 + c^2*x^2)^{(5/2)})/(120*c^7*\text{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{(7/2)})/(56*c^7*\text{Sqrt}[c^2*x^2]) + (d*x^6*(a + b*\text{ArcSec}[c*x]))/6 + (e*x^8*(a + b*\text{ArcSec}[c*x]))/8$

Rule 14

$\text{Int}[(u_*)*((c_*)*(x_))^{(m_*)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \text{FreeQ}\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$

Rule 5238

$\text{Int}[(a_*) + \text{ArcSec}[(c_*)*(x_)]*(b_*)*((f_*)*(x_))^{(m_*)}*((d_*) + (e_*)*(x_))^{(p_*)}, x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegr}...$

```
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0]
&& ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p +
5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b,
c, d, e, f])))
```

Rubi steps

$$\begin{aligned}
\int x^5 (d + ex^2) (a + b \sec^{-1}(cx)) dx &= \frac{1}{6} dx^6 (a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^5(4d+3ex^2)}{24\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{1}{6} dx^6 (a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^5(4d+3ex^2)}{\sqrt{-1+c^2x^2}} dx}{24\sqrt{c^2x^2}} \\
&= \frac{1}{6} dx^6 (a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst} \left(\int \frac{x^2(4d+3ex)}{\sqrt{-1+c^2x}} dx, x, x \right)}{48\sqrt{c^2x^2}} \\
&= \frac{1}{6} dx^6 (a + b \sec^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst} \left(\int \left(\frac{4c^2d+3e}{c^6\sqrt{-1+c^2x}} + \frac{8c^2}{\sqrt{-1+c^2x}} \right) dx, x, x \right)}{48\sqrt{c^2x^2}} \\
&= -\frac{b(4c^2d+3e)x\sqrt{-1+c^2x^2}}{24c^7\sqrt{c^2x^2}} - \frac{b(8c^2d+9e)x(-1+c^2x^2)^{3/2}}{72c^7\sqrt{c^2x^2}} - \frac{b(4c^2d+9e)x(-1+c^2x^2)^{3/2}}{120c^7\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.224431, size = 118, normalized size = 0.6

$$\frac{1}{24} ax^6 (4d + 3ex^2) - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}} (c^6 (84dx^4 + 45ex^6) + 2c^4 (56dx^2 + 27ex^4) + 8c^2 (28d + 9ex^2) + 144e)}{2520c^7} + \frac{1}{24} bx^6 \sec^{-1}\left(\frac{cx}{\sqrt{1 - \frac{1}{c^2x^2}}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] (a*x^6*(4*d + 3*e*x^2))/24 - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(144*e + 8*c^2*(28*d + 9*e*x^2) + 2*c^4*(56*d*x^2 + 27*e*x^4) + c^6*(84*d*x^4 + 45*e*x^6)))/(2520*c^7) + (b*x^6*(4*d + 3*e*x^2)*ArcSec[c*x])/24

Maple [A] time = 0.181, size = 152, normalized size = 0.8

$$\frac{1}{c^6} \left(\frac{a}{c^2} \left(\frac{ec^8x^8}{8} + \frac{c^8x^6d}{6} \right) + \frac{b}{c^2} \left(\frac{\operatorname{arcsec}(cx) ec^8x^8}{8} + \frac{\operatorname{arcsec}(cx) c^8x^6d}{6} - \frac{(c^2x^2 - 1)(45c^6ex^6 + 84c^6dx^4 + 54c^4ex^4 + 112c^2ex^2 + 144e)}{2520cx} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(e*x^2+d)*(a+b*arcsec(c*x)),x)

[Out] $\frac{1}{c^6} \left(\frac{a}{c^2} \left(\frac{1}{8} e^{c^8 x^8} + \frac{1}{6} c^8 x^6 d \right) + \frac{b}{c^2} \left(\frac{1}{8} \operatorname{arcsec}(cx) e^{c^8 x^8} + \frac{1}{6} \operatorname{arcsec}(cx) c^8 x^6 d - \frac{1}{2520} (c^2 x^2 - 1) (45 c^6 e^{c^8 x^6} + 84 c^6 d x^4 + 54 c^4 e^{c^8 x^4} + 112 c^4 d x^2 + 72 c^2 e^{c^8 x^2} + 224 c^2 d + 144 e) \right) \right) / \left(\frac{c^2 x^2 - 1}{c^2 x^2} \right)^{(1/2)} / c/x$

Maxima [A] time = 0.962829, size = 250, normalized size = 1.28

$$\frac{1}{8} a e x^8 + \frac{1}{6} a d x^6 + \frac{1}{90} \left(15 x^6 \operatorname{arcsec}(cx) - \frac{3 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} + 10 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^5} \right) b d + \frac{1}{280} \left(35 x^8 \operatorname{arcsec}(cx) - \frac{5 c^6 x^7 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{7}{2}} + 21 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} + 35 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 35 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^7} \right) b e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{8} a e x^8 + \frac{1}{6} a d x^6 + \frac{1}{90} \left(15 x^6 \operatorname{arcsec}(cx) - \frac{3 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} + 10 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^5} \right) b d + \frac{1}{280} \left(35 x^8 \operatorname{arcsec}(cx) - \frac{5 c^6 x^7 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{7}{2}} + 21 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} + 35 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 35 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^7} \right) b e$

Fricas [A] time = 2.41076, size = 304, normalized size = 1.55

$$\frac{315 a c^8 e x^8 + 420 a c^8 d x^6 + 105 (3 b c^8 e x^8 + 4 b c^8 d x^6) \operatorname{arcsec}(cx) - (45 b c^6 e x^6 + 6 (14 b c^6 d + 9 b c^4 e) x^4 + 224 b c^2 d + 8 (14 b c^4 d + 9 b c^2 e) x^2 + 144 b e) \sqrt{c^2 x^2 - 1}}{2520 c^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{2520} \left(315 a c^8 e x^8 + 420 a c^8 d x^6 + 105 (3 b c^8 e x^8 + 4 b c^8 d x^6) \operatorname{arcsec}(cx) - (45 b c^6 e x^6 + 6 (14 b c^6 d + 9 b c^4 e) x^4 + 224 b c^2 d + 8 (14 b c^4 d + 9 b c^2 e) x^2 + 144 b e) \sqrt{c^2 x^2 - 1} \right) / c^8$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{asec}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] Integral(x**5*(a + b*asec(c*x))*(d + e*x**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arcsec}(cx) + a)x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)*x^5, x)

3.77 $\int x^3 (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=153

$$\frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{3/2}(3c^2d + 4e)}{36c^5\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(3c^2d + 2e)}{12c^5\sqrt{c^2x^2}} - \frac{bex(c^2x^2 - 1)^{5/2}}{30c^5\sqrt{c^2x^2}}$$

[Out] $-(b*(3*c^2*d + 2*e)*x*\text{Sqrt}[-1 + c^2*x^2])/(12*c^5*\text{Sqrt}[c^2*x^2]) - (b*(3*c^2*d + 4*e)*x*(-1 + c^2*x^2)^{(3/2)})/(36*c^5*\text{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{(5/2)})/(30*c^5*\text{Sqrt}[c^2*x^2]) + (d*x^4*(a + b*\text{ArcSec}[c*x]))/4 + (e*x^6*(a + b*\text{ArcSec}[c*x]))/6$

Rubi [A] time = 0.121989, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {14, 5238, 12, 446, 77}

$$\frac{1}{4}dx^4(a + b \sec^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{3/2}(3c^2d + 4e)}{36c^5\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2 - 1}(3c^2d + 2e)}{12c^5\sqrt{c^2x^2}} - \frac{bex(c^2x^2 - 1)^{5/2}}{30c^5\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(d + e*x^2)*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*(3*c^2*d + 2*e)*x*\text{Sqrt}[-1 + c^2*x^2])/(12*c^5*\text{Sqrt}[c^2*x^2]) - (b*(3*c^2*d + 4*e)*x*(-1 + c^2*x^2)^{(3/2)})/(36*c^5*\text{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{(5/2)})/(30*c^5*\text{Sqrt}[c^2*x^2]) + (d*x^4*(a + b*\text{ArcSec}[c*x]))/4 + (e*x^6*(a + b*\text{ArcSec}[c*x]))/6$

Rule 14

$\text{Int}[(u_*)*((c_*)*(x_*)^m), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}\{c, m, x\} \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{InverseFunctionQ}[v]$

Rule 5238

$\text{Int}[(a_*) + \text{ArcSec}[(c_*)*(x_*)]*(b_*)]*((f_*)*(x_*)^m)*((d_*) + (e_*)*(x_*)^2)^p, x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegrand}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, p, x\} \ \&\& \ ((\text{IGtQ}[p, 0] \ \&\& \ !(\text{ILtQ}[(m - 1)/2, 0] \ \&\& \ \text{GtQ}[m + 2*p + 3, 0])) \ || \ (\text{I$

GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rule 12

Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 446

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 77

Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :=> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rubi steps

$$\begin{aligned}
 \int x^3 (d + ex^2) (a + b \sec^{-1}(cx)) dx &= \frac{1}{4} dx^4 (a + b \sec^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^3(3d+2ex^2)}{12\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
 &= \frac{1}{4} dx^4 (a + b \sec^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{x^3(3d+2ex^2)}{\sqrt{-1+c^2x^2}} dx}{12\sqrt{c^2x^2}} \\
 &= \frac{1}{4} dx^4 (a + b \sec^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst} \left(\int \frac{x(3d+2ex)}{\sqrt{-1+c^2x}} dx, x, x^2 \right)}{24\sqrt{c^2x^2}} \\
 &= \frac{1}{4} dx^4 (a + b \sec^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \sec^{-1}(cx)) - \frac{(bcx) \text{Subst} \left(\int \left(\frac{3c^2d+2e}{c^4\sqrt{-1+c^2x}} + \frac{(3c^2d+2e)x}{c^4\sqrt{-1+c^2x}} \right) dx, x, x^2 \right)}{24\sqrt{c^2x^2}} \\
 &= -\frac{b(3c^2d+2e)x\sqrt{-1+c^2x^2}}{12c^5\sqrt{c^2x^2}} - \frac{b(3c^2d+4e)x(-1+c^2x^2)^{3/2}}{36c^5\sqrt{c^2x^2}} - \frac{bex(-1+c^2x^2)^{5/2}}{30c^5\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [A] time = 0.253271, size = 98, normalized size = 0.64

$$\frac{1}{180}x \left(15ax^3(3d + 2ex^2) - \frac{b\sqrt{1 - \frac{1}{c^2x^2}}(3c^4(5dx^2 + 2ex^4) + c^2(30d + 8ex^2) + 16e)}{c^5} + 15bx^3 \sec^{-1}(cx)(3d + 2ex^2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)*(a + b*ArcSec[c*x]), x]

[Out] (x*(15*a*x^3*(3*d + 2*e*x^2) - (b*Sqrt[1 - 1/(c^2*x^2)]*(16*e + c^2*(30*d + 8*e*x^2) + 3*c^4*(5*d*x^2 + 2*e*x^4)))/c^5 + 15*b*x^3*(3*d + 2*e*x^2)*ArcSec[c*x])/180

Maple [A] time = 0.171, size = 134, normalized size = 0.9

$$\frac{1}{c^4} \left(\frac{a}{c^2} \left(\frac{ec^6x^6}{6} + \frac{x^4c^6d}{4} \right) + \frac{b}{c^2} \left(\frac{\operatorname{arcsec}(cx)ec^6x^6}{6} + \frac{\operatorname{arcsec}(cx)c^6x^4d}{4} - \frac{(c^2x^2 - 1)(6c^4ex^4 + 15c^4dx^2 + 8c^2ex^2 + 30c^2d)}{180cx} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)*(a+b*arcsec(c*x)), x)

[Out] 1/c^4*(a/c^2*(1/6*e*c^6*x^6+1/4*x^4*c^6*d)+b/c^2*(1/6*arcsec(c*x)*e*c^6*x^6+1/4*arcsec(c*x)*c^6*x^4*d-1/180*(c^2*x^2-1)*(6*c^4*e*x^4+15*c^4*d*x^2+8*c^2*e*x^2+30*c^2*d+16*e)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x))

Maxima [A] time = 0.968066, size = 194, normalized size = 1.27

$$\frac{1}{6} aex^6 + \frac{1}{4} adx^4 + \frac{1}{12} \left(3x^4 \operatorname{arcsec}(cx) - \frac{c^2x^3 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} + 3x\sqrt{-\frac{1}{c^2x^2} + 1}}{c^3} \right) bd + \frac{1}{90} \left(15x^6 \operatorname{arcsec}(cx) - \frac{3c^4x^5 \left(-\frac{1}{c^2x^2} \right)}{c^2x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(a+b*arcsec(c*x)), x, algorithm="maxima")

[Out] $\frac{1}{6}aex^6 + \frac{1}{4}ad^2x^4 + \frac{1}{12}(3x^4 \operatorname{arcsec}(cx) - (c^2x^3(-1/(c^2x^2) + 1))^{3/2} + 3x\sqrt{-1/(c^2x^2) + 1})/c^3)bd + \frac{1}{90}(15x^6 \operatorname{arcsec}(cx) - (3c^4x^5(-1/(c^2x^2) + 1))^{5/2} + 10c^2x^3(-1/(c^2x^2) + 1))^{3/2} + 15x\sqrt{-1/(c^2x^2) + 1})/c^5)be$

Fricas [A] time = 2.18156, size = 247, normalized size = 1.61

$$\frac{30ac^6ex^6 + 45ac^6dx^4 + 15(2bc^6ex^6 + 3bc^6dx^4) \operatorname{arcsec}(cx) - (6bc^4ex^4 + 30bc^2d + (15bc^4d + 8bc^2e)x^2 + 16be)\sqrt{c^2x^2 - 1}}{180c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{180}(30ac^6ex^6 + 45ac^6dx^4 + 15(2bc^6ex^6 + 3bc^6dx^4) \operatorname{arcsec}(cx) - (6bc^4ex^4 + 30bc^2d + (15bc^4d + 8bc^2e)x^2 + 16be)\sqrt{c^2x^2 - 1})/c^6$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{asec}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)*(a+b*asec(c*x)),x)`

[Out] `Integral(x**3*(a + b*asec(c*x))*(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arcsec}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arcsec(c*x) + a)*x^3, x)`

3.78 $\int x (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=138

$$\frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{bcd^2 x \tan^{-1}(\sqrt{c^2 x^2 - 1})}{4e\sqrt{c^2 x^2}} - \frac{bx\sqrt{c^2 x^2 - 1}(2c^2 d + e)}{4c^3\sqrt{c^2 x^2}} - \frac{bex(c^2 x^2 - 1)^{3/2}}{12c^3\sqrt{c^2 x^2}}$$

[Out] $-(b*(2*c^2*d + e)*x*\text{Sqrt}[-1 + c^2*x^2])/(4*c^3*\text{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{(3/2)})/(12*c^3*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^2*(a + b*\text{ArcSec}[c*x]))/(4*e) - (b*c*d^2*x*\text{ArcTan}[\text{Sqrt}[-1 + c^2*x^2]])/(4*e*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.0926902, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {5236, 446, 88, 63, 205}

$$\frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{bcd^2 x \tan^{-1}(\sqrt{c^2 x^2 - 1})}{4e\sqrt{c^2 x^2}} - \frac{bx\sqrt{c^2 x^2 - 1}(2c^2 d + e)}{4c^3\sqrt{c^2 x^2}} - \frac{bex(c^2 x^2 - 1)^{3/2}}{12c^3\sqrt{c^2 x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*(2*c^2*d + e)*x*\text{Sqrt}[-1 + c^2*x^2])/(4*c^3*\text{Sqrt}[c^2*x^2]) - (b*e*x*(-1 + c^2*x^2)^{(3/2)})/(12*c^3*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^2*(a + b*\text{ArcSec}[c*x]))/(4*e) - (b*c*d^2*x*\text{ArcTan}[\text{Sqrt}[-1 + c^2*x^2]])/(4*e*\text{Sqrt}[c^2*x^2])$

Rule 5236

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.)]*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSec}[c*x])]/(2*e*(p + 1)), x] - \text{Dist}[(b*c*x)/(2*e*(p + 1)*\text{Sqrt}[c^2*x^2]), \text{Int}[(d + e*x^2)^{(p + 1)}/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \text{NeQ}[p, -1]$

Rule 446

$\text{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}], x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)}*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 88

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int x(d + ex^2)(a + b \sec^{-1}(cx)) dx &= \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(bcx) \int \frac{(d+ex^2)^2 dx}{x\sqrt{-1+c^2x^2}}}{4e\sqrt{c^2x^2}} \\
 &= \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(bcx) \text{Subst}\left(\int \frac{(d+ex^2)^2 dx}{x\sqrt{-1+c^2x^2}}, x, x^2\right)}{8e\sqrt{c^2x^2}} \\
 &= \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(bcx) \text{Subst}\left(\int \left(\frac{e(2c^2d+e)}{c^2\sqrt{-1+c^2x^2}} + \frac{d^2}{x\sqrt{-1+c^2x^2}} + \frac{e^2\sqrt{-1+c^2x^2}}{c^2}\right) dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\
 &= -\frac{b(2c^2d + e)x\sqrt{-1 + c^2x^2}}{4c^3\sqrt{c^2x^2}} - \frac{bex(-1 + c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} \\
 &= -\frac{b(2c^2d + e)x\sqrt{-1 + c^2x^2}}{4c^3\sqrt{c^2x^2}} - \frac{bex(-1 + c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} \\
 &= -\frac{b(2c^2d + e)x\sqrt{-1 + c^2x^2}}{4c^3\sqrt{c^2x^2}} - \frac{bex(-1 + c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e} - \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{4e}
 \end{aligned}$$

Mathematica [A] time = 0.0985451, size = 79, normalized size = 0.57

$$\frac{x \left(3ac^3x(2d + ex^2) - b\sqrt{1 - \frac{1}{c^2x^2}} (c^2(6d + ex^2) + 2e) + 3bc^3x \sec^{-1}(cx)(2d + ex^2) \right)}{12c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)*(a + b*ArcSec[c*x]), x]

[Out] (x*(3*a*c^3*x*(2*d + e*x^2) - b*Sqrt[1 - 1/(c^2*x^2)]*(2*e + c^2*(6*d + e*x^2)) + 3*b*c^3*x*(2*d + e*x^2)*ArcSec[c*x]))/(12*c^3)

Maple [A] time = 0.171, size = 115, normalized size = 0.8

$$\frac{1}{c^2} \left(\frac{a}{c^2} \left(\frac{ec^4x^4}{4} + \frac{x^2c^4d}{2} \right) + \frac{b}{c^2} \left(\frac{\operatorname{arcsec}(cx)ec^4x^4}{4} + \frac{\operatorname{arcsec}(cx)dc^4x^2}{2} - \frac{(c^2x^2 - 1)(c^2ex^2 + 6c^2d + 2e)}{12cx} \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)*(a+b*arcsec(c*x)), x)

[Out] 1/c^2*(a/c^2*(1/4*e*c^4*x^4+1/2*x^2*c^4*d)+b/c^2*(1/4*arcsec(c*x)*e*c^4*x^4+1/2*arcsec(c*x)*d*c^4*x^2-1/12*(c^2*x^2-1)*(c^2*e*x^2+6*c^2*d+2*e)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x))

Maxima [A] time = 0.979498, size = 135, normalized size = 0.98

$$\frac{1}{4} aex^4 + \frac{1}{2} adx^2 + \frac{1}{2} \left(x^2 \operatorname{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2} + 1}}{c} \right) bd + \frac{1}{12} \left(3x^4 \operatorname{arcsec}(cx) - \frac{c^2x^3 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} + 3x\sqrt{-\frac{1}{c^2x^2} + 1}}{c^3} \right) be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(a+b*arcsec(c*x)), x, algorithm="maxima")

[Out] 1/4*a*e*x^4 + 1/2*a*d*x^2 + 1/2*(x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*b*d + 1/12*(3*x^4*arcsec(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x

*sqrt(-1/(c^2*x^2) + 1))/c^3)*b*e

Fricas [A] time = 2.04995, size = 192, normalized size = 1.39

$$\frac{3ac^4ex^4 + 6ac^4dx^2 + 3(bc^4ex^4 + 2bc^4dx^2) \operatorname{arcsec}(cx) - (bc^2ex^2 + 6bc^2d + 2be)\sqrt{c^2x^2 - 1}}{12c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] 1/12*(3*a*c^4*e*x^4 + 6*a*c^4*d*x^2 + 3*(b*c^4*e*x^4 + 2*b*c^4*d*x^2)*arcsec(c*c*x) - (b*c^2*e*x^2 + 6*b*c^2*d + 2*b*e)*sqrt(c^2*x^2 - 1))/c^4

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x(a + b \operatorname{asec}(cx))(d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] Integral(x*(a + b*asec(c*x))*(d + e*x**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arcsec}(cx) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)*x, x)

$$3.79 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=124

$$-\frac{1}{2}ibd \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d \log\left(\frac{1}{x}\right)(a + b \sec^{-1}(cx)) + \frac{1}{2}ex^2(a + b \sec^{-1}(cx)) - \frac{bex\sqrt{1 - \frac{1}{c^2x^2}}}{2c} - \frac{1}{2}ibd \csc^{-1}(cx)^2$$

[Out] $-(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) - (I/2)*b*d*\text{ArcCsc}[c*x]^2 + (e*x^2*(a + b*\text{ArcSec}[c*x]))/2 + b*d*\text{ArcCsc}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])] - b*d*\text{ArcCsc}[c*x]*\text{Log}[x^(-1)] - d*(a + b*\text{ArcSec}[c*x])* \text{Log}[x^(-1)] - (I/2)*b*d*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])]$

Rubi [A] time = 0.283554, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.579$, Rules used = {5240, 14, 4732, 6742, 264, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{1}{2}ibd \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d \log\left(\frac{1}{x}\right)(a + b \sec^{-1}(cx)) + \frac{1}{2}ex^2(a + b \sec^{-1}(cx)) - \frac{bex\sqrt{1 - \frac{1}{c^2x^2}}}{2c} - \frac{1}{2}ibd \csc^{-1}(cx)^2$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(d + e*x^2)*(a + b*\text{ArcSec}[c*x])}{x}, x]$

[Out] $-(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) - (I/2)*b*d*\text{ArcCsc}[c*x]^2 + (e*x^2*(a + b*\text{ArcSec}[c*x]))/2 + b*d*\text{ArcCsc}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])] - b*d*\text{ArcCsc}[c*x]*\text{Log}[x^(-1)] - d*(a + b*\text{ArcSec}[c*x])* \text{Log}[x^(-1)] - (I/2)*b*d*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])]$

Rule 5240

$\text{Int}[\frac{(a + \text{ArcSec}[c*x])*(b*x^m)}{x^n}, x] \rightarrow -\text{Subst}[\text{Int}[\frac{(e + d*x^2)^p*(a + b*\text{ArcCos}[x/c])^n}{x^{m+2*(p+1)}}, x], x, 1/x] /;$ FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rule 14

$\text{Int}[u*(c*x)^m, x] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)

+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 4732

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rule 264

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 2326

Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n])/Rt[-e, 2], x] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

Rule 4625

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n/Tan[x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_)^(m_.))*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.))*((c_.) + (d_.)*(x_)^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di

```
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x} dx &= -\text{Subst} \left(\int \frac{(e + dx^2)(a + b \cos^{-1}(\frac{x}{c}))}{x^3} dx, x, \frac{1}{x} \right) \\
&= \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - d (a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{b \text{Subst} \left(\int \frac{-\frac{e}{2x^2} + d \log(x)}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{c} \\
&= \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - d (a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{b \text{Subst} \left(\int \left(-\frac{e}{2x^2 \sqrt{1-\frac{x^2}{c^2}}} + \frac{d \log(x)}{\sqrt{1-\frac{x^2}{c^2}}} \right) dx, x, \frac{1}{x} \right)}{c} \\
&= \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - d (a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{(bd) \text{Subst} \left(\int \frac{\log(x)}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{c} \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - bd \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - d (a + b \sec^{-1}(cx)) \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - bd \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - d (a + b \sec^{-1}(cx)) \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) - bd \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - a \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) + bd \csc^{-1}(cx) \log(1 - e^{2i}) \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) + bd \csc^{-1}(cx) \log(1 - e^{2i}) \\
&= -\frac{be\sqrt{1-\frac{1}{c^2x^2}}}{2c} - \frac{1}{2} ibd \csc^{-1}(cx)^2 + \frac{1}{2} ex^2 (a + b \sec^{-1}(cx)) + bd \csc^{-1}(cx) \log(1 - e^{2i})
\end{aligned}$$

Mathematica [A] time = 0.121672, size = 104, normalized size = 0.84

$$\frac{ibcd \text{PolyLog}\left(2, -e^{2i \sec^{-1}(cx)}\right) + 2acd \log(x) + acex^2 - bex\sqrt{1-\frac{1}{c^2x^2}} + bc \sec^{-1}(cx) \left(ex^2 - 2d \log\left(1 + e^{2i \sec^{-1}(cx)}\right)\right) + ibcd}{2c}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x,x]

[Out] $(-(b*e*\sqrt{1 - 1/(c^2*x^2)})*x) + a*c*e*x^2 + I*b*c*d*\text{ArcSec}[c*x]^2 + b*c*\text{ArcSec}[c*x]*(e*x^2 - 2*d*\text{Log}[1 + E^((2*I)*\text{ArcSec}[c*x])]) + 2*a*c*d*\text{Log}[x] + I*b*c*d*\text{PolyLog}[2, -E^((2*I)*\text{ArcSec}[c*x])])/(2*c)$

Maple [A] time = 0.531, size = 142, normalized size = 1.2

$$\frac{ax^2e}{2} + ad \ln(cx) + \frac{i}{2}b(\text{arcsec}(cx))^2 d + \frac{b\text{arcsec}(cx)x^2e}{2} - \frac{bx}{2c}\sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{\frac{i}{2}be}{c^2} - b d \text{arcsec}(cx) \ln\left(1 + \left(\frac{1}{cx} + i\sqrt{1 - \frac{1}{c^2x^2}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x,x)

[Out] $1/2*a*x^2*e+a*d*\ln(c*x)+1/2*I*b*\text{arcsec}(c*x)^2*d+1/2*b*\text{arcsec}(c*x)*x^2*e-1/2*b/c*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x*e-1/2*I*b/c^2*e-b*d*\text{arcsec}(c*x)*\ln(1+(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)+1/2*I*b*d*\text{polylog}(2,-(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} aex^2 + ad \log(x) - \frac{-2i bc^2 ex^2 \log(c) - 2i bc^2 d \log(-cx + 1) \log(x) - 2i bc^2 d \log(x)^2 - 2i bc^2 d \text{Li}_2(cx) - 2i bc^2 d \text{Li}_2(-cx)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x,x, algorithm="maxima")

[Out] $1/2*a*e*x^2 + a*d*\log(x) - 1/4*(-2*I*b*c^2*e*x^2*\log(c) - 2*I*b*c^2*d*\log(-c*x + 1)*\log(x) - 2*I*b*c^2*d*\log(x)^2 - 2*I*b*c^2*d*\text{dilog}(c*x) - 2*I*b*c^2*d*\text{dilog}(-c*x) + I*(b*e*(\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2) + 8*b*d*\text{integrate}(1/2*\log(x)/(c^2*x^3 - x), x))*c^2 + 4*c^2*\text{integrate}(1/2*(b*e*x^2 + 2*b*d*\log(x))*\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)/(c^2*x^3 - x), x) - I*b*e*\log(c*x - 1) - 2*(b*c^2*e*x^2 + 2*b*c^2*d*\log(x))*\arctan(\text{sqrt}(c*x + 1)*\text{sqrt}(c*x - 1)) + (I*b*c^2*e*x^2 + 2*I*b*c^2*d*\log(x))*\log(c^2*x^2) + (-2*I*b*c^2*d*\log(x) - I*b*e)*\log(c*x + 1) + (-2*I*b*c^2*e*x^2 - 4*I*b*c^2*d*\log(c))*\log(x))/c^2$

2

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)/x, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arcsec}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)/x, x)

$$3.80 \quad \int \frac{(d+ex^2)(a+b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=137

$$-\frac{1}{2}ibePolyLog\left(2, e^{2i \csc^{-1}(cx)}\right) - \frac{d(a+b \sec^{-1}(cx))}{2x^2} - e \log\left(\frac{1}{x}\right)(a+b \sec^{-1}(cx)) + \frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{4}bc^2d \sec^{-1}(cx)$$

```
[Out] (b*c*d*Sqrt[1 - 1/(c^2*x^2)])/(4*x) - (b*c^2*d*ArcCsc[c*x])/4 - (I/2)*b*e*ArcCsc[c*x]^2 - (d*(a + b*ArcSec[c*x]))/(2*x^2) + b*e*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - b*e*ArcCsc[c*x]*Log[x^(-1)] - e*(a + b*ArcSec[c*x])*Log[x^(-1)] - (I/2)*b*e*PolyLog[2, E^((2*I)*ArcCsc[c*x])]
```

Rubi [A] time = 0.291375, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.684$, Rules used = {5240, 14, 4732, 12, 6742, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{1}{2}ibePolyLog\left(2, e^{2i \csc^{-1}(cx)}\right) - \frac{d(a+b \sec^{-1}(cx))}{2x^2} - e \log\left(\frac{1}{x}\right)(a+b \sec^{-1}(cx)) + \frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{4}bc^2d \sec^{-1}(cx)$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^3, x]
```

```
[Out] (b*c*d*Sqrt[1 - 1/(c^2*x^2)])/(4*x) - (b*c^2*d*ArcCsc[c*x])/4 - (I/2)*b*e*ArcCsc[c*x]^2 - (d*(a + b*ArcSec[c*x]))/(2*x^2) + b*e*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - b*e*ArcCsc[c*x]*Log[x^(-1)] - e*(a + b*ArcSec[c*x])*Log[x^(-1)] - (I/2)*b*e*PolyLog[2, E^((2*I)*ArcCsc[c*x])]
```

Rule 5240

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.)), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
```

+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 4732

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :=> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 12

Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 6742

Int[u_, x_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rule 321

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :=> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :=> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2326

Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :=> Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n])/Rt[-e, 2], x] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

Rule 4625

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] :=> Subst[Int[(a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sec^{-1}(cx))}{x^3} dx &= -\text{Subst} \left(\int \frac{(e + dx^2)(a + b \cos^{-1}(\frac{x}{c}))}{x} dx, x, \frac{1}{x} \right) \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{b \text{Subst} \left(\int \frac{dx^2 + 2e \log(x)}{2\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{c} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{b \text{Subst} \left(\int \frac{dx^2 + 2e \log(x)}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2c} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{b \text{Subst} \left(\int \left(\frac{dx^2}{\sqrt{1 - \frac{x^2}{c^2}}} + \frac{2e \log(x)}{\sqrt{1 - \frac{x^2}{c^2}}} \right) dx, x, \frac{1}{x} \right)}{2c} \\
&= -\frac{d(a + b \sec^{-1}(cx))}{2x^2} - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{(bd) \text{Subst} \left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2c} \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{d(a + b \sec^{-1}(cx))}{2x^2} - be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{d(a + b \sec^{-1}(cx))}{2x^2} - be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2} - be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2} + be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2} + be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a + b \sec^{-1}(cx))}{2x^2} + be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right)
\end{aligned}$$

Mathematica [A] time = 0.441772, size = 136, normalized size = 0.99

$$\frac{1}{4} \left(2ibe \left(\text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) + \sec^{-1}(cx) \left(\sec^{-1}(cx) + 2i \log \left(1 + e^{2i \sec^{-1}(cx)} \right) \right) \right) - \frac{2ad}{x^2} + 4ae \log(x) + \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{c^2 x^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + e*x^2)*(a + b*ArcSec[c*x]))/x^3, x]

[Out] ((-2*a*d)/x^2 - (2*b*d*ArcSec[c*x])/x^2 + (b*c*d*Sqrt[1 - 1/(c^2*x^2)]*(1 + (c^2*x^2*ArcTanh[Sqrt[1 - c^2*x^2]])/Sqrt[1 - c^2*x^2]))/x + 4*a*e*Log[x] + (2*I)*b*e*(ArcSec[c*x]*(ArcSec[c*x] + (2*I)*Log[1 + E^((2*I)*ArcSec[c*x])]) + PolyLog[2, -E^((2*I)*ArcSec[c*x])]))/4

Maple [A] time = 0.386, size = 145, normalized size = 1.1

$$-\frac{ad}{2x^2} + ae \ln(cx) + \frac{i}{2} b (\text{arcsec}(cx))^2 e + \frac{bcd}{4x} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{c^2 b d \text{arcsec}(cx)}{4} - \frac{b \text{arcsec}(cx) d}{2x^2} - b \text{arcsec}(cx) \ln \left(1 + \left(\frac{1}{c} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arcsec(c*x))/x^3, x)

[Out] -1/2*a*d/x^2+a*e*ln(c*x)+1/2*I*b*arcsec(c*x)^2*e+1/4*c*b*d/x*((c^2*x^2-1)/c^2/x^2)^(1/2)+1/4*c^2*b*d*arcsec(c*x)-1/2*b*arcsec(c*x)*d/x^2-b*e*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+1/2*I*b*e*polylog(2, -(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\left(c^2 \int \frac{\sqrt{cx+1}\sqrt{cx-1} \log(x)}{c^4 x^3 - c^2 x} dx - \arctan \left(\sqrt{cx+1}\sqrt{cx-1} \right) \log(x) \right) b e - \frac{1}{4} b d \left(\frac{c^4 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 x^2 \left(\frac{1}{c^2 x^2} - 1 \right) - 1} - c^3 \arctan \left(cx \sqrt{-\frac{1}{c^2 x^2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^3,x, algorithm="maxima")

[Out] $-(c^2 \int \frac{\sqrt{cx+1} \sqrt{cx-1} \log(x)}{c^4 x^3 - c^2 x} dx) - \arctan(\sqrt{cx+1} \sqrt{cx-1}) \log(x) * b * e - \frac{1}{4} * b * d * ((c^4 * x * \sqrt{-1/(c^2 * x^2 + 1)}) / (c^2 * x^2 * (1/(c^2 * x^2) - 1) - 1) - c^3 * \arctan(c * x * \sqrt{-1/(c^2 * x^2 + 1)})) / c + 2 * \text{arcsec}(c * x) / x^2 + a * e * \log(x) - \frac{1}{2} * a * d / x^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{aex^2 + ad + (bex^2 + bd) \text{arcsec}(cx)}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^3,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))/x^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \text{asec}(cx))(d + ex^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(a+b*asec(c*x))/x**3,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)/x**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \text{arcsec}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(a+b*arcsec(c*x))/x^3,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)/x^3, x)
```

3.81 $\int x^2 (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=252

$$\frac{1}{3}d^2x^3(a + b \sec^{-1}(cx)) + \frac{2}{5}dex^5(a + b \sec^{-1}(cx)) + \frac{1}{7}e^2x^7(a + b \sec^{-1}(cx)) - \frac{bx^2\sqrt{c^2x^2-1}(280c^4d^2 + 252c^2de + 75e^2)}{1680c^5\sqrt{c^2x^2}}$$

[Out] $-(b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(1680*c^5*\text{Sqrt}[c^2*x^2]) - (b*e*(84*c^2*d + 25*e)*x^4*\text{Sqrt}[-1 + c^2*x^2])/(840*c^3*\text{Sqrt}[c^2*x^2]) - (b*e^2*x^6*\text{Sqrt}[-1 + c^2*x^2])/(42*c*\text{Sqrt}[c^2*x^2]) + (d^2*x^3*(a + b*\text{ArcSec}[c*x]))/3 + (2*d*e*x^5*(a + b*\text{ArcSec}[c*x]))/5 + (e^2*x^7*(a + b*\text{ArcSec}[c*x]))/7 - (b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(1680*c^6*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.235731, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {270, 5238, 12, 1267, 459, 321, 217, 206}

$$\frac{1}{3}d^2x^3(a + b \sec^{-1}(cx)) + \frac{2}{5}dex^5(a + b \sec^{-1}(cx)) + \frac{1}{7}e^2x^7(a + b \sec^{-1}(cx)) - \frac{bx^2\sqrt{c^2x^2-1}(280c^4d^2 + 252c^2de + 75e^2)}{1680c^5\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(d + e*x^2)^2*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(1680*c^5*\text{Sqrt}[c^2*x^2]) - (b*e*(84*c^2*d + 25*e)*x^4*\text{Sqrt}[-1 + c^2*x^2])/(840*c^3*\text{Sqrt}[c^2*x^2]) - (b*e^2*x^6*\text{Sqrt}[-1 + c^2*x^2])/(42*c*\text{Sqrt}[c^2*x^2]) + (d^2*x^3*(a + b*\text{ArcSec}[c*x]))/3 + (2*d*e*x^5*(a + b*\text{ArcSec}[c*x]))/5 + (e^2*x^7*(a + b*\text{ArcSec}[c*x]))/7 - (b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(1680*c^6*\text{Sqrt}[c^2*x^2])$

Rule 270

$\text{Int}[\text{((c_.)*(x_.))}^{(m_.)}*\text{((a_.) + (b_.)*(x_.))}^{(n_.)}]^{(p_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, m, n\}, x\} \&\& \text{IGTQ}[p, 0]$

Rule 5238


```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrate[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1267

```
Int[((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(q_.)*((a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4)^(p_.), x_Symbol] := Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 459

```
Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^n)^(p_.)*((c_.) + (d_.)*(x_.)^n), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 321

```
Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^n)^(p_.), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int x^2 (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx &= \frac{1}{3}d^2x^3 (a + b \sec^{-1}(cx)) + \frac{2}{5}dex^5 (a + b \sec^{-1}(cx)) + \frac{1}{7}e^2x^7 (a + b \sec^{-1}(cx)) - \dots \\
 &= \frac{1}{3}d^2x^3 (a + b \sec^{-1}(cx)) + \frac{2}{5}dex^5 (a + b \sec^{-1}(cx)) + \frac{1}{7}e^2x^7 (a + b \sec^{-1}(cx)) - \dots \\
 &= -\frac{be^2x^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{3}d^2x^3 (a + b \sec^{-1}(cx)) + \frac{2}{5}dex^5 (a + b \sec^{-1}(cx)) + \frac{1}{7}e^2x^7 (a + b \sec^{-1}(cx)) - \dots \\
 &= -\frac{be(84c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \frac{be^2x^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{3}d^2x^3 (a + b \sec^{-1}(cx)) + \dots \\
 &= -\frac{b(280c^4d^2 + 252c^2de + 75e^2)x^2\sqrt{-1+c^2x^2}}{1680c^5\sqrt{c^2x^2}} - \frac{be(84c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \dots \\
 &= -\frac{b(280c^4d^2 + 252c^2de + 75e^2)x^2\sqrt{-1+c^2x^2}}{1680c^5\sqrt{c^2x^2}} - \frac{be(84c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \dots \\
 &= -\frac{b(280c^4d^2 + 252c^2de + 75e^2)x^2\sqrt{-1+c^2x^2}}{1680c^5\sqrt{c^2x^2}} - \frac{be(84c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} - \dots
 \end{aligned}$$

Mathematica [A] time = 0.355263, size = 186, normalized size = 0.74

$$\frac{c^2x^2 \left(16ac^5x(35d^2 + 42dex^2 + 15e^2x^4) - b\sqrt{1 - \frac{1}{c^2x^2}}(8c^4(35d^2 + 21dex^2 + 5e^2x^4) + 2c^2e(126d + 25ex^2) + 75e^2) \right) - b(2c^2x^2 + 2c^2e(126d + 25ex^2) + 8c^4(35d^2 + 21dex^2 + 5e^2x^4))}{1680c^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

[Out] (c^2*x^2*(16*a*c^5*x*(35*d^2 + 42*d*e*x^2 + 15*e^2*x^4) - b*Sqrt[1 - 1/(c^2*x^2)]*(75*e^2 + 2*c^2*e*(126*d + 25*e*x^2) + 8*c^4*(35*d^2 + 21*d*e*x^2 + 5*e^2*x^4))) - b(2*c^2*x^2 + 2*c^2*e*(126*d + 25*e*x^2) + 8*c^4*(35*d^2 + 21*d*e*x^2 + 5*e^2*x^4))

$5e^{2x^4})) + 16bc^7x^3(35d^2 + 42de^2x^2 + 15e^{2x^4})\text{ArcSec}[cx] - b(280c^4d^2 + 252c^2de + 75e^2)\text{Log}[(1 + \sqrt{1 - 1/(c^2x^2)})]x) / (1680c^7)$

Maple [B] time = 0.167, size = 494, normalized size = 2.

$$\frac{ae^2x^7}{7} + \frac{2aedx^5}{5} + \frac{ax^3d^2}{3} + \frac{b\text{arcsec}(cx)e^2x^7}{7} + \frac{2b\text{arcsec}(cx)edx^5}{5} + \frac{b\text{arcsec}(cx)x^3d^2}{3} - \frac{bx^6e^2}{42c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bx^4e^2}{168c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(e*x^2+d)^2*(a+b*\text{arcsec}(c*x)),x)$

[Out] $\frac{1}{7}ae^2x^7 + \frac{2}{5}aedx^5 + \frac{1}{3}ax^3d^2 + \frac{1}{7}b*\text{arcsec}(c*x)*e^2x^7 + \frac{2}{5}b*\text{arcsec}(c*x)*e*d*x^5 + \frac{1}{3}b*\text{arcsec}(c*x)*x^3*d^2 - \frac{1}{42}c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^6*e^2 - \frac{1}{168}c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^4*e^2 - \frac{1}{10}c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^4*e*d - \frac{1}{20}c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^2*e*d - \frac{1}{6}c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*d^2*x^2 + \frac{1}{6}c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*d^2 - \frac{1}{6}c^4*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d^2*\ln(c*x+(c^2*x^2-1)^{(1/2)}) - \frac{5}{336}c^5*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^2*e^2 + \frac{3}{20}c^5*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e*d - \frac{3}{20}c^6*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*e*d*\ln(c*x+(c^2*x^2-1)^{(1/2)}) + \frac{5}{112}c^7*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e^2 - \frac{5}{112}c^8*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*e^2*\ln(c*x+(c^2*x^2-1)^{(1/2)})$

Maxima [A] time = 1.02231, size = 547, normalized size = 2.17

$$\frac{1}{7}ae^2x^7 + \frac{2}{5}adex^5 + \frac{1}{3}ad^2x^3 + \frac{1}{12} \left(4x^3 \text{arcsec}(cx) - \frac{\frac{2\sqrt{-\frac{1}{c^2x^2}+1}}{c^2\left(\frac{1}{c^2x^2}-1\right)+c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1+1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2}+1-1}\right)}{c^2}}{c} \right) bd^2 + \frac{1}{40} 16x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(e*x^2+d)^2*(a+b*\text{arcsec}(c*x)),x, \text{algorithm}="maxima")$

```
[Out] 1/7*a*e^2*x^7 + 2/5*a*d*e*x^5 + 1/3*a*d^2*x^3 + 1/12*(4*x^3*arcsec(c*x) - (
2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x
^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b*d^2 + 1/40*(1
6*x^5*arcsec(c*x) + (2*(3*(-1/(c^2*x^2) + 1)^(3/2) - 5*sqrt(-1/(c^2*x^2) +
1))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*log(sqrt(
-1/(c^2*x^2) + 1) + 1)/c^4 + 3*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^4)/c)*b*d*
e + 1/672*(96*x^7*arcsec(c*x) - (2*(15*(-1/(c^2*x^2) + 1)^(5/2) - 40*(-1/(c
^2*x^2) + 1)^(3/2) + 33*sqrt(-1/(c^2*x^2) + 1))/(c^6*(1/(c^2*x^2) - 1)^3 +
3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*log(sqrt(-1
/(c^2*x^2) + 1) + 1)/c^6 - 15*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^6)/c)*b*e^2
```

Fricas [A] time = 4.6337, size = 641, normalized size = 2.54

$240 ac^7 e^2 x^7 + 672 ac^7 dex^5 + 560 ac^7 d^2 x^3 + 16 (15 bc^7 e^2 x^7 + 42 bc^7 dex^5 + 35 bc^7 d^2 x^3 - 35 bc^7 d^2 - 42 bc^7 de - 15 bc^7 e^2)$ ar

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] 1/1680*(240*a*c^7*e^2*x^7 + 672*a*c^7*d*e*x^5 + 560*a*c^7*d^2*x^3 + 16*(15*
b*c^7*e^2*x^7 + 42*b*c^7*d*e*x^5 + 35*b*c^7*d^2*x^3 - 35*b*c^7*d^2 - 42*b*c
^7*d*e - 15*b*c^7*e^2)*arcsec(c*x) + 32*(35*b*c^7*d^2 + 42*b*c^7*d*e + 15*b
*c^7*e^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (280*b*c^4*d^2 + 252*b*c^2*d*e
+ 75*b*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) - (40*b*c^5*e^2*x^5 + 2*(84*b*c^
5*d*e + 25*b*c^3*e^2)*x^3 + (280*b*c^5*d^2 + 252*b*c^3*d*e + 75*b*c*e^2)*x
)*sqrt(c^2*x^2 - 1))/c^7
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{asec}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d)**2*(a+b*asec(c*x)),x)
```

```
[Out] Integral(x**2*(a + b*asec(c*x))*(d + e*x**2)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)*x^2, x)

3.82 $\int (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=191

$$d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sec^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sec^{-1}(cx)) - \frac{bx (120c^4d^2 + 40c^2de + 9e^2) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{120c^4\sqrt{c^2x^2}}$$

[Out] $-(b*e*(40*c^2*d + 9*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(120*c^3*\text{Sqrt}[c^2*x^2]) - (b*e^2*x^4*\text{Sqrt}[-1 + c^2*x^2])/(20*c*\text{Sqrt}[c^2*x^2]) + d^2*x*(a + b*\text{ArcSec}[c*x]) + (2*d*e*x^3*(a + b*\text{ArcSec}[c*x]))/3 + (e^2*x^5*(a + b*\text{ArcSec}[c*x]))/5 - (b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(120*c^4*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.114684, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {194, 5228, 12, 1159, 388, 217, 206}

$$d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sec^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sec^{-1}(cx)) - \frac{bx (120c^4d^2 + 40c^2de + 9e^2) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{120c^4\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x^2)^2*(a + b*\text{ArcSec}[c*x]),x]$

[Out] $-(b*e*(40*c^2*d + 9*e)*x^2*\text{Sqrt}[-1 + c^2*x^2])/(120*c^3*\text{Sqrt}[c^2*x^2]) - (b*e^2*x^4*\text{Sqrt}[-1 + c^2*x^2])/(20*c*\text{Sqrt}[c^2*x^2]) + d^2*x*(a + b*\text{ArcSec}[c*x]) + (2*d*e*x^3*(a + b*\text{ArcSec}[c*x]))/3 + (e^2*x^5*(a + b*\text{ArcSec}[c*x]))/5 - (b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/(120*c^4*\text{Sqrt}[c^2*x^2])$

Rule 194

$\text{Int}[(a + b*x^n)^p, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5228

$\text{Int}[(a + \text{ArcSec}[c*x])*(d + e*x^2)^p, x_Symbol] := \text{With}[u = \text{IntHide}[(d + e*x^2)^p, x], \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegrand}[u/(x*\text{Sqrt}[c^2*x^2 - 1])]$

, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 1159

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*x^(4*p - 1)*(d + e*x^2)^(q + 1))/(e*(4*p + 2*q + 1)), x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p + 2*q + 1)*x^(4*p)], x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx &= d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int}{(bcx) \int} \\
&= d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int}{(bcx) \int} \\
&= -\frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \sec^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \sec^{-1}(cx)) \\
&= -\frac{be(40c^2 d + 9e) x^2 \sqrt{-1 + c^2 x^2}}{120c^3 \sqrt{c^2 x^2}} - \frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3} dex^3 \\
&= -\frac{be(40c^2 d + 9e) x^2 \sqrt{-1 + c^2 x^2}}{120c^3 \sqrt{c^2 x^2}} - \frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3} dex^3 \\
&= -\frac{be(40c^2 d + 9e) x^2 \sqrt{-1 + c^2 x^2}}{120c^3 \sqrt{c^2 x^2}} - \frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2x (a + b \sec^{-1}(cx)) + \frac{2}{3} dex^3
\end{aligned}$$

Mathematica [A] time = 0.22864, size = 153, normalized size = 0.8

$$\frac{c^2 x \left(8ac^3 (15d^2 + 10dex^2 + 3e^2 x^4) - bex \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 (40d + 6cx^2) + 9e) \right) - b(120c^4 d^2 + 40c^2 de + 9e^2) \log \left(x \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right) \right)}{120c^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2*(a + b*ArcSec[c*x]),x]

[Out] (c^2*x*(8*a*c^3*(15*d^2 + 10*d*e*x^2 + 3*e^2*x^4) - b*e*Sqrt[1 - 1/(c^2*x^2)])*x*(9*e + c^2*(40*d + 6*e*x^2))) + 8*b*c^5*x*(15*d^2 + 10*d*e*x^2 + 3*e^2*x^4)*ArcSec[c*x] - b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x]/(120*c^5)

Maple [B] time = 0.168, size = 372, normalized size = 2.

$$\frac{ae^2 x^5}{5} + \frac{2ax^3 de}{3} + ad^2 x + \frac{b \operatorname{arcsec}(cx) e^2 x^5}{5} + \frac{2b \operatorname{arcsec}(cx) x^3 de}{3} + b \operatorname{arcsec}(cx) x d^2 - \frac{bd^2}{c^2 x} \sqrt{c^2 x^2 - 1} \ln \left(cx + \sqrt{c^2 x^2 - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x)),x)`

[Out] $\frac{1}{5}a e^2 x^5 + \frac{2}{3}a x^3 d + a d^2 x + \frac{1}{5}b \operatorname{arcsec}(c x) e^2 x^5 + \frac{2}{3}b \operatorname{arcsec}(c x) x^3 d + b \operatorname{arcsec}(c x) x d^2 - \frac{1}{c^2} b (c^2 x^2 - 1)^{1/2} / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} / x d^2 \ln(c x + (c^2 x^2 - 1)^{1/2}) - \frac{1}{20} c b / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} x^4 e^{-2} - \frac{1}{40} c^3 b / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} x^2 e^{-2} - \frac{1}{3} c b / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} e d x^2 + \frac{1}{3} c^3 b / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} e d - \frac{1}{3} c^4 b (c^2 x^2 - 1)^{1/2} / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} / x e d \ln(c x + (c^2 x^2 - 1)^{1/2}) + \frac{3}{40} c^5 b / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} e^{-2} - \frac{3}{40} c^6 b (c^2 x^2 - 1)^{1/2} / ((c^2 x^2 - 1) / c^2 / x^2)^{1/2} / x e^2 \ln(c x + (c^2 x^2 - 1)^{1/2})$

Maxima [A] time = 0.998801, size = 400, normalized size = 2.09

$$\frac{1}{5} a e^2 x^5 + \frac{2}{3} a d e x^3 + \frac{1}{6} \left(4 x^3 \operatorname{arcsec}(c x) - \frac{2 \sqrt{-\frac{1}{c^2 x^2} + 1} + \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1}\right) - \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1\right)}{c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) - \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1\right)}{c^2}}{c^2 \left(\frac{1}{c^2 x^2} - 1\right) + c^2} \right) b d e + \frac{1}{80} \left(16 x^5 \operatorname{arcsec}(c x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{5} a e^2 x^5 + \frac{2}{3} a d e x^3 + \frac{1}{6} (4 x^3 \operatorname{arcsec}(c x) - (2 \sqrt{-1/(c^2 x^2) + 1} / (c^2 (1/(c^2 x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2 x^2) + 1} + 1) / c^2 - \log(\sqrt{-1/(c^2 x^2) + 1} - 1) / c^2) / c) b d e + \frac{1}{80} (16 x^5 \operatorname{arcsec}(c x) + (2 (3 (-1/(c^2 x^2) + 1)^{3/2} - 5 \sqrt{-1/(c^2 x^2) + 1})) / (c^4 (1/(c^2 x^2) - 1)^2 + 2 c^4 (1/(c^2 x^2) - 1) + c^4) - 3 \log(\sqrt{-1/(c^2 x^2) + 1} + 1) / c^4 + 3 \log(\sqrt{-1/(c^2 x^2) + 1} - 1) / c^4) / c) b e^2 + a d^2 x + \frac{1}{2} (2 c x \operatorname{arcsec}(c x) - \log(\sqrt{-1/(c^2 x^2) + 1} + 1) + \log(-\sqrt{-1/(c^2 x^2) + 1} + 1)) b d^2 / c$

Fricas [A] time = 3.52936, size = 547, normalized size = 2.86

$$24 a c^5 e^2 x^5 + 80 a c^5 d e x^3 + 120 a c^5 d^2 x + 8 (3 b c^5 e^2 x^5 + 10 b c^5 d e x^3 + 15 b c^5 d^2 x - 15 b c^5 d^2 - 10 b c^5 d e - 3 b c^5 e^2) \operatorname{arcsec}(c x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] 1/120*(24*a*c^5*e^2*x^5 + 80*a*c^5*d*e*x^3 + 120*a*c^5*d^2*x + 8*(3*b*c^5*e^2*x^5 + 10*b*c^5*d*e*x^3 + 15*b*c^5*d^2*x - 15*b*c^5*d^2 - 10*b*c^5*d*e - 3*b*c^5*e^2)*arcsec(c*x) + 16*(15*b*c^5*d^2 + 10*b*c^5*d*e + 3*b*c^5*e^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (120*b*c^4*d^2 + 40*b*c^2*d*e + 9*b*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) - (6*b*c^3*e^2*x^3 + (40*b*c^3*d*e + 9*b*c*e^2)*x)*sqrt(c^2*x^2 - 1))/c^5
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**2*(a+b*asec(c*x)),x)
```

```
[Out] Integral((a + b*asec(c*x))*(d + e*x**2)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a), x)
```

$$3.83 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=162

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3 (a + b \sec^{-1}(cx)) + \frac{bcd^2\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} - \frac{bex(12c^2d+e)\tanh^{-1}\left(\frac{\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}}\right)}{6c^2\sqrt{c^2x^2}}$$

[Out] (b*c*d^2*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2] - (b*e^2*x^2*Sqrt[-1 + c^2*x^2])/(6*c*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/x + 2*d*e*x*(a + b*ArcSec[c*x]) + (e^2*x^3*(a + b*ArcSec[c*x]))/3 - (b*e*(12*c^2*d + e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(6*c^2*Sqrt[c^2*x^2])

Rubi [A] time = 0.127189, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {270, 5238, 12, 1265, 388, 217, 206}

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3 (a + b \sec^{-1}(cx)) + \frac{bcd^2\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} - \frac{bex(12c^2d+e)\tanh^{-1}\left(\frac{\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}}\right)}{6c^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^2,x]

[Out] (b*c*d^2*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2] - (b*e^2*x^2*Sqrt[-1 + c^2*x^2])/(6*c*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/x + 2*d*e*x*(a + b*ArcSec[c*x]) + (e^2*x^3*(a + b*ArcSec[c*x]))/3 - (b*e*(12*c^2*d + e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(6*c^2*Sqrt[c^2*x^2])

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr

```
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1265

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c
_)*(x_)^4)^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 +
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 388

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^2} dx &= -\frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int}{(bcx) \int} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3 (a + b \sec^{-1}(cx)) - \frac{(bcx) \int}{(bcx) \int} \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx)) + \frac{1}{3}e^2x^3 (a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{be^2x^2\sqrt{-1 + c^2x^2}}{6c\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{be^2x^2\sqrt{-1 + c^2x^2}}{6c\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx)) \\
&= \frac{bcd^2\sqrt{-1 + c^2x^2}}{\sqrt{c^2x^2}} - \frac{be^2x^2\sqrt{-1 + c^2x^2}}{6c\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{x} + 2dex (a + b \sec^{-1}(cx))
\end{aligned}$$

Mathematica [A] time = 0.194875, size = 136, normalized size = 0.84

$$\frac{c^2 \left(2ac(-3d^2 + 6dex^2 + e^2x^4) + bx\sqrt{1 - \frac{1}{c^2x^2}}(6c^2d^2 - e^2x^2) \right) + 2bc^3 \sec^{-1}(cx)(-3d^2 + 6dex^2 + e^2x^4) - bex(12c^2d + e)}{6c^3x}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^2,x]

[Out] (c^2*(b*Sqrt[1 - 1/(c^2*x^2)])*x*(6*c^2*d^2 - e^2*x^2) + 2*a*c*(-3*d^2 + 6*d*e*x^2 + e^2*x^4)) + 2*b*c^3*(-3*d^2 + 6*d*e*x^2 + e^2*x^4)*ArcSec[c*x] - b*e*(12*c^2*d + e)*x*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x]/(6*c^3*x)

Maple [A] time = 0.174, size = 286, normalized size = 1.8

$$\frac{ax^3e^2}{3} + 2aedx - \frac{ad^2}{x} + \frac{\text{barcsec}(cx)x^3e^2}{3} + 2\text{barcsec}(cx)edx - \frac{\text{barcsec}(cx)d^2}{x} + cbd^2 \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bd^2}{cx^2} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - 2 \frac{b\sqrt{c^2x^2-1}}{c^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x)`

[Out] $\frac{1}{3}a^2x^3 + \left(c\sqrt{-\frac{1}{c^2x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) bd^2 + \frac{1}{12} \left(4x^3 \operatorname{arcsec}(cx) - \frac{2\sqrt{-\frac{1}{c^2x^2} + 1} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} - 1\right)}{c^2}}{c^2\left(\frac{1}{c^2x^2} - 1\right) + c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} - 1\right)}{c^2} \right) be$

Maxima [A] time = 0.993497, size = 267, normalized size = 1.65

$$\frac{1}{3}ae^2x^3 + \left(c\sqrt{-\frac{1}{c^2x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) bd^2 + \frac{1}{12} \left(4x^3 \operatorname{arcsec}(cx) - \frac{2\sqrt{-\frac{1}{c^2x^2} + 1} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} - 1\right)}{c^2}}{c^2\left(\frac{1}{c^2x^2} - 1\right) + c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1}\right) - \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} - 1\right)}{c^2} \right) be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x, algorithm="maxima")`

[Out] $\frac{1}{3}a^2e^2x^3 + (c\sqrt{-1/(c^2x^2)} + 1 - \operatorname{arcsec}(c*x)/x)*b*d^2 + 1/12*(4*x^3*\operatorname{arcsec}(c*x) - (2*\sqrt{-1/(c^2x^2)} + 1)/(c^2*(1/(c^2x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2x^2)} + 1)/c^2 - \log(\sqrt{-1/(c^2x^2)} + 1) - 1)/c^2)*b*e^2 + 2*a*d*e*x + (2*c*x*\operatorname{arcsec}(c*x) - \log(\sqrt{-1/(c^2x^2)} + 1) + 1) + \log(-\sqrt{-1/(c^2x^2)} + 1))*b*d*e/c - a*d^2/x$

Fricas [A] time = 2.57997, size = 502, normalized size = 3.1

$$\frac{2ac^3e^2x^4 + 6bc^4d^2x + 12ac^3dex^2 - 6ac^3d^2 - 4(3bc^3d^2 - 6bc^3de - bc^3e^2)x \arctan(-cx + \sqrt{c^2x^2 - 1}) + (12bc^2de + be^2)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x, algorithm="fricas")`

[Out] $\frac{1}{6}*(2*a*c^3*e^2*x^4 + 6*b*c^4*d^2*x + 12*a*c^3*d*e*x^2 - 6*a*c^3*d^2 - 4*(3*b*c^3*d^2 - 6*b*c^3*d*e - b*c^3*e^2)*x*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) +$

$$(12*b*c^2*d*e + b*e^2)*x*\log(-c*x + \sqrt{c^2*x^2 - 1}) + 2*(b*c^3*e^2*x^4 + 6*b*c^3*d*e*x^2 - 3*b*c^3*d^2 + (3*b*c^3*d^2 - 6*b*c^3*d*e - b*c^3*e^2)*x)*\operatorname{arcsec}(c*x) + (6*b*c^3*d^2 - b*c*e^2*x^2)*\sqrt{c^2*x^2 - 1}/(c^3*x)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx)) (d + ex^2)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**2,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)**2/x**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^2,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)/x^2, x)

$$3.84 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=158

$$-\frac{d^2(a+b \sec^{-1}(cx))}{3x^3} - \frac{2de(a+b \sec^{-1}(cx))}{x} + e^2x(a+b \sec^{-1}(cx)) + \frac{bcd^2\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}} + \frac{2bcd\sqrt{c^2x^2-1}(c^2d+9e)}{9\sqrt{c^2x^2}} - \frac{be^2}{9}$$

[Out] (2*b*c*d*(c^2*d + 9*e)*Sqrt[-1 + c^2*x^2])/(9*Sqrt[c^2*x^2]) + (b*c*d^2*Sqrt[-1 + c^2*x^2])/(9*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/(3*x^3) - (2*d*e*(a + b*ArcSec[c*x]))/x + e^2*x*(a + b*ArcSec[c*x]) - (b*e^2*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[c^2*x^2]

Rubi [A] time = 0.131202, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {270, 5238, 12, 1265, 451, 217, 206}

$$-\frac{d^2(a+b \sec^{-1}(cx))}{3x^3} - \frac{2de(a+b \sec^{-1}(cx))}{x} + e^2x(a+b \sec^{-1}(cx)) + \frac{bcd^2\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}} + \frac{2bcd\sqrt{c^2x^2-1}(c^2d+9e)}{9\sqrt{c^2x^2}} - \frac{be^2}{9}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^4,x]

[Out] (2*b*c*d*(c^2*d + 9*e)*Sqrt[-1 + c^2*x^2])/(9*Sqrt[c^2*x^2]) + (b*c*d^2*Sqrt[-1 + c^2*x^2])/(9*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/(3*x^3) - (2*d*e*(a + b*ArcSec[c*x]))/x + e^2*x*(a + b*ArcSec[c*x]) - (b*e^2*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[c^2*x^2]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr


```
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1265

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c
_)*(x_)^4)^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 +
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x
- e*R*(m + 2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 451

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)),
x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c
, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (
IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && Gt
Q[m + n, -1]))
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^4} dx &= -\frac{d^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{2de (a + b \sec^{-1}(cx))}{x} + e^2 x (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{-d^2 -}{3x^4} \sqrt{c}}{\sqrt{c}} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{2de (a + b \sec^{-1}(cx))}{x} + e^2 x (a + b \sec^{-1}(cx)) - \frac{(bcx) \int \frac{-d^2 -}{x^4} \sqrt{c}}{3\sqrt{c}} \\
&= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{2de (a + b \sec^{-1}(cx))}{x} + e^2 x (a + b \sec^{-1}(cx)) \\
&= \frac{2bcd (c^2 d + 9e) \sqrt{-1 + c^2 x^2}}{9\sqrt{c^2 x^2}} + \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{2de (a + b \sec^{-1}(cx))}{x} \\
&= \frac{2bcd (c^2 d + 9e) \sqrt{-1 + c^2 x^2}}{9\sqrt{c^2 x^2}} + \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{2de (a + b \sec^{-1}(cx))}{x} \\
&= \frac{2bcd (c^2 d + 9e) \sqrt{-1 + c^2 x^2}}{9\sqrt{c^2 x^2}} + \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{2de (a + b \sec^{-1}(cx))}{x}
\end{aligned}$$

Mathematica [A] time = 0.213241, size = 127, normalized size = 0.8

$$\frac{c \left(bcdx \sqrt{1 - \frac{1}{c^2 x^2}} (2c^2 dx^2 + d + 18ex^2) - 3a (d^2 + 6dex^2 - 3e^2 x^4) \right) - 9be^2 x^3 \log \left(x \left(\sqrt{1 - \frac{1}{c^2 x^2}} + 1 \right) \right) - 3bc \sec^{-1}(cx) (d^2 + 6dex^2 - 3e^2 x^4)}{9cx^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^4,x]

[Out] (c*(b*c*d*Sqrt[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 18*e*x^2) - 3*a*(d^2 + 6*d*e*x^2 - 3*e^2*x^4)) - 3*b*c*(d^2 + 6*d*e*x^2 - 3*e^2*x^4)*ArcSec[c*x] - 9*b*e^2*x^3*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(9*c*x^3)

Maple [A] time = 0.179, size = 255, normalized size = 1.6

$$axe^2 - 2 \frac{aed}{x} - \frac{ad^2}{3x^3} + b \operatorname{arcsec}(cx) xe^2 - 2 \frac{b \operatorname{arcsec}(cx) ed}{x} - \frac{b \operatorname{arcsec}(cx) d^2}{3x^3} + \frac{2bc^3 d^2}{9} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{cbd^2}{9x^2} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + 2bcde$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x)`

[Out] $a*x*e^{-2} - 2*a*e*d/x - 1/3*a*d^2/x^3 + b*arcsec(c*x)*x*e^{-2} - 2*b*arcsec(c*x)*e*d/x - 1/3*b*arcsec(c*x)*d^2/x^3 + 2/9*c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*d^2 - 1/9*c*b/x^2/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*d^2 + 2*c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e*d - 2/c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^2*e*d - 1/9/c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^4*d^2 - 1/c^2*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*e^2*\ln(c*x+(c^2*x^2-1)^{(1/2)})$

Maxima [A] time = 0.972808, size = 215, normalized size = 1.36

$$2 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(cx)}{x} \right) bde + ae^2 x - \frac{1}{9} bd^2 \left(\frac{c^4 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} + \frac{3 \operatorname{arcsec}(cx)}{x^3} \right) + \frac{(2cx \operatorname{arcsec}(cx))}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x, algorithm="maxima")`

[Out] $2*(c*\sqrt{-1/(c^2*x^2)} + 1) - \operatorname{arcsec}(c*x)/x)*b*d*e + a*e^2*x - 1/9*b*d^2*((c^4*(-1/(c^2*x^2) + 1)^{(3/2)} - 3*c^4*\sqrt{-1/(c^2*x^2) + 1})/c + 3*arcsec(c*x)/x^3) + 1/2*(2*c*x*arcsec(c*x) - \log(\sqrt{-1/(c^2*x^2) + 1} + 1) + \log(-\sqrt{-1/(c^2*x^2) + 1} + 1))*b*e^2/c - 2*a*d*e/x - 1/3*a*d^2/x^3$

Fricas [A] time = 2.22743, size = 501, normalized size = 3.17

$$9ace^2x^4 + 9be^2x^3 \log(-cx + \sqrt{c^2x^2 - 1}) - 18acdex^2 - 6(bcd^2 + 6bcde - 3bce^2)x^3 \arctan(-cx + \sqrt{c^2x^2 - 1}) - 3acd^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x, algorithm="fricas")`

[Out] $1/9*(9*a*c*e^2*x^4 + 9*b*e^2*x^3*\log(-c*x + \sqrt{c^2*x^2 - 1}) - 18*a*c*d*e*x^2 - 6*(b*c*d^2 + 6*b*c*d*e - 3*b*c*e^2)*x^3*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) - 3*a*c*d^2 + 2*(b*c^4*d^2 + 9*b*c^2*d*e)*x^3 + 3*(3*b*c*e^2*x^4 - 6*b*c*d*e*x^2 - b*c*d^2 + (b*c*d^2 + 6*b*c*d*e - 3*b*c*e^2)*x^3)*arcsec(c*x) +$

$$(b*c*d^2 + 2*(b*c^3*d^2 + 9*b*c*d*e)*x^2)*\sqrt{c^2*x^2 - 1})/(c*x^3)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx)) (d + ex^2)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**4,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)**2/x**4, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^4,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)/x^4, x)

$$3.85 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=183

$$\frac{d^2 (a + b \sec^{-1}(cx))}{5x^5} - \frac{2de (a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \sec^{-1}(cx))}{x} + \frac{bc\sqrt{c^2x^2 - 1} (24c^4d^2 + 100c^2de + 225e^2)}{225\sqrt{c^2x^2}} + \frac{bcd^2}{25}$$

[Out] (b*c*(24*c^4*d^2 + 100*c^2*d*e + 225*e^2)*Sqrt[-1 + c^2*x^2])/(225*Sqrt[c^2*x^2]) + (b*c*d^2*Sqrt[-1 + c^2*x^2])/(25*x^4*Sqrt[c^2*x^2]) + (2*b*c*d*(6*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/(5*x^5) - (2*d*e*(a + b*ArcSec[c*x]))/(3*x^3) - (e^2*(a + b*ArcSec[c*x]))/x

Rubi [A] time = 0.157466, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {270, 5238, 12, 1265, 453, 264}

$$\frac{d^2 (a + b \sec^{-1}(cx))}{5x^5} - \frac{2de (a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \sec^{-1}(cx))}{x} + \frac{bc\sqrt{c^2x^2 - 1} (24c^4d^2 + 100c^2de + 225e^2)}{225\sqrt{c^2x^2}} + \frac{bcd^2}{25}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^6,x]

[Out] (b*c*(24*c^4*d^2 + 100*c^2*d*e + 225*e^2)*Sqrt[-1 + c^2*x^2])/(225*Sqrt[c^2*x^2]) + (b*c*d^2*Sqrt[-1 + c^2*x^2])/(25*x^4*Sqrt[c^2*x^2]) + (2*b*c*d*(6*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/(5*x^5) - (2*d*e*(a + b*ArcSec[c*x]))/(3*x^3) - (e^2*(a + b*ArcSec[c*x]))/x

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis

```
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1265

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c
_)*(x_)^4)^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 +
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 453

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^6} dx &= -\frac{d^2 (a + b \sec^{-1}(cx))}{5x^5} - \frac{2de (a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \sec^{-1}(cx))}{x} - \frac{(bcx) \int \frac{-3d^2}{1}}{15} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{5x^5} - \frac{2de (a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \sec^{-1}(cx))}{x} - \frac{(bcx) \int \frac{-3d^2}{1}}{15} \\
&= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{5x^5} - \frac{2de (a + b \sec^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \sec^{-1}(cx))}{x} \\
&= \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} + \frac{2bcd (6c^2 d + 25e) \sqrt{-1 + c^2 x^2}}{225x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{5x^5} - \frac{2de (a + b \sec^{-1}(cx))}{3x^3} \\
&= \frac{bc (225e^2 + 4c^2 d (6c^2 d + 25e)) \sqrt{-1 + c^2 x^2}}{225 \sqrt{c^2 x^2}} + \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} + \frac{2bcd (6c^2 d + 25e)}{225x^2 \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [A] time = 0.211026, size = 127, normalized size = 0.69

$$\frac{-15a(3d^2 + 10dex^2 + 15e^2x^4) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(3d^2(8c^4x^4 + 4c^2x^2 + 3) + 50dex^2(2c^2x^2 + 1) + 225e^2x^4) - 15b \sec^{-1}(cx)}{225x^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^6,x]

[Out] (-15*a*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(225*e^2*x^4 + 50*d*e*x^2*(1 + 2*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4)*ArcSec[c*x])/(225*x^5)

Maple [A] time = 0.177, size = 191, normalized size = 1.

$$c^5 \left(\frac{a}{c^4} \left(-\frac{e^2}{cx} - \frac{d^2}{5cx^5} - \frac{2de}{3cx^3} \right) + \frac{b}{c^4} \left(-\frac{\operatorname{arcsec}(cx) e^2}{cx} - \frac{\operatorname{arcsec}(cx) d^2}{5cx^5} - \frac{2 \operatorname{arcsec}(cx) ed}{3cx^3} + \frac{(c^2x^2 - 1)(24c^8d^2x^4 + 100c^6d^2x^2 + 100c^4d^2)}{(c^2x^2 - 1)^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x)

[Out] $c^5 \left(\frac{a}{c^4} \left(-\frac{e^2}{c} \frac{1}{x} - \frac{1}{5} \frac{d^2}{c} \frac{1}{x^5} - \frac{2}{3} \frac{c e d}{x^3} \right) + \frac{b}{c^4} \left(-\operatorname{arcsec}(c x) \frac{e^2}{c} \frac{1}{x} - \frac{1}{5} \operatorname{arcsec}(c x) \frac{d^2}{c} \frac{1}{x^5} - \frac{2}{3} \operatorname{arcsec}(c x) \frac{c e d}{x^3} + \frac{1}{225} (c^2 x^2 - 1) (24 c^8 d^2 x^4 + 100 c^6 d e x^4 + 12 c^6 d^2 x^2 + 225 c^4 e^2 x^4 + 50 c^4 d e x^2 + 9 c^4 d^2) \right) \right) / \left(\frac{c^2 x^2 - 1}{c^2 x^2} \right)^{1/2} / c^6 x^6$

Maxima [A] time = 0.973861, size = 244, normalized size = 1.33

$$\left(c \sqrt{-\frac{1}{c^2 x^2} + 1} - \frac{\operatorname{arcsec}(c x)}{x} \right) b e^2 + \frac{1}{75} b d^2 \left(\frac{3 c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} - 10 c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15 c^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} - \frac{15 \operatorname{arcsec}(c x)}{x^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x, algorithm="maxima")`

[Out] $(c \sqrt{-1/(c^2 x^2) + 1} - \operatorname{arcsec}(c x)/x) b e^2 + 1/75 b d^2 \left((3 c^6 (-1/(c^2 x^2) + 1)^{5/2} - 10 c^6 (-1/(c^2 x^2) + 1)^{3/2} + 15 c^6 \sqrt{-1/(c^2 x^2) + 1}) / c - 15 \operatorname{arcsec}(c x) / x^5 - 2/9 b d e ((c^4 (-1/(c^2 x^2) + 1)^{3/2} - 3 c^4 \sqrt{-1/(c^2 x^2) + 1}) / c + 3 \operatorname{arcsec}(c x) / x^3) - a e^2 / x - 2/3 a d e / x^3 - 1/5 a d^2 / x^5 \right)$

Fricas [A] time = 1.67044, size = 302, normalized size = 1.65

$$\frac{225 a e^2 x^4 + 150 a d e x^2 + 45 a d^2 + 15 (15 b e^2 x^4 + 10 b d e x^2 + 3 b d^2) \operatorname{arcsec}(c x) - ((24 b c^4 d^2 + 100 b c^2 d e + 225 b e^2) x^4 + 9 b d^2 x^2 + 2 (6 b c^2 d^2 + 25 b d e) x^2) \sqrt{c^2 x^2 - 1}}{225 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x, algorithm="fricas")`

[Out] $-1/225 (225 a e^2 x^4 + 150 a d e x^2 + 45 a d^2 + 15 (15 b e^2 x^4 + 10 b d e x^2 + 3 b d^2) \operatorname{arcsec}(c x) - ((24 b c^4 d^2 + 100 b c^2 d e + 225 b e^2) x^4 + 9 b d^2 x^2 + 2 (6 b c^2 d^2 + 25 b d e) x^2) \sqrt{c^2 x^2 - 1}) / x^5$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(c x)) (d + e x^2)^2}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**6,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)**2/x**6, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^6,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)/x^6, x)

$$3.86 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=241

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{7x^7} - \frac{2de (a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \sec^{-1}(cx))}{3x^3} + \frac{2bc^3 \sqrt{c^2 x^2 - 1} (360c^4 d^2 + 1176c^2 de + 1225e^2)}{11025 \sqrt{c^2 x^2}} + \dots$$

```
[Out] (2*b*c^3*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025
*Sqrt[c^2*x^2]) + (b*c*d^2*Sqrt[-1 + c^2*x^2])/(49*x^6*Sqrt[c^2*x^2]) + (2*
b*c*d*(15*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(1225*x^4*Sqrt[c^2*x^2]) + (b*c
*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025*x^2*Sqr
t[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/(7*x^7) - (2*d*e*(a + b*ArcSec[c*x]
))/(5*x^5) - (e^2*(a + b*ArcSec[c*x]))/(3*x^3)
```

Rubi [A] time = 0.193305, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {270, 5238, 12, 1265, 453, 271, 264}

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{7x^7} - \frac{2de (a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \sec^{-1}(cx))}{3x^3} + \frac{2bc^3 \sqrt{c^2 x^2 - 1} (360c^4 d^2 + 1176c^2 de + 1225e^2)}{11025 \sqrt{c^2 x^2}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^8,x]
```

```
[Out] (2*b*c^3*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025
*Sqrt[c^2*x^2]) + (b*c*d^2*Sqrt[-1 + c^2*x^2])/(49*x^6*Sqrt[c^2*x^2]) + (2*
b*c*d*(15*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(1225*x^4*Sqrt[c^2*x^2]) + (b*c
*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025*x^2*Sqr
t[c^2*x^2]) - (d^2*(a + b*ArcSec[c*x]))/(7*x^7) - (2*d*e*(a + b*ArcSec[c*x]
))/(5*x^5) - (e^2*(a + b*ArcSec[c*x]))/(3*x^3)
```

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1265

```
Int[((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(q_.)*((a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]}, Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 453

```
Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^n)^(p_.)*((c_.) + (d_.)*(x_.)^n), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 271

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^n)^(p_), x_Symbol] := Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_)^n)^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^8} dx &= -\frac{d^2 (a + b \sec^{-1}(cx))}{7x^7} - \frac{2de (a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{(bcx) \int \frac{-15d^2}{105x^8} \sqrt{-1 + c^2x^2}}{\sqrt{-1 + c^2x^2}} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{7x^7} - \frac{2de (a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \sec^{-1}(cx))}{3x^3} - \frac{(bcx) \int \frac{-15d^2}{105x^8} \sqrt{-1 + c^2x^2}}{\sqrt{-1 + c^2x^2}} \\
&= \frac{bcd^2 \sqrt{-1 + c^2x^2}}{49x^6 \sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{7x^7} - \frac{2de (a + b \sec^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \sec^{-1}(cx))}{3x^3} \\
&= \frac{bcd^2 \sqrt{-1 + c^2x^2}}{49x^6 \sqrt{c^2x^2}} + \frac{2bcd (15c^2d + 49e) \sqrt{-1 + c^2x^2}}{1225x^4 \sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{7x^7} - \frac{2de (a + b \sec^{-1}(cx))}{5x^5} \\
&= \frac{bcd^2 \sqrt{-1 + c^2x^2}}{49x^6 \sqrt{c^2x^2}} + \frac{2bcd (15c^2d + 49e) \sqrt{-1 + c^2x^2}}{1225x^4 \sqrt{c^2x^2}} + \frac{bc (1225e^2 + 24c^2d (15c^2d + 49e)) \sqrt{-1 + c^2x^2}}{11025x^2 \sqrt{c^2x^2}} \\
&= \frac{2bc^3 (1225e^2 + 24c^2d (15c^2d + 49e)) \sqrt{-1 + c^2x^2}}{11025 \sqrt{c^2x^2}} + \frac{bcd^2 \sqrt{-1 + c^2x^2}}{49x^6 \sqrt{c^2x^2}} + \frac{2bcd (15c^2d + 49e) \sqrt{-1 + c^2x^2}}{1225x^4 \sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.229148, size = 153, normalized size = 0.63

$$\frac{-105a(15d^2 + 42dex^2 + 35e^2x^4) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(45d^2(16c^6x^6 + 8c^4x^4 + 6c^2x^2 + 5) + 294dex^2(8c^4x^4 + 4c^2x^2 + 3) + 1225e^2x^4) + 105b(15d^2 + 42dex^2 + 35e^2x^4)\text{ArcSec}[cx]}{11025x^7}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^8,x]

[Out] (-105*a*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(1225*e^2*x^4*(1 + 2*c^2*x^2) + 294*d*e*x^2*(3 + 4*c^2*x^2 + 8*c^4*x^4) + 45*d^2*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)) - 105*b*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4)*ArcSec[c*x])/(11025*x^7)

Maple [A] time = 0.175, size = 223, normalized size = 0.9

$$c^7 \left(\frac{a}{c^4} \left(-\frac{d^2}{7c^3x^7} - \frac{2de}{5c^3x^5} - \frac{e^2}{3c^3x^3} \right) + \frac{b}{c^4} \left(-\frac{\text{arcsec}(cx)d^2}{7c^3x^7} - \frac{2\text{arcsec}(cx)ed}{5c^3x^5} - \frac{\text{arcsec}(cx)e^2}{3c^3x^3} + \frac{(c^2x^2 - 1)(720c^{10}d^2x^6 + \dots)}{11025x^7} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x)`

[Out] $c^7*(a/c^4*(-1/7*d^2/c^3/x^7-2/5/c^3*e*d/x^5-1/3*e^2/c^3/x^3)+b/c^4*(-1/7*arcsec(c*x)*d^2/c^3/x^7-2/5*arcsec(c*x)/c^3*e*d/x^5-1/3*arcsec(c*x)*e^2/c^3/x^3+1/11025*(c^2*x^2-1)*(720*c^10*d^2*x^6+2352*c^8*d*e*x^6+360*c^8*d^2*x^4+2450*c^6*e^2*x^6+1176*c^6*d*e*x^4+270*c^6*d^2*x^2+1225*c^4*e^2*x^4+882*c^4*d*e*x^2+225*c^4*d^2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^8/x^8)$

Maxima [A] time = 1.0006, size = 325, normalized size = 1.35

$$-\frac{1}{245}bd^2 \left(\frac{5c^8 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{7}{2}} - 21c^8 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{5}{2}} + 35c^8 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} - 35c^8 \sqrt{-\frac{1}{c^2x^2} + 1} + \frac{35 \operatorname{arcsec}(cx)}{x^7}}{c} \right) + \frac{2}{75}bde \left(\frac{3c^6 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{5}{2}} - 10c^6 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} + 15c^6 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - 15 \operatorname{arcsec}(cx)/x^5 - \frac{1}{9}b*e^2 \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1\right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} + 3 \operatorname{arcsec}(cx)/x^3 - \frac{1}{3}a*e^2/x^3 - \frac{2}{5}a*d*e/x^5 - \frac{1}{7}a*d^2/x^7 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x, algorithm="maxima")`

[Out] $-1/245*b*d^2*((5*c^8*(-1/(c^2*x^2) + 1)^(7/2) - 21*c^8*(-1/(c^2*x^2) + 1)^(5/2) + 35*c^8*(-1/(c^2*x^2) + 1)^(3/2) - 35*c^8*sqrt(-1/(c^2*x^2) + 1))/c + 35*arcsec(c*x)/x^7) + 2/75*b*d*e*((3*c^6*(-1/(c^2*x^2) + 1)^(5/2) - 10*c^6*(-1/(c^2*x^2) + 1)^(3/2) + 15*c^6*sqrt(-1/(c^2*x^2) + 1))/c - 15*arcsec(c*x)/x^5) - 1/9*b*e^2*((c^4*(-1/(c^2*x^2) + 1)^(3/2) - 3*c^4*sqrt(-1/(c^2*x^2) + 1))/c + 3*arcsec(c*x)/x^3 - 1/3*a*e^2/x^3 - 2/5*a*d*e/x^5 - 1/7*a*d^2/x^7)$

Fricas [A] time = 1.6581, size = 401, normalized size = 1.66

$$\frac{3675ae^2x^4 + 4410adex^2 + 1575ad^2 + 105(35be^2x^4 + 42bdex^2 + 15bd^2)\operatorname{arcsec}(cx) - (2(360bc^6d^2 + 1176bc^4de + 11025x^7))}{11025x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x, algorithm="fricas")`

[Out] $-1/11025*(3675*a*e^2*x^4 + 4410*a*d*e*x^2 + 1575*a*d^2 + 105*(35*b*e^2*x^4 + 42*b*d*e*x^2 + 15*b*d^2)*arcsec(c*x) - (2*(360*b*c^6*d^2 + 1176*b*c^4*d*e$

$$+ 1225*b*c^2*e^2)*x^6 + (360*b*c^4*d^2 + 1176*b*c^2*d*e + 1225*b*e^2)*x^4 + 225*b*d^2 + 18*(15*b*c^2*d^2 + 49*b*d*e)*x^2)*sqrt(c^2*x^2 - 1))/x^7$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx)) (d + ex^2)^2}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**8,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)**2/x**8, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^8,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)/x^8, x)

3.87 $\int x^3 (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=242

$$\frac{1}{4}d^2x^4(a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{3/2}(6c^4d^2 + 16c^2de + 9e^2)}{72c^7\sqrt{c^2x^2}}$$

[Out] $-(b(6c^4d^2 + 8c^2d^2e + 3e^2)*x*\text{Sqrt}[-1 + c^2*x^2])/(24*c^7*\text{Sqrt}[c^2*x^2]) - (b(6c^4d^2 + 16c^2d^2e + 9e^2)*x*(-1 + c^2*x^2)^{(3/2)})/(72*c^7*\text{Sqrt}[c^2*x^2]) - (b*e*(8c^2*d + 9e)*x*(-1 + c^2*x^2)^{(5/2)})/(120*c^7*\text{Sqrt}[c^2*x^2]) - (b*e^2*x*(-1 + c^2*x^2)^{(7/2)})/(56*c^7*\text{Sqrt}[c^2*x^2]) + (d^2*x^4*(a + b*\text{ArcSec}[c*x]))/4 + (d*e*x^6*(a + b*\text{ArcSec}[c*x]))/3 + (e^2*x^8*(a + b*\text{ArcSec}[c*x]))/8$

Rubi [A] time = 0.223569, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {266, 43, 5238, 12, 1251, 771}

$$\frac{1}{4}d^2x^4(a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sec^{-1}(cx)) - \frac{bx(c^2x^2 - 1)^{3/2}(6c^4d^2 + 16c^2de + 9e^2)}{72c^7\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(d + e*x^2)^2*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b(6c^4d^2 + 8c^2d^2e + 3e^2)*x*\text{Sqrt}[-1 + c^2*x^2])/(24*c^7*\text{Sqrt}[c^2*x^2]) - (b(6c^4d^2 + 16c^2d^2e + 9e^2)*x*(-1 + c^2*x^2)^{(3/2)})/(72*c^7*\text{Sqrt}[c^2*x^2]) - (b*e*(8c^2*d + 9e)*x*(-1 + c^2*x^2)^{(5/2)})/(120*c^7*\text{Sqrt}[c^2*x^2]) - (b*e^2*x*(-1 + c^2*x^2)^{(7/2)})/(56*c^7*\text{Sqrt}[c^2*x^2]) + (d^2*x^4*(a + b*\text{ArcSec}[c*x]))/4 + (d*e*x^6*(a + b*\text{ArcSec}[c*x]))/3 + (e^2*x^8*(a + b*\text{ArcSec}[c*x]))/8$

Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n) - 1}*(a + b*x)^p, x], x, x^n], x] /;$ $\text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x
_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 771

```
Int[((d_.) + (e_.)*(x_)^(m_.))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (
c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)*
(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^
2 - 4*a*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

Rubi steps

$$\begin{aligned}
\int x^3 (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx &= \frac{1}{4}d^2x^4 (a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8 (a + b \sec^{-1}(cx)) - \\
&= \frac{1}{4}d^2x^4 (a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8 (a + b \sec^{-1}(cx)) - \\
&= \frac{1}{4}d^2x^4 (a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8 (a + b \sec^{-1}(cx)) - \\
&= \frac{1}{4}d^2x^4 (a + b \sec^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sec^{-1}(cx)) + \frac{1}{8}e^2x^8 (a + b \sec^{-1}(cx)) - \\
&= -\frac{b(6c^4d^2 + 8c^2de + 3e^2)x\sqrt{-1 + c^2x^2}}{24c^7\sqrt{c^2x^2}} - \frac{b(6c^4d^2 + 16c^2de + 9e^2)x(-1 + c^2x^2)}{72c^7\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.274735, size = 162, normalized size = 0.67

$$\frac{1}{24}ax^4(6d^2 + 8dex^2 + 3e^2x^4) - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}(3c^6(70d^2x^2 + 56dex^4 + 15e^2x^6) + c^4(420d^2 + 224dex^2 + 54e^2x^4) + 8c^2e^2)}{2520c^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

[Out] (a*x^4*(6*d^2 + 8*d*e*x^2 + 3*e^2*x^4))/24 - (b*sqrt[1 - 1/(c^2*x^2)]*x*(14*4*e^2 + 8*c^2*e*(56*d + 9*e*x^2) + c^4*(420*d^2 + 224*d*e*x^2 + 54*e^2*x^4) + 3*c^6*(70*d^2*x^2 + 56*d*e*x^4 + 15*e^2*x^6)))/(2520*c^7) + (b*x^4*(6*d^2 + 8*d*e*x^2 + 3*e^2*x^4)*ArcSec[c*x])/24

Maple [A] time = 0.171, size = 214, normalized size = 0.9

$$\frac{1}{c^4} \left(\frac{a}{c^4} \left(\frac{e^2c^8x^8}{8} + \frac{c^8edx^6}{3} + \frac{x^4c^8d^2}{4} \right) + \frac{b}{c^4} \left(\frac{\operatorname{arcsec}(cx) e^2c^8x^8}{8} + \frac{\operatorname{arcsec}(cx) c^8edx^6}{3} + \frac{\operatorname{arcsec}(cx) c^8x^4d^2}{4} - \frac{(c^2x^2 - 1)(4)}{4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)),x)`

[Out] $\frac{1}{c^4} \left(\frac{a}{c^4} \left(\frac{1}{8} e^2 c^8 x^8 + \frac{1}{3} c^8 e d x^6 + \frac{1}{4} x^4 c^8 d^2 \right) + \frac{b}{c^4} \left(\frac{1}{8} a \operatorname{arcsec}(c x) e^2 c^8 x^8 + \frac{1}{3} \operatorname{arcsec}(c x) c^8 e d x^6 + \frac{1}{4} \operatorname{arcsec}(c x) c^8 x^4 d^2 - \frac{1}{2520} (c^2 x^2 - 1) (45 c^6 e^2 x^6 + 168 c^6 d e x^4 + 210 c^6 d^2 x^2 + 54 c^4 e^2 x^4 + 224 c^4 d e x^2 + 420 c^4 d^2 + 72 c^2 e^2 x^2 + 448 c^2 d e + 144 e^2) \right) \right) / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{(1/2)} / c / x$

Maxima [A] time = 0.98607, size = 346, normalized size = 1.43

$$\frac{1}{8} a e^2 x^8 + \frac{1}{3} a d e x^6 + \frac{1}{4} a d^2 x^4 + \frac{1}{12} \left(3 x^4 \operatorname{arcsec}(c x) - \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 3 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) b d^2 + \frac{1}{45} \left(15 x^6 \operatorname{arcsec}(c x) - \frac{1}{c^3} \left(3 x^4 \operatorname{arcsec}(c x) e^2 c^8 x^8 + \frac{1}{3} c^8 e d x^6 + \frac{1}{4} x^4 c^8 d^2 \right) + \frac{b}{c^4} \left(\frac{1}{8} a \operatorname{arcsec}(c x) e^2 c^8 x^8 + \frac{1}{3} \operatorname{arcsec}(c x) c^8 e d x^6 + \frac{1}{4} \operatorname{arcsec}(c x) c^8 x^4 d^2 - \frac{1}{2520} (c^2 x^2 - 1) (45 c^6 e^2 x^6 + 168 c^6 d e x^4 + 210 c^6 d^2 x^2 + 54 c^4 e^2 x^4 + 224 c^4 d e x^2 + 420 c^4 d^2 + 72 c^2 e^2 x^2 + 448 c^2 d e + 144 e^2) \right) \right) / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{(1/2)} / c / x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{8} a e^2 x^8 + \frac{1}{3} a d e x^6 + \frac{1}{4} a d^2 x^4 + \frac{1}{12} \left(3 x^4 \operatorname{arcsec}(c x) - \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 3 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) b d^2 + \frac{1}{45} \left(15 x^6 \operatorname{arcsec}(c x) - \frac{1}{c^3} \left(3 x^4 \operatorname{arcsec}(c x) e^2 c^8 x^8 + \frac{1}{3} c^8 e d x^6 + \frac{1}{4} x^4 c^8 d^2 \right) + \frac{b}{c^4} \left(\frac{1}{8} a \operatorname{arcsec}(c x) e^2 c^8 x^8 + \frac{1}{3} \operatorname{arcsec}(c x) c^8 e d x^6 + \frac{1}{4} \operatorname{arcsec}(c x) c^8 x^4 d^2 - \frac{1}{2520} (c^2 x^2 - 1) (45 c^6 e^2 x^6 + 168 c^6 d e x^4 + 210 c^6 d^2 x^2 + 54 c^4 e^2 x^4 + 224 c^4 d e x^2 + 420 c^4 d^2 + 72 c^2 e^2 x^2 + 448 c^2 d e + 144 e^2) \right) \right) / \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{(1/2)} / c / x$

Fricas [A] time = 2.18912, size = 431, normalized size = 1.78

$$\frac{315 a c^8 e^2 x^8 + 840 a c^8 d e x^6 + 630 a c^8 d^2 x^4 + 105 \left(3 b c^8 e^2 x^8 + 8 b c^8 d e x^6 + 6 b c^8 d^2 x^4 \right) \operatorname{arcsec}(c x) - \left(45 b c^6 e^2 x^6 + 420 b c^4 d^2 x^4 + 448 b c^2 d e x^2 + 144 b e^2 \right) x^4}{2520 c^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{2520} \left(315 a c^8 e^2 x^8 + 840 a c^8 d e x^6 + 630 a c^8 d^2 x^4 + 105 \left(3 b c^8 e^2 x^8 + 8 b c^8 d e x^6 + 6 b c^8 d^2 x^4 \right) \operatorname{arcsec}(c x) - \left(45 b c^6 e^2 x^6 + 420 b c^4 d^2 x^4 + 448 b c^2 d e x^2 + 144 b e^2 \right) x^4 \right) / c^8$

$$\frac{4 + 144*b*e^2 + 2*(105*b*c^6*d^2 + 112*b*c^4*d*e + 36*b*c^2*e^2)*x^2}{c^2*x^2 - 1} * \sqrt{c^2*x^2 - 1}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{asec}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d)**2*(a+b*asec(c*x)), x)

[Out] Integral(x**3*(a + b*asec(c*x))*(d + e*x**2)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a) x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^2*(a+b*arcsec(c*x)), x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)*x^3, x)

3.88 $\int x (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=195

$$\frac{(d + ex^2)^3 (a + b \sec^{-1}(cx))}{6e} - \frac{bx\sqrt{c^2x^2 - 1} (3c^4d^2 + 3c^2de + e^2)}{6c^5\sqrt{c^2x^2}} - \frac{bcd^3x \tan^{-1}(\sqrt{c^2x^2 - 1})}{6e\sqrt{c^2x^2}} - \frac{bex(c^2x^2 - 1)^{3/2} (3c^2d + 2e)}{18c^5\sqrt{c^2x^2}}$$

[Out] $-(b*(3*c^4*d^2 + 3*c^2*d*e + e^2)*x*\text{Sqrt}[-1 + c^2*x^2])/(6*c^5*\text{Sqrt}[c^2*x^2]) - (b*e*(3*c^2*d + 2*e)*x*(-1 + c^2*x^2)^{(3/2)})/(18*c^5*\text{Sqrt}[c^2*x^2]) - (b*e^2*x*(-1 + c^2*x^2)^{(5/2)})/(30*c^5*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^3*(a + b*\text{ArcSec}[c*x]))/(6*e) - (b*c*d^3*x*\text{ArcTan}[\text{Sqrt}[-1 + c^2*x^2]])/(6*e*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.148404, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {5236, 446, 88, 63, 205}

$$\frac{(d + ex^2)^3 (a + b \sec^{-1}(cx))}{6e} - \frac{bx\sqrt{c^2x^2 - 1} (3c^4d^2 + 3c^2de + e^2)}{6c^5\sqrt{c^2x^2}} - \frac{bcd^3x \tan^{-1}(\sqrt{c^2x^2 - 1})}{6e\sqrt{c^2x^2}} - \frac{bex(c^2x^2 - 1)^{3/2} (3c^2d + 2e)}{18c^5\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)^2*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*(3*c^4*d^2 + 3*c^2*d*e + e^2)*x*\text{Sqrt}[-1 + c^2*x^2])/(6*c^5*\text{Sqrt}[c^2*x^2]) - (b*e*(3*c^2*d + 2*e)*x*(-1 + c^2*x^2)^{(3/2)})/(18*c^5*\text{Sqrt}[c^2*x^2]) - (b*e^2*x*(-1 + c^2*x^2)^{(5/2)})/(30*c^5*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^3*(a + b*\text{ArcSec}[c*x]))/(6*e) - (b*c*d^3*x*\text{ArcTan}[\text{Sqrt}[-1 + c^2*x^2]])/(6*e*\text{Sqrt}[c^2*x^2])$

Rule 5236

$\text{Int}[(a + \text{ArcSec}[c*x])*(b*x)^p*(d + e*x^2)^q, x]$
 $\text{Symbol} \rightarrow \text{Simp}[(d + e*x^2)^{p+1}*(a + b*\text{ArcSec}[c*x])/(2*e*(p+1)), x] - \text{Dist}[(b*c*x)/(2*e*(p+1)*\text{Sqrt}[c^2*x^2]), \text{Int}[(d + e*x^2)^{p+1}/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x] /;$ FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 88

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x
_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*
x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (Inte
gerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int x(d+ex^2)^2(a+b\sec^{-1}(cx))dx &= \frac{(d+ex^2)^3(a+b\sec^{-1}(cx))}{6e} - \frac{(bcx)\int\frac{(d+ex^2)^3}{x\sqrt{-1+c^2x^2}}dx}{6e\sqrt{c^2x^2}} \\
&= \frac{(d+ex^2)^3(a+b\sec^{-1}(cx))}{6e} - \frac{(bcx)\text{Subst}\left(\int\frac{(d+ex)^3}{x\sqrt{-1+c^2x}}dx,x,x^2\right)}{12e\sqrt{c^2x^2}} \\
&= \frac{(d+ex^2)^3(a+b\sec^{-1}(cx))}{6e} - \frac{(bcx)\text{Subst}\left(\int\left(\frac{e(3c^4d^2+3c^2de+e^2)}{c^4\sqrt{-1+c^2x}}+\frac{d^3}{x\sqrt{-1+c^2x}}+\frac{e^2(3c^2d+2e)}{c^4\sqrt{-1+c^2x}}\right)dx\right)}{12e\sqrt{c^2x^2}} \\
&= -\frac{b(3c^4d^2+3c^2de+e^2)x\sqrt{-1+c^2x^2}}{6c^5\sqrt{c^2x^2}} - \frac{be(3c^2d+2e)x(-1+c^2x^2)^{3/2}}{18c^5\sqrt{c^2x^2}} - \frac{be^2x(-1+c^2x^2)^{3/2}}{30c^5\sqrt{c^2x^2}} \\
&= -\frac{b(3c^4d^2+3c^2de+e^2)x\sqrt{-1+c^2x^2}}{6c^5\sqrt{c^2x^2}} - \frac{be(3c^2d+2e)x(-1+c^2x^2)^{3/2}}{18c^5\sqrt{c^2x^2}} - \frac{be^2x(-1+c^2x^2)^{3/2}}{30c^5\sqrt{c^2x^2}} \\
&= -\frac{b(3c^4d^2+3c^2de+e^2)x\sqrt{-1+c^2x^2}}{6c^5\sqrt{c^2x^2}} - \frac{be(3c^2d+2e)x(-1+c^2x^2)^{3/2}}{18c^5\sqrt{c^2x^2}} - \frac{be^2x(-1+c^2x^2)^{3/2}}{30c^5\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.28626, size = 125, normalized size = 0.64

$$\frac{1}{90}x\left(15ax(3d^2+3dex^2+e^2x^4) - \frac{b\sqrt{1-\frac{1}{c^2x^2}}(3c^4(15d^2+5dex^2+e^2x^4)+2c^2e(15d+2ex^2)+8e^2)}{c^5} + 15bx\sec^{-1}(cx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

[Out] (x*(15*a*x*(3*d^2 + 3*d*e*x^2 + e^2*x^4) - (b*sqrt[1 - 1/(c^2*x^2)]*(8*e^2 + 2*c^2*e*(15*d + 2*e*x^2) + 3*c^4*(15*d^2 + 5*d*e*x^2 + e^2*x^4))))/c^5 + 15*b*x*(3*d^2 + 3*d*e*x^2 + e^2*x^4)*ArcSec[c*x])/90

Maple [A] time = 0.166, size = 182, normalized size = 0.9

$$\frac{1}{c^2}\left(\frac{a}{c^4}\left(\frac{e^2c^6x^6}{6} + \frac{c^6x^4de}{2} + \frac{x^2c^6d^2}{2}\right) + \frac{b}{c^4}\left(\frac{\operatorname{arcsec}(cx)e^2c^6x^6}{6} + \frac{\operatorname{arcsec}(cx)c^6x^4de}{2} + \frac{\operatorname{arcsec}(cx)c^6x^2d^2}{2} - \frac{(c^2x^2-1)(3c^4d^2+3c^2de+e^2)}{18c^5}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)^2*(a+b*arcsec(c*x)),x)`

[Out] $1/c^2*(a/c^4*(1/6*e^2*c^6*x^6+1/2*c^6*x^4*d*e+1/2*x^2*c^6*d^2)+b/c^4*(1/6*arcsec(c*x)*e^2*c^6*x^6+1/2*arcsec(c*x)*c^6*x^4*d*e+1/2*arcsec(c*x)*c^6*x^2*d^2-1/90*(c^2*x^2-1)*(3*c^4*e^2*x^4+15*c^4*d*e*x^2+45*c^4*d^2+4*c^2*e^2*x^2+30*c^2*d*e+8*e^2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x)$

Maxima [A] time = 0.973759, size = 259, normalized size = 1.33

$$\frac{1}{6}ae^2x^6 + \frac{1}{2}adex^4 + \frac{1}{2}ad^2x^2 + \frac{1}{2}\left(x^2 \operatorname{arcsec}(cx) - \frac{x\sqrt{-\frac{1}{c^2x^2}+1}}{c}\right)bd^2 + \frac{1}{6}\left(3x^4 \operatorname{arcsec}(cx) - \frac{c^2x^3\left(-\frac{1}{c^2x^2}+1\right)^{\frac{3}{2}} + 3x\sqrt{-\frac{1}{c^2x^2}+1}}{c^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] $1/6*a*e^2*x^6 + 1/2*a*d*e*x^4 + 1/2*a*d^2*x^2 + 1/2*(x^2*arcsec(c*x) - x*sqrt(-1/(c^2*x^2) + 1)/c)*b*d^2 + 1/6*(3*x^4*arcsec(c*x) - (c^2*x^3*(-1/(c^2*x^2) + 1)^{(3/2)} + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b*d*e + 1/90*(15*x^6*arcsec(c*x) - (3*c^4*x^5*(-1/(c^2*x^2) + 1)^{(5/2)} + 10*c^2*x^3*(-1/(c^2*x^2) + 1)^{(3/2)} + 15*x*sqrt(-1/(c^2*x^2) + 1))/c^5)*b*e^2$

Fricas [A] time = 1.93358, size = 336, normalized size = 1.72

$$\frac{15ac^6e^2x^6 + 45ac^6dex^4 + 45ac^6d^2x^2 + 15(bc^6e^2x^6 + 3bc^6dex^4 + 3bc^6d^2x^2) \operatorname{arcsec}(cx) - (3bc^4e^2x^4 + 45bc^4d^2 + 30bc^4d)e^2x^2 + 30bc^4d^2 + 30b^2c^4d^2 + 30b^2c^4d^2 + 30b^2c^4d^2}{90c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] $1/90*(15*a*c^6*e^2*x^6 + 45*a*c^6*d*e*x^4 + 45*a*c^6*d^2*x^2 + 15*(b*c^6*e^2*x^6 + 3*b*c^6*d*e*x^4 + 3*b*c^6*d^2*x^2)*arcsec(c*x) - (3*b*c^4*e^2*x^4 + 45*b*c^4*d^2 + 30*b*c^2*d*e + 8*b*e^2 + (15*b*c^4*d*e + 4*b*c^2*e^2)*x^2)*$

$\text{sqrt}(c^2x^2 - 1)/c^6$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x (a + b \operatorname{asec}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d)**2*(a+b*asec(c*x)),x)`

[Out] `Integral(x*(a + b*asec(c*x))*(d + e*x**2)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)*x, x)`

$$3.89 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=186

$$-\frac{1}{2}ibd^2 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d^2 \log\left(\frac{1}{x}\right) \left(a + b \sec^{-1}(cx)\right) + dex^2 \left(a + b \sec^{-1}(cx)\right) + \frac{1}{4}e^2 x^4 \left(a + b \sec^{-1}(cx)\right) - \frac{bex}{4}$$

[Out] $-(b*e*(6*c^2*d + e)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(6*c^3) - (b*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(12*c) - (I/2)*b*d^2*\text{ArcCsc}[c*x]^2 + d*e*x^2*(a + b*\text{ArcSec}[c*x]) + (e^2*x^4*(a + b*\text{ArcSec}[c*x]))/4 + b*d^2*\text{ArcCsc}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])] - b*d^2*\text{ArcCsc}[c*x]*\text{Log}[x^(-1)] - d^2*(a + b*\text{ArcSec}[c*x])* \text{Log}[x^(-1)] - (I/2)*b*d^2*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])]$

Rubi [A] time = 0.411894, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {5240, 266, 43, 4732, 6742, 453, 264, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{1}{2}ibd^2 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d^2 \log\left(\frac{1}{x}\right) \left(a + b \sec^{-1}(cx)\right) + dex^2 \left(a + b \sec^{-1}(cx)\right) + \frac{1}{4}e^2 x^4 \left(a + b \sec^{-1}(cx)\right) - \frac{bex}{4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\left((d + e*x^2)^2*(a + b*\text{ArcSec}[c*x])\right)/x, x]$

[Out] $-(b*e*(6*c^2*d + e)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(6*c^3) - (b*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(12*c) - (I/2)*b*d^2*\text{ArcCsc}[c*x]^2 + d*e*x^2*(a + b*\text{ArcSec}[c*x]) + (e^2*x^4*(a + b*\text{ArcSec}[c*x]))/4 + b*d^2*\text{ArcCsc}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])] - b*d^2*\text{ArcCsc}[c*x]*\text{Log}[x^(-1)] - d^2*(a + b*\text{ArcSec}[c*x])* \text{Log}[x^(-1)] - (I/2)*b*d^2*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])]$

Rule 5240

$\text{Int}[\left((a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.)\right)^{(n_.)}*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] :> -\text{Subst}[\text{Int}[\left((e + d*x^2)^p*(a + b*\text{ArcCos}[x/c])^n\right)/x^{(m + 2*(p + 1))}, x], x, 1/x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[p]$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4732

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 453

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 2326

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symb
ol] := Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n]))/Rt[-e, 2], x
] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; Fr
```

eeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

Rule 4625

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_]/(x_), x_Symbol] := Subst[Int[(a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1)/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^2 (a+b\sec^{-1}(cx))}{x} dx &= -\text{Subst} \left(\int \frac{(e+dx^2)^2 (a+b\cos^{-1}(\frac{x}{c}))}{x^5} dx, x, \frac{1}{x} \right) \\
&= dex^2 (a+b\sec^{-1}(cx)) + \frac{1}{4}e^2x^4 (a+b\sec^{-1}(cx)) - d^2 (a+b\sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \dots \\
&= dex^2 (a+b\sec^{-1}(cx)) + \frac{1}{4}e^2x^4 (a+b\sec^{-1}(cx)) - d^2 (a+b\sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \dots \\
&= dex^2 (a+b\sec^{-1}(cx)) + \frac{1}{4}e^2x^4 (a+b\sec^{-1}(cx)) - d^2 (a+b\sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \dots \\
&= -\frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + dex^2 (a+b\sec^{-1}(cx)) + \frac{1}{4}e^2x^4 (a+b\sec^{-1}(cx)) - bd^2 \csc^{-1}(cx) \\
&= -\frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + dex^2 (a+b\sec^{-1}(cx)) + \frac{1}{4}e^2x^4 (a+b\sec^{-1}(cx)) \\
&= -\frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2 (a+b\sec^{-1}(cx)) \\
&= -\frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2 (a+b\sec^{-1}(cx)) \\
&= -\frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2 (a+b\sec^{-1}(cx)) \\
&= -\frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} - \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} - \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2 (a+b\sec^{-1}(cx))
\end{aligned}$$

Mathematica [A] time = 0.333324, size = 160, normalized size = 0.86

$$\frac{1}{2}ibd^2 \left(\text{PolyLog} \left(2, -e^{2i\sec^{-1}(cx)} \right) + \sec^{-1}(cx) \left(\sec^{-1}(cx) + 2i \log \left(1 + e^{2i\sec^{-1}(cx)} \right) \right) \right) + ad^2 \log(x) + adex^2 + \frac{1}{4}ae^2x^4 + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x,x]

[Out] a*d*e*x^2 + (a*e^2*x^4)/4 - (b*e^2*Sqrt[1 - 1/(c^2*x^2)]*x*(2 + c^2*x^2))/(12*c^3) + (b*e^2*x^4*ArcSec[c*x])/4 + (b*d*e*x*(-Sqrt[1 - 1/(c^2*x^2)] + c*x*ArcSec[c*x]))/c + a*d^2*Log[x] + (I/2)*b*d^2*(ArcSec[c*x]*(ArcSec[c*x] + (2*I)*Log[1 + E^((2*I)*ArcSec[c*x])]) + PolyLog[2, -E^((2*I)*ArcSec[c*x])])

Maple [A] time = 0.714, size = 242, normalized size = 1.3

$$\frac{ax^4e^2}{4} + ax^2de + ad^2 \ln(cx) + \frac{i}{2}bd^2(\operatorname{arcsec}(cx))^2 + \frac{b\operatorname{arcsec}(cx)x^4e^2}{4} + b\operatorname{arcsec}(cx)x^2de - \frac{bx^3e^2}{12c} \sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{bxde}{c} \sqrt{\frac{c^2x^2-1}{c^2x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x)

[Out] 1/4*a*x^4*e^2+a*x^2*d*e+a*d^2*ln(c*x)+1/2*I*b*d^2*arcsec(c*x)^2+1/4*b*arcsec(c*c*x)*x^4*e^2+b*arcsec(c*x)*x^2*d*e-1/12*b/c*((c^2*x^2-1)/c^2/x^2)^(1/2)*x^3*e^2-b/c*((c^2*x^2-1)/c^2/x^2)^(1/2)*x*d*e-I*b/c^2*d*e-1/6*b/c^3*((c^2*x^2-1)/c^2/x^2)^(1/2)*x*e^2-1/6*I*b/c^4*e^2-b*d^2*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+1/2*I*b*d^2*polylog(2,-(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4}ae^2x^4 + adex^2 + ad^2 \log(x) - \frac{-2ibc^4e^2x^4 \log(c) - 4ibc^4d^2 \log(-cx + 1) \log(x) - 4ibc^4d^2 \log(x)^2 - 4ibc^4d^2 \operatorname{Li}_2(cx) - 4Ib^2c^4d^2 \log(-cx + 1) \log(x) - 4Ib^2c^4d^2 \log(x)^2 - 4Ib^2c^4d^2 \operatorname{dilog}(cx) - 4Ib^2c^4d^2 \operatorname{dilog}(-cx) + I(b^2e^2(x^2/c^2 + \log(cx + 1)/c^4 + \log(cx - 1)/c^4) + 4b^2d^2e(\log(cx + 1)/c^2 + \log(cx - 1)/c^2) + 32b^2d^2 \operatorname{integrate}(1/4 \log(x)/(c^2x^3 - x), x))c^4 + 8c^4 \operatorname{integrate}(1/4 (b^2e^2x^4 + 4b^2d^2e^2x^2 + 4b^2d^2 \log(x)) \sqrt{cx + 1} \sqrt{cx - 1}/(c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x, algorithm="maxima")

[Out] 1/4*a*e^2*x^4 + a*d*e*x^2 + a*d^2*log(x) - 1/8*(-2*I*b*c^4*e^2*x^4*log(c) - 4*I*b*c^4*d^2*log(-c*x + 1)*log(x) - 4*I*b*c^4*d^2*log(x)^2 - 4*I*b*c^4*d^2*dilog(c*x) - 4*I*b*c^4*d^2*dilog(-c*x) + I*(b^2*e^2*(x^2/c^2 + log(c*x + 1)/c^4 + log(c*x - 1)/c^4) + 4*b*d^2*e*(log(c*x + 1)/c^2 + log(c*x - 1)/c^2) + 32*b*d^2*integrate(1/4*log(x)/(c^2*x^3 - x), x))*c^4 + 8*c^4*integrate(1/4*(b^2*e^2*x^4 + 4*b*d^2*e*x^2 + 4*b*d^2*log(x))*sqrt(c*x + 1)*sqrt(c*x - 1)/(c^2

$*x^3 - x), x) + (-8*I*b*c^4*d*e*log(c) - I*b*c^2*e^2)*x^2 - 2*(b*c^4*e^2*x^4 + 4*b*c^4*d*e*x^2 + 4*b*c^4*d^2*log(x))*arctan(sqrt(c*x + 1)*sqrt(c*x - 1)) + (I*b*c^4*e^2*x^4 + 4*I*b*c^4*d*e*x^2 + 4*I*b*c^4*d^2*log(x))*log(c^2*x^2) + (-4*I*b*c^4*d^2*log(x) - 4*I*b*c^2*d*e - I*b*e^2)*log(c*x + 1) + (-4*I*b*c^2*d*e - I*b*e^2)*log(c*x - 1) + (-2*I*b*c^4*e^2*x^4 - 8*I*b*c^4*d*e*x^2 - 8*I*b*c^4*d^2*log(c))*log(x))/c^4$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2)\text{arcsec}(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x, algorithm="fricas")

[Out] integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arcsec(c*x))/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx))(d + ex^2)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)**2/x, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2(b \operatorname{arcsec}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)/x, x)
```

$$3.90 \quad \int \frac{(d+ex^2)^2 (a+b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=189

$$-ibde \operatorname{PolyLog}\left(2, e^{2i \operatorname{csc}^{-1}(cx)}\right) - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} - 2de \log\left(\frac{1}{x}\right) (a + b \sec^{-1}(cx)) + \frac{1}{2} e^2 x^2 (a + b \sec^{-1}(cx)) + \frac{bcd^2 \sqrt{1}}{4x}$$

[Out] (b*c*d^2*Sqrt[1 - 1/(c^2*x^2)])/(4*x) - (b*e^2*Sqrt[1 - 1/(c^2*x^2)]*x)/(2*c) - (b*c^2*d^2*ArcCsc[c*x])/4 - I*b*d*e*ArcCsc[c*x]^2 - (d^2*(a + b*ArcSec[c*x]))/(2*x^2) + (e^2*x^2*(a + b*ArcSec[c*x]))/2 + 2*b*d*e*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - 2*b*d*e*ArcCsc[c*x]*Log[x^(-1)] - 2*d*e*(a + b*ArcSec[c*x])*Log[x^(-1)] - I*b*d*e*PolyLog[2, E^((2*I)*ArcCsc[c*x])]

Rubi [A] time = 0.417349, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5240, 266, 43, 4732, 12, 6742, 264, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$-ibde \operatorname{PolyLog}\left(2, e^{2i \operatorname{csc}^{-1}(cx)}\right) - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} - 2de \log\left(\frac{1}{x}\right) (a + b \sec^{-1}(cx)) + \frac{1}{2} e^2 x^2 (a + b \sec^{-1}(cx)) + \frac{bcd^2 \sqrt{1}}{4x}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^3, x]

[Out] (b*c*d^2*Sqrt[1 - 1/(c^2*x^2)])/(4*x) - (b*e^2*Sqrt[1 - 1/(c^2*x^2)]*x)/(2*c) - (b*c^2*d^2*ArcCsc[c*x])/4 - I*b*d*e*ArcCsc[c*x]^2 - (d^2*(a + b*ArcSec[c*x]))/(2*x^2) + (e^2*x^2*(a + b*ArcSec[c*x]))/2 + 2*b*d*e*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - 2*b*d*e*ArcCsc[c*x]*Log[x^(-1)] - 2*d*e*(a + b*ArcSec[c*x])*Log[x^(-1)] - I*b*d*e*PolyLog[2, E^((2*I)*ArcCsc[c*x])]

Rule 5240

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rule 266


```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4732

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_
)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcCos[c*x], u, x] + Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2326

Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] := Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n])/Rt[-e, 2], x] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

Rule 4625

Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m * E^(2*I*k*Pi) * E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi) * E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1) * Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sec^{-1}(cx))}{x^3} dx &= -\text{Subst} \left(\int \frac{(e + dx^2)^2 (a + b \cos^{-1}(\frac{x}{c}))}{x^3} dx, x, \frac{1}{x} \right) \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - 2de (a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - 2de (a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - 2de (a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - 2de (a + b \sec^{-1}(cx)) \log\left(\frac{1}{x}\right) - \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}}x}{2c} - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}}x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}}x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}}x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) - \\
&= \frac{bcd^2 \sqrt{1 - \frac{1}{c^2x^2}}}{4x} - \frac{be^2 \sqrt{1 - \frac{1}{c^2x^2}}x}{2c} - \frac{1}{4}bc^2d^2 \csc^{-1}(cx) - ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \sec^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sec^{-1}(cx)) -
\end{aligned}$$

Mathematica [A] time = 0.63805, size = 187, normalized size = 0.99

$$\frac{1}{4} \left(4ibde \left(\text{PolyLog} \left(2, -e^{2i \sec^{-1}(cx)} \right) + \sec^{-1}(cx) \left(\sec^{-1}(cx) + 2i \log \left(1 + e^{2i \sec^{-1}(cx)} \right) \right) \right) - \frac{2ad^2}{x^2} + 8ade \log(x) + 2ae^2x^2 + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcSec[c*x]))/x^3, x]

[Out] ((-2*a*d^2)/x^2 + 2*a*e^2*x^2 - (2*b*d^2*ArcSec[c*x])/x^2 + (2*b*e^2*x*(-Sqrt[1 - 1/(c^2*x^2)] + c*x*ArcSec[c*x]))/c + (b*c*d^2*Sqrt[1 - 1/(c^2*x^2)]*(1 + (c^2*x^2*ArcTanh[Sqrt[1 - c^2*x^2]])/Sqrt[1 - c^2*x^2]))/x + 8*a*d*e*Log[x] + (4*I)*b*d*e*(ArcSec[c*x]*(ArcSec[c*x] + (2*I)*Log[1 + E^((2*I)*ArcSec[c*x])]) + PolyLog[2, -E^((2*I)*ArcSec[c*x])]))/4

Maple [A] time = 0.608, size = 218, normalized size = 1.2

$$\frac{ax^2e^2}{2} - \frac{ad^2}{2x^2} + 2aed \ln(cx) + ibed (\text{arcsec}(cx))^2 + \frac{cbd^2}{4x} \sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{c^2bd^2 \text{arcsec}(cx)}{4} - \frac{b \text{arcsec}(cx) d^2}{2x^2} + \frac{b \text{arcsec}(cx)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3, x)

[Out] 1/2*a*x^2*e^2-1/2*a*d^2/x^2+2*a*e*d*ln(c*x)+I*b*e*d*arcsec(c*x)^2+1/4*c*b*d^2/x*((c^2*x^2-1)/c^2/x^2)^(1/2)+1/4*c^2*b*d^2*arcsec(c*x)-1/2*b*arcsec(c*x)*d^2/x^2+1/2*b*arcsec(c*x)*x^2*e^2-1/2/c*b*((c^2*x^2-1)/c^2/x^2)^(1/2)*x*e^2-1/2*I/c^2*b*e^2-2*b*e*d*arcsec(c*x)*ln(1+(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)+I*b*e*d*polylog(2, -(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} ae^2x^2 - \frac{1}{4} bd^2 \left(\frac{c^4x \sqrt{-\frac{1}{c^2x^2} + 1}}{c^2x^2 \left(\frac{1}{c^2x^2} - 1 \right) - 1} - c^3 \arctan \left(cx \sqrt{-\frac{1}{c^2x^2} + 1} \right) + \frac{2 \text{arcsec}(cx)}{x^2} \right) + 2ade \log(x) - \frac{ad^2}{2x^2} - \frac{-2i bc^2 e^2 x^2 \log(c) - \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3,x, algorithm="maxima")

[Out] $\frac{1}{2}a e^{2x^2} - \frac{1}{4}b d^2 \left(\frac{c^4 x \sqrt{-1/(c^2 x^2) + 1}}{c^2 x^2 (1/(c^2 x^2) - 1) - 1} - c^3 \arctan(c x \sqrt{-1/(c^2 x^2) + 1}) \right) / c + 2 \operatorname{arcsec}(c x) / x^2 + 2 a d e \log(x) - \frac{1}{2} a d^2 / x^2 - \frac{1}{4} (-2 I b c^2 e^{2x^2} \log(c) - 4 I b c^2 d e \log(-c x + 1) \log(x) - 4 I b c^2 d e \log(x)^2 - 4 I b c^2 d e \operatorname{dilog}(c x) - 4 I b c^2 d e \operatorname{dilog}(-c x) - I b e^{2x^2} \log(c x - 1) + I (b e^{2x^2} (\log(c x + 1) / c^2 + \log(c x - 1) / c^2) + 16 b d e \operatorname{integrate}(1/2 \log(x) / (c^2 x^3 - x), x)) c^2 + 4 c^2 \operatorname{integrate}(1/2 (b e^{2x^2} + 4 b d e \log(x)) \sqrt{c x + 1} \sqrt{c x - 1} / (c^2 x^3 - x), x) - 2 (b c^2 e^{2x^2} + 4 b c^2 d e \log(x)) \arctan(\sqrt{c x + 1} \sqrt{c x - 1}) + (I b c^2 e^{2x^2} + 4 I b c^2 d e \log(x)) \log(c^2 x^2) + (-4 I b c^2 d e \log(x) - I b e^{2x^2}) \log(c x + 1) + (-2 I b c^2 e^{2x^2} - 8 I b c^2 d e \log(c)) \log(x) / c^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{a e^2 x^4 + 2 a d e x^2 + a d^2 + (b e^2 x^4 + 2 b d e x^2 + b d^2) \operatorname{arcsec}(c x)}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3,x, algorithm="fricas")

[Out] integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arcsec(c*x))/x^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(c x)) (d + e x^2)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(a+b*asec(c*x))/x**3,x)

[Out] Integral((a + b*asec(c*x))*(d + e*x**2)**2/x**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*arcsec(c*x))/x^3,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)/x^3, x)
```

$$3.91 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{d+ex^2} dx$$

Optimal. Leaf size=546

$$\frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}}$$

```
[Out] (x*(a + b*ArcSec[c*x]))/e - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/(c*e) + (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^(3/2)) + (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^(3/2)) + ((I/2)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/e^(3/2) - ((I/2)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e^(3/2) + ((I/2)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/e^(3/2) - ((I/2)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^(3/2)
```

Rubi [A] time = 1.2943, antiderivative size = 546, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5240, 4734, 4628, 266, 63, 208, 4668, 4742, 4520, 2190, 2279, 2391}

$$\frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2), x]
```

```
[Out] (x*(a + b*ArcSec[c*x]))/e - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/(c*e) + (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^(3/2)) + (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^(3/2)) - (Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^(3/2)) + ((I/2)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/e^(3/2) - ((I/2)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e^(3/2) + ((I/2)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/e^(3/2) - ((I/2)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^(3/2)
```

$$\begin{aligned} & (I/2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])))/e^{(3/2)} - ((I/2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])))/e^{(3/2)} + ((I/2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])))/e^{(3/2)} - ((I/2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])))/e^{(3/2)} \end{aligned}$$

Rule 5240

$$\text{Int}(((a_.) + \text{ArcSec}[(c_.)*(x_)]*(b_.))^{\text{(n_.)}*(x_)^{\text{(m_.)}}*((d_.) + (e_.)*(x_)^2)^{\text{(p_.)}}, x_Symbol] \text{ :> } -\text{Subst}[\text{Int}[(e + d*x^2)^p*(a + b*\text{ArcCos}[x/c])^n]/x^{(m + 2*(p + 1))}, x], x, 1/x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[p]$$

Rule 4734

$$\text{Int}(((a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.))^{\text{(n_.)}}*((f_.)*(x_)^{\text{(m_.)}}*((d_.) + (e_.)*(x_)^2)^{\text{(p_.)}}, x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcCos}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$

Rule 4628

$$\text{Int}(((a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.))^{\text{(n_.)}}*((d_.)*(x_)^{\text{(m_.)}}), x_Symbol] \text{ :> } \text{Simp}[((d*x)^{\text{(m + 1)}}*(a + b*\text{ArcCos}[c*x])^n)/(d*(m + 1)), x] + \text{Dist}[(b*c*n)/(d*(m + 1)), \text{Int}[(d*x)^{\text{(m + 1)}}*(a + b*\text{ArcCos}[c*x])^{\text{(n - 1)}}/\text{Sqrt}[1 - c^2*x^2], x], x] \text{ /; } \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$$

Rule 266

$$\text{Int}[(x_)^{\text{(m_.)}}*((a_) + (b_.)*(x_)^{\text{(n_.)}})^{\text{(p_.)}}, x_Symbol] \text{ :> } \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{\text{(Simplify}[(m + 1)/n] - 1)}*(a + b*x)^p, x], x, x^n], x] \text{ /; } \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$$

Rule 63

$$\text{Int}(((a_.) + (b_.)*(x_)^{\text{(m_.)}})^{\text{(n_.)}}*((c_.) + (d_.)*(x_)^{\text{(n_.)}}), x_Symbol] \text{ :> } \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{\text{(p*(m + 1) - 1)}}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{\text{(1/p)}}], x]] \text{ /; } \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 208


```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 4668

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x]
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4742

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= -Subst[Int[(a + b*x)^n*Sin[x]/(c*d + e*cos[x]), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4520

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)
*(x_)]*(b_) + (a_)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1))
, x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] +
b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sec^{-1}(cx))}{d + ex^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2 (e + dx^2)} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{ex^2} - \frac{d (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2} dx, x, \frac{1}{x} \right)}{e} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e} + \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce} + \frac{d \text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} - \sqrt{-dx})} + \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e^{3/2}} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e^{3/2}} + \dots \\
&= \frac{x (a + b \sec^{-1}(cx))}{e} - \frac{d \text{Subst} \left(\int \frac{(a+bx) \sin(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2e^{3/2}} - \frac{d \text{Subst} \left(\int \frac{(a+bx) \sin(x)}{\frac{\sqrt{e}}{c} + \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2e^{3/2}} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{(id) \text{Subst} \left(\int \frac{e^{ix} (a+bx)}{\frac{\sqrt{e}}{c} - \frac{\sqrt{c^2 d + e}}{c} - \sqrt{-d} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2e^{3/2}} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{\sqrt{-d} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^{3/2}} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{\sqrt{-d} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^{3/2}} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce} + \frac{\sqrt{-d} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.36247, size = 1023, normalized size = 1.87

$$\frac{ax}{e} - \frac{a\sqrt{d} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{e^{3/2}} + b \left(\frac{cx \sec^{-1}(cx) + \log\left(\cos\left(\frac{1}{2} \sec^{-1}(cx)\right) - \sin\left(\frac{1}{2} \sec^{-1}(cx)\right)\right) - \log\left(\cos\left(\frac{1}{2} \sec^{-1}(cx)\right) + \sin\left(\frac{1}{2} \sec^{-1}(cx)\right)\right)}{ce} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

[Out] (a*x)/e - (a*Sqrt[d]*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/e^(3/2) + b*((c*x*ArcSec[c*x] + Log[Cos[ArcSec[c*x]/2] - Sin[ArcSec[c*x]/2]] - Log[Cos[ArcSec[c*x]/2] + Sin[ArcSec[c*x]/2]))/(c*e) - (Sqrt[d]*(8*ArcSin[Sqrt[1 + (I*Sqrt[e])]/(c*Sqrt[d])])/Sqrt[2])*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])]/(c*Sqrt[d])]/Sqrt[2]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])]/(c*Sqrt[d])]/Sqrt[2]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*PolyLog[2, (-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])/(4*e^(3/2)) + (Sqrt[d]*(8*ArcSin[Sqrt[1 - (I*Sqrt[e])]/(c*Sqrt[d])])/Sqrt[2])*ArcTan[((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])]/(c*Sqrt[d])]/Sqrt[2]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])]/(c*Sqrt[d])]/Sqrt[2]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + PolyLog[2, -E^((2*I)*ArcSec[c*x])])/(4*e^(3/2))

Maple [C] time = 1.723, size = 374, normalized size = 0.7

$$\frac{ax}{e} - \frac{ad}{e} \arctan\left(\frac{ex}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} + \frac{bx \operatorname{arcsec}(cx)}{e} + \frac{\frac{i}{8}cbd}{e^2} \sum_{_R1=\operatorname{RootOf}(c^2d_Z^4+(2c^2d+4e)_Z^2+c^2d)} \frac{-_R1^2c^2d + c^2d + 4e}{-_R1(-_R1^2c^2d + c^2d + 2e)} \left(\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d),x)

[Out] a*x/e-a*d/e/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))+b*arcsec(c*x)/e*x+1/8*I*c*b/e^2*d*sum((_R1^2*c^2*d+c^2*d+4*e)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+2*I/c*b/e*arctan(1/c/x+I*(1-1/c^2/x^2)^(1/2))-1/8*I*c*b/e^2*d*sum((_R1^2*c^2*d+4*_R1^2*e+c^2*d)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{bx^2 \operatorname{arcsec}(cx) + ax^2}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="fricas")

[Out] integral((b*x^2*arcsec(c*x) + a*x^2)/(e*x^2 + d), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \operatorname{asec}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d), x)

[Out] Integral(x**2*(a + b*asec(c*x))/(d + e*x**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^2}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^2/(e*x^2 + d), x)

$$3.92 \quad \int \frac{x(a+b \sec^{-1}(cx))}{d+ex^2} dx$$

Optimal. Leaf size=487

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i}{\sqrt{c^2d}}\right)}{2e}$$

[Out] ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) - ((a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])])/e - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/e - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/e - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])])/e

Rubi [A] time = 1.15161, antiderivative size = 487, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {5240, 4734, 4626, 3719, 2190, 2279, 2391, 4742, 4520}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i}{\sqrt{c^2d}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSec[c*x]))/(d + e*x^2),x]

[Out] ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) - ((a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])])/e - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/e - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/e - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])])/e

```

qrt[c^2*d + e]]]/e - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/
(Sqrt[e] + Sqrt[c^2*d + e]))]/e - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*Arc
Sec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/e + ((I/2)*b*PolyLog[2, -E^((2*I)*
ArcSec[c*x]))]/e

```

Rule 5240

```

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]

```

Rule 4734

```

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

Rule 4626

```

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
]

```

Rule 3719

```

Int[((c_.) + (d_.)*(x_)^(m_.)*tan[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_)^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))

```

)ⁿ], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4742

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{d + ex^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x(e + dx^2)} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{ex} - \frac{dx(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e} + \frac{d \text{Subst} \left(\int \frac{x(a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{\text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{e} + \frac{d \text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \cos^{-1} \left(\frac{x}{c} \right))}{2d(\sqrt{e} - \sqrt{-dx})} + \frac{\sqrt{-d}(a + b \cos^{-1} \left(\frac{x}{c} \right))}{2d(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2be} - \frac{(2i) \text{Subst} \left(\int \frac{e^{2ix}(a + bx)}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right)}{e} - \frac{\sqrt{-d} \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e} \\
&= \frac{i(a + b \sec^{-1}(cx))^2}{2be} - \frac{(a + b \sec^{-1}(cx)) \log(1 + e^{2i \sec^{-1}(cx)})}{e} + \frac{b \text{Subst} \left(\int \log(1 + e^{2ix}) dx, x, \sec^{-1}(cx) \right)}{e} \\
&= -\frac{(a + b \sec^{-1}(cx)) \log(1 + e^{2i \sec^{-1}(cx)})}{e} - \frac{(ib) \text{Subst} \left(\int \frac{\log(1+x)}{x} dx, x, e^{2i \sec^{-1}(cx)} \right)}{2e} - \frac{(i\sqrt{-d}) \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} \\
&= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-de}^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d + e}} \right)}{2e}
\end{aligned}$$

Mathematica [A] time = 0.376304, size = 891, normalized size = 1.83

$$4ib \sin^{-1} \left(\frac{\sqrt{1 - \frac{i\sqrt{e}}{c\sqrt{d}}}}{\sqrt{2}} \right) \tan^{-1} \left(\frac{(\sqrt{e} - ic\sqrt{d}) \tan\left(\frac{1}{2} \sec^{-1}(cx)\right)}{\sqrt{dc^2 + e}} \right) + 4ib \sin^{-1} \left(\frac{\sqrt{\frac{i\sqrt{e}}{c\sqrt{d}} + 1}}{\sqrt{2}} \right) \tan^{-1} \left(\frac{(i\sqrt{dc} + \sqrt{e}) \tan\left(\frac{1}{2} \sec^{-1}(cx)\right)}{\sqrt{dc^2 + e}} \right) + b \sec^{-1}(cx) \log$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2),x]
```

```
[Out] ((4*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((( -I)*c*
Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] + (4*I)*b*ArcSin[Sq
rt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Ta
n[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] + b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sq
rt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 2*b*ArcSin[Sqrt[1 + (I*Sqr
t[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*Arc
Sec[c*x]))/(c*Sqrt[d])] + b*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d +
e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 2*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*S
qrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]
))/(c*Sqrt[d])] + b*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*
ArcSec[c*x]))/(c*Sqrt[d])] - 2*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/S
qrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d
])] + b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]
))/(c*Sqrt[d])] - 2*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log
[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 2*b*A
rcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] + a*Log[d + e*x^2] - I*b*PolyLog[
2, (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - I*b*Pol
yLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - I
*b*PolyLog[2, (( -I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[
d])] - I*b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*
Sqrt[d])] + I*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])])]/(2*e)
```

Maple [C] time = 0.5, size = 453, normalized size = 0.9

$$\frac{a \ln(c^2 e x^2 + c^2 d)}{2 e} - \frac{i c^2 b d}{e} \sum_{_R1=\text{RootOf}(c^2 d _Z^4 + (2 c^2 d + 4 e) _Z^2 + c^2 d)} \frac{-_R1^2 + 1}{-_R1^2 c^2 d + c^2 d + 2 e} \left(i \text{arcsec}(c x) \ln \left(\frac{1}{_R1} \left(-_R1 - \frac{1}{c x} - i \sqrt{c^2 d + e x^2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a+b*arcsec(c*x))/(e*x^2+d),x)
```

```
[Out] 1/2*a/e*ln(c^2*e*x^2+c^2*d)-1/4*I*c^2*b*d/e*sum((_R1^2+1)/(_R1^2*c^2*d+c^2*
d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-
1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2
+c^2*d))-b/e*arcsec(c*x)*ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))-b/e*arcsec(c
*x)*ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))+I*b/e*dilog(1+I*(1/c/x+I*(1-1/c^2
/x^2)^(1/2)))+I*b/e*dilog(1-I*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))-1/4*I*b/e*sum(
```

$$\frac{(\sqrt{R1^2*c^2*d+c^2*d+4*e})/(\sqrt{R1^2*c^2*d+c^2*d+2*e})*(I*\operatorname{arcsec}(c*x)*\ln((\sqrt{R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/\sqrt{R1}})+\operatorname{dilog}((\sqrt{R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/\sqrt{R1}}))}{, \sqrt{R1}=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d)}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$b \int \frac{x \arctan\left(\frac{\sqrt{cx+1}\sqrt{cx-1}}{ex^2+d}\right) dx + \frac{a \log(ex^2+d)}{2e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")

[Out] b*integrate(x*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(e*x^2 + d), x) + 1/2*a*log(e*x^2 + d)/e

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{bx \operatorname{arcsec}(cx) + ax}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="fricas")

[Out] integral((b*x*arcsec(c*x) + a*x)/(e*x^2 + d), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{asec}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d),x)

[Out] Integral(x*(a + b*asec(c*x))/(d + e*x**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x/(e*x^2 + d), x)
```

3.93 $\int \frac{a+b \sec^{-1}(cx)}{d+ex^2} dx$

Optimal. Leaf size=509

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2\sqrt{-d}\sqrt{e}}$$

```
[Out] ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e]) + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e])
```

Rubi [A] time = 0.869031, antiderivative size = 509, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {5230, 4668, 4742, 4520, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2\sqrt{-d}\sqrt{e}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2), x]
```

```
[Out] ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e]) + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e])
```

$$\frac{[c*x])]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*\text{Sqrt}[e]) + ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(\text{Sqrt}[-d]*\text{Sqrt}[e]) - ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(\text{Sqrt}[-d]*\text{Sqrt}[e])$$

Rule 5230

$$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow -\text{Subst}[\text{Int}[(e + d*x^2)^p*(a + b*\text{ArcCos}[x/c])^n/x^{(2*(p + 1))}, x], x, 1/x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[p]$$

Rule 4668

$$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcCos}[c*x])^n, (d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{NeQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[p] \&\& (\text{GtQ}[p, 0] \parallel \text{IGtQ}[n, 0])$$

Rule 4742

$$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.)]^{(n_.)}/((d_.) + (e_.)*(x_)), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]/(c*d + e*\text{Cos}[x]), x], x, \text{ArcCos}[c*x]] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{IGtQ}[n, 0]$$

Rule 4520

$$\text{Int}[(e_.) + (f_.)*(x_)]^{(m_.)}*\text{Sin}[(c_.) + (d_.)*(x_)]/(\text{Cos}[(c_.) + (d_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Simp}[(I*(e + f*x)^{(m + 1)})/(b*f*(m + 1)), x] + (-\text{Dist}[I, \text{Int}[(e + f*x)^m*E^{(I*(c + d*x))}/(a - \text{Rt}[a^2 - b^2, 2] + b*E^{(I*(c + d*x))}), x], x] - \text{Dist}[I, \text{Int}[(e + f*x)^m*E^{(I*(c + d*x))}/(a + \text{Rt}[a^2 - b^2, 2] + b*E^{(I*(c + d*x))}), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0] \&\& \text{PosQ}[a^2 - b^2]$$

Rule 2190

$$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}/((a_.) + (b_.)*(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$$

Rule 2279

$$\text{Int}[\text{Log}[(a_.) + (b_.)*(F_)^{((e_.)*((c_.) + (d_.)*(x_)))}^{(n_.)}], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})]$$

$]^n, x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c \cdot) * ((d \cdot) + (e \cdot) * (x \cdot)^{(n \cdot)})] / (x \cdot), x_Symbol] :> -\text{Simp}[\text{PolyLog}[2, -(c * e * x^n)] / n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c * d, 1]$

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec^{-1}(cx)}{d + ex^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1}\left(\frac{x}{c}\right)}{e + dx^2} dx, x, \frac{1}{x} \right) \\
 &= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e} - \sqrt{-dx})} + \frac{a + b \cos^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right) \\
 &= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}\left(\frac{x}{c}\right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2\sqrt{e}} - \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}\left(\frac{x}{c}\right)}{\sqrt{e} + \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2\sqrt{e}} \\
 &= \frac{\text{Subst} \left(\int \frac{(a+bx) \sin(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} + \frac{\text{Subst} \left(\int \frac{(a+bx) \sin(x)}{\frac{\sqrt{e}}{c} + \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} \\
 &= -\frac{i \text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c} - \frac{\sqrt{c^2d+e}}{c} - \sqrt{-d}e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} - \frac{i \text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c} + \frac{\sqrt{c^2d+e}}{c} - \sqrt{-d}e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{e}} \\
 &= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} \\
 &= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} \\
 &= \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2\sqrt{-d}\sqrt{e}}
 \end{aligned}$$

Mathematica [A] time = 0.326198, size = 871, normalized size = 1.71

$$2a \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) - 4b \sin^{-1}\left(\frac{\sqrt{1-\frac{i\sqrt{e}}{c\sqrt{d}}}}{\sqrt{2}}\right) \tan^{-1}\left(\frac{(\sqrt{e-ic}\sqrt{d}) \tan\left(\frac{1}{2} \sec^{-1}(cx)\right)}{\sqrt{dc^2+e}}\right) + 4b \sin^{-1}\left(\frac{\sqrt{\frac{i\sqrt{e}}{c\sqrt{d}}+1}}{\sqrt{2}}\right) \tan^{-1}\left(\frac{(i\sqrt{dc}+\sqrt{e}) \tan\left(\frac{1}{2} \sec^{-1}(cx)\right)}{\sqrt{dc^2+e}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2), x]

[Out] (2*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]] - 4*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] + 4*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*ArcTan[(((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - I*b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + I*b*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (2*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + I*b*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (2*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])])/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + b*PolyLog[2, (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - b*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - b*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])])]/(2*Sqrt[d]*Sqrt[e])

Maple [C] time = 0.961, size = 272, normalized size = 0.5

$$a \arctan\left(ex \frac{1}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} + \frac{i}{2} cb \sum_{-R1=\text{RootOf}(c^2d_Z^4+(2c^2d+4e)_Z^2+c^2d)} \frac{-R1}{-R1^2c^2d + c^2d + 2e} \left(\text{iarcsec}(cx) \ln\left(\frac{1}{-R1} \left(-R1 - \frac{1}{cx}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/(e*x^2+d), x)


```
[Out] a/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))+1/2*I*c*b*sum(_R1/(_R1^2*c^2*d+c^2*d+
2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/
c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c
^2*d))-1/2*I*c*b*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1
/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R
1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*arcsec(c*x) + a)/(e*x^2 + d), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/(e*x**2+d),x)
```

[Out] Integral((a + b*asec(c*x))/(d + e*x**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x^2 + d), x)

$$3.94 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)} dx$$

Optimal. Leaf size=459

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d}$$

[Out] $((I/2)*(a + b*ArcSec[c*x])^2)/(b*d) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/d + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/d + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/d + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/d$

Rubi [A] time = 0.895521, antiderivative size = 459, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5240, 4734, 4742, 4520, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)), x]

[Out] $((I/2)*(a + b*ArcSec[c*x])^2)/(b*d) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/d + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/d + ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/d + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/d$

$\ast d + e]])))/d + ((I/2)\ast b\text{PolyLog}[2, (c\sqrt{-d}\ast E^{(I\text{ArcSec}[c\ast x])})/(\sqrt{e} + \sqrt{c^2d + e})])/d$

Rule 5240

$\text{Int}[(a + \text{ArcSec}[c\ast(x)]\ast(b))^n\ast(x)^m\ast((d) + (e)\ast(x)^2)^p, x_Symbol] \rightarrow -\text{Subst}[\text{Int}[(e + d\ast x^2)^p\ast(a + b\ast\text{ArcCos}[x/c])^n]/x^{m+2(p+1)}, x], x, 1/x] /;$ $\text{FreeQ}\{a, b, c, d, e, n\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[p]$

Rule 4734

$\text{Int}[(a + \text{ArcCos}[c\ast(x)]\ast(b))^n\ast((f)\ast(x))^m\ast((d) + (e)\ast(x)^2)^p, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b\ast\text{ArcCos}[c\ast x])^n, (f\ast x)^m\ast(d + e\ast x^2)^p, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{NeQ}[c^2d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$

Rule 4742

$\text{Int}[(a + \text{ArcCos}[c\ast(x)]\ast(b))^n/((d) + (e)\ast(x)), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[(a + b\ast x)^n\ast\text{Sin}[x]/(c\ast d + e\ast\text{Cos}[x]), x], x, \text{ArcCos}[c\ast x]] /;$ $\text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{IGtQ}[n, 0]$

Rule 4520

$\text{Int}[(e + (f)\ast(x))^m\ast\text{Sin}[(c) + (d)\ast(x)]/(\text{Cos}[(c) + (d)\ast(x)]\ast(b) + (a)), x_Symbol] \rightarrow \text{Simp}[(I\ast(e + f\ast x)^{m+1})/(b\ast f\ast(m+1)), x] + (-\text{Dist}[I, \text{Int}[(e + f\ast x)^m\ast E^{(I\ast(c + d\ast x))})/(a - \text{Rt}[a^2 - b^2, 2] + b\ast E^{(I\ast(c + d\ast x))}), x], x] - \text{Dist}[I, \text{Int}[(e + f\ast x)^m\ast E^{(I\ast(c + d\ast x))})/(a + \text{Rt}[a^2 - b^2, 2] + b\ast E^{(I\ast(c + d\ast x))}), x], x]) /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{PosQ}[a^2 - b^2]$

Rule 2190

$\text{Int}[(F)^{(g)\ast((e) + (f)\ast(x))})^n\ast((c) + (d)\ast(x))^m/((a) + (b)\ast(F)^{(g)\ast((e) + (f)\ast(x))})^n), x_Symbol] \rightarrow \text{Simp}[(c + d\ast x)^m\ast\text{Log}[1 + (b\ast(F^{(g\ast(e + f\ast x))})^n)/a]/(b\ast f\ast g\ast n\ast\text{Log}[F]), x] - \text{Dist}[(d\ast m)/(b\ast f\ast g\ast n\ast\text{Log}[F]), \text{Int}[(c + d\ast x)^{m-1}\ast\text{Log}[1 + (b\ast(F^{(g\ast(e + f\ast x))})^n)/a], x], x] /;$ $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a) + (b)\ast(F)^{(e)\ast((c) + (d)\ast(x))})^n], x_Symbol] \rightarrow \text{Dist}[1/(d\ast e\ast n\ast\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b\ast x]/x, x], x, (F^{(e\ast(c + d\ast x))})]$

$)^n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c \cdot) * ((d \cdot) + (e \cdot) * (x \cdot)^{(n \cdot)})] / (x \cdot), x_Symbol] :> -\text{Simp}[\text{PolyLog}[2, -(c * e * x^n)] / n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c * d, 1]$

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)} dx &= -\text{Subst} \left(\int \frac{x \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{e + dx^2} dx, x, \frac{1}{x} \right) \\
 &= -\text{Subst} \left(\int \left(-\frac{\sqrt{-d} \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{2d(\sqrt{e} - \sqrt{-dx})} + \frac{\sqrt{-d} \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{2d(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right) \\
 &= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} + \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} \\
 &= \frac{\text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} - \frac{\text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\frac{\sqrt{e}}{c} + \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{i \text{Subst} \left(\int \frac{e^{ix(a + bx)}}{\frac{\sqrt{e}}{c} - \frac{\sqrt{c^2 d + e}}{c} - \sqrt{-d} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} - \frac{i \text{Subst} \left(\int \frac{e^{ix(a + bx)}}{\frac{\sqrt{e}}{c} + \frac{\sqrt{c^2 d + e}}{c} - \sqrt{-d} e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2\sqrt{-d}} \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2d} \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2d} \\
 &= \frac{i(a + b \sec^{-1}(cx))^2}{2bd} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sec^{-1}(cx)) \log \left(1 + \frac{c\sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.827598, size = 402, normalized size = 0.88

$$ib \left(\text{PolyLog} \left(2, -\frac{(-2\sqrt{e(c^2d+e)+c^2d+2e})e^{2i\sec^{-1}(cx)}}{c^2d} \right) + \text{PolyLog} \left(2, -\frac{(2(\sqrt{e(c^2d+e)+e})+c^2d)e^{2i\sec^{-1}(cx)}}{c^2d} \right) - 4 \sin^{-1} \left(\sqrt{\frac{e}{c^2d} + 1} \right) \tan^{-1} \left(\dots \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)), x]

[Out] (4*a*Log[x] - 2*a*Log[d + e*x^2] + I*b*(2*ArcSec[c*x]^2 - 4*ArcSin[Sqrt[1 + e/(c^2*d)]]*ArcTan[(c*e*Sqrt[1 - 1/(c^2*x^2)]]*x)/Sqrt[e*(c^2*d + e)] + (2*I)*ArcSec[c*x]*Log[1 + ((c^2*d + 2*e - 2*Sqrt[e*(c^2*d + e)])*E^((2*I)*ArcSec[c*x]))/(c^2*d)] + (2*I)*ArcSin[Sqrt[1 + e/(c^2*d)]]*Log[1 + ((c^2*d + 2*e - 2*Sqrt[e*(c^2*d + e)])*E^((2*I)*ArcSec[c*x]))/(c^2*d)] + (2*I)*ArcSec[c*x]*Log[1 + ((c^2*d + 2*(e + Sqrt[e*(c^2*d + e)])))*E^((2*I)*ArcSec[c*x]))/(c^2*d)] - (2*I)*ArcSin[Sqrt[1 + e/(c^2*d)]]*Log[1 + ((c^2*d + 2*(e + Sqrt[e*(c^2*d + e)])))*E^((2*I)*ArcSec[c*x]))/(c^2*d)] + PolyLog[2, -(((c^2*d + 2*e - 2*Sqrt[e*(c^2*d + e)])*E^((2*I)*ArcSec[c*x]))/(c^2*d))] + PolyLog[2, -(((c^2*d + 2*(e + Sqrt[e*(c^2*d + e)])))*E^((2*I)*ArcSec[c*x]))/(c^2*d)))]/(4*d)

Maple [C] time = 0.605, size = 2933, normalized size = 6.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x/(e*x^2+d), x)

[Out] -1/2*I*b/c^2*polylog(2, c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-c^2*d-2*(e*(c^2*d+e))^(1/2)-2*e))/d^2*(e*(c^2*d+e))^(1/2)+b/c^2/d^2*ln(1-c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-c^2*d-2*(e*(c^2*d+e))^(1/2)-2*e))*arcsec(c*x)*(e*(c^2*d+e))^(1/2)-2*b/c^2/d^2*ln(1-c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-c^2*d-2*(e*(c^2*d+e))^(1/2)-2*e))*arcsec(c*x)*e-2*b/c^4/d^3*ln(1-c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-c^2*d-2*(e*(c^2*d+e))^(1/2)-2*e))*arcsec(c*x)*e^2+3/4*I*b*polylog(2, c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-c^2*d-2*(e*(c^2*d+e))^(1/2)-2*e))/(c^2*d+e)/d*(e*(c^2*d+e))^(1/2)-5/4*I*b*polylog(2, c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-c^2*d-2*(e*(c^2*d+e))^(1/2)-2*e))/(c^2*d+e)/d*e-I*b/c^2*arcsec(c*x)^2/d^2*(e*(c^2*d+e))^(1/2)+2*I*b/c^2*arcsec(c*x)^2*e/d^2+1/2*b*c^2/(c^2*d+e)*ln(1-c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-

$$\begin{aligned}
& c^2d-2*(e*(c^2d+e))^{(1/2)-2*e})*\operatorname{arcsec}(c*x)-1/2*I*b*c^2*\operatorname{arcsec}(c*x)^2/(c^2d+e)-1/4*I*b*c^2*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))/(-c^2d+e)-1/2*b/d*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)+I*b/d*\operatorname{arcsec}(c*x)^2+1/4*I*b*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))/d+1/2*I*b/d*\operatorname{sum}((_R1^2*c^2d+2*c^2d+4*e)/(_R1^2*c^2d+c^2d+2*e)*(I*\operatorname{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1))+\operatorname{di} \log((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2d*_Z^4+(2*c^2d+4*e)*_Z^2+c^2d))-4*I*b/c^2*e^2*\operatorname{arcsec}(c*x)^2/d^2/(c^2d+e)-1/8*I*b*c^2*(e*(c^2d+e))^{(1/2)}/e/(c^2d+e)*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d+2*(e*(c^2d+e))^{(1/2)-2*e}))-2*I*b/c^4*e^3*\operatorname{arcsec}(c*x)^2/d^3/(c^2d+e)+a/d*\ln(c*x)+3/2*I*b/c^2*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))/(-c^2d+e)/d^2*(e*(c^2d+e))^{(1/2)*e+I*b/c^4*e^2*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))/d^3/(c^2d+e)*(e*(c^2d+e))^{(1/2)-2*b/c^4*e^2/d^3/(c^2d+e)*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)*(e*(c^2d+e))^{(1/2)+3*I*b/c^2*e*\operatorname{arcsec}(c*x)^2/d^2/(c^2d+e)*(e*(c^2d+e))^{(1/2)+2*I*b/c^4*e^2*\operatorname{arcsec}(c*x)^2/d^3/(c^2d+e)*(e*(c^2d+e))^{(1/2)+1/4*b*c^2*(e*(c^2d+e))^{(1/2)}/e/(c^2d+e)*\operatorname{arcsec}(c*x)*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d+2*(e*(c^2d+e))^{(1/2)-2*e}))-1/4*b*c^2/e/(c^2d+e)*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)*(e*(c^2d+e))^{(1/2)+4*b/c^2/(c^2d+e)/d^2*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)*e^2+2*b/c^4/d^3*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)*e*(e*(c^2d+e))^{(1/2)+2*b/c^4*e^3/d^3/(c^2d+e)*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)-2*I*b/c^4*\operatorname{arcsec}(c*x)^2*e/d^3*(e*(c^2d+e))^{(1/2)+1/8*I*b*c^2*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))/e/(c^2d+e)*(e*(c^2d+e))^{(1/2)-2*I*b/c^2*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))/(-c^2d+e)/d^2*e^2-I*b/c^4*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*e/d^3*(e*(c^2d+e))^{(1/2)-I*b/c^4*e^3*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))/d^3/(c^2d+e)-3*b/c^2/(c^2d+e)/d^2*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)*(e*(c^2d+e))^{(1/2)*e-1/2*a/d*\ln(c^2e*x^2+c^2d)+2*I*b/c^4*\operatorname{arcsec}(c*x)^2*e^2/d^3-5/2*I*b*\operatorname{arcsec}(c*x)^2/(c^2d+e)/d*e-1/4*I*b*(e*(c^2d+e))^{(1/2)}/d/(c^2d+e)*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d+2*(e*(c^2d+e))^{(1/2)-2*e}))+I*b*(e*(c^2d+e))^{(1/2)}/d/(c^2d+e)*\operatorname{arcsec}(c*x)^2+1/2*b*(e*(c^2d+e))^{(1/2)}/d/(c^2d+e)*\operatorname{arcsec}(c*x)*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d+2*(e*(c^2d+e))^{(1/2)-2*e}))-3/2*b/(c^2d+e)/d*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)*(e*(c^2d+e))^{(1/2)+5/2*b*e/(c^2d+e)/d*\ln(1-c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*\operatorname{arcsec}(c*x)+I*b/c^2*\operatorname{polylog}(2,c^2d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2d-2*(e*(c^2d+e))^{(1/2)-2*e}))*e/d^
\end{aligned}$$

$2+I*b/c^4*polylog(2,c^2*d*(1/c/x+I*(1-1/c^2/x^2)^(1/2))^2/(-c^2*d-2*(e*(c^2*d+e))^(1/2)-2*e))*e^2/d^3$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{\log(ex^2+d)}{d}-\frac{2\log(x)}{d}\right)+b\int\frac{\arctan(\sqrt{cx+1}\sqrt{cx-1})}{ex^3+dx}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d),x, algorithm="maxima")

[Out] -1/2*a*(log(e*x^2 + d)/d - 2*log(x)/d) + b*integrate(arctan(sqrt(c*x + 1))*sqrt(c*x - 1))/(e*x^3 + d*x), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{ex^3 + dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d),x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(e*x^3 + d*x), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d),x)

[Out] Integral((a + b*asec(c*x))/(x*(d + e*x**2)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)*x), x)

$$3.95 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)} dx$$

Optimal. Leaf size=551

$$\frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2(-d)^{3/2}}$$

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)]/d - a/(d*x) - (b*ArcSec[c*x])/(d*x) + (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) + (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) + ((I/2)*b*Sqrt[e]*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - ((I/2)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) + ((I/2)*b*Sqrt[e]*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - ((I/2)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2))

Rubi [A] time = 1.09592, antiderivative size = 551, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5240, 4734, 4620, 261, 4668, 4742, 4520, 2190, 2279, 2391}

$$\frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2(-d)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)), x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)]/d - a/(d*x) - (b*ArcSec[c*x])/(d*x) + (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) + (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - (Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) + ((I/2)*b*Sqrt[e]*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - ((I/2)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) + ((I/2)*b*Sqrt[e]*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2)) - ((I/2)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*(-d)^(3/2))

$$\frac{\left(\frac{1}{2}\right) b \sqrt{e} \operatorname{PolyLog}\left[2, -\left(\frac{c \sqrt{-d}}{e}\right)^{\operatorname{ArcSec}\left[\frac{c x}{e}\right]}\right] / \left(\sqrt{e} - \sqrt{c^2 d + e}\right)}{(-d)^{3/2} - \left(\frac{1}{2}\right) b \sqrt{e} \operatorname{PolyLog}\left[2, \left(\frac{c \sqrt{-d}}{e}\right)^{\operatorname{ArcSec}\left[\frac{c x}{e}\right]}\right] / \left(\sqrt{e} - \sqrt{c^2 d + e}\right)} + \frac{\left(\frac{1}{2}\right) b \sqrt{e} \operatorname{PolyLog}\left[2, -\left(\frac{c \sqrt{-d}}{e}\right)^{\operatorname{ArcSec}\left[\frac{c x}{e}\right]}\right] / \left(\sqrt{e} + \sqrt{c^2 d + e}\right)}{(-d)^{3/2} - \left(\frac{1}{2}\right) b \sqrt{e} \operatorname{PolyLog}\left[2, \left(\frac{c \sqrt{-d}}{e}\right)^{\operatorname{ArcSec}\left[\frac{c x}{e}\right]}\right] / \left(\sqrt{e} + \sqrt{c^2 d + e}\right)}$$
Rule 5240

$$\operatorname{Int}\left[\left(\left(a_{\cdot}\right) + \operatorname{ArcSec}\left[\left(c_{\cdot}\right)\left(x_{\cdot}\right)\right]\right)\left(b_{\cdot}\right)^{\left(n_{\cdot}\right)}\left(x_{\cdot}\right)^{\left(m_{\cdot}\right)}\left(\left(d_{\cdot}\right) + \left(e_{\cdot}\right)\left(x_{\cdot}\right)^2\right)^{\left(p_{\cdot}\right)}, x_{\text{Symbol}}\right] \rightarrow -\operatorname{Subst}\left[\operatorname{Int}\left[\left(\left(e + d x^2\right)^p \left(a + b \operatorname{ArcCos}\left[\frac{x}{c}\right]\right)^n\right) / x^{m+2(p+1)}, x\right], x, 1/x\right] / ; \operatorname{FreeQ}\left[\{a, b, c, d, e, n\}, x\right] \&\& \operatorname{IGtQ}\left[n, 0\right] \&\& \operatorname{IntegerQ}\left[m\right] \&\& \operatorname{IntegerQ}\left[p\right]$$
Rule 4734

$$\operatorname{Int}\left[\left(\left(a_{\cdot}\right) + \operatorname{ArcCos}\left[\left(c_{\cdot}\right)\left(x_{\cdot}\right)\right]\right)\left(b_{\cdot}\right)^{\left(n_{\cdot}\right)}\left(\left(f_{\cdot}\right)\left(x_{\cdot}\right)\right)^{\left(m_{\cdot}\right)}\left(\left(d_{\cdot}\right) + \left(e_{\cdot}\right)\left(x_{\cdot}\right)^2\right)^{\left(p_{\cdot}\right)}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\left(a + b \operatorname{ArcCos}\left[c x\right]\right)^n, \left(f x\right)^m \left(d + e x^2\right)^p, x\right], x\right] / ; \operatorname{FreeQ}\left[\{a, b, c, d, e, f\}, x\right] \&\& \operatorname{NeQ}\left[c^2 d + e, 0\right] \&\& \operatorname{IGtQ}\left[n, 0\right] \&\& \operatorname{IntegerQ}\left[p\right] \&\& \operatorname{IntegerQ}\left[m\right]$$
Rule 4620

$$\operatorname{Int}\left[\left(\left(a_{\cdot}\right) + \operatorname{ArcCos}\left[\left(c_{\cdot}\right)\left(x_{\cdot}\right)\right]\right)\left(b_{\cdot}\right)^{\left(n_{\cdot}\right)}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[x \left(a + b \operatorname{ArcCos}\left[c x\right]\right)^n, x\right] + \operatorname{Dist}\left[b c^n, \operatorname{Int}\left[\left(x \left(a + b \operatorname{ArcCos}\left[c x\right]\right)^{n-1}\right) / \sqrt{1 - c^2 x^2}, x\right], x\right] / ; \operatorname{FreeQ}\left[\{a, b, c\}, x\right] \&\& \operatorname{GtQ}\left[n, 0\right]$$
Rule 261

$$\operatorname{Int}\left[\left(x_{\cdot}\right)^{\left(m_{\cdot}\right)}\left(\left(a_{\cdot}\right) + \left(b_{\cdot}\right)\left(x_{\cdot}\right)^{\left(n_{\cdot}\right)}\right)^{\left(p_{\cdot}\right)}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[\left(a + b x^n\right)^{p+1} / \left(b n \left(p + 1\right)\right), x\right] / ; \operatorname{FreeQ}\left[\{a, b, m, n, p\}, x\right] \&\& \operatorname{EqQ}\left[m, n - 1\right] \&\& \operatorname{NeQ}\left[p, -1\right]$$
Rule 4668

$$\operatorname{Int}\left[\left(\left(a_{\cdot}\right) + \operatorname{ArcCos}\left[\left(c_{\cdot}\right)\left(x_{\cdot}\right)\right]\right)\left(b_{\cdot}\right)^{\left(n_{\cdot}\right)}\left(\left(d_{\cdot}\right) + \left(e_{\cdot}\right)\left(x_{\cdot}\right)^2\right)^{\left(p_{\cdot}\right)}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\left(a + b \operatorname{ArcCos}\left[c x\right]\right)^n, \left(d + e x^2\right)^p, x\right], x\right] / ; \operatorname{FreeQ}\left[\{a, b, c, d, e, n\}, x\right] \&\& \operatorname{NeQ}\left[c^2 d + e, 0\right] \&\& \operatorname{IntegerQ}\left[p\right] \&\& \left(\operatorname{GtQ}\left[p, 0\right] \mid \mid \operatorname{IGtQ}\left[n, 0\right]\right)$$
Rule 4742

$$\operatorname{Int}\left[\left(\left(a_{\cdot}\right) + \operatorname{ArcCos}\left[\left(c_{\cdot}\right)\left(x_{\cdot}\right)\right]\right)\left(b_{\cdot}\right)^{\left(n_{\cdot}\right)} / \left(\left(d_{\cdot}\right) + \left(e_{\cdot}\right)\left(x_{\cdot}\right)\right), x_{\text{Symbol}}\right] \rightarrow -\operatorname{Subst}\left[\operatorname{Int}\left[\left(a + b x\right)^n \operatorname{Sin}\left[x\right] / \left(c d + e \operatorname{Cos}\left[x\right]\right), x\right], x, \operatorname{ArcCos}\left[c x\right]\right] /$$

; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]/(Cos[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)} dx &= -\text{Subst} \left(\int \frac{x^2 \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{d} - \frac{e \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= \frac{\text{Subst} \left(\int \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} \\
&= \frac{a}{dx} - \frac{b \text{Subst} \left(\int \cos^{-1} \left(\frac{x}{c} \right) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} - \sqrt{-dx})} + \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} - \frac{b \text{Subst} \left(\int \frac{x}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2d} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2d} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} - \frac{\sqrt{e} \text{Subst} \left(\int \frac{(a+bx) \sin(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2d} - \frac{\sqrt{e} \text{Subst} \left(\int \frac{(a+bx) \sin(x)}{\frac{\sqrt{e}}{c} + \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2d} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{(i\sqrt{e}) \text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c} - \sqrt{c^2d+e} - \sqrt{-d}e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2d} + \frac{(i\sqrt{e}) \text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c} + \sqrt{c^2d+e} - \sqrt{-d}e^{ix}} dx, x, \sec^{-1}(cx) \right)}{2d} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{-i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{-i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \sec^{-1}(cx)}{dx} + \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} (a + b \sec^{-1}(cx)) \log \left(1 - \frac{c\sqrt{-d}e^{-i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2d+e}} \right)}{2(-d)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.291, size = 997, normalized size = 1.81

$$-\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) a}{d^{3/2}} - \frac{a}{dx} + b \left(\frac{c \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{\sec^{-1}(cx)}{x}}{d} - \frac{\sqrt{e} \left(8 \sin^{-1}\left(\frac{\sqrt{\frac{i\sqrt{e}}{c\sqrt{d}}+1}}{\sqrt{2}}\right) \tan^{-1}\left(\frac{(i\sqrt{dc}+\sqrt{e}) \tan\left(\frac{1}{2} \sec^{-1}(cx)\right)}{\sqrt{dc^2+e}}\right) - 2i \sec^{-1}(cx)}{\right)}{d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)),x]

[Out] $-(a/(d*x)) - (a*\text{Sqrt}[e]*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/d^{(3/2)} + b*((c*\text{Sqrt}[1 - 1/(c^2*x^2)] - \text{ArcSec}[c*x])/x)/d - (\text{Sqrt}[e]*(8*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e]/(c*\text{Sqrt}[d])])]/\text{Sqrt}[2]]*\text{ArcTan}[(I*c*\text{Sqrt}[d] + \text{Sqrt}[e])*\text{Tan}[\text{ArcSec}[c*x]/2])/(\text{Sqrt}[c^2*d + e]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) - (4*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e]/(c*\text{Sqrt}[d]))]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) + (4*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e]/(c*\text{Sqrt}[d]))]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] - 2*\text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) - 2*\text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) + \text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})]/(4*d^{(3/2)}) + (\text{Sqrt}[e]*(8*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e]/(c*\text{Sqrt}[d]))]/\text{Sqrt}[2]]*\text{ArcTan}[((-I)*c*\text{Sqrt}[d] + \text{Sqrt}[e])*\text{Tan}[\text{ArcSec}[c*x]/2])/(\text{Sqrt}[c^2*d + e]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) - (4*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e]/(c*\text{Sqrt}[d]))]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) + (4*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e]/(c*\text{Sqrt}[d]))]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] - 2*\text{PolyLog}[2, (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) - 2*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})]/(c*\text{Sqrt}[d]) + \text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})]/(4*d^{(3/2)})$

Maple [C] time = 1.541, size = 331, normalized size = 0.6

$$-\frac{ae}{d} \arctan\left(ex \frac{1}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} - \frac{a}{dx} + \frac{cb}{d} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{\text{barcsec}(cx)}{dx} - \frac{i}{2} \frac{cbe}{d} \sum_{\text{R1}=\text{RootOf}(c^2 d _Z^4 + (2c^2 d + 4e)_Z^2 + c^2 d)} \frac{_R1}{-\text{R1}^2 c^2 d + c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^2/(e*x^2+d),x)`

[Out]
$$-a*e/d/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})-a/d/x+c*b/d*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-b*\operatorname{arcsec}(c*x)/d/x-1/2*I*c*b*e/d*\operatorname{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\operatorname{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\operatorname{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+1/2*I*c*b*e/d*\operatorname{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\operatorname{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\operatorname{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{ex^4 + dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arcsec(c*x) + a)/(e*x^4 + d*x^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x^2(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d),x)

[Out] Integral((a + b*asec(c*x))/(x**2*(d + e*x**2)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)*x^2), x)

$$3.96 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=608

$$\frac{ibdPolyLog\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{e^3} + \frac{ibdPolyLog\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{e^3} + \frac{ibdPolyLog\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{e^3} + \frac{ibdPolyLog\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{e^3}$$

[Out] $-(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c*e^2) + (d*(a + b*\text{ArcSec}[c*x]))/(2*e^2*(e + d/x^2)) + (x^2*(a + b*\text{ArcSec}[c*x]))/(2*e^2) + (b*d*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)]/(2*e^{5/2}*\text{Sqrt}[c^2*d + e]) - (d*(a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/e^3 - (d*(a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/e^3 - (d*(a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/e^3 - (d*(a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/e^3 + (2*d*(a + b*\text{ArcSec}[c*x])*Log[1 + E^{((2*I)*\text{ArcSec}[c*x])}])/e^3 + (I*b*d*PolyLog[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))])/e^3 + (I*b*d*PolyLog[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/e^3 + (I*b*d*PolyLog[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))])/e^3 + (I*b*d*PolyLog[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/e^3 - (I*b*d*PolyLog[2, -E^{((2*I)*\text{ArcSec}[c*x])}])/e^3$

Rubi [A] time = 1.30586, antiderivative size = 608, normalized size of antiderivative = 1., number of steps used = 31, number of rules used = 14, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5240, 4734, 4628, 264, 4626, 3719, 2190, 2279, 2391, 4730, 377, 205, 4742, 4520}

$$\frac{ibdPolyLog\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{e^3} + \frac{ibdPolyLog\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{e^3} + \frac{ibdPolyLog\left(2, -\frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{e^3} + \frac{ibdPolyLog\left(2, \frac{c\sqrt{-de}i\sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{e^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(a + b*\text{ArcSec}[c*x]))/(d + e*x^2)^2, x]$

```
[Out] -(b*Sqrt[1 - 1/(c^2*x^2)]*x)/(2*c*e^2) + (d*(a + b*ArcSec[c*x]))/(2*e^2*(e
+ d/x^2)) + (x^2*(a + b*ArcSec[c*x]))/(2*e^2) + (b*d*ArcTan[Sqrt[c^2*d + e]
/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)])/(2*e^(5/2)*Sqrt[c^2*d + e]) - (d*(a
+ b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2
*d + e])])/e^3 - (d*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]
)))/(Sqrt[e] - Sqrt[c^2*d + e])/e^3 - (d*(a + b*ArcSec[c*x])*Log[1 - (c*S
qrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^3 - (d*(a + b*Ar
cSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e
])])/e^3 + (2*d*(a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])])/e^3 + (
I*b*d*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e
])])/e^3 + (I*b*d*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqr
t[c^2*d + e])])/e^3 + (I*b*d*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(S
qrt[e] + Sqrt[c^2*d + e])])/e^3 + (I*b*d*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSe
c[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^3 - (I*b*d*PolyLog[2, -E^((2*I)*Ar
cSec[c*x])])/e^3
```

Rule 5240

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 4734

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_)^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.)*(x_)^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4730

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_
Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x]))/(2*e*(p + 1)), x]
+ Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 4742

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*cos[x]), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4520

```
Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)*
(x_)]*(b_) + (a_)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1))
, x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] +
b*E^(I*(c + d*x))], x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^3 (e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^2 x^3} - \frac{2d (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^3 x} + \frac{d^2 x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)^2} + \frac{2d^2 x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^3 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= \frac{(2d) \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e^3} - \frac{(2d^2) \text{Subst} \left(\int \frac{x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} - \frac{\text{Subst} \left(\int \frac{a}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} \\
&= \frac{d (a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2 (a + b \sec^{-1}(cx))}{2e^2} - \frac{(2d) \text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{e^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{2ce^2} + \frac{d (a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2 (a + b \sec^{-1}(cx))}{2e^2} - \frac{id (a + b \sec^{-1}(cx))^2}{be^3} - \frac{(-d)^3}{e^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{2ce^2} + \frac{d (a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2 (a + b \sec^{-1}(cx))}{2e^2} - \frac{id (a + b \sec^{-1}(cx))^2}{be^3} + \frac{bd \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{2ce^2} + \frac{d (a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2 (a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} + \frac{2ad}{e^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{2ce^2} + \frac{d (a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2 (a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} - \frac{d (a + b \sec^{-1}(cx))^2}{e^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{2ce^2} + \frac{d (a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2 (a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} - \frac{d (a + b \sec^{-1}(cx))^2}{e^3} \\
&= -\frac{b \sqrt{1 - \frac{1}{c^2 x^2}}}{2ce^2} + \frac{d (a + b \sec^{-1}(cx))}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{x^2 (a + b \sec^{-1}(cx))}{2e^2} + \frac{bd \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} - \frac{d (a + b \sec^{-1}(cx))^2}{e^3}
\end{aligned}$$

Mathematica [B] time = 3.90373, size = 1255, normalized size = 2.06

$$\frac{2ad^2}{ex^2+d} + 4a \log(ex^2 + d)d - 2aex^2 + b \left(-2e \sec^{-1}(cx)x^2 + \frac{2e\sqrt{1-\frac{1}{c^2x^2}}x}{c} + \frac{d^{3/2} \sec^{-1}(cx)}{\sqrt{d-i\sqrt{ex}}} + \frac{d^{3/2} \sec^{-1}(cx)}{i\sqrt{ex+\sqrt{d}}} + 2d \sin^{-1}\left(\frac{1}{cx}\right) + 16ids \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} & -(-2*a*e*x^2 + (2*a*d^2)/(d + e*x^2) + 4*a*d*\text{Log}[d + e*x^2] + b*((2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/c - 2*e*x^2*\text{ArcSec}[c*x] + (d^{3/2}*\text{ArcSec}[c*x])/(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x) + (d^{3/2}*\text{ArcSec}[c*x])/(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x) + 2*d*\text{ArcSin}[1/(c*x)] + (16*I)*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{ArcTan}[\frac{((-I)*c*\text{Sqrt}[d] + \text{Sqrt}[e])* \text{Tan}[\text{ArcSec}[c*x]/2]}{\text{Sqrt}[c^2*d + e]}] + (16*I)*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{ArcTan}[\frac{(I*c*\text{Sqrt}[d] + \text{Sqrt}[e])* \text{Tan}[\text{ArcSec}[c*x]/2]}{\text{Sqrt}[c^2*d + e]}] + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] + 8*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] + 8*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] - 8*d*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] + 4*d*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] - 8*d*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] - 8*d*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] - (d*\text{Sqrt}[e]*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] - \text{Sqrt}[-(c^2*d) - e])* \text{Sqrt}[1 - 1/(c^2*x^2)]*x))/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x))]/\text{Sqrt}[-(c^2*d) - e] - (d*\text{Sqrt}[e]*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(-\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] + \text{Sqrt}[-(c^2*d) - e])* \text{Sqrt}[1 - 1/(c^2*x^2)]*x))/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x))]/\text{Sqrt}[-(c^2*d) - e] - (4*I)*d*\text{PolyLog}[2, (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] - (4*I)*d*\text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] - (4*I)*d*\text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])}] - (4*I)*d*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + (4*I)*d*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})/(4*e^3) \end{aligned}$$

Maple [C] time = 0.695, size = 783, normalized size = 1.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x)`

[Out]
$$\begin{aligned} & \frac{1}{2} a x^2 / e^2 - \frac{1}{2} c^2 a / e^3 d^2 / (c^2 e x^2 + c^2 d) - a / e^3 d \ln(c^2 e x^2 + c^2 d) \\ & + \frac{1}{2} c^2 b / (c^2 e x^2 + c^2 d) / e \operatorname{arcsec}(c x) x^4 + c^2 b / (c^2 e x^2 + c^2 d) / e^2 \\ & \operatorname{arcsec}(c x) d x^2 - \frac{1}{2} c b / (c^2 e x^2 + c^2 d) / e \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} \\ & x^3 - \frac{1}{2} c b / (c^2 e x^2 + c^2 d) / e^2 \left((c^2 x^2 - 1) / c^2 / x^2 \right)^{1/2} x d - \frac{1}{2} I b^* \\ & (e (c^2 d + e))^{1/2} / (c^2 d + e) / e^3 \operatorname{arctanh}(1/4 * (2 c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2}))^{1/2}) \\ & ^2 + 2 c^2 d + 4 e) / (c^2 d e + e^2)^{1/2} * d - \frac{1}{2} I b^* / (c^2 e x^2 + c^2 d) / e^2 \\ & d - 2 I b^* / e^3 d * \operatorname{dilog}(1 - I * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})) - 2 I b^* / e^3 d * \operatorname{dilog} \\ & (1 + I * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})) + 2 b / e^3 d * \operatorname{arcsec}(c x) * \ln(1 + I * (1/c/x + I * \\ & (1 - 1/c^2/x^2)^{1/2})) + 2 b / e^3 d * \operatorname{arcsec}(c x) * \ln(1 - I * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})) \\ &) - \frac{1}{2} I b^* / (c^2 e x^2 + c^2 d) / e x^2 + \frac{1}{2} I c^2 b / e^3 d^2 * \operatorname{sum}((_R1^2 + 1) / (_R1^2 * c^2 d + c^2 d + 2 e) * \\ & (I * \operatorname{arcsec}(c x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{1/2}) / _R1) + \operatorname{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{1/2}) / _R1)), \\ & _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2 c^2 d + 4 e) * _Z^2 + c^2 d)) + \frac{1}{2} I b^* / e^3 d * \operatorname{sum}((_R1^2 * c^2 d + c^2 d + 4 e) / (_R1^2 * c^2 \\ & d + c^2 d + 2 e) * (I * \operatorname{arcsec}(c x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{1/2}) / _R1) + \operatorname{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{1/2}) / _R1)), \\ & _R1 = \operatorname{RootOf}(c^2 d * _Z^4 + (2 c^2 d + 4 e) * _Z^2 + c^2 d)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} a \left(\frac{d^2}{e^4 x^2 + d e^3} - \frac{x^2}{e^2} + \frac{2 d \log(e x^2 + d)}{e^3} \right) + b \int \frac{x^5 \arctan(\sqrt{c x + 1} \sqrt{c x - 1})}{e^2 x^4 + 2 d e x^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] `-1/2*a*(d^2/(e^4*x^2 + d*e^3) - x^2/e^2 + 2*d*log(e*x^2 + d)/e^3) + b*integrate(x^5*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^5 \operatorname{arcsec}(cx) + ax^5}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*x^5*arcsec(c*x) + a*x^5)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^5}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^5/(e*x^2 + d)^2, x)

$$3.97 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=570

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^2} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^2}$$

[Out] $-(a + b \operatorname{ArcSec}[c*x])/(2*e*(e + d/x^2)) - (b \operatorname{ArcTan}[\operatorname{Sqrt}[c^2*d + e]/(c*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x)]/(2*e^{(3/2)}*\operatorname{Sqrt}[c^2*d + e]) + ((a + b \operatorname{ArcSec}[c*x])* \operatorname{Log}[1 - (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/(2*e^2) + ((a + b \operatorname{ArcSec}[c*x])* \operatorname{Log}[1 + (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/(2*e^2) + ((a + b \operatorname{ArcSec}[c*x])* \operatorname{Log}[1 - (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/(2*e^2) + ((a + b \operatorname{ArcSec}[c*x])* \operatorname{Log}[1 + (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/(2*e^2) - ((a + b \operatorname{ArcSec}[c*x])* \operatorname{Log}[1 + E^{((2*I)*\operatorname{ArcSec}[c*x])}])/e^2 - ((I/2)*b*\operatorname{PolyLog}[2, -((c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e]))]/e^2 - ((I/2)*b*\operatorname{PolyLog}[2, (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/e^2 - ((I/2)*b*\operatorname{PolyLog}[2, -((c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e]))]/e^2 - ((I/2)*b*\operatorname{PolyLog}[2, (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/e^2 + ((I/2)*b*\operatorname{PolyLog}[2, -E^{((2*I)*\operatorname{ArcSec}[c*x])}])/e^2$

Rubi [A] time = 1.21563, antiderivative size = 570, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5240, 4734, 4626, 3719, 2190, 2279, 2391, 4730, 377, 205, 4742, 4520}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^2} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(a + b \operatorname{ArcSec}[c*x]))/(d + e*x^2)^2, x]$

[Out] $-(a + b \operatorname{ArcSec}[c*x])/(2*e*(e + d/x^2)) - (b \operatorname{ArcTan}[\operatorname{Sqrt}[c^2*d + e]/(c*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x)]/(2*e^{(3/2)}*\operatorname{Sqrt}[c^2*d + e]) + ((a + b \operatorname{ArcSec}[$

```

c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])]/
(2*e^2) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt
[e] - Sqrt[c^2*d + e])]/(2*e^2) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]
*e^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/(2*e^2) + ((a + b*ArcSec[
c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])]/
(2*e^2) - ((a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])]/e^2 - ((I/2)
*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])
)]/e^2 - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt
[c^2*d + e])]/e^2 - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(
Sqrt[e] + Sqrt[c^2*d + e]))]/e^2 - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*Ar
cSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/e^2 + ((I/2)*b*PolyLog[2, -E^((2*
I)*ArcSec[c*x])]/e^2

```

Rule 5240

```

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[(e + d*x^2)^p*(a + b*ArcCos[x/c])^n]/x^
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]

```

Rule 4734

```

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

Rule 4626

```

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
]

```

Rule 3719

```

Int[((c_.) + (d_.)*(x_)^(m_.))*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[
m, 0]

```

Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_)^(m_.)))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di

```

st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4730

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x]))/(2*e*(p + 1)), x] + Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 377

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 4742

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)/((d_) + (e_)*(x_)), x_Symbol] :> -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)*(x_)]*(b_) + (a_)), x_Symbol] :> Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}

, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sec^{-1}(cx))}{(d + cx^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x (e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^2 x} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e (e + dx^2)^2} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{e} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{\text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{e^2} + \frac{d \text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \cos^{-1} \left(\frac{x}{c} \right))}{2d(\sqrt{e} - \sqrt{-d})} \right) dx, x, \frac{1}{x} \right)}{e} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2be^2} - \frac{(2i) \text{Subst} \left(\int \frac{e^{2ix}(a + bx)}{1 + e^{2ix}} dx, x, \sec^{-1}(cx) \right)}{e^2} - \frac{\sqrt{-d} S}{e} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2be^2} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} - \frac{(a + b \sec^{-1}(cx)) \log(1)}{e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} - \frac{(a + b \sec^{-1}(cx)) \log(1 + e^{2i \sec^{-1}(cx)})}{e^2} - \frac{(ib) S}{e} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c \sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^2} + \frac{(a)}{e} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c \sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^2} + \frac{(a)}{e} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \sec^{-1}(cx)) \log \left(1 - \frac{c \sqrt{-d} e^{i \sec^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^2} + \frac{(a)}{e}
\end{aligned}$$

Mathematica [B] time = 1.11345, size = 1213, normalized size = 2.13

$$\frac{2ad}{ex^2+d} + \frac{b \sec^{-1}(cx)\sqrt{d}}{\sqrt{d}-i\sqrt{ex}} + \frac{b \sec^{-1}(cx)\sqrt{d}}{i\sqrt{ex}+\sqrt{d}} + 2b \sin^{-1}\left(\frac{1}{cx}\right) + 8ib \sin^{-1}\left(\frac{\sqrt{1-\frac{i\sqrt{e}}{c\sqrt{d}}}}{\sqrt{2}}\right) \tan^{-1}\left(\frac{(\sqrt{e-ic}\sqrt{d}) \tan\left(\frac{1}{2} \sec^{-1}(cx)\right)}{\sqrt{dc^2+e}}\right) + 8ib \sin^{-1}\left(\frac{\sqrt{\frac{i\sqrt{e}}{c\sqrt{d}}+1}}{\sqrt{2}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] ((2*a*d)/(d + e*x^2) + (b*Sqrt[d]*ArcSec[c*x])/(Sqrt[d] - I*Sqrt[e]*x) + (b*Sqrt[d]*ArcSec[c*x])/(Sqrt[d] + I*Sqrt[e]*x) + 2*b*ArcSin[1/(c*x)] + (8*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] + (8*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] + 2*b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 4*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 2*b*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 4*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 2*b*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 4*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + 2*b*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 4*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - 4*b*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - (b*Sqrt[e]*Log[(2*Sqrt[d]*Sqrt[e]*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x)]/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x)))]/Sqrt[-(c^2*d) - e] - (b*Sqrt[e]*Log[(2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x)]/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x)))]/Sqrt[-(c^2*d) - e] + 2*a*Log[d + e*x^2] - (2*I)*b*PolyLog[2, (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*b*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*b*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] - (2*I)*b*PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])] + (2*I)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])]]/(4*e^2)

Maple [C] time = 0.647, size = 594, normalized size = 1.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3(a+b\text{arcsec}(cx))/(e^2x^2+d)^2, x)$

[Out] $\frac{1}{2}c^2a/e^2d/(c^2ex^2+c^2d)+\frac{1}{2}a/e^2\ln(c^2ex^2+c^2d)-\frac{1}{2}c^2b*x^2*\text{arcsec}(cx)/e/(c^2ex^2+c^2d)+\frac{1}{2}I*b*(e*(c^2d+e))^{(1/2)}/(c^2d+e)/e^2*\text{arctanh}(1/4*(2*c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2+2*c^2*d+4*e)/(c^2*d*e+e^2)^{(1/2)})-1/4*I*b/e^2*\text{sum}((_R1^2*c^2*d+c^2*d+4*e)/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(cx)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)), _R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-b/e^2*\text{arcsec}(cx)*\ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-b/e^2*\text{arcsec}(cx)*\ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*b/e^2*\text{dilog}(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*b/e^2*\text{dilog}(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-1/4*I*c^2*b/e^2*d*\text{sum}((_R1^2+1)/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(cx)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)), _R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a\left(\frac{d}{e^3x^2+de^2}+\frac{\log(ex^2+d)}{e^2}\right)+b\int\frac{x^3\arctan(\sqrt{cx+1}\sqrt{cx-1})}{e^2x^4+2dex^2+d^2}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3(a+b\text{arcsec}(cx))/(e^2x^2+d)^2, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{2}a*(d/(e^3x^2+d*e^2)+\log(e^2x^2+d)/e^2)+b*\text{integrate}(x^3*\text{arctan}(\text{sqrt}(cx+1)*\text{sqrt}(cx-1))/(e^2*x^4+2*d*e*x^2+d^2), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^3\text{arcsec}(cx)+ax^3}{e^2x^4+2dex^2+d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b*x^3*arcsec(c*x) + a*x^3)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^3}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^3/(e*x^2 + d)^2, x)
```


$$3.98 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=131

$$-\frac{a+b \sec^{-1}(cx)}{2e(d+ex^2)} + \frac{bcx \tan^{-1}(\sqrt{c^2x^2-1})}{2de\sqrt{c^2x^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{2d\sqrt{e}\sqrt{c^2x^2}\sqrt{c^2d+e}}$$

[Out] $-(a + b \operatorname{ArcSec}[c*x]) / (2*e*(d + e*x^2)) + (b*c*x*\operatorname{ArcTan}[\operatorname{Sqrt}[-1 + c^2*x^2]]) / (2*d*e*\operatorname{Sqrt}[c^2*x^2]) - (b*c*x*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[-1 + c^2*x^2]) / \operatorname{Sqrt}[c^2*d + e]]) / (2*d*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c^2*d + e]*\operatorname{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.120676, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {5236, 446, 86, 63, 205}

$$-\frac{a+b \sec^{-1}(cx)}{2e(d+ex^2)} + \frac{bcx \tan^{-1}(\sqrt{c^2x^2-1})}{2de\sqrt{c^2x^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{2d\sqrt{e}\sqrt{c^2x^2}\sqrt{c^2d+e}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(a + b*\operatorname{ArcSec}[c*x]))/(d + e*x^2)^2, x]$

[Out] $-(a + b \operatorname{ArcSec}[c*x]) / (2*e*(d + e*x^2)) + (b*c*x*\operatorname{ArcTan}[\operatorname{Sqrt}[-1 + c^2*x^2]]) / (2*d*e*\operatorname{Sqrt}[c^2*x^2]) - (b*c*x*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[-1 + c^2*x^2]) / \operatorname{Sqrt}[c^2*d + e]]) / (2*d*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c^2*d + e]*\operatorname{Sqrt}[c^2*x^2])$

Rule 5236

$\operatorname{Int}[(a + \operatorname{ArcSec}[c*x])*(d + e*x^2)^p, x]$
 $\operatorname{Int}[(a + \operatorname{ArcSec}[c*x])*(d + e*x^2)^p, x] \rightarrow \operatorname{Simp}[(d + e*x^2)^{p+1}*(a + b*\operatorname{ArcSec}[c*x]) / (2*e*(p+1)), x] - \operatorname{Dist}[(b*c*x) / (2*e*(p+1)*\operatorname{Sqrt}[c^2*x^2]), \operatorname{Int}[(d + e*x^2)^{p+1} / (x*\operatorname{Sqrt}[c^2*x^2 - 1]), x], x] /;$ FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rule 446

$\operatorname{Int}[x^m*(a + b*x^n)^p, x]$
 $\operatorname{Int}[x^m*(a + b*x^n)^p, x] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(Simplify[(m+1)/n] - 1)*(a + b*x)^p}], x]]$

```
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 86

```
Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
x_Symbol] := Dist[b/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[d
/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f,
p}, x] && !IntegerQ[p]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} + \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2}(d+ex^2)} dx}{2e\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}(d+ex)} dx, x, x^2\right)}{4e\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{\sqrt{-1+c^2x}(d+ex)} dx, x, x^2\right)}{4d\sqrt{c^2x^2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{4de\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} - \frac{(bx) \text{Subst}\left(\int \frac{1}{d+\frac{e}{c^2}+\frac{ex^2}{c^2}} dx, x, \sqrt{-1+c^2x^2}\right)}{2cd\sqrt{c^2x^2}} + \frac{(bx) \text{Subst}\left(\int \frac{1}{\frac{1}{c^2}+\frac{x^2}{c^2}} dx, x, \sqrt{-1+c^2x^2}\right)}{2cde\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{2e(d + ex^2)} + \frac{bcx \tan^{-1}\left(\sqrt{-1+c^2x^2}\right)}{2de\sqrt{c^2x^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{\sqrt{c^2d+e}}\right)}{2d\sqrt{e}\sqrt{c^2d+e}\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.574981, size = 286, normalized size = 2.18

$$\frac{-\frac{2a}{d+ex^2} + \frac{b\sqrt{e} \log\left(\frac{4cd\sqrt{ex}\left(c\sqrt{d-i}\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}\right)+4ide}{b\sqrt{c^2(-d)-e}(\sqrt{d+i}\sqrt{ex})}\right)}{d\sqrt{c^2(-d)-e}} + \frac{b\sqrt{e} \log\left(\frac{4cd\sqrt{ex}\left(c\sqrt{d+i}\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}\right)-4ide}{b\sqrt{c^2(-d)-e}(\sqrt{d-i}\sqrt{ex})}\right)}{d\sqrt{c^2(-d)-e}} - \frac{2b \sec^{-1}(cx)}{d+ex^2} - \frac{2b \sin^{-1}\left(\frac{1}{cx}\right)}{d}}{4e}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]

[Out] ((-2*a)/(d + e*x^2) - (2*b*ArcSec[c*x]))/(d + e*x^2) - (2*b*ArcSin[1/(c*x)])
/d + (b*Sqrt[e]*Log[((4*I)*d*e + 4*c*d*Sqrt[e]*(c*Sqrt[d] - I*Sqrt[-(c^2*d)
- e])*Sqrt[1 - 1/(c^2*x^2)])*x)/(b*Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*
x)))/(d*Sqrt[-(c^2*d) - e]) + (b*Sqrt[e]*Log[((-4*I)*d*e + 4*c*d*Sqrt[e]*(
c*Sqrt[d] + I*Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x)/(b*Sqrt[-(c^2*d)
- e]*(Sqrt[d] - I*Sqrt[e]*x)))/(d*Sqrt[-(c^2*d) - e])/(4*e)

Maple [B] time = 0.256, size = 354, normalized size = 2.7

$$-\frac{c^2 a}{2e(c^2 e x^2 + c^2 d)} - \frac{c^2 b \operatorname{arcsec}(cx)}{2e(c^2 e x^2 + c^2 d)} - \frac{b}{2ecxd} \sqrt{c^2 x^2 - 1} \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{b}{4ecxd} \sqrt{c^2 x^2 - 1} \ln\left(2 \frac{1}{ecx + \sqrt{c^2 x^2 - 1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x)`

[Out]
$$-1/2*c^2*a/e/(c^2*e*x^2+c^2*d)-1/2*c^2*b/e/(c^2*e*x^2+c^2*d)*\operatorname{arcsec}(c*x)-1/2/c*b/e*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/d*\arctan(1/(c^2*x^2-1)^{(1/2))}+1/4/c*b/e*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/d/(-(c^2*d+e)/e)^{(1/2)*\ln(2*((-(c^2*d+e)/e)^{(1/2)*(c^2*x^2-1)^{(1/2)*e-(-(c^2*e*d)^{(1/2)*c*x-e)/(e*c*x+(-(c^2*e*d)^{(1/2))}))+1/4/c*b/e*(c^2*x^2-1)^{(1/2)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/d/(-(c^2*d+e)/e)^{(1/2)*\ln(-2*((-(c^2*d+e)/e)^{(1/2)*(c^2*x^2-1)^{(1/2)*e+(-(c^2*e*d)^{(1/2)*c*x-e)/(-e*c*x+(-(c^2*e*d)^{(1/2))})}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{\left((c^2 e^2 x^2 + c^2 d e) \int \frac{x e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(cx-1)\right)} dx - \arctan(\sqrt{cx+1}\sqrt{cx-1}) \right) b}{c^2 e^2 x^4 + (c^2 e^2 x^4 + (c^2 d e - e^2) x^2 - d e)(cx+1)(cx-1) + (c^2 d e - e^2) x^2 - d e} \right)}{2(e^2 x^2 + d e)} - \frac{a}{2(e^2 x^2 + d e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out]
$$1/2*(2*(c^2*e^2*x^2 + c^2*d*e)*\operatorname{integrate}(1/2*x*e^{(1/2*\log(c*x + 1) + 1/2*\log(c*x - 1))}/(c^2*e^2*x^4 + (c^2*d*e - e^2)*x^2 - d*e + (c^2*e^2*x^4 + (c^2*d*e - e^2)*x^2 - d*e)*e^{(\log(c*x + 1) + \log(c*x - 1))}, x) - \arctan(\operatorname{sqrt}(c*x + 1)*\operatorname{sqrt}(c*x - 1)))*b/(e^2*x^2 + d*e) - 1/2*a/(e^2*x^2 + d*e)$$

Fricas [A] time = 1.94338, size = 833, normalized size = 6.36

$$\frac{\left[2ac^2d^2 + 2ade + \sqrt{-c^2de - e^2}(bex^2 + bd) \log\left(\frac{c^2ex^2 - c^2d + 2\sqrt{-c^2de - e^2}\sqrt{c^2x^2 - 1} - 2e}{ex^2 + d}\right) + 2(bc^2d^2 + bde) \operatorname{arcsec}(cx) - 4(bc^2d^2 - bde) \right]}{4(c^2d^3e + d^2e^2 + (c^2d^2e^2 + de^3)x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] [-1/4*(2*a*c^2*d^2 + 2*a*d*e + sqrt(-c^2*d*e - e^2)*(b*e*x^2 + b*d)*log((c^
2*e*x^2 - c^2*d + 2*sqrt(-c^2*d*e - e^2)*sqrt(c^2*x^2 - 1) - 2*e)/(e*x^2 +
d)) + 2*(b*c^2*d^2 + b*d*e)*arcsec(c*x) - 4*(b*c^2*d^2 + b*d*e + (b*c^2*d*e
+ b*e^2)*x^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)))/(c^2*d^3*e + d^2*e^2 + (c^
2*d^2*e^2 + d*e^3)*x^2), -1/2*(a*c^2*d^2 + a*d*e + sqrt(c^2*d*e + e^2)*(b*e
*x^2 + b*d)*arctan(sqrt(c^2*d*e + e^2)*sqrt(c^2*x^2 - 1)/(c^2*d + e)) + (b*
c^2*d^2 + b*d*e)*arcsec(c*x) - 2*(b*c^2*d^2 + b*d*e + (b*c^2*d*e + b*e^2)*x
^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)))/(c^2*d^3*e + d^2*e^2 + (c^2*d^2*e^2 +
d*e^3)*x^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x/(e*x^2 + d)^2, x)
```

$$3.99 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^2} dx$$

Optimal. Leaf size=546

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2}$$

[Out] $-(e*(a + b*\text{ArcSec}[c*x]))/(2*d^2*(e + d/x^2)) + ((I/2)*(a + b*\text{ArcSec}[c*x])^2)/(b*d^2) - (b*\text{Sqrt}[e]*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]]*x)]/(2*d^2*\text{Sqrt}[c^2*d + e]) - ((a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(2*d^2) - ((a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(2*d^2) - ((a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*d^2) - ((a + b*\text{ArcSec}[c*x])*Log[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*d^2) + ((I/2)*b*PolyLog[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])))]/d^2 + ((I/2)*b*PolyLog[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/d^2 + ((I/2)*b*PolyLog[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])))]/d^2 + ((I/2)*b*PolyLog[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/d^2$

Rubi [A] time = 1.1398, antiderivative size = 546, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5240, 4734, 4730, 377, 205, 4742, 4520, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^2), x]

[Out] $-(e*(a + b*\text{ArcSec}[c*x]))/(2*d^2*(e + d/x^2)) + ((I/2)*(a + b*\text{ArcSec}[c*x])^2)/(b*d^2) - (b*\text{Sqrt}[e]*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]]*x)]/(2*d^2*\text{Sqrt}[c^2*d + e]) - ((a + b*\text{ArcSec}[c*x])*Log[1 - (c*\text{Sqrt}[-d]$

$$\begin{aligned} & *E^{(I*\text{ArcSec}[c*x])}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(2*d^2) - ((a + b*\text{ArcSec}[c*x]) * \text{Log}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]) / (2*d^2) - ((a + b*\text{ArcSec}[c*x]) * \text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]) / (2*d^2) - ((a + b*\text{ArcSec}[c*x]) * \text{Log}[1 + (c*\text{Sqrt}[-d] * E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]) / (2*d^2) + ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))] / d^2 + ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])] / d^2 + ((I/2)*b*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))] / d^2 + ((I/2)*b*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])] / d^2 \end{aligned}$$

Rule 5240

$$\text{Int}[(a + \text{ArcSec}[c*x])*(b*x)^n*(d + e*x^2)^p, x_Symbol] \rightarrow -\text{Subst}[\text{Int}[(e + d*x^2)^p*(a + b*\text{ArcCos}[x/c])^n]/x^{m+2*(p+1)}, x], x, 1/x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[p]$$

Rule 4734

$$\text{Int}[(a + \text{ArcCos}[c*x])*(b*x)^n*(f*x)^m*(d + e*x^2)^p, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcCos}[c*x])^n*(f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$

Rule 4730

$$\text{Int}[(a + \text{ArcCos}[c*x])*(b*x)^n*(d + e*x^2)^p, x_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{p+1}*(a + b*\text{ArcCos}[c*x]) / (2*e*(p+1)), x] + \text{Dist}[(b*c)/(2*e*(p+1)), \text{Int}[(d + e*x^2)^{p+1}/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{NeQ}[p, -1]$$

Rule 377

$$\text{Int}[(a + (b*x)^n)^p / (c + (d*x)^n), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$

Rule 205

$$\text{Int}[(a + (b*x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$$

Rule 4742

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:> -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4520

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_)), x_Symbol] :> Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1))
, x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] +
b*E^(I*(c + d*x))], x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{x^3 \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{ex \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d(e + dx^2)^2} + \frac{x \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{x \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{x \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} \\
&= \frac{e \left(a + b \sec^{-1}(cx) \right)}{2d^2 \left(e + \frac{d}{x^2} \right)} - \frac{\text{Subst} \left(\int \left(-\frac{\sqrt{-d} \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{2d(\sqrt{e} - \sqrt{-d}x)} + \frac{\sqrt{-d} \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{2d(\sqrt{e} + \sqrt{-d}x)} \right) dx, x, \frac{1}{x} \right)}{d} \quad (be) \text{ Subst} \\
&= \frac{e \left(a + b \sec^{-1}(cx) \right)}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} - \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2(-d)^{3/2}} \quad (be) \text{ S} \\
&= \frac{e \left(a + b \sec^{-1}(cx) \right)}{2d^2 \left(e + \frac{d}{x^2} \right)} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2d^2 \sqrt{c^2 d + e}} - \frac{\text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cos(x)} dx, x, \sec^{-1}(cx) \right)}{2(-d)^{3/2}} + \text{S} \\
&= \frac{e \left(a + b \sec^{-1}(cx) \right)}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i \left(a + b \sec^{-1}(cx) \right)^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2d^2 \sqrt{c^2 d + e}} + \frac{i \text{Subst} \left(\int \frac{e^{ix} (a + bx)}{\frac{\sqrt{e}}{c} - \frac{\sqrt{c^2 d + e}}{c}} dx, x, \sec^{-1}(cx) \right)}{2(-d)^{3/2}} \\
&= \frac{e \left(a + b \sec^{-1}(cx) \right)}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i \left(a + b \sec^{-1}(cx) \right)^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2d^2 \sqrt{c^2 d + e}} - \frac{\left(a + b \sec^{-1}(cx) \right) \log \left(\frac{\sqrt{e} - \sqrt{c^2 d + e}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2d^2} \\
&= \frac{e \left(a + b \sec^{-1}(cx) \right)}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i \left(a + b \sec^{-1}(cx) \right)^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2d^2 \sqrt{c^2 d + e}} - \frac{\left(a + b \sec^{-1}(cx) \right) \log \left(\frac{\sqrt{e} - \sqrt{c^2 d + e}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2d^2} \\
&= \frac{e \left(a + b \sec^{-1}(cx) \right)}{2d^2 \left(e + \frac{d}{x^2} \right)} + \frac{i \left(a + b \sec^{-1}(cx) \right)^2}{2bd^2} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2d^2 \sqrt{c^2 d + e}} - \frac{\left(a + b \sec^{-1}(cx) \right) \log \left(\frac{\sqrt{e} - \sqrt{c^2 d + e}}{\sqrt{e} + \sqrt{c^2 d + e}} \right)}{2d^2}
\end{aligned}$$

Mathematica [F] time = 35.0102, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^2), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^2), x]

Maple [C] time = 0.879, size = 3095, normalized size = 5.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x/(e*x^2+d)^2,x)

[Out] $\frac{1}{2} b c^2 d / (c^2 d + e) \ln(1 - c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * \text{arcsec}(c * x) + I * b / c^2 * \text{polylog}(2, c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * e / d^3 + I * b / c^4 * \text{polylog}(2, c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * e^2 / d^4 - 2 * b / c^2 / d^3 * \ln(1 - c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * \text{arcsec}(c * x) * e - 2 * b / c^4 / d^4 * \ln(1 - c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * \text{arcsec}(c * x) * e^2 + a / d^2 * \ln(c * x) + 1/4 * b * c^2 * (e * (c^2 d + e))^{1/2} / e / (c^2 d + e) / d * \text{arcsec}(c * x) * \ln(1 - c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d + 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) - 1/8 * I * b * c^2 * (e * (c^2 d + e))^{1/2} / e / (c^2 d + e) / d * \text{polylog}(2, c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d + 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) + 2 * I * b / c^4 * e^2 * \text{arcsec}(c * x)^2 / (c^2 d + e) / d^4 * (e * (c^2 d + e))^{1/2} + 1/8 * I * b * c^2 * \text{polylog}(2, c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) / d / e / (c^2 d + e) * (e * (c^2 d + e))^{1/2} + I * b / c^4 * e^2 * \text{polylog}(2, c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) / (c^2 d + e) / d^4 * (e * (c^2 d + e))^{1/2} - 3 * b / c^2 / d^3 / (c^2 d + e) * \ln(1 - c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * \text{arcsec}(c * x) * (e * (c^2 d + e))^{1/2} * e - 2 * b / c^4 * e^2 / (c^2 d + e) / d^4 * \ln(1 - c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * \text{arcsec}(c * x) * (e * (c^2 d + e))^{1/2} - 1/4 * b * c^2 / d / e / (c^2 d + e) * \ln(1 - c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2 / (-c^2 d - 2 * (e * (c^2 d + e))^{1/2} - 2 * e)) * \text{arcsec}(c * x) * (e * (c^2 d + e))^{1/2} + 3 * I * b / c^2 * \text{arcsec}(c * x)^2 / d^3 / (c^2 d + e) * (e * (c^2 d + e))^{1/2} * e + 3/2 * I * b / c^2 * \text{polylog}(2, c^2 d * (1/c/x + I * (1 - 1/c^2/x^2)^{1/2})^2$

$$\begin{aligned}
& /(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/d^3/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}*e+1/ \\
& 2*a*c^2/d/(c^2*e*x^2+c^2*d)+I*b*arcsec(c*x)^2/d^2-1/2*b/d^2*\ln(1-c^2*d*(1/c \\
& /x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c*x) \\
& +1/2*I*b/d^2*\sum((_R1^2*c^2*d+2*c^2*d+4*e)/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcse \\
& c(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\operatorname{dilog}((_R1-1/c/x-I*(1-1/c^ \\
& 2/x^2)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+1/4*I* \\
& b*\operatorname{polylog}(2,c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(\\
& 1/2)}-2*e))/d^2-1/2*a/d^2*\ln(c^2*e*x^2+c^2*d)+b/c^2/d^3*\ln(1-c^2*d*(1/c/x+I* \\
& (1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c*x)*(e*(\\
& c^2*d+e))^{(1/2)}+I*b*(e*(c^2*d+e))^{(1/2)}/d^2/(c^2*d+e)*arcsec(c*x)^2-3/2*b/d \\
& ^2/(c^2*d+e)*\ln(1-c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d \\
& +e))^{(1/2)}-2*e))*arcsec(c*x)*(e*(c^2*d+e))^{(1/2)}+5/2*b/d^2/(c^2*d+e)*\ln(1-c \\
& ^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*ar \\
& csec(c*x)*e+1/2*b*(e*(c^2*d+e))^{(1/2)}/d^2/(c^2*d+e)*arcsec(c*x)*\ln(1-c^2*d* \\
& (1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e))+2*I*b/c \\
& ^2*arcsec(c*x)^2*e/d^3+2*I*b/c^4*arcsec(c*x)^2*e^2/d^4-1/2*I*b/c^2*\operatorname{polylog}(\\
& 2,c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e)) \\
& /d^3*(e*(c^2*d+e))^{(1/2)}-I*b/c^2*arcsec(c*x)^2/d^3*(e*(c^2*d+e))^{(1/2)}-1/2* \\
& I*b*c^2*arcsec(c*x)^2/d/(c^2*d+e)-1/4*I*b*c^2*\operatorname{polylog}(2,c^2*d*(1/c/x+I*(1-1 \\
& /c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/d/(c^2*d+e)-5/2*I*b* \\
& arcsec(c*x)^2/d^2/(c^2*d+e)*e-1/4*I*b*(e*(c^2*d+e))^{(1/2)}/d^2/(c^2*d+e)*\operatorname{pol} \\
& ylog(2,c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d+2*(e*(c^2*d+e))^{(1/2)}- \\
& 2*e))+3/4*I*b*\operatorname{polylog}(2,c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e* \\
& (c^2*d+e))^{(1/2)}-2*e))/d^2/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-5/4*I*b*\operatorname{polylog}(2, \\
& c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))/d \\
& ^2/(c^2*d+e)*e+1/2*I*b*(e*(c^2*d+e))^{(1/2)}/d^2/(c^2*d+e)*\operatorname{arctanh}(1/4*(2*c^2 \\
& *d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2+2*c^2*d+4*e)/(c^2*d*e+e^2)^{(1/2)})-1/2*b* \\
& c^2*x^2*arcsec(c*x)*e/(c^2*e*x^2+c^2*d)/d^2-I*b/c^4*\operatorname{polylog}(2,c^2*d*(1/c/x+ \\
& I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*e/d^4*(e*(c^2* \\
& d+e))^{(1/2)}-2*I*b/c^4*arcsec(c*x)^2*e/d^4*(e*(c^2*d+e))^{(1/2)}-2*I*b/c^2*\operatorname{pol} \\
& ylog(2,c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}- \\
& 2*e))/d^3/(c^2*d+e)*e^2-2*I*b/c^4*e^3*arcsec(c*x)^2/(c^2*d+e)/d^4-I*b/c^4*e \\
& ^3*\operatorname{polylog}(2,c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(\\
& 1/2)}-2*e))/(c^2*d+e)/d^4+4*b/c^2/d^3/(c^2*d+e)*\ln(1-c^2*d*(1/c/x+I*(1-1/c^ \\
& 2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*arcsec(c*x)*e^2+2*b/c^4 \\
& /d^4*\ln(1-c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/ \\
& 2)}-2*e))*arcsec(c*x)*e*(e*(c^2*d+e))^{(1/2)}+2*b/c^4*e^3/(c^2*d+e)/d^4*\ln(1-c \\
& ^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2/(-c^2*d-2*(e*(c^2*d+e))^{(1/2)}-2*e))*ar \\
& csec(c*x)-4*I*b/c^2*arcsec(c*x)^2/d^3/(c^2*d+e)*e^2
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a\left(\frac{1}{dex^2 + d^2} - \frac{\log(ex^2 + d)}{d^2} + \frac{2\log(x)}{d^2}\right) + b \int \frac{\arctan(\sqrt{cx+1}\sqrt{cx-1})}{e^2x^5 + 2dex^3 + d^2x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^2,x, algorithm="maxima")

[Out] 1/2*a*(1/(d*e*x^2 + d^2) - log(e*x^2 + d)/d^2 + 2*log(x)/d^2) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(e^2*x^5 + 2*d*e*x^3 + d^2*x), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{e^2x^5 + 2dex^3 + d^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(e^2*x^5 + 2*d*e*x^3 + d^2*x), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^2*x), x)
```

$$3.100 \quad \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=784

$$\frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4e^{5/2}} + \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4e^{5/2}}$$

```
[Out] -(d*(a + b*ArcSec[c*x]))/(4*e^2*(Sqrt[-d]*Sqrt[e] - d/x)) + (d*(a + b*ArcSec[c*x]))/(4*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (x*(a + b*ArcSec[c*x]))/e^2 - (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/(c*e^2) - (b*Sqrt[d]*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])))/(4*e^2*Sqrt[c^2*d + e]) - (b*Sqrt[d]*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])))/(4*e^2*Sqrt[c^2*d + e]) + (3*Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/(4*e^(5/2)) - (3*Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/(4*e^(5/2)) + (3*Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))]/(Sqrt[e] + Sqrt[c^2*d + e]))/(4*e^(5/2)) - (3*Sqrt[-d]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))]/(Sqrt[e] + Sqrt[c^2*d + e]))/(4*e^(5/2)) + (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/e^(5/2) - (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e^(5/2) + (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/e^(5/2) - (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^(5/2)
```

Rubi [A] time = 2.35353, antiderivative size = 784, normalized size of antiderivative = 1., number of steps used = 51, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5240, 4734, 4628, 266, 63, 208, 4668, 4744, 725, 206, 4742, 4520, 2190, 2279, 2391}

$$\frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4e^{5/2}} + \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4e^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] $-(d*(a + b*\text{ArcSec}[c*x]))/(4*e^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) + (d*(a + b*\text{ArcSec}[c*x]))/(4*e^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) + (x*(a + b*\text{ArcSec}[c*x]))/e^2 - (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(c*e^2) - (b*\text{Sqrt}[d]*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])))/(4*e^2*\text{Sqrt}[c^2*d + e]) - (b*\text{Sqrt}[d]*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])))/(4*e^2*\text{Sqrt}[c^2*d + e]) + (3*\text{Sqrt}[-d]*(a + b*\text{ArcSec}[c*x])*\text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(4*e^{(5/2)}) - (3*\text{Sqrt}[-d]*(a + b*\text{ArcSec}[c*x])*\text{Log}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(4*e^{(5/2)}) + (3*\text{Sqrt}[-d]*(a + b*\text{ArcSec}[c*x])*\text{Log}[1 - (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(4*e^{(5/2)}) - (3*\text{Sqrt}[-d]*(a + b*\text{ArcSec}[c*x])*\text{Log}[1 + (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(4*e^{(5/2)}) + (((3*I)/4)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/e^{(5/2)} - (((3*I)/4)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/e^{(5/2)} + (((3*I)/4)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, -((c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/e^{(5/2)} - (((3*I)/4)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, (c*\text{Sqrt}[-d]*E^{(I*\text{ArcSec}[c*x]))})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/e^{(5/2)}$

Rule 5240

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rule 4734

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 4668

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4744

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_) + (e_)*(x_))^(m_), x_S
ymbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(e*(m + 1)), x] +
Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```


Rule 4742

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
  > -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4520

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_.)), x_Symbol] > Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1))
, x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] +
b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] > Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
  > Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] > -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2 (e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^2 x^2} - \frac{d (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e (e + dx^2)^2} - \frac{d (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e^2} + \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce^2} + \frac{d \text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} - \sqrt{-dx})} + \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{e^2} \\
&= \frac{x (a + b \sec^{-1}(cx))}{e^2} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e^{5/2}} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e^{5/2}} + \\
&= -\frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x (a + b \sec^{-1}(cx))}{e^2} - \frac{d \text{Subst} \left(\int \frac{(a + bx) \sin(x)}{\frac{\sqrt{e}}{c} - \sqrt{-d} \cos(x)} dx \right)}{2e^{5/2}} \\
&= -\frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x (a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} + \\
&= -\frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x (a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} \\
&= -\frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x (a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} \\
&= -\frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d (a + b \sec^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x (a + b \sec^{-1}(cx))}{e^2} - \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2}
\end{aligned}$$

Mathematica [A] time = 2.25693, size = 1331, normalized size = 1.7

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] $(4*a*\sqrt{e}*x + (2*a*d*\sqrt{e}*x)/(d + e*x^2) - 6*a*\sqrt{d}*ArcTan[(\sqrt{e}*x)/\sqrt{d}] + b*(4*\sqrt{e}*x*ArcSec[c*x] + (d*ArcSec[c*x])/((-1)*\sqrt{d} + \sqrt{e}*x) + (d*ArcSec[c*x])/(I*\sqrt{d} + \sqrt{e}*x) + 12*\sqrt{d}*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*ArcTan[(((- I)*c*\sqrt{d} + \sqrt{e})*Tan[ArcSec[c*x]/2])/ \sqrt{c^2*d + e}] - 12*\sqrt{d}*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*ArcTan[((I*c*\sqrt{d} + \sqrt{e})*Tan[ArcSec[c*x]/2])/ \sqrt{c^2*d + e}] + (3*I)*\sqrt{d}*ArcSec[c*x]*Log[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + (6*I)*\sqrt{d}*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*Log[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (3*I)*\sqrt{d}*ArcSec[c*x]*Log[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (6*I)*\sqrt{d}*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*Log[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (3*I)*\sqrt{d}*ArcSec[c*x]*Log[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + (6*I)*\sqrt{d}*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*Log[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + (3*I)*\sqrt{d}*ArcSec[c*x]*Log[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (6*I)*\sqrt{d}*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*Log[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + (I*\sqrt{d}*\sqrt{e}*Log[(2*\sqrt{d}*\sqrt{e}*(\sqrt{e} + c*(I*c*\sqrt{d} - \sqrt{-(c^2*d - e)*\sqrt{1 - 1/(c^2*x^2)})*x))/(\sqrt{-(c^2*d - e)}*(\sqrt{d} - I*\sqrt{e}*x)))]/\sqrt{-(c^2*d - e)} - (I*\sqrt{d}*\sqrt{e}*Log[(2*\sqrt{d}*\sqrt{e}*(-\sqrt{e} + c*(I*c*\sqrt{d} + \sqrt{-(c^2*d - e)*\sqrt{1 - 1/(c^2*x^2)})*x))/(\sqrt{-(c^2*d - e)}*(\sqrt{d} + I*\sqrt{e}*x)))]/\sqrt{-(c^2*d - e)} + (4*\sqrt{e}*Log[Cos[ArcSec[c*x]/2] - Sin[ArcSec[c*x]/2])/c - (4*\sqrt{e}*Log[Cos[ArcSec[c*x]/2] + Sin[ArcSec[c*x]/2])/c - 3*\sqrt{d}*PolyLog[2, (I*(\sqrt{e} - \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + 3*\sqrt{d}*PolyLog[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + 3*\sqrt{d}*PolyLog[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - 3*\sqrt{d}*PolyLog[2, (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})]))/(4*e^{(5/2)})$

Maple [C] time = 9.726, size = 1887, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x)$

[Out] $a*x/e^2+1/2*c^2*a/e^2*d*x/(c^2*e*x^2+c^2*d)-3/2*a/e^2*d/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})+c^2*b*x^3*\text{arcsec}(c*x)/e/(c^2*e*x^2+c^2*d)+3/2*c^2*b*x*\text{arcs ec}(c*x)/e^2/(c^2*e*x^2+c^2*d)*d+1/2*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^{(1/2)}+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/d^2-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/d^2*(e*(c^2*d+e))^{(1/2)}+3/16*I*c*b/e^3*d*\text{sum}((_R1^2*c^2*d+c^2*d+4*e)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}-3/16*I*c*b/e^3*d*\text{sum}((_R1^2*c^2*d+4*_R1^2*e+c^2*d)/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/((c^2*d+e)/d^2-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/((c^2*d+e)/d^2+1/2*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e^2/d-I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e/(c^2*d+e)/d-I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/(c^2*d+e)/d+2*I/c*b/e^2*\arctan(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/d-1/2*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^{(1/2)}+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/e/d^2$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^4 \operatorname{arcsec}(cx) + ax^4}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*x^4*arcsec(c*x) + a*x^4)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^4}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^4/(e*x^2 + d)^2, x)
```

$$3.101 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=745

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4\sqrt{-de}^{3/2}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4\sqrt{-de}^{3/2}} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4\sqrt{-de}^{3/2}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4\sqrt{-de}^{3/2}}$$

```
[Out] (a + b*ArcSec[c*x])/(4*e*(Sqrt[-d]*Sqrt[e] - d/x)) - (a + b*ArcSec[c*x])/(4
*e*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c
*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(4*Sqrt[d]*e*Sqrt[c^2*d +
e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]
*Sqrt[1 - 1/(c^2*x^2)])])/(4*Sqrt[d]*e*Sqrt[c^2*d + e]) + ((a + b*ArcSec[c*
x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4
*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c
*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((a + b*ArcSec[c
*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(
4*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[
c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLo
g[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/(Sqrt[
-d]*e^(3/2)) - ((I/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e]
- Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -((c*Sqrt[-d]
*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*e^(3/2)) - ((I
/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]
)])/(Sqrt[-d]*e^(3/2))
```

Rubi [A] time = 1.21664, antiderivative size = 745, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5240, 4668, 4744, 725, 206, 4742, 4520, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4\sqrt{-de}^{3/2}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4\sqrt{-de}^{3/2}} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4\sqrt{-de}^{3/2}} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4\sqrt{-de}^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]
```

```
[Out] (a + b*ArcSec[c*x])/(4*e*(Sqrt[-d]*Sqrt[e] - d/x)) - (a + b*ArcSec[c*x])/(4
*e*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c
*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])))/(4*Sqrt[d]*e*Sqrt[c^2*d +
e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]
*Sqrt[1 - 1/(c^2*x^2)])))/(4*Sqrt[d]*e*Sqrt[c^2*d + e]) + ((a + b*ArcSec[c*
x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4
*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c
*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((a + b*ArcSec[c
*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(
4*Sqrt[-d]*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[
c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLo
g[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/(Sqrt[
-d]*e^(3/2)) - ((I/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e]
- Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -((c*Sqrt[-d]
*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*e^(3/2)) - ((I
/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]
)]/(Sqrt[-d]*e^(3/2))
```

Rule 5240

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n_.*(x_)^m_.*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*(a + b*ArcCos[x/c])^n]/x^
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 4668

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_.*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4744

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_.*((d_.) + (e_.)*(x_)^m_.), x_S
ymbol] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(e*(m + 1)), x] +
Dist[(b*c^n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]
```

Rule 725

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
```


[{a, c, d, e}, x]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 4742

Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol] := -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{4e(\sqrt{-d}\sqrt{e} - dx)^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{4e(\sqrt{-d}\sqrt{e} + dx)^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{2e(-de - d^2x^2)} \right) dx, x, \frac{1}{x} \right) \\
&= \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(\sqrt{-d}\sqrt{e} - dx)^2} dx, x, \frac{1}{x} \right)}{4e} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(\sqrt{-d}\sqrt{e} + dx)^2} dx, x, \frac{1}{x} \right)}{4e} + \frac{d \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{-de - d^2x^2} dx, x, \frac{1}{x} \right)}{2e} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{b \text{Subst} \left(\int \frac{1}{(\sqrt{-d}\sqrt{e} - dx)\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{4ce} - \frac{b \text{Subst} \left(\int \frac{1}{(\sqrt{-d}\sqrt{e} + dx)\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{4ce} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} - \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{4e^{3/2}} - \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-d}x} dx, x, \frac{1}{x} \right)}{4e^{3/2}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} + \frac{b \tanh^{-1} \left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} + \frac{b \tanh^{-1} \left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} + \frac{b \tanh^{-1} \left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} + \frac{b \tanh^{-1} \left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} \\
&= \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{4e \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{b \tanh^{-1} \left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}} + \frac{b \tanh^{-1} \left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d + e}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{4\sqrt{de}\sqrt{c^2d + e}}
\end{aligned}$$

Mathematica [A] time = 1.53231, size = 1245, normalized size = 1.67

$$-\frac{2a\sqrt{ex}}{ex^2+d} + \frac{2a \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}} + b \left(-\frac{i \log\left(\frac{ie^{i \sec^{-1}(cx)}(\sqrt{e-\sqrt{dc^2+e}})+1}{c\sqrt{d}}\right) \sec^{-1}(cx)}{\sqrt{d}} + \frac{i \log\left(\frac{ie^{i \sec^{-1}(cx)}(\sqrt{dc^2+e}-\sqrt{e}})+1}{c\sqrt{d}}\right) \sec^{-1}(cx)}{\sqrt{d}} + \frac{i \log\left(1-\frac{i(\sqrt{e+\sqrt{dc^2+e}})e^{i \sec^{-1}(cx)}}{c\sqrt{d}}\right)}{\sqrt{d}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] $((-2*a*\text{Sqrt}[e]*x)/(d + e*x^2) + (2*a*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/\text{Sqrt}[d] + b*(\text{ArcSec}[c*x]/(I*\text{Sqrt}[d] - \text{Sqrt}[e]*x) - \text{ArcSec}[c*x]/(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x) - (4*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(\text{c}*\text{Sqrt}[d])]]/\text{Sqrt}[2]*\text{ArcTan}[((-I)*\text{c}*\text{Sqrt}[d] + \text{Sqrt}[e])* \text{Tan}[\text{ArcSec}[c*x]/2]]/\text{Sqrt}[c^2*d + e]]/\text{Sqrt}[d] + (4*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(\text{c}*\text{Sqrt}[d])]]/\text{Sqrt}[2]*\text{ArcTan}[(I*\text{c}*\text{Sqrt}[d] + \text{Sqrt}[e])* \text{Tan}[\text{ArcSec}[c*x]/2]]/\text{Sqrt}[c^2*d + e]]/\text{Sqrt}[d] - (I*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] - ((2*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(\text{c}*\text{Sqrt}[d])]]/\text{Sqrt}[2]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] + (I*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] + ((2*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(\text{c}*\text{Sqrt}[d])]]/\text{Sqrt}[2]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] + (I*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] - ((2*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(\text{c}*\text{Sqrt}[d])]]/\text{Sqrt}[2]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] - (I*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] + ((2*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/(\text{c}*\text{Sqrt}[d])]]/\text{Sqrt}[2]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])])/\text{Sqrt}[d] - (I*\text{Sqrt}[e]*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(\text{Sqrt}[e] + \text{c}*(I*\text{c}*\text{Sqrt}[d] - \text{Sqrt}[-(\text{c}^2*d) - e])* \text{Sqrt}[1 - 1/(\text{c}^2*x^2)])*x)/(\text{Sqrt}[-(\text{c}^2*d) - e]*(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x)))/(\text{Sqrt}[d]*\text{Sqrt}[-(\text{c}^2*d) - e]) + (I*\text{Sqrt}[e]*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(-\text{Sqrt}[e] + \text{c}*(I*\text{c}*\text{Sqrt}[d] + \text{Sqrt}[-(\text{c}^2*d) - e])* \text{Sqrt}[1 - 1/(\text{c}^2*x^2)])*x)/(\text{Sqrt}[-(\text{c}^2*d) - e]*(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x)))/(\text{Sqrt}[d]*\text{Sqrt}[-(\text{c}^2*d) - e]) + \text{PolyLog}[2, (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])]/\text{Sqrt}[d] - \text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])]/\text{Sqrt}[d] - \text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])]/\text{Sqrt}[d] + \text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(\text{c}*\text{Sqrt}[d])]/\text{Sqrt}[d]))/(4*e^{(3/2)})$

$$\sqrt{2*d+e})^{(1/2)-2*e)*d)^{(1/2)}/e/d^3*(e*(c^2*d+e))^{(1/2)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \operatorname{arcsec}(cx) + ax^2}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*x^2*arcsec(c*x) + a*x^2)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^2}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^2/(e*x^2 + d)^2, x)
```

$$3.102 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=739

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{3/2}\sqrt{e}}$$

[Out] $-(a + b \operatorname{ArcSec}[c*x])/(4*d*(\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e] - d/x)) + (a + b \operatorname{ArcSec}[c*x])/(4*d*(\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e] + d/x)) - (b*\operatorname{ArcTanh}[(c^2*d - (\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e])/x)/(c*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[c^2*d + e]*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])])/(4*d^{3/2}* \operatorname{Sqrt}[c^2*d + e]) - (b*\operatorname{ArcTanh}[(c^2*d + (\operatorname{Sqrt}[-d]*\operatorname{Sqrt}[e])/x)/(c*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[c^2*d + e]*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])])/(4*d^{3/2}* \operatorname{Sqrt}[c^2*d + e]) - ((a + b \operatorname{ArcSec}[c*x])*\operatorname{Log}[1 - (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/(4*(-d)^{3/2}* \operatorname{Sqrt}[e]) + ((a + b \operatorname{ArcSec}[c*x])*\operatorname{Log}[1 + (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])/(4*(-d)^{3/2}* \operatorname{Sqrt}[e]) - ((a + b \operatorname{ArcSec}[c*x])*\operatorname{Log}[1 - (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/(4*(-d)^{3/2}* \operatorname{Sqrt}[e]) + ((a + b \operatorname{ArcSec}[c*x])*\operatorname{Log}[1 + (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/(4*(-d)^{3/2}* \operatorname{Sqrt}[e]) - ((I/4)*b*PolyLog[2, -((c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])]/((-d)^{3/2}* \operatorname{Sqrt}[e]) + ((I/4)*b*PolyLog[2, (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] - \operatorname{Sqrt}[c^2*d + e])])]/((-d)^{3/2}* \operatorname{Sqrt}[e]) - ((I/4)*b*PolyLog[2, -((c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])]/((-d)^{3/2}* \operatorname{Sqrt}[e]) + ((I/4)*b*PolyLog[2, (c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcSec}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])]/((-d)^{3/2}* \operatorname{Sqrt}[e])$

Rubi [A] time = 2.21116, antiderivative size = 739, normalized size of antiderivative = 1., number of steps used = 47, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5230, 4734, 4668, 4744, 725, 206, 4742, 4520, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{3/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^2, x]

```
[Out] -(a + b*ArcSec[c*x])/(4*d*(Sqrt[-d]*Sqrt[e] - d/x)) + (a + b*ArcSec[c*x])/(
4*d*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(
c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])))/(4*d^(3/2)*Sqrt[c^2*d +
e]) - (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*
Sqrt[1 - 1/(c^2*x^2)])))/(4*d^(3/2)*Sqrt[c^2*d + e]) - ((a + b*ArcSec[c*x])
*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-
d)^(3/2)*Sqrt[e]) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*
x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((a + b*ArcSec[
c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(
4*(-d)^(3/2)*Sqrt[e]) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcS
ec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((I/4)*b*P
olyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(
(-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(S
qrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((I/4)*b*PolyLog[2, -(c
*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqr
t[e]) + ((I/4)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[
c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e])
```

Rule 5230

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.),
x_Symbol] := -Subst[Int[(e + d*x^2)^p*(a + b*ArcCos[x/c])^n/x^(2*(p + 1))
, x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p]
```

Rule 4734

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.
)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4668

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4744

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_.))^(m_.), x_S
ymbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(e*(m + 1)), x] +
Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
```


&& NeQ[m, -1]

Rule 725

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

Rule 4742

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:> -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_) + (f_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)])/(Cos[(c_) + (d_)
(x_)](b_) + (a_)), x_Symbol] :> Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1))
, x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] +
b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{x^2 (a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{e (a + b \cos^{-1}(\frac{x}{c}))}{d (e + dx^2)^2} + \frac{a + b \cos^{-1}(\frac{x}{c})}{d (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{e + dx^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{\text{Subst} \left(\int \left(\frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} - \sqrt{-dx})} + \frac{a + b \cos^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \left(-\frac{d(a + b \cos^{-1}(\frac{x}{c}))}{4e(\sqrt{-d}\sqrt{e} - dx)^2} - \frac{d(a + b \cos^{-1}(\frac{x}{c}))}{4e(\sqrt{-d}\sqrt{e} + dx)^2} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\left(\frac{1}{4} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} - dx)^2} dx, x, \frac{1}{x} \right) \right) - \frac{1}{4} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e} + dx)^2} dx, x, \frac{1}{x} \right) - \frac{1}{2} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{-d}\sqrt{e} - dx} dx, x, \frac{1}{x} \right) - \frac{1}{2} \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{\sqrt{-d}\sqrt{e} + dx} dx, x, \frac{1}{x} \right) \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{1}{2} \text{Subst} \left(\int \left(-\frac{a + b \cos^{-1}(\frac{x}{c})}{2d\sqrt{e}(\sqrt{e} - \sqrt{-dx})} - \frac{a + b \cos^{-1}(\frac{x}{c})}{2d\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} + \frac{b \text{Subst} \left(\int \frac{1}{d^2 + \frac{de}{c^2} - x^2} dx, x, \frac{-d + \frac{\sqrt{-d}\sqrt{e}}{c^2 x}}{\sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4cd} - \frac{b \text{Subst} \left(\int \frac{1}{d^2 + \frac{de}{c^2} - x^2} dx, x, \frac{-d + \frac{\sqrt{-d}\sqrt{e}}{c^2 x}}{\sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4cd} \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{b \tanh^{-1} \left(\frac{c^2 d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2}\sqrt{c^2 d + e}} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2}\sqrt{c^2 d + e}} \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{b \tanh^{-1} \left(\frac{c^2 d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2}\sqrt{c^2 d + e}} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2}\sqrt{c^2 d + e}} \\
&= -\frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} - \frac{d}{x})} + \frac{a + b \sec^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e} + \frac{d}{x})} - \frac{b \tanh^{-1} \left(\frac{c^2 d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2}\sqrt{c^2 d + e}} - \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2 d + e} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{4d^{3/2}\sqrt{c^2 d + e}}
\end{aligned}$$

Mathematica [A] time = 1.9696, size = 1239, normalized size = 1.68

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^2,x]

[Out]
$$\begin{aligned} & ((a*x)/(d^2 + d*e*x^2) + (a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^{3/2}*Sqrt[e]) \\ & + (b*((Sqrt[d]*ArcSec[c*x])/((-I)*Sqrt[d]*Sqrt[e] + e*x) + (Sqrt[d]*ArcSec[\\ & c*x])/(I*Sqrt[d]*Sqrt[e] + e*x) - (4*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d] \\ &)]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2 \\ & *d + e]]/Sqrt[e] + (4*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Ar \\ & cTan[(((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e])/Sqrt[e] \\ & - (I*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x])) \\ & / (c*Sqrt[d])])/Sqrt[e] - ((2*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqr \\ & t[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d] \\ &)])/Sqrt[e] + (I*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*A \\ & rcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] + ((2*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c* \\ & Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x] \\ &))/(c*Sqrt[d])])/Sqrt[e] + (I*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d \\ & + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] - ((2*I)*ArcSin[Sqrt[1 - (I* \\ & Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I* \\ & ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] - (I*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + \\ & Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] + ((2*I)*ArcSin[S \\ & qrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d \\ & + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])])/Sqrt[e] + (I*Log[(2*Sqrt[d]*Sqrt[e]* \\ & (Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x))/(\\ & Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x)))/Sqrt[-(c^2*d) - e] - (I*Log[(\\ & 2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqrt[1 - \\ & 1/(c^2*x^2)])*x))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x)))/Sqrt[-(c^2 \\ & *d) - e] + PolyLog[2, (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c* \\ & Sqrt[d])]/Sqrt[e] - PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[\\ & c*x]))/(c*Sqrt[d])]/Sqrt[e] - PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])* \\ & E^(I*ArcSec[c*x]))/(c*Sqrt[d])]/Sqrt[e] + PolyLog[2, (I*(Sqrt[e] + Sqrt[c^2 \\ & *d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]/Sqrt[e]))/(2*d^{3/2}))/2 \end{aligned}$$

Maple [C] time = 1.806, size = 1748, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arcsec}(c*x))/(e*x^2+d)^2,x)$

[Out] $\frac{1}{2}c^2ax/d/(c^2ex^2+c^2d)+\frac{1}{2}a/d/(de)^{(1/2)}*\arctan(ex/(de)^{(1/2)})+\frac{1}{2}c^2b*\text{arcsec}(c*x)*x/d/(c^2ex^2+c^2d)+\frac{1}{4}I*c*b/d*\text{sum}(\frac{R1}{(R1^2*c^2*d+c^2*d+2*e)}*(I*\text{arcsec}(c*x)*\ln(\frac{R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)}}{R1})+\text{dilog}(\frac{R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)}}{R1})), R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}e-1/4*I*c*b/d*\text{sum}(\frac{1}{R1}/(R1^2*c^2*d+c^2*d+2*e)}*(I*\text{arcsec}(c*x)*\ln(\frac{R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)}}{R1})+\text{dilog}(\frac{R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)}}{R1})), R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4*e-I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e/(c^2*d+e)/d^3+1/2*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^3+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4*e-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*e^2+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4*(e*(c^2*d+e))^{(1/2)}-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*e^2-1/2*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)/d^3*(e*(c^2*d+e))^{(1/2)}-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}*e+1/2*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^3-I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e/(c^2*d+e)/d^3-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4*(e*(c^2*d+e))^{(1/2)}+1/2*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^3/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/(e*x^2 + d)^2, x)
```

$$3.103 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^2} dx$$

Optimal. Leaf size=785

$$-\frac{3ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{5/2}} + \frac{3ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{5/2}} - \frac{3ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{5/2}} + \frac{3ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{5/2}}$$

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)]/d^2 - a/(d^2*x) - (b*ArcSec[c*x])/(d^2*x) + (e*(a + b*ArcSec[c*x]))/(4*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (e*(a + b*ArcSec[c*x]))/(4*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*e*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])]/(4*d^(5/2)*Sqrt[c^2*d + e]) + (b*e*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])]/(4*d^(5/2)*Sqrt[c^2*d + e]) - (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])]/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])]/(4*(-d)^(5/2)) - (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/(4*(-d)^(5/2)) - (((3*I)/4)*b*Sqrt[e]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/(-d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])]/(-d)^(5/2) - (((3*I)/4)*b*Sqrt[e]*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/(-d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/(-d)^(5/2))

Rubi [A] time = 2.3073, antiderivative size = 785, normalized size of antiderivative = 1., number of steps used = 50, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {5240, 4734, 4620, 261, 4668, 4744, 725, 206, 4742, 4520, 2190, 2279, 2391}

$$-\frac{3ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{5/2}} + \frac{3ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{5/2}} - \frac{3ib\sqrt{e}\text{PolyLog}\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{5/2}} + \frac{3ib\sqrt{e}\text{PolyLog}\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^2), x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)]/d^2 - a/(d^2*x) - (b*ArcSec[c*x])/(d^2*x) + (e*(a + b*ArcSec[c*x]))/(4*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (e*(a + b*ArcSec[c*x]))/(4*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*e*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(4*d^(5/2)*Sqrt[c^2*d + e]) + (b*e*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(4*d^(5/2)*Sqrt[c^2*d + e]) - (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - (((3*I)/4)*b*Sqrt[e]*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(d)^(5/2) - (((3*I)/4)*b*Sqrt[e]*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(d)^(5/2)

Rule 5240

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^n_.*(x_)^m_.*((d_.) + (e_.)*(x_)^2)^p_.], x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rule 4734

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n_.*((f_.)*(x_)^m_.*((d_.) + (e_.)*(x_)^2)^p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n_.], x_Symbol] :> Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c^n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 261

Int[(x_)^m_.*((a_) + (b_.)*(x_)^n_)^p_.], x_Symbol] :> Simp[(a + b*x^n)

$^{(p+1)/(b*n*(p+1))}$, x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4668

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

Rule 4744

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(m_.), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(e*(m + 1)), x] + Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 725

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 4742

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] :> -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{x^4 \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{d^2} + \frac{e^2 \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d^2 (e + dx^2)^2} - \frac{2e \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \text{Subst} \left(\int \cos^{-1} \left(\frac{x}{c} \right) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} - \sqrt{-dx})} + \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} - \frac{b \text{Subst} \left(\int \frac{x}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd^2} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{d^2} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{\sqrt{e} + \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} - \frac{\sqrt{e} \text{Subst} \left(\int \frac{(a + b \sec^{-1}(cx))}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{(i\sqrt{e}) \text{Subst} \left(\int \frac{(a + b \sec^{-1}(cx))}{\sqrt{e} - \sqrt{-dx}} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{be \tanh^{-1} \left(\frac{c^2}{c\sqrt{d}\sqrt{e} - \sqrt{-dx}} \right)}{4d^{5/2}\sqrt{c^2 d}} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{be \tanh^{-1} \left(\frac{c^2}{c\sqrt{d}\sqrt{e} - \sqrt{-dx}} \right)}{4d^{5/2}\sqrt{c^2 d}} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2 x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \sec^{-1}(cx)}{d^2 x} + \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{e \left(a + b \sec^{-1}(cx) \right)}{4d^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{be \tanh^{-1} \left(\frac{c^2}{c\sqrt{d}\sqrt{e} - \sqrt{-dx}} \right)}{4d^{5/2}\sqrt{c^2 d}}
\end{aligned}$$

Mathematica [A] time = 1.95202, size = 1291, normalized size = 1.64

$$-6\sqrt{e} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)a - \frac{4\sqrt{da}}{x} - \frac{2\sqrt{dexa}}{ex^2+d} + b \left(4\sqrt{d}\sqrt{1 - \frac{1}{c^2x^2}}c - \frac{4\sqrt{d}\sec^{-1}(cx)}{x} - \frac{\sqrt{d}\sec^{-1}(cx)}{ex-i\sqrt{d}\sqrt{e}} - \frac{\sqrt{d}\sec^{-1}(cx)}{ex+i\sqrt{d}\sqrt{e}} + 12\sqrt{e} \sin^{-1}\left(\frac{\sqrt{1 - \frac{i\sqrt{e}}{c\sqrt{d}}}}{\sqrt{2}}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^2), x]

[Out]
$$\begin{aligned} &((-4*a*\text{Sqrt}[d])/x - (2*a*\text{Sqrt}[d]*e*x)/(d + e*x^2) - 6*a*\text{Sqrt}[e]*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]] + b*(4*c*\text{Sqrt}[d]*\text{Sqrt}[1 - 1/(c^2*x^2)] - (4*\text{Sqrt}[d]*\text{ArcSec}[c*x])/x - (\text{Sqrt}[d]*e*\text{ArcSec}[c*x])/((-I)*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x) - (\text{Sqrt}[d]*e*\text{ArcSec}[c*x])/(I*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x) + 12*\text{Sqrt}[e]*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{ArcTan}[(((-I)*c*\text{Sqrt}[d] + \text{Sqrt}[e])*\text{Tan}[\text{ArcSec}[c*x]/2])/\text{Sqrt}[c^2*d + e]] - 12*\text{Sqrt}[e]*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{ArcTan}[(I*c*\text{Sqrt}[d] + \text{Sqrt}[e])*\text{Tan}[\text{ArcSec}[c*x]/2])/\text{Sqrt}[c^2*d + e]] + (3*I)*\text{Sqrt}[e]*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] + (6*I)*\text{Sqrt}[e]*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] - (3*I)*\text{Sqrt}[e]*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] - (6*I)*\text{Sqrt}[e]*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] - (3*I)*\text{Sqrt}[e]*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] + (6*I)*\text{Sqrt}[e]*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] + (3*I)*\text{Sqrt}[e]*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] - (6*I)*\text{Sqrt}[e]*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2]]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] - (I*e*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] - \text{Sqrt}[-(c^2*d) - e])*\text{Sqrt}[1 - 1/(c^2*x^2)])*x])/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x)))/\text{Sqrt}[-(c^2*d) - e] + (I*e*\text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(-\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] + \text{Sqrt}[-(c^2*d) - e])*\text{Sqrt}[1 - 1/(c^2*x^2)])*x])/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x)))/\text{Sqrt}[-(c^2*d) - e] - 3*\text{Sqrt}[e]*\text{PolyLog}[2, (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] + 3*\text{Sqrt}[e]*\text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] + 3*\text{Sqrt}[e]*\text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])] - 3*\text{Sqrt}[e]*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))*E^(I*\text{ArcSec}[c*x])]/(c*\text{Sqrt}[d])])]/(4*d^(5/2)) \end{aligned}$$

Maple [C] time = 8.437, size = 1817, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arcsec}(c*x))/x^2/(e*x^2+d)^2,x)$

[Out]
$$-1/2*a/d^2*e*c^2*x/(c^2*e*x^2+c^2*d)-3/2*a/d^2*e/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})-a/d^2/x+3/4*I*c*b/d^2*e*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e))*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-1/2*I*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}*e+I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5/(c^2*d+e)-1/2*b*c^2*x*\text{arcsec}(c*x)*e/(c^2*e*x^2+c^2*d)/d^2-1/2*I*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4*e+I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e/d^5*(e*(c^2*d+e))^{(1/2)}+I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^5/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e/d^5*(e*(c^2*d+e))^{(1/2)}-b*\text{arcsec}(c*x)/d^2/x+c*b/d^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^5/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-1/2*I*b/c^2*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4*e-3/4*I*c*b/d^2*e*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e))*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+I*b/c^2*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/d^4/(c^2*d+e)-I*b/c^4*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e^2/d^5+1/2*I*b/c^2*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/d^4/(c^2*d+e)*(e*(c^2*d+e))^{(1/2)}-I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e^2/d^5+I*b/c^4*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\arctan(d*c*(1/c/$$

$$x + I * (1 - 1/c^2/x^2)^{(1/2)} / ((c^2*d + 2*(e*(c^2*d + e))^{(1/2)} + 2*e)*d)^{(1/2)} / d^5 / (c^2*d + e) + I*b/c^2 * (-c^2*d - 2*(e*(c^2*d + e))^{(1/2)} + 2*e)*d)^{(1/2)} * e^2 * \operatorname{arctanh}(d * c * (1/c/x + I*(1 - 1/c^2/x^2)^{(1/2)}) / ((-c^2*d + 2*(e*(c^2*d + e))^{(1/2)} - 2*e)*d)^{(1/2)}) / d^4 / (c^2*d + e)$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{e^2 x^6 + 2 d e x^4 + d^2 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(e^2*x^6 + 2*d*e*x^4 + d^2*x^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^2*x^2), x)
```


$$3.104 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx$$

Optimal. Leaf size=707

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^3} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^3}$$

```
[Out] -(b*c*d*Sqrt[1 - 1/(c^2*x^2)])/(8*e^2*(c^2*d + e)*(e + d/x^2)*x) - (a + b*ArcSec[c*x])/(4*e*(e + d/x^2)^2) - (a + b*ArcSec[c*x])/(2*e^2*(e + d/x^2)) - (b*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)])/(2*e^(5/2)*Sqrt[c^2*d + e]) - (b*(c^2*d + 2*e)*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)])/(8*e^(5/2)*(c^2*d + e)^(3/2)) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^3) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e^3) + ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^3) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e^3) - ((a + b*ArcSec[c*x])*Log[1 + E^((2*I)*ArcSec[c*x])])/e^3 - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/e^3 - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e^3 - ((I/2)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/e^3 - ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^3 + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSec[c*x])])/e^3
```

Rubi [A] time = 1.40384, antiderivative size = 707, normalized size of antiderivative = 1., number of steps used = 33, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$, Rules used = {5240, 4734, 4626, 3719, 2190, 2279, 2391, 4730, 382, 377, 205, 4742, 4520}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^3} - \frac{ibPolyLog\left(2, -\frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{c\sqrt{-d}e^{i\sec^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] $-(b*c*d*\sqrt{1 - 1/(c^2*x^2)})/(8*e^2*(c^2*d + e)*(e + d/x^2)*x) - (a + b*ArcSec[c*x])/(4*e*(e + d/x^2)^2) - (a + b*ArcSec[c*x])/(2*e^2*(e + d/x^2)) - (b*ArcTan[\sqrt{c^2*d + e}/(c*\sqrt{e}*\sqrt{1 - 1/(c^2*x^2)})*x])/(2*e^{5/2}*\sqrt{c^2*d + e}) - (b*(c^2*d + 2*e)*ArcTan[\sqrt{c^2*d + e}/(c*\sqrt{e}*\sqrt{1 - 1/(c^2*x^2)})*x])/(8*e^{5/2}*(c^2*d + e)^{3/2}) + ((a + b*ArcSec[c*x])*Log[1 - (c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} - \sqrt{c^2*d + e})])/(2*e^3) + ((a + b*ArcSec[c*x])*Log[1 + (c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} - \sqrt{c^2*d + e})])/(2*e^3) + ((a + b*ArcSec[c*x])*Log[1 - (c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} + \sqrt{c^2*d + e})])/(2*e^3) + ((a + b*ArcSec[c*x])*Log[1 + (c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} + \sqrt{c^2*d + e})])/(2*e^3) - ((a + b*ArcSec[c*x])*Log[1 + E^{((2*I)*ArcSec[c*x])}])/e^3 - ((I/2)*b*PolyLog[2, -(c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} - \sqrt{c^2*d + e})])/e^3 - ((I/2)*b*PolyLog[2, (c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} - \sqrt{c^2*d + e})])/e^3 - ((I/2)*b*PolyLog[2, -(c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} + \sqrt{c^2*d + e})])/e^3 - ((I/2)*b*PolyLog[2, (c*\sqrt{-d}*E^{(I*ArcSec[c*x])})/(\sqrt{e} + \sqrt{c^2*d + e})])/e^3 + ((I/2)*b*PolyLog[2, -E^{((2*I)*ArcSec[c*x])}])/e^3$

Rule 5240

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n_.*(x_)^m_.*((d_.) + (e_.)*(x_)^2)^p_.], x_Symbol] := -Subst[Int[(e + d*x^2)^p*(a + b*ArcCos[x/c])^n/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rule 4734

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_.*((f_.)*(x_)^m_.*((d_.) + (e_.)*(x_)^2)^p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 4626

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_./(x_), x_Symbol] := -Subst[Int[(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3719

Int[((c_.) + (d_.)*(x_)^m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^{(2*I*(e

$$\frac{+ f*x))}{(1 + E^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \text{IGtQ}[m, 0]$$

Rule 2190

$$\text{Int}\left[\frac{\left(\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right) + \left(f_{-}\right)*\left(x_{-}\right)\right)\right)^{\left(n_{-}\right)}*\left(\left(c_{-}\right) + \left(d_{-}\right)*\left(x_{-}\right)\right)^{\left(m_{-}\right)}}{\left(\left(a_{-}\right) + \left(b_{-}\right)*\left(\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right) + \left(f_{-}\right)*\left(x_{-}\right)\right)\right)^{\left(n_{-}\right)}\right)}, x_Symbol] \rightarrow \text{Simp}\left[\frac{\left(\left(c + d*x\right)^m*\text{Log}\left[1 + \left(b*\left(F^{(g*(e + f*x))}\right)^n\right)/a\right]\right)}{\left(b*f*g*n*\text{Log}[F]\right)}, x] - \text{Dist}\left[\frac{d*m}{b*f*g*n*\text{Log}[F]}, \text{Int}\left[\frac{\left(c + d*x\right)^{m-1}*\text{Log}\left[1 + \left(b*\left(F^{(g*(e + f*x))}\right)^n\right)/a\right]}{x}, x\right] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \text{IGtQ}[m, 0]$$

Rule 2279

$$\text{Int}\left[\text{Log}\left[\left(a_{-}\right) + \left(b_{-}\right)*\left(\left(F_{-}\right)^{\left(\left(e_{-}\right)*\left(c_{-}\right) + \left(d_{-}\right)*\left(x_{-}\right)\right)\right)^{\left(n_{-}\right)}\right], x_Symbol] \rightarrow \text{Dist}\left[\frac{1}{d*e*n*\text{Log}[F]}, \text{Subst}\left[\text{Int}\left[\frac{\text{Log}\left[a + b*x\right]}{x}, x\right], x, \left(F^{(e*(c + d*x))}\right)^n\right], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \ \&\& \text{GtQ}[a, 0]$$

Rule 2391

$$\text{Int}\left[\frac{\text{Log}\left[\left(c_{-}\right)*\left(d_{-}\right) + \left(e_{-}\right)*\left(x_{-}\right)^{\left(n_{-}\right)}\right]}{\left(x_{-}\right)}, x_Symbol] \rightarrow -\text{Simp}\left[\text{PolyLog}\left[2, -\left(c*e*x^n\right)\right]/n, x\right] /; \text{FreeQ}\{c, d, e, n\}, x] \ \&\& \text{EqQ}[c*d, 1]$$

Rule 4730

$$\text{Int}\left[\left(\left(a_{-}\right) + \text{ArcCos}\left[\left(c_{-}\right)*\left(x_{-}\right)\right]*\left(b_{-}\right)\right)*\left(x_{-}\right)*\left(\left(d_{-}\right) + \left(e_{-}\right)*\left(x_{-}\right)^2\right)^{\left(p_{-}\right)}, x_Symbol] \rightarrow \text{Simp}\left[\frac{\left(d + e*x^2\right)^{p+1}*\left(a + b*\text{ArcCos}[c*x]\right)}{2*e*(p+1)}, x\right] + \text{Dist}\left[\frac{b*c}{2*e*(p+1)}, \text{Int}\left[\frac{\left(d + e*x^2\right)^{p+1}}{\text{Sqrt}\left[1 - c^2*x^2\right]}, x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \ \&\& \text{NeQ}[c^2*d + e, 0] \ \&\& \text{NeQ}[p, -1]$$

Rule 382

$$\text{Int}\left[\left(\left(a_{-}\right) + \left(b_{-}\right)*\left(x_{-}\right)^{\left(n_{-}\right)}\right)^{\left(p_{-}\right)}*\left(\left(c_{-}\right) + \left(d_{-}\right)*\left(x_{-}\right)^{\left(n_{-}\right)}\right)^{\left(q_{-}\right)}, x_Symbol] \rightarrow -\text{Simp}\left[\frac{b*x*\left(a + b*x^n\right)^{p+1}*\left(c + d*x^n\right)^{q+1}}{a*n*(p+1)*(b*c - a*d)}, x\right] + \text{Dist}\left[\frac{b*c + n*(p+1)*(b*c - a*d)}{a*n*(p+1)*(b*c - a*d)}, \text{Int}\left[\frac{\left(a + b*x^n\right)^{p+1}*\left(c + d*x^n\right)^q}{x}, x\right] /; \text{FreeQ}\{a, b, c, d, n, q\}, x] \ \&\& \text{NeQ}[b*c - a*d, 0] \ \&\& \text{EqQ}[n*(p+q+2) + 1, 0] \ \&\& \left(\text{LtQ}[p, -1] \ \|\ \text{!LtQ}[q, -1]\right) \ \&\& \text{NeQ}[p, -1]$$

Rule 377

$$\text{Int}\left[\frac{\left(\left(a_{-}\right) + \left(b_{-}\right)*\left(x_{-}\right)^{\left(n_{-}\right)}\right)^{\left(p_{-}\right)}}{\left(\left(c_{-}\right) + \left(d_{-}\right)*\left(x_{-}\right)^{\left(n_{-}\right)}\right)}, x_Symbol] \rightarrow \text{Subst}\left[\text{Int}\left[\frac{1}{c - \left(b*c - a*d\right)*x^n}, x\right], x, x/\left(a + b*x^n\right)^{1/n}\right] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \text{NeQ}[b*c - a*d, 0] \ \&\& \text{EqQ}[n*p + 1, 0] \ \&\& \text{IntegerQ}[n]$$

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 4742

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_/((d_) + (e_.)*(x_)), x_Symbol]
:= -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*cos[x]), x], x, ArcCos[c*x]] /
; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4520

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1))
, x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] +
b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a +
Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + cx^2)^3} dx &= -\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x (e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e^3 x} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e (e + dx^2)^3} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^2 (e + dx^2)^2} - \frac{dx (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e^3 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{x} dx, x, \frac{1}{x} \right)}{e^3} + \frac{d \text{Subst} \left(\int \frac{x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} + \frac{d \text{Subst} \left(\int \frac{x (a + b \cos^{-1} \left(\frac{x}{c} \right))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{e^2} \\
&= -\frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{\text{Subst} \left(\int (a + bx) \tan(x) dx, x, \sec^{-1}(cx) \right)}{e^3} + \frac{d \text{Subst} \left(\int \frac{x (a + b \sec^{-1}(cx))}{e + dx^2} dx, x, \frac{1}{x} \right)}{e^3} \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2be^3} \quad (2i) \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2be^3} \quad b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right) \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} \quad b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right) \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} \quad b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right) \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} \quad b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right) \\
&= -\frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}}}{8e^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} - \frac{a + b \sec^{-1}(cx)}{4e \left(e + \frac{d}{x^2} \right)^2} - \frac{a + b \sec^{-1}(cx)}{2e^2 \left(e + \frac{d}{x^2} \right)} - \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{5/2} \sqrt{c^2 d + e}} \quad b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)
\end{aligned}$$

Mathematica [B] time = 7.80729, size = 1805, normalized size = 2.55

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out]
$$-(a*d^2)/(4*e^3*(d + e*x^2)^2) + (a*d)/(e^3*(d + e*x^2)) + (a*\text{Log}[d + e*x^2])/(2*e^3) + b*((((-7*I)/16)*\text{Sqrt}[d]*(-\text{ArcSec}[c*x]/(I*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x)) + (I*(\text{ArcSin}[1/(c*x)]/\text{Sqrt}[e] - \text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] - \text{Sqrt}[-(c^2*d) - e]*\text{Sqrt}[1 - 1/(c^2*x^2)])*x])/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x)))/\text{Sqrt}[-(c^2*d) - e]))/\text{Sqrt}[d]))/e^{5/2} + (((7*I)/16)*\text{Sqrt}[d]*(-\text{ArcSec}[c*x]/((-I)*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x)) - (I*(\text{ArcSin}[1/(c*x)]/\text{Sqrt}[e] - \text{Log}[(2*\text{Sqrt}[d]*\text{Sqrt}[e]*(-\text{Sqrt}[e] + c*(I*c*\text{Sqrt}[d] + \text{Sqrt}[-(c^2*d) - e]*\text{Sqrt}[1 - 1/(c^2*x^2)])*x])/(\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x)))/\text{Sqrt}[-(c^2*d) - e]))/\text{Sqrt}[d]))/e^{5/2} - (d*(-\text{ArcSec}[c*x]/(\text{Sqrt}[e]*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)^2)) + (\text{ArcSin}[1/(c*x)]/\text{Sqrt}[e] - I*((c*\text{Sqrt}[d]*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/((c^2*d + e)*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) + ((2*c^2*d + e)*\text{Log}[-4*d*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*(I*\text{Sqrt}[e] + c*(c*\text{Sqrt}[d] - \text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)))/((c^2*d + e)^{3/2}))/d)/(16*e^{5/2}) - (d*((I*c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(\text{Sqrt}[d]*(c^2*d + e)*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) - \text{ArcSec}[c*x]/(\text{Sqrt}[e]*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)^2) + \text{ArcSin}[1/(c*x)]/(d*\text{Sqrt}[e]) - (I*(2*c^2*d + e)*\text{Log}[(4*d*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*((-I)*\text{Sqrt}[e] + c*(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)))/((d*(c^2*d + e)^{3/2}))/d)/(16*e^{5/2}) + ((I/4)*(8*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2])*\text{ArcTan}[(I*c*\text{Sqrt}[d] + \text{Sqrt}[e])*\text{Tan}[\text{ArcSec}[c*x]/2]/\text{Sqrt}[c^2*d + e]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - (4*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2])*\text{Log}[1 + (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + (4*I)*\text{ArcSin}[\text{Sqrt}[1 + (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2])*\text{Log}[1 + (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])})] - 2*\text{PolyLog}[2, (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])] - 2*\text{PolyLog}[2, ((-I)*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])] + \text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])})])]/e^3 + ((I/4)*(8*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2])*\text{ArcTan}[((-I)*c*\text{Sqrt}[d] + \text{Sqrt}[e])*\text{Tan}[\text{ArcSec}[c*x]/2]/\text{Sqrt}[c^2*d + e]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - (4*I)*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/c*\text{Sqrt}[d]]]/\text{Sqrt}[2])*\text{Log}[1 + (I*(-\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) - (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])]) + (4*I)*\text{ArcSin}[\text{Sqrt}[1$$

$$- (I\sqrt{e})/(c\sqrt{d})/\sqrt{2}]\log[1 - (I(\sqrt{e} + \sqrt{c^2d + e}) * E^{(I\text{ArcSec}[c*x])})/(c\sqrt{d})] + (2*I)\text{ArcSec}[c*x]\log[1 + E^{(2*I)\text{ArcSec}[c*x]}] - 2*\text{PolyLog}[2, (I(\sqrt{e} - \sqrt{c^2d + e}) * E^{(I\text{ArcSec}[c*x])})/(c\sqrt{d})] - 2*\text{PolyLog}[2, (I(\sqrt{e} + \sqrt{c^2d + e}) * E^{(I\text{ArcSec}[c*x])})/(c\sqrt{d})] + \text{PolyLog}[2, -E^{(2*I)\text{ArcSec}[c*x]}])]/e^3$$

Maple [C] time = 0.819, size = 1626, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x)`

[Out]
$$-1/4*I*c^4*b/e^3/(c^2*d+e)*d^2*\text{sum}((_R1^2+1)/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)), _R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-1/8*I*c^4*b/e^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*d^2-1/8*c^5*b/e^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x*d^2-1/4*I*c^4*b/e/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*x^2*d+5/8*I*c^2*b*(e*(c^2*d+e))^{(1/2)}/e^3/(c^2*d+e)^2*\text{arc tanh}(1/4*(2*c^2*d*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})^2+2*c^2*d+4*e)/(c^2*d*e+e^2))^{(1/2)}*d-1/4*c^4*a*d^2/e^3/(c^2*e*x^2+c^2*d)^2+1/2*a/e^3*\ln(c^2*e*x^2+c^2*d)+c^2*a/e^3*d/(c^2*e*x^2+c^2*d)-b/e^2/(c^2*d+e)*\text{arcsec}(c*x)*\ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-b/e^2/(c^2*d+e)*\text{arcsec}(c*x)*\ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*b/e^2/(c^2*d+e)*\text{dilog}(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*b/e^2/(c^2*d+e)*\text{dilog}(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-1/4*I*b/e^2/(c^2*d+e)*\text{sum}((_R1^2*c^2*d+c^2*d+4*e)/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)), _R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-1/2*c^6*b/e^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*\text{arcsec}(c*x)*d^2*x^2-1/8*c^5*b/e/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^3*d-1/2*c^4*b/e/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*\text{arcsec}(c*x)*d*x^2-3/4*c^6*b/e/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*\text{arcsec}(c*x)*d*x^4-1/4*I*c^2*b/e^2/(c^2*d+e)*d*\text{sum}((_R1^2+1)/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)), _R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-c^2*b/e^3/(c^2*d+e)*d*\text{arcsec}(c*x)*\ln(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-c^2*b/e^3/(c^2*d+e)*d*\text{arcsec}(c*x)*\ln(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*c^2*b/e^3/(c^2*d+e)*d*\text{dilog}(1+I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))+I*c^2*b/e^3/(c^2*d+e)*d*\text{dilog}(1-I*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))-1/4*I*c^2*b/e^3/(c^2*d+e)*d*\text{sum}((_R1^2*c^2*d+c^2*d+4*e)/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)), _R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-3/4*c^$$

$$4*b/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*arcsec(c*x)*x^4-1/8*I*c^4*b/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*x^4+3/4*I*b*(e*(c^2*d+e))^(1/2)/e^2/(c^2*d+e)^2*arctanh(1/4*(2*c^2*d*(1/c/x+I*(1-1/c^2/x^2))^(1/2))^2+2*c^2*d+4*e)/(c^2*d*e+e^2)^(1/2)$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} a \left(\frac{4 d e x^2 + 3 d^2}{e^5 x^4 + 2 d e^4 x^2 + d^2 e^3} + \frac{2 \log(e x^2 + d)}{e^3} \right) + b \int \frac{x^5 \arctan(\sqrt{c x + 1} \sqrt{c x - 1})}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] 1/4*a*((4*d*e*x^2 + 3*d^2)/(e^5*x^4 + 2*d*e^4*x^2 + d^2*e^3) + 2*log(e*x^2 + d)/e^3) + b*integrate(x^5*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b x^5 \operatorname{arcsec}(c x) + a x^5}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*x^5*arcsec(c*x) + a*x^5)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^5}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^5/(e*x^2 + d)^3, x)

$$3.105 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=157

$$\frac{x^4(a+b \sec^{-1}(cx))}{4d(d+ex^2)^2} - \frac{bcx(c^2d+2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}\sqrt{c^2x^2}(c^2d+e)^{3/2}} + \frac{bcx\sqrt{c^2x^2-1}}{8e\sqrt{c^2x^2}(c^2d+e)(d+ex^2)}$$

[Out] (b*c*x*Sqrt[-1 + c^2*x^2])/(8*e*(c^2*d + e)*Sqrt[c^2*x^2]*(d + e*x^2)) + (x^4*(a + b*ArcSec[c*x]))/(4*d*(d + e*x^2)^2) - (b*c*(c^2*d + 2*e)*x*ArcTan[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*d + e]])/(8*d*e^(3/2)*(c^2*d + e)^(3/2))*Sqrt[c^2*x^2])

Rubi [A] time = 0.174512, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {264, 5238, 12, 446, 78, 63, 205}

$$\frac{x^4(a+b \sec^{-1}(cx))}{4d(d+ex^2)^2} - \frac{bcx(c^2d+2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}\sqrt{c^2x^2}(c^2d+e)^{3/2}} + \frac{bcx\sqrt{c^2x^2-1}}{8e\sqrt{c^2x^2}(c^2d+e)(d+ex^2)}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] (b*c*x*Sqrt[-1 + c^2*x^2])/(8*e*(c^2*d + e)*Sqrt[c^2*x^2]*(d + e*x^2)) + (x^4*(a + b*ArcSec[c*x]))/(4*d*(d + e*x^2)^2) - (b*c*(c^2*d + 2*e)*x*ArcTan[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*d + e]])/(8*d*e^(3/2)*(c^2*d + e)^(3/2))*Sqrt[c^2*x^2])

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis

```
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p
_.)), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= \frac{x^4 (a + b \sec^{-1}(cx))}{4d (d + ex^2)^2} - \frac{(bcx) \int \frac{x^3}{4d\sqrt{-1+c^2x^2}(d+ex^2)^2} dx}{\sqrt{c^2x^2}} \\
&= \frac{x^4 (a + b \sec^{-1}(cx))}{4d (d + ex^2)^2} - \frac{(bcx) \int \frac{x^3}{\sqrt{-1+c^2x^2}(d+ex^2)^2} dx}{4d\sqrt{c^2x^2}} \\
&= \frac{x^4 (a + b \sec^{-1}(cx))}{4d (d + ex^2)^2} - \frac{(bcx) \text{Subst} \left(\int \frac{x}{\sqrt{-1+c^2x}(d+ex)^2} dx, x, x^2 \right)}{8d\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1+c^2x^2}}{8e(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} + \frac{x^4 (a + b \sec^{-1}(cx))}{4d (d + ex^2)^2} - \frac{(bc(c^2d+2e)x) \text{Subst} \left(\int \frac{1}{\sqrt{-1+c^2x}(d+ex)} dx, x, x^2 \right)}{16de(c^2d+e)\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1+c^2x^2}}{8e(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} + \frac{x^4 (a + b \sec^{-1}(cx))}{4d (d + ex^2)^2} - \frac{(b(c^2d+2e)x) \text{Subst} \left(\int \frac{1}{d+\frac{e}{c^2}+\frac{ex^2}{c^2}} dx, x, x^2 \right)}{8cde(c^2d+e)\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1+c^2x^2}}{8e(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} + \frac{x^4 (a + b \sec^{-1}(cx))}{4d (d + ex^2)^2} - \frac{bc(c^2d+2e)x \tan^{-1} \left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{\sqrt{c^2d+e}} \right)}{8de^{3/2}(c^2d+e)^{3/2}\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 1.31066, size = 389, normalized size = 2.48

$$\frac{\frac{8a}{d+ex^2} - \frac{4ad}{(d+ex^2)^2} + \frac{b\sqrt{e}(c^2d+2e) \log \left(\frac{16de^{3/2}\sqrt{c^2(-d)-e} \left(\sqrt{e+cx} \left(-\sqrt{1-\frac{1}{c^2x^2}} \sqrt{c^2(-d)-e+ic\sqrt{d}} \right) \right)}{b(c^2d+2e)(\sqrt{ex+i\sqrt{d}})} \right)}{d(c^2(-d)-e)^{3/2}} + \frac{b\sqrt{e}(c^2d+2e) \log \left(\frac{16ide^{3/2}\sqrt{c^2(-d)-e} \left(-\sqrt{e+cx} \left(\sqrt{1-\frac{1}{c^2x^2}} \sqrt{c^2(-d)-e} \right) \right)}{b(c^2d+2e)(\sqrt{d+i\sqrt{ex}})} \right)}{d(c^2(-d)-e)^{3/2}}}{16e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] -((-4*a*d)/(d + e*x^2)^2 + (8*a)/(d + e*x^2) - (2*b*c*e*Sqrt[1 - 1/(c^2*x^2)])*x)/((c^2*d + e)*(d + e*x^2)) + (4*b*(d + 2*e*x^2)*ArcSec[c*x])/(d + e*x^2)^2 + (4*b*ArcSin[1/(c*x)]/d + (b*Sqrt[e]*(c^2*d + 2*e)*Log[(-16*d*Sqrt[-(c^2*d) - e]*e^(3/2)*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x])/(b*(c^2*d + 2*e)*(I*Sqrt[d] + Sqrt[e]*x)))]/(d*(-(c^2*d) - e)^(3/2)) + (b*Sqrt[e]*(c^2*d + 2*e)*Log[((16*I)*d*Sqrt[-(c^2*d) - e]*e

$$\frac{c^{3/2}(-\sqrt{e} + c(Ic\sqrt{d} + \sqrt{-(c^2d) - e})\sqrt{1 - 1/(c^2x^2)})x)/(b(c^2d + 2e)(\sqrt{d} + I\sqrt{e}x)))/(d(-(c^2d) - e)^{3/2})/(16e^2)}$$

Maple [B] time = 0.277, size = 1870, normalized size = 11.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^3,x)

[Out]
$$\begin{aligned} & -1/2*c^2*a/e^2/(c^2*e*x^2+c^2*d)+1/4*c^4*a/e^2*d/(c^2*e*x^2+c^2*d)^2-1/2*c^2*b*arcsec(c*x)/e^2/(c^2*e*x^2+c^2*d)+1/4*c^4*b*arcsec(c*x)/e^2*d/(c^2*e*x^2+c^2*d)^2+1/4*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)})+1/4*c^3*b*(c^2*x^2-1)^{(1/2)}/e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)})-1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(-2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e+(-c^2*e*d)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*e*d)^{(1/2)})-1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(-2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e+(-c^2*e*d)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*e*d)^{(1/2)})-1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d)^{(1/2)})-1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d)^{(1/2)})+1/4*c*b*(c^2*x^2-1)^{(1/2)}*e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)})+1/4*c*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)})-1/8*c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})+1/8*c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})-1/8*c*b*(c^2*x^2-1)^{(1/2)}*e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(-2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e+(-c^2*e*d)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*e*d)^{(1/2)})-1/8*c*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*$$

$$x+(-c^2*e*d)^{(1/2)} / (-e*c*x+(-c^2*e*d)^{(1/2)}) * \ln(-2*((-c^2*d+e)/e)^{(1/2)} * (c^2*x^2-1)^{(1/2)} * e+(-c^2*e*d)^{(1/2)} * c*x-e) / (-e*c*x+(-c^2*e*d)^{(1/2)})) - 1/8*c*b*(c^2*x^2-1)^{(1/2)} * e / ((c^2*x^2-1)/c^2/x^2)^{(1/2)} * x/d / (-c^2*d+e)/e)^{(1/2)} / (c^2*d+e) / (e*c*x+(-c^2*e*d)^{(1/2)}) / (-e*c*x+(-c^2*e*d)^{(1/2)}) * \ln(2*((-c^2*d+e)/e)^{(1/2)} * (c^2*x^2-1)^{(1/2)} * e-(-c^2*e*d)^{(1/2)} * c*x-e) / (e*c*x+(-c^2*e*d)^{(1/2)})) - 1/8*c*b*(c^2*x^2-1)^{(1/2)} / ((c^2*x^2-1)/c^2/x^2)^{(1/2)} / x / (-c^2*d+e)/e)^{(1/2)} / (c^2*d+e) / (e*c*x+(-c^2*e*d)^{(1/2)}) / (-e*c*x+(-c^2*e*d)^{(1/2)}) * \ln(2*((-c^2*d+e)/e)^{(1/2)} * (c^2*x^2-1)^{(1/2)} * e-(-c^2*e*d)^{(1/2)} * c*x-e) / (e*c*x+(-c^2*e*d)^{(1/2)}))$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{(2ex^2 + d)a}{4(e^4x^4 + 2de^3x^2 + d^2e^2)} - \frac{\left((2ex^2 + d) \arctan(\sqrt{cx+1}\sqrt{cx-1}) - (e^4x^4 + 2de^3x^2 + d^2e^2) \int \frac{1}{c^2e^4x^6 + (2c^2de^3 - e^4)x^4 - d^2e^2 + (c^2d^2e^2 - 2c^2de^3 - e^4)x^2 + (c^2e^4x^6 + (2c^2d^2e^3 - e^4)x^4 - d^2e^2 + (c^2d^2e^2 - 2c^2de^3)x^2) * e^{(\log(cx+1) + \log(cx-1))}} \right)}{4(e^4x^4 + 2de^3x^2 + d^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $-1/4*(2*e*x^2 + d)*a/(e^4*x^4 + 2*d*e^3*x^2 + d^2*e^2) - 1/4*((2*e*x^2 + d) * \arctan(\sqrt{c*x + 1} * \sqrt{c*x - 1}) - 4*(e^4*x^4 + 2*d*e^3*x^2 + d^2*e^2) * \int \frac{1}{c^2*e^4*x^6 + (2*c^2*d*e^3 - e^4)*x^4 - d^2*e^2 + (c^2*d^2*e^2 - 2*d*e^3)*x^2 + (c^2*e^4*x^6 + (2*c^2*d*e^3 - e^4)*x^4 - d^2*e^2 + (c^2*d^2*e^2 - 2*d*e^3)*x^2) * e^{(\log(c*x + 1) + \log(c*x - 1))}} dx) * b / (e^4*x^4 + 2*d*e^3*x^2 + d^2*e^2)$

Fricas [B] time = 4.35592, size = 2093, normalized size = 13.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] $[-1/16*(4*a*c^4*d^4 + 8*a*c^2*d^3*e + 4*a*d^2*e^2 + 8*(a*c^4*d^3*e + 2*a*c^2*d^2*e^2 + a*d*e^3)*x^2 + (b*c^2*d^3 + (b*c^2*d*e^2 + 2*b*e^3)*x^4 + 2*b*d^2*e + 2*(b*c^2*d^2*e + 2*b*d*e^2)*x^2) * \sqrt{-c^2*d*e - e^2} * \log((c^2*e*x^2$

$$\begin{aligned}
& -c^2d + 2\sqrt{-c^2de - e^2}\sqrt{c^2x^2 - 1} - 2e)/(ex^2 + d) + 4 \\
& *(b^4c^4d^4 + 2b^3c^2d^3e + b^2d^2e^2 + 2(b^4c^4d^3e + 2b^3c^2d^2e^2 \\
& + b^2d^2e^3)x^2)\operatorname{arcsec}(cx) - 8(b^4c^4d^4 + 2b^3c^2d^3e + b^2d^2e^2 + (b \\
& *c^4d^2e^2 + 2b^3c^2d^2e^3 + b^2e^4)x^4 + 2(b^4c^4d^3e + 2b^3c^2d^2e^2 \\
& + b^2d^2e^3)x^2)\arctan(-cx + \sqrt{c^2x^2 - 1}) - 2(b^3c^2d^3e + b^2d^2 \\
& *e^2 + (b^3c^2d^2e^2 + b^2d^2e^3)x^2)\sqrt{c^2x^2 - 1})/(c^4d^5e^2 + 2c \\
& ^2d^4e^3 + d^3e^4 + (c^4d^3e^4 + 2c^2d^2e^5 + d^2e^6)x^4 + 2(c^4d \\
& ^4e^3 + 2c^2d^3e^4 + d^2e^5)x^2), -1/8(2a^4c^4d^4 + 4a^3c^2d^3e + \\
& 2a^2d^2e^2 + 4(a^4c^4d^3e + 2a^3c^2d^2e^2 + a^2d^2e^3)x^2 + (b^3c^2d^3 \\
& + (b^3c^2d^2e^2 + 2b^2e^3)x^4 + 2b^2d^2e + 2(b^3c^2d^2e + 2b^2d^2e^2)x^ \\
& 2)\sqrt{c^2de + e^2}\arctan(\sqrt{c^2de + e^2}\sqrt{c^2x^2 - 1})/(c^2d \\
& + e) + 2(b^4c^4d^4 + 2b^3c^2d^3e + b^2d^2e^2 + 2(b^4c^4d^3e + 2b^3c^2 \\
& *d^2e^2 + b^2d^2e^3)x^2)\operatorname{arcsec}(cx) - 4(b^4c^4d^4 + 2b^3c^2d^3e + b^2d^2 \\
& *e^2 + (b^4c^4d^2e^2 + 2b^3c^2d^2e^3 + b^2e^4)x^4 + 2(b^4c^4d^3e + 2b^3c^2 \\
& *d^2e^2 + b^2d^2e^3)x^2)\arctan(-cx + \sqrt{c^2x^2 - 1}) - (b^3c^2d^3e \\
& + b^2d^2e^2 + (b^3c^2d^2e^2 + b^2d^2e^3)x^2)\sqrt{c^2x^2 - 1})/(c^4d^5e^2 \\
& + 2c^2d^4e^3 + d^3e^4 + (c^4d^3e^4 + 2c^2d^2e^5 + d^2e^6)x^4 + 2 \\
& *(c^4d^4e^3 + 2c^2d^3e^4 + d^2e^5)x^2)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^3}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^3/(e*x^2 + d)^3, x)

$$3.106 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=193

$$-\frac{a+b \sec^{-1}(cx)}{4e(d+ex^2)^2} + \frac{bcx \tan^{-1}\left(\sqrt{c^2x^2-1}\right)}{4d^2e\sqrt{c^2x^2}} - \frac{bcx(3c^2d+2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8d^2\sqrt{e}\sqrt{c^2x^2}(c^2d+e)^{3/2}} - \frac{bcx\sqrt{c^2x^2-1}}{8d\sqrt{c^2x^2}(c^2d+e)(d+ex^2)}$$

[Out] $-(b*c*x*\text{Sqrt}[-1 + c^2*x^2])/(8*d*(c^2*d + e)*\text{Sqrt}[c^2*x^2]*(d + e*x^2)) - (a + b*\text{ArcSec}[c*x])/(4*e*(d + e*x^2)^2) + (b*c*x*\text{ArcTan}[\text{Sqrt}[-1 + c^2*x^2]])/(4*d^2*e*\text{Sqrt}[c^2*x^2]) - (b*c*(3*c^2*d + 2*e)*x*\text{ArcTan}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/\text{Sqrt}[c^2*d + e]])/(8*d^2*\text{Sqrt}[e]*(c^2*d + e)^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.18969, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {5236, 446, 103, 156, 63, 205}

$$-\frac{a+b \sec^{-1}(cx)}{4e(d+ex^2)^2} + \frac{bcx \tan^{-1}\left(\sqrt{c^2x^2-1}\right)}{4d^2e\sqrt{c^2x^2}} - \frac{bcx(3c^2d+2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8d^2\sqrt{e}\sqrt{c^2x^2}(c^2d+e)^{3/2}} - \frac{bcx\sqrt{c^2x^2-1}}{8d\sqrt{c^2x^2}(c^2d+e)(d+ex^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b*\text{ArcSec}[c*x]))/(d + e*x^2)^3, x]$

[Out] $-(b*c*x*\text{Sqrt}[-1 + c^2*x^2])/(8*d*(c^2*d + e)*\text{Sqrt}[c^2*x^2]*(d + e*x^2)) - (a + b*\text{ArcSec}[c*x])/(4*e*(d + e*x^2)^2) + (b*c*x*\text{ArcTan}[\text{Sqrt}[-1 + c^2*x^2]])/(4*d^2*e*\text{Sqrt}[c^2*x^2]) - (b*c*(3*c^2*d + 2*e)*x*\text{ArcTan}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/\text{Sqrt}[c^2*d + e]])/(8*d^2*\text{Sqrt}[e]*(c^2*d + e)^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rule 5236

$\text{Int}[(a_. + \text{ArcSec}[(c_.)*(x_.)]*(b_.))*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x]$
 $_Symbol] :> \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSec}[c*x])/(2*e*(p + 1)), x]$
 $]- \text{Dist}[(b*c*x)/(2*e*(p + 1)*\text{Sqrt}[c^2*x^2]), \text{Int}[(d + e*x^2)^{(p + 1)}/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, p\}, x \&\& \text{NeQ}[p, -1]$

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 103

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x
)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a
*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*
(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x,
x], x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[
m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])
```

Rule 156

```
Int[(((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)))/(((a_) + (b_)*(x_))*
((c_) + (d_)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= -\frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2}(d+ex^2)^2} dx}{4e\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}(d+ex)^2} dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} - \frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} - \frac{(bcx) \text{Subst}\left(\int \frac{-c^2d-e+\frac{1}{2}c^2ex}{x\sqrt{-1+c^2x}(d+ex)} dx, x, x^2\right)}{8de(c^2d+e)\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} - \frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{8d^2e\sqrt{c^2x^2}} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{\frac{1}{c^2}+\frac{x^2}{c^2}} dx, x, \sqrt{-1+c^2x^2}\right)}{4cd^2e\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} - \frac{a + b \sec^{-1}(cx)}{4e(d + ex^2)^2} + \frac{bcx \tan^{-1}\left(\sqrt{-1+c^2x^2}\right)}{4d^2e\sqrt{c^2x^2}} - \frac{bc(3c^2d+2e)}{8d^2\sqrt{e}(c^2d+e)}
\end{aligned}$$

Mathematica [C] time = 0.877326, size = 386, normalized size = 2.

$$\frac{1}{16} \left(\frac{4a}{e(d+ex^2)^2} - \frac{b(3c^2d+2e) \log\left(-\frac{16d^2\sqrt{e}\sqrt{c^2(-d)-e}\left(\sqrt{e+cx}\left(-\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e+ic\sqrt{d}}\right)\right)}{b(3c^2d+2e)(\sqrt{ex+i\sqrt{d}})}\right)}{d^2\sqrt{e}(c^2(-d)-e)^{3/2}} - \frac{b(3c^2d+2e) \log\left(\frac{16id^2\sqrt{e}\sqrt{c^2(-d)-e}}{b(3c^2d+2e)(\sqrt{ex+i\sqrt{d}})}\right)}{d^2\sqrt{e}(c^2(-d)-e)^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] ((-4*a)/(e*(d + e*x^2)^2) - (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x)/(d*(c^2*d + e)*(d + e*x^2)) - (4*b*ArcSec[c*x])/(e*(d + e*x^2)^2) - (4*b*ArcSin[1/(c*x)])/(d^2*e) - (b*(3*c^2*d + 2*e)*Log[(-16*d^2*Sqrt[-(c^2*d) - e]*Sqrt[e]*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)]))]*x)/(b*(3*c

$$\frac{(d^2 + 2e)(I\sqrt{d} + \sqrt{e}x)}{(d^2(-c^2d - e)^{3/2}\sqrt{e}) - (b(3c^2d + 2e)\text{Log}[(16I)d^2\sqrt{-(c^2d - e)}\sqrt{e}(-\sqrt{e} + c(Ic\sqrt{d} + \sqrt{-(c^2d - e)}\sqrt{1 - 1/(c^2x^2)})x)]/(b(3c^2d + 2e)(\sqrt{d} + I\sqrt{e}x)))/(d^2(-c^2d - e)^{3/2}\sqrt{e})/16}$$

Maple [B] time = 0.262, size = 1840, normalized size = 9.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^3,x)`

[Out]
$$\begin{aligned} & -1/4*c^4*a/e/(c^2*e*x^2+c^2*d)^2-1/4*c^4*b/e/(c^2*e*x^2+c^2*d)^2*arcsec(c*x) \\ & +1/4*c^3*b*(c^2*x^2-1)^{(1/2)}*e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(c^2*d+e)/(\\ & e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)} \\ &))+1/4*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/(c^2*d+e)/(e*c \\ & *x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)})- \\ & 3/16*c^3*b*(c^2*x^2-1)^{(1/2)}*e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(-c^2*d+e)/ \\ & e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(-2 \\ & *((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e+(-c^2*e*d)^{(1/2)}*c*x-e)/(-e*c*x+ \\ & (-c^2*e*d)^{(1/2)})-3/16*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)} \\ & /x/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e* \\ & d)^{(1/2)})*ln(-2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e+(-c^2*e*d)^{(1/2)}* \\ & c*x-e)/(-e*c*x+(-c^2*e*d)^{(1/2)})-3/16*c^3*b*(c^2*x^2-1)^{(1/2)}*e/((c^2*x^2- \\ & 1)/c^2/x^2)^{(1/2)}*x/d/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d)^{(1/2)} \\ &))/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e \\ & -(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d)^{(1/2)})-3/16*c^3*b*(c^2*x^2-1)^{(\\ & 1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/(-c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(- \\ & c^2*e*d)^{(1/2)})/(-e*c*x+(-c^2*e*d)^{(1/2)})*ln(2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x \\ & ^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d)^{(1/2)})+1/4*c*b*(c^ \\ & 2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d^2/(c^2*d+e)/(-e*c*x+(-c^2*e* \\ & d)^{(1/2)})/(e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)})*e^2+1/4*c*b* \\ & (c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/d/(c^2*d+e)/(-e*c*x+(-c^2*e* \\ & *d)^{(1/2)})/(e*c*x+(-c^2*e*d)^{(1/2)})*arctan(1/(c^2*x^2-1)^{(1/2)})*e+1/8*c^3*b \\ & /((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(c^2*d+e)/(-e*c*x+(-c^2*e*d)^{(1/2)})/(e*c*x \\ & +(-c^2*e*d)^{(1/2)})*e-1/8*c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/d/(c^2*d+e)/(-e* \\ & c*x+(-c^2*e*d)^{(1/2)})/(e*c*x+(-c^2*e*d)^{(1/2)})*e-1/8*c*b*(c^2*x^2-1)^{(1/2)}/ \\ & ((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d^2/(c^2*d+e)/(-e*c*x+(-c^2*e*d)^{(1/2)})/(-c^ \\ & 2*d+e)/e)^{(1/2)}/(e*c*x+(-c^2*e*d)^{(1/2)})*ln(-2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x \\ & ^2-1)^{(1/2)}*e+(-c^2*e*d)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*e*d)^{(1/2)})*e^2-1/8*c* \\ & b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/d/(c^2*d+e)/(-e*c*x+(-c^2 \end{aligned}$$

$$\begin{aligned} & *e*d)^{(1/2)})/(-c^2*d+e)/e)^{(1/2)}/(e*c*x+(-c^2*e*d)^{(1/2)})*\ln(-2*((-c^2*d+ \\ & e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e+(-c^2*e*d)^{(1/2)}*c*x-e)/(-e*c*x+(-c^2*e*d)^{(1/2)})) \\ & *e-1/8*c*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d^2/(c^2* \\ & d+e)/(-e*c*x+(-c^2*e*d)^{(1/2)})/(-c^2*d+e)/e)^{(1/2)}/(e*c*x+(-c^2*e*d)^{(1/2)} \\ &)*\ln(2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e \\ & *c*x+(-c^2*e*d)^{(1/2)})) *e^2-1/8*c*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2) \\ & ^{(1/2)}/x/d/(c^2*d+e)/(-e*c*x+(-c^2*e*d)^{(1/2)})/(-c^2*d+e)/e)^{(1/2)}/(e*c*x+ \\ & (-c^2*e*d)^{(1/2)})*\ln(2*((-c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d) \\ & ^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d)^{(1/2)})) *e \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\left((c^2 e^3 x^4 + 2 c^2 d e^2 x^2 + c^2 d^2 e) \int \frac{x e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(cx-1)\right)}}{c^2 e^3 x^6 + (2 c^2 d e^2 - e^3) x^4 + (c^2 e^3 x^6 + (2 c^2 d e^2 - e^3) x^4 - d^2 e + (c^2 d^2 e - 2 d e^2) x^2)(cx+1)(cx-1) - d^2 e + (c^2 d^2 e - 2 d e^2) x^2} dx - \arctan\left(\frac{\sqrt{c^2 e^3 x^4 + 2 c^2 d e^2 x^2 + c^2 d^2 e}}{e^3 x^4 + 2 d e^2 x^2 + d^2 e}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] 1/4*(4*(c^2*e^3*x^4 + 2*c^2*d*e^2*x^2 + c^2*d^2*e)*integrate(1/4*x*e^(1/2*log(c*x + 1) + 1/2*log(c*x - 1))/(c^2*e^3*x^6 + (2*c^2*d*e^2 - e^3)*x^4 - d^2*e + (c^2*d^2*e - 2*d*e^2)*x^2 + (c^2*e^3*x^6 + (2*c^2*d*e^2 - e^3)*x^4 - d^2*e + (c^2*d^2*e - 2*d*e^2)*x^2)*e^(log(c*x + 1) + log(c*x - 1))), x) - arctan(sqrt(c*x + 1)*sqrt(c*x - 1))*b/(e^3*x^4 + 2*d*e^2*x^2 + d^2*e) - 1/4*a/(e^3*x^4 + 2*d*e^2*x^2 + d^2*e)

Fricas [B] time = 5.00913, size = 1839, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [-1/16*(4*a*c^4*d^4 + 8*a*c^2*d^3*e + 4*a*d^2*e^2 + (3*b*c^2*d^3 + (3*b*c^2*d*e^2 + 2*b*e^3)*x^4 + 2*b*d^2*e + 2*(3*b*c^2*d^2*e + 2*b*d*e^2)*x^2)*sqrt(-c^2*d*e - e^2)*log((c^2*e*x^2 - c^2*d + 2*sqrt(-c^2*d*e - e^2)*sqrt(c^2*x^2 - 1) - 2*e)/(e*x^2 + d)) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*arc

```

sec(c*x) - 8*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + (b*c^4*d^2*e^2 + 2*b*
c^2*d*e^3 + b*e^4)*x^4 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d*e^3)*x^2)*a
rctan(-c*x + sqrt(c^2*x^2 - 1)) + 2*(b*c^2*d^3*e + b*d^2*e^2 + (b*c^2*d^2*e
^2 + b*d*e^3)*x^2)*sqrt(c^2*x^2 - 1))/(c^4*d^6*e + 2*c^2*d^5*e^2 + d^4*e^3
+ (c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^4 + 2*(c^4*d^5*e^2 + 2*c^2*d^4*
e^3 + d^3*e^4)*x^2), -1/8*(2*a*c^4*d^4 + 4*a*c^2*d^3*e + 2*a*d^2*e^2 + (3*b
*c^2*d^3 + (3*b*c^2*d*e^2 + 2*b*e^3)*x^4 + 2*b*d^2*e + 2*(3*b*c^2*d^2*e + 2
*b*d*e^2)*x^2)*sqrt(c^2*d*e + e^2)*arctan(sqrt(c^2*d*e + e^2)*sqrt(c^2*x^2
- 1)/(c^2*d + e)) + 2*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*arcsec(c*x) -
4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + (b*c^4*d^2*e^2 + 2*b*c^2*d*e^3
+ b*e^4)*x^4 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d*e^3)*x^2)*arctan(-c*x
+ sqrt(c^2*x^2 - 1)) + (b*c^2*d^3*e + b*d^2*e^2 + (b*c^2*d^2*e^2 + b*d*e^3
)*x^2)*sqrt(c^2*x^2 - 1))/(c^4*d^6*e + 2*c^2*d^5*e^2 + d^4*e^3 + (c^4*d^4*e
^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^4 + 2*(c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^
4)*x^2)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x/(e*x^2 + d)^3, x)

$$3.107 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^3} dx$$

Optimal. Leaf size=685

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^3} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^3}$$

[Out] (b*c*e*Sqrt[1 - 1/(c^2*x^2)])/(8*d^2*(c^2*d + e)*(e + d/x^2)*x) + (e^2*(a + b*ArcSec[c*x]))/(4*d^3*(e + d/x^2)^2) - (e*(a + b*ArcSec[c*x]))/(d^3*(e + d/x^2)) + ((I/2)*(a + b*ArcSec[c*x])^2)/(b*d^3) - (b*Sqrt[e]*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])*x])/(d^3*Sqrt[c^2*d + e]) + (b*Sqrt[e]*(c^2*d + 2*e)*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])*x])/(8*d^3*(c^2*d + e)^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d^3) + ((I/2)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/d^3 + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/d^3 + ((I/2)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/d^3 + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/d^3

Rubi [A] time = 1.2912, antiderivative size = 685, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {5240, 4734, 4730, 382, 377, 205, 4742, 4520, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^3} + \frac{ibPolyLog\left(2, -\frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{c\sqrt{-de}i \sec^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^3), x]

```
[Out] (b*c*e*Sqrt[1 - 1/(c^2*x^2)])/(8*d^2*(c^2*d + e)*(e + d/x^2)*x) + (e^2*(a +
b*ArcSec[c*x]))/(4*d^3*(e + d/x^2)^2) - (e*(a + b*ArcSec[c*x]))/(d^3*(e +
d/x^2)) + ((I/2)*(a + b*ArcSec[c*x])^2)/(b*d^3) - (b*Sqrt[e]*ArcTan[Sqrt[c^
2*d + e]/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)]/(d^3*Sqrt[c^2*d + e]) + (b*S
qrt[e]*(c^2*d + 2*e)*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)
]*x)])/(8*d^3*(c^2*d + e)^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]
*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSec[
c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(
2*d^3) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt
[e] + Sqrt[c^2*d + e])])/(2*d^3) - ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]
*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d^3) + ((I/2)*b*PolyLo
g[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/d^3 +
((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d +
e])])/d^3 + ((I/2)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] +
Sqrt[c^2*d + e])])/d^3 + ((I/2)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]
))/Sqrt[e] + Sqrt[c^2*d + e])])/d^3
```

Rule 5240

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 4734

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4730

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_
Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x]))/(2*e*(p + 1)), x]
+ Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), I
nt[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ
```

[q, -1]) && NeQ[p, -1]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 4742

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391


```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{x^5 \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{e^2 x \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d^2 (e + dx^2)^3} - \frac{2ex \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d^2 (e + dx^2)^2} + \frac{x \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{x^{(a+b \cos^{-1}(\frac{x}{c}))}}{e+dx^2} dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \frac{x^{(a+b \cos^{-1}(\frac{x}{c}))}}{(e+dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \text{Subst} \left(\int \frac{x^{(a+b \cos^{-1}(\frac{x}{c}))}}{(e+dx^2)} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} - \frac{\text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a+b \cos^{-1}(\frac{x}{c}))}{2d(\sqrt{e}-\sqrt{-dx})} + \frac{\sqrt{-d}(a+b \cos^{-1}(\frac{x}{c}))}{2d(\sqrt{e}+\sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} - \frac{\text{Subst} \left(\int \frac{a+b \cos^{-1}(\frac{x}{c})}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2(-d)^{5/2}} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} - \frac{b\sqrt{e} \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{d^3 \sqrt{c^2 d + e}} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2bd^3} - \frac{b\sqrt{e}}{d^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2bd^3} - \frac{b\sqrt{e}}{d^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2bd^3} - \frac{b\sqrt{e}}{d^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2bd^3} - \frac{b\sqrt{e}}{d^3} \\
&= \frac{bce \sqrt{1 - \frac{1}{c^2 x^2}}}{8d^2 (c^2 d + e) \left(e + \frac{d}{x^2} \right) x} + \frac{e^2 (a + b \sec^{-1}(cx))}{4d^3 \left(e + \frac{d}{x^2} \right)^2} - \frac{e (a + b \sec^{-1}(cx))}{d^3 \left(e + \frac{d}{x^2} \right)} + \frac{i (a + b \sec^{-1}(cx))^2}{2bd^3} - \frac{b\sqrt{e}}{d^3}
\end{aligned}$$

Mathematica [F] time = 50.1005, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x(d + ex^2)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^3), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^3), x]

Maple [C] time = 1.949, size = 5373, normalized size = 7.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x/(e*x^2+d)^3, x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} a \left(\frac{2ex^2 + 3d}{d^2e^2x^4 + 2d^3ex^2 + d^4} - \frac{2 \log(ex^2 + d)}{d^3} + \frac{4 \log(x)}{d^3} \right) + b \int \frac{\arctan(\sqrt{cx+1}\sqrt{cx-1})}{e^3x^7 + 3de^2x^5 + 3d^2ex^3 + d^3x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^3, x, algorithm="maxima")

[Out] 1/4*a*((2*e*x^2 + 3*d)/(d^2*e^2*x^4 + 2*d^3*e*x^2 + d^4) - 2*log(e*x^2 + d)/d^3 + 4*log(x)/d^3) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(e^3*x^7 + 3*d*e^2*x^5 + 3*d^2*e*x^3 + d^3*x), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{e^3x^7 + 3de^2x^5 + 3d^2ex^3 + d^3x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(e^3*x^7 + 3*d*e^2*x^5 + 3*d^2*e*x^3 + d^3*x),
x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^3*x), x)

$$3.108 \quad \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx$$

Optimal. Leaf size=1124

result too large to display

```
[Out] (b*c*Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[-d]*(a + b*ArcSec[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (3*(a + b*ArcSec[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[-d]*(a + b*ArcSec[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (3*(a + b*ArcSec[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) + (3*b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) + (3*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2))
```

Rubi [A] time = 1.58321, antiderivative size = 1124, normalized size of antiderivative = 1., number of steps used = 35, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {5240, 4668, 4744, 731, 725, 206, 4742, 4520, 2190, 2279, 2391}

$$\frac{b\sqrt{-d}\sqrt{1 - \frac{1}{c^2x^2}}c}{16e^{3/2}(dc^2 + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{b\sqrt{-d}\sqrt{1 - \frac{1}{c^2x^2}}c}{16e^{3/2}(dc^2 + e)\left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} + \frac{3(a + b \sec^{-1}(cx))}{16e^2\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{3(a + b \sec^{-1}(cx))}{16e^2\left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} + \frac{\sqrt{-d}(a + b \sec^{-1}(cx))}{16e^{3/2}\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)}$$

Antiderivative was successfully verified.

```
[In] Int[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]
```

```
[Out] (b*c*Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[-d]*(a + b*ArcSec[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (3*(a + b*ArcSec[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[-d]*(a + b*ArcSec[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (3*(a + b*ArcSec[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) + (3*b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) + (3*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2))
```

Rule 5240

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n_.*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[(e + d*x^2)^p*(a + b*ArcCos[x/c])^n]/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 4668

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_.*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4744

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(e*(m + 1)), x] + Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 731

Int[((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

Rule 725

Int[1/(((d_.) + (e_.)*(x_.))*Sqrt[(a_.) + (c_.)*(x_.)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 206

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 4742

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_.)), x_Symbol] := -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4520

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]/(Cos[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/

```
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

Mathematica [A] time = 6.1773, size = 1819, normalized size = 1.62

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out]
$$\frac{a*d*x}{4*e^2*(d + e*x^2)^2} - \frac{5*a*x}{8*e^2*(d + e*x^2)} + \frac{3*a*ArcTan\left[\frac{\sqrt{e}*x}{\sqrt{d}}\right]}{8*\sqrt{d}*e^{5/2}} + b*\left(\frac{5*(-ArcSec[c*x]/(I*\sqrt{d}*\sqrt{e} + e*x)) + (I*(ArcSin[1/(c*x)]/\sqrt{e} - \text{Log}[(2*\sqrt{d}*\sqrt{e}*(\sqrt{e} + c*(I*c*\sqrt{d} - \sqrt{-(c^2*d) - e]*\sqrt{1 - 1/(c^2*x^2)}))]*x))/(\sqrt{-(c^2*d) - e}*(\sqrt{d} - I*\sqrt{e}*x)))/\sqrt{-(c^2*d) - e}}{16*e^2} + \frac{5*(-ArcSec[c*x]/((-I)*\sqrt{d}*\sqrt{e} + e*x)) - (I*(ArcSin[1/(c*x)]/\sqrt{e} - \text{Log}[(2*\sqrt{d}*\sqrt{e}*(-\sqrt{e} + c*(I*c*\sqrt{d} + \sqrt{-(c^2*d) - e]*\sqrt{1 - 1/(c^2*x^2)}))]*x))/(\sqrt{-(c^2*d) - e}*(\sqrt{d} + I*\sqrt{e}*x)))/\sqrt{-(c^2*d) - e}}{16*e^2} + \frac{(I/16)*\sqrt{d}*(-ArcSec[c*x]/(\sqrt{e}*((-I)*\sqrt{d} + \sqrt{e}*x)^2)) + (ArcSin[1/(c*x)]/\sqrt{e} - I*((c*\sqrt{d}*\sqrt{e}*\sqrt{1 - 1/(c^2*x^2)})*x)/((c^2*d + e)*((-I)*\sqrt{d} + \sqrt{e}*x)) + ((2*c^2*d + e)*\text{Log}[-4*d*\sqrt{e}*\sqrt{c^2*d + e}*(I*\sqrt{e} + c*(c*\sqrt{d} - \sqrt{c^2*d + e})*\sqrt{1 - 1/(c^2*x^2)})*x])/((2*c^2*d + e)*((-I)*\sqrt{d} + \sqrt{e}*x)))/(c^2*d + e)^{3/2}}{d}/e^2 - \frac{(I/16)*\sqrt{d}*((I*c*\sqrt{e}*\sqrt{1 - 1/(c^2*x^2)})*x)/(\sqrt{d}*(c^2*d + e)*(I*\sqrt{d} + \sqrt{e}*x)) - ArcSec[c*x]/(\sqrt{e}*(I*\sqrt{d} + \sqrt{e}*x)^2) + ArcSin[1/(c*x)]/(d*\sqrt{e}) - (I*(2*c^2*d + e)*\text{Log}[(4*d*\sqrt{e}*\sqrt{c^2*d + e})*((-I)*\sqrt{e} + c*(c*\sqrt{d} + \sqrt{c^2*d + e})*\sqrt{1 - 1/(c^2*x^2)})*x])/((2*c^2*d + e)*(I*\sqrt{d} + \sqrt{e}*x)))/(d*(c^2*d + e)^{3/2}}{e^2} + \frac{3*(8*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*ArcTan[(((I*c*\sqrt{d} + \sqrt{e})*\tan[ArcSec[c*x]/2])/\sqrt{c^2*d + e}) - (2*I)*ArcSec[c*x]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (4*I)*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (I*(\sqrt{e} - \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (2*I)*ArcSec[c*x]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + (4*I)*ArcSin[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + (2*I)*ArcSec[c*x]*\text{Log}[1 + E^{((2*I)*ArcSec[c*x])}] - 2*PolyLog[2, (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - 2*PolyLog[2, ((-I)*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + PolyLog[2, -E^{((2*I)*ArcSec[c*x])})]/(32*\sqrt{d}*e^{5/2}) - (3*(8*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*ArcTan[(((-I)*c*\sqrt{d} + \sqrt{e})*\tan[ArcSec[c*x]/2])/\sqrt{c^2*d + e}) - (2*I)*ArcSec[c*x]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (4*I)*ArcSin[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (I*(-\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] - (2*I)*ArcSec[c*x]*\text{Log}[1 - (I*(\sqrt{e} + \sqrt{c^2*d + e})*E^{(I*ArcSec[c*x])})/(c*\sqrt{d})] + (4*I)*$$

$$\begin{aligned}
&)^{(1/2)+2e} * d^{(1/2)} * \arctan(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)}) / e / (c^2 * d + e)^2 / d - 3/8 * I * b * (- (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \operatorname{arctanh}(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)-2e} * d)^{(1/2)}) / e^2 / (c^2 * d + e) / d + 3/4 * I * b * (- (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \operatorname{arctanh}(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)-2e} * d)^{(1/2)}) / e / (c^2 * d + e)^2 / d - 3/8 * I * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \arctan(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)}) / e^2 / (c^2 * d + e) / d + 3/16 * I * c * b / e / (c^2 * d + e) * \sum(_R1 / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (I * \operatorname{arcsec}(c * x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \operatorname{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \operatorname{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d)) - 3/8 * c^4 * a / (c^2 * e * x^2 + c^2 * d)^2 / e^2 * d * x + 1/8 * c^5 * b * x^4 / (c^2 * e * x^2 + c^2 * d)^2 / (c^2 * d + e) * ((c^2 * x^2 - 1) / c^2 * x^2)^{(1/2)} - 5/8 * c^4 * b * x^3 / (c^2 * e * x^2 + c^2 * d)^2 / (c^2 * d + e) * \operatorname{arcsec}(c * x) - 3/16 * I * c * b / e / (c^2 * d + e) * \sum(1 / _R1 / (_R1^2 * c^2 * d + c^2 * d + 2 * e) * (I * \operatorname{arcsec}(c * x) * \ln((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1) + \operatorname{dilog}((_R1 - 1/c/x - I * (1 - 1/c^2/x^2)^{(1/2)}) / _R1)), _R1 = \operatorname{RootOf}(c^2 * d * _Z^4 + (2 * c^2 * d + 4 * e) * _Z^2 + c^2 * d)) - 3/8 * I * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \arctan(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)}) / e^2 / (c^2 * d + e)^2 / d * (e * (c^2 * d + e))^{(1/2)} - I / c^4 * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \arctan(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)}) / (c^2 * d + e)^2 / d^3 * (e * (c^2 * d + e))^{(1/2)} - 5/4 * I / c^2 * b * (- (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \operatorname{arctanh}(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)-2e} * d)^{(1/2)}) / e / (c^2 * d + e) / d^2 - 5/4 * I / c^2 * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \arctan(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)}) / e / (c^2 * d + e) / d^2 - 5/8 * c^6 * b * x^3 / (c^2 * e * x^2 + c^2 * d)^2 / (c^2 * d + e) / e * \operatorname{arcsec}(c * x) * d - 3/8 * c^6 * b * x / (c^2 * e * x^2 + c^2 * d)^2 / (c^2 * d + e) / e^2 * \operatorname{arcsec}(c * x) * d^2 + I / c^4 * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \arctan(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)}) / (c^2 * d + e)^2 * e / d^3 + I / c^4 * b * (- (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \operatorname{arctanh}(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)-2e} * d)^{(1/2)}) / (c^2 * d + e)^2 * e / d^3 + I / c^4 * b * (- (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \operatorname{arctanh}(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)-2e} * d)^{(1/2)}) / (c^2 * d + e)^2 / d^3 * (e * (c^2 * d + e))^{(1/2)} + 3/8 * I * b * (- (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \operatorname{arctanh}(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((-c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)-2e} * d)^{(1/2)}) / e / (c^2 * d + e) / d^3 * (e * (c^2 * d + e))^{(1/2)} + I / c^4 * b * ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)} * \arctan(d * c * (1/c/x + I * (1 - 1/c^2/x^2)^{(1/2)})) / ((c^2 * d + 2 * (e * (c^2 * d + e))^{(1/2)+2e} * d)^{(1/2)}) / e / (c^2 * d + e) / d^3 * (e * (c^2 * d + e))^{(1/2)}
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^4 \operatorname{arcsec}(cx) + ax^4}{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*x^4*arcsec(c*x) + a*x^4)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^4}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^4/(e*x^2 + d)^3, x)
```

$$3.109 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=1124

result too large to display

```
[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)]/(16*Sqrt[-d]*Sqrt[e]*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[1 - 1/(c^2*x^2)]/(16*Sqrt[-d]*Sqrt[e]*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (a + b*ArcSec[c*x])/(16*Sqrt[-d]*Sqrt[e]*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (a + b*ArcSec[c*x])/(16*d*e*(Sqrt[-d]*Sqrt[e] - d/x)) - (a + b*ArcSec[c*x])/(16*Sqrt[-d]*Sqrt[e]*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (a + b*ArcSec[c*x])/(16*d*e*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*(c^2*d + e)^(3/2)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*e*Sqrt[c^2*d + e]) - (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*(c^2*d + e)^(3/2)) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*e*Sqrt[c^2*d + e]) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((I/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[2, -(c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((I/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2))
```

Rubi [A] time = 3.02182, antiderivative size = 1124, normalized size of antiderivative = 1., number of steps used = 63, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5240, 4734, 4668, 4744, 731, 725, 206, 4742, 4520, 2190, 2279, 2391}

$$\frac{b\sqrt{1 - \frac{1}{c^2x^2}}c}{16\sqrt{-d}\sqrt{e}(dc^2 + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} + \frac{b\sqrt{1 - \frac{1}{c^2x^2}}c}{16\sqrt{-d}\sqrt{e}(dc^2 + e)\left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} + \frac{a + b \sec^{-1}(cx)}{16de\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \sec^{-1}(cx)}{16de\left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} + \dots$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^3,x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)])/(16*Sqrt[-d]*Sqrt[e]*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[1 - 1/(c^2*x^2)])/(16*Sqrt[-d]*Sqrt[e]*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (a + b*ArcSec[c*x])/(16*Sqrt[-d]*Sqrt[e]*(Sqrt[-d]*Sqrt[e] - d/x)^2) + (a + b*ArcSec[c*x])/(16*d*e*(Sqrt[-d]*Sqrt[e] - d/x)) - (a + b*ArcSec[c*x])/(16*Sqrt[-d]*Sqrt[e]*(Sqrt[-d]*Sqrt[e] + d/x)^2) - (a + b*ArcSec[c*x])/(16*d*e*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*(c^2*d + e)^(3/2)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*e*Sqrt[c^2*d + e]) - (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*(c^2*d + e)^(3/2)) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(3/2)*e*Sqrt[c^2*d + e]) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/((-d)^(3/2)*e^(3/2)) + ((I/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])]/((-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/((-d)^(3/2)*e^(3/2)) + ((I/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])]/((-d)^(3/2)*e^(3/2))

Rule 5240

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))^n_.*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

Rule 4734

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_.*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 4668

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4744

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^m), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(e*(m + 1)), x] + Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 731

```
Int[((d_) + (e_.)*(x_)^m)*((a_) + (c_.)*(x_)^2)^(p), x_Symbol] := Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 4742

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4520

```
Int[(((e_.) + (f_.)*(x_)^m)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] +
```

$b \cdot E^{(I \cdot (c + d \cdot x))}, x], x] - \text{Dist}[I, \text{Int}[(e + f \cdot x)^m \cdot E^{(I \cdot (c + d \cdot x))} / (a + \text{Rt}[a^2 - b^2, 2] + b \cdot E^{(I \cdot (c + d \cdot x))}, x], x)] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{PosQ}[a^2 - b^2]$

Rule 2190

$\text{Int}[\frac{((F_)^{(g_)*((e_)+(f_)*(x_)))^{(n_)*((c_)+(d_)*(x_))^{(m_))}}{((a_)+(b_)*((F_)^{(g_)*((e_)+(f_)*(x_)))^{(n_))}}, x_Symbol] \ :> \ \text{Simp}[\frac{((c + d \cdot x)^m \cdot \text{Log}[1 + (b \cdot (F^{(g \cdot (e + f \cdot x)))^n]) / a])}{(b \cdot f \cdot g \cdot n \cdot \text{Log}[F])}, x] - \text{Dist}[(d \cdot m) / (b \cdot f \cdot g \cdot n \cdot \text{Log}[F]), \text{Int}[(c + d \cdot x)^{(m-1)} \cdot \text{Log}[1 + (b \cdot (F^{(g \cdot (e + f \cdot x)))^n]) / a]), x], x] /; \text{FreeQ}[\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_)+(b_)*((F_)^{(e_)*((c_)+(d_)*(x_)))^{(n_)}], x_Symbol] \ :> \ \text{Dist}[1/(d \cdot e \cdot n \cdot \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b \cdot x]/x, x], x, (F^{(e \cdot (c + d \cdot x))})^n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_)*((d_)+(e_)*(x_)^{(n_)})]/(x_), x_Symbol] \ :> \ -\text{Simp}[\text{PolyLog}[2, -(c \cdot e \cdot x^n)]/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c \cdot d, 1]$

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{x^2 (a + b \cos^{-1}(\frac{x}{c}))}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{e(a + b \cos^{-1}(\frac{x}{c}))}{d(e + dx^2)^3} + \frac{a + b \cos^{-1}(\frac{x}{c})}{d(e + dx^2)^2} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{\text{Subst} \left(\int \left(-\frac{d(a + b \cos^{-1}(\frac{x}{c}))}{4e(\sqrt{-d}\sqrt{e-dx})^2} - \frac{d(a + b \cos^{-1}(\frac{x}{c}))}{4e(\sqrt{-d}\sqrt{e+dx})^2} - \frac{d(a + b \cos^{-1}(\frac{x}{c}))}{2e(-de - d^2x^2)} \right) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \left(-\frac{d(a + b \cos^{-1}(\frac{x}{c}))}{8(-de - d^2x^2)} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e-dx})^2} dx, x, \frac{1}{x} \right)}{16e} - \frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e+dx})^2} dx, x, \frac{1}{x} \right)}{16e} + \frac{\text{Subst} \left(\int \frac{a + b \cos^{-1}(\frac{x}{c})}{(\sqrt{-d}\sqrt{e-dx})^2} dx, x, \frac{1}{x} \right)}{4e} \\
&= \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)^2} + \frac{a + b \sec^{-1}(cx)}{16de \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e} \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)^2} - \frac{a + b \sec^{-1}(cx)}{16de \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)}
\end{aligned}$$

$$\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{a + b \sec^{-1}(cx)}{16\sqrt{-d}\sqrt{e} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)}$$

$$\begin{aligned} & \text{rt}[e]/(c*\text{Sqrt}[d])/ \text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])] + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSec}[c*x])}] \\ & - 2*\text{PolyLog}[2, (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])] - 2*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])] \\ & + \text{PolyLog}[2, -E^{((2*I)*\text{ArcSec}[c*x])}]/(32*d^{(3/2)}*e^{(3/2)}) \end{aligned}$$

Maple [C] time = 2.354, size = 2357, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(a+b*\text{arcsec}(c*x))/(e*x^2+d)^3, x)$

[Out]
$$\begin{aligned} & -1/8*c^6*b*x/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)/e*\text{arcsec}(c*x)*d-1/8*c^5*b*x^4/(c^2*e*x^2+c^2*d)^2*e/(c^2*d+e)/d*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+1/8*c^4*b*x^3/(c^2*e*x^2+c^2*d)^2*e/(c^2*d+e)/d*\text{arcsec}(c*x)+1/8*I*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2/e/d^2*(e*(c^2*d+e))^{(1/2)}-1/8*I*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)^2/e/d^2*(e*(c^2*d+e))^{(1/2)}+1/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)^2*e/d^3+1/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2*e/d^3-1/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\text{arctan}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)}))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^3*(e*(c^2*d+e))^{(1/2)}+1/8*c^6*b*x^3/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*\text{arcsec}(c*x)-1/8*c^5*b*x^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}-1/8*c^4*b*x/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*\text{arcsec}(c*x)-1/16*I*c*b/d/(c^2*d+e)*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+1/16*I*c*b/d/(c^2*d+e)*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+1/16*I*c^3*b/e/(c^2*d+e)*\text{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\text{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\text{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))-1/16*I*c^3*b/e/(c^2*d+e)*\text{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I \end{aligned}$$

```
*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^(1/2))/_R1), _R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+
1/4*I*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2)/(c^2*d+e)
^2/d^2+1/4*I*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)/(c^2*
d+e)^2/d^2-1/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2)/e/(c^2*d+e)/d^3*(e*(c^2*d+e))^(1/2)+1/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)/e/(c^2*d+e)/d^3*(e*(c^2*d+e))^(1/2)-1/8*I
*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2)/e/(c^2*d+e)/d^
2-1/8*I*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)/e/(c^2*d+e)
)/d^2-1/4*I/c^2*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)/(c^
2*d+e)/d^3-1/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan
h(d*c*(1/c/x+I*(1-1/c^2/x^2)^(1/2)))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2)/(c^2*d+e)/d^3+1/8*c^4*a/(c^2*e*x^2+c^2*d)^2/d*x^3-1/8*c^4*a/(c^2*e*x
^2+c^2*d)^2/e*x+1/8*a/d/e/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \operatorname{arcsec}(cx) + ax^2}{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*x^2*arcsec(c*x) + a*x^2)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^2}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^2/(e*x^2 + d)^3, x)

$$3.110 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^3} dx$$

Optimal. Leaf size=1114

result too large to display

```
[Out] (b*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[e]*(a + b*ArcSec[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) - (5*(a + b*ArcSec[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[e]*(a + b*ArcSec[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) + (5*(a + b*ArcSec[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*e*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*(c^2*d + e)^(3/2)) - (5*b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*Sqrt[c^2*d + e]) + (b*e*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*(c^2*d + e)^(3/2)) - (5*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*Sqrt[c^2*d + e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))]/((-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))]/((-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e])
```

Rubi [A] time = 3.7913, antiderivative size = 1114, normalized size of antiderivative = 1., number of steps used = 81, number of rules used = 12, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5230, 4734, 4668, 4744, 731, 725, 206, 4742, 4520, 2190, 2279, 2391}

$$\frac{b\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}c}{16(-d)^{3/2}(dc^2+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} + \frac{b\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}c}{16(-d)^{3/2}(dc^2+e)\left(\frac{d}{x}+\sqrt{-d}\sqrt{e}\right)} - \frac{5(a+b\sec^{-1}(cx))}{16d^2\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} + \frac{5(a+b\sec^{-1}(cx))}{16d^2\left(\frac{d}{x}+\sqrt{-d}\sqrt{e}\right)} + \frac{\sqrt{e}}{16(-d)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^3, x]

[Out] (b*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) + (b*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[e]*(a + b*ArcSec[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) - (5*(a + b*ArcSec[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[e]*(a + b*ArcSec[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) + (5*(a + b*ArcSec[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*e*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*(c^2*d + e)^(3/2)) - (5*b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*Sqrt[c^2*d + e]) + (b*e*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*(c^2*d + e)^(3/2)) - (5*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])])/(16*d^(5/2)*Sqrt[c^2*d + e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*(a + b*ArcSec[c*x])*Log[1 - (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSec[c*x])*Log[1 + (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e]))])/(16*(-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -((c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]))])/(16*(-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, (c*Sqrt[-d]*E^(I*ArcSec[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e])

Rule 5230

Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))^ (n_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcCos[x/c])^n)/x^(2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[p]

Rule 4734

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

Rule 4668

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(a + b*ArcCos[c*x])^n, (d + e*x^2)^p, x], x]
/; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4744

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(e*(m + 1)), x] +
Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))
/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]
```

Rule 731

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] +
Dist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x]
&& NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol]
:> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol]
:> Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 4742

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
:> -Subst[Int[((a + b*x)^n*Sin[x])/(c*d + e*Cos[x]), x], x, ArcCos[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4520

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:> Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (-Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] - Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] + b*E^(I*(c + d*x))), x], x] /; FreeQ[{a, b, c, d, e, f}
```

, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^3} dx &= -\text{Subst} \left(\int \frac{x^4 \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{(e + dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{e^2 \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d^2 (e + dx^2)^3} - \frac{2e \left(a + b \cos^{-1} \left(\frac{x}{c} \right) \right)}{d^2 (e + dx^2)^2} + \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{e + dx^2} dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(e + dx^2)^3} dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{\text{Subst} \left(\int \left(\frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} - \sqrt{-dx})} + \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{2\sqrt{e}(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \left(-\frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{4e(\sqrt{-d}\sqrt{e} - dx)^2} - \frac{d(a + b \cos^{-1} \left(\frac{x}{c} \right))}{4e(\sqrt{-d}\sqrt{e} + dx)^2} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(\sqrt{-d}\sqrt{e} - dx)^2} dx, x, \frac{1}{x} \right)}{16d} + \frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{(\sqrt{-d}\sqrt{e} + dx)^2} dx, x, \frac{1}{x} \right)}{16d} + \frac{3 \text{Subst} \left(\int \frac{a + b \cos^{-1} \left(\frac{x}{c} \right)}{-de - d^2 x^2} dx, x, \frac{1}{x} \right)}{8d} \\
&= \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)^2} - \frac{5 (a + b \sec^{-1}(cx))}{16d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} - \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)^2} + \frac{5 (a + b \sec^{-1}(cx))}{16d^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} \\
&= \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)^2} \\
&= \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)^2} \\
&= \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)^2} \\
&= \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)^2} \\
&= \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{bc\sqrt{e}\sqrt{1 - \frac{1}{c^2x^2}}}{16(-d)^{3/2} (c^2d + e) \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{\sqrt{e} (a + b \sec^{-1}(cx))}{16(-d)^{3/2} \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)^2}
\end{aligned}$$

Mathematica [A] time = 6.05491, size = 1812, normalized size = 1.63

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^3,x]

[Out] $(a*x)/(4*d*(d + e*x^2)^2) + (3*a*x)/(8*d^2*(d + e*x^2)) + (3*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^{5/2}*Sqrt[e]) + b*((-3*(-ArcSec[c*x]/(I*Sqrt[d]*Sqrt[e] + e*x)) + (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(Sqrt[e] + c*(I*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x)))/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16*d^2) - (3*(-ArcSec[c*x]/((-I)*Sqrt[d]*Sqrt[e] + e*x)) - (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(I*c*Sqrt[d] + Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x)))/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16*d^2) + ((I/16)*(-ArcSec[c*x]/(Sqrt[e]*((-I)*Sqrt[d] + Sqrt[e]*x)^2)) + (ArcSin[1/(c*x)]/Sqrt[e] - I*((c*Sqrt[d]*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)/((c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)) + ((2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*(I*Sqrt[e] + c*(c*Sqrt[d] - Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)))]/(c^2*d + e)^{3/2}))/d)/d^{3/2} - ((I/16)*((I*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)/(Sqrt[d]*(c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)) - ArcSec[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) + ArcSin[1/(c*x)]/(d*Sqrt[e]) - (I*(2*c^2*d + e)*Log[(4*d*Sqrt[e]*Sqrt[c^2*d + e]*((-I)*Sqrt[e] + c*(c*Sqrt[d] + Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)))]/(d*(c^2*d + e)^{3/2}))/d^{3/2} + (3*(8*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] - Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*ArcSec[c*x]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (2*I)*ArcSec[c*x]*Log[1 + E^((2*I)*ArcSec[c*x])] - 2*PolyLog[2, (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - 2*PolyLog[2, ((-I)*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + PolyLog[2, -E^((2*I)*ArcSec[c*x])])]/(32*d^{5/2}*Sqrt[e]) - (3*(8*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[(((I*c*Sqrt[d] + Sqrt[e])*Tan[ArcSec[c*x]/2])/Sqrt[c^2*d + e]] - (2*I)*ArcSec[c*x]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (I*(-Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) - (2*I)*ArcSec[c*x]*Log[1 - (I*(Sqrt[e] + Sqrt[c^2*d + e])*E^(I*ArcSec[c*x]))/(c*Sqrt[d])]) + (4*I)*ArcSin[Sqrt$

$$\begin{aligned} & [1 - (I*\text{Sqrt}[e])/(c*\text{Sqrt}[d])]/\text{Sqrt}[2]]*\text{Log}[1 - (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]) \\ &)*E^{(I*\text{ArcSec}[c*x])})/(c*\text{Sqrt}[d])] + (2*I)*\text{ArcSec}[c*x]*\text{Log}[1 + E^{(2*I)*\text{Arc} \\ & \text{Sec}[c*x])}] - 2*\text{PolyLog}[2, (I*(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x])}) \\ &)/(c*\text{Sqrt}[d])] - 2*\text{PolyLog}[2, (I*(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])*E^{(I*\text{ArcSec}[c*x] \\ &))/(c*\text{Sqrt}[d])] + \text{PolyLog}[2, -E^{(2*I)*\text{ArcSec}[c*x]})])]/(32*d^{(5/2)}*\text{Sqrt}[e] \\ &)) \end{aligned}$$

Maple [C] time = 2.15, size = 3214, normalized size = 2.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x^2+d)^3,x)`

[Out]
$$\begin{aligned} & I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1- \\ & 1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e^2/(c^2*d+e \\ &)/d^5+5/8*I*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x \\ & +I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d \\ & +e)^2/d^3*(e*(c^2*d+e))^{(1/2)}-5/4*I*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d \\ &)^{(1/2)}*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2*e/d^3-5/8*I*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^3*(e*(c^2*d+e))^{(1/2)}-5/4*I*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)^2*e/d^3-3/16*I*c*b/(c^2*d+e)/d^2*e*sum(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+3/16*I*c*b/(c^2*d+e)/d^2*e*sum(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*arcsec(c*x)*ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+dilog((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=RootOf(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e^2/(c^2*d+e)/d^5+3/8*c^4*b*x^3/(c^2*e*x^2+c^2*d)^2/d/(c^2*d+e)*arcsec(c*x)*e^2+5/8*c^4*b*x/(c^2*e*x^2+c^2*d)^2/d/(c^2*d+e)*arcsec(c*x)*e+1/8*c^5*b*x^4/(c^2*e*x^2+c^2*d)^2/d^2/(c^2*d+e)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e^2+3/8*c^6*b*x^3/(c^2*e*x^2+c^2*d)^2*e/(c^2*d+e)/d*arcsec(c*x)+1/8*c^5*b*x^2/(c^2*e*x^2+c^2*d)^2/d/(c^2*d+e)*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e-5/4*I/c^2*b*\arctan(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}/(c^2*d+e)/d^4*(e*(c^2*d+e))^{(1/2)}+7/4*I/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)}) \end{aligned}$$

$$\begin{aligned}
& d+2*(e*(c^2*d+e))^{(1/2)}-2*e*d)^{(1/2))*e/(c^2*d+e)/d^4-9/4*I/c^2*b*(-(c^2*d \\
& -2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2) \\
& ^{(1/2)))/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^4-9/4*I \\
& /c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\operatorname{arctan}(d*c*(1/c/x+I* \\
& (1-1/c^2/x^2)^{(1/2)))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e) \\
& ^2/d^4-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\operatorname{arctan}(d*c*(\\
& 1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(\\
& c^2*d+e)^2/d^5+5/4*I/c^2*b*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/((-c^2 \\
& *d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)}*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e) \\
& *d)^{(1/2)})/(c^2*d+e)/d^4*(e*(c^2*d+e))^{(1/2)}-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e) \\
&)^{(1/2)}+2*e)*d)^{(1/2)}*e^3*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/((-c^2* \\
& d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^5+7/4*I/c^2*b*((c^2*d+ \\
& 2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctan}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2) \\
&))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*e/(c^2*d+e)/d^4+I/c^4*b*(-(c \\
& ^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2) \\
& ^{(1/2)))/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})*e/(c^2*d+e)/d^5*(e*(c \\
& ^2*d+e))^{(1/2)}+I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e^2*\operatorname{arct} \\
& \operatorname{an}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2) \\
&)/(c^2*d+e)^2/d^5*(e*(c^2*d+e))^{(1/2)}+3/8*c^2*a/d^2*x/(c^2*e*x^2+c^2*d \\
&)+1/4*c^4*a*x/d/(c^2*e*x^2+c^2*d)^2+5/8*I*b*\operatorname{arctan}(d*c*(1/c/x+I*(1-1/c^2/x^ \\
& 2)^{(1/2)))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})*((c^2*d+2*(e*(c^2*d+ \\
& e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)/d^3+5/8*c^6*b*x/(c^2*e*x^2+c^2*d)^2/(c^2* \\
& d+e)*\operatorname{arcsec}(c*x)+3/16*I*c^3*b/(c^2*d+e)/d*\operatorname{sum}(_R1/(_R1^2*c^2*d+c^2*d+2*e)*(\\
& I*\operatorname{arcsec}(c*x)*\ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\operatorname{dilog}((_R1-1/c/x-I* \\
& (1-1/c^2/x^2)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d)) \\
& -3/16*I*c^3*b/(c^2*d+e)/d*\operatorname{sum}(1/_R1/(_R1^2*c^2*d+c^2*d+2*e)*(I*\operatorname{arcsec}(c*x)* \\
& \ln((_R1-1/c/x-I*(1-1/c^2/x^2)^{(1/2)})/_R1)+\operatorname{dilog}((_R1-1/c/x-I*(1-1/c^2/x^2)^ \\
& (1/2)})/_R1)),_R1=\operatorname{RootOf}(c^2*d*_Z^4+(2*c^2*d+4*e)*_Z^2+c^2*d))+5/8*I*b*\operatorname{arcta} \\
& \operatorname{nh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d) \\
& ^{(1/2)}*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)/d^3+3/8*a/d^ \\
& 2/(d*e)^{(1/2)}*\operatorname{arctan}(e*x/(d*e)^{(1/2)})-I/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2) \\
&)+2*e)*d)^{(1/2)}*e^2*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/((-c^2*d+2*(e \\
& *(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^5*(e*(c^2*d+e))^{(1/2)}+7/4*I/ \\
& c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\operatorname{arctan}(d*c*(1/c/x+I*(1- \\
& 1/c^2/x^2)^{(1/2)))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)})/(c^2*d+e)^2/ \\
& d^4*(e*(c^2*d+e))^{(1/2)}-I/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2) \\
& }*\operatorname{arctan}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e \\
&)*d)^{(1/2)})*e/(c^2*d+e)/d^5*(e*(c^2*d+e))^{(1/2)}-7/4*I/c^2*b*(-(c^2*d-2*(e*(\\
& c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*e*\operatorname{arctanh}(d*c*(1/c/x+I*(1-1/c^2/x^2)^{(1/2)))/ \\
& (-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e)*d)^{(1/2)})/(c^2*d+e)^2/d^4*(e*(c^2*d+e))^{(\\
& 1/2)}
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x
)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/(e*x^2 + d)^3, x)
```

3.111 $\int x^5 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=403

$$\frac{d^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{2d (d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^3} + \frac{bx\sqrt{c^2x^2 - 1} (23c^4}{16$$

[Out] (b*(23*c^4*d^2 + 12*c^2*d*e - 75*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) / (1680*c^5*e^2*Sqrt[c^2*x^2]) + (b*(29*c^2*d - 25*e)*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(840*c^3*e^2*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(42*c*e^2*Sqrt[c^2*x^2]) + (d^2*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*e^3) - (2*d*(d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*e^3) + ((d + e*x^2)^(7/2)*(a + b*ArcSec[c*x]))/(7*e^3) + (8*b*c*d^(7/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(105*e^3*Sqrt[c^2*x^2]) - (b*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(1680*c^6*e^(5/2)*Sqrt[c^2*x^2])

Rubi [A] time = 1.27487, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {266, 43, 5238, 12, 1615, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{2d (d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^3} + \frac{bx\sqrt{c^2x^2 - 1} (23c^4}{16$$

Antiderivative was successfully verified.

[In] Int[x^5*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]),x]

[Out] (b*(23*c^4*d^2 + 12*c^2*d*e - 75*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) / (1680*c^5*e^2*Sqrt[c^2*x^2]) + (b*(29*c^2*d - 25*e)*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(840*c^3*e^2*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(42*c*e^2*Sqrt[c^2*x^2]) + (d^2*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*e^3) - (2*d*(d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*e^3) + ((d + e*x^2)^(7/2)*(a + b*ArcSec[c*x]))/(7*e^3) + (8*b*c*d^(7/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(105*e^3*Sqrt[c^2*x^2]) - (b*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(1680*c^6*e^(5/2)*Sqrt[c^2*x^2])

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5238

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f
_)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^p)*((g_) + (h_)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
```

```
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int x^5 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx &= \frac{d^2 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^3} + \frac{(d+ex^2)^{7/2} (a+b \sec^{-1}(cx))}{7e^3} \\
&= \frac{d^2 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^3} + \frac{(d+ex^2)^{7/2} (a+b \sec^{-1}(cx))}{7e^3} \\
&= \frac{d^2 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^3} + \frac{(d+ex^2)^{7/2} (a+b \sec^{-1}(cx))}{7e^3} \\
&= -\frac{bx\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{42ce^2\sqrt{c^2x^2}} + \frac{d^2 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^3} \\
&= \frac{b(29c^2d-25e)x\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{840c^3e^2\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{42ce^2\sqrt{c^2x^2}} + \frac{d^2 (d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^3} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e)x\sqrt{-1+c^2x^2}}{840c^3e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e)x\sqrt{-1+c^2x^2}}{840c^3e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e)x\sqrt{-1+c^2x^2}}{840c^3e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e)x\sqrt{-1+c^2x^2}}{840c^3e^2\sqrt{c^2x^2}} \\
&= \frac{b(23c^4d^2+12c^2de-75e^2)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1680c^5e^2\sqrt{c^2x^2}} + \frac{b(29c^2d-25e)x\sqrt{-1+c^2x^2}}{840c^3e^2\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.646696, size = 366, normalized size = 0.91

$$\frac{\sqrt{d+ex^2} \left(16ac^5 (-4d^2ex^2 + 8d^3 + 3de^2x^4 + 15e^3x^6) - bex \sqrt{1 - \frac{1}{c^2x^2}} \left(c^4 (-41d^2 + 22dex^2 + 40e^2x^4) + 2c^2e (19d + 25ex^2) \right) \right)}{1680c^5e^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^5*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]),x]

[Out] $-(b*(-128*c^4*d^4*\text{Sqrt}[1 + d/(e*x^2)]*(-1 + c^2*x^2)*\text{AppellF1}[1, 1/2, 1/2, 2, 1/(c^2*x^2), -(d/(e*x^2))]) + e*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{AppellF1}[1, 1/2, 1/2, 2, c^2*x^2, -((e*x^2)/d)])/(3360*c^5*e^3*x*(-1 + c^2*x^2)*\text{Sqrt}[d + e*x^2]) + (\text{Sqrt}[d + e*x^2]*(16*a*c^5*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6) - b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(75*e^2 + 2*c^2*e*(19*d + 25*e*x^2) + c^4*(-41*d^2 + 22*d*e*x^2 + 40*e^2*x^4)) + 16*b*c^5*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6)*\text{ArcSec}[c*x]))/(1680*c^5*e^3)$

Maple [F] time = 1.842, size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)

[Out] int(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 33.8132, size = 3776, normalized size = 9.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁵*(a+b*arcsec(c*x))*(e*x²+d)^(1/2),x, algorithm="fricas")

[Out] [1/6720*(128*b*c⁷*sqrt(-d)*d³*log(((c⁴*d² - 6*c²*d*e + e²)*x⁴ - 8*(c²*d² - d*e)*x² - 4*sqrt(c²*x² - 1)*((c²*d - e)*x² - 2*d)*sqrt(e*x² + d)*sqrt(-d) + 8*d²)/x⁴) + (105*b*c⁶*d³ - 35*b*c⁴*d²*e + 63*b*c²*d*e² + 75*b*e³)*sqrt(e)*log(8*c⁴*e²*x⁴ + c⁴*d² - 6*c²*d*e + 8*(c⁴*d*e - c²*e²)*x² - 4*(2*c³*e*x² + c³*d - c*e)*sqrt(c²*x² - 1)*sqrt(e*x² + d)*sqrt(e) + e²) + 4*(240*a*c⁷*e³*x⁶ + 48*a*c⁷*d*e²*x⁴ - 64*a*c⁷*d²*e*x² + 128*a*c⁷*d³ + 16*(15*b*c⁷*e³*x⁶ + 3*b*c⁷*d*e²*x⁴ - 4*b*c⁷*d²*e*x² + 8*b*c⁷*d³)*arcsec(c*x) - (40*b*c⁵*e³*x⁴ - 41*b*c⁵*d²*e + 38*b*c³*d*e² + 75*b*c*e³ + 2*(11*b*c⁵*d*e² + 25*b*c³*e³)*x²)*sqrt(c²*x² - 1))*sqrt(e*x² + d))/(c⁷*e³), 1/6720*(256*b*c⁷*d^(7/2)*arctan(-1/2*sqrt(c²*x² - 1)*((c²*d - e)*x² - 2*d)*sqrt(e*x² + d)*sqrt(d)/(c²*d*e*x⁴ + (c²*d² - d*e)*x² - d²)) + (105*b*c⁶*d³ - 35*b*c⁴*d²*e + 63*b*c²*d*e² + 75*b*e³)*sqrt(e)*log(8*c⁴*e²*x⁴ + c⁴*d² - 6*c²*d*e + 8*(c⁴*d*e - c²*e²)*x² - 4*(2*c³*e*x² + c³*d - c*e)*sqrt(c²*x² - 1)*sqrt(e*x² + d)*sqrt(e) + e²) + 4*(240*a*c⁷*e³*x⁶ + 48*a*c⁷*d*e²*x⁴ - 64*a*c⁷*d²*e*x² + 128*a*c⁷*d³ + 16*(15*b*c⁷*e³*x⁶ + 3*b*c⁷*d*e²*x⁴ - 4*b*c⁷*d²*e*x² + 8*b*c⁷*d³)*arcsec(c*x) - (40*b*c⁵*e³*x⁴ - 41*b*c⁵*d²*e + 38*b*c³*d*e² + 75*b*c*e³ + 2*(11*b*c⁵*d*e² + 25*b*c³*e³)*x²)*sqrt(c²*x² - 1))*sqrt(e*x² + d))/(c⁷*e³), 1/3360*(64*b*c⁷*sqrt(-d)*d³*log(((c⁴*d² - 6*c²*d*e + e²)*x⁴ - 8*(c²*d² - d*e)*x² - 4*sqrt(c²*x² - 1)*((c²*d - e)*x² - 2*d)*sqrt(e*x² + d)*sqrt(-d) + 8*d²)/x⁴) + (105*b*c⁶*d³ - 35*b*c⁴*d²*e + 63*b*c²*d*e² + 75*b*e³)*sqrt(-e)*arctan(1/2*(2*c²*e*x² + c²*d - e)*sqrt(c²*x² - 1)*sqrt(e*x² + d)*sqrt(-e)/(c³*e²*x⁴ - c*d*e + (c³*d*e - c*e²)*x²)) + 2*(240*a*c⁷*e³*x⁶ + 48*a*c⁷*d*e²*x⁴ - 64*a*c⁷*d²*e*x² + 128*a*c⁷*d³ + 16*(15*b*c⁷*e³*x⁶ + 3*b*c⁷*d*e²*x⁴ - 4*b*c⁷*d²*e*x² + 8*b*c⁷*d³)*arcsec(c*x) - (40*b*c⁵*e³*x⁴ - 41*b*c⁵*d²*e + 38*b*c³*d*e² + 75*b*c*e³ + 2*(11*b*c⁵*d*e² + 25*b*c³*e³)*x²)*sqrt(c²*x² - 1))*sqrt(e*x² + d))/(c⁷*e³), 1/3360*(128*b*c⁷*d^(7/2)*arctan(-1/2*sqrt(c²*x² - 1)*((c²*d - e)*x² - 2*d)*sqrt(e*x² + d)*sqrt(d)/(c²*d*e*x⁴ + (c²*d² - d*e)*x² - d²)) + (105*b*c⁶*d³ - 35*b*c⁴*d²*e + 63*b*c²*d*e² + 75*b*e³)*sqrt(-e)*arctan(1/2*(2*c²*e*x² + c²*d - e)*sqrt(c²*x² - 1)*sqrt(e*x² + d)*sqrt(-e)/(c³*e²*x⁴ - c*d*e + (c³*d*e - c*e²)*x²)) + 2*(240*a*c⁷*e³*x⁶ + 48*a*c⁷*d*e²*x⁴ - 64*a*c⁷*d²*e*x² + 128*a*c⁷*d³ + 16*(15*b*c⁷*e³*x⁶ + 3*b*c⁷*d*e²*x⁴ - 4*b*c⁷*d²*e*x² + 8*b*c⁷*d³)*ar

```
csec(c*x) - (40*b*c^5*e^3*x^4 - 41*b*c^5*d^2*e + 38*b*c^3*d*e^2 + 75*b*c*e^3 + 2*(11*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x^5, x)
```


3.112 $\int x^3 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=294

$$\frac{d(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e^2} - \frac{2bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{15e^2\sqrt{c^2x^2}} + \frac{bx(15c^4d^2-10c^2de-9e^2)}{120c^4}$$

```
[Out] -(b*(c^2*d + 9*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(120*c^3*e*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*e^2) + ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*e^2) - (2*b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(15*e^2*Sqrt[c^2*x^2]) + (b*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(120*c^4*e^(3/2)*Sqrt[c^2*x^2])
```

Rubi [A] time = 0.398106, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {266, 43, 5238, 12, 573, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e^2} - \frac{2bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{15e^2\sqrt{c^2x^2}} + \frac{bx(15c^4d^2-10c^2de-9e^2)}{120c^4}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]
```

```
[Out] -(b*(c^2*d + 9*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(120*c^3*e*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*e^2) + ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*e^2) - (2*b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(15*e^2*Sqrt[c^2*x^2]) + (b*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(120*c^4*e^(3/2)*Sqrt[c^2*x^2])
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 573

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.
)*(e_) + (f_.)*(x_)^(n_.))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_)
)^(p_.)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
```

$p, x], x] + \text{Dist}[(b*g - a*h)/b, \text{Int}[(c + d*x)^n*(e + f*x)^p/(a + b*x), x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 63

$\text{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p*(m+1)-1}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] := \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2]^{-1}, x_Symbol] := \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

$\text{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n)/((e_.) + (f_.)*(x_)), x_Symbol] := \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{q*(m+1)-1}/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^{1/q}/(c + d*x)^{1/q}], x]] /;$ FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 204

$\text{Int}[(a_) + (b_.)*(x_)^2]^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{d+ex^2} (a+b \sec^{-1}(cx)) dx &= -\frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^2} - \frac{(bcx) \int \frac{(d+ex^2)^3}{15e^2 x \sqrt{c^2 x^2}}}{\sqrt{c^2 x^2}} \\
&= -\frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^2} - \frac{(bcx) \int \frac{(d+ex^2)^3}{x \sqrt{c^2 x^2}}}{15e^2 \sqrt{c^2 x^2}} \\
&= -\frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^2} - \frac{(bcx) \text{Subst} \left(\int \frac{(d+ex^2)^3}{x \sqrt{c^2 x^2}} \right)}{15e^2 \sqrt{c^2 x^2}} \\
&= -\frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} + \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5e^2} \\
&= -\frac{b(c^2 d+9e) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{120c^3 e \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{b(c^2 d+9e) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{120c^3 e \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{b(c^2 d+9e) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{120c^3 e \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{b(c^2 d+9e) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{120c^3 e \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{b(c^2 d+9e) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{120c^3 e \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{3e^2}
\end{aligned}$$

Mathematica [A] time = 0.737132, size = 327, normalized size = 1.11

$$\frac{\sqrt{d+ex^2} \left(8ac^3 (-2d^2 + dex^2 + 3e^2 x^4) + 8bc^3 \sec^{-1}(cx) (-2d^2 + dex^2 + 3e^2 x^4) - bex \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 (7d + 6ex^2) + 9e) \right)}{120c^3 e^2} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[x^3*sqrt[d + e*x^2]*(a + b*ArcSec[c*x]),x]

```
[Out] (Sqrt[d + e*x^2]*(8*a*c^3*(-2*d^2 + d*e*x^2 + 3*e^2*x^4) - b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(9*e + c^2*(7*d + 6*e*x^2)) + 8*b*c^3*(-2*d^2 + d*e*x^2 + 3*e^2*x^4)*ArcSec[c*x]))/(120*c^3*e^2) + (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e]*Sqrt[-1 + c^2*x^2])/(Sqrt[c^2]*Sqrt[c^2*d + e])]) + 16*c^7*d^(5/2)*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]]))/(120*c^6*e^2*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Maple [F] time = 1.681, size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)
```

```
[Out] int(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 15.3251, size = 3039, normalized size = 10.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/480*(16*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arcsec(c*x) - (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^2), -1/480*(32*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) - 4*(24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arcsec(c*x) - (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^2), 1/240*(8*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arcsec(c*x) - (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^2), -1/240*(16*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*(24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arcsec(c*x) - (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x^3, x)
```

3.113 $\int x\sqrt{d+ex^2} (a+b\sec^{-1}(cx)) dx$

Optimal. Leaf size=195

$$\frac{(d+ex^2)^{3/2} (a+b\sec^{-1}(cx))}{3e} + \frac{bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} - \frac{bx(3c^2d+e) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{6c^2\sqrt{e}\sqrt{c^2x^2}}$$

[Out] $-(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]))/(3*e) + (b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e*\text{Sqrt}[c^2*x^2]) - (b*(3*c^2*d + e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.190292, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5236, 446, 102, 157, 63, 217, 206, 93, 204}

$$\frac{(d+ex^2)^{3/2} (a+b\sec^{-1}(cx))}{3e} + \frac{bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} - \frac{bx(3c^2d+e) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{6c^2\sqrt{e}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]))/(3*e) + (b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e*\text{Sqrt}[c^2*x^2]) - (b*(3*c^2*d + e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rule 5236

$\text{Int}[(a + \text{ArcSec}[c*x])*(b*x)*((d + e*x^2)^p), x]$
 $\text{Symbol} \rightarrow \text{Simp}[(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSec}[c*x])/(2*e*(p+1)), x]$
 $- \text{Dist}[(b*c*x)/(2*e*(p+1)*\text{Sqrt}[c^2*x^2]), \text{Int}[(d + e*x^2)^{(p+1)}/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x] /;$ FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rule 446


```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 102

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x
)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a
+ b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_
))))/((a_) + (b_)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_))/((e_) + (f_)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
```

```

- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 204

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int x\sqrt{d+ex^2}(a+b\sec^{-1}(cx))dx &= \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcx)\int\frac{(d+ex^2)^{3/2}}{x\sqrt{-1+c^2x^2}}dx}{3e\sqrt{c^2x^2}} \\
&= \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcx)\text{Subst}\left(\int\frac{(d+ex)^{3/2}}{x\sqrt{-1+c^2x}}dx, x, x^2\right)}{6e\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bx)\text{Subst}\left(\int\frac{c^2d^2+\frac{1}{2}e(3c^2d+e)}{x\sqrt{-1+c^2x}}dx, x, x^2\right)}{6ce\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcd^2x)\text{Subst}\left(\int\frac{1}{x\sqrt{-1+c^2x}}dx, x, x^2\right)}{6e\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} - \frac{(bcd^2x)\text{Subst}\left(\int\frac{1}{-d-x^2}dx, x, x^2\right)}{3e\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{bcd^{3/2}x\tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{3e\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3e} + \frac{bcd^{3/2}x\tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{3e\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.456565, size = 266, normalized size = 1.36

$$\frac{\sqrt{d+ex^2}\left(2ac(d+ex^2) - bex\sqrt{1-\frac{1}{c^2x^2}} + 2bc\sec^{-1}(cx)(d+ex^2)\right)}{6ce} - \frac{bx\sqrt{1-\frac{1}{c^2x^2}}\left(2c^5d^{3/2}\sqrt{d+ex^2}\tan^{-1}\left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}}\right) + \dots\right)}{6c^4e\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]),x]
```

```
[Out] (Sqrt[d + e*x^2]*(-(b*e*Sqrt[1 - 1/(c^2*x^2)]*x) + 2*a*c*(d + e*x^2) + 2*b*
c*(d + e*x^2)*ArcSec[c*x]))/(6*c*e) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]
*Sqrt[e]*Sqrt[c^2*d + e]*(3*c^2*d + e)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*
ArcSinh[(c*Sqrt[e]*Sqrt[-1 + c^2*x^2])/(Sqrt[c^2]*Sqrt[c^2*d + e])]) + 2*c^5
*d^(3/2)*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2
]])/(6*c^4*e*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Maple [F] time = 1.386, size = 0, normalized size = 0.

$$\int x (a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)
```

```
[Out] int(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 6.69076, size = 2425, normalized size = 12.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/24*(2*b*c^3*\sqrt{-d}*d*\log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d})*\sqrt{-d} + 8*d^2)/x^4) + (3*b*c^2*d + b*e)*\sqrt{e}*\log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d}*\sqrt{e} + e^2) + 4*(2*a*c^3*e*x^2 + 2*a*c^3*d - \sqrt{c^2*x^2 - 1}*b*c*e + 2*(b*c^3*e*x^2 + b*c^3*d)*\text{arcsec}(c*x))*\sqrt{e*x^2 + d}]/(c^3*e), \\ & 1/24*(4*b*c^3*d^{(3/2)}*\arctan(-1/2*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d}*\sqrt{d})/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (3*b*c^2*d + b*e)*\sqrt{e}*\log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d}*\sqrt{e} + e^2) + 4*(2*a*c^3*e*x^2 + 2*a*c^3*d - \sqrt{c^2*x^2 - 1}*b*c*e + 2*(b*c^3*e*x^2 + b*c^3*d)*\text{arcsec}(c*x))*\sqrt{e*x^2 + d}]/(c^3*e), \\ & 1/12*(b*c^3*\sqrt{-d}*d*\log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d})*\sqrt{-d} + 8*d^2)/x^4) + (3*b*c^2*d + b*e)*\sqrt{-e}*\arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d}*\sqrt{-e})/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(2*a*c^3*e*x^2 + 2*a*c^3*d - \sqrt{c^2*x^2 - 1}*b*c*e + 2*(b*c^3*e*x^2 + b*c^3*d)*\text{arcsec}(c*x))*\sqrt{e*x^2 + d}]/(c^3*e), \\ & 1/12*(2*b*c^3*d^{(3/2)}*\arctan(-1/2*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d}*\sqrt{d})/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (3*b*c^2*d + b*e)*\sqrt{-e}*\arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d}*\sqrt{-e})/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(2*a*c^3*e*x^2 + 2*a*c^3*d - \sqrt{c^2*x^2 - 1}*b*c*e + 2*(b*c^3*e*x^2 + b*c^3*d)*\text{arcsec}(c*x))*\sqrt{e*x^2 + d}]/(c^3*e)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x, x)
```

$$3.114 \quad \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x, x]

Rubi [A] time = 0.0977567, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x,x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x} dx = \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x} dx$$

Mathematica [A] time = 4.0937, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x,x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x, x]

Maple [A] time = 1.288, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x)

[Out] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x, x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x,x)

[Out] Integral((a + b*asec(c*x))*sqrt(d + e*x**2)/x, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x, x)

$$3.115 \quad \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^3}, x \right)$$

[Out] Unintegrable[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3, x]

Rubi [A] time = 0.101281, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3, x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^3} dx = \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^3} dx$$

Mathematica [A] time = 4.42819, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3, x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^3, x]

Maple [A] time = 1.26, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^3} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x)

[Out] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^3, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**3,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^3, x)

$$3.116 \quad \int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable[x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.0936754, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int][x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx = \int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A] time = 8.82391, size = 0, normalized size = 0.

$$\int x^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Integrate[x^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Maple [A] time = 1.629, size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(bx^2 \operatorname{arcsec}(cx) + ax^2\right)\sqrt{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arcsec(c*x) + a*x^2)*sqrt(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asec(c*x))*(e*x**2+d)**(1/2),x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*x^2, x)
```

$$3.117 \quad \int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\sqrt{d + ex^2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable[Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.0337469, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int][Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx = \int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A] time = 4.20742, size = 0, normalized size = 0.

$$\int \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Integrate[Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Maple [A] time = 1.29, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asec}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2),x)
```

```
[Out] Integral((a + b*asec(c*x))*sqrt(d + e*x**2), x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a), x)
```

$$3.118 \quad \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2, x]

Rubi [A] time = 0.0860681, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2, x]

[Out] Defer[Int] [(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^2} dx = \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^2} dx$$

Mathematica [A] time = 1.40766, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2, x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^2, x]

Maple [A] time = 1.257, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x)

[Out] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^2, x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asec}(cx)) \sqrt{d + ex^2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**2,x)

[Out] Integral((a + b*asec(c*x))*sqrt(d + e*x**2)/x**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^2, x)

$$3.119 \quad \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=328

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+e)(2c^2d+3e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{9d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{3dx^3} + \frac{2bc\sqrt{c^2x^2-1}}{9d\sqrt{c^2x^2}}$$

[Out] (2*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*x^2*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*d*x^3) - (2*b*c^2*(c^2*d + 2*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(2*c^2*d + 3*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rubi [A] time = 0.424043, antiderivative size = 328, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {264, 5238, 12, 474, 583, 524, 427, 426, 424, 421, 419}

$$-\frac{(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{3dx^3} + \frac{2bc\sqrt{c^2x^2-1}(c^2d+2e)\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} + \frac{bx\sqrt{1-c^2x^2}(c^2d+e)(2c^2d+3e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{9d\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^4,x]

[Out] (2*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*x^2*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*d*x^3) - (2*b*c^2*(c^2*d + 2*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(2*c^2*d + 3*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,

p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 474

Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1) + a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 583

Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler

SqrtQ[-(b/a), -(d/c)])))))

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{x^4} dx &= -\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} - \frac{(bcx) \int -\frac{(d+ex^2)^{3/2}}{3dx^4\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} + \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^4\sqrt{-1+c^2x^2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} - \frac{(bcx) \int \frac{-2d(c^2d+2e)-e(c^2d+3e)}{x^2\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{9d\sqrt{c^2x^2}} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3} \\
&= \frac{2bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{3dx^3}
\end{aligned}$$

Mathematica [C] time = 0.612809, size = 247, normalized size = 0.75

$$\frac{\sqrt{d+ex^2}\left(-3a(d+ex^2)+bcx\sqrt{1-\frac{1}{c^2x^2}}(2c^2dx^2+d+4ex^2)-3b\sec^{-1}(cx)(d+ex^2)\right)}{9dx^3} - \frac{ibcx\sqrt{1-\frac{1}{c^2x^2}}\sqrt{\frac{ex^2}{d}+1}\left(2c^2d(c^2d+2e)-e(c^2d+3e)\right)}{9d\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^4, x]

[Out] (Sqrt[d + e*x^2]*(-3*a*(d + e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 4*e*x^2) - 3*b*(d + e*x^2)*ArcSec[c*x]))/(9*d*x^3) - ((I/9)*b*c*Sq


```
rt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(2*c^2*d*(c^2*d + 2*e)*EllipticE[
I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (2*c^4*d^2 + 5*c^2*d*e + 3*e^2)*El
lipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d)))]/(Sqrt[-c^2]*d*Sqrt[1 - c^2
*x^2])*Sqrt[d + e*x^2])
```

Maple [F] time = 1.7, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^4} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x)
```

```
[Out] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="fricas")
```

```
[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^4, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**4,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^4, x)

$$3.120 \quad \int \frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=453

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+e)(24c^4d^2+7c^2de-30e^2)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{225d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{2e(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{15d^2x^3}$$

```
[Out] (b*c*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
/(225*d^2*Sqrt[c^2*x^2]) + (b*c*(12*c^2*d - e)*Sqrt[-1 + c^2*x^2]*Sqrt[d +
e*x^2])/(225*d*x^2*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/
2))/(25*d*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(5*d
*x^5) + (2*e*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(15*d^2*x^3) - (b*c^2*(
24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*Ellip
ticE[ArcSin[c*x], -(e/(c^2*d))])/(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*
Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(24*c^4*d^2 + 7*c^2*d*e - 30*e^2)*x*S
qrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/
(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rubi [A] time = 0.600779, antiderivative size = 453, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {271, 264, 5238, 12, 580, 583, 524, 427, 426, 424, 421, 419}

$$\frac{2e(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{15d^2x^3} - \frac{(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{5dx^5} + \frac{bc\sqrt{c^2x^2-1}(24c^4d^2+19c^2de-31e^2)\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + b$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^6,x]
```

```
[Out] (b*c*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
/(225*d^2*Sqrt[c^2*x^2]) + (b*c*(12*c^2*d - e)*Sqrt[-1 + c^2*x^2]*Sqrt[d +
e*x^2])/(225*d*x^2*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/
2))/(25*d*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(5*d
*x^5) + (2*e*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(15*d^2*x^3) - (b*c^2*(
24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*Ellip
ticE[ArcSin[c*x], -(e/(c^2*d))])/(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*
Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(24*c^4*d^2 + 7*c^2*d*e - 30*e^2)*x*S
qrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/
```

$(225*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rule 271

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(x^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*(m+1)), x] - \text{Dist}[(b*(m+n*(p+1)+1))/(a*(m+1)), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m+1)/n + p + 1], 0] && NeQ[m, -1]

Rule 264

$\text{Int}[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*c*(m+1)), x] /;$ FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 5238

$\text{Int}[(a_ + \text{ArcSec}[c_*(x_)]*(b_))*((f_)*(x_))^{(m_)}*((d_ + (e_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegrand}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x] /;$ FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m-1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m+1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m+2*p+1)/2, 0] && !ILtQ[(m-1)/2, 0]))

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 580

$\text{Int}[((g_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)})^{(q_)}*((e_) + (f_)*(x_)^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(e*(g*x)^{(m+1)}*(a + b*x^n)^{(p+1)}*(c + d*x^n)^q)/(a*g*(m+1)), x] - \text{Dist}[1/(a*g^n*(m+1)), \text{Int}[(g*x)^{(m+n)}*(a + b*x^n)^p*(c + d*x^n)^{(q-1)}*\text{Simp}[c*(b*e - a*f)*(m+1) + e*n*(b*c*(p+1) + a*d*q) + d*((b*e - a*f)*(m+1) + b*e*n*(p+q+1))*x^n, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && GtQ[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])

Rule 583

$\text{Int}[((g_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)})^{(q_)}*((e_) + (f_)*(x_)^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(e*(g*x)^{(m+1)}*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)})/(a*c*g*(m+1)), x] + \text{Dist}[1/(a*c*g^n*($

```
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0]
] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
```

[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{x^6} dx &= -\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{15d^2x^3} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{15d^2x^6\sqrt{c^2x^2}}}{\sqrt{c^2x^2}} \\
 &= -\frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{15d^2x^3} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^6\sqrt{-1+c^2x^2}}}{15d^2\sqrt{c^2x^2}} \\
 &= \frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{25dx^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{15d^2x^3} \\
 &= \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{25dx^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\sec^{-1}(cx))}{5dx^5} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} \\
 &= \frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} + \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [C] time = 0.667276, size = 325, normalized size = 0.72

$$\frac{\sqrt{d+ex^2}\left(-15a(3d^2+dex^2-2e^2x^4)+bcx\sqrt{1-\frac{1}{c^2x^2}}(3d^2(8c^4x^4+4c^2x^2+3)+dex^2(19c^2x^2+8)-31e^2x^4)-15b\sec^{-1}\left(\frac{cx}{\sqrt{d+ex^2}}\right)\right)}{225d^2x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/x^6,x]

[Out] (Sqrt[d + e*x^2]*(-15*a*(3*d^2 + d*e*x^2 - 2*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(-31*e^2*x^4 + d*e*x^2*(8 + 19*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d^2 + d*e*x^2 - 2*e^2*x^4)*ArcSec[c*x]))/(225*d^2*x^5) - ((I/225)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]) + (-24*c^6*d^3 - 31*c^4*d^2*e + 23*c^2*d*e^2 + 30*e^3)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^2]*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 2.864, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^6} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x)

[Out] int((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^6, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))*(e*x**2+d)**(1/2)/x**6,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="giac")

[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/x^6, x)

3.121 $\int x^3 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=374

$$\frac{d(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e^2} + \frac{(d+ex^2)^{7/2}(a+b\sec^{-1}(cx))}{7e^2} + \frac{bx\sqrt{c^2x^2-1}(3c^4d^2-38c^2de-25e^2)\sqrt{d+ex^2}}{560c^5e\sqrt{c^2x^2}}$$

```
[Out] (b*(3*c^4*d^2 - 38*c^2*d*e - 25*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/
(560*c^5*e*Sqrt[c^2*x^2]) - (b*(13*c^2*d + 25*e)*x*Sqrt[-1 + c^2*x^2]*(d +
e*x^2)^(3/2))/(840*c^3*e*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^
2)^(5/2))/(42*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(5/2)*(a + b*ArcSec[c*x])
)/(5*e^2) + ((d + e*x^2)^(7/2)*(a + b*ArcSec[c*x]))/(7*e^2) - (2*b*c*d^(7/2)
)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])]/(35*e^2*Sqrt[c^2*
x^2]) + (b*(35*c^6*d^3 - 35*c^4*d^2*e - 63*c^2*d*e^2 - 25*e^3)*x*ArcTanh[(S
qrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(560*c^6*e^(3/2)*Sqrt[c^2*
x^2])
```

Rubi [A] time = 0.507682, antiderivative size = 374, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {266, 43, 5238, 12, 573, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d(d+ex^2)^{5/2}(a+b\sec^{-1}(cx))}{5e^2} + \frac{(d+ex^2)^{7/2}(a+b\sec^{-1}(cx))}{7e^2} + \frac{bx\sqrt{c^2x^2-1}(3c^4d^2-38c^2de-25e^2)\sqrt{d+ex^2}}{560c^5e\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]),x]
```

```
[Out] (b*(3*c^4*d^2 - 38*c^2*d*e - 25*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/
(560*c^5*e*Sqrt[c^2*x^2]) - (b*(13*c^2*d + 25*e)*x*Sqrt[-1 + c^2*x^2]*(d +
e*x^2)^(3/2))/(840*c^3*e*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^
2)^(5/2))/(42*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(5/2)*(a + b*ArcSec[c*x])
)/(5*e^2) + ((d + e*x^2)^(7/2)*(a + b*ArcSec[c*x]))/(7*e^2) - (2*b*c*d^(7/2)
)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])]/(35*e^2*Sqrt[c^2*
x^2]) + (b*(35*c^6*d^3 - 35*c^4*d^2*e - 63*c^2*d*e^2 - 25*e^3)*x*ArcTanh[(S
qrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(560*c^6*e^(3/2)*Sqrt[c^2*
x^2])
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 573

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
)*(e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_)
)^(p_.)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int x^3 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx &= -\frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{35e^2} dx}{35e^2} \\
&= -\frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{35e^2} dx}{35e^2} \\
&= -\frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} - \frac{(bcx) \text{Subst}}{35e^2} \\
&= -\frac{bx\sqrt{-1 + c^2x^2} (d + ex^2)^{5/2}}{42ce\sqrt{c^2x^2}} - \frac{d(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} \\
&= -\frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2} (d + ex^2)^{3/2}}{840c^3e\sqrt{c^2x^2}} - \frac{bx\sqrt{-1 + c^2x^2} (d + ex^2)^{5/2}}{42ce\sqrt{c^2x^2}} - \frac{d(d + ex^2)^{7/2} (a + b \sec^{-1}(cx))}{7e^2} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2}}{840c^3e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2}}{840c^3e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2}}{840c^3e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2}}{840c^3e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2}}{840c^3e\sqrt{c^2x^2}} \\
&= \frac{b(3c^4d^2 - 38c^2de - 25e^2)x\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{560c^5e\sqrt{c^2x^2}} - \frac{b(13c^2d + 25e)x\sqrt{-1 + c^2x^2}}{840c^3e\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.595271, size = 339, normalized size = 0.91

$$\frac{\sqrt{d + ex^2} \left(48ac^5 (2d - 5ex^2) (d + ex^2)^2 + bex\sqrt{1 - \frac{1}{c^2x^2}} \left(c^4 (57d^2 + 106dex^2 + 40e^2x^4) + 2c^2e (82d + 25ex^2) + 75e^2 \right) + 48ac^5e^2 \right)}{1680c^5e^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]),x]

[Out] $-(b*(32*c^4*d^4*\sqrt{1 + d/(e*x^2)}*(-1 + c^2*x^2)*\text{AppellF1}[1, 1/2, 1/2, 2, 1/(c^2*x^2), -d/(e*x^2)]) + e*(-35*c^6*d^3 + 35*c^4*d^2*e + 63*c^2*d*e^2 + 25*e^3)*\sqrt{1 - 1/(c^2*x^2)}*x^4*\sqrt{1 - c^2*x^2}*\sqrt{1 + (e*x^2)/d}*\text{AppellF1}[1, 1/2, 1/2, 2, c^2*x^2, -((e*x^2)/d)])/(1120*c^5*e^2*x*(-1 + c^2*x^2)*\sqrt{d + e*x^2}) - (\sqrt{d + e*x^2}*(48*a*c^5*(2*d - 5*e*x^2)*(d + e*x^2)^2 + b*e*\sqrt{1 - 1/(c^2*x^2)}*x*(75*e^2 + 2*c^2*e*(82*d + 25*e*x^2) + c^4*(57*d^2 + 106*d*e*x^2 + 40*e^2*x^4)) + 48*b*c^5*(2*d - 5*e*x^2)*(d + e*x^2)^2*\text{ArcSec}[c*x]))/(1680*c^5*e^2)$

Maple [F] time = 1.519, size = 0, normalized size = 0.

$$\int x^3 (ex^2 + d)^{\frac{3}{2}} (a + b\text{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)

[Out] int(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 31.2762, size = 3771, normalized size = 10.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] [1/6720*(96*b*c^7*sqrt(-d)*d^3*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e - 63*b*c^2*d*e^2 - 25*b*e^3)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*e*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d*e^2*x^4 + b*c^7*d^2*e*x^2 - 2*b*c^7*d^3)*arcsec(c*x) - (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^2), -1/6720*(192*b*c^7*d^(7/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d))/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e - 63*b*c^2*d*e^2 - 25*b*e^3)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) - 4*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*e*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d*e^2*x^4 + b*c^7*d^2*e*x^2 - 2*b*c^7*d^3)*arcsec(c*x) - (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^2), 1/3360*(48*b*c^7*sqrt(-d)*d^3*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e - 63*b*c^2*d*e^2 - 25*b*e^3)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*e*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d*e^2*x^4 + b*c^7*d^2*e*x^2 - 2*b*c^7*d^3)*arcsec(c*x) - (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^2), -1/3360*(96*b*c^7*d^(7/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d))/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e - 63*b*c^2*d*e^2 - 25*b*e^3)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*e*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d*e^2*x^4 + b*c^7*d^2*e*x^2 - 2*b*c^7*d^3)*arcsec(c*x) - (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*x^3, x)

3.122 $\int x (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=262

$$\frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} - \frac{bx (15c^4d^2 + 10c^2de + 3e^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{40c^4\sqrt{e}\sqrt{c^2x^2}} + \frac{bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{5e\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}}{20}$$

[Out] $-(b*(7*c^2*d + 3*e)*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(40*c^3*\text{Sqrt}[c^2*x^2]) - (b*x*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)})/(20*c*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(5*e) + (b*c*d^{(5/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(5*e*\text{Sqrt}[c^2*x^2]) - (b*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(40*c^4*\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.270425, antiderivative size = 262, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5236, 446, 102, 154, 157, 63, 217, 206, 93, 204}

$$\frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} - \frac{bx (15c^4d^2 + 10c^2de + 3e^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{40c^4\sqrt{e}\sqrt{c^2x^2}} + \frac{bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{5e\sqrt{c^2x^2}} - \frac{bx\sqrt{c^2x^2-1}}{20}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]), x]$

[Out] $-(b*(7*c^2*d + 3*e)*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(40*c^3*\text{Sqrt}[c^2*x^2]) - (b*x*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^{(3/2)})/(20*c*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^{(5/2)}*(a + b*\text{ArcSec}[c*x]))/(5*e) + (b*c*d^{(5/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(5*e*\text{Sqrt}[c^2*x^2]) - (b*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(40*c^4*\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rule 5236

$\text{Int}[(a_. + \text{ArcSec}[(c_.)*(x_.)]*(b_.))*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x]$
 $\text{Symbol} \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSec}[c*x])]/(2*e*(p + 1)), x]$
 $- \text{Dist}[(b*c*x)/(2*e*(p + 1)*\text{Sqrt}[c^2*x^2]), \text{Int}[(d + e*x^2)^{(p + 1)}/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, p\}, x \ \&\& \ \text{NeQ}[p, -1]$

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 102

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x
)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a
+ b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_)
)^(p_)*((g_) + (h_)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_
)))/((a_) + (b_)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x
], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int x (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx &= \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} - \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{x\sqrt{-1+c^2x^2}} dx}{5e\sqrt{c^2x^2}} \\
&= \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} - \frac{(bcx) \text{Subst} \left(\int \frac{(d+ex)^{5/2}}{x\sqrt{-1+c^2x}} dx, x, x^2 \right)}{10e\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1+c^2x^2} (d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} - \frac{(bx) \text{Subst} \left(\int \frac{(d+ex)^{5/2}}{x\sqrt{-1+c^2x}} dx, x, x^2 \right)}{10e\sqrt{c^2x^2}} \\
&= -\frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} \\
&= -\frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} \\
&= -\frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} \\
&= -\frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} \\
&= -\frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e} \\
&= -\frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} - \frac{bx\sqrt{-1+c^2x^2} (d + ex^2)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e}
\end{aligned}$$

Mathematica [A] time = 0.714011, size = 305, normalized size = 1.16

$$\frac{\sqrt{d + ex^2} \left(8ac^3 (d + ex^2)^2 - bex\sqrt{1 - \frac{1}{c^2x^2}} (c^2(9d + 2ex^2) + 3e) + 8bc^3 \sec^{-1}(cx) (d + ex^2)^2 \right)}{40c^3e} - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}} \left(\sqrt{c^2}\sqrt{e}\sqrt{c^2} \right)}{40c^3e}$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] (Sqrt[d + e*x^2]*(8*a*c^3*(d + e*x^2)^2 - b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(3*e + c^2*(9*d + 2*e*x^2)) + 8*b*c^3*(d + e*x^2)^2*ArcSec[c*x]))/(40*c^3*e) - (

```
b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*(15*c^4*d^2 +
10*c^2*d*e + 3*e^2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e]*
Sqrt[-1 + c^2*x^2])/(Sqrt[c^2]*Sqrt[c^2*d + e])] + 8*c^7*d^(5/2)*Sqrt[d + e
*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]]))/(40*c^6*e*Sqrt
[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Maple [F] time = 1.191, size = 0, normalized size = 0.

$$\int x (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)
```

```
[Out] int(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 10.902, size = 3004, normalized size = 11.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] [1/160*(8*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*
d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d
```

```

)*sqrt(-d) + 8*d^2)/x^4) + (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)*sqrt(e)*
log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*
c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) +
4*(8*a*c^5*e^2*x^4 + 16*a*c^5*d*e*x^2 + 8*a*c^5*d^2 + 8*(b*c^5*e^2*x^4 + 2
*b*c^5*d*e*x^2 + b*c^5*d^2)*arcsec(c*x) - (2*b*c^3*e^2*x^2 + 9*b*c^3*d*e +
3*b*c*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^5*e), 1/160*(16*b*c^5*d^(
5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*
sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (15*b*c^4*d^2 + 10*b*c
^2*d*e + 3*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4
d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e
*x^2 + d)*sqrt(e) + e^2) + 4*(8*a*c^5*e^2*x^4 + 16*a*c^5*d*e*x^2 + 8*a*c^5*
d^2 + 8*(b*c^5*e^2*x^4 + 2*b*c^5*d*e*x^2 + b*c^5*d^2)*arcsec(c*x) - (2*b*c^
3*e^2*x^2 + 9*b*c^3*d*e + 3*b*c*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c
^5*e), 1/80*(4*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*
(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^
2 + d)*sqrt(-d) + 8*d^2)/x^4) + (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)*sqr
t(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d
)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(8*a*c^5*e^2*
x^4 + 16*a*c^5*d*e*x^2 + 8*a*c^5*d^2 + 8*(b*c^5*e^2*x^4 + 2*b*c^5*d*e*x^2 +
b*c^5*d^2)*arcsec(c*x) - (2*b*c^3*e^2*x^2 + 9*b*c^3*d*e + 3*b*c*e^2)*sqrt(
c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^5*e), 1/80*(8*b*c^5*d^(5/2)*arctan(-1/2*s
qrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x
^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)*
sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2
+ d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(8*a*c^5*e
^2*x^4 + 16*a*c^5*d*e*x^2 + 8*a*c^5*d^2 + 8*(b*c^5*e^2*x^4 + 2*b*c^5*d*e*x^
2 + b*c^5*d^2)*arcsec(c*x) - (2*b*c^3*e^2*x^2 + 9*b*c^3*d*e + 3*b*c*e^2)*sq
rt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^5*e)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (b \operatorname{arcsec}(cx) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*x, x)
```

$$3.123 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x}, x \right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x, x]

Rubi [A] time = 0.114919, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x, x]

[Out] Defer[Int][((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x} dx = \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x} dx$$

Mathematica [A] time = 4.98366, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x, x]

Maple [A] time = 1.133, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx))\sqrt{ex^2 + d}}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d)/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x, x)

$$3.124 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3}, x \right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3, x]

Rubi [A] time = 0.119155, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3,x]

[Out] Defer[Int][((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx = \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Mathematica [A] time = 5.33946, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3,x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^3, x]

Maple [A] time = 1.036, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^3} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx))\sqrt{ex^2 + d}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d)/x^3, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**3,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^3,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^3, x)

$$3.125 \quad \int x^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(x^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable[x^2*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.112009, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int x^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[x^2*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int][x^2*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int x^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx = \int x^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A] time = 8.75291, size = 0, normalized size = 0.

$$\int x^2 (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Integrate[x^2*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Maple [A] time = 1.458, size = 0, normalized size = 0.

$$\int x^2 (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

[Out] `int(x^2*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(aex^4 + adx^2 + (bex^4 + bdx^2) \operatorname{arcsec}(cx)\right) \sqrt{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e*x^4 + a*d*x^2 + (b*e*x^4 + b*d*x^2)*arcsec(c*x))*sqrt(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*x^2, x)
```

$$3.126 \quad \int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left((d + ex^2)^{3/2} (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable[(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.0416049, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx = \int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A] time = 4.86423, size = 0, normalized size = 0.

$$\int (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Maple [A] time = 1.105, size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx)\right)\sqrt{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (b \operatorname{arcsec}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a), x)
```

$$3.127 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2}, x \right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2, x]

Rubi [A] time = 0.102987, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2, x]

[Out] Defer[Int][((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2} dx = \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2} dx$$

Mathematica [A] time = 8.08922, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^2, x]

Maple [A] time = 1.031, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx))\sqrt{ex^2 + d}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d)/x^2, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**2,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^2,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^2, x)

$$3.128 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4}, x \right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

Rubi [A] time = 0.104226, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

[Out] Defer[Int][((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx = \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Mathematica [A] time = 10.6745, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^4, x]

Maple [A] time = 1.447, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^4} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx))\sqrt{ex^2 + d}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d)/x^4, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**4,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^4,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^4, x)

$$3.129 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=416

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+e)(8c^4d^2+19c^2de+15e^2)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{75d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{(d+ex^2)^{5/2}(a+b \sec^{-1}(cx))}{5dx^5} + \dots$$

```
[Out] (b*c*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/
(75*d*Sqrt[c^2*x^2]) + (4*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x
^2))/(75*x^2*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(2
5*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*d*x^5) -
(b*c^2*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2
]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x
^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(8*c^4*d^2 + 19*c^2*d*e + 15*e^2)
*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d)
)))/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rubi [A] time = 0.539278, antiderivative size = 416, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {264, 5238, 12, 474, 580, 583, 524, 427, 426, 424, 421, 419}

$$-\frac{(d+ex^2)^{5/2}(a+b \sec^{-1}(cx))}{5dx^5} + \frac{bc\sqrt{c^2x^2-1}(8c^4d^2+23c^2de+23e^2)\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{bx\sqrt{1-c^2x^2}(c^2d+e)(8c^4d^2+19c^2de+15e^2)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{75d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^6,x]
```

```
[Out] (b*c*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/
(75*d*Sqrt[c^2*x^2]) + (4*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x
^2))/(75*x^2*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(2
5*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*d*x^5) -
(b*c^2*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2
]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x
^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*(8*c^4*d^2 + 19*c^2*d*e + 15*e^2)
*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d)
)))/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5238

```
Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 474

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^ (q_), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(
q - 1))/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a +
b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1)
+ a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /
; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q,
1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 580

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^ (q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a +
b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*g*(m + 1)), x] - Dist[1/(a*g^n*(m + 1)), I
nt[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m +
1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1)
)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt
Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^ (q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a +
```

```
b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplr
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
```

[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rubi steps

$$\begin{aligned}
 \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^6} dx &= -\frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5dx^5} - \frac{(bcx) \int -\frac{(d+ex^2)^{5/2}}{5dx^6 \sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
 &= -\frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5dx^5} + \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{x^6 \sqrt{-1+c^2x^2}} dx}{5d\sqrt{c^2x^2}} \\
 &= \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{25x^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5dx^5} - \frac{(bcx) \int \frac{\sqrt{d+ex^2} (-4d(c^2d+2e))}{x^4 \sqrt{-1+c^2x^2}} dx}{25d\sqrt{c^2x^2}} \\
 &= \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{25x^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2} (a+b \sec^{-1}(cx))}{5d} \\
 &= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}} \\
 &= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}} \\
 &= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}} \\
 &= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}} \\
 &= \frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} + \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2\sqrt{c^2x^2}}
 \end{aligned}$$

Mathematica [C] time = 0.641723, size = 303, normalized size = 0.73

$$\frac{\sqrt{d+ex^2} \left(-15a(d+ex^2)^2 + bcx \sqrt{1 - \frac{1}{c^2x^2}} \left(d^2(8c^4x^4 + 4c^2x^2 + 3) + dex^2(23c^2x^2 + 11) + 23e^2x^4 \right) - 15b \sec^{-1}(cx) (d+ex^2) \right)}{75dx^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^6,x]

[Out] (Sqrt[d + e*x^2]*(-15*a*(d + e*x^2)^2 + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(23*e^2*x^4 + d*e*x^2*(11 + 23*c^2*x^2) + d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(d + e*x^2)^2*ArcSec[c*x]))/(75*d*x^5) - ((I/75)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (8*c^6*d^3 + 27*c^4*d^2*e + 34*c^2*d*e^2 + 15*e^3)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^2]*d*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 1.676, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^6} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx))\sqrt{ex^2 + d}}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d)/x^6, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**6,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^6,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^6, x)

$$3.130 \quad \int \frac{(d+ex^2)^{3/2} (a+b \sec^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=554

$$\frac{2bx\sqrt{1-c^2x^2}(c^2d+e)(204c^4d^2e+120c^6d^3+17c^2de^2-105e^3)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)+2e(d+ex^2)^{5/2}}{3675d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{2e(d+ex^2)^{5/2}}{35d^2x^5}$$

[Out] (b*c*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(3675*d^2*Sqrt[c^2*x^2]) + (b*c*(120*c^4*d^2 + 159*c^2*d*e - 37*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(3675*d*x^2*Sqrt[c^2*x^2]) + (b*c*(30*c^2*d + 11*e)*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(1225*d*x^4*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(49*d*x^6*Sqrt[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(7*d*x^7) + (2*e*(d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(35*d^2*x^5) - (b*c^2*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3675*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (2*b*(c^2*d + e)*(120*c^6*d^3 + 204*c^4*d^2*e + 17*c^2*d*e^2 - 105*e^3)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3675*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rubi [A] time = 0.777962, antiderivative size = 554, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {271, 264, 5238, 12, 580, 583, 524, 427, 426, 424, 421, 419}

$$\frac{2e(d+ex^2)^{5/2}(a+b \sec^{-1}(cx))}{35d^2x^5} - \frac{(d+ex^2)^{5/2}(a+b \sec^{-1}(cx))}{7dx^7} + \frac{bc\sqrt{c^2x^2-1}(528c^4d^2e+240c^6d^3+193c^2de^2-247e^3)}{3675d^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^8, x]

[Out] (b*c*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(3675*d^2*Sqrt[c^2*x^2]) + (b*c*(120*c^4*d^2 + 159*c^2*d*e - 37*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(3675*d*x^2*Sqrt[c^2*x^2]) + (b*c*(30*c^2*d + 11*e)*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(1225*d*x^4*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(49*d*x^6*Sqrt[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(7*d*x^7) + (2*e*(d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(35*d^2*x^5)

+ e*x^2)^(5/2)*(a + b*ArcSec[c*x])/(35*d^2*x^5) - (b*c^2*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3675*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (2*b*(c^2*d + e)*(120*c^6*d^3 + 204*c^4*d^2*e + 17*c^2*d*e^2 - 105*e^3)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3675*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rule 271

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 264

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 5238

Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 580

Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*g*(m + 1)), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt

$Q[q, 0] \&\& LtQ[m, -1] \&\& !(EqQ[q, 1] \&\& SimplerQ[e + f*x^n, c + d*x^n])$

Rule 583

$Int[((g_.)*(x_))^{(m_)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_.)*((c_) + (d_.)*(x_)^{(n_)})^{(q_.)*((e_) + (f_.)*(x_)^{(n_)})}$, x_Symbol] $:= Simp[(e*(g*x)^{(m+1)}*(a + b*x^n)^{(p+1)}*(c + d*x^n)^{(q+1)}/(a*c*g^{(m+1)})$, x] + $Dist[1/(a*c*g^n*(m+1))$, $Int[(g*x)^{(m+n)}*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m+1) - e*(b*c + a*d)*(m+n+1) - e*n*(b*c*p + a*d*q) - b*e*d*(m+n*(p+q+2) + 1)*x^n$, x], x] /; $FreeQ[\{a, b, c, d, e, f, g, p, q\}, x] \&\& IGtQ[n, 0]$] $\&\& LtQ[m, -1]$

Rule 524

$Int[((e_) + (f_.)*(x_)^{(n_)})/(Sqrt[(a_) + (b_.)*(x_)^{(n_)})*Sqrt[(c_) + (d_.)*(x_)^{(n_)})}$, x_Symbol] $:= Dist[f/b$, $Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n]$, x], x] + $Dist[(b*e - a*f)/b$, $Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n])$, x], x] /; $FreeQ[\{a, b, c, d, e, f, n\}, x] \&\& !(EqQ[n, 2] \&\& ((PosQ[b/a] \&\& PosQ[d/c]) || (NegQ[b/a] \&\& (PosQ[d/c] || (GtQ[a, 0] \&\& (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))$

Rule 427

$Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2]$, x_Symbol] $:= Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2]$, $Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c]$, x], x] /; $FreeQ[\{a, b, c, d\}, x] \&\& NegQ[d/c] \&\& !GtQ[c, 0]$

Rule 426

$Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2]$, x_Symbol] $:= Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a]$, $Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2]$, x], x] /; $FreeQ[\{a, b, c, d\}, x] \&\& NegQ[d/c] \&\& GtQ[c, 0] \&\& !GtQ[a, 0]$

Rule 424

$Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2]$, x_Symbol] $:= Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2])$, x] /; $FreeQ[\{a, b, c, d\}, x] \&\& NegQ[d/c] \&\& GtQ[c, 0] \&\& GtQ[a, 0]$

Rule 421

$Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2])$, x_Symbol] $:= Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2]$, $Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d$

```
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> S  
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt  
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ  
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2} (a+b\sec^{-1}(cx))}{x^8} dx &= -\frac{(d+ex^2)^{5/2} (a+b\sec^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b\sec^{-1}(cx))}{35d^2x^5} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2} (a+b\sec^{-1}(cx))}{x^7} dx}{35a} \\
&= -\frac{(d+ex^2)^{5/2} (a+b\sec^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b\sec^{-1}(cx))}{35d^2x^5} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2} (a+b\sec^{-1}(cx))}{x^7} dx}{35a} \\
&= \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{49dx^6\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2} (a+b\sec^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2} (a+b\sec^{-1}(cx))}{35d^2x^5} \\
&= \frac{bc(30c^2d+11e)\sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{1225dx^4\sqrt{c^2x^2}} + \frac{bc\sqrt{-1+c^2x^2} (d+ex^2)^{5/2}}{49dx^6\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2} (a+b\sec^{-1}(cx))}{35d^2x^5} \\
&= \frac{bc(120c^4d^2+159c^2de-37e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675dx^2\sqrt{c^2x^2}} + \frac{bc(30c^2d+11e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{1225dx^4\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{bc(120c^4d^2+159c^2de-37e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{bc(120c^4d^2+159c^2de-37e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{bc(120c^4d^2+159c^2de-37e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} \\
&= \frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} + \frac{bc(120c^4d^2+159c^2de-37e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.834749, size = 383, normalized size = 0.69

$$\frac{\sqrt{d+ex^2} \left(-105a(5d-2ex^2)(d+ex^2)^2 + bcx\sqrt{1-\frac{1}{c^2x^2}}(3d^2ex^2(176c^4x^4+83c^2x^2+61) + 15d^3(16c^6x^6+8c^4x^4+6c^2x^2)) \right)}{3675d^2x^7}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/x^8,x]

[Out] (Sqrt[d + e*x^2]*(-105*a*(5*d - 2*e*x^2)*(d + e*x^2)^2 + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(-247*e^3*x^6 + d*e^2*x^4*(71 + 193*c^2*x^2) + 3*d^2*e*x^2*(61 + 83*c^2*x^2 + 176*c^4*x^4) + 15*d^3*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6) - 105*b*(5*d - 2*e*x^2)*(d + e*x^2)^2*ArcSec[c*x]))/(3675*d^2*x^7) - ((I/3675)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - 2*(120*c^8*d^4 + 324*c^6*d^3*e + 221*c^4*d^2*e^2 - 88*c^2*d*e^3 - 105*e^4)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d)))]/(Sqrt[-c^2]*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 2.136, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^8} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx))\sqrt{ex^2 + d}}{x^8}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d)/x^8, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(a+b*asec(c*x))/x**8,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arcsec}(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(a+b*arcsec(c*x))/x^8,x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)/x^8, x)

$$3.131 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=321

$$\frac{d^2 \sqrt{d+ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d (d+ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d+ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} + \frac{8bcd^{5/2} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{a}\sqrt{c}}\right)}{15e^3 \sqrt{c^2 x^2}}$$

[Out] (b*(19*c^2*d - 9*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(120*c^3*e^2*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e^2*Sqrt[c^2*x^2]) + (d^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e^3 - (2*d*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*e^3) + ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*e^3) + (8*b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(15*e^3*Sqrt[c^2*x^2]) - (b*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(120*c^4*e^(5/2)*Sqrt[c^2*x^2])

Rubi [A] time = 1.01209, antiderivative size = 321, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {266, 43, 5238, 12, 1615, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d^2 \sqrt{d+ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d (d+ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d+ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} + \frac{8bcd^{5/2} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{a}\sqrt{c}}\right)}{15e^3 \sqrt{c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] (b*(19*c^2*d - 9*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(120*c^3*e^2*Sqrt[c^2*x^2]) - (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e^2*Sqrt[c^2*x^2]) + (d^2*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e^3 - (2*d*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]))/(3*e^3) + ((d + e*x^2)^(5/2)*(a + b*ArcSec[c*x]))/(5*e^3) + (8*b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(15*e^3*Sqrt[c^2*x^2]) - (b*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(120*c^4*e^(5/2)*Sqrt[c^2*x^2])

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5238

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x
_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1615

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f
_)*(x_))^(p_), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x], x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^p)*((g_) + (h_)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
```

```
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```


Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= \frac{b(19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} - \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3}
\end{aligned}$$

Mathematica [A] time = 0.718303, size = 328, normalized size = 1.02

$$\frac{\sqrt{d + ex^2} \left(8ac^3 (8d^2 - 4dex^2 + 3e^2x^4) + 8bc^3 \sec^{-1}(cx) (8d^2 - 4dex^2 + 3e^2x^4) + bex \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 (13d - 6ex^2) - 9e) \right)}{120c^3 e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] (Sqrt[d + e*x^2]*(8*a*c^3*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4) + b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(-9*e + c^2*(13*d - 6*e*x^2)) + 8*b*c^3*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4)*ArcSec[c*x]))/(120*c^3*e^3) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e]*Sqrt[-1 + c^2*x^2])/(Sqrt[c^2]*Sqrt[c^2*d + e])]) + 64*c^7*d^(5/2)*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]]))/(120*c^6*e^3*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 2.826, size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2), x)

[Out] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 11.8402, size = 3060, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/480*(64*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*arcsec(c*x) - (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^3), 1/480*(12*8*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*arcs ec(c*x) - (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^3), 1/240*(32*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*arcsec(c*x) - (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^3), 1/240*(64*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*arcsec(c*x) - (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^5*e^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^5}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)*x^5/sqrt(e*x^2 + d), x)`

$$3.132 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=225

$$\frac{d\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{3e^2} - \frac{2bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^2\sqrt{c^2x^2}} + \frac{bx(3c^2d-e) \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{c}\right)}{6c^2e^{3/2}\sqrt{c^2x^2}}$$

[Out] $-(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e*\text{Sqrt}[c^2*x^2]) - (d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/e^2 + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]))/(3*e^2) - (2*b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^2*\text{Sqrt}[c^2*x^2]) + (b*(3*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.307533, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {266, 43, 5238, 12, 573, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2}(a+b \sec^{-1}(cx))}{3e^2} - \frac{2bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^2\sqrt{c^2x^2}} + \frac{bx(3c^2d-e) \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{c}\right)}{6c^2e^{3/2}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*(a + b*\text{ArcSec}[c*x]))/\text{Sqrt}[d + e*x^2], x]$

[Out] $-(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e*\text{Sqrt}[c^2*x^2]) - (d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/e^2 + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]))/(3*e^2) - (2*b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^2*\text{Sqrt}[c^2*x^2]) + (b*(3*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n) - 1}*(a + b*x)^p, x], x, x^n], x] /;$ FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 573

```
Int[(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_.))^(p_.))*((c_) + (d_.)*(x_)^(n_.))^(q_.
)*(e_) + (f_.)*(x_)^(n_.))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)
)^(p_.))*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1)))]*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.))*((g_.) + (h_.)*(x_
)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
```

, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx &= -\frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2} - \frac{(bcx) \int \frac{(-2d+ex^2)\sqrt{d+ex^2}}{3e^2x\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2} - \frac{(bcx) \int \frac{(-2d+ex^2)\sqrt{d+ex^2}}{x\sqrt{-1+c^2x^2}} dx}{3e^2\sqrt{c^2x^2}} \\
&= -\frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2} - \frac{(bcx) \text{Subst} \left(\int \frac{(-2d+ex)\sqrt{d+ex}}{x\sqrt{-1+c^2x}} \right)}{6e^2\sqrt{c^2x^2}} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^2}
\end{aligned}$$

Mathematica [A] time = 0.50679, size = 272, normalized size = 1.21

$$\frac{bx\sqrt{1 - \frac{1}{c^2x^2}} \left(4c^5d^{3/2}\sqrt{d + ex^2} \tan^{-1} \left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}} \right) + \sqrt{c^2}\sqrt{e} (3c^2d - e) \sqrt{c^2d + e} \sqrt{\frac{c^2(d+ex^2)}{c^2d+e}} \sinh^{-1} \left(\frac{c\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2}\sqrt{c^2d+e}} \right) \right)}{6c^4e^2\sqrt{c^2x^2 - 1}\sqrt{d + ex^2}} - \frac{\sqrt{d + ex^2}}{\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] -(Sqrt[d + e*x^2]*(4*a*c*d + b*e*Sqrt[1 - 1/(c^2*x^2)]*x - 2*a*c*e*x^2 + 2*b*c*(2*d - e*x^2)*ArcSec[c*x]))/(6*c*e^2) + (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqr

$$t[c^2]*(3*c^2*d - e)*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[(c^2*(d + e*x^2))/(c^2*d + e)]*\text{ArcSinh}[(c*\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(\text{Sqrt}[c^2]*\text{Sqrt}[c^2*d + e])] + 4*c^5*d^{(3/2)}*\text{Sqrt}[d + e*x^2]*\text{ArcTan}[(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])/(\text{Sqrt}[d + e*x^2])]/(6*c^4*e^2*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$$

Maple [F] time = 2.027, size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)

[Out] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 5.05855, size = 2452, normalized size = 10.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] [1/24*(4*b*c^3*sqrt(-d)*d*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (3*b*c^2*d - b*e)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d

$$\begin{aligned} &^2 - 6c^2de + 8(c^4de - c^2e^2)x^2 - 4(2c^3ex^2 + c^3d - ce) * \\ &\sqrt{c^2x^2 - 1} \sqrt{ex^2 + d} \sqrt{e + e^2} + 4(2ac^3ex^2 - 4ac^3d - \sqrt{c^2x^2 - 1} * b * ce + 2(bc^3ex^2 - 2bc^3d) * \operatorname{arcsec}(cx)) * \\ &\sqrt{ex^2 + d} / (c^3e^2), -1/24(8bc^3d^{3/2}) * \arctan(-1/2\sqrt{c^2x^2 - 1} * ((c^2d - e)x^2 - 2d) * \sqrt{ex^2 + d} * \sqrt{d} / (c^2d * ex^4 + (c^2d^2 - d * e)x^2 - d^2)) + (3bc^2d - b * e) * \sqrt{e} * \log(8c^4e^2x^4 + c^4d^2 - 6c^2de + 8(c^4de - c^2e^2)x^2 - 4(2c^3ex^2 + c^3d - ce) * \sqrt{c^2x^2 - 1} * \sqrt{ex^2 + d} * \sqrt{e + e^2} - 4(2ac^3ex^2 - 4ac^3d - \sqrt{c^2x^2 - 1} * b * ce + 2(bc^3ex^2 - 2bc^3d) * \operatorname{arcsec}(cx)) * \sqrt{ex^2 + d}) / (c^3e^2), 1/12(2bc^3\sqrt{-d} * d * \log(((c^4d^2 - 6c^2de + e^2)x^4 - 8(c^2d^2 - d * e)x^2 + 4\sqrt{c^2x^2 - 1} * ((c^2d - e)x^2 - 2d) * \sqrt{ex^2 + d} * \sqrt{-d} + 8d^2) / x^4) - (3bc^2d - b * e) * \sqrt{-e} * \arctan(1/2(2c^2ex^2 + c^2d - e) * \sqrt{c^2x^2 - 1} * \sqrt{ex^2 + d} * \sqrt{-e}) / (c^3e^2x^4 - c * d * e + (c^3d * e - ce^2)x^2)) + 2(2ac^3ex^2 - 4ac^3d - \sqrt{c^2x^2 - 1} * b * ce + 2(bc^3ex^2 - 2bc^3d) * \operatorname{arcsec}(cx)) * \sqrt{ex^2 + d}) / (c^3e^2), -1/12(4bc^3d^{3/2}) * \arctan(-1/2\sqrt{c^2x^2 - 1} * ((c^2d - e)x^2 - 2d) * \sqrt{ex^2 + d} * \sqrt{d} / (c^2d * ex^4 + (c^2d^2 - d * e)x^2 - d^2)) + (3bc^2d - b * e) * \sqrt{-e} * \arctan(1/2(2c^2ex^2 + c^2d - e) * \sqrt{c^2x^2 - 1} * \sqrt{ex^2 + d} * \sqrt{-e}) / (c^3e^2x^4 - c * d * e + (c^3d * e - ce^2)x^2)) - 2(2ac^3ex^2 - 4ac^3d - \sqrt{c^2x^2 - 1} * b * ce + 2(bc^3ex^2 - 2bc^3d) * \operatorname{arcsec}(cx)) * \sqrt{ex^2 + d}) / (c^3e^2)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^3}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^3/sqrt(e*x^2 + d), x)
```

$$3.133 \quad \int \frac{x(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=132

$$\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e\sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}}$$

[Out] (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e + (b*c*Sqrt[d]*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(e*Sqrt[c^2*x^2]) - (b*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(Sqrt[e]*Sqrt[c^2*x^2])

Rubi [A] time = 0.145577, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {5236, 446, 105, 63, 217, 206, 93, 204}

$$\frac{\sqrt{d+ex^2}(a+b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e\sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e + (b*c*Sqrt[d]*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(e*Sqrt[c^2*x^2]) - (b*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(Sqrt[e]*Sqrt[c^2*x^2])

Rule 5236

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSec[c*x]))/(2*e*(p + 1)), x] - Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]

Rule 446

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[

$b*c - a*d, 0]$ && IntegerQ[Simplify[(m + 1)/n]]

Rule 105

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := Dist[b/f, Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x] - Dist[(b*e - a*f)/f, Int[((a + b*x)^(m - 1)*(c + d*x)^n)/(e + f*x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[Simplify[m + n + 1], 0] && (GtQ[m, 0] || (!RationalQ[m] && (SumSimplerQ[m, -1] || !SumSimplerQ[n, -1])))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 93

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e} - \frac{(bcx) \int \frac{\sqrt{d+ex^2}}{x\sqrt{-1+c^2x^2}} dx}{e\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e} - \frac{(bcx) \text{Subst}\left(\int \frac{\sqrt{d+ex}}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{2e\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{\sqrt{-1+c^2x}\sqrt{d+ex}} dx, x, x^2\right)}{2\sqrt{c^2x^2}} - \frac{(bcdx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{2e\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e} - \frac{(bx) \text{Subst}\left(\int \frac{1}{\sqrt{d+\frac{e}{2}+\frac{ex^2}{2}}} dx, x, \sqrt{-1+c^2x^2}\right)}{c\sqrt{c^2x^2}} - \frac{(bcdx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{2e\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{e\sqrt{c^2x^2}} - \frac{(bx) \text{Subst}\left(\int \frac{1}{1-\frac{ex^2}{c^2}} dx, x, \frac{\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}}\right)}{c\sqrt{c^2x^2}} \\
&= \frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e} + \frac{bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{e\sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{c\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.219815, size = 211, normalized size = 1.6

$$\frac{\sqrt{d + ex^2}(a + b \sec^{-1}(cx))}{e} - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}} \left(c^3\sqrt{d}\sqrt{d + ex^2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}}\right) + \sqrt{c^2}\sqrt{e}\sqrt{c^2d + e}\sqrt{\frac{c^2(d+ex^2)}{c^2d+e}} \sinh^{-1}\left(\frac{c\sqrt{e}\sqrt{c^2x^2}}{\sqrt{c^2}\sqrt{c^2d+e}}\right) \right)}{c^2e\sqrt{c^2x^2 - 1}\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e]*Sqrt[-1 + c^2*x^2])/(Sqrt[c^2]*Sqrt[c^2*d + e])] + c^3*Sqrt[d]*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(c^2*e*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 1.591, size = 0, normalized size = 0.

$$\int x(a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

[Out] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 2.59961, size = 1925, normalized size = 14.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `[1/4*(b*c*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + b*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*sqrt(e*x^2 + d)*(b*c*arcsec(c*x) + a*c))/(c*e), 1/4*(2*b*c*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + b*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*sqrt(e*x^2 + d)*(b*c*arcsec(c*x) + a*c))/(c*e), 1/4*(b*c*sqrt(-d)*1`

```
og(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 2*b*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 4*sqrt(e*x^2 + d)*(b*c*arcsec(c*x) + a*c))/(c*e), 1/2*(b*c*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + b*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*sqrt(e*x^2 + d)*(b*c*arcsec(c*x) + a*c))/(c*e)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{asec}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**(1/2), x)
```

```
[Out] Integral(x*(a + b*asec(c*x))/sqrt(d + e*x**2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x/sqrt(e*x^2 + d), x)
```


$$3.134 \quad \int \frac{a+b \sec^{-1}(cx)}{x\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{a+b \sec^{-1}(cx)}{x\sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

Rubi [A] time = 0.0968381, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{x\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{x\sqrt{d+ex^2}} dx = \int \frac{a+b \sec^{-1}(cx)}{x\sqrt{d+ex^2}} dx$$

Mathematica [A] time = 1.42194, size = 0, normalized size = 0.

$$\int \frac{a+b \sec^{-1}(cx)}{x\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[d + e*x^2]), x]

Maple [A] time = 1.52, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{ex^3 + dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e*x^3 + d*x), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d)**(1/2),x)

[Out] Integral((a + b*asec(c*x))/(x*sqrt(d + e*x**2)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x), x)

$$3.135 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \sec^{-1}(cx)}{x^3 \sqrt{d + ex^2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

Rubi [A] time = 0.10804, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Mathematica [A] time = 11.0061, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 \sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^3*Sqrt[d + e*x^2]), x]

Maple [A] time = 1.239, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^3} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{ex^5 + dx^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e*x^5 + d*x^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**3/(e*x**2+d)**(1/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex^2 + d}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^3), x)

$$3.136 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable[(x^2*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Rubi [A] time = 0.0905409, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^2*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] Defer[Int] [(x^2*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx = \int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Mathematica [A] time = 8.70336, size = 0, normalized size = 0.

$$\int \frac{x^2(a+b \sec^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] Integrate[(x^2*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Maple [A] time = 1.276, size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)

[Out] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{bx^2 \operatorname{arcsec}(cx) + ax^2}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral((b*x^2*arcsec(c*x) + a*x^2)/sqrt(e*x^2 + d), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**(1/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^2}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^2/sqrt(e*x^2 + d), x)

$$3.137 \quad \int \frac{a+b \sec^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable} \left(\frac{a + b \sec^{-1}(cx)}{\sqrt{d + ex^2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

Rubi [A] time = 0.0299236, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{\sqrt{d + ex^2}} dx = \int \frac{a + b \sec^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Mathematica [A] time = 0.79469, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

[Out] Integrate[(a + b*ArcSec[c*x])/Sqrt[d + e*x^2], x]

Maple [A] time = 1.261, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*arcsec(c*x) + a)/sqrt(e*x^2 + d), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**(1/2),x)

[Out] Integral((a + b*asec(c*x))/sqrt(d + e*x**2), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/sqrt(e*x^2 + d), x)

$$3.138 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=246

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{dx} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d\sqrt{c^2x^2}} - \frac{bc^2x\sqrt{1-c^2x^2}}{d}$$

[Out] (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(d*Sqrt[c^2*x^2]) - (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(d*x) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d])*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rubi [A] time = 0.255063, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {264, 5238, 12, 475, 21, 423, 427, 426, 424, 421, 419}

$$-\frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{dx} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d\sqrt{c^2x^2}} + \frac{bx\sqrt{1-c^2x^2}(c^2d+e)\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)\middle|-\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*Sqrt[d + e*x^2]), x]

[Out] (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(d*Sqrt[c^2*x^2]) - (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(d*x) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d])*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 475

```
Int[((e_.)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + b*n*(p + q + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_)^(m_.)*((c_) + (d_.)*(v_)^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 423

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} + \frac{(bcx) \int \frac{\sqrt{d+ex^2}}{dx^2 \sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} + \frac{(bcx) \int \frac{\sqrt{d+ex^2}}{x^2 \sqrt{-1+c^2x^2}} dx}{d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bcx) \int \frac{-e+c^2ex^2}{\sqrt{-1+c^2x^2} \sqrt{d+ex^2}} dx}{d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bcex) \int \frac{\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}} dx}{d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bc^3x) \int \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2x^2}} dx}{d\sqrt{c^2x^2}} + \frac{(bc(c^2d + e)x) \int}{d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bc^3x\sqrt{1 - c^2x^2}) \int \frac{\sqrt{d+ex^2}}{\sqrt{1-c^2x^2}} dx}{d\sqrt{c^2x^2} \sqrt{-1 + c^2x^2}} + \frac{(bc(c^2d + e)x) \int}{d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{(bc^3x\sqrt{1 - c^2x^2} \sqrt{d + ex^2}) \int \frac{\sqrt{1+\frac{ex^2}{d}}}{\sqrt{1-c^2x^2}} dx}{d\sqrt{c^2x^2} \sqrt{-1 + c^2x^2} \sqrt{1 + \frac{ex^2}{d}}} + \frac{(bc(c^2d + e)x) \int}{d\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{dx} - \frac{bc^2x\sqrt{1 - c^2x^2} \sqrt{d + ex^2} E(\sin^{-1}(cx)) - \frac{c^2d}{e}}{d\sqrt{c^2x^2} \sqrt{-1 + c^2x^2} \sqrt{1 + \frac{ex^2}{d}}}
\end{aligned}$$

Mathematica [A] time = 0.194181, size = 143, normalized size = 0.58

$$\frac{\sqrt{d + ex^2} \left(-a + bcx \sqrt{1 - \frac{1}{c^2x^2}} - b \sec^{-1}(cx) \right)}{dx} - \frac{bcex \sqrt{1 - \frac{1}{c^2x^2}} \sqrt{\frac{ex^2}{d}} + 1 E \left(\sin^{-1} \left(\sqrt{-\frac{e}{d}} x \right) \middle| -\frac{c^2d}{e} \right)}{d \sqrt{1 - c^2x^2} \sqrt{-\frac{e}{d}} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*Sqrt[d + e*x^2]), x]

[Out] (Sqrt[d + e*x^2]*(-a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x - b*ArcSec[c*x]))/(d*x) - (b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*EllipticE[ArcSin[Sqrt[-(e/d)]*x], -(c^2*d/e)])/(d*Sqrt[-(e/d)]*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2)

])

Maple [F] time = 1.273, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x)

[Out] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{ex^4 + dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e*x^4 + d*x^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex^2 + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^2), x)

$$3.139 \quad \int \frac{a+b \sec^{-1}(cx)}{x^4 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=362

$$\frac{2bx\sqrt{1-c^2x^2}(c^2d-3e)(c^2d+e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{9d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{2e\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{3d^2x} - \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{3dx^3}$$

```
[Out] (b*c*(2*c^2*d - 5*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^2*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*x^2*Sqrt[c^2*x^2]) - (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(3*d*x^3) + (2*e*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(3*d^2*x) - (b*c^2*(2*c^2*d - 5*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (2*b*(c^2*d - 3*e)*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rubi [A] time = 0.446629, antiderivative size = 362, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {271, 264, 5238, 12, 580, 583, 524, 427, 426, 424, 421, 419}

$$\frac{2e\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{3d^2x} - \frac{\sqrt{d+ex^2}(a+b\sec^{-1}(cx))}{3dx^3} + \frac{bc\sqrt{c^2x^2-1}(2c^2d-5e)\sqrt{d+ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{2bx\sqrt{1-c^2x^2}(c^2d-3e)\sqrt{d+ex^2}}{9d^2x^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSec[c*x])/(x^4*Sqrt[d + e*x^2]),x]
```

```
[Out] (b*c*(2*c^2*d - 5*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^2*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*x^2*Sqrt[c^2*x^2]) - (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(3*d*x^3) + (2*e*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/(3*d^2*x) - (b*c^2*(2*c^2*d - 5*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (2*b*(c^2*d - 3*e)*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5238

```
Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 580

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*g*(m + 1)), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && GtQ[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0]
```

] && LtQ[m, -1]

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)])], x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c)
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^4 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d^2x} - \frac{(bcx) \int \frac{\sqrt{d+ex^2}(-d+2ex^2)}{3d^2x^4\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d^2x} - \frac{(bcx) \int \frac{\sqrt{d+ex^2}(-d+2ex^2)}{x^4\sqrt{-1+c^2x^2}} dx}{3d^2\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9dx^2\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3d^2x} + \frac{(bcx) \int \dots}{\dots} \\
&= \frac{bc(2c^2d - 5e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9dx^2\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e}{\dots} \\
&= \frac{bc(2c^2d - 5e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9dx^2\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e}{\dots} \\
&= \frac{bc(2c^2d - 5e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9dx^2\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e}{\dots} \\
&= \frac{bc(2c^2d - 5e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9dx^2\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e}{\dots} \\
&= \frac{bc(2c^2d - 5e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9d^2\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{9dx^2\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{3dx^3} + \frac{2e}{\dots}
\end{aligned}$$

Mathematica [C] time = 0.635467, size = 249, normalized size = 0.69

$$\frac{\sqrt{d + ex^2} \left(-3a(d - 2ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2dx^2 + d - 5ex^2) - 3b \sec^{-1}(cx)(d - 2ex^2) \right)}{9d^2x^3} - \frac{ibcx\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{\frac{ex^2}{d} + 1} \left(2(c^4 \dots \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^4*Sqrt[d + e*x^2]), x]

[Out] (Sqrt[d + e*x^2]*(b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 - 5*e*x^2) - 3*a*(d - 2*e*x^2) - 3*b*(d - 2*e*x^2)*ArcSec[c*x]))/(9*d^2*x^3) - ((I/9)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(2*c^2*d - 5*e)*Ellip

```
ticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] + 2*(-(c^4*d^2) + 2*c^2*d*e + 3
*e^2)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d)))]/(Sqrt[-c^2]*d^2*Sq
rt[1 - c^2*x^2]*Sqrt[d + e*x^2])
```

Maple [F] time = 1.717, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^4} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2), x)
```

```
[Out] int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2), x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{ex^6 + dx^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e*x^6 + d*x^4), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**4/(e*x**2+d)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex^2 + dx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^4), x)

$$3.140 \quad \int \frac{a+b \sec^{-1}(cx)}{x^6 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=1006

$$\frac{8be^2x\sqrt{1-c^2x^2}\sqrt{ex^2+d}E\left(\sin^{-1}(cx)\middle|\frac{e}{c^2d}\right)c^2}{15d^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} + \frac{4be(2dc^2+e)x\sqrt{1-c^2x^2}\sqrt{ex^2+d}E\left(\sin^{-1}(cx)\middle|\frac{e}{c^2d}\right)c^2}{45d^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} - \frac{b(8d^2c^4}{$$

[Out] $(8*b*c*e^2*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(15*d^3*\text{Sqrt}[c^2*x^2]) - (4*b*c*e*(2*c^2*d + e)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(45*d^3*\text{Sqrt}[c^2*x^2]) + (b*c*(8*c^4*d^2 + 3*c^2*d*e - 2*e^2)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(75*d^3*\text{Sqrt}[c^2*x^2]) + (b*c*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(25*d*x^4*\text{Sqrt}[c^2*x^2]) - (4*b*c*e*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(45*d^2*x^2*\text{Sqrt}[c^2*x^2]) + (b*c*(4*c^2*d + e)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(75*d^2*x^2*\text{Sqrt}[c^2*x^2]) - (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/(5*d*x^5) + (4*e*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/(15*d^2*x^3) - (8*e^2*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/(15*d^3*x) - (8*b*c^2*e^2*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(15*d^3*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]) + (4*b*c^2*e*(2*c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(45*d^3*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]) - (b*c^2*(8*c^4*d^2 + 3*c^2*d*e - 2*e^2)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(75*d^3*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]) + (b*c^2*(8*c^2*d - e)*(c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(75*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]) - (8*b*c^2*e*(c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(45*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]) + (8*b*e^2*(c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(15*d^3*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rubi [A] time = 1.7803, antiderivative size = 1006, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 15, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.652$, Rules used = {271, 264, 5238, 12, 6742, 475, 583, 524, 427, 426, 424, 421, 419, 21, 423}

$$\frac{8be^2x\sqrt{1-c^2x^2}\sqrt{ex^2+d}E\left(\sin^{-1}(cx)\middle|\frac{e}{c^2d}\right)c^2}{15d^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} + \frac{4be(2dc^2+e)x\sqrt{1-c^2x^2}\sqrt{ex^2+d}E\left(\sin^{-1}(cx)\middle|\frac{e}{c^2d}\right)c^2}{45d^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{\frac{ex^2}{d}+1}} - \frac{b(8d^2c^4}{$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^6*Sqrt[d + e*x^2]),x]

[Out] $(8*b*c*e^2*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2})/(15*d^3*\sqrt{c^2*x^2}) - (4*b*c*e*(2*c^2*d + e)*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2})/(45*d^3*\sqrt{c^2*x^2}) + (b*c*(8*c^4*d^2 + 3*c^2*d*e - 2*e^2)*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2})/(75*d^3*\sqrt{c^2*x^2}) + (b*c*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2})/(25*d*x^4*\sqrt{c^2*x^2}) - (4*b*c*e*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2})/(45*d^2*x^2*\sqrt{c^2*x^2}) + (b*c*(4*c^2*d + e)*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2})/(75*d^2*x^2*\sqrt{c^2*x^2}) - (\sqrt{d + e*x^2}*(a + b*ArcSec[c*x]))/(5*d*x^5) + (4*e*\sqrt{d + e*x^2}*(a + b*ArcSec[c*x]))/(15*d^2*x^3) - (8*e^2*\sqrt{d + e*x^2}*(a + b*ArcSec[c*x]))/(15*d^3*x) - (8*b*c^2*e^2*x*\sqrt{1 - c^2*x^2})*\sqrt{d + e*x^2}*EllipticE[ArcSin[c*x], -(e/(c^2*d))]/(15*d^3*\sqrt{c^2*x^2})*\sqrt{-1 + c^2*x^2}*\sqrt{1 + (e*x^2)/d}) + (4*b*c^2*e*(2*c^2*d + e)*x*\sqrt{1 - c^2*x^2}*\sqrt{d + e*x^2})*\sqrt{1 + (e*x^2)/d})/(45*d^3*\sqrt{c^2*x^2})*\sqrt{-1 + c^2*x^2}*\sqrt{1 + (e*x^2)/d}) - (b*c^2*(8*c^4*d^2 + 3*c^2*d*e - 2*e^2)*x*\sqrt{1 - c^2*x^2}*\sqrt{d + e*x^2})*\sqrt{1 + (e*x^2)/d})/(75*d^3*\sqrt{c^2*x^2})*\sqrt{-1 + c^2*x^2}*\sqrt{1 + (e*x^2)/d}) + (b*c^2*(8*c^2*d - e)*(c^2*d + e)*x*\sqrt{1 - c^2*x^2}*\sqrt{1 + (e*x^2)/d})*\sqrt{1 + (e*x^2)/d})/(75*d^2*\sqrt{c^2*x^2})*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2}) - (8*b*c^2*e*(c^2*d + e)*x*\sqrt{1 - c^2*x^2}*\sqrt{1 + (e*x^2)/d})*\sqrt{1 + (e*x^2)/d})*\sqrt{1 + (e*x^2)/d})/(45*d^2*\sqrt{c^2*x^2})*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2}) + (8*b*e^2*(c^2*d + e)*x*\sqrt{1 - c^2*x^2}*\sqrt{1 + (e*x^2)/d})*\sqrt{1 + (e*x^2)/d})*\sqrt{1 + (e*x^2)/d})/(15*d^3*\sqrt{c^2*x^2})*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2})$

Rule 271

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},

```
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 475

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + b*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 423

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[
1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po
sQ[d/c] && NegQ[b/a]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^6 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3x} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3x} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3x} \\
&= -\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{5dx^5} + \frac{4e\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^2x^3} - \frac{8e^2\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{15d^3x} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{25dx^4\sqrt{c^2x^2}} - \frac{4bce\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{45d^2x^2\sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2}}{15d^3x} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{25dx^4\sqrt{c^2x^2}} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2 + 3c^2de - 2e^2)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{75d^3\sqrt{c^2x^2}} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2 + 3c^2de - 2e^2)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{75d^3\sqrt{c^2x^2}} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2 + 3c^2de - 2e^2)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{75d^3\sqrt{c^2x^2}} \\
&= \frac{8bce^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{15d^3\sqrt{c^2x^2}} - \frac{4bce(2c^2d + e)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{45d^3\sqrt{c^2x^2}} + \frac{bc(8c^4d^2 + 3c^2de - 2e^2)\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{75d^3\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.806296, size = 329, normalized size = 0.33

$$\frac{\sqrt{d+ex^2} \left(-15a(3d^2 - 4dex^2 + 8e^2x^4) + bcx\sqrt{1 - \frac{1}{c^2x^2}} (3d^2(8c^4x^4 + 4c^2x^2 + 3) - dex^2(31c^2x^2 + 17) + 94e^2x^4) - 15b \operatorname{arcsec}\left(\frac{cx}{d}\right) \right)}{225d^3x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^6*Sqrt[d + e*x^2]),x]

[Out] (Sqrt[d + e*x^2]*(-15*a*(3*d^2 - 4*d*e*x^2 + 8*e^2*x^4) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(94*e^2*x^4 - d*e*x^2*(17 + 31*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) - 15*b*(3*d^2 - 4*d*e*x^2 + 8*e^2*x^4)*ArcSec[c*x])/(225*d^3*x^5) - ((I/225)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*(24*c^4*d^2 - 31*c^2*d*e + 94*e^2)*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (24*c^6*d^3 - 19*c^4*d^2*e + 77*c^2*d*e^2 + 120*e^3)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))])/(Sqrt[-c^2]*d^3*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 1.97, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^6} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2),x)

[Out] int((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{ex^8 + dx^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e*x^8 + d*x^6), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asec(c*x))/x**6/(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{ex^2 + dx^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^6/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)/(sqrt(e*x^2 + d)*x^6), x)`

$$3.141 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=252

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{8bcd^{3/2} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^3 \sqrt{c^2x^2}} - \frac{bx}{\dots}$$

[Out] $-(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcSec}[c*x]))/(e^3*\text{Sqrt}[d + e*x^2]) - (2*d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/e^3 + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]))/(3*e^3) - (8*b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^3*\text{Sqrt}[c^2*x^2]) + (b*(9*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 1.00626, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {266, 43, 5238, 12, 1615, 157, 63, 217, 206, 93, 204}

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{8bcd^{3/2} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^3 \sqrt{c^2x^2}} - \frac{bx}{\dots}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(a + b*\text{ArcSec}[c*x]))/(d + e*x^2)^{(3/2)}, x]$

[Out] $-(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcSec}[c*x]))/(e^3*\text{Sqrt}[d + e*x^2]) - (2*d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/e^3 + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcSec}[c*x]))/(3*e^3) - (8*b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^3*\text{Sqrt}[c^2*x^2]) + (b*(9*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f
_.)*(x_))^(p_.), x_Symbol] := With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x
_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^
p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
```

```
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3} \\
&= -\frac{bx\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{6ce^2\sqrt{c^2x^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \sec^{-1}(cx))}{3e^3} - \frac{(d + ex^2)^{5/2} (a + b \sec^{-1}(cx))}{5e^3}
\end{aligned}$$

Mathematica [A] time = 0.650048, size = 303, normalized size = 1.2

$$\frac{-2ac(8d^2 + 4dex^2 - e^2x^4) - bex\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2) - 2bc \sec^{-1}(cx)(8d^2 + 4dex^2 - e^2x^4)}{6ce^3\sqrt{d + ex^2}} + \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}(16c^5d^{3/2}\sqrt{d + ex^2} + \dots)}{6ce^3\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] $(-(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x^2)) - 2*a*c*(8*d^2 + 4*d*e*x^2 - e^2*x^4) - 2*b*c*(8*d^2 + 4*d*e*x^2 - e^2*x^4)*\text{ArcSec}[c*x])/(6*c*e^3*\text{Sqrt}[d +$

$$e*x^2)) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(\text{Sqrt}[c^2]*(9*c^2*d - e)*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[(c^2*(d + e*x^2))/(c^2*d + e)]*\text{ArcSinh}[(c*\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(\text{Sqrt}[c^2]*\text{Sqrt}[c^2*d + e])]) + 16*c^5*d^(3/2)*\text{Sqrt}[d + e*x^2]*\text{ArcTan}[(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])/(\text{Sqrt}[d + e*x^2])])/(6*c^4*e^3*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$$

Maple [F] time = 1.828, size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 4.99377, size = 3171, normalized size = 12.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `[-1/24*((9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2`

$$\begin{aligned}
& + c^3*d - c*e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d}*\sqrt{e + e^2} - 16*(b*c^3*d*e*x^2 + b*c^3*d^2)*\sqrt{-d}*\log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d})*\sqrt{-d} + 8*d^2)/x^4) - 4*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^4 - 4*b*c^3*d*e*x^2 - 8*b*c^3*d^2)*\operatorname{arcsec}(c*x) - (b*c*e^2*x^2 + b*c*d*e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^3*e^4*x^2 + c^3*d*e^3), -1/24*(32*(b*c^3*d*e*x^2 + b*c^3*d^2)*\sqrt{d}*\arctan(-1/2*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d})*\sqrt{d}/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*\sqrt{e}*\log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d})*\sqrt{e + e^2} - 4*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^4 - 4*b*c^3*d*e*x^2 - 8*b*c^3*d^2)*\operatorname{arcsec}(c*x) - (b*c*e^2*x^2 + b*c*d*e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^3*e^4*x^2 + c^3*d*e^3), -1/12*((9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*\sqrt{-e}*\arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d})*\sqrt{-e}/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 8*(b*c^3*d*e*x^2 + b*c^3*d^2)*\sqrt{-d})*\log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d})*\sqrt{-d} + 8*d^2)/x^4) - 2*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^4 - 4*b*c^3*d*e*x^2 - 8*b*c^3*d^2)*\operatorname{arcsec}(c*x) - (b*c*e^2*x^2 + b*c*d*e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^3*e^4*x^2 + c^3*d*e^3), -1/12*(16*(b*c^3*d*e*x^2 + b*c^3*d^2)*\sqrt{d}*\arctan(-1/2*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d})*\sqrt{d}/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*\sqrt{-e}*\arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d})*\sqrt{-e}/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^4 - 4*b*c^3*d*e*x^2 - 8*b*c^3*d^2)*\operatorname{arcsec}(c*x) - (b*c*e^2*x^2 + b*c*d*e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^3*e^4*x^2 + c^3*d*e^3)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^5}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^5/(e*x^2 + d)^(3/2), x)
```

$$3.142 \quad \int \frac{x^3 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=157

$$\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{d (a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{2bc\sqrt{d}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e^2\sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{e^{3/2}\sqrt{c^2x^2}}$$

[Out] (d*(a + b*ArcSec[c*x]))/(e^2*Sqrt[d + e*x^2]) + (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e^2 + (2*b*c*Sqrt[d]*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(e^2*Sqrt[c^2*x^2]) - (b*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(e^(3/2)*Sqrt[c^2*x^2])

Rubi [A] time = 0.259138, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {266, 43, 5238, 12, 573, 157, 63, 217, 206, 93, 204}

$$\frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{d (a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{2bc\sqrt{d}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e^2\sqrt{c^2x^2}} - \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{e^{3/2}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] (d*(a + b*ArcSec[c*x]))/(e^2*Sqrt[d + e*x^2]) + (Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]))/e^2 + (2*b*c*Sqrt[d]*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(e^2*Sqrt[c^2*x^2]) - (b*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(e^(3/2)*Sqrt[c^2*x^2])

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},

$x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] \parallel (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \parallel \text{LtQ}[9*m + 5*(n + 1), 0] \parallel \text{GtQ}[m + n + 2, 0])$

Rule 5238

$\text{Int}[(a_.) + \text{ArcSec}[c_.*(x_.)]*(b_.)]*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] \text{:>} \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegrand}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, p\}, x] \&\& ((\text{IGtQ}[p, 0] \&\& !(\text{ILtQ}[(m - 1)/2, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{IGtQ}[(m + 1)/2, 0] \&\& !(\text{ILtQ}[p, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{ILtQ}[(m + 2*p + 1)/2, 0] \&\& !\text{ILtQ}[(m - 1)/2, 0]))$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 573

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}*((c_) + (d_.)*(x_)^{(n_.)})^{(q_.)}*((e_) + (f_.)*(x_)^{(n_.)})^{(r_.)}, x_Symbol] \text{:>} \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x}], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p, q, r\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 157

$\text{Int}[(c_.) + (d_.)*(x_)^{(n_.)}*((e_.) + (f_.)*(x_)^{(p_.)}*((g_.) + (h_.)*(x_.)))^{(q_.)}/((a_.) + (b_.)*(x_.)), x_Symbol] \text{:>} \text{Dist}[h/b, \text{Int}[(c + d*x)^n*(e + f*x)^p, x], x] + \text{Dist}[(b*g - a*h)/b, \text{Int}[(c + d*x)^n*(e + f*x)^p/(a + b*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, n, p\}, x]$

Rule 63

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_.)}*((c_.) + (d_.)*(x_)^{(n_.)}), x_Symbol] \text{:>} \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \text{:>} \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} - \frac{(bcx) \int \frac{2d+ex^2}{e^2 x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}} dx}{\sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} - \frac{(bcx) \int \frac{2d+ex^2}{x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}} dx}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} - \frac{(bcx) \text{Subst} \left(\int \frac{2d+ex}{x \sqrt{-1+c^2 x} \sqrt{d+ex}} dx, x, x^2 \right)}{2e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} - \frac{(bcdx) \text{Subst} \left(\int \frac{1}{x \sqrt{-1+c^2 x} \sqrt{d+ex}} dx, x, x^2 \right)}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} - \frac{(2bcdx) \text{Subst} \left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2 x^2}} \right)}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{2bc\sqrt{dx} \tan^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2 x^2}} \right)}{e^2 \sqrt{c^2 x^2}} - \frac{(bx) \text{Subst} \left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2 x^2}} \right)}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^2} + \frac{2bc\sqrt{dx} \tan^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2 x^2}} \right)}{e^2 \sqrt{c^2 x^2}} - \frac{bx \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2 x^2}} \right)}{e^2 \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [A] time = 0.351763, size = 221, normalized size = 1.41

$$\frac{(2d + ex^2)(a + b \sec^{-1}(cx))}{e^2 \sqrt{d + ex^2}} - \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} \left(2c^3 \sqrt{d} \sqrt{d + ex^2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{c^2 x^2 - 1}}{\sqrt{d + ex^2}} \right) + \sqrt{c^2} \sqrt{e} \sqrt{c^2 d + e} \sqrt{\frac{c^2 (d + ex^2)}{c^2 d + e}} \sinh^{-1} \left(\frac{c \sqrt{e} \sqrt{d + ex^2}}{\sqrt{c^2 d + e}} \right) \right)}{c^2 e^2 \sqrt{c^2 x^2 - 1} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] ((2*d + e*x^2)*(a + b*ArcSec[c*x]))/(e^2*Sqrt[d + e*x^2]) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e]*Sqrt[-1 + c^2*x^2])/(Sqrt[c^2]*Sqrt[c^2*d + e])] + 2*c^3*Sqrt[d]*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]]))/(c^2*e^2*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 1.589, size = 0, normalized size = 0.

$$\int x^3 (a + \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 3.33937, size = 2360, normalized size = 15.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `[1/4*((b*e*x^2 + b*d)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 2*(b*c*e*x^2 + b*c*d)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 4*(a*c*e*x^2 + 2*a*c*d + (b*c*e*x^2 + 2*b*c*d)*arcsec(c*x))*sqrt(e*x^2 + d))/(c*e^3*x^2 + c*d*e^2), 1/4*(4*(b*c*e*x^2 + b*c*d)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (b*e*x^2 + b*d)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c`

```

^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2
*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e + e^2) + 4*(a*c*e*x^2 + 2*a*c*d + (b*c*e*
x^2 + 2*b*c*d)*arcsec(c*x))*sqrt(e*x^2 + d)/(c*e^3*x^2 + c*d*e^2), 1/2*((b
*e*x^2 + b*d)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 -
1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2))
+ (b*c*e*x^2 + b*c*d)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^
2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 +
d)*sqrt(-d) + 8*d^2)/x^4) + 2*(a*c*e*x^2 + 2*a*c*d + (b*c*e*x^2 + 2*b*c*d)
*arcsec(c*x))*sqrt(e*x^2 + d)/(c*e^3*x^2 + c*d*e^2), 1/2*(2*(b*c*e*x^2 + b
*c*d)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*
x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (b*e*x^2 + b*
d)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x
^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(a*c*e*
x^2 + 2*a*c*d + (b*c*e*x^2 + 2*b*c*d)*arcsec(c*x))*sqrt(e*x^2 + d)/(c*e^3*
x^2 + c*d*e^2)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^3}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x^3/(e*x^2 + d)^(3/2), x)
```

$$3.143 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=80

$$-\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{\sqrt{de}\sqrt{c^2x^2}}$$

[Out] $-\left(\frac{a + b \operatorname{ArcSec}[c*x]}{e \operatorname{Sqrt}[d + e*x^2]}\right) - \left(\frac{b*c*x \operatorname{ArcTan}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-1 + c^2*x^2])]}{\operatorname{Sqrt}[d]*e \operatorname{Sqrt}[c^2*x^2]}\right)$

Rubi [A] time = 0.101998, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {5236, 446, 93, 204}

$$-\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{\sqrt{de}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(a + b \operatorname{ArcSec}[c*x]))/(d + e*x^2)^{(3/2)}, x]$

[Out] $-\left(\frac{a + b \operatorname{ArcSec}[c*x]}{e \operatorname{Sqrt}[d + e*x^2]}\right) - \left(\frac{b*c*x \operatorname{ArcTan}[\operatorname{Sqrt}[d + e*x^2]/(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-1 + c^2*x^2])]}{\operatorname{Sqrt}[d]*e \operatorname{Sqrt}[c^2*x^2]}\right)$

Rule 5236

$\operatorname{Int}[(a_.) + \operatorname{ArcSec}[(c_.)*(x_)]*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(d + e*x^2)^{(p + 1)}*(a + b \operatorname{ArcSec}[c*x])]/(2*e*(p + 1)), x] - \operatorname{Dist}[(b*c*x)/(2*e*(p + 1)*\operatorname{Sqrt}[c^2*x^2]), \operatorname{Int}[(d + e*x^2)^{(p + 1)}/(x*\operatorname{Sqrt}[c^2*x^2 - 1]), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \operatorname{NeQ}[p, -1]$

Rule 446

$\operatorname{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*(x_)^{(n_)})^{(p_.)}*((c_.) + (d_.)*(x_)^{(n_)})^{(q_.)}, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q}, x], x, x^n], x] /; \operatorname{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{IntegerQ}[\operatorname{Simplify}[(m + 1)/n]]$

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{e\sqrt{c^2x^2}} \\ &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{(bcx) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}\sqrt{d+ex}} dx, x, x^2\right)}{2e\sqrt{c^2x^2}} \\ &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{(bcx) \operatorname{Subst}\left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2x^2}}\right)}{e\sqrt{c^2x^2}} \\ &= -\frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{\sqrt{de}\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.145414, size = 95, normalized size = 1.19

$$\frac{bcx\sqrt{1 - \frac{1}{c^2x^2}} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}}\right)}{\sqrt{de}\sqrt{c^2x^2-1}} - \frac{a + b \sec^{-1}(cx)}{e\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]
```

```
[Out] -((a + b*ArcSec[c*x])/(e*Sqrt[d + e*x^2])) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(Sqrt[d]*e*Sqrt[-1 + c
```

$\wedge 2 * x \wedge 2])$

Maple [F] time = 1.233, size = 0, normalized size = 0.

$$\int x (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 2.35462, size = 626, normalized size = 7.82

$$\left[\frac{(bex^2 + bd)\sqrt{-d} \log\left(\frac{(c^4d^2 - 6c^2de + e^2)x^4 - 8(c^2d^2 - de)x^2 - 4\sqrt{c^2x^2 - 1}((c^2d - e)x^2 - 2d)\sqrt{ex^2 + d}\sqrt{-d} + 8d^2}{x^4}\right) + 4\sqrt{ex^2 + d}(bd \operatorname{arcsec}(cx) + a)}{4(d^2x^2 + d^2e)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `[-1/4*((b*e*x^2 + b*d)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 4*sqrt(e*x^2 + d)*(b*d*arcsec(c*x) + a*d)]/(d`

```
*e^2*x^2 + d^2*e), -1/2*((b*e*x^2 + b*d)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 -
1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2
- d*e)*x^2 - d^2)) + 2*sqrt(e*x^2 + d)*(b*d*arcsec(c*x) + a*d))/(d*e^2*x^2
+ d^2*e)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)*x/(e*x^2 + d)^(3/2), x)
```


$$3.144 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

Rubi [A] time = 0.110316, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{3/2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 15.0886, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(3/2)), x]

Maple [A] time = 1.081, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x)

[Out] int((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^2x^5 + 2dex^3 + d^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^2*x^5 + 2*d*e*x^3 + d^2*x), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d)**(3/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x), x)

$$3.145 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Rubi [A] time = 0.122635, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 21.0656, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Maple [A] time = 1.079, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^3} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(3/2), x)

[Out] int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(3/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^2x^7 + 2dex^5 + d^2x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^2*x^7 + 2*d*e*x^5 + d^2*x^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**3/(e*x**2+d)**(3/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{3}{2}} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x^3), x)

$$3.146 \quad \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi [A] time = 0.106456, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int] [(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 7.66293, size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A] time = 1.148, size = 0, normalized size = 0.

$$\int x^4 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

[Out] int(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(bx^4 \operatorname{arcsec}(cx) + ax^4)\sqrt{ex^2 + d}}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")

[Out] integral((b*x^4*arcsec(c*x) + a*x^4)*sqrt(e*x^2 + d)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asec(c*x))/(e*x**2+d)**(3/2), x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^4}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^4/(e*x^2 + d)^(3/2), x)

$$3.147 \quad \int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi [A] time = 0.0986639, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int] [(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 3.64117, size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A] time = 1.159, size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

[Out] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(bx^2 \operatorname{arcsec}(cx) + ax^2)\sqrt{ex^2 + d}}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")

[Out] integral((b*x^2*arcsec(c*x) + a*x^2)*sqrt(e*x^2 + d)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**(3/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^2}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^2/(e*x^2 + d)^(3/2), x)

$$3.148 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=109

$$\frac{x(a+b \sec^{-1}(cx))}{d\sqrt{d+ex^2}} - \frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

[Out] (x*(a + b*ArcSec[c*x]))/(d*Sqrt[d + e*x^2]) - (b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rubi [A] time = 0.0877321, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {191, 5228, 12, 421, 419}

$$\frac{x(a+b \sec^{-1}(cx))}{d\sqrt{d+ex^2}} - \frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}F\left(\sin^{-1}(cx)\middle|-\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^(3/2), x]

[Out] (x*(a + b*ArcSec[c*x]))/(d*Sqrt[d + e*x^2]) - (b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rule 191

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 5228

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^{3/2}} dx &= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{d\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{\sqrt{c^2x^2}} \\ &= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{d\sqrt{c^2x^2}} \\ &= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{\left(bcx\sqrt{1 + \frac{ex^2}{d}}\right) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{1+\frac{ex^2}{d}}} dx}{d\sqrt{c^2x^2}\sqrt{d + ex^2}} \\ &= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{\left(bcx\sqrt{1 - c^2x^2}\sqrt{1 + \frac{ex^2}{d}}\right) \int \frac{1}{\sqrt{1-c^2x^2}\sqrt{1+\frac{ex^2}{d}}} dx}{d\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}} \\ &= \frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{bx\sqrt{1 - c^2x^2}\sqrt{1 + \frac{ex^2}{d}} F\left(\sin^{-1}(cx) \mid -\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}} \end{aligned}$$

Mathematica [A] time = 0.187569, size = 113, normalized size = 1.04

$$\frac{x(a + b \sec^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{bcx\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{1 - c^2x^2}\sqrt{\frac{ex^2}{d}} + 1\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{d(c^3x^2 - c)\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^(3/2), x]
```

```
[Out] (x*(a + b*ArcSec[c*x]))/(d*Sqrt[d + e*x^2]) - (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*
Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])
/(d*(-c + c^3*x^2)*Sqrt[d + e*x^2])
```

Maple [F] time = 1.088, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)
```

```
[Out] int((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")
```

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x^2 + d)^(3/2), x)

$$3.149 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=274

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+2e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{2ex(a+b\sec^{-1}(cx))}{d^2\sqrt{d+ex^2}} - \frac{a+b\sec^{-1}(cx)}{dx\sqrt{d+ex^2}} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d^2\sqrt{c^2x^2}}$$

[Out] (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(d^2*Sqrt[c^2*x^2]) - (a + b*ArcSec[c*x])/(d*x*Sqrt[d + e*x^2]) - (2*e*x*(a + b*ArcSec[c*x]))/(d^2*Sqrt[d + e*x^2]) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + 2*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rubi [A] time = 0.310369, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {271, 191, 5238, 12, 583, 524, 427, 426, 424, 421, 419}

$$-\frac{2ex(a+b\sec^{-1}(cx))}{d^2\sqrt{d+ex^2}} - \frac{a+b\sec^{-1}(cx)}{dx\sqrt{d+ex^2}} + \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d^2\sqrt{c^2x^2}} + \frac{bx\sqrt{1-c^2x^2}(c^2d+2e)\sqrt{\frac{ex^2}{d}+1}F\left(\sin^{-1}(cx)\right)-\frac{e}{c^2d}}{d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(3/2)), x]

[Out] (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(d^2*Sqrt[c^2*x^2]) - (a + b*ArcSec[c*x])/(d*x*Sqrt[d + e*x^2]) - (2*e*x*(a + b*ArcSec[c*x]))/(d^2*Sqrt[d + e*x^2]) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*(c^2*d + 2*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rule 271

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x^(m + 1))*(a + b*x^n)^(p + 1)/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL

tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 191

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 5238

Int[((a_) + ArcSec[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :=> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rule 12

Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 583

Int[((g_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :=> Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 524

Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] :=> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))

Rule 427

Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :=> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c

], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)^{3/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex (a + b \sec^{-1}(cx))}{d^2\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-d-2ex^2}{d^2x^2\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex (a + b \sec^{-1}(cx))}{d^2\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-d-2ex^2}{x^2\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{d^2\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \sec^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex (a + b \sec^{-1}(cx))}{d^2\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-2de+c^2dex^2}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{d^3\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \sec^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex (a + b \sec^{-1}(cx))}{d^2\sqrt{d + ex^2}} - \frac{(bc^3x) \int \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2x^2}} dx}{d^2\sqrt{c^2x^2}} + \frac{(bc}{d^2\sqrt{c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \sec^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex (a + b \sec^{-1}(cx))}{d^2\sqrt{d + ex^2}} - \frac{(bc^3x\sqrt{1 - c^2x^2}) \int \frac{\sqrt{d+ex^2}}{\sqrt{1-c^2x^2}} dx}{d^2\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \sec^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex (a + b \sec^{-1}(cx))}{d^2\sqrt{d + ex^2}} - \frac{(bc^3x\sqrt{1 - c^2x^2}\sqrt{d + ex^2}) \int \frac{1}{\sqrt{1-c^2x^2}} dx}{d^2\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}\sqrt{1 - c^2x^2}} \\
&= \frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \sec^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex (a + b \sec^{-1}(cx))}{d^2\sqrt{d + ex^2}} - \frac{bc^2x\sqrt{1 - c^2x^2}\sqrt{d + ex^2}E(\operatorname{si}}{d^2\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}\sqrt{1 - c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.475286, size = 212, normalized size = 0.77

$$\frac{-a(d + 2ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2) - b \sec^{-1}(cx)(d + 2ex^2)}{d^2x\sqrt{d + ex^2}} - \frac{ibcx\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{\frac{ex^2}{d} + 1} \left(c^2dE\left(i \sinh^{-1}\left(\sqrt{-c^2}x\right)\right) - \frac{e}{c^2a} \right)}{\sqrt{-c^2d^2}\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(3/2)), x]

[Out] (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2) - a*(d + 2*e*x^2) - b*(d + 2*e*x^2)*ArcSec[c*x])/(d^2*x*Sqrt[d + e*x^2]) - (I*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] - (c^2*d + 2*e)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]))/(Sqrt[-c^2]*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 1.032, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x)`

[Out] `int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^2x^6 + 2dex^4 + d^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^2*x^6 + 2*d*e*x^4 + d^2*x^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x^2), x)

$$3.150 \quad \int \frac{a+b \sec^{-1}(cx)}{x^4(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=701

$$\frac{8be^2x\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{3d^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{bc^2x\sqrt{1-c^2x^2}(2c^2d-e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{9d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

```
[Out] (2*b*c*(c^2*d - e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^3*Sqrt[c^2*x^2]) - (4*b*c*e*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(3*d^3*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^2*x^2*Sqrt[c^2*x^2]) - (a + b*ArcSec[c*x])/(3*d*x^3*Sqrt[d + e*x^2]) + (4*e*(a + b*ArcSec[c*x]))/(3*d^2*x*Sqrt[d + e*x^2]) + (8*e^2*x*(a + b*ArcSec[c*x]))/(3*d^3*Sqrt[d + e*x^2]) - (2*b*c^2*(c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*c^2*(2*c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) - (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) - (8*b*e^2*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rubi [A] time = 1.39178, antiderivative size = 701, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 14, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.609$, Rules used = {271, 191, 5238, 12, 6742, 421, 419, 480, 583, 524, 427, 426, 424, 493}

$$\frac{8e^2x(a+b \sec^{-1}(cx))}{3d^3\sqrt{d+ex^2}} + \frac{4e(a+b \sec^{-1}(cx))}{3d^2x\sqrt{d+ex^2}} - \frac{a+b \sec^{-1}(cx)}{3dx^3\sqrt{d+ex^2}} - \frac{8be^2x\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}F\left(\sin^{-1}(cx)\middle|-\frac{e}{c^2d}\right)}{3d^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{2bc\sqrt{d+ex^2}}{3d^2x\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(x^4*(d + e*x^2)^(3/2)), x]

```
[Out] (2*b*c*(c^2*d - e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^3*Sqrt[c^2*x^2]) - (4*b*c*e*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(3*d^3*Sqrt[c^2*x^2]) + (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^2*x^2*Sqrt[c^2*x^2]) - (a + b*ArcSec[c*x])/(3*d*x^3*Sqrt[d + e*x^2]) + (4*e*(a + b*ArcSec[c*x]))/(3*d^2*x*Sqrt[d + e*x^2]) + (8*e^2*x*(a + b*ArcSec[c*x]))/(3*d^3*Sqrt[d + e*x^2]) - (2*b*c^2*(c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*c^2*(2*c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) - (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) - (8*b*e^2*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

```
rcSec[c*x])/(3*d*x^3*Sqrt[d + e*x^2]) + (4*e*(a + b*ArcSec[c*x]))/(3*d^2*x*
Sqrt[d + e*x^2]) + (8*e^2*x*(a + b*ArcSec[c*x]))/(3*d^3*Sqrt[d + e*x^2]) -
(2*b*c^2*(c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c
*x], -(e/(c^2*d))])/(9*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2
)/d]) + (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x
], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/
d]) + (b*c^2*(2*c^2*d - e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*Elliptic
F[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[
d + e*x^2]) - (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[
ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d
+ e*x^2]) - (8*b*e^2*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcS
in[c*x], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e
x^2])
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*
(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```


Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 480

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*e*(m + 1)), x] - Dist[1/(a*c*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[(b*c + a*d)*(m + n + 1) + n*(b*c*p + a*d*q) + b*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 583

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 493

```
Int[(x_)^(n_)/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]),
x_Symbol] := Dist[1/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] - Dist[a
/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d},
x] && NeQ[b*c - a*d, 0] && (EqQ[n, 2] || EqQ[n, 4]) && !(EqQ[n, 2] && Simp
lerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^4 (d + ex^2)^{3/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-d^2 + 4dex^2 + 8e^2 x^4}{3d^3 x^4 \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}}{\sqrt{c^2 x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-d^2 + 4dex^2 + 8e^2 x^4}{x^4 \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}} dx}{3d^3 \sqrt{c^2 x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \left(\frac{8e^2}{\sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}} - \frac{1}{x} \right)}{3d^3 \sqrt{c^2 x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} + \frac{8e^2 x (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{1}{x^4 \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}}{3d \sqrt{c^2 x^2}} \\
&= -\frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} + \frac{4e(a + b \sec^{-1}(cx))}{3d^2 x \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}} \\
&= \frac{2bc(c^2 d - e) \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^3 \sqrt{c^2 x^2}} - \frac{4bce \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{3d^3 \sqrt{c^2 x^2}} + \frac{bc \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{9d^2 x^2 \sqrt{c^2 x^2}} - \frac{a + b \sec^{-1}(cx)}{3dx^3 \sqrt{d + ex^2}}
\end{aligned}$$

Mathematica [C] time = 0.71654, size = 292, normalized size = 0.42

$$\frac{-3a(d^2 - 4dex^2 - 8e^2 x^4) + bcx \sqrt{1 - \frac{1}{c^2 x^2}} (d^2 (2c^2 x^2 + 1) + dex^2 (2c^2 x^2 - 13) - 14e^2 x^4) - 3b \sec^{-1}(cx) (d^2 - 4dex^2 - 8e^2 x^4)}{9d^3 x^3 \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^4*(d + e*x^2)^(3/2)),x]

[Out] $(-3*a*(d^2 - 4*d*e*x^2 - 8*e^2*x^4) + b*c*\sqrt{1 - 1/(c^2*x^2)})*x*(-14*e^2*x^4 + d*e*x^2*(-13 + 2*c^2*x^2) + d^2*(1 + 2*c^2*x^2)) - 3*b*(d^2 - 4*d*e*x^2 - 8*e^2*x^4)*\text{ArcSec}[c*x]/(9*d^3*x^3*\sqrt{d + e*x^2}) - ((I/9)*b*c*\sqrt{1 - 1/(c^2*x^2)})*x*\sqrt{1 + (e*x^2)/d}*(2*c^2*d*(c^2*d - 7*e)*\text{EllipticE}[I*\text{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))] + (-2*c^4*d^2 + 13*c^2*d*e + 24*e^2)*\text{EllipticF}[I*\text{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))])/(\sqrt{-c^2}*d^3*\sqrt{1 - c^2*x^2})*\sqrt{d + e*x^2})$

Maple [F] time = 1.481, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^4} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2),x)

[Out] int((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^2x^8 + 2dex^6 + d^2x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^2*x^8 + 2*d*e*x^6 + d^2*x^4), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asec(c*x))/x**4/(e*x**2+d)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{3}{2}} x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/x^4/(e*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(3/2)*x^4), x)
```

$$3.151 \quad \int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=244

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{bcdx \sqrt{c^2 x^2 - 1}}{3e^2 \sqrt{c^2 x^2} (c^2 d + e) \sqrt{d + ex^2}} + \frac{8bc \sqrt{dx} \tan^{-1}(\sqrt{d + ex^2})}{3e^3}$$

[Out] $-(b*c*d*x*\text{Sqrt}[-1 + c^2*x^2])/(3*e^2*(c^2*d + e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d + e*x^2]) - (d^2*(a + b*\text{ArcSec}[c*x]))/(3*e^3*(d + e*x^2)^{(3/2)}) + (2*d*(a + b*\text{ArcSec}[c*x]))/(e^3*\text{Sqrt}[d + e*x^2]) + (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/e^3 + (8*b*c*\text{Sqrt}[d]*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^3*\text{Sqrt}[c^2*x^2]) - (b*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 1.06304, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {266, 43, 5238, 12, 1614, 157, 63, 217, 206, 93, 204}

$$-\frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{bcdx \sqrt{c^2 x^2 - 1}}{3e^2 \sqrt{c^2 x^2} (c^2 d + e) \sqrt{d + ex^2}} + \frac{8bc \sqrt{dx} \tan^{-1}(\sqrt{d + ex^2})}{3e^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(a + b*\text{ArcSec}[c*x]))/(d + e*x^2)^{(5/2)}, x]$

[Out] $-(b*c*d*x*\text{Sqrt}[-1 + c^2*x^2])/(3*e^2*(c^2*d + e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d + e*x^2]) - (d^2*(a + b*\text{ArcSec}[c*x]))/(3*e^3*(d + e*x^2)^{(3/2)}) + (2*d*(a + b*\text{ArcSec}[c*x]))/(e^3*\text{Sqrt}[d + e*x^2]) + (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSec}[c*x]))/e^3 + (8*b*c*\text{Sqrt}[d]*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^3*\text{Sqrt}[c^2*x^2]) - (b*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rule 266

$\text{Int}[(x_)^{(m_*)}*((a_) + (b_*)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /;$ FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 5238

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 1614

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[(b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]

Rule 157

Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_)), x_Symbol] := Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{(bcx) \int \frac{8d^2}{3e^3 x \sqrt{d + ex^2}}}{3e^3} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{(bcx) \int \frac{8d^2}{x \sqrt{d + ex^2}}}{3e^3} \\
&= -\frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} - \frac{(bcx) \text{Subst}}{3e^3} \\
&= -\frac{bcdx \sqrt{-1 + c^2 x^2}}{3e^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bcdx \sqrt{-1 + c^2 x^2}}{3e^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bcdx \sqrt{-1 + c^2 x^2}}{3e^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bcdx \sqrt{-1 + c^2 x^2}}{3e^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3} \\
&= -\frac{bcdx \sqrt{-1 + c^2 x^2}}{3e^2 (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} - \frac{d^2 (a + b \sec^{-1}(cx))}{3e^3 (d + ex^2)^{3/2}} + \frac{2d (a + b \sec^{-1}(cx))}{e^3 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2} (a + b \sec^{-1}(cx))}{e^3}
\end{aligned}$$

Mathematica [A] time = 0.522331, size = 312, normalized size = 1.28

$$\frac{a(c^2 d + e)(8d^2 + 12dex^2 + 3e^2 x^4) + b(c^2 d + e) \sec^{-1}(cx)(8d^2 + 12dex^2 + 3e^2 x^4) - bcdex \sqrt{1 - \frac{1}{c^2 x^2}}(d + ex^2) - bx \sqrt{1 - \frac{1}{c^2 x^2}}}{3e^3 (c^2 d + e) (d + ex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

```
[Out] 
$$\begin{aligned} & -(b*c*d*e*\sqrt{1 - 1/(c^2*x^2)})*x*(d + e*x^2) + a*(c^2*d + e)*(8*d^2 + 12 \\ & *d*e*x^2 + 3*e^2*x^4) + b*(c^2*d + e)*(8*d^2 + 12*d*e*x^2 + 3*e^2*x^4)*\text{ArcS} \\ & \text{ec}[c*x]/(3*e^3*(c^2*d + e)*(d + e*x^2)^{(3/2)}) - (b*\sqrt{1 - 1/(c^2*x^2)}*x \\ & *(3*\sqrt{c^2}*\sqrt{e}*\sqrt{c^2*d + e}*\sqrt{(c^2*(d + e*x^2))/(c^2*d + e)}*A \\ & \text{rcSinh}[(c*\sqrt{e}*\sqrt{-1 + c^2*x^2})/(\sqrt{c^2}*\sqrt{c^2*d + e})] + 8*c^3* \\ & \sqrt{d}*\sqrt{d + e*x^2}*\text{ArcTan}[(\sqrt{d}*\sqrt{-1 + c^2*x^2})/\sqrt{d + e*x^2} \\ & ])/(3*c^2*e^3*\sqrt{-1 + c^2*x^2}*\sqrt{d + e*x^2}) \end{aligned}$$

```

Maple [F] time = 1.862, size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)
```

```
[Out] int(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 5.14562, size = 4483, normalized size = 18.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/12*(3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 8*(b*c^3*d^3 + b*c*d^2*e + (b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 4*(8*a*c^3*d^3 + 8*a*c*d^2*e + 3*(a*c^3*d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^2 + (8*b*c^3*d^3 + 8*b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*arcsec(c*x) - (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^4 + 2*(c^3*d^2*e^4 + c*d*e^5)*x^2), 1/12*(16*(b*c^3*d^3 + b*c*d^2*e + (b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + 3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 - 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(8*a*c^3*d^3 + 8*a*c*d^2*e + 3*(a*c^3*d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^2 + (8*b*c^3*d^3 + 8*b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*arcsec(c*x) - (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^4 + 2*(c^3*d^2*e^4 + c*d*e^5)*x^2), 1/6*(3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 4*(b*c^3*d^3 + b*c*d^2*e + (b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 2*(8*a*c^3*d^3 + 8*a*c*d^2*e + 3*(a*c^3*d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^2 + (8*b*c^3*d^3 + 8*b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*arcsec(c*x) - (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^4 + 2*(c^3*d^2*e^4 + c*d*e^5)*x^2), 1/6*(8*(b*c^3*d^3 + b*c*d^2*e + (b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + 3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(8*a*c^3*d^3 + 8*a*c*d^2*e + 3*(a*c^3*d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^2 + (8*b*c^3*d^3 + 8*b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*arcsec(c*x) - (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^4 + 2*(c^3*d^2*e^4 + c*d*e^5)*x^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*asec(c*x))/(e*x**2+d)**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^5}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^5/(e*x^2 + d)^(5/2), x)

$$3.152 \quad \int \frac{x^3 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=163

$$-\frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{2bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3\sqrt{d}e^2\sqrt{c^2x^2}} + \frac{bcx\sqrt{c^2x^2-1}}{3e\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

[Out] (b*c*x*Sqrt[-1 + c^2*x^2])/(3*e*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) + (d*(a + b*ArcSec[c*x]))/(3*e^2*(d + e*x^2)^(3/2)) - (a + b*ArcSec[c*x])/(e^2*Sqrt[d + e*x^2]) - (2*b*c*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(3*Sqrt[d]*e^2*Sqrt[c^2*x^2])

Rubi [A] time = 0.242974, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {266, 43, 5238, 12, 573, 152, 93, 204}

$$-\frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{2bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3\sqrt{d}e^2\sqrt{c^2x^2}} + \frac{bcx\sqrt{c^2x^2-1}}{3e\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (b*c*x*Sqrt[-1 + c^2*x^2])/(3*e*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) + (d*(a + b*ArcSec[c*x]))/(3*e^2*(d + e*x^2)^(3/2)) - (a + b*ArcSec[c*x])/(e^2*Sqrt[d + e*x^2]) - (2*b*c*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(3*Sqrt[d]*e^2*Sqrt[c^2*x^2])

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},

$x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] \parallel (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \parallel \text{LtQ}[9*m + 5*(n + 1), 0] \parallel \text{GtQ}[m + n + 2, 0])$

Rule 5238

$\text{Int}[(a_.) + \text{ArcSec}[c_.*(x_.)]*(b_.)*((f_.)*(x_.))^{(m_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSec}[c*x], u, x] - \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegrand}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, p, x\} \&\& ((\text{IGtQ}[p, 0] \&\& !(\text{ILtQ}[(m - 1)/2, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{IGtQ}[(m + 1)/2, 0] \&\& !(\text{ILtQ}[p, 0] \&\& \text{GtQ}[m + 2*p + 3, 0])) \parallel (\text{ILtQ}[(m + 2*p + 1)/2, 0] \&\& !\text{ILtQ}[(m - 1)/2, 0]))$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 573

$\text{Int}[(x_)^{(m_.)*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)*((c_) + (d_.)*(x_)^{(n_.)})^{(q_.)*((e_) + (f_.)*(x_)^{(n_.)})^{(r_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x}], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p, q, r, x\} \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 152

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_.)*((c_.) + (d_.)*(x_)^{(n_.)*((e_.) + (f_.)*(x_)^{(p_.)*((g_.) + (h_.)*(x_))}, x_Symbol] \rightarrow \text{Simp}[(b*g - a*h)*(a + b*x)^{(m + 1)*(c + d*x)^{(n + 1)*(e + f*x)^{(p + 1)}})/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), \text{Int}[(a + b*x)^{(m + 1)*(c + d*x)^n*(e + f*x)^p*\text{Simp}[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n, p\}, x\} \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n, 2*p]$

Rule 93

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_.)*((c_.) + (d_.)*(x_)^{(n_.)})/((e_.) + (f_.)*(x_)), x_Symbol] \rightarrow \text{With}\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q)}, x], x, (a + b*x)^{(1/q)/(c + d*x)^{(1/q)}], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{EqQ}[m + n + 1, 0] \&\& \text{RationalQ}[n] \&\& \text{LtQ}[-1, m, 0] \&\& \text{SimplerQ}[a + b*x, c + d*x]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-2d - 3ex^2}{3e^2 x \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}} dx}{\sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-2d - 3ex^2}{x \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}} dx}{3e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \text{Subst} \left(\int \frac{-2d - 3ex}{x \sqrt{-1 + c^2 x} (d + ex)^{3/2}} dx, x, x^2 \right)}{6e^2 \sqrt{c^2 x^2}} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(bcx) \text{Subst} \left(\int \frac{1}{x \sqrt{-1 + c^2 x}} dx, x, x^2 \right)}{3de^2 (c^2 d + e)} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(bcx) \text{Subst} \left(\int \frac{1}{x \sqrt{-1 + c^2 x}} dx, x, x^2 \right)}{3e^2 \sqrt{c^2 x^2}} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(2bcx) \text{Subst} \left(\int \frac{1}{-d + ex} dx, x, x^2 \right)}{3e^2 \sqrt{c^2 x^2}} \\
&= \frac{bcx \sqrt{-1 + c^2 x^2}}{3e (c^2 d + e) \sqrt{c^2 x^2} \sqrt{d + ex^2}} + \frac{d(a + b \sec^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} - \frac{a + b \sec^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{2bcx \tan^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d + ex^2} + 1} \right)}{3\sqrt{de^2} \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [A] time = 0.256064, size = 172, normalized size = 1.06

$$\frac{-a(c^2 d + e)(2d + 3ex^2) + bcx \sqrt{1 - \frac{1}{c^2 x^2}} (d + ex^2) - b(c^2 d + e) \sec^{-1}(cx) (2d + 3ex^2)}{3e^2 (c^2 d + e) (d + ex^2)^{3/2}} + \frac{2bcx \sqrt{1 - \frac{1}{c^2 x^2}} \tan^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d + ex^2} + 1} \right)}{3\sqrt{de^2} \sqrt{c^2 x^2} - 1}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2) - a*(c^2*d + e)*(2*d + 3*e*x^2) - b*(c^2*d + e)*(2*d + 3*e*x^2)*ArcSec[c*x])/(3*e^2*(c^2*d + e)*(d + e*x^2)^(3/2)) + (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(3*Sqrt[d]*e^2*Sqrt[-1 + c^2*x^2])

Maple [F] time = 1.631, size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

[Out] int(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.34775, size = 1380, normalized size = 8.47

$$\left[\frac{(bc^2d^3 + (bc^2de^2 + be^3)x^4 + bd^2e + 2(bc^2d^2e + bde^2)x^2)\sqrt{-d} \log\left(\frac{(c^4d^2 - 6c^2de + e^2)x^4 - 8(c^2d^2 - de)x^2 - 4\sqrt{c^2x^2 - 1}((c^2d - e)x^2 - 2d)\sqrt{ex^2 + d}}{x^4}\right)}{6(c^2d^4e^2 + d^3e)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/6*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + \\ & b*d*e^2)*x^2)*\sqrt{-d}*\log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - \\ & d*e)*x^2 - 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d}*\sqrt{-d} \\ & + 8*d^2)/x^4) + 2*(2*a*c^2*d^3 + 2*a*d^2*e + 3*(a*c^2*d^2*e + a*d*e^2) \\ & *x^2 + (2*b*c^2*d^3 + 2*b*d^2*e + 3*(b*c^2*d^2*e + b*d*e^2)*x^2)*\operatorname{arcsec}(c*x) \\ & - (b*d*e^2*x^2 + b*d^2*e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d}]/(c^2*d^4*e^2 + d^3*e^3 + (c^2*d^2*e^4 + d*e^5)*x^4 + 2*(c^2*d^3*e^3 + d^2*e^4)*x^2), - \\ & 1/3*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b* \\ & d*e^2)*x^2)*\sqrt{d}*\arctan(-1/2*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d}*\sqrt{d} \\ & /((c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (2*a*c^2*d^3 + 2*a*d^2*e + 3*(a*c^2*d^2*e + a*d*e^2)*x^2 + (2*b*c^2*d^3 + 2*b*d^2*e \\ & e + 3*(b*c^2*d^2*e + b*d*e^2)*x^2)*\operatorname{arcsec}(c*x) - (b*d*e^2*x^2 + b*d^2*e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d}]/(c^2*d^4*e^2 + d^3*e^3 + (c^2*d^2*e^4 + d \\ & *e^5)*x^4 + 2*(c^2*d^3*e^3 + d^2*e^4)*x^2)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(e*x**2+d)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^3}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^3/(e*x^2 + d)^(5/2), x)

$$3.153 \quad \int \frac{x(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=138

$$\frac{a+b \sec^{-1}(cx)}{3e(d+ex^2)^{3/2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3d^{3/2}e\sqrt{c^2x^2}} - \frac{bcx\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

[Out] $-(b*c*x*\text{Sqrt}[-1 + c^2*x^2])/(3*d*(c^2*d + e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d + e*x^2])$
 $- (a + b*\text{ArcSec}[c*x])/(3*e*(d + e*x^2)^{(3/2)}) - (b*c*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*d^{(3/2)}*e*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.131406, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {5236, 446, 96, 93, 204}

$$\frac{a+b \sec^{-1}(cx)}{3e(d+ex^2)^{3/2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3d^{3/2}e\sqrt{c^2x^2}} - \frac{bcx\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b*\text{ArcSec}[c*x]))/(d + e*x^2)^{(5/2)}, x]$

[Out] $-(b*c*x*\text{Sqrt}[-1 + c^2*x^2])/(3*d*(c^2*d + e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d + e*x^2])$
 $- (a + b*\text{ArcSec}[c*x])/(3*e*(d + e*x^2)^{(3/2)}) - (b*c*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*d^{(3/2)}*e*\text{Sqrt}[c^2*x^2])$

Rule 5236

$\text{Int}[(a_.) + \text{ArcSec}[(c_.)*(x_.)]*(b_.)]*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x$
 $_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSec}[c*x])]/(2*e*(p + 1)), x$
 $] - \text{Dist}[(b*c*x)/(2*e*(p + 1)*\text{Sqrt}[c^2*x^2]), \text{Int}[(d + e*x^2)^{(p + 1)}]/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x \ \&\& \ \text{NeQ}[p, -1]$

Rule 446

$\text{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)}*(a + b*x)^p$

```
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 96

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^p_], x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x
)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[(a*d*f*(m + 1) + b*
c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*
x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m
, 1])
```

Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{3e\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}(d+ex)^{3/2}} dx, x, x^2\right)}{6e\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}\sqrt{d+ex}} dx, x, x^2\right)}{6de\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{(bcx) \operatorname{Subst}\left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2x^2}}\right)}{3de\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a + b \sec^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{3d^{3/2}e\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.204507, size = 158, normalized size = 1.14

$$\frac{-ad(c^2d+e) - bcex\sqrt{1 - \frac{1}{c^2x^2}}(d+ex^2) - bd(c^2d+e)\sec^{-1}(cx)}{3de(c^2d+e)(d+ex^2)^{3/2}} + \frac{bcx\sqrt{1 - \frac{1}{c^2x^2}} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}}\right)}{3d^{3/2}e\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] $(-(a*d*(c^2*d + e)) - b*c*e*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x^2) - b*d*(c^2*d + e)*\operatorname{ArcSec}[c*x])/(3*d*e*(c^2*d + e)*(d + e*x^2)^{(3/2)}) + (b*c*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x*\operatorname{ArcTan}[(\operatorname{Sqrt}[d]*\operatorname{Sqrt}[-1 + c^2*x^2])/\operatorname{Sqrt}[d + e*x^2]])/(3*d^{(3/2)}*e*\operatorname{Sqrt}[-1 + c^2*x^2])$

Maple [F] time = 1.233, size = 0, normalized size = 0.

$$\int x(a + b \operatorname{arcsec}(cx))(ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)`

[Out] `int(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 3.09071, size = 1189, normalized size = 8.62

$$\left[\frac{(bc^2d^3 + (bc^2de^2 + be^3)x^4 + bd^2e + 2(bc^2d^2e + bde^2)x^2)\sqrt{-d} \log\left(\frac{(c^4d^2 - 6c^2de + e^2)x^4 - 8(c^2d^2 - de)x^2 - 4\sqrt{c^2x^2 - 1}((c^2d - e)x^2 - 2d)\sqrt{ex^2 + d}}{x^4}\right)}{12(c^2d^5e + d^4e^2 + (c^2d^3e^3 + d^2e^4)x^4 + \dots)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `[-1/12*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 4*(a*c^2*d^3 + a*d^2*e + (b*c^2*d^3 + b*d^2*e)*arcsec(c*x) + (b*d*e^2*x^2 + b*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d)/(c^2*d^5*e + d^4*e^2 + (c^2*d^3*e^3 + d^2*e^4)*x^4 + 2*(c^2*d^4*e^2 + d^3*e^3)*x^2), -1/6*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + 2*(a*c^2*d^3 + a*d^2*e + (b*c^2*d^3 + b*d^2*e)*arcsec(c*x) + (b*d*e^2*x^2 + b*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d)/(c^2*d^5*e + d^4*e^2 + (c^2*d^3*e^3 + d^2*e^4)*x^4 + 2*(c^2*d^4*e^2 + d^3*e^3)*x^2)]`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*asec(c*x))/(e*x**2+d)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x/(e*x^2 + d)^(5/2), x)

$$3.154 \quad \int \frac{a+b \sec^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

Rubi [A] time = 0.119785, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx$$

Mathematica [A] time = 25.4522, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{x (d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*(d + e*x^2)^(5/2)), x]

Maple [A] time = 1.078, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x} (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x)

[Out] int((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^3x^7 + 3de^2x^5 + 3d^2ex^3 + d^3x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^3*x^7 + 3*d*e^2*x^5 + 3*d^2*e*x^3 + d^3*x), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(e*x**2+d)**(5/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{5}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(5/2)*x), x)

$$3.155 \quad \int \frac{a+b \sec^{-1}(cx)}{x^3(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Rubi [A] time = 0.138226, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx = \int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Mathematica [A] time = 31.5868, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Maple [A] time = 1.08, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^3} (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(5/2), x)

[Out] int((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^3x^9 + 3de^2x^7 + 3d^2ex^5 + d^3x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(5/2), x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^3*x^9 + 3*d*e^2*x^7 + 3*d^2*e*x^5 + d^3*x^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**3/(e*x**2+d)**(5/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{5}{2}} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^3/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(5/2)*x^3), x)

$$3.156 \quad \int \frac{x^6 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{x^6 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable[(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Rubi [A] time = 0.115888, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x^6 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int] [(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^6 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx = \int \frac{x^6 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Mathematica [A] time = 9.90544, size = 0, normalized size = 0.

$$\int \frac{x^6 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^6*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A] time = 1.224, size = 0, normalized size = 0.

$$\int x^6 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

[Out] int(x^6*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(bx^6 \operatorname{arcsec}(cx) + ax^6)\sqrt{ex^2 + d}}{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="fricas")

[Out] integral((b*x^6*arcsec(c*x) + a*x^6)*sqrt(e*x^2 + d)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(a+b*asec(c*x))/(e*x**2+d)**(5/2), x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^6}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^6/(e*x^2 + d)^(5/2), x)

$$3.157 \quad \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Rubi [A] time = 0.106308, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int] [(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx = \int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Mathematica [A] time = 9.37756, size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^4*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A] time = 1.169, size = 0, normalized size = 0.

$$\int x^4 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

[Out] int(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(bx^4 \operatorname{arcsec}(cx) + ax^4)\sqrt{ex^2 + d}}{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="fricas")

[Out] integral((b*x^4*arcsec(c*x) + a*x^4)*sqrt(e*x^2 + d)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*asec(c*x))/(e*x**2+d)**(5/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^4}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^4/(e*x^2 + d)^(5/2), x)

$$3.158 \quad \int \frac{x^2(a+b \sec^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=276

$$\frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{x^3(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{bcx^2\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}} + \frac{bc^2x\sqrt{1-c^2x^2}}{3de\sqrt{c^2x^2}}$$

[Out] $-(b*c*x^2*\text{Sqrt}[-1+c^2*x^2])/(3*d*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d+e*x^2]) + (x^3*(a+b*\text{ArcSec}[c*x]))/(3*d*(d+e*x^2)^{(3/2)}) + (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(3*d*e*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) - (b*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(3*d*e*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rubi [A] time = 0.276225, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {264, 5238, 12, 471, 423, 427, 426, 424, 421, 419}

$$\frac{x^3(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{bcx^2\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}} - \frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)\middle|-\frac{e}{c^2d}\right)}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(a+b*\text{ArcSec}[c*x]))/(d+e*x^2)^{(5/2)},x]$

[Out] $-(b*c*x^2*\text{Sqrt}[-1+c^2*x^2])/(3*d*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[d+e*x^2]) + (x^3*(a+b*\text{ArcSec}[c*x]))/(3*d*(d+e*x^2)^{(3/2)}) + (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(3*d*e*(c^2*d+e)*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) - (b*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(3*d*e*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 264

$\text{Int}[(c_.*x_*)^{(m_*)}*((a_*)+(b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] :> \text{Simp}[(c*x)^{(m+1)}*(a+b*x^n)^{(p+1)}/(a*c*(m+1)), x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \ \&\& \ \text{EqQ}[(m+1)/n+p+1, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 471

```
Int[((e_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_.)^(n_.))^(p_.)*((c_) + (d_.)*(x_.)^(n_.))^(q_.), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 423

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sec^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{x^3 (a + b \sec^{-1}(cx))}{3d (d + ex^2)^{3/2}} - \frac{(bcx) \int \frac{x^2}{3d\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{x^3 (a + b \sec^{-1}(cx))}{3d (d + ex^2)^{3/2}} - \frac{(bcx) \int \frac{x^2}{\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{3d\sqrt{c^2x^2}} \\
&= -\frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a+b\sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{(bcx) \int \frac{\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}} dx}{3d(c^2d+e)\sqrt{c^2x^2}} \\
&= -\frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a+b\sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{(bcx) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{3de\sqrt{c^2x^2}} + \frac{(bc^3x) \int}{3de(c^2d+e)} \\
&= -\frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a+b\sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{(bc^3x\sqrt{1-c^2x^2}) \int \frac{\sqrt{d+ex^2}}{\sqrt{1-c^2x^2}} dx}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}} - \frac{(b}{3de(c^2d+e)} \\
&= -\frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a+b\sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{(bc^3x\sqrt{1-c^2x^2}\sqrt{d+ex^2}) \int \frac{\sqrt{1+\frac{ex^2}{d}}}{\sqrt{1-c^2x^2}} dx}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{1+}} \\
&= -\frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a+b\sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\sin^{-1}(cx))}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{1+}}
\end{aligned}$$

Mathematica [A] time = 0.284973, size = 186, normalized size = 0.67

$$\frac{x^2 \left(ax(c^2d + e) - bc\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2) + bx(c^2d + e)\sec^{-1}(cx) \right)}{3d(c^2d + e)(d + ex^2)^{3/2}} + \frac{bcx\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{\frac{ex^2}{d} + 1}E\left(\sin^{-1}\left(\sqrt{\frac{-e}{d}}x\right) \middle| -\frac{c^2d}{e}\right)}{3d\sqrt{1 - c^2x^2}\sqrt{\frac{-e}{d}}(c^2d + e)\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*ArcSec[c*x]))/(d + e*x^2)^(5/2), x]

[Out] (x^2*(a*(c^2*d + e)*x - b*c*Sqrt[1 - 1/(c^2*x^2)]*(d + e*x^2) + b*(c^2*d + e)*x*ArcSec[c*x]))/(3*d*(c^2*d + e)*(d + e*x^2)^(3/2)) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*EllipticE[ArcSin[Sqrt[-(e/d)]*x], -((c^2*d)/

e)])/(3*d*Sqrt[-(e/d)]*(c^2*d + e)*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])

Maple [F] time = 1.157, size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

[Out] int(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{3} a \left(\frac{x}{(ex^2 + d)^{\frac{3}{2}} e} - \frac{x}{\sqrt{ex^2 + d} d e} \right) + b \int \frac{x^2 \arctan(\sqrt{cx + 1} \sqrt{cx - 1})}{(e^2 x^4 + 2 d e x^2 + d^2) \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] -1/3*a*(x/((e*x^2 + d)^(3/2)*e) - x/(sqrt(e*x^2 + d)*d*e)) + b*integrate(x^2*arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/((e^2*x^4 + 2*d*e*x^2 + d^2)*sqrt(e*x^2 + d)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{(bx^2 \operatorname{arcsec}(cx) + ax^2) \sqrt{ex^2 + d}}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="fricas")

[Out] integral((b*x^2*arcsec(c*x) + a*x^2)*sqrt(e*x^2 + d)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*asec(c*x))/(e*x**2+d)**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^2}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^2/(e*x^2 + d)^(5/2), x)

$$3.159 \quad \int \frac{a+b \sec^{-1}(cx)}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=296

$$\frac{2bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{3d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{2x(a+b \sec^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{x(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{bcex^2\sqrt{c^2x^2-1}}{3d^2\sqrt{c^2x^2}(c^2d+e)}$$

[Out] (b*c*e*x^2*Sqrt[-1 + c^2*x^2])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) + (x*(a + b*ArcSec[c*x]))/(3*d*(d + e*x^2)^(3/2)) + (2*x*(a + b*ArcSec[c*x]))/(3*d^2*Sqrt[d + e*x^2]) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (2*b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rubi [A] time = 0.23508, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.55$, Rules used = {192, 191, 5228, 12, 527, 524, 427, 426, 424, 421, 419}

$$\frac{2x(a+b \sec^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{x(a+b \sec^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{bcex^2\sqrt{c^2x^2-1}}{3d^2\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}} - \frac{2bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)\middle|-\frac{e}{c^2d}\right)}{3d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcSec[c*x])/(d + e*x^2)^(5/2), x]

[Out] (b*c*e*x^2*Sqrt[-1 + c^2*x^2])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) + (x*(a + b*ArcSec[c*x]))/(3*d*(d + e*x^2)^(3/2)) + (2*x*(a + b*ArcSec[c*x]))/(3*d^2*Sqrt[d + e*x^2]) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (2*b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :-> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1)]]

```
(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0]
&& NeQ[p, -1]
```

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 5228

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symb
ol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSec[c*x], u, x]
- Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1])
, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2,
0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{(d + ex^2)^{5/2}} dx &= \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{3d+2ex^2}{3d^2\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{3d+2ex^2}{\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{3d^2\sqrt{c^2x^2}} \\
&= \frac{bcex^2\sqrt{-1+c^2x^2}}{3d^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{d(3c^2d+2e)+c^2}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{3d^2(c^2d + e)\sqrt{c^2x^2}} \\
&= \frac{bcex^2\sqrt{-1+c^2x^2}}{3d^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(2bcx) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{3d^2\sqrt{c^2x^2}} \\
&= \frac{bcex^2\sqrt{-1+c^2x^2}}{3d^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bc^3x\sqrt{1-c^2x^2}) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{3d^2(c^2d + e)\sqrt{c^2x^2}} \\
&= \frac{bcex^2\sqrt{-1+c^2x^2}}{3d^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bc^3x\sqrt{1-c^2x^2}\sqrt{d+ex^2}) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{3d^2(c^2d + e)\sqrt{c^2x^2}} \\
&= \frac{bcex^2\sqrt{-1+c^2x^2}}{3d^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} + \frac{x(a + b \sec^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sec^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{3d^2(c^2d + e)\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.556276, size = 248, normalized size = 0.84

$$\frac{x\left(a(c^2d + e)(3d + 2ex^2) + bcex\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2) + b(c^2d + e)\sec^{-1}(cx)(3d + 2ex^2)\right) - ibcx\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{\frac{ex^2}{d} + 1}\left(2(c^2d + e)\sqrt{d + ex^2}\right)}{3d^2(c^2d + e)(d + ex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(d + e*x^2)^(5/2), x]

[Out] (x*(b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2) + a*(c^2*d + e)*(3*d + 2*e*x^2) + b*(c^2*d + e)*(3*d + 2*e*x^2)*ArcSec[c*x])/(3*d^2*(c^2*d + e)*(d + e*x^2)^(3/2)) - ((I/3)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d

```
*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] + 2*(c^2*d + e)*EllipticF
[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d)))]/(Sqrt[-c^2]*d^2*(c^2*d + e)*Sqrt[
1 - c^2*x^2]*Sqrt[d + e*x^2])
```

Maple [F] time = 1.08, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)
```

```
[Out] int((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} a \left(\frac{2x}{\sqrt{ex^2 + d}d^2} + \frac{x}{(ex^2 + d)^{\frac{3}{2}}d} \right) + b \int \frac{\arctan(\sqrt{cx+1}\sqrt{cx-1})}{(e^2x^4 + 2dex^2 + d^2)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] 1/3*a*(2*x/(sqrt(e*x^2 + d)*d^2) + x/((e*x^2 + d)^(3/2)*d)) + b*integrate(a
rctan(sqrt(c*x + 1)*sqrt(c*x - 1))/((e^2*x^4 + 2*d*e*x^2 + d^2)*sqrt(e*x^2
+ d)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")
```

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/(e*x**2+d)**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/(e*x^2+d)^(5/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(e*x^2 + d)^(5/2), x)

$$3.160 \quad \int \frac{a+b \sec^{-1}(cx)}{x^2(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=631

$$\frac{bc^2x\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{8bex\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{3d^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{8ex(a+b \sec^{-1}(cx))}{3d^3\sqrt{d+ex^2}}$$

```
[Out] -((b*c*e*Sqrt[-1 + c^2*x^2])/(d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2])
) - (4*b*c*e^2*x^2*Sqrt[-1 + c^2*x^2])/(3*d^3*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2])
+ (b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(d^3*(c^2*d + e)*Sqrt[c^2*x^2])
- (a + b*ArcSec[c*x])/(d*x*(d + e*x^2)^(3/2))
- (4*e*x*(a + b*ArcSec[c*x]))/(3*d^2*(d + e*x^2)^(3/2))
- (8*e*x*(a + b*ArcSec[c*x]))/(3*d^3*Sqrt[d + e*x^2])
+ (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d])
- (b*c^2*(c^2*d + 2*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(d^3*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d])
+ (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
+ (8*b*e*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
```

Rubi [A] time = 1.39593, antiderivative size = 631, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 18, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.783$, Rules used = {271, 192, 191, 5238, 12, 6742, 414, 21, 427, 426, 424, 472, 583, 524, 421, 419, 471, 423}

$$\frac{8ex(a+b \sec^{-1}(cx))}{3d^3\sqrt{d+ex^2}} - \frac{4ex(a+b \sec^{-1}(cx))}{3d^2(d+ex^2)^{3/2}} - \frac{a+b \sec^{-1}(cx)}{dx(d+ex^2)^{3/2}} - \frac{4bce^2x^2\sqrt{c^2x^2-1}}{3d^3\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}} + \frac{bc\sqrt{c^2x^2-1}(c^2d+e)}{d^3\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(5/2)), x]
```

```
[Out] -((b*c*e*Sqrt[-1 + c^2*x^2])/(d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2])
) - (4*b*c*e^2*x^2*Sqrt[-1 + c^2*x^2])/(3*d^3*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2])
+ (b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(d^3*(c^2*d + e)*Sqrt[c^2*x^2])
- (a + b*ArcSec[c*x])/(d*x*(d + e*x^2)^(3/2))
```

$$\begin{aligned}
& - (4e*x*(a + b*ArcSec[c*x]))/(3*d^2*(d + e*x^2)^{(3/2)}) - (8e*x*(a + b*Arc \\
& Sec[c*x]))/(3*d^3*Sqrt[d + e*x^2]) + (4*b*c^2*e*x*Sqrt[1 - c^2*x^2]*Sqrt[d \\
& + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*(c^2*d + e)*Sqrt[c^2* \\
& x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*c^2*(c^2*d + 2*e)*x*Sqrt[\\
& 1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(d^3*(c^ \\
& 2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*c^2*x*S \\
& qrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))]) / \\
& (d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) + (8*b*e*x*Sqrt[1 - \\
& c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^3*S \\
& qrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])
\end{aligned}$$

Rule 271

```

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(
a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

```

Rule 192

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1
))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0]
&& NeQ[p, -1]

```

Rule 191

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1
))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

```

Rule 5238

```

Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]

```


Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && ( !IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c]
, x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2]
, x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c)
], 2)), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 472

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^q_, x_Symbol] := -Simp[(b*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n
```

```
)^(q + 1))/(a*e*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 583

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g^(m + 1)), x] + Dist[1/(a*c*g^(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e,
```

q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 423

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sec^{-1}(cx)}{x^2 (d + ex^2)^{5/2}} dx &= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex (a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-3d^2 - 12dex^2 - 8e^2x^4}{3d^3x^2\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex (a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \frac{-3d^2 - 12dex^2 - 8e^2x^4}{x^2\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{3d^3 \sqrt{c^2x^2}} \\
&= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex (a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} - \frac{(bcx) \int \left(-\frac{12de}{\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} - \right)}{dx} \\
&= -\frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex (a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} - \frac{8ex (a + b \sec^{-1}(cx))}{3d^3 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{1}{x^2\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{d\sqrt{c^2x^2}} \\
&= -\frac{bce\sqrt{-1+c^2x^2}}{d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{4bce^2x^2\sqrt{-1+c^2x^2}}{3d^3(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a + b \sec^{-1}(cx)}{dx (d + ex^2)^{3/2}} - \frac{4ex (a + b \sec^{-1}(cx))}{3d^2 (d + ex^2)^{3/2}} \\
&= -\frac{bce\sqrt{-1+c^2x^2}}{d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{4bce^2x^2\sqrt{-1+c^2x^2}}{3d^3(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{d^3(c^2d+e)\sqrt{c^2x^2}} \\
&= -\frac{bce\sqrt{-1+c^2x^2}}{d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{4bce^2x^2\sqrt{-1+c^2x^2}}{3d^3(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{d^3(c^2d+e)\sqrt{c^2x^2}} \\
&= -\frac{bce\sqrt{-1+c^2x^2}}{d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{4bce^2x^2\sqrt{-1+c^2x^2}}{3d^3(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{d^3(c^2d+e)\sqrt{c^2x^2}} \\
&= -\frac{bce\sqrt{-1+c^2x^2}}{d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{4bce^2x^2\sqrt{-1+c^2x^2}}{3d^3(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{d^3(c^2d+e)\sqrt{c^2x^2}} \\
&= -\frac{bce\sqrt{-1+c^2x^2}}{d^2(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{4bce^2x^2\sqrt{-1+c^2x^2}}{3d^3(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{d^3(c^2d+e)\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.791344, size = 323, normalized size = 0.51

$$\frac{-a(c^2d + e)(3d^2 + 12dex^2 + 8e^2x^4) - b(c^2d + e)\sec^{-1}(cx)(3d^2 + 12dex^2 + 8e^2x^4) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2)(3c^2d(d + ex^2))}{3d^3x(c^2d + e)(d + ex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcSec[c*x])/(x^2*(d + e*x^2)^(5/2)), x]

[Out]
$$\begin{aligned} & -(a(c^2d + e)(3d^2 + 12d*ex^2 + 8e^2x^4) + b*c*\sqrt{1 - 1/(c^2*x^2)}) * x * (d + e*x^2) * (3*c^2*d*(d + e*x^2) + e*(3*d + 2*e*x^2)) - b*(c^2*d + e) \\ & * (3*d^2 + 12*d*e*x^2 + 8*e^2*x^4) * \text{ArcSec}[c*x] / (3*d^3*(c^2*d + e) * x * (d + e*x^2)^{(3/2)}) - ((1/3)*b*c*\sqrt{1 - 1/(c^2*x^2)}) * x * \sqrt{1 + (e*x^2)/d} * (c^2*d \\ & * (3*c^2*d + 2*e) * \text{EllipticE}[I*\text{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))] - (3*c^4*d^2 + 11*c^2*d*e + 8*e^2) * \text{EllipticF}[I*\text{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))]) \\ &) / (\sqrt{-c^2} * d^3 * (c^2*d + e) * \sqrt{1 - c^2*x^2} * \sqrt{d + e*x^2}) \end{aligned}$$

Maple [F] time = 1.022, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^2} (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2), x)

[Out] int((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)}{e^3x^8 + 3de^2x^6 + 3d^2ex^4 + d^3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)/(e^3*x^8 + 3*d*e^2*x^6 + 3*d^2*e*x^4 + d^3*x^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**2/(e*x**2+d)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{(ex^2 + d)^{\frac{5}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^2/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/((e*x^2 + d)^(5/2)*x^2), x)

3.161 $\int (fx)^m (d + ex^2)^3 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=589

$$\frac{3d^2e(fx)^{m+3}(a + b \sec^{-1}(cx))}{f^3(m+3)} + \frac{d^3(fx)^{m+1}(a + b \sec^{-1}(cx))}{f(m+1)} + \frac{3de^2(fx)^{m+5}(a + b \sec^{-1}(cx))}{f^5(m+5)} + \frac{e^3(fx)^{m+7}(a + b \sec^{-1}(cx))}{f^7(m+7)}$$

[Out] $-\left(\left(b e^2 (15 + 8m + m^2)^2 + 3c^2 d e (3 + m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 638m + 179m^2 + 22m^3 + m^4)\right) x (fx)^{(1+m)} \sqrt{-1 + c^2 x^2}\right) / \left(c^5 f (2 + m) (3 + m) (4 + m) (5 + m) (6 + m) (7 + m) \sqrt{c^2 x^2}\right) - \left(b e^2 (e (5 + m)^2 + 3c^2 d (42 + 13m + m^2)) x (fx)^{(3+m)} \sqrt{-1 + c^2 x^2}\right) / \left(c^3 f^3 (4 + m) (5 + m) (6 + m) (7 + m) \sqrt{c^2 x^2}\right) - \left(b e^3 x (fx)^{(5+m)} \sqrt{-1 + c^2 x^2}\right) / \left(c f^5 (6 + m) (7 + m) \sqrt{c^2 x^2}\right) + \left(d^3 (fx)^{(1+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f (1 + m)\right) + \left(3 d^2 e (fx)^{(3+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f^3 (3 + m)\right) + \left(3 d e^2 (fx)^{(5+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f^5 (5 + m)\right) + \left(e^3 (fx)^{(7+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f^7 (7 + m)\right) - \left(b \left(\left(c^6 d^3 (2 + m) (4 + m) (6 + m)\right) / (1 + m) + \left(e (1 + m) (e^2 (15 + 8m + m^2)^2 + 3c^2 d e (3 + m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 638m + 179m^2 + 22m^3 + m^4))\right) / \left((3 + m) (5 + m) (7 + m)\right)\right) x (fx)^{(1+m)} \sqrt{1 - c^2 x^2} \operatorname{Hypergeometric2F1}\left[1/2, (1 + m)/2, (3 + m)/2, c^2 x^2\right] / \left(c^5 f (1 + m) (2 + m) (4 + m) (6 + m) \sqrt{c^2 x^2} \sqrt{-1 + c^2 x^2}\right)$

Rubi [A] time = 2.4153, antiderivative size = 570, normalized size of antiderivative = 0.97, number of steps used = 6, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$, Rules used = {270, 5238, 1809, 1267, 459, 365, 364}

$$\frac{3d^2e(fx)^{m+3}(a + b \sec^{-1}(cx))}{f^3(m+3)} + \frac{d^3(fx)^{m+1}(a + b \sec^{-1}(cx))}{f(m+1)} + \frac{3de^2(fx)^{m+5}(a + b \sec^{-1}(cx))}{f^5(m+5)} + \frac{e^3(fx)^{m+7}(a + b \sec^{-1}(cx))}{f^7(m+7)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(fx)^m (d + ex^2)^3 (a + b \operatorname{ArcSec}[c x]), x]$

[Out] $-\left(\left(b e^2 (15 + 8m + m^2)^2 + 3c^2 d e (3 + m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 638m + 179m^2 + 22m^3 + m^4)\right) x (fx)^{(1+m)} \sqrt{-1 + c^2 x^2}\right) / \left(c^5 f (2 + m) (3 + m) (4 + m) (5 + m) (6 + m) (7 + m) \sqrt{c^2 x^2}\right) - \left(b e^2 (e (5 + m)^2 + 3c^2 d (42 + 13m + m^2)) x (fx)^{(3+m)} \sqrt{-1 + c^2 x^2}\right) / \left(c^3 f^3 (4 + m) (5 + m) (6 + m) (7 + m) \sqrt{c^2 x^2}\right) - \left(b e^3 x (fx)^{(5+m)} \sqrt{-1 + c^2 x^2}\right) / \left(c f^5 (6 + m) (7 + m) \sqrt{c^2 x^2}\right) + \left(d^3 (fx)^{(1+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f (1 + m)\right) + \left(3 d^2 e (fx)^{(3+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f^3 (3 + m)\right) + \left(3 d e^2 (fx)^{(5+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f^5 (5 + m)\right) + \left(e^3 (fx)^{(7+m)} (a + b \operatorname{ArcSec}[c x])\right) / \left(f^7 (7 + m)\right) - \left(b \left(\left(c^6 d^3 (2 + m) (4 + m) (6 + m)\right) / (1 + m) + \left(e (1 + m) (e^2 (15 + 8m + m^2)^2 + 3c^2 d e (3 + m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 638m + 179m^2 + 22m^3 + m^4))\right) / \left((3 + m) (5 + m) (7 + m)\right)\right) x (fx)^{(1+m)} \sqrt{1 - c^2 x^2} \operatorname{Hypergeometric2F1}\left[1/2, (1 + m)/2, (3 + m)/2, c^2 x^2\right] / \left(c^5 f (1 + m) (2 + m) (4 + m) (6 + m) \sqrt{c^2 x^2} \sqrt{-1 + c^2 x^2}\right)$

$$\begin{aligned} & t[-1 + c^2 x^2]/(c^3 f^3 (4 + m)(5 + m)(6 + m)(7 + m) \sqrt{c^2 x^2}) - \\ & (b e^3 x (f x)^{(5 + m)} \sqrt{-1 + c^2 x^2})/(c f^5 (6 + m)(7 + m) \sqrt{c^2 x^2}) + \\ & (d^3 (f x)^{(1 + m)} (a + b \operatorname{ArcSec}[c x]))/(f (1 + m)) + (3 d^2 e (f x)^{(3 + m)} (a + b \operatorname{ArcSec}[c x]))/(f^3 (3 + m)) + \\ & (3 d e^2 (f x)^{(5 + m)} (a + b \operatorname{ArcSec}[c x]))/(f^5 (5 + m)) + (e^3 (f x)^{(7 + m)} (a + b \operatorname{ArcSec}[c x]))/(f^7 (7 + m)) - \\ & (b c (d^3/(1 + m)^2 + (e(e^2(15 + 8m + m^2))^2 + 3c^2 d e (3 + m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 638m + 179m^2 + 22m^3 + m^4)))/(c^6 (2 + m)(3 + m)(4 + m)(5 + m)(6 + m)(7 + m))) x (f x)^{(1 + m)} \\ & * \operatorname{Sqrt}[1 - c^2 x^2] * \operatorname{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, c^2 x^2]/(f \operatorname{Sqrt}[c^2 x^2] \operatorname{Sqrt}[-1 + c^2 x^2]) \end{aligned}$$

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 1809

```
Int[(Pq)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rule 1267

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(
q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q
+ 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b
*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x
] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0]
```


] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]

Rule 459

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 365

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2)^3 (a + b \sec^{-1}(cx)) dx &= \frac{d^3 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} + \frac{3de^2 (fx)^{5+m} (a + b \sec^{-1}(cx))}{f^5(5+m)} \\
&= -\frac{be^3 x (fx)^{5+m} \sqrt{-1 + c^2 x^2}}{cf^5(6+m)(7+m)\sqrt{c^2 x^2}} + \frac{d^3 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{be^2 (e(5+m)^2 + 3c^2 d (42 + 13m + m^2)) x (fx)^{3+m} \sqrt{-1 + c^2 x^2}}{c^3 f^3(4+m)(5+m)(6+m)(7+m)\sqrt{c^2 x^2}} - \frac{be^3 x (fx)^{5+m} (a + b \sec^{-1}(cx))}{cf^5(6+m)(7+m)} \\
&= -\frac{be \left(e^2 (15 + 8m + m^2)^2 + 3c^2 de(3+m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 63m + 3m^2) \right)}{c^5 f(2+m)(3+m)(4+m)(5+m)(6+m)} \\
&= -\frac{be \left(e^2 (15 + 8m + m^2)^2 + 3c^2 de(3+m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 63m + 3m^2) \right)}{c^5 f(2+m)(3+m)(4+m)(5+m)(6+m)} \\
&= -\frac{be \left(e^2 (15 + 8m + m^2)^2 + 3c^2 de(3+m)^2 (42 + 13m + m^2) + 3c^4 d^2 (840 + 63m + 3m^2) \right)}{c^5 f(2+m)(3+m)(4+m)(5+m)(6+m)}
\end{aligned}$$

Mathematica [F] time = 0.211972, size = 0, normalized size = 0.

$$\int (fx)^m (d + ex^2)^3 (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^3*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^3*(a + b*ArcSec[c*x]), x]

Maple [F] time = 4.007, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^3 (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)),x)
```

```
[Out] int((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ae^3x^6 + 3ade^2x^4 + 3ad^2ex^2 + ad^3 + (be^3x^6 + 3bde^2x^4 + 3bd^2ex^2 + bd^3)\text{arcsec}(cx)\right)(fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*e^3*x^6 + 3*a*d*e^2*x^4 + 3*a*d^2*e*x^2 + a*d^3 + (b*e^3*x^6 + 3*b*d*e^2*x^4 + 3*b*d^2*e*x^2 + b*d^3)*arcsec(c*x))*(f*x)^m, x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)**3*(a+b*asec(c*x)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^3 (b \operatorname{arcsec}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^3*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^3*(b*arcsec(c*x) + a)*(f*x)^m, x)

3.162 $\int (fx)^m (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=374

$$\frac{d^2(fx)^{m+1} (a + b \sec^{-1}(cx))}{f(m+1)} + \frac{2de(fx)^{m+3} (a + b \sec^{-1}(cx))}{f^3(m+3)} + \frac{e^2(fx)^{m+5} (a + b \sec^{-1}(cx))}{f^5(m+5)} - \frac{bx\sqrt{1-c^2x^2}(fx)^{m+1} (c^4d^2 - e^2)}{c^4d^2 - e^2}$$

[Out] $-\left(\frac{(b^2e^2(e^{3+m})^2 + 2c^2d(20 + 9m + m^2))x(fx)^{(1+m)}\sqrt{-1 + c^2x^2}}{c^3f(2+m)(3+m)(4+m)(5+m)\sqrt{c^2x^2}}\right) - \frac{(b^2e^2x(fx)^{(3+m)}\sqrt{-1 + c^2x^2})}{(cf^3(4+m)(5+m)\sqrt{c^2x^2})} + \left(\frac{d^2(fx)^{(1+m)}(a + b\text{ArcSec}[cx])}{f(1+m)} + \frac{(2de(fx)^{(3+m)}(a + b\text{ArcSec}[cx]))}{f^3(3+m)} + \frac{(e^2(fx)^{(5+m)}(a + b\text{ArcSec}[cx]))}{f^5(5+m)} - \frac{(b(c^4d^2(2+m)(3+m)(4+m)(5+m) + e^{(1+m)^2}(e^{3+m})^2 + 2c^2d(20 + 9m + m^2))x(fx)^{(1+m)}\sqrt{1 - c^2x^2}}{c^4d^2 - e^2}\right) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1+m)}{2}, \frac{(3+m)}{2}, c^2x^2\right] / (c^3f(1+m)^2(2+m)(3+m)(4+m)(5+m)\sqrt{c^2x^2})\sqrt{-1 + c^2x^2}$

Rubi [A] time = 0.432381, antiderivative size = 355, normalized size of antiderivative = 0.95, number of steps used = 6, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$, Rules used = {270, 5238, 12, 1267, 459, 365, 364}

$$\frac{d^2(fx)^{m+1} (a + b \sec^{-1}(cx))}{f(m+1)} + \frac{2de(fx)^{m+3} (a + b \sec^{-1}(cx))}{f^3(m+3)} + \frac{e^2(fx)^{m+5} (a + b \sec^{-1}(cx))}{f^5(m+5)} - \frac{bcx\sqrt{1-c^2x^2}(fx)^{m+1} \left(\frac{e^{2(m+1)}}{c^2} - d^2\right)}{c^4d^2 - e^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(fx)^m(d + ex^2)^2(a + b\text{ArcSec}[cx]), x]$

[Out] $-\left(\frac{(b^2e^2(e^{3+m})^2 + 2c^2d(20 + 9m + m^2))x(fx)^{(1+m)}\sqrt{-1 + c^2x^2}}{c^3f(2+m)(3+m)(4+m)(5+m)\sqrt{c^2x^2}}\right) - \frac{(b^2e^2x(fx)^{(3+m)}\sqrt{-1 + c^2x^2})}{(cf^3(4+m)(5+m)\sqrt{c^2x^2})} + \left(\frac{d^2(fx)^{(1+m)}(a + b\text{ArcSec}[cx])}{f(1+m)} + \frac{(2de(fx)^{(3+m)}(a + b\text{ArcSec}[cx]))}{f^3(3+m)} + \frac{(e^2(fx)^{(5+m)}(a + b\text{ArcSec}[cx]))}{f^5(5+m)} - \frac{(b^2c(d^2/(1+m)^2 + (e^{(1+m)^2}(e^{3+m})^2 + 2c^2d(20 + 9m + m^2))))}{(c^4(2+m)(3+m)(4+m)(5+m))}x(fx)^{(1+m)}\sqrt{1 - c^2x^2}\right) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1+m)}{2}, \frac{(3+m)}{2}, c^2x^2\right] / (f\sqrt{c^2x^2})\sqrt{-1 + c^2x^2}$

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

Rule 5238

```
Int[((a_.) + ArcSec[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x
_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1267

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(
q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q
+ 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b
*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x
] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0
] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a
)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx &= \frac{d^2 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} + \frac{e^2 (fx)^{5+m} (a + b \sec^{-1}(cx))}{f^5(5+m)} \\
&= \frac{d^2 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} + \frac{e^2 (fx)^{5+m} (a + b \sec^{-1}(cx))}{f^5(5+m)} \\
&= -\frac{be^2 x (fx)^{3+m} \sqrt{-1 + c^2 x^2}}{cf^3(4+m)(5+m)\sqrt{c^2 x^2}} + \frac{d^2 (fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{be(e(3+m)^2 + 2c^2 d(20 + 9m + m^2)) x (fx)^{1+m} \sqrt{-1 + c^2 x^2}}{c^3 f(2+m)(4+m)(15 + 8m + m^2) \sqrt{c^2 x^2}} - \frac{be^2 x (fx)^{3+m}}{cf^3(4+m)(5+m)} \\
&= -\frac{be(e(3+m)^2 + 2c^2 d(20 + 9m + m^2)) x (fx)^{1+m} \sqrt{-1 + c^2 x^2}}{c^3 f(2+m)(4+m)(15 + 8m + m^2) \sqrt{c^2 x^2}} - \frac{be^2 x (fx)^{3+m}}{cf^3(4+m)(5+m)} \\
&= -\frac{be(e(3+m)^2 + 2c^2 d(20 + 9m + m^2)) x (fx)^{1+m} \sqrt{-1 + c^2 x^2}}{c^3 f(2+m)(4+m)(15 + 8m + m^2) \sqrt{c^2 x^2}} - \frac{be^2 x (fx)^{3+m}}{cf^3(4+m)(5+m)}
\end{aligned}$$

Mathematica [F] time = 0.141186, size = 0, normalized size = 0.

$$\int (fx)^m (d + ex^2)^2 (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^2*(a + b*ArcSec[c*x]), x]

Maple [F] time = 3.049, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^2 (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x)`

[Out] `int((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2) \operatorname{arcsec}(cx)\right) (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arcsec(c*x))*(f*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)**2*(a+b*asec(c*x)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arcsec}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsec(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arcsec(c*x) + a)*(f*x)^m, x)`

3.163 $\int (fx)^m (d + ex^2) (a + b \sec^{-1}(cx)) dx$

Optimal. Leaf size=178

$$\frac{dx^{m+1} (a + b \sec^{-1}(cx))}{m+1} + \frac{ex^{m+3} (a + b \sec^{-1}(cx))}{m+3} + \frac{b\sqrt{c^2x^2-1}x^{m+2} (c^2d(m+2)(m+3) + e(m+1)^2) {}_2F_1\left(1, \frac{m+2}{2}; \frac{m+3}{2}; \right)}{c(m+1)^2(m+2)(m+3)\sqrt{c^2x^2}}$$

[Out] $-\left(\frac{bex^{2+m}\sqrt{-1+c^2x^2}}{c(6+5m+m^2)\sqrt{c^2x^2}}\right) + \left(\frac{dx^{1+m}(a+b\text{ArcSec}[cx])}{(1+m)} + \frac{ex^{3+m}(a+b\text{ArcSec}[cx])}{(3+m)} + \frac{b(e(1+m)^2+c^2d(2+m)(3+m))x^{2+m}\sqrt{-1+c^2x^2}\text{Hypergeometric2F1}\left[1, \frac{(2+m)}{2}, \frac{(3+m)}{2}, c^2x^2\right]}{c(1+m)^2(2+m)(3+m)\sqrt{c^2x^2}}\right)$

Rubi [A] time = 0.187007, antiderivative size = 204, normalized size of antiderivative = 1.15, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 5238, 12, 459, 365, 364}

$$\frac{d(fx)^{m+1} (a + b \sec^{-1}(cx))}{f(m+1)} + \frac{e(fx)^{m+3} (a + b \sec^{-1}(cx))}{f^3(m+3)} - \frac{bcx\sqrt{1-c^2x^2}(fx)^{m+1} \left(\frac{e}{c^2(m+2)(m+3)} + \frac{d}{(m+1)^2}\right) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \right)}{f\sqrt{c^2x^2}\sqrt{c^2x^2-1}}$$

Warning: Unable to verify antiderivative.

[In] Int[(f*x)^m*(d + e*x^2)*(a + b*ArcSec[c*x]),x]

[Out] $-\left(\frac{bex*(fx)^{1+m}\sqrt{-1+c^2x^2}}{cf*(6+5m+m^2)\sqrt{c^2x^2}}\right) + \left(\frac{d*(fx)^{1+m}(a+b\text{ArcSec}[cx])}{f*(1+m)} + \frac{e*(fx)^{3+m}(a+b\text{ArcSec}[cx])}{f^3*(3+m)} - \frac{bc*(d/(1+m)^2 + e/(c^2*(2+m)(3+m)))x*(fx)^{1+m}\sqrt{1-c^2x^2}\text{Hypergeometric2F1}\left[1/2, \frac{(1+m)}{2}, \frac{(3+m)}{2}, c^2x^2\right]}{f\sqrt{c^2x^2}\sqrt{c^2x^2-1}}\right)$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 5238

Int[((a_.) + ArcSec[(c_)*(x_)])*(b_.)*((f_)*(x_))^(m_)*((d_.) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis

```
t[a + b*ArcSec[c*x], u, x] - Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 459

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] :=> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 365

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=> Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 364

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=> Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2) (a + b \sec^{-1}(cx)) dx &= \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} - \frac{(bcx) \int \frac{(fx)^m (d(3+m) + ex^2)}{(1+m)(3+m)\sqrt{c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} - \frac{(bcx) \int \frac{(fx)^m (d(3+m) + ex^2)}{\sqrt{-1+c^2x^2}} dx}{(3+4m+m^2)} \\
&= -\frac{bex(fx)^{1+m}\sqrt{-1+c^2x^2}}{cf(6+5m+m^2)\sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{bex(fx)^{1+m}\sqrt{-1+c^2x^2}}{cf(6+5m+m^2)\sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)} \\
&= -\frac{bex(fx)^{1+m}\sqrt{-1+c^2x^2}}{cf(6+5m+m^2)\sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \sec^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sec^{-1}(cx))}{f^3(3+m)}
\end{aligned}$$

Mathematica [F] time = 0.101336, size = 0, normalized size = 0.

$$\int (fx)^m (d + ex^2) (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)*(a + b*ArcSec[c*x]), x]

Maple [F] time = 2.319, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d) (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)), x)

[Out] int((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx)\right) (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="fricas")

[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*(f*x)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)*(a+b*asec(c*x)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arcsec}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)
```

$$3.164 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2}, x \right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

Rubi [A] time = 0.0712152, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

[Out] Defer[Int][((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Mathematica [A] time = 1.93682, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{d + ex^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2), x]

Maple [A] time = 1.646, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \operatorname{arcsec}(cx))}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x)`

[Out] `int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asec(c*x))/(e*x**2+d),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d), x)`

$$3.165 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2}, x \right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]

Rubi [A] time = 0.0705689, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]

[Out] Defer[Int][((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Mathematica [A] time = 1.91642, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2,x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^2, x]

Maple [A] time = 1.95, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \operatorname{arcsec}(cx))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^2,x)

[Out] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d)^2, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] `integral((b*arcsec(c*x) + a)*(f*x)^m/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asec(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d)^2, x)`

$$\mathbf{3.166} \quad \int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=27

$$\text{Unintegrable}\left((d + ex^2)^{3/2} (fx)^m (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.104877, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx = \int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A] time = 0.884753, size = 0, normalized size = 0.

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcSec[c*x]), x]

Maple [A] time = 1.532, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^{\frac{3}{2}} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

[Out] `int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (b \operatorname{arcsec}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(aex^2 + ad + (bex^2 + bd) \operatorname{arcsec}(cx)\right) \sqrt{ex^2 + d} (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsec(c*x))*sqrt(e*x^2 + d)*(f*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)**(3/2)*(a+b*asec(c*x)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (b \operatorname{arcsec}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arcsec(c*x)),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^(3/2)*(b*arcsec(c*x) + a)*(f*x)^m, x)

$$\mathbf{3.167} \quad \int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Optimal. Leaf size=27

$$\text{Unintegrable}\left(\sqrt{d + ex^2}(fx)^m (a + b \sec^{-1}(cx)), x\right)$$

[Out] Unintegrable[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi [A] time = 0.0942094, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Defer[Int] [(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Rubi steps

$$\int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx = \int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Mathematica [A] time = 0.10799, size = 0, normalized size = 0.

$$\int (fx)^m \sqrt{d + ex^2} (a + b \sec^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

[Out] Integrate[(f*x)^m*Sqrt[d + e*x^2]*(a + b*ArcSec[c*x]), x]

Maple [A] time = 1.655, size = 0, normalized size = 0.

$$\int (fx)^m \sqrt{ex^2 + d} (a + b \operatorname{arcsec}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x)`

[Out] `int((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d} (b \operatorname{arcsec}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="maxima")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\sqrt{ex^2 + d} (b \operatorname{arcsec}(cx) + a) (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)**(1/2)*(a+b*asec(c*x)),x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a)(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^(1/2)*(a+b*arcsec(c*x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*(f*x)^m, x)
```

$$3.168 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Optimal. Leaf size=27

$$\text{Unintegrable} \left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}}, x \right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Rubi [A] time = 0.0957872, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] Defer[Int](((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Mathematica [A] time = 1.10768, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{\sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/Sqrt[d + e*x^2], x]

Maple [A] time = 2.517, size = 0, normalized size = 0.

$$\int (fx)^m (a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)

[Out] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate((b*arcsec(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral((b*arcsec(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(a+b*asec(c*x))/(e*x**2+d)**(1/2), x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(1/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)

$$3.169 \quad \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Optimal. Leaf size=27

$$\text{Unintegrable} \left(\frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi [A] time = 0.104903, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int][((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 1.36498, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \sec^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcSec[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A] time = 1.757, size = 0, normalized size = 0.

$$\int (fx)^m (a + b \operatorname{arcsec}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

[Out] int((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a) (fx)^m}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")

[Out] integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d)^(3/2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arcsec}(cx) + a) (fx)^m}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="fricas")

[Out] `integral(sqrt(e*x^2 + d)*(b*arcsec(c*x) + a)*(f*x)^m/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asec(c*x))/(e*x**2+d)**(3/2), x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)(fx)^m}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsec(c*x))/(e*x^2+d)^(3/2), x, algorithm="giac")`

[Out] `integrate((b*arcsec(c*x) + a)*(f*x)^m/(e*x^2 + d)^(3/2), x)`

$$3.170 \quad \int \frac{x^{11}(a+b \sec^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$$

Optimal. Leaf size=401

$$-\frac{(1-c^4x^4)^{5/2}(a+b \sec^{-1}(cx))}{10c^{12}} + \frac{(1-c^4x^4)^{3/2}(a+b \sec^{-1}(cx))}{3c^{12}} - \frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^{12}} + \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)}{90c^{13}x\sqrt{1-\frac{1}{c^2x^2}}}$$

[Out] (4*b*Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(15*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) - (7*b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(90*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) + (13*b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(150*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) - (3*b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(7/2))/(70*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) + (b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(9/2))/(90*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) - (Sqrt[1 - c^4*x^4]*(a + b*ArcSec[c*x]))/(2*c^12) + ((1 - c^4*x^4)^(3/2)*(a + b*ArcSec[c*x]))/(3*c^12) - ((1 - c^4*x^4)^(5/2)*(a + b*ArcSec[c*x]))/(10*c^12) - (4*b*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^2]])/(15*c^13*Sqrt[1 - 1/(c^2*x^2)]*x)

Rubi [A] time = 2.4836, antiderivative size = 401, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {266, 43, 5246, 12, 6721, 6742, 848, 50, 63, 208, 783}

$$-\frac{(1-c^4x^4)^{5/2}(a+b \sec^{-1}(cx))}{10c^{12}} + \frac{(1-c^4x^4)^{3/2}(a+b \sec^{-1}(cx))}{3c^{12}} - \frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^{12}} + \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)}{90c^{13}x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (4*b*Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(15*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) - (7*b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(90*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) + (13*b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(150*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) - (3*b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(7/2))/(70*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) + (b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(9/2))/(90*c^13*Sqrt[1 - 1/(c^2*x^2)]*x) - (Sqrt[1 - c^4*x^4]*(a + b*ArcSec[c*x]))/(2*c^12) + ((1 - c^4*x^4)^(3/2)*(a + b*ArcSec[c*x]))/(3*c^12) - ((1 - c^4*x^4)^(5/2)*(a + b*ArcSec[c*x]))/(10*c^12) - (4*b*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^2]])/(15*c^13*Sqrt[1 - 1/(c^2*x^2)]*x)

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5246

```
Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*(u_), x_Symbol] := With[{v = IntHide
[u, x]}, Dist[a + b*ArcSec[c*x], v, x] - Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6721

```
Int[(u_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(b^IntPart[p]*
(a + b*x^n)^FracPart[p])/(x^(n*FracPart[p])*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 848

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c*x)/e)^p,
x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 783

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p_
.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)*(a/d + (c*x)/e)^p, x] /; F
reeQ[{a, c, d, e, f, g, m}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] ||
(GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{11} (a + b \sec^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= \frac{4b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{15c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \sec^{-1}(cx))}{10c^{12}} \\
&= \frac{4b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{15c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{7b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{90c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} + \frac{13b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{5/2}}{150c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{3b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{7/2}}{70c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= \frac{4b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{15c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{7b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{90c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} + \frac{13b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{5/2}}{150c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{3b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{7/2}}{70c^{13} \sqrt{1 - \frac{1}{c^2 x^2} x}}
\end{aligned}$$

Mathematica [A] time = 0.249254, size = 194, normalized size = 0.48

$$\frac{-105a\sqrt{1-c^4x^4}(3c^8x^8+4c^4x^4+8) + \frac{bcx\sqrt{1-\frac{1}{c^2x^2}}\sqrt{1-c^4x^4}(35c^8x^8+5c^6x^6+78c^4x^4+36c^2x^2+768)}{c^2x^2-1} + 840b \tan^{-1}\left(\frac{cx\sqrt{1-\frac{1}{c^2x^2}}}{\sqrt{1-c^4x^4}}\right) - 105b}{3150c^{12}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (-105*a*Sqrt[1 - c^4*x^4]*(8 + 4*c^4*x^4 + 3*c^8*x^8) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 - c^4*x^4]*(768 + 36*c^2*x^2 + 78*c^4*x^4 + 5*c^6*x^6 + 35*c^8*x^8))/(-1 + c^2*x^2) - 105*b*Sqrt[1 - c^4*x^4]*(8 + 4*c^4*x^4 + 3*c^8*x^8)*ArcSec[c*x] + 840*b*ArcTan[(c*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[1 - c^4*x^4]])/(3150*c^12)

Maple [F] time = 17.217, size = 0, normalized size = 0.

$$\int x^{11} (a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)

[Out] int(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(a+b*arcsec(c*x))/(-c⁴*x⁴+1)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(a+b*asec(c*x))/(-c⁴*x⁴+1)^(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^{11}}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(a+b*arcsec(c*x))/(-c⁴*x⁴+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x¹¹/sqrt(-c⁴*x⁴ + 1), x)

$$3.171 \quad \int \frac{x^7 (a + b \sec^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx$$

Optimal. Leaf size=268

$$\frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{b\sqrt{1 - c^2 x^2} (c^2 x^2 + 1)^{5/2}}{30c^9 x \sqrt{1 - \frac{1}{c^2 x^2}}} - \frac{b\sqrt{1 - c^2 x^2} (c^2 x^2 + 1)^{3/2}}{18c^9 x \sqrt{1 - \frac{1}{c^2 x^2}}} + b$$

[Out] (b*Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) - (b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(18*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) + (b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(30*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) - (Sqrt[1 - c^4*x^4]*(a + b*ArcSec[c*x]))/(2*c^8) + ((1 - c^4*x^4)^(3/2)*(a + b*ArcSec[c*x]))/(6*c^8) - (b*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^2]])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x)

Rubi [A] time = 2.01752, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {266, 43, 5246, 12, 6721, 6742, 848, 50, 63, 208, 783}

$$\frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{b\sqrt{1 - c^2 x^2} (c^2 x^2 + 1)^{5/2}}{30c^9 x \sqrt{1 - \frac{1}{c^2 x^2}}} - \frac{b\sqrt{1 - c^2 x^2} (c^2 x^2 + 1)^{3/2}}{18c^9 x \sqrt{1 - \frac{1}{c^2 x^2}}} + b$$

Antiderivative was successfully verified.

[In] Int[(x^7*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (b*Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) - (b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(18*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) + (b*Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(30*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) - (Sqrt[1 - c^4*x^4]*(a + b*ArcSec[c*x]))/(2*c^8) + ((1 - c^4*x^4)^(3/2)*(a + b*ArcSec[c*x]))/(6*c^8) - (b*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^2]])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x)

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5246

```
Int[((a_.) + ArcSec[(c_.)*(x_)])*(b_.)*(u_), x_Symbol] := With[{v = IntHide
[u, x]}, Dist[a + b*ArcSec[c*x], v, x] - Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6721

```
Int[(u_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(b^IntPart[p]*
a + b*x^n)^FracPart[p]]/(x^(n*FracPart[p])*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 848

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (c_.)*(x_)^2
)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c*x)/e)^p,
x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
```


+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 783

Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(f + g*x)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (a + b \sec^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} - \frac{b \int \frac{(-2 - c^4 x^4) \sqrt{1 - c^4 x^4}}{6c^8 \sqrt{1 - \frac{1}{c^2 x^2} x^2}} dx}{c} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} - \frac{b \int \frac{(-2 - c^4 x^4) \sqrt{1 - c^4 x^4}}{\sqrt{1 - \frac{1}{c^2 x^2} x^2}} dx}{6c^9} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{(-2 - c^4 x^4) \sqrt{1 - c^4 x^4}}{x \sqrt{1 - c^2 x^2}} dx}{6c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst} \left(\int \frac{\sqrt{1 - c^4 x^4}}{12c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{12c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst} \left(\int \left(\frac{2}{x} \right) \frac{\sqrt{1 - c^4 x^4}}{12c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{12c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst} \left(\int \frac{\sqrt{1 - c^4 x^4}}{6c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{6c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst} \left(\int \frac{\sqrt{1 - c^4 x^4}}{6c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{6c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} + \frac{(1 - c^4 x^4)^{3/2} (a + b \sec^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst} \left(\int \frac{\sqrt{1 - c^4 x^4}}{6c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{6c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{18c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} + \frac{b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{5/2}}{30c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{3/2}}{18c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} + \frac{b\sqrt{1 - c^2 x^2} (1 + c^2 x^2)^{5/2}}{30c^9 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^8}
\end{aligned}$$

Mathematica [A] time = 0.316417, size = 159, normalized size = 0.59

$$\frac{-15a\sqrt{1-c^4x^4}(c^4x^4+2) + \frac{bcx\sqrt{1-\frac{1}{c^2x^2}}\sqrt{1-c^4x^4}(3c^4x^4+c^2x^2+28)}{c^2x^2-1} + 30b \tan^{-1}\left(\frac{cx\sqrt{1-\frac{1}{c^2x^2}}}{\sqrt{1-c^4x^4}}\right) - 15b\sqrt{1-c^4x^4}(c^4x^4+2) \sec^{-1}(cx)}{90c^8}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (-15*a*Sqrt[1 - c^4*x^4]*(2 + c^4*x^4) + (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 - c^4*x^4]*(28 + c^2*x^2 + 3*c^4*x^4))/(-1 + c^2*x^2) - 15*b*Sqrt[1 - c^4*x^4]*(2 + c^4*x^4)*ArcSec[c*x] + 30*b*ArcTan[(c*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[1 - c^4*x^4]])/(90*c^8)

Maple [F] time = 4.461, size = 0, normalized size = 0.

$$\int x^7 (a + b \operatorname{arcsec}(cx)) \frac{1}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)

[Out] int(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="maxima")

[Out] Timed out

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(a+b*asec(c*x))/(-c**4*x**4+1)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^7}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^7/sqrt(-c^4*x^4 + 1), x)

$$3.172 \quad \int \frac{x^3(a+b \sec^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$$

Optimal. Leaf size=126

$$-\frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^4} + \frac{bx\sqrt{1-c^4x^4}}{2c^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}} - \frac{bx \tan^{-1}\left(\frac{\sqrt{1-c^4x^4}}{\sqrt{c^2x^2-1}}\right)}{2c^3\sqrt{c^2x^2}}$$

[Out] (b*x*Sqrt[1 - c^4*x^4])/(2*c^3*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]) - (Sqrt[1 - c^4*x^4]*(a + b*ArcSec[c*x]))/(2*c^4) - (b*x*ArcTan[Sqrt[1 - c^4*x^4]/Sqrt[-1 + c^2*x^2]])/(2*c^3*Sqrt[c^2*x^2])

Rubi [A] time = 0.207959, antiderivative size = 135, normalized size of antiderivative = 1.07, number of steps used = 8, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {261, 5246, 12, 1572, 1252, 848, 50, 63, 208}

$$-\frac{\sqrt{1-c^4x^4}(a+b \sec^{-1}(cx))}{2c^4} + \frac{b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{2c^5x\sqrt{1-\frac{1}{c^2x^2}}} - \frac{b\sqrt{1-c^2x^2} \tanh^{-1}\left(\sqrt{c^2x^2+1}\right)}{2c^5x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] (b*Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(2*c^5*Sqrt[1 - 1/(c^2*x^2)]*x) - (Sqrt[1 - c^4*x^4]*(a + b*ArcSec[c*x]))/(2*c^4) - (b*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^2]])/(2*c^5*Sqrt[1 - 1/(c^2*x^2)]*x)

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^(n)^(p + 1))/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 5246

Int[((a_) + ArcSec[(c_)*(x_)])*(b_)*(u_), x_Symbol] :> With[{v = IntHide[u, x]}, Dist[a + b*ArcSec[c*x], v, x] - Dist[b/c, Int[SimplifyIntegrand[v/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x], x] /; InverseFunctionFreeQ[v, x] /; FreeQ[{a, b, c}, x]

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 1572

$\text{Int}[(x_)^{(m_)}*((d_) + (e_)*(x_)^{(mn_)})^{(q_)}*((a_) + (c_)*(x_)^{(n2_)})^{(p_)}], x_Symbol] \rightarrow \text{Dist}[(e^{\text{IntPart}[q]}*(d + e*x^{mn})^{\text{FracPart}[q]})/(x^{mn*\text{FracPart}[q]}*(1 + d/(x^{mn*e})^{\text{FracPart}[q]})), \text{Int}[x^{(m + mn*q)}*(1 + d/(x^{mn*e})^q*(a + c*x^{n2})^p, x], x] /; \text{FreeQ}[\{a, c, d, e, m, mn, p, q\}, x] \ \&\& \ \text{EqQ}[n2, -2*mn] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ !\text{IntegerQ}[q] \ \&\& \ \text{PosQ}[n2]$

Rule 1252

$\text{Int}[(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)}*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 848

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))^{(n_)}*((a_) + (c_)*(x_)^2)^{(p_)}], x_Symbol] \rightarrow \text{Int}[(d + e*x)^{(m + p)}*(f + g*x)^n*(a/d + (c*x)/e)^p, x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, n\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[c*d^2 + a*e^2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{GtQ}[a, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{EqQ}[m + p, 0]))$

Rule 50

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}], x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m + 1)}*(c + d*x)^n/(b*(m + n + 1)), x] + \text{Dist}[(n*(b*c - a*d))/(b*(m + n + 1)), \text{Int}[(a + b*x)^m*(c + d*x)^{(n - 1)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{NeQ}[m + n + 1, 0] \ \&\& \ !(\text{IGtQ}[m, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ (\text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[m - n, 0]))) \ \&\& \ !\text{ILtQ}[m + n + 2, 0] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}], x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3 (a + b \sec^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} - \frac{b \int -\frac{\sqrt{1 - c^4 x^4}}{2c^4 \sqrt{1 - \frac{1}{c^2 x^2} x^2}} dx}{c} \\
 &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{b \int \frac{\sqrt{1 - c^4 x^4}}{\sqrt{1 - \frac{1}{c^2 x^2} x^2}} dx}{2c^5} \\
 &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{\sqrt{1 - c^4 x^4}}{x\sqrt{1 - c^2 x^2}} dx}{2c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
 &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{\sqrt{1 - c^4 x^2}}{x\sqrt{1 - c^2 x}} dx, x, x^2\right)}{4c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
 &= -\frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{\sqrt{1 + c^2 x}}{x} dx, x, x^2\right)}{4c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
 &= \frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{1}{x\sqrt{1 + c^2 x}} dx, x, x^2\right)}{4c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
 &= \frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} + \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{1}{-\frac{1}{c^2} + x^2} dx, x, x^2\right)}{2c^7 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
 &= \frac{b\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \sec^{-1}(cx))}{2c^4} - \frac{b\sqrt{1 - c^2 x^2} \tanh^{-1}\left(\sqrt{1 + c^2 x^2}\right)}{2c^5 \sqrt{1 - \frac{1}{c^2 x^2} x}}
 \end{aligned}$$

Mathematica [A] time = 0.213105, size = 118, normalized size = 0.94

$$\frac{\sqrt{1 - c^4 x^4} \left(-ac^2 x^2 + a + bcx \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c^2 x^2 - 1} + b \tan^{-1} \left(\frac{cx \sqrt{1 - \frac{1}{c^2 x^2}}}{\sqrt{1 - c^4 x^4}} \right) - b\sqrt{1 - c^4 x^4} \sec^{-1}(cx)$$

$2c^4$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*(a + b*ArcSec[c*x]))/Sqrt[1 - c^4*x^4],x]
```

```
[Out] (((a + b*c*Sqrt[1 - 1/(c^2*x^2)]*x - a*c^2*x^2)*Sqrt[1 - c^4*x^4])/(-1 + c^2*x^2) - b*Sqrt[1 - c^4*x^4]*ArcSec[c*x] + b*ArcTan[(c*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[1 - c^4*x^4]])/(2*c^4)
```

Maple [F] time = 1.641, size = 0, normalized size = 0.

$$\int x^3 (a + \operatorname{arcsec}(cx)) \frac{1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x)
```

```
[Out] int(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")
```


[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*asec(c*x))/(-c**4*x**4+1)**(1/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsec}(cx) + a)x^3}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arcsec(c*x))/(-c^4*x^4+1)^(1/2), x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)*x^3/sqrt(-c^4*x^4 + 1), x)

$$3.173 \quad \int \frac{a+b \sec^{-1}(cx)}{x\sqrt{1-c^4x^4}} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{a+b \sec^{-1}(cx)}{x\sqrt{1-c^4x^4}}, x\right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

Rubi [A] time = 0.0879369, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a+b \sec^{-1}(cx)}{x\sqrt{1-c^4x^4}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a+b \sec^{-1}(cx)}{x\sqrt{1-c^4x^4}} dx = \int \frac{a+b \sec^{-1}(cx)}{x\sqrt{1-c^4x^4}} dx$$

Mathematica [A] time = 0.333435, size = 0, normalized size = 0.

$$\int \frac{a+b \sec^{-1}(cx)}{x\sqrt{1-c^4x^4}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x*Sqrt[1 - c^4*x^4]), x]

Maple [A] time = 1.9, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x} \frac{1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a \left(\log \left(\sqrt{-c^4 x^4 + 1} + 1 \right) - \log \left(\sqrt{-c^4 x^4 + 1} - 1 \right) \right) + b \int \frac{\arctan \left(\sqrt{cx + 1} \sqrt{cx - 1} \right)}{\sqrt{c^2 x^2 + 1} \sqrt{cx + 1} \sqrt{-cx + 1x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] `-1/4*a*(log(sqrt(-c^4*x^4 + 1) + 1) - log(sqrt(-c^4*x^4 + 1) - 1)) + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*x), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(-\frac{\sqrt{-c^4 x^4 + 1} (b \operatorname{arcsec}(cx) + a)}{c^4 x^5 - x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^4*x^4 + 1)*(b*arcsec(c*x) + a)/(c^4*x^5 - x), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asec}(cx)}{x \sqrt{-(cx-1)(cx+1)(c^2x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x/(-c**4*x**4+1)**(1/2),x)

[Out] Integral((a + b*asec(c*x))/(x*sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1))), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{-c^4x^4 + 1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(-c^4*x^4 + 1)*x), x)

$$3.174 \quad \int \frac{a+b \sec^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable} \left(\frac{a + b \sec^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}}, x \right)$$

[Out] Unintegrable[(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Rubi [A] time = 0.0988872, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \sec^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Defer[Int] [(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a + b \sec^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx = \int \frac{a + b \sec^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Mathematica [A] time = 6.36947, size = 0, normalized size = 0.

$$\int \frac{a + b \sec^{-1}(cx)}{x^5 \sqrt{1 - c^4 x^4}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcSec[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Maple [A] time = 1.836, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arcsec}(cx)}{x^5} \frac{1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x)`

[Out] `int((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{8} \left(c^4 \log(\sqrt{-c^4 x^4 + 1} + 1) - c^4 \log(\sqrt{-c^4 x^4 + 1} - 1) + \frac{2\sqrt{-c^4 x^4 + 1}}{x^4} \right) a + b \int \frac{\arctan(\sqrt{cx+1}\sqrt{cx-1})}{\sqrt{c^2 x^2 + 1}\sqrt{cx+1}\sqrt{-cx+1}x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] `-1/8*(c^4*log(sqrt(-c^4*x^4 + 1) + 1) - c^4*log(sqrt(-c^4*x^4 + 1) - 1) + 2*sqrt(-c^4*x^4 + 1)/x^4)*a + b*integrate(arctan(sqrt(c*x + 1)*sqrt(c*x - 1))/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^5), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{\sqrt{-c^4 x^4 + 1}(b \operatorname{arcsec}(cx) + a)}{c^4 x^9 - x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^4*x^4 + 1)*(b*arcsec(c*x) + a)/(c^4*x^9 - x^5), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*asec(c*x))/x**5/(-c**4*x**4+1)**(1/2),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsec}(cx) + a}{\sqrt{-c^4 x^4 + 1} x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arcsec(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*arcsec(c*x) + a)/(sqrt(-c^4*x^4 + 1)*x^5), x)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
```

```

22     If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27     "C",
28     "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46     If[AtomQ[expn],
47         1,
48     If[ListQ[expn],
49         Max[Map[ExpnType,expn]],
50     If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52             ExpnType[expn[[1]]],
53         If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55                 1,
56                 Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58     If[Head[expn]===Plus || Head[expn]===Times,
59         Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60     If[ElementaryFunctionQ[Head[expn]],
61         Max[3,ExpnType[expn[[1]]],
62     If[SpecialFunctionQ[Head[expn]],
63         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64     If[HypergeometricFunctionQ[Head[expn]],
65         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66     If[AppellFunctionQ[Head[expn]],
67         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68     If[Head[expn]===RootSum,

```

```

69   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70   If[Head[expn]===Integrate || Head[expn]===Int,
71     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72   9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp, Log,
78     Sin, Cos, Tan, Cot, Sec, Csc,
79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
80     Sinh, Cosh, Tanh, Coth, Sech, Csch,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82   }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #
11 see problem 156, file Apostol_Problems

```

```

11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;
14
15     leaf_count_result:=leafcount(result);
16     #do NOT call ExpnType() if leaf size is too large. Recursion problem
17     if leaf_count_result > 500000 then
18         return "B";
19     fi;
20
21     leaf_count_optimal:=leafcount(optimal);
22
23     ExpnType_result:=ExpnType(result);
24     ExpnType_optimal:=ExpnType(optimal);
25
26     if debug then
27         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
    ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then

```

```

56     if debug then
57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71     else # result do not contain complex
72         # this assumes optimal do not as well
73         if debug then
74             print("result do not contain complex, this assumes optimal do not
as well");
75         fi;
76         if leaf_count_result<=2*leaf_count_optimal then
77             if debug then
78                 print("leaf_count_result<=2*leaf_count_optimal");
79             fi;
80             return "A";
81         else
82             if debug then
83                 print("leaf_count_result>2*leaf_count_optimal");
84             fi;
85             return "B";
86         end if
87     end if
88     else #ExpnType(result) > ExpnType(optimal)
89         if debug then
90             print("ExpnType(result) > ExpnType(optimal)");
91         fi;
92         return "C";
93     end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417

```

```

102 is_contains_complex:= proc(expression)
103   return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'^+') or type(expn,'*') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))

```

```

149   elif AppellFunctionQ(op(0,expn)) then
150     max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152     max(8,apply(max,map(ExpnType,[op(expn)]))) else
153     9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159   member(func,[
160     exp,log,ln,
161     sin,cos,tan,cot,sec,csc,
162     arcsin,arccos,arctan,arccot,arcsec,arccsc,
163     sinh,cosh,tanh,coth,sech,csch,
164     arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168   member(func,[
169     erf,erfc,erfi,
170     FresnelS,FresnelC,
171     Ei,Ei,Li,Si,Ci,Shi,Chi,
172     GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173     EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177   member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181   member(func,[AppellF1])
182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187   if nops(u)=2 then
188     op(2,u)
189   else
190     apply(op(0,u),op(2..nops(u),u))
191   end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple

```

```

196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:

```



```

42     if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43         return True
44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'^^')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
72 ))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
77 (expn,'*')
78         m1 = expnType(expn.args[0])
79         m2 = expnType(list(expn.args[1:]))
80         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84         m1 = max(map(expnType, list(expn.args)))
85         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88         m1 = max(map(expnType, list(expn.args)))

```

```

85     return max(5,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
86 elif is_appell_function(expn.func):
87     m1 = max(map(expnType, list(expn.args)))
88     return max(6,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
89 elif isinstance(expn,RootSum):
90     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result  = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result  = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as
well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

4.0.4 SageMath grading function

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by

```

2 #           Albert Rich to use with Sagemath. This is used to
3 #           grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #           'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33         flatten(tree(anti))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35         #since this estimate of leaf count is bit lower than
36         #what it should be compared to Mathematica's
37
38 def is_sqrt(expr):
39     debug=False;
40     if expr.operator() == operator.pow: #isinstance(expr,Pow):
41         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
42             if debug: print ("expr is sqrt")
43             return True
44         else:
45             return False
46     else:
47         return False

```

```

48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func ," is special_function")
83         else:
84             print ("func ", func ," is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
91     ']
92
93 def is_appell_function(func):

```

```

93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in
          sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().
          gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
          Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0]))    #max(2,expnType(expn.
          args[0]))
127     elif expn.operator() == operator.pow:    #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer:    #isinstance(expn.args[1],Integer)
129             return expnType(expn.operands()[0])    #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational:    #isinstance(expn.args[1],
          Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
          Rational)
132                 return 1

```

```

133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137         elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138             m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139             m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140             return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141         elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
142             return max(3,expnType(expn.operands()[0]))
143         elif is_special_function(expn.operator()): #is_special_function(expn.func)
144             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
145             return max(4,m1) #max(4,m1)
146         elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
148             return max(5,m1) #max(5,m1)
149         elif is_appell_function(expn.operator()):
150             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
151             return max(6,m1) #max(6,m1)
152         elif str(expn).find("Integral") != -1: #this will never happen, since it
153             #is checked before calling the grading function that is passed.
154             #but kept it here.
155             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
156             return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
157         else:
158             return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185         else: #result contains complex but optimal is not
186             return "C"
187     else: # result do not contain complex, this assumes optimal do not as
188         well
189         if leaf_count_result <= 2*leaf_count_optimal:
190             return "A"
191         else:
192             return "B"
193     else:
194         return "C"
```