

Computer algebra independent integration tests

5-Inverse-trig-functions/5.6-Inverse-cosecant/5.6.1-u-a+b-arccsc-c-x⁻ⁿ

Nasser M. Abbasi

May 24, 2020 Compiled on May 24, 2020 at 11:19am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	5
1.4	list of integrals that has no closed form antiderivative	6
1.5	list of integrals solved by CAS but has no known antiderivative	6
1.6	list of integrals solved by CAS but failed verification	6
1.7	Timing	7
1.8	Verification	7
1.9	Important notes about some of the results	7
1.10	Design of the test system	8
2	detailed summary tables of results	11
2.1	List of integrals sorted by grade for each CAS	11
2.2	Detailed conclusion table per each integral for all CAS systems	13
2.3	Detailed conclusion table specific for Rubi results	38
3	Listing of integrals	45
3.1	$\int x^6 (a + b \csc^{-1}(cx)) dx$	45
3.2	$\int x^5 (a + b \csc^{-1}(cx)) dx$	49
3.3	$\int x^4 (a + b \csc^{-1}(cx)) dx$	52
3.4	$\int x^3 (a + b \csc^{-1}(cx)) dx$	56
3.5	$\int x^2 (a + b \csc^{-1}(cx)) dx$	59
3.6	$\int x (a + b \csc^{-1}(cx)) dx$	62
3.7	$\int (a + b \csc^{-1}(cx)) dx$	65
3.8	$\int \frac{a+b \csc^{-1}(cx)}{x} dx$	68
3.9	$\int \frac{a+b \csc^{-1}(cx)}{x^2} dx$	71
3.10	$\int \frac{a+b \csc^{-1}(cx)}{x^3} dx$	74
3.11	$\int \frac{a+b \csc^{-1}(cx)}{x^4} dx$	77
3.12	$\int \frac{a+b \csc^{-1}(cx)}{x^5} dx$	80
3.13	$\int \frac{a+b \csc^{-1}(cx)}{x^6} dx$	83
3.14	$\int \frac{a+b \csc^{-1}(cx)}{x^7} dx$	86
3.15	$\int x^3 (a + b \csc^{-1}(cx))^2 dx$	89

3.16	$\int x^2 (a + b \csc^{-1}(cx))^2 dx$	92
3.17	$\int x (a + b \csc^{-1}(cx))^2 dx$	96
3.18	$\int (a + b \csc^{-1}(cx))^2 dx$	99
3.19	$\int \frac{(a+b \csc^{-1}(cx))^2}{x} dx$	102
3.20	$\int \frac{(a+b \csc^{-1}(cx))^2}{x^2} dx$	106
3.21	$\int \frac{(a+b \csc^{-1}(cx))^2}{x^3} dx$	109
3.22	$\int \frac{(a+b \csc^{-1}(cx))^2}{x^4} dx$	112
3.23	$\int \frac{(a+b \csc^{-1}(cx))^2}{x^5} dx$	115
3.24	$\int x^3 (a + b \csc^{-1}(cx))^3 dx$	118
3.25	$\int x^2 (a + b \csc^{-1}(cx))^3 dx$	123
3.26	$\int x (a + b \csc^{-1}(cx))^3 dx$	128
3.27	$\int (a + b \csc^{-1}(cx))^3 dx$	132
3.28	$\int \frac{(a+b \csc^{-1}(cx))^3}{x} dx$	136
3.29	$\int \frac{(a+b \csc^{-1}(cx))^3}{x^2} dx$	140
3.30	$\int \frac{(a+b \csc^{-1}(cx))^3}{x^3} dx$	143
3.31	$\int \frac{(a+b \csc^{-1}(cx))^3}{x^4} dx$	147
3.32	$\int \frac{(a+b \csc^{-1}(cx))^3}{x^5} dx$	151
3.33	$\int \frac{1}{a+b \csc^{-1}(cx)} dx$	155
3.34	$\int \frac{1}{(a+b \csc^{-1}(cx))^2} dx$	157
3.35	$\int \frac{1}{x(a+b \csc^{-1}(cx))} dx$	159
3.36	$\int \frac{1}{x^2(a+b \csc^{-1}(cx))} dx$	161
3.37	$\int \frac{1}{x^3(a+b \csc^{-1}(cx))} dx$	164
3.38	$\int \frac{1}{x^4(a+b \csc^{-1}(cx))} dx$	167
3.39	$\int (dx)^m (a + b \csc^{-1}(cx))^3 dx$	170
3.40	$\int (dx)^m (a + b \csc^{-1}(cx))^2 dx$	172
3.41	$\int (dx)^m (a + b \csc^{-1}(cx)) dx$	174
3.42	$\int \frac{(dx)^m}{a+b \csc^{-1}(cx)} dx$	177
3.43	$\int \frac{(dx)^m}{(a+b \csc^{-1}(cx))^2} dx$	179
3.44	$\int (d+ex)^3 (a + b \csc^{-1}(cx)) dx$	182
3.45	$\int (d+ex)^2 (a + b \csc^{-1}(cx)) dx$	187
3.46	$\int (d+ex) (a + b \csc^{-1}(cx)) dx$	192
3.47	$\int (a + b \csc^{-1}(cx)) dx$	196
3.48	$\int \frac{a+b \csc^{-1}(cx)}{d+ex} dx$	199
3.49	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex)^2} dx$	202
3.50	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex)^3} dx$	206
3.51	$\int x^2 \sqrt{d+ex} (a + b \csc^{-1}(cx)) dx$	211
3.52	$\int x \sqrt{d+ex} (a + b \csc^{-1}(cx)) dx$	218
3.53	$\int \sqrt{d+ex} (a + b \csc^{-1}(cx)) dx$	224
3.54	$\int \frac{\sqrt{d+ex} (a+b \csc^{-1}(cx))}{x} dx$	229

3.55	$\int \frac{\sqrt{d+ex}(a+b \csc^{-1}(cx))}{x^2} dx$	231
3.56	$\int (d+ex)^{3/2} (a + b \csc^{-1}(cx)) dx$	233
3.57	$\int \frac{x^3(a+b \csc^{-1}(cx))}{\sqrt{d+ex}} dx$	239
3.58	$\int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex}} dx$	247
3.59	$\int \frac{x(a+b \csc^{-1}(cx))}{\sqrt{d+ex}} dx$	253
3.60	$\int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex}} dx$	259
3.61	$\int \frac{a+b \csc^{-1}(cx)}{x \sqrt{d+ex}} dx$	264
3.62	$\int \frac{a+b \csc^{-1}(cx)}{x^2 \sqrt{d+ex}} dx$	266
3.63	$\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex)^{3/2}} dx$	268
3.64	$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex)^{3/2}} dx$	274
3.65	$\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex)^{3/2}} dx$	279
3.66	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex)^{3/2}} dx$	284
3.67	$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex)^{3/2}} dx$	288
3.68	$\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex)^{3/2}} dx$	290
3.69	$\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex)^{5/2}} dx$	292
3.70	$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex)^{5/2}} dx$	300
3.71	$\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex)^{5/2}} dx$	307
3.72	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex)^{5/2}} dx$	313
3.73	$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex)^{5/2}} dx$	318
3.74	$\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex)^{5/2}} dx$	320
3.75	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex)^{7/2}} dx$	322
3.76	$\int x^4 (d + ex^2) (a + b \csc^{-1}(cx)) dx$	329
3.77	$\int x^2 (d + ex^2) (a + b \csc^{-1}(cx)) dx$	333
3.78	$\int (d + ex^2) (a + b \csc^{-1}(cx)) dx$	337
3.79	$\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^2} dx$	340
3.80	$\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^4} dx$	343
3.81	$\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^6} dx$	346
3.82	$\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^8} dx$	350
3.83	$\int x^5 (d + ex^2) (a + b \csc^{-1}(cx)) dx$	354
3.84	$\int x^3 (d + ex^2) (a + b \csc^{-1}(cx)) dx$	358
3.85	$\int x (d + ex^2) (a + b \csc^{-1}(cx)) dx$	361
3.86	$\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x} dx$	364
3.87	$\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^3} dx$	369
3.88	$\int x^2 (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx$	374
3.89	$\int (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx$	379
3.90	$\int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^2} dx$	383
3.91	$\int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^4} dx$	387
3.92	$\int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^6} dx$	391

3.93	$\int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^8} dx$	395
3.94	$\int x^3(d+ex^2)^2(a+b \csc^{-1}(cx)) dx$	399
3.95	$\int x(d+ex^2)^2(a+b \csc^{-1}(cx)) dx$	403
3.96	$\int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x} dx$	407
3.97	$\int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^3} dx$	412
3.98	$\int \frac{x^2(a+b \csc^{-1}(cx))}{d+ex^2} dx$	417
3.99	$\int \frac{x(a+b \csc^{-1}(cx))}{d+ex^2} dx$	422
3.100	$\int \frac{a+b \csc^{-1}(cx)}{d+ex^2} dx$	427
3.101	$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)} dx$	432
3.102	$\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex^2)} dx$	437
3.103	$\int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$	442
3.104	$\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$	448
3.105	$\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$	454
3.106	$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^2} dx$	458
3.107	$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$	464
3.108	$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$	471
3.109	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^2} dx$	478
3.110	$\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex^2)^2} dx$	485
3.111	$\int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$	492
3.112	$\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$	499
3.113	$\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$	504
3.114	$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^3} dx$	509
3.115	$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$	515
3.116	$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$	522
3.117	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^3} dx$	529
3.118	$\int x^5 \sqrt{d+ex^2} (a+b \csc^{-1}(cx)) dx$	537
3.119	$\int x^3 \sqrt{d+ex^2} (a+b \csc^{-1}(cx)) dx$	543
3.120	$\int x \sqrt{d+ex^2} (a+b \csc^{-1}(cx)) dx$	548
3.121	$\int \frac{\sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{x} dx$	553
3.122	$\int \frac{\sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{x^3} dx$	555
3.123	$\int x^2 \sqrt{d+ex^2} (a+b \csc^{-1}(cx)) dx$	557
3.124	$\int \sqrt{d+ex^2} (a+b \csc^{-1}(cx)) dx$	559
3.125	$\int \frac{\sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{x^2} dx$	561

3.126	$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^4} dx$	563
3.127	$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^6} dx$	567
3.128	$\int x^3 (d+ex^2)^{3/2} (a+b \csc^{-1}(cx)) dx$	572
3.129	$\int x (d+ex^2)^{3/2} (a+b \csc^{-1}(cx)) dx$	577
3.130	$\int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x} dx$	582
3.131	$\int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^3} dx$	584
3.132	$\int x^2 (d+ex^2)^{3/2} (a+b \csc^{-1}(cx)) dx$	586
3.133	$\int (d+ex^2)^{3/2} (a+b \csc^{-1}(cx)) dx$	588
3.134	$\int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^2} dx$	590
3.135	$\int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^4} dx$	592
3.136	$\int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^6} dx$	594
3.137	$\int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^8} dx$	599
3.138	$\int \frac{x^5(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$	605
3.139	$\int \frac{x^3(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$	610
3.140	$\int \frac{x(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$	615
3.141	$\int \frac{a+b \csc^{-1}(cx)}{x\sqrt{d+ex^2}} dx$	619
3.142	$\int \frac{a+b \csc^{-1}(cx)}{x^3\sqrt{d+ex^2}} dx$	621
3.143	$\int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$	623
3.144	$\int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex^2}} dx$	625
3.145	$\int \frac{a+b \csc^{-1}(cx)}{x^2\sqrt{d+ex^2}} dx$	627
3.146	$\int \frac{a+b \csc^{-1}(cx)}{x^4\sqrt{d+ex^2}} dx$	631
3.147	$\int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	636
3.148	$\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	641
3.149	$\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	646
3.150	$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$	649
3.151	$\int \frac{a+b \csc^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$	651
3.152	$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	653
3.153	$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	655
3.154	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^{3/2}} dx$	657
3.155	$\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$	660
3.156	$\int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	664
3.157	$\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	669

3.158	$\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	674
3.159	$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$	678
3.160	$\int \frac{a+b \csc^{-1}(cx)}{x^3(d+ex^2)^{5/2}} dx$	680
3.161	$\int \frac{x^6(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	682
3.162	$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	684
3.163	$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$	686
3.164	$\int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^{5/2}} dx$	690
3.165	$\int (fx)^m (d+ex^2)^3 (a+b \csc^{-1}(cx)) dx$	694
3.166	$\int (fx)^m (d+ex^2)^2 (a+b \csc^{-1}(cx)) dx$	698
3.167	$\int (fx)^m (d+ex^2) (a+b \csc^{-1}(cx)) dx$	702
3.168	$\int \frac{(fx)^m (a+b \csc^{-1}(cx))}{d+ex^2} dx$	706
3.169	$\int \frac{(fx)^m (a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$	708
3.170	$\int (fx)^m (d+ex^2)^{3/2} (a+b \csc^{-1}(cx)) dx$	710
3.171	$\int (fx)^m \sqrt{d+ex^2} (a+b \csc^{-1}(cx)) dx$	712
3.172	$\int \frac{(fx)^m (a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$	714
3.173	$\int \frac{(fx)^m (a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$	716
3.174	$\int \frac{x^{11}(a+b \csc^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$	718
3.175	$\int \frac{x^7(a+b \csc^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$	723
3.176	$\int \frac{x^3(a+b \csc^{-1}(cx))}{\sqrt{1-c^4 x^4}} dx$	728
3.177	$\int \frac{a+b \csc^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$	732
3.178	$\int \frac{a+b \csc^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$	734

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [178]. This is test number [158].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sageMath 8.9)
5. Fricas 1.3.6 on Linux (via sageMath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sageMath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. (178)	% 0. (0)
Mathematica	% 98.88 (176)	% 1.12 (2)
Maple	% 82.58 (147)	% 17.42 (31)
Maxima	% 29.78 (53)	% 70.22 (125)
Fricas	% 61.8 (110)	% 38.2 (68)
Sympy	% 7.87 (14)	% 92.13 (164)
Giac	% 26.97 (48)	% 73.03 (130)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	79.21	6.18	13.48	1.12
Maple	51.69	21.35	9.55	17.42
Maxima	28.65	1.12	0.	70.22
Fricas	56.18	5.62	0.	38.2
Sympy	7.87	0.	0.	92.13
Giac	26.97	0.	0.	73.03

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.5	206.92	0.75	134.5	1.
Mathematica	3.68	283.32	0.93	134.5	0.9
Maple	1.48	437.35	1.5	174.	1.2
Maxima	0.82	152.57	1.31	127.	1.35
Fricas	3.06	522.86	2.94	146.5	1.61
Sympy	0.19	2.64	0.08	0.	0.
Giac	0.05	2.62	0.08	0.	0.

1.4 list of integrals that has no closed form antiderivative

{33, 34, 35, 39, 40, 42, 43, 54, 55, 61, 62, 67, 68, 73, 74, 121, 122, 123, 124, 125, 130, 131, 132, 133, 134, 135, 141, 142, 143, 144, 150, 151, 152, 153, 159, 160, 161, 162, 168, 169, 170, 171, 172, 173, 177, 178}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {8, 16, 18, 19, 24, 25, 26, 27, 28, 48, 51, 53, 57, 60, 75, 86, 87, 96, 97, 98, 99, 100, 101, 102, 103, 104, 107, 108, 109, 110, 111, 115, 116, 117, 118, 128}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sageMath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: `NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the buildin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special buildin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

```
#see https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in-sage
```

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()]+map(tree, expr.operands())

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a buildin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Naser M. Abbasi
June 22, 2018

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 54, 55, 60, 61, 62, 66, 67, 68, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 101, 108, 109, 110, 115, 116, 117, 119, 120, 121, 122, 123, 124, 125, 129, 130, 131, 132, 133, 134, 135, 138, 139, 140, 141, 142, 143, 144, 145, 147, 148, 149, 150, 151, 152, 153, 154, 156, 157, 158, 159, 160, 161, 162, 163, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178 }

B grade: { 25, 53, 72, 98, 99, 100, 102, 103, 104, 107, 111 }

C grade: { 51, 52, 56, 57, 58, 59, 63, 64, 65, 69, 70, 71, 105, 112, 113, 118, 126, 127, 128, 136, 137, 146, 155, 164 }

F grade: { 106, 114 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 6, 7, 8, 9, 11, 13, 14, 18, 22, 33, 34, 35, 36, 37, 38, 39, 40, 42, 43, 46, 47, 53, 54, 55, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 76, 79, 80, 81, 82, 83, 84, 85, 86, 87, 90, 91, 92, 93, 94, 95, 96, 97, 121, 122, 123, 124, 125, 130, 131, 132, 133, 134, 135, 141, 142, 143, 144, 150, 151, 152, 153, 159, 160, 161, 162, 168, 169, 170, 171, 172, 173, 177, 178 }

B grade: { 5, 10, 12, 15, 16, 17, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 44, 45, 48, 49, 50, 51, 52, 56, 70, 71, 72, 75, 77, 78, 88, 89, 105, 112, 113 }

C grade: { 98, 99, 100, 101, 102, 103, 104, 106, 107, 108, 109, 110, 111, 114, 115, 116, 117 }

F grade: { 41, 118, 119, 120, 126, 127, 128, 129, 136, 137, 138, 139, 140, 145, 146, 147, 148, 149, 154, 155, 156, 157, 158, 163, 164, 165, 166, 167, 174, 175, 176 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14, 17, 20, 29, 33, 34, 35, 42, 43, 44, 45, 46, 47, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 88, 89, 90, 91, 92, 93, 94, 95, 168, 169, 170, 171, 172, 173, 177, 178 }

B grade: { 15, 22 }

C grade: { }

F grade: { 8, 16, 18, 19, 21, 23, 24, 25, 26, 27, 28, 30, 31, 32, 36, 37, 38, 39, 40, 41, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 86, 87, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 174, 175, 176 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 20, 21, 22, 23, 29, 30, 31, 32, 33, 34, 35, 39, 40, 42, 43, 44, 45, 46, 54, 55, 61, 62, 67, 68, 73, 74, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 88, 89, 90, 91, 92, 93, 94, 95, 105, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 138, 139, 140, 141, 142, 143, 144, 147, 148, 149, 150, 151, 152, 153, 159, 160, 161, 162, 168, 169, 170, 171, 172, 173, 177, 178 }

B grade: { 7, 17, 47, 49, 50, 112, 113, 156, 157, 158 }

C grade: { }

F grade: { 8, 16, 18, 19, 24, 25, 26, 27, 28, 36, 37, 38, 41, 48, 51, 52, 53, 56, 57, 58, 59, 60, 63, 64, 65, 66, 69, 70, 71, 72, 75, 86, 87, 96, 97, 98, 99, 100, 101, 102, 103, 104, 106, 107, 108, 109, 110, 111, 114, 115, 116, 117, 126, 127, 136, 137, 145, 146, 154, 155, 163, 164, 165, 166, 167, 174, 175, 176 }

2.1.6 Sympy

A grade: { 9, 33, 34, 35, 40, 42, 43, 61, 121, 124, 125, 141, 144, 177 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36, 37, 38, 39, 41, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 122, 123, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 142, 143, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 178 }

2.1.7 Giac

A grade: { 7, 33, 34, 35, 39, 40, 42, 43, 47, 54, 55, 61, 62, 67, 68, 73, 74, 121, 122, 123, 124, 125, 130, 131, 132, 133, 134, 135, 141, 142, 143, 144, 150, 151, 152, 153, 159, 160, 161, 162, 168, 169, 170, 171, 172, 173, 177, 178 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36, 37, 38, 41, 44, 45, 46, 48, 49, 50, 51, 52, 53, 56, 57, 58, 59, 60, 63, 64, 65, 66, 69, 70, 71, 72, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 126, 127, 128, 129, 136, 137, 138, 139, 140, 145, 146, 147, 148, 149, 154, 155, 156, 157, 158, 163, 164, 165, 166, 167, 174, 175, 176 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	107	177	217	275	0	0
normalized size	1	1.	0.94	1.55	1.9	2.41	0.	0.
time (sec)	N/A	0.061	0.143	0.178	0.952	2.707	0.	0.

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	72	83	108	143	0	0
normalized size	1	1.	0.81	0.93	1.21	1.61	0.	0.
time (sec)	N/A	0.042	0.132	0.174	0.957	2.464	0.	0.

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	97	150	178	248	0	0
normalized size	1	1.	1.09	1.69	2.	2.79	0.	0.
time (sec)	N/A	0.048	0.075	0.177	0.975	2.567	0.	0.

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	62	74	80	119	0	0
normalized size	1	1.	0.97	1.16	1.25	1.86	0.	0.
time (sec)	N/A	0.027	0.101	0.177	0.956	2.386	0.	0.

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	85	123	131	219	0	0
normalized size	1	1.	1.33	1.92	2.05	3.42	0.	0.
time (sec)	N/A	0.036	0.054	0.178	0.971	2.475	0.	0.

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	39	39	50	65	49	90	0	0
normalized size	1	1.	1.28	1.67	1.26	2.31	0.	0.
time (sec)	N/A	0.012	0.024	0.171	0.985	2.329	0.	0.

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	58	37	72	154	0	63
normalized size	1	1.	1.87	1.19	2.32	4.97	0.	2.03
time (sec)	N/A	0.021	0.066	0.169	0.957	2.462	0.	1.095

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	64	64	53	140	0	0	0	0
normalized size	1	1.	0.83	2.19	0.	0.	0.	0.
time (sec)	N/A	0.085	0.03	0.257	0.	0.	0.	0.

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	41	63	45	62	37	0
normalized size	1	1.	1.28	1.97	1.41	1.94	1.16	0.
time (sec)	N/A	0.02	0.029	0.171	0.982	2.2	2.634	0.

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	66	118	112	93	0	0
normalized size	1	1.	1.29	2.31	2.2	1.82	0.	0.
time (sec)	N/A	0.032	0.035	0.174	1.488	2.177	0.	0.

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	59	75	78	97	0	0
normalized size	1	1.	0.98	1.25	1.3	1.62	0.	0.
time (sec)	N/A	0.038	0.065	0.176	0.977	2.238	0.	0.

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	78	147	169	122	0	0
normalized size	1	1.	1.03	1.93	2.22	1.61	0.	0.
time (sec)	N/A	0.045	0.061	0.174	1.479	2.292	0.	0.

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	69	83	103	123	0	0
normalized size	1	1.	0.84	1.01	1.26	1.5	0.	0.
time (sec)	N/A	0.049	0.085	0.173	0.978	2.269	0.	0.

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	88	174	223	150	0	0
normalized size	1	1.	0.87	1.72	2.21	1.49	0.	0.
time (sec)	N/A	0.062	0.102	0.177	1.473	2.246	0.	0.

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	124	208	266	339	0	0
normalized size	1	1.	1.16	1.94	2.49	3.17	0.	0.
time (sec)	N/A	0.106	0.223	0.225	2.107	2.966	0.	0.

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	139	139	210	327	0	0	0	0
normalized size	1	1.	1.51	2.35	0.	0.	0.	0.
time (sec)	N/A	0.119	1.339	0.352	0.	0.	0.	0.

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	89	133	113	266	0	0
normalized size	1	1.	1.62	2.42	2.05	4.84	0.	0.
time (sec)	N/A	0.07	0.146	0.222	1.002	2.219	0.	0.

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	84	84	147	196	0	0	0	0
normalized size	1	1.	1.75	2.33	0.	0.	0.	0.
time (sec)	N/A	0.068	0.202	0.266	0.	0.	0.	0.

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	91	91	137	361	0	0	0	0
normalized size	1	1.	1.51	3.97	0.	0.	0.	0.
time (sec)	N/A	0.123	0.142	0.295	0.	0.	0.	0.

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	50	50	71	118	107	140	0	0
normalized size	1	1.	1.42	2.36	2.14	2.8	0.	0.
time (sec)	N/A	0.061	0.147	0.219	1.002	1.874	0.	0.

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	102	191	0	196	0	0
normalized size	1	1.	1.16	2.17	0.	2.23	0.	0.
time (sec)	N/A	0.078	0.116	0.214	0.	2.031	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	108	154	266	224	0	0
normalized size	1	1.	1.06	1.51	2.61	2.2	0.	0.
time (sec)	N/A	0.096	0.225	0.219	2.11	2.014	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	148	265	0	275	0	0
normalized size	1	1.	1.1	1.98	0.	2.05	0.	0.
time (sec)	N/A	0.112	0.175	0.228	0.	1.883	0.	0.

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	207	207	285	510	0	0	0	0
normalized size	1	1.	1.38	2.46	0.	0.	0.	0.
time (sec)	N/A	0.217	0.86	0.408	0.	0.	0.	0.

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	220	220	580	648	0	0	0	0
normalized size	1	1.	2.64	2.95	0.	0.	0.	0.
time (sec)	N/A	0.188	7.751	0.446	0.	0.	0.	0.

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	126	126	182	349	0	0	0	0
normalized size	1	1.	1.44	2.77	0.	0.	0.	0.
time (sec)	N/A	0.147	0.467	0.33	0.	0.	0.	0.

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	144	144	265	437	0	0	0	0
normalized size	1	1.	1.84	3.03	0.	0.	0.	0.
time (sec)	N/A	0.112	0.294	0.319	0.	0.	0.	0.

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	124	124	242	666	0	0	0	0
normalized size	1	1.	1.95	5.37	0.	0.	0.	0.
time (sec)	N/A	0.143	0.213	0.333	0.	0.	0.	0.

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	135	199	198	238	0	0
normalized size	1	1.	1.69	2.49	2.48	2.98	0.	0.
time (sec)	N/A	0.086	0.201	0.25	1.027	2.378	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	186	315	0	342	0	0
normalized size	1	1.	1.49	2.52	0.	2.74	0.	0.
time (sec)	N/A	0.105	0.211	0.26	0.	2.259	0.	0.

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	204	299	0	401	0	0
normalized size	1	1.	1.2	1.76	0.	2.36	0.	0.
time (sec)	N/A	0.15	0.3	0.261	0.	2.352	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	283	472	0	512	0	0
normalized size	1	1.	1.36	2.27	0.	2.46	0.	0.
time (sec)	N/A	0.176	0.34	0.268	0.	2.385	0.	0.

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	14	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.015	2.896	1.02	0.	0.	0.	0.

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.006	3.366	0.371	0.	0.	0.	0.

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.024	0.285	0.729	0.	0.	0.	0.

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	43	48	0	0	0	0
normalized size	1	1.	0.91	1.02	0.	0.	0.	0.
time (sec)	N/A	0.106	0.081	0.214	0.	0.	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	56	58	0	0	0	0
normalized size	1	1.	0.89	0.92	0.	0.	0.	0.
time (sec)	N/A	0.134	0.077	0.214	0.	0.	0.	0.

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	91	102	0	0	0	0
normalized size	1	1.	0.78	0.87	0.	0.	0.	0.
time (sec)	N/A	0.229	0.172	0.218	0.	0.	0.	0.

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.024	5.503	2.495	0.	0.	0.	0.

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.024	3.582	2.259	0.	0.	0.	0.

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	83	0	0	0	0	0
normalized size	1	1.	1.26	0.	0.	0.	0.	0.
time (sec)	N/A	0.043	0.173	2.089	0.	0.	0.	0.

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.026	0.391	1.878	0.	0.	0.	0.

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.026	0.778	1.842	0.	0.	0.	0.

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	165	485	363	633	0	0
normalized size	1	1.	0.99	2.9	2.17	3.79	0.	0.
time (sec)	N/A	0.402	0.305	0.138	1.046	3.767	0.	0.

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	122	361	267	462	0	0
normalized size	1	1.	0.99	2.93	2.17	3.76	0.	0.
time (sec)	N/A	0.277	0.185	0.141	1.003	2.872	0.	0.

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	113	140	124	302	0	0
normalized size	1	1.	1.36	1.69	1.49	3.64	0.	0.
time (sec)	N/A	0.167	0.196	0.18	1.001	2.197	0.	0.

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	31	31	58	37	72	154	0	63
normalized size	1	1.	1.87	1.19	2.32	4.97	0.	2.03
time (sec)	N/A	0.023	0.053	0.173	0.977	2.073	0.	1.13

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	257	257	411	881	0	0	0	0
normalized size	1	1.	1.6	3.43	0.	0.	0.	0.
time (sec)	N/A	0.406	0.658	0.417	0.	0.	0.	0.

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	141	214	0	960	0	0
normalized size	1	1.	1.38	2.1	0.	9.41	0.	0.
time (sec)	N/A	0.155	0.221	0.263	0.	2.369	0.	0.

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	250	1007	0	2223	0	0
normalized size	1	1.	1.45	5.85	0.	12.92	0.	0.
time (sec)	N/A	0.292	0.515	0.174	0.	6.219	0.	0.

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	496	693	870	1222	0	0	0	0
normalized size	1	1.4	1.75	2.46	0.	0.	0.	0.
time (sec)	N/A	2.827	13.909	0.285	0.	0.	0.	0.

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	404	502	368	836	0	0	0	0
normalized size	1	1.24	0.91	2.07	0.	0.	0.	0.
time (sec)	N/A	2.195	1.614	0.281	0.	0.	0.	0.

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	315	315	657	388	0	0	0	0
normalized size	1	1.	2.09	1.23	0.	0.	0.	0.
time (sec)	N/A	0.485	13.262	0.273	0.	0.	0.	0.

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.071	17.512	5.796	0.	0.	0.	0.

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.076	7.997	4.339	0.	0.	0.	0.

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	372	372	333	810	0	0	0	0
normalized size	1	1.	0.9	2.18	0.	0.	0.	0.
time (sec)	N/A	0.755	1.423	0.278	0.	0.	0.	0.

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	714	714	873	1248	0	0	0	0
normalized size	1	1.	1.22	1.75	0.	0.	0.	0.
time (sec)	N/A	2.589	13.747	0.286	0.	0.	0.	0.

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	530	530	784	862	0	0	0	0
normalized size	1	1.	1.48	1.63	0.	0.	0.	0.
time (sec)	N/A	1.907	13.573	0.276	0.	0.	0.	0.

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	344	344	289	412	0	0	0	0
normalized size	1	1.	0.84	1.2	0.	0.	0.	0.
time (sec)	N/A	1.6	1.429	0.278	0.	0.	0.	0.

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	212	212	243	254	0	0	0	0
normalized size	1	1.	1.15	1.2	0.	0.	0.	0.
time (sec)	N/A	0.319	3.5	0.272	0.	0.	0.	0.

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.072	6.289	3.53	0.	0.	0.	0.

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.079	8.757	4.408	0.	0.	0.	0.

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	551	551	814	890	0	0	0	0
normalized size	1	1.	1.48	1.62	0.	0.	0.	0.
time (sec)	N/A	2.474	13.83	0.281	0.	0.	0.	0.

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	369	369	750	441	0	0	0	0
normalized size	1	1.	2.03	1.2	0.	0.	0.	0.
time (sec)	N/A	1.814	13.676	0.278	0.	0.	0.	0.

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	238	238	226	277	0	0	0	0
normalized size	1	1.	0.95	1.16	0.	0.	0.	0.
time (sec)	N/A	1.575	1.74	0.276	0.	0.	0.	0.

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	124	217	0	0	0	0
normalized size	1	1.	1.04	1.82	0.	0.	0.	0.
time (sec)	N/A	0.225	0.203	0.27	0.	0.	0.	0.

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.089	11.07	4.336	0.	0.	0.	0.

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.094	13.905	3.789	0.	0.	0.	0.

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	602	602	887	1077	0	0	0	0
normalized size	1	1.	1.47	1.79	0.	0.	0.	0.
time (sec)	N/A	2.896	13.935	0.288	0.	0.	0.	0.

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	440	440	856	1038	0	0	0	0
normalized size	1	1.	1.95	2.36	0.	0.	0.	0.
time (sec)	N/A	2.185	13.789	0.289	0.	0.	0.	0.

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	314	314	345	913	0	0	0	0
normalized size	1	1.	1.1	2.91	0.	0.	0.	0.
time (sec)	N/A	2.001	1.649	0.286	0.	0.	0.	0.

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	298	298	725	886	0	0	0	0
normalized size	1	1.	2.43	2.97	0.	0.	0.	0.
time (sec)	N/A	0.409	13.513	0.279	0.	0.	0.	0.

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.088	25.151	3.867	0.	0.	0.	0.

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.101	25.371	4.704	0.	0.	0.	0.

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	540	637	1002	1640	0	0	0	0
normalized size	1	1.18	1.86	3.04	0.	0.	0.	0.
time (sec)	N/A	0.752	14.053	0.296	0.	0.	0.	0.

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	206	206	140	338	400	459	0	0
normalized size	1	1.	0.68	1.64	1.94	2.23	0.	0.
time (sec)	N/A	0.125	0.231	0.182	0.987	4.597	0.	0.

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	121	282	313	398	0	0
normalized size	1	1.	0.75	1.75	1.94	2.47	0.	0.
time (sec)	N/A	0.108	0.166	0.184	0.987	3.564	0.	0.

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	149	194	207	327	0	0
normalized size	1	1.	1.37	1.78	1.9	3.	0.	0.
time (sec)	N/A	0.051	0.261	0.184	1.017	3.453	0.	0.

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	104	136	120	288	0	0
normalized size	1	1.	1.2	1.56	1.38	3.31	0.	0.
time (sec)	N/A	0.065	0.119	0.186	0.989	2.908	0.	0.

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	69	121	127	157	0	0
normalized size	1	1.	0.66	1.15	1.21	1.5	0.	0.
time (sec)	N/A	0.078	0.104	0.187	0.983	2.603	0.	0.

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	94	140	185	217	0	0
normalized size	1	1.	0.62	0.92	1.22	1.43	0.	0.
time (sec)	N/A	0.092	0.16	0.185	0.973	2.626	0.	0.

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	110	158	232	273	0	0
normalized size	1	1.	0.56	0.8	1.18	1.39	0.	0.
time (sec)	N/A	0.118	0.165	0.19	0.979	2.523	0.	0.

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	115	152	247	304	0	0
normalized size	1	1.	0.59	0.78	1.26	1.55	0.	0.
time (sec)	N/A	0.15	0.227	0.182	0.98	3.008	0.	0.

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	97	134	192	247	0	0
normalized size	1	1.	0.63	0.88	1.25	1.61	0.	0.
time (sec)	N/A	0.122	0.206	0.183	0.992	2.916	0.	0.

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	78	115	132	192	0	0
normalized size	1	1.	0.57	0.83	0.96	1.39	0.	0.
time (sec)	N/A	0.096	0.095	0.178	1.003	2.783	0.	0.

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	124	124	103	198	0	0	0	0
normalized size	1	1.	0.83	1.6	0.	0.	0.	0.
time (sec)	N/A	0.286	0.128	0.554	0.	0.	0.	0.

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	137	137	137	201	0	0	0	0
normalized size	1	1.	1.	1.47	0.	0.	0.	0.
time (sec)	N/A	0.302	0.414	0.384	0.	0.	0.	0.

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	184	494	545	641	0	0
normalized size	1	1.	0.73	1.96	2.16	2.54	0.	0.
time (sec)	N/A	0.237	0.35	0.184	1.037	6.069	0.	0.

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	191	191	151	371	400	547	0	0
normalized size	1	1.	0.79	1.94	2.09	2.86	0.	0.
time (sec)	N/A	0.114	0.236	0.183	0.969	4.948	0.	0.

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	134	286	266	502	0	0
normalized size	1	1.	0.82	1.75	1.63	3.08	0.	0.
time (sec)	N/A	0.13	0.194	0.187	0.977	3.892	0.	0.

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	125	254	213	501	0	0
normalized size	1	1.	0.8	1.62	1.36	3.19	0.	0.
time (sec)	N/A	0.132	0.268	0.189	0.995	3.296	0.	0.

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	127	191	244	302	0	0
normalized size	1	1.	0.69	1.04	1.33	1.65	0.	0.
time (sec)	N/A	0.16	0.262	0.194	1.027	2.694	0.	0.

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	241	241	153	223	325	401	0	0
normalized size	1	1.	0.63	0.93	1.35	1.66	0.	0.
time (sec)	N/A	0.197	0.261	0.191	1.017	2.569	0.	0.

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	242	242	159	214	342	431	0	0
normalized size	1	1.	0.66	0.88	1.41	1.78	0.	0.
time (sec)	N/A	0.223	0.319	0.186	1.014	3.361	0.	0.

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	124	182	255	336	0	0
normalized size	1	1.	0.64	0.93	1.31	1.72	0.	0.
time (sec)	N/A	0.144	0.281	0.188	1.002	3.043	0.	0.

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	186	186	157	301	0	0	0	0
normalized size	1	1.	0.84	1.62	0.	0.	0.	0.
time (sec)	N/A	0.422	0.364	1.038	0.	0.	0.	0.

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	189	189	187	276	0	0	0	0
normalized size	1	1.	0.99	1.46	0.	0.	0.	0.
time (sec)	N/A	0.43	0.64	0.7	0.	0.	0.	0.

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	565	565	1260	407	0	0	0	0
normalized size	1	1.	2.23	0.72	0.	0.	0.	0.
time (sec)	N/A	1.257	1.696	1.534	0.	0.	0.	0.

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	507	507	1123	401	0	0	0	0
normalized size	1	1.	2.21	0.79	0.	0.	0.	0.
time (sec)	N/A	1.139	0.367	0.422	0.	0.	0.	0.

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	529	529	1068	272	0	0	0	0
normalized size	1	1.	2.02	0.51	0.	0.	0.	0.
time (sec)	N/A	0.87	0.381	0.94	0.	0.	0.	0.

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	479	479	407	2875	0	0	0	0
normalized size	1	1.	0.85	6.	0.	0.	0.	0.
time (sec)	N/A	0.9	0.857	0.57	0.	0.	0.	0.

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	572	572	1241	332	0	0	0	0
normalized size	1	1.	2.17	0.58	0.	0.	0.	0.
time (sec)	N/A	1.1	1.62	1.537	0.	0.	0.	0.

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	628	628	1480	729	0	0	0	0
normalized size	1	1.	2.36	1.16	0.	0.	0.	0.
time (sec)	N/A	1.321	5.614	0.734	0.	0.	0.	0.

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	590	590	1442	541	0	0	0	0
normalized size	1	1.	2.44	0.92	0.	0.	0.	0.
time (sec)	N/A	1.238	2.045	0.536	0.	0.	0.	0.

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	286	354	0	833	0	0
normalized size	1	1.	2.18	2.7	0.	6.36	0.	0.
time (sec)	N/A	0.121	0.726	0.276	0.	3.463	0.	0.

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	566	566	0	3036	0	0	0	0
normalized size	1	1.	0.	5.36	0.	0.	0.	0.
time (sec)	N/A	1.161	41.937	0.839	0.	0.	0.	0.

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	803	803	1634	1888	0	0	0	0
normalized size	1	1.	2.03	2.35	0.	0.	0.	0.
time (sec)	N/A	2.4	6.153	10.047	0.	0.	0.	0.

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	765	765	1482	1722	0	0	0	0
normalized size	1	1.	1.94	2.25	0.	0.	0.	0.
time (sec)	N/A	1.255	2.338	1.572	0.	0.	0.	0.

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	759	759	1477	1716	0	0	0	0
normalized size	1	1.	1.95	2.26	0.	0.	0.	0.
time (sec)	N/A	2.288	2.559	1.395	0.	0.	0.	0.

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	806	806	1525	1784	0	0	0	0
normalized size	1	1.	1.89	2.21	0.	0.	0.	0.
time (sec)	N/A	2.364	2.468	10.007	0.	0.	0.	0.

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	727	727	2053	1498	0	0	0	0
normalized size	1	1.	2.82	2.06	0.	0.	0.	0.
time (sec)	N/A	1.442	7.565	0.842	0.	0.	0.	0.

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	390	1870	0	2093	0	0
normalized size	1	1.	2.48	11.91	0.	13.33	0.	0.
time (sec)	N/A	0.182	1.058	0.29	0.	6.485	0.	0.

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	193	193	385	1840	0	1839	0	0
normalized size	1	1.	1.99	9.53	0.	9.53	0.	0.
time (sec)	N/A	0.191	0.878	0.283	0.	6.341	0.	0.

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	704	704	0	5294	0	0	0	0
normalized size	1	1.	0.	7.52	0.	0.	0.	0.
time (sec)	N/A	1.318	60.225	1.979	0.	0.	0.	0.

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1144	1144	2067	3175	0	0	0	0
normalized size	1	1.	1.81	2.78	0.	0.	0.	0.
time (sec)	N/A	1.6	6.19	2.188	0.	0.	0.	0.

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1144	1144	2075	2329	0	0	0	0
normalized size	1	1.	1.81	2.04	0.	0.	0.	0.
time (sec)	N/A	3.069	6.128	2.568	0.	0.	0.	0.

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1134	1134	2060	3166	0	0	0	0
normalized size	1	1.	1.82	2.79	0.	0.	0.	0.
time (sec)	N/A	4.049	6.061	2.95	0.	0.	0.	0.

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	403	403	365	0	0	3779	0	0
normalized size	1	1.	0.91	0.	0.	9.38	0.	0.
time (sec)	N/A	1.312	0.648	6.16	0.	41.437	0.	0.

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	294	294	326	0	0	3036	0	0
normalized size	1	1.	1.11	0.	0.	10.33	0.	0.
time (sec)	N/A	0.409	0.721	5.756	0.	16.403	0.	0.

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	265	0	0	2427	0	0
normalized size	1	1.	1.36	0.	0.	12.45	0.	0.
time (sec)	N/A	0.212	0.463	3.025	0.	6.778	0.	0.

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.102	5.346	6.236	0.	0.	0.	0.

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.107	5.688	1.717	0.	0.	0.	0.

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.096	9.034	5.807	0.	0.	0.	0.

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.034	6.109	5.31	0.	0.	0.	0.

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.087	1.682	4.628	0.	0.	0.	0.

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	328	328	247	0	0	0	0	0
normalized size	1	1.	0.75	0.	0.	0.	0.	0.
time (sec)	N/A	0.432	0.627	9.214	0.	0.	0.	0.

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	453	453	325	0	0	0	0	0
normalized size	1	1.	0.72	0.	0.	0.	0.	0.
time (sec)	N/A	0.62	0.698	7.089	0.	0.	0.	0.

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	374	374	339	0	0	3768	0	0
normalized size	1	1.	0.91	0.	0.	10.07	0.	0.
time (sec)	N/A	0.538	0.601	3.198	0.	38.959	0.	0.

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	262	262	304	0	0	3006	0	0
normalized size	1	1.	1.16	0.	0.	11.47	0.	0.
time (sec)	N/A	0.288	0.715	1.773	0.	16.302	0.	0.

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.116	5.962	1.941	0.	0.	0.	0.

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.122	4.794	1.263	0.	0.	0.	0.

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.124	9.565	3.258	0.	0.	0.	0.

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.045	6.676	2.795	0.	0.	0.	0.

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.106	12.612	3.097	0.	0.	0.	0.

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.107	6.427	6.571	0.	0.	0.	0.

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	416	416	303	0	0	0	0	0
normalized size	1	1.	0.73	0.	0.	0.	0.	0.
time (sec)	N/A	0.573	0.658	5.984	0.	0.	0.	0.

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	554	554	383	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.891	0.852	5.132	0.	0.	0.	0.

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	321	321	328	0	0	3063	0	0
normalized size	1	1.	1.02	0.	0.	9.54	0.	0.
time (sec)	N/A	1.048	0.745	6.129	0.	20.082	0.	0.

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	271	0	0	2449	0	0
normalized size	1	1.	1.2	0.	0.	10.88	0.	0.
time (sec)	N/A	0.327	0.515	6.874	0.	8.089	0.	0.

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	210	0	0	1928	0	0
normalized size	1	1.	1.59	0.	0.	14.61	0.	0.
time (sec)	N/A	0.151	0.223	4.49	0.	4.3	0.	0.

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.097	1.67	5.735	0.	0.	0.	0.

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.111	13.024	1.263	0.	0.	0.	0.

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.092	12.98	4.946	0.	0.	0.	0.

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.031	0.986	4.268	0.	0.	0.	0.

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	140	0	0	0	0	0
normalized size	1	1.	0.57	0.	0.	0.	0.	0.
time (sec)	N/A	0.266	0.187	4.654	0.	0.	0.	0.

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	362	362	249	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.569	0.658	8.776	0.	0.	0.	0.

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	302	0	0	3167	0	0
normalized size	1	1.	1.2	0.	0.	12.57	0.	0.
time (sec)	N/A	1.074	0.608	3.643	0.	7.196	0.	0.

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	220	0	0	2364	0	0
normalized size	1	1.	1.41	0.	0.	15.15	0.	0.
time (sec)	N/A	0.321	0.349	3.068	0.	4.971	0.	0.

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	96	0	0	625	0	0
normalized size	1	1.	1.22	0.	0.	7.91	0.	0.
time (sec)	N/A	0.117	0.145	1.764	0.	3.675	0.	0.

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.125	18.216	3.144	0.	0.	0.	0.

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.136	23.796	1.072	0.	0.	0.	0.

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.113	9.31	2.306	0.	0.	0.	0.

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.102	4.774	2.06	0.	0.	0.	0.

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	112	0	0	0	0	0
normalized size	1	1.	1.04	0.	0.	0.	0.	0.
time (sec)	N/A	0.091	0.192	1.883	0.	0.	0.	0.

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	275	275	213	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.318	0.477	3.06	0.	0.	0.	0.

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	311	0	0	4487	0	0
normalized size	1	1.	1.28	0.	0.	18.47	0.	0.
time (sec)	N/A	1.057	0.552	3.697	0.	7.852	0.	0.

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	173	0	0	1378	0	0
normalized size	1	1.	1.06	0.	0.	8.45	0.	0.
time (sec)	N/A	0.246	0.265	3.102	0.	5.39	0.	0.

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	157	0	0	1188	0	0
normalized size	1	1.	1.14	0.	0.	8.61	0.	0.
time (sec)	N/A	0.135	0.206	1.777	0.	5.2	0.	0.

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.123	34.161	1.883	0.	0.	0.	0.

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.14	43.148	1.093	0.	0.	0.	0.

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.121	13.406	3.532	0.	0.	0.	0.

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.11	11.675	2.412	0.	0.	0.	0.

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	276	276	185	0	0	0	0	0
normalized size	1	1.	0.67	0.	0.	0.	0.	0.
time (sec)	N/A	0.283	0.278	2.079	0.	0.	0.	0.

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	296	296	249	0	0	0	0	0
normalized size	1	1.	0.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.238	0.554	1.879	0.	0.	0.	0.

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	585	566	402	0	0	0	0	0
normalized size	1	0.97	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	2.405	1.672	8.362	0.	0.	0.	0.

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	371	352	293	0	0	0	0	0
normalized size	1	0.95	0.79	0.	0.	0.	0.	0.
time (sec)	N/A	0.432	0.845	4.826	0.	0.	0.	0.

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	202	171	0	0	0	0	0
normalized size	1	0.94	0.8	0.	0.	0.	0.	0.
time (sec)	N/A	0.194	0.511	3.074	0.	0.	0.	0.

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.075	1.923	2.106	0.	0.	0.	0.

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.074	2.643	2.455	0.	0.	0.	0.

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.115	1.084	3.12	0.	0.	0.	0.

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.097	0.108	5.697	0.	0.	0.	0.

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.1	1.407	7.631	0.	0.	0.	0.

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.117	1.637	4.121	0.	0.	0.	0.

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	401	401	194	0	0	0	0	0
normalized size	1	1.	0.48	0.	0.	0.	0.	0.
time (sec)	N/A	2.527	0.291	22.796	0.	0.	0.	0.

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	268	268	159	0	0	0	0	0
normalized size	1	1.	0.59	0.	0.	0.	0.	0.
time (sec)	N/A	2.027	0.401	7.663	0.	0.	0.	0.

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	135	138	0	0	0	0	0
normalized size	1	1.07	1.1	0.	0.	0.	0.	0.
time (sec)	N/A	0.212	0.176	3.027	0.	0.	0.	0.

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.089	0.398	6.214	0.	0.	0.	0.

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.101	3.436	1.84	0.	0.	0.	0.

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder

the integral was to solve. In this test, problem number [69] had the largest ratio of [0.8571]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	number of rules integrand leaf size
1	A	7	5	1.	12	0.417
2	A	4	3	1.	12	0.25
3	A	6	5	1.	12	0.417
4	A	3	3	1.	12	0.25
5	A	5	5	1.	12	0.417
6	A	2	2	1.	10	0.2
7	A	5	4	1.	8	0.5
8	A	6	6	1.	12	0.5
9	A	2	2	1.	12	0.167
10	A	4	4	1.	12	0.333
11	A	4	3	1.	12	0.25
12	A	5	4	1.	12	0.333
13	A	4	3	1.	12	0.25
14	A	6	4	1.	12	0.333
15	A	5	5	1.	14	0.357
16	A	8	6	1.	14	0.429
17	A	4	4	1.	12	0.333
18	A	7	5	1.	10	0.5
19	A	6	6	1.	14	0.429
20	A	4	3	1.	14	0.214
21	A	4	3	1.	14	0.214
22	A	5	5	1.	14	0.357
23	A	5	3	1.	14	0.214
24	A	10	10	1.	14	0.714
25	A	11	8	1.	14	0.571
26	A	7	7	1.	12	0.583
27	A	9	6	1.	10	0.6
28	A	7	7	1.	14	0.5
29	A	5	3	1.	14	0.214
30	A	6	6	1.	14	0.429
31	A	8	6	1.	14	0.429
32	A	10	6	1.	14	0.429
33	A	0	0	0.	0	0.
34	A	0	0	0.	0	0.
35	A	0	0	0.	0	0.
36	A	4	4	1.	14	0.286
37	A	6	6	1.	14	0.429
38	A	9	5	1.	14	0.357
39	A	0	0	0.	0	0.
40	A	0	0	0.	0	0.
41	A	3	3	1.	14	0.214

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
42	A	0	0	0.	0	0.
43	A	0	0	0.	0	0.
44	A	11	9	1.	16	0.562
45	A	10	9	1.	16	0.562
46	A	9	9	1.	14	0.643
47	A	5	4	1.	8	0.5
48	A	4	2	1.	16	0.125
49	A	7	7	1.	16	0.438
50	A	8	8	1.	16	0.5
51	A	31	16	1.4	21	0.762
52	A	24	15	1.24	19	0.79
53	A	15	11	1.	18	0.611
54	A	0	0	0.	0	0.
55	A	0	0	0.	0	0.
56	A	22	13	1.	18	0.722
57	A	27	17	1.	21	0.81
58	A	20	15	1.	21	0.714
59	A	14	13	1.	19	0.684
60	A	9	9	1.	18	0.5
61	A	0	0	0.	0	0.
62	A	0	0	0.	0	0.
63	A	23	15	1.	21	0.714
64	A	16	13	1.	21	0.619
65	A	11	11	1.	19	0.579
66	A	6	6	1.	18	0.333
67	A	0	0	0.	0	0.
68	A	0	0	0.	0	0.
69	A	31	18	1.	21	0.857
70	A	25	17	1.	21	0.81
71	A	19	14	1.	19	0.737
72	A	12	11	1.	18	0.611
73	A	0	0	0.	0	0.
74	A	0	0	0.	0	0.
75	A	19	14	1.18	18	0.778
76	A	7	7	1.	19	0.368
77	A	6	7	1.	19	0.368
78	A	5	5	1.	16	0.312
79	A	4	5	1.	19	0.263
80	A	4	5	1.	19	0.263
81	A	5	6	1.	19	0.316
82	A	6	6	1.	19	0.316
83	A	5	5	1.	19	0.263
84	A	5	5	1.	19	0.263
85	A	6	5	1.	17	0.294

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
86	A	11	11	1.	19	0.579
87	A	13	13	1.	19	0.684
88	A	7	8	1.	21	0.381
89	A	6	7	1.	18	0.389
90	A	6	7	1.	21	0.333
91	A	6	7	1.	21	0.333
92	A	5	6	1.	21	0.286
93	A	6	7	1.	21	0.333
94	A	5	6	1.	21	0.286
95	A	6	5	1.	19	0.263
96	A	12	13	1.	21	0.619
97	A	14	15	1.	21	0.714
98	A	25	12	1.	21	0.571
99	A	26	9	1.	19	0.474
100	A	19	7	1.	18	0.389
101	A	19	7	1.	21	0.333
102	A	24	10	1.	21	0.476
103	A	31	14	1.	21	0.667
104	A	29	12	1.	21	0.571
105	A	7	5	1.	19	0.263
106	A	24	10	1.	21	0.476
107	A	51	15	1.	21	0.714
108	A	27	10	1.	21	0.476
109	A	47	11	1.	18	0.611
110	A	50	13	1.	21	0.619
111	A	33	13	1.	21	0.619
112	A	6	7	1.	21	0.333
113	A	8	6	1.	19	0.316
114	A	28	11	1.	21	0.524
115	A	35	11	1.	21	0.524
116	A	63	12	1.	21	0.571
117	A	81	12	1.	18	0.667
118	A	12	12	1.	23	0.522
119	A	11	12	1.	23	0.522
120	A	9	9	1.	21	0.429
121	A	0	0	0.	0	0.
122	A	0	0	0.	0	0.
123	A	0	0	0.	0	0.
124	A	0	0	0.	0	0.
125	A	0	0	0.	0	0.
126	A	11	11	1.	23	0.478
127	A	12	12	1.	23	0.522
128	A	12	12	1.	23	0.522
129	A	10	10	1.	21	0.476

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
130	A	0	0	0.	0	0.
131	A	0	0	0.	0	0.
132	A	0	0	0.	0	0.
133	A	0	0	0.	0	0.
134	A	0	0	0.	0	0.
135	A	0	0	0.	0	0.
136	A	12	12	1.	23	0.522
137	A	13	12	1.	23	0.522
138	A	11	12	1.	23	0.522
139	A	10	12	1.	23	0.522
140	A	8	8	1.	21	0.381
141	A	0	0	0.	0	0.
142	A	0	0	0.	0	0.
143	A	0	0	0.	0	0.
144	A	0	0	0.	0	0.
145	A	11	11	1.	23	0.478
146	A	11	12	1.	23	0.522
147	A	10	11	1.	23	0.478
148	A	9	11	1.	23	0.478
149	A	4	4	1.	21	0.19
150	A	0	0	0.	0	0.
151	A	0	0	0.	0	0.
152	A	0	0	0.	0	0.
153	A	0	0	0.	0	0.
154	A	5	5	1.	20	0.25
155	A	10	11	1.	23	0.478
156	A	10	11	1.	23	0.478
157	A	7	8	1.	23	0.348
158	A	5	5	1.	21	0.238
159	A	0	0	0.	0	0.
160	A	0	0	0.	0	0.
161	A	0	0	0.	0	0.
162	A	0	0	0.	0	0.
163	A	10	10	1.	23	0.435
164	A	10	11	1.	20	0.55
165	A	6	7	0.97	23	0.304
166	A	6	7	0.95	23	0.304
167	A	5	6	0.94	21	0.286
168	A	0	0	0.	0	0.
169	A	0	0	0.	0	0.
170	A	0	0	0.	0	0.
171	A	0	0	0.	0	0.
172	A	0	0	0.	0	0.
173	A	0	0	0.	0	0.

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
174	A	16	11	1.	26	0.423
175	A	13	11	1.	26	0.423
176	A	8	9	1.07	26	0.346
177	A	0	0	0.	0	0.
178	A	0	0	0.	0	0.

Chapter 3

Listing of integrals

3.1 $\int x^6 \left(a + b \csc^{-1}(cx) \right) dx$

Optimal. Leaf size=114

$$\frac{1}{7}x^7 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^6 \sqrt{1 - \frac{1}{c^2x^2}}}{42c} + \frac{5bx^4 \sqrt{1 - \frac{1}{c^2x^2}}}{168c^3} + \frac{5bx^2 \sqrt{1 - \frac{1}{c^2x^2}}}{112c^5} + \frac{5b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2x^2}} \right)}{112c^7}$$

[Out] $(5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(112*c^5) + (5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(168*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^6)/(42*c) + (x^7*(a + b*\text{ArcCsc}[c*x]))/7 + (5*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/112*c^7$

Rubi [A] time = 0.0614145, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.417, Rules used = {5221, 266, 51, 63, 208}

$$\frac{1}{7}x^7 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^6 \sqrt{1 - \frac{1}{c^2x^2}}}{42c} + \frac{5bx^4 \sqrt{1 - \frac{1}{c^2x^2}}}{168c^3} + \frac{5bx^2 \sqrt{1 - \frac{1}{c^2x^2}}}{112c^5} + \frac{5b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2x^2}} \right)}{112c^7}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^6*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(112*c^5) + (5*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(168*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^6)/(42*c) + (x^7*(a + b*\text{ArcCsc}[c*x]))/7 + (5*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/112*c^7$

Rule 5221

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simplify[  
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(  
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x]  
]; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ  
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I  
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[  
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +  
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ  
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den  
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simplify[(Rt[-(a/b), 2]*ArcTanh[x/  
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int x^6 (a + b \csc^{-1}(cx)) dx &= \frac{1}{7} x^7 (a + b \csc^{-1}(cx)) + \frac{b \int \frac{x^5}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{7c} \\ &= \frac{1}{7} x^7 (a + b \csc^{-1}(cx)) - \frac{b \operatorname{Subst}\left(\int \frac{1}{x^4 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{14c} \\ &= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \csc^{-1}(cx)) - \frac{(5b) \operatorname{Subst}\left(\int \frac{1}{x^3 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{84c^3} \\ &= \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \csc^{-1}(cx)) - \frac{(5b) \operatorname{Subst}\left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{112c^5} \\ &= \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{112c^5} + \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \csc^{-1}(cx)) - \frac{(5b) \operatorname{Subst}\left(\int \frac{1}{x} \sqrt{1 - \frac{1}{c^2 x^2}} dx, x, \frac{1}{x^2}\right)}{224c^7} \\ &= \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{112c^5} + \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \csc^{-1}(cx)) + \frac{(5b) \operatorname{Subst}\left(\int \frac{1}{c} \sqrt{1 - \frac{1}{c^2 x^2}} dx, x, \frac{1}{x^2}\right)}{112c^7} \\ &= \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{112c^5} + \frac{5b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{168c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^6}{42c} + \frac{1}{7} x^7 (a + b \csc^{-1}(cx)) + \frac{5b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{112c^7} \end{aligned}$$

Mathematica [A] time = 0.142633, size = 107, normalized size = 0.94

$$\frac{ax^7}{7} + b\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \left(\frac{5x^4}{168c^3} + \frac{5x^2}{112c^5} + \frac{x^6}{42c} \right) + \frac{5b \log\left(x \left(\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 1 \right)\right)}{112c^7} + \frac{1}{7} bx^7 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[x^6*(a + b*ArcCsc[c*x]), x]`

[Out] $(a*x^7)/7 + b* \text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)]*((5*x^2)/(112*c^5) + (5*x^4)/(168*c^3) + x^6/(42*c)) + (b*x^7*\text{ArcCsc}[c*x])/7 + (5*b*\text{Log}[x*(1 + \text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])])/(112*c^7)$

Maple [A] time = 0.178, size = 177, normalized size = 1.6

$$\frac{x^7 a}{7} + \frac{b x^7 \text{arccsc}(cx)}{7} + \frac{b x^6}{42 c} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{b x^4}{168 c^3} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{5 b x^2}{336 c^5} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{5 b}{112 c^7} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{5 b}{112 c^8 x} \sqrt{c^2 x^2 - 1} \ln(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6*(a+b*\text{arccsc}(c*x)), x)$

[Out] $1/7*x^7*a+1/7*b*x^7*\text{arccsc}(c*x)+1/42/c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)*x^6+1}/168/c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)*x^4+5/336/c^5*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)*x^2-5/112/c^7*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)+5/112/c^8*b*(c^2*x^2-1)^{(1/2)}}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*\ln(c*x+(c^2*x^2-1)^{(1/2)})}$

Maxima [A] time = 0.952431, size = 217, normalized size = 1.9

$$\frac{1}{7} a x^7 + \frac{1}{672} \left(96 x^7 \text{arccsc}(cx) + \frac{\frac{2}{c^6} \left(\frac{1}{c^2 x^2} - 1 \right)^{\frac{5}{2}} - 40 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 33 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^6} + \frac{15 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right)}{c^6} - \frac{15 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1 \right)}{c^6} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6*(a+b*\text{arccsc}(c*x)), x, \text{algorithm}=\text{"maxima"})$

[Out] $1/7*a*x^7 + 1/672*(96*x^7*\text{arccsc}(c*x) + (2*(15*(-1/(c^2*x^2) + 1)^{(5/2)} - 40*(-1/(c^2*x^2) + 1)^{(3/2)} + 33*\text{sqrt}(-1/(c^2*x^2) + 1)))/(c^6*(1/(c^2*x^2) - 1)^3 + 3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*\log(\text{sqrt}(-1/(c^2*x^2) + 1) + 1)/c^6 - 15*\log(\text{sqrt}(-1/(c^2*x^2) + 1) - 1)/c^6) * b$

Fricas [A] time = 2.70702, size = 275, normalized size = 2.41

$$\frac{48 a c^7 x^7 - 96 b c^7 \arctan \left(-c x + \sqrt{c^2 x^2 - 1} \right) + 48 \left(b c^7 x^7 - b c^7 \right) \text{arccsc}(cx) - 15 b \log \left(-c x + \sqrt{c^2 x^2 - 1} \right) + \left(8 b c^5 x^5 + 15 b c^3 x^3 + 10 b c^3 x^3 + 15 b c^3 x^3 + 15 b c^3 x^3 \right) \sqrt{c^2 x^2 - 1}}{336 c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6*(a+b*\text{arccsc}(c*x)), x, \text{algorithm}=\text{"fricas"})$

[Out] $1/336*(48*a*c^7*x^7 - 96*b*c^7*\arctan(-c*x + \sqrt{c^2*x^2 - 1})) + 48*(b*c^7*x^7 - b*c^7)*\text{arccsc}(c*x) - 15*b*\log(-c*x + \sqrt{c^2*x^2 - 1}) + (8*b*c^5*x^5 + 10*b*c^3*x^3 + 15*b*c^3*x^3 + 15*b*c^3*x^3 + 15*b*c^3*x^3)/c^7$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^6 (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**6*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**6*(a + b*acsc(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)x^6 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^6, x)`

3.2 $\int x^5 (a + b \csc^{-1}(cx)) dx$

Optimal. Leaf size=89

$$\frac{1}{6}x^6(a + b \csc^{-1}(cx)) + \frac{bx^5\sqrt{1 - \frac{1}{c^2x^2}}}{30c} + \frac{2bx^3\sqrt{1 - \frac{1}{c^2x^2}}}{45c^3} + \frac{4bx\sqrt{1 - \frac{1}{c^2x^2}}}{45c^5}$$

[Out] $(4*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(45*c^5) + (2*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(45*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^5)/(30*c) + (x^6*(a + b*\text{ArcCsc}[c*x]))/6$

Rubi [A] time = 0.0418436, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.25, Rules used = {5221, 271, 191}

$$\frac{1}{6}x^6(a + b \csc^{-1}(cx)) + \frac{bx^5\sqrt{1 - \frac{1}{c^2x^2}}}{30c} + \frac{2bx^3\sqrt{1 - \frac{1}{c^2x^2}}}{45c^3} + \frac{4bx\sqrt{1 - \frac{1}{c^2x^2}}}{45c^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(4*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(45*c^5) + (2*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(45*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^5)/(30*c) + (x^6*(a + b*\text{ArcCsc}[c*x]))/6$

Rule 5221

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 191

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int x^5 \left(a + b \csc^{-1}(cx) \right) dx &= \frac{1}{6} x^6 \left(a + b \csc^{-1}(cx) \right) + \frac{b \int \frac{x^4}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{6c} \\
&= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^5}{30c} + \frac{1}{6} x^6 \left(a + b \csc^{-1}(cx) \right) + \frac{(2b) \int \frac{x^2}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{15c^3} \\
&= \frac{2b \sqrt{1 - \frac{1}{c^2 x^2}} x^3}{45c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^5}{30c} + \frac{1}{6} x^6 \left(a + b \csc^{-1}(cx) \right) + \frac{(4b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{45c^5} \\
&= \frac{4b \sqrt{1 - \frac{1}{c^2 x^2}} x}{45c^5} + \frac{2b \sqrt{1 - \frac{1}{c^2 x^2}} x^3}{45c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^5}{30c} + \frac{1}{6} x^6 \left(a + b \csc^{-1}(cx) \right)
\end{aligned}$$

Mathematica [A] time = 0.131926, size = 72, normalized size = 0.81

$$\frac{ax^6}{6} + b \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \left(\frac{2x^3}{45c^3} + \frac{4x}{45c^5} + \frac{x^5}{30c} \right) + \frac{1}{6} bx^6 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[x^5*(a + b*ArcCsc[c*x]), x]`

[Out] $(a*x^6)/6 + b*\text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)]*((4*x)/(45*c^5) + (2*x^3)/(45*c^3) + x^5/(30*c)) + (b*x^6*ArcCsc[c*x])/6$

Maple [A] time = 0.174, size = 83, normalized size = 0.9

$$\frac{1}{c^6} \left(\frac{c^6 x^6 a}{6} + b \left(\frac{c^6 x^6 \text{arccsc}(cx)}{6} + \frac{(c^2 x^2 - 1)(3 c^4 x^4 + 4 c^2 x^2 + 8)}{90 c x} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arccsc(c*x)), x)`

[Out] $\frac{1}{c^6} (1/6 * c^6 * x^6 * a + b * (1/6 * c^6 * x^6 * \text{arccsc}(c*x) + 1/90 * (c^2 * x^2 - 1) * (3 * c^4 * x^4 + 4 * c^2 * x^2 + 8) / ((c^2 * x^2 - 1) / c^2 * x^2)^{(1/2)} / c/x))$

Maxima [A] time = 0.957131, size = 108, normalized size = 1.21

$$\frac{1}{6} ax^6 + \frac{1}{90} \left(15 x^6 \text{arccsc}(cx) + \frac{3 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} + 10 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^5} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x)), x, algorithm="maxima")`

[Out] $\frac{1}{6}a x^6 + \frac{1}{90}(15x^6 \operatorname{arccsc}(cx) + (3c^4 x^5(-1/(c^2 x^2) + 1)^{(5/2)} + 10c^2 x^3(-1/(c^2 x^2) + 1)^{(3/2)} + 15x \sqrt{-1/(c^2 x^2) + 1})/c^5)b$

Fricas [A] time = 2.4637, size = 143, normalized size = 1.61

$$\frac{15bc^6x^6 \operatorname{arccsc}(cx) + 15ac^6x^6 + (3bc^4x^4 + 4bc^2x^2 + 8b)\sqrt{c^2x^2 - 1}}{90c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{90}(15b c^6 x^6 \operatorname{arccsc}(cx) + 15a c^6 x^6 + (3b c^4 x^4 + 4b c^2 x^2 + 8b) \sqrt{c^2 x^2 - 1})/c^6$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**5*(a + b*acsc(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^5, x)`

3.3 $\int x^4 \left(a + b \csc^{-1}(cx) \right) dx$

Optimal. Leaf size=89

$$\frac{1}{5}x^5 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^4 \sqrt{1 - \frac{1}{c^2 x^2}}}{20c} + \frac{3bx^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{40c^3} + \frac{3b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{40c^5}$$

[Out] $(3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(40*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(20*c) + (x^5*(a + b*\text{ArcCsc}[c*x]))/5 + (3*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]]))/(40*c^5)$

Rubi [A] time = 0.0475787, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.417, Rules used = {5221, 266, 51, 63, 208}

$$\frac{1}{5}x^5 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^4 \sqrt{1 - \frac{1}{c^2 x^2}}}{20c} + \frac{3bx^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{40c^3} + \frac{3b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{40c^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^2)/(40*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^4)/(20*c) + (x^5*(a + b*\text{ArcCsc}[c*x]))/5 + (3*b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]]))/(40*c^5)$

Rule 5221

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((d_.)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x]; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x]; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x]; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && ! (LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d))/b + (d*x^p)/b]^n, x], x, (a + b*x)^(1/p)], x]]; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int x^4 \left(a + b \csc^{-1}(cx) \right) dx &= \frac{1}{5} x^5 \left(a + b \csc^{-1}(cx) \right) + \frac{b \int \frac{x^3}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{5c} \\
&= \frac{1}{5} x^5 \left(a + b \csc^{-1}(cx) \right) - \frac{b \operatorname{Subst} \left(\int \frac{1}{x^3 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{10c} \\
&= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 \left(a + b \csc^{-1}(cx) \right) - \frac{(3b) \operatorname{Subst} \left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{40c^3} \\
&= \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{40c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 \left(a + b \csc^{-1}(cx) \right) - \frac{(3b) \operatorname{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{80c^5} \\
&= \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{40c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 \left(a + b \csc^{-1}(cx) \right) + \frac{(3b) \operatorname{Subst} \left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{x}{c^2}} \right)}{40c^3} \\
&= \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{40c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^4}{20c} + \frac{1}{5} x^5 \left(a + b \csc^{-1}(cx) \right) + \frac{3b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{40c^5}
\end{aligned}$$

Mathematica [A] time = 0.0750523, size = 97, normalized size = 1.09

$$\frac{ax^5}{5} + b\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} \left(\frac{3x^2}{40c^3} + \frac{x^4}{20c} \right) + \frac{3b \log \left(x \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 1 \right)}{40c^5} + \frac{1}{5} bx^5 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*ArcCsc[c*x]), x]

[Out] $\frac{(a x^5)/5 + b \sqrt{(-1 + c^2 x^2)/(c^2 x^2)} ((3 x^2)/(40 c^3) + x^4/(20 c)) + (b x^5 \operatorname{ArcCsc}[c x])/5 + (3 b \log[x \sqrt{(-1 + c^2 x^2)/(c^2 x^2)}])/40 c^5}{40 c^5}$

Maple [A] time = 0.177, size = 150, normalized size = 1.7

$$\frac{ax^5}{5} + \frac{x^5 \operatorname{barccsc}(cx)}{5} + \frac{bx^4}{20c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{bx^2}{40c^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{3b}{40c^5} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{3b}{40c^6 x} \sqrt{c^2 x^2 - 1} \ln(cx + \sqrt{c^2 x^2 - 1}) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*arccsc(c*x)), x)

[Out] $\frac{1/5 a x^5 + 1/5 x^5 b \operatorname{arccsc}(c x) + 1/20 c b ((c^2 x^2 - 1)/c^2 x^2)^{(1/2)} x^{4+1}/40 c^3 b + ((c^2 x^2 - 1)/c^2 x^2)^{(1/2)} x^{2-3}/40 c^5 b + ((c^2 x^2 - 1)/c^2 x^2)^{(1/2)} x^{(1/2)}/40 c^6 b ((c^2 x^2 - 1)/c^2 x^2)^{(1/2)}/x \ln(c x + \sqrt{c^2 x^2 - 1})}{40 c^5}$

$*x^{2-1})^{(1/2)}$

Maxima [A] time = 0.97463, size = 178, normalized size = 2.

$$\frac{1}{5} ax^5 + \frac{1}{80} \left(16 x^5 \operatorname{arccsc}(cx) - \frac{\frac{2 \left(3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 5 \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c^4} - \frac{3 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1 \right)}{c^4} + \frac{3 \log \left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1 \right)}{c^4}}{c} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1/5*a*x^5 + 1/80*(16*x^5*arccsc(c*x) - (2*(3*(-1/(c^2*x^2) + 1)^(3/2) - 5*sqrt(-1/(c^2*x^2) + 1))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^4 + 3*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^4)/c)*b}{40 c^5}$

Fricas [A] time = 2.56734, size = 248, normalized size = 2.79

$$\frac{8 a c^5 x^5 - 16 b c^5 \arctan \left(-c x + \sqrt{c^2 x^2 - 1} \right) + 8 (b c^5 x^5 - b c^5) \operatorname{arccsc}(cx) - 3 b \log \left(-c x + \sqrt{c^2 x^2 - 1} \right) + (2 b c^3 x^3 + 3 b c x) \sqrt{c^2 x^2 - 1}}{40 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1/40*(8*a*c^5*x^5 - 16*b*c^5*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 8*(b*c^5*x^5 - b*c^5)*arccsc(c*x) - 3*b*log(-c*x + sqrt(c^2*x^2 - 1)) + (2*b*c^3*x^3 + 3*b*c*x)*sqrt(c^2*x^2 - 1))/c^5}{c^5}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**4*(a + b*acsc(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a) x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^4, x)`

3.4 $\int x^3 \left(a + b \csc^{-1}(cx) \right) dx$

Optimal. Leaf size=64

$$\frac{1}{4}x^4 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^3 \sqrt{1 - \frac{1}{c^2x^2}}}{12c} + \frac{bx \sqrt{1 - \frac{1}{c^2x^2}}}{6c^3}$$

[Out] $(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(6*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(12*c)$
 $+ (x^4*(a + b*\text{ArcCsc}[c*x]))/4$

Rubi [A] time = 0.0265763, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.25, Rules used = {5221, 271, 191}

$$\frac{1}{4}x^4 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^3 \sqrt{1 - \frac{1}{c^2x^2}}}{12c} + \frac{bx \sqrt{1 - \frac{1}{c^2x^2}}}{6c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(6*c^3) + (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x^3)/(12*c)$
 $+ (x^4*(a + b*\text{ArcCsc}[c*x]))/4$

Rule 5221

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 271

```
Int[(x_.)^(m_)*((a_) + (b_.)*(x_.)^(n_.))^p_, x_Symbol] :> Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 191

```
Int[((a_) + (b_.)*(x_.)^(n_.))^p_, x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rubi steps

$$\begin{aligned} \int x^3 \left(a + b \csc^{-1}(cx) \right) dx &= \frac{1}{4}x^4 \left(a + b \csc^{-1}(cx) \right) + \frac{b \int \frac{x^2}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{4c} \\ &= \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} + \frac{1}{4}x^4 \left(a + b \csc^{-1}(cx) \right) + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{6c^3} \\ &= \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x}{6c^3} + \frac{b \sqrt{1 - \frac{1}{c^2x^2}} x^3}{12c} + \frac{1}{4}x^4 \left(a + b \csc^{-1}(cx) \right) \end{aligned}$$

Mathematica [A] time = 0.101153, size = 62, normalized size = 0.97

$$\frac{ax^4}{4} + b\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} \left(\frac{x}{6c^3} + \frac{x^3}{12c} \right) + \frac{1}{4}bx^4 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[x^3*(a + b*ArcCsc[c*x]), x]`

[Out] $\frac{(a*x^4)/4 + b*SQRT[(-1 + c^2*x^2)/(c^2*x^2)]*(x/(6*c^3) + x^3/(12*c)) + (b*x^4*ArcCsc[c*x])/4}{1}$

Maple [A] time = 0.177, size = 74, normalized size = 1.2

$$\frac{1}{c^4} \left(\frac{c^4x^4a}{4} + b \left(\frac{c^4x^4 \operatorname{arccsc}(cx)}{4} + \frac{(c^2x^2 - 1)(c^2x^2 + 2)}{12cx} \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccsc(c*x)), x)`

[Out] $\frac{1/c^4*(1/4*c^4*x^4*a + b*(1/4*c^4*x^4*arccsc(c*x) + 1/12*(c^2*x^2 - 1)*(c^2*x^2 + 2))/((c^2*x^2 - 1)/c^2*x^2)^(1/2)/c/x)}{1}$

Maxima [A] time = 0.956258, size = 80, normalized size = 1.25

$$\frac{1}{4}ax^4 + \frac{1}{12} \left(3x^4 \operatorname{arccsc}(cx) + \frac{c^2x^3 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} + 3x\sqrt{-\frac{1}{c^2x^2} + 1}}{c^3} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x)), x, algorithm="maxima")`

[Out] $\frac{1/4*a*x^4 + 1/12*(3*x^4*arccsc(c*x) + (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b}{1}$

Fricas [A] time = 2.3862, size = 119, normalized size = 1.86

$$\frac{3bc^4x^4 \operatorname{arccsc}(cx) + 3ac^4x^4 + (bc^2x^2 + 2b)\sqrt{c^2x^2 - 1}}{12c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x)), x, algorithm="fricas")`

[Out] $\frac{1/12*(3*b*c^4*x^4*arccsc(c*x) + 3*a*c^4*x^4 + (b*c^2*x^2 + 2b)*sqrt(c^2*x^2 - 1))/c^4}{1}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**3*(a + b*acsc(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3, x)`

$$3.5 \quad \int x^2 \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=64

$$\frac{1}{3}x^3 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{6c} + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c^3}$$

[Out] $(b \operatorname{Sqrt}[1 - 1/(c^2 x^2)] x^2)/(6 c) + (x^3 (a + b \operatorname{ArcCsc}[c x]))/3 + (b \operatorname{ArcTanh}[\operatorname{Sqrt}[1 - 1/(c^2 x^2)]])/ (6 c^3)$

Rubi [A] time = 0.035954, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.417, Rules used = {5221, 266, 51, 63, 208}

$$\frac{1}{3}x^3 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{6c} + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2 (a + b \operatorname{ArcCsc}[c x]), x]$

[Out] $(b \operatorname{Sqrt}[1 - 1/(c^2 x^2)] x^2)/(6 c) + (x^3 (a + b \operatorname{ArcCsc}[c x]))/3 + (b \operatorname{ArcTanh}[\operatorname{Sqrt}[1 - 1/(c^2 x^2)]])/ (6 c^3)$

Rule 5221

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 51

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simplify[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int x^2 \left(a + b \csc^{-1}(cx) \right) dx &= \frac{1}{3} x^3 \left(a + b \csc^{-1}(cx) \right) + \frac{b \int \frac{x}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{3c} \\
&= \frac{1}{3} x^3 \left(a + b \csc^{-1}(cx) \right) - \frac{b \operatorname{Subst} \left(\int \frac{1}{x^2 \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{6c} \\
&= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{6c} + \frac{1}{3} x^3 \left(a + b \csc^{-1}(cx) \right) - \frac{b \operatorname{Subst} \left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{12c^3} \\
&= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{6c} + \frac{1}{3} x^3 \left(a + b \csc^{-1}(cx) \right) + \frac{b \operatorname{Subst} \left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c} \\
&= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2}{6c} + \frac{1}{3} x^3 \left(a + b \csc^{-1}(cx) \right) + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c^3}
\end{aligned}$$

Mathematica [A] time = 0.0536283, size = 85, normalized size = 1.33

$$\frac{ax^3}{3} + \frac{bx^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{6c} + \frac{b \log \left(x \left(\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 1 \right) \right)}{6c^3} + \frac{1}{3} bx^3 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[x^2*(a + b*ArcCsc[c*x]), x]`

[Out] $(a*x^3)/3 + (b*x^2* \text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])/(6*c) + (b*x^3* \text{ArcCsc}[c*x])/3 + (b* \text{Log}[x*(1 + \text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])])/(6*c^3)$

Maple [B] time = 0.178, size = 123, normalized size = 1.9

$$\frac{x^3 a}{3} + \frac{x^3 \operatorname{arccsc}(cx)}{3} + \frac{b x^2}{6 c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b}{6 c^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{b}{6 c^4 x} \sqrt{c^2 x^2 - 1} \ln \left(cx + \sqrt{c^2 x^2 - 1} \right) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x)), x)`

[Out] $\frac{1}{3} x^3 a + \frac{1}{3} x^3 b \operatorname{arccsc}(c*x) + \frac{1}{6} c^2 b ((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} * x^{2-1}/6 - \frac{1}{c^3 b} ((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} + \frac{1}{6} c^4 b ((c^2*x^2 - 1)^{(1/2)})/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} / x * \ln(c*x + (c^2*x^2 - 1)^{(1/2)})$

Maxima [A] time = 0.971402, size = 131, normalized size = 2.05

$$\frac{1}{3} ax^3 + \frac{1}{12} \left(4x^3 \operatorname{arccsc}(cx) + \frac{\frac{2\sqrt{-\frac{1}{c^2x^2}+1}}{c^2(\frac{1}{c^2x^2}-1)+c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}+1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}-1\right)}{c^2}}{c} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1/3*a*x^3 + 1/12*(4*x^3*arccsc(c*x) + (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b}{6}$

Fricas [A] time = 2.47486, size = 219, normalized size = 3.42

$$\frac{2ac^3x^3 - 4bc^3 \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) + \sqrt{c^2x^2 - 1}bcx + 2(bc^3x^3 - bc^3)\operatorname{arccsc}(cx) - b\log\left(-cx + \sqrt{c^2x^2 - 1}\right)}{6c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1/6*(2*a*c^3*x^3 - 4*b*c^3*arctan(-c*x + sqrt(c^2*x^2 - 1)) + sqrt(c^2*x^2 - 1)*b*c*x + 2*(b*c^3*x^3 - b*c^3)*arccsc(c*x) - b*log(-c*x + sqrt(c^2*x^2 - 1)))/c^3}{c^3}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**2*(a + b*acsc(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2, x)`

$$\mathbf{3.6} \quad \int x \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=39

$$\frac{1}{2}x^2 \left(a + b \csc^{-1}(cx) \right) + \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}}{2c}$$

[Out] $(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) + (x^2*(a + b*\text{ArcCsc}[c*x]))/2$

Rubi [A] time = 0.0119133, antiderivative size = 39, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.2, Rules used = {5221, 191}

$$\frac{1}{2}x^2 \left(a + b \csc^{-1}(cx) \right) + \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}}{2c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) + (x^2*(a + b*\text{ArcCsc}[c*x]))/2$

Rule 5221

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 191

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rubi steps

$$\begin{aligned} \int x \left(a + b \csc^{-1}(cx) \right) dx &= \frac{1}{2}x^2 \left(a + b \csc^{-1}(cx) \right) + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}}} dx}{2c} \\ &= \frac{b\sqrt{1 - \frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}x^2 \left(a + b \csc^{-1}(cx) \right) \end{aligned}$$

Mathematica [A] time = 0.024409, size = 50, normalized size = 1.28

$$\frac{ax^2}{2} + \frac{bx\sqrt{\frac{c^2x^2-1}{c^2x^2}}}{2c} + \frac{1}{2}bx^2 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[x*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(a*x^2)/2 + (b*x*sqrt[(-1 + c^2*x^2)/(c^2*x^2)]/(2*c) + (b*x^2*ArcCsc[c*x])/2$

Maple [A] time = 0.171, size = 65, normalized size = 1.7

$$\frac{1}{c^2} \left(\frac{c^2 x^2 a}{2} + b \left(\frac{c^2 x^2 \operatorname{arccsc}(cx)}{2} + \frac{c^2 x^2 - 1}{2 c x} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x)),x)`

[Out] $1/c^2 * (1/2*c^2*x^2*a + b*(1/2*c^2*x^2*arccsc(c*x) + 1/2/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x*(c^2*x^2-1)))$

Maxima [A] time = 0.984624, size = 49, normalized size = 1.26

$$\frac{1}{2} a x^2 + \frac{1}{2} \left(x^2 \operatorname{arccsc}(cx) + \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $1/2*a*x^2 + 1/2*(x^2*arccsc(c*x) + x*sqrt(-1/(c^2*x^2) + 1)/c)*b$

Fricas [A] time = 2.32893, size = 90, normalized size = 2.31

$$\frac{bc^2 x^2 \operatorname{arccsc}(cx) + ac^2 x^2 + \sqrt{c^2 x^2 - 1} b}{2 c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $1/2*(b*c^2*x^2*arccsc(c*x) + a*c^2*x^2 + sqrt(c^2*x^2 - 1)*b)/c^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x(a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x)),x)`

[Out] `Integral(x*(a + b*acsc(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)x \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x, x)`

$$3.7 \quad \int (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=31

$$ax + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c} + bx \csc^{-1}(cx)$$

[Out] $a*x + b*x*ArcCsc[c*x] + (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c$

Rubi [A] time = 0.0205758, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.5, Rules used = {5215, 266, 63, 208}

$$ax + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c} + bx \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[a + b*ArcCsc[c*x], x]$

[Out] $a*x + b*x*ArcCsc[c*x] + (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/c$

Rule 5215

```
Int[ArcCsc[(c_)*(x_)], x_Symbol] :> Simp[x*ArcCsc[c*x], x] + Dist[1/c, Int[1/(x*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[c, x]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d))/b + (d*x^p)/b]^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int (a + b \csc^{-1}(cx)) dx &= ax + b \int \csc^{-1}(cx) dx \\
&= ax + bx \csc^{-1}(cx) + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{c} \\
&= ax + bx \csc^{-1}(cx) - \frac{b \operatorname{Subst}\left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{2c} \\
&= ax + bx \csc^{-1}(cx) + (bc) \operatorname{Subst}\left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}}\right) \\
&= ax + bx \csc^{-1}(cx) + \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c}
\end{aligned}$$

Mathematica [A] time = 0.0657152, size = 58, normalized size = 1.87

$$ax + \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2 x^2 - 1}}\right)}{\sqrt{c^2 x^2 - 1}} + bx \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[a + b*ArcCsc[c*x], x]`

[Out] `a*x + b*x*ArcCsc[c*x] + (b*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2]`

Maple [A] time = 0.169, size = 37, normalized size = 1.2

$$ax + bx \operatorname{arccsc}(cx) + \frac{b}{c} \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a+b*arccsc(c*x), x)`

[Out] `a*x + b*x*arccsc(c*x) + b/c*ln(c*x + c*x*(1-1/c^2/x^2)^(1/2))`

Maxima [A] time = 0.956712, size = 72, normalized size = 2.32

$$ax + \frac{\left(2cx \operatorname{arccsc}(cx) + \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) - \log\left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)\right)b}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arccsc(c*x), x, algorithm="maxima")`

[Out] `a*x + 1/2*(2*c*x*arccsc(c*x) + log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b/c`

Fricas [B] time = 2.46162, size = 154, normalized size = 4.97

$$\frac{acx - 2bc \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) + (bcx - bc) \operatorname{arccsc}(cx) - b \log\left(-cx + \sqrt{c^2x^2 - 1}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arccsc(c*x),x, algorithm="fricas")`

[Out] `(a*c*x - 2*b*c*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c*x - b*c)*arccsc(c*x) - b*log(-c*x + sqrt(c^2*x^2 - 1)))/c`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*acsc(c*x),x)`

[Out] `Integral(a + b*acsc(c*x), x)`

Giac [A] time = 1.09465, size = 63, normalized size = 2.03

$$\left(x \arcsin\left(\frac{1}{cx}\right) - \frac{c \log\left(|-x|c + \sqrt{c^2x^2 - 1}\right)}{|c|^2 \operatorname{sgn}(x)} \right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arccsc(c*x),x, algorithm="giac")`

[Out] `(x*arcsin(1/(c*x)) - c*log(abs(-x*abs(c) + sqrt(c^2*x^2 - 1)))/(abs(c)^2*sgn(x)))*b + a*x`

3.8 $\int \frac{a+b \csc^{-1}(cx)}{x} dx$

Optimal. Leaf size=64

$$\frac{1}{2} i b \text{PolyLog}\left(2, e^{2 i \csc^{-1}(cx)}\right) + \frac{i (a + b \csc^{-1}(cx))^2}{2 b} - \log\left(1 - e^{2 i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))$$

[Out] $((I/2)*(a + b*\text{ArcCsc}[c*x])^2)/b - (a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] + (I/2)*b*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]$

Rubi [A] time = 0.0847952, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.5, Rules used = {5219, 4625, 3717, 2190, 2279, 2391}

$$\frac{1}{2} i b \text{PolyLog}\left(2, e^{2 i \csc^{-1}(cx)}\right) + \frac{i (a + b \csc^{-1}(cx))^2}{2 b} - \log\left(1 - e^{2 i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/x, x]$

[Out] $((I/2)*(a + b*\text{ArcCsc}[c*x])^2)/b - (a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] + (I/2)*b*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]$

Rule 5219

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))/(x_), x_Symbol] :> -Subst[Int[(a + b *ArcSin[x/c])/x, x], x, 1/x] /; FreeQ[{a, b, c}, x]
```

Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi))*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi))*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_.)*(e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*(e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*(c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_) + (e_)*(x_)^(n_)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \csc^{-1}(cx)}{x} dx &= -\text{Subst}\left(\int \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x}\right) \\ &= -\text{Subst}\left(\int (a + bx) \cot(x) dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^2}{2b} + 2i \text{Subst}\left(\int \frac{e^{2ix}(a + bx)}{1 - e^{2ix}} dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^2}{2b} - (a + b \csc^{-1}(cx)) \log(1 - e^{2i \csc^{-1}(cx)}) + b \text{Subst}\left(\int \log(1 - e^{2ix}) dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^2}{2b} - (a + b \csc^{-1}(cx)) \log(1 - e^{2i \csc^{-1}(cx)}) - \frac{1}{2}(ib) \text{Subst}\left(\int \frac{\log(1 - x)}{x} dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^2}{2b} - (a + b \csc^{-1}(cx)) \log(1 - e^{2i \csc^{-1}(cx)}) + \frac{1}{2}ib \text{Li}_2(e^{2i \csc^{-1}(cx)}) \end{aligned}$$

Mathematica [A] time = 0.0299711, size = 53, normalized size = 0.83

$$\frac{1}{2}ib \left(\csc^{-1}(cx)^2 + \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right)\right) + a \log(x) - b \csc^{-1}(cx) \log(1 - e^{2i \csc^{-1}(cx)})$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/x, x]`

[Out] $-(b \text{ArcCsc}[c x] \text{Log}[1 - E^{((2 I) \text{ArcCsc}[c x])}] + a \text{Log}[x] + (I/2) b (\text{ArcCsc}[c x]^2 + \text{PolyLog}[2, E^{((2 I) \text{ArcCsc}[c x])}])$

Maple [A] time = 0.257, size = 140, normalized size = 2.2

$$a \ln(cx) + \frac{i}{2}b (\text{arccsc}(cx))^2 - b \text{arccsc}(cx) \ln\left(1 - \frac{i}{cx} - \sqrt{1 - \frac{1}{c^2 x^2}}\right) - b \text{arccsc}(cx) \ln\left(1 + \frac{i}{cx} + \sqrt{1 - \frac{1}{c^2 x^2}}\right) + ib \text{poly}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x, x)`

[Out] $a \ln(cx) + 1/2 I b \text{arccsc}(c x)^2 - b \text{arccsc}(c x) \text{ln}(1 - I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) - b \text{arccsc}(c x) \text{ln}(1 + I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) + I b \text{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) + I b \text{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\left(c^2 \int \frac{\sqrt{cx+1} \sqrt{cx-1} \log(x)}{c^4 x^3 - c^2 x} dx + \arctan\left(1, \sqrt{cx+1} \sqrt{cx-1}\right) \log(x)\right) b + a \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x,x, algorithm="maxima")`

[Out] $(c^2 \cdot \text{integrate}(\sqrt{c*x + 1} \cdot \sqrt{c*x - 1} \cdot \log(x) / (c^4 * x^3 - c^2 * x), x) + a \cdot \text{rctan2}(1, \sqrt{c*x + 1} \cdot \sqrt{c*x - 1}) \cdot \log(x)) * b + a \cdot \log(x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x,x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)/x, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x,x)`

[Out] `Integral((a + b*acsc(c*x))/x, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/x, x)`

$$3.9 \quad \int \frac{a+b \csc^{-1}(cx)}{x^2} dx$$

Optimal. Leaf size=32

$$-\frac{a + b \csc^{-1}(cx)}{x} - bc \sqrt{1 - \frac{1}{c^2 x^2}}$$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]) - (a + b*\text{ArcCsc}[c*x])/x$

Rubi [A] time = 0.0197825, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.167, Rules used = {5221, 261}

$$-\frac{a + b \csc^{-1}(cx)}{x} - bc \sqrt{1 - \frac{1}{c^2 x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/x^2, x]$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]) - (a + b*\text{ArcCsc}[c*x])/x$

Rule 5221

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_)*(x_)^(m_)), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a+b \csc^{-1}(cx)}{x^2} dx &= -\frac{a+b \csc^{-1}(cx)}{x} - \frac{b \int \frac{1}{\sqrt{1-\frac{1}{c^2 x^2}} x^3} dx}{c} \\ &= -bc \sqrt{1 - \frac{1}{c^2 x^2}} - \frac{a+b \csc^{-1}(cx)}{x} \end{aligned}$$

Mathematica [A] time = 0.0287449, size = 41, normalized size = 1.28

$$-\frac{a}{x} - bc \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b \csc^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(a + b*\text{ArcCsc}[c*x])/x^2, x]$

[Out] $-(a/x) - b*c*\sqrt{(-1 + c^2*x^2)/(c^2*x^2)} - (b*ArcCsc[c*x])/x$

Maple [A] time = 0.171, size = 63, normalized size = 2.

$$c \left(-\frac{a}{cx} + b \left(-\frac{\operatorname{arccsc}(cx)}{cx} - \frac{c^2 x^2 - 1}{c^2 x^2} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((a+b*\operatorname{arccsc}(c*x))/x^2, x)$

[Out] $c*(-1/c/x*a+b*(-1/c/x*\operatorname{arccsc}(c*x)-1/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^2/x^2*(c^2*x^2-1)))$

Maxima [A] time = 0.982462, size = 45, normalized size = 1.41

$$-\left(c \sqrt{-\frac{1}{c^2 x^2} + 1} + \frac{\operatorname{arccsc}(cx)}{x} \right) b - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b*\operatorname{arccsc}(c*x))/x^2, x, \text{algorithm}=\text{"maxima"})$

[Out] $-(c*\sqrt{-1/(c^2*x^2) + 1}) + \operatorname{arccsc}(c*x)/x*b - a/x$

Fricas [A] time = 2.20002, size = 62, normalized size = 1.94

$$-\frac{b \operatorname{arccsc}(cx) + \sqrt{c^2 x^2 - 1} b + a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b*\operatorname{arccsc}(c*x))/x^2, x, \text{algorithm}=\text{"fricas"})$

[Out] $-(b*\operatorname{arccsc}(c*x) + \sqrt{c^2*x^2 - 1}*b + a)/x$

Sympy [A] time = 2.6338, size = 37, normalized size = 1.16

$$\begin{cases} -\frac{a}{x} - bc\sqrt{1 - \frac{1}{c^2 x^2}} - \frac{b \operatorname{acsc}(cx)}{x} & \text{for } c \neq 0 \\ -\frac{a + \tilde{b}}{x} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b*\operatorname{acsc}(c*x))/x^{**2}, x)$

[Out] $\operatorname{Piecewise}((-a/x - b*c*\sqrt{1 - 1/(c^{**2}*x^{**2})} - b*\operatorname{acsc}(c*x)/x, \operatorname{Ne}(c, 0)), (-a + \text{zoo}*b)/x, \text{True}))$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/x^2, x)`

3.10 $\int \frac{a+b \csc^{-1}(cx)}{x^3} dx$

Optimal. Leaf size=51

$$-\frac{a + b \csc^{-1}(cx)}{2x^2} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2 \csc^{-1}(cx)$$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*x) + (b*c^2*\text{ArcCsc}[c*x])/4 - (a + b*\text{ArcCsc}[c*x])/(2*x^2)$

Rubi [A] time = 0.0315293, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {5221, 335, 321, 216}

$$-\frac{a + b \csc^{-1}(cx)}{2x^2} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/x^3, x]$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*x) + (b*c^2*\text{ArcCsc}[c*x])/4 - (a + b*\text{ArcCsc}[c*x])/(2*x^2)$

Rule 5221

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((d_.)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 335

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> -Subst[Int[(a + b/x^n)^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr[t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^3} dx &= -\frac{a + b \csc^{-1}(cx)}{2x^2} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^4} dx}{2c} \\
&= -\frac{a + b \csc^{-1}(cx)}{2x^2} + \frac{b \text{Subst} \left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2c} \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} - \frac{a + b \csc^{-1}(cx)}{2x^2} + \frac{1}{4} (bc) \text{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right) \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{1}{4} bc^2 \csc^{-1}(cx) - \frac{a + b \csc^{-1}(cx)}{2x^2}
\end{aligned}$$

Mathematica [A] time = 0.0346294, size = 66, normalized size = 1.29

$$-\frac{a}{2x^2} - \frac{bc \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{4x} + \frac{1}{4} bc^2 \sin^{-1} \left(\frac{1}{cx} \right) - \frac{b \csc^{-1}(cx)}{2x^2}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/x^3, x]`

[Out] $-\frac{a}{2x^2} - \frac{(b*c*\text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])/(4*x)}{2*x^2} - \frac{(b*ArcCsc[c*x])/(2*x^2) + (b*c^2*ArcSin[1/(c*x)])/4}{2*x^2}$

Maple [B] time = 0.174, size = 118, normalized size = 2.3

$$-\frac{a}{2x^2} - \frac{\text{arccsc}(cx)}{2x^2} + \frac{cb}{4x} \sqrt{c^2 x^2 - 1} \arctan \left(\frac{1}{\sqrt{c^2 x^2 - 1}} \right) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{cb}{4x} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{b}{4cx^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^3, x)`

[Out] $-\frac{1}{2} \frac{a}{x^2} - \frac{1}{2} \frac{b}{x^2} \text{arccsc}(c*x) + \frac{1}{4} \frac{c*b*(c^2*x^2 - 1)^{(1/2)}}{(c^2*x^2 - 1)/c^2*x^2} - \frac{1}{4} \frac{c*b*((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}}{x^2} + \frac{1}{4} \frac{c*b*((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}}{x^3}$

Maxima [A] time = 1.48814, size = 112, normalized size = 2.2

$$\frac{1}{4} b \left(\frac{\frac{c^4 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 x^2 \left(\frac{1}{c^2 x^2} - 1\right)^{-1}} - c^3 \arctan \left(cx \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c} - \frac{2 \text{arccsc}(cx)}{x^2} \right) - \frac{a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^3,x, algorithm="maxima")`

[Out] $\frac{1}{4} b ((c^4 x \sqrt{-1/(c^2 x^2) + 1}) / (c^2 x^2 (1/(c^2 x^2) - 1) - 1) - c^3 \arctan(c x \sqrt{-1/(c^2 x^2) + 1})) / c - 2 \operatorname{arccsc}(c x) / x^2 - 1/2 a / x^2$

Fricas [A] time = 2.17711, size = 93, normalized size = 1.82

$$\frac{(bc^2 x^2 - 2b) \operatorname{arccsc}(cx) - \sqrt{c^2 x^2 - 1} b - 2a}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^3,x, algorithm="fricas")`

[Out] $\frac{1}{4} ((b * c^2 x^2 - 2b) * \operatorname{arccsc}(c x) - \sqrt{c^2 x^2 - 1} * b - 2a) / x^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**3,x)`

[Out] `Integral((a + b*acsc(c*x))/x**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/x^3, x)`

3.11 $\int \frac{a+b \csc^{-1}(cx)}{x^4} dx$

Optimal. Leaf size=60

$$-\frac{a + b \csc^{-1}(cx)}{3x^3} + \frac{1}{9}bc^3 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} - \frac{1}{3}bc^3 \sqrt{1 - \frac{1}{c^2x^2}}$$

[Out] $-(b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/3 + (b*c^3*(1 - 1/(c^2*x^2))^{(3/2)})/9 - (a + b*\text{ArcCsc}[c*x])/(3*x^3)$

Rubi [A] time = 0.0379044, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.25, Rules used = {5221, 266, 43}

$$-\frac{a + b \csc^{-1}(cx)}{3x^3} + \frac{1}{9}bc^3 \left(1 - \frac{1}{c^2x^2}\right)^{3/2} - \frac{1}{3}bc^3 \sqrt{1 - \frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/x^4, x]$

[Out] $-(b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/3 + (b*c^3*(1 - 1/(c^2*x^2))^{(3/2)})/9 - (a + b*\text{ArcCsc}[c*x])/(3*x^3)$

Rule 5221

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_)*(x_))^(m_), x_Symbol] :> Sim
p[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m +
1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^4} dx &= -\frac{a + b \csc^{-1}(cx)}{3x^3} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^5} dx}{3c} \\
&= -\frac{a + b \csc^{-1}(cx)}{3x^3} + \frac{b \operatorname{Subst} \left(\int \frac{x}{\sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{6c} \\
&= -\frac{a + b \csc^{-1}(cx)}{3x^3} + \frac{b \operatorname{Subst} \left(\int \left(\frac{c^2}{\sqrt{1 - \frac{x}{c^2}}} - c^2 \sqrt{1 - \frac{x}{c^2}} \right) dx, x, \frac{1}{x^2} \right)}{6c} \\
&= -\frac{1}{3} bc^3 \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{1}{9} bc^3 \left(1 - \frac{1}{c^2 x^2} \right)^{3/2} - \frac{a + b \csc^{-1}(cx)}{3x^3}
\end{aligned}$$

Mathematica [A] time = 0.0650652, size = 59, normalized size = 0.98

$$-\frac{a}{3x^3} + b \left(-\frac{2c^3}{9} - \frac{c}{9x^2} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b \csc^{-1}(cx)}{3x^3}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/x^4, x]`

[Out] $-\frac{a}{3x^3} + b \left(-\frac{(-2c^3)}{9} - \frac{c}{9x^2} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b \csc^{-1}(cx)}{3x^3}$

Maple [A] time = 0.176, size = 75, normalized size = 1.3

$$c^3 \left(-\frac{a}{3c^3 x^3} + b \left(-\frac{\operatorname{arccsc}(cx)}{3c^3 x^3} - \frac{(c^2 x^2 - 1)(2c^2 x^2 + 1)}{9c^4 x^4} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^4, x)`

[Out] $c^3 (-\frac{1}{3} a/c^3/x^3 + b * (-\frac{1}{3}/c^3/x^3 * arccsc(c*x) - 1/9 * (c^2 x^2 - 1) * (2 * c^2 x^2 + 1) / ((c^2 x^2 - 1)/c^2/x^2)^(1/2) / c^4/x^4))$

Maxima [A] time = 0.977066, size = 78, normalized size = 1.3

$$\frac{1}{9} b \left(\frac{c^4 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} - \frac{3 \operatorname{arccsc}(cx)}{x^3} \right) - \frac{a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^4, x, algorithm="maxima")`

[Out] $\frac{1}{9} b ((c^4 (-1/(c^2 x^2) + 1)^{(3/2)} - 3 c^4 \sqrt{-1/(c^2 x^2) + 1})/c - 3 \operatorname{arccsc}(c x)/x^3 - 1/3 a/x^3$

Fricas [A] time = 2.23779, size = 97, normalized size = 1.62

$$-\frac{3 b \operatorname{arccsc}(c x) + (2 b c^2 x^2 + b) \sqrt{c^2 x^2 - 1} + 3 a}{9 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^4,x, algorithm="fricas")`

[Out] $-1/9 (3 b \operatorname{arccsc}(c x) + (2 b c^2 x^2 + b) \sqrt{c^2 x^2 - 1} + 3 a)/x^3$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(c x)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**4,x)`

[Out] `Integral((a + b * acsc(c * x))/x**4, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(c x) + a}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^4,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/x^4, x)`

3.12 $\int \frac{a+b \csc^{-1}(cx)}{x^5} dx$

Optimal. Leaf size=76

$$-\frac{a + b \csc^{-1}(cx)}{4x^4} - \frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{32x} - \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} + \frac{3}{32} bc^4 \csc^{-1}(cx)$$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(16*x^3) - (3*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/(32*x) + (3*b*c^4*\text{ArcCsc}[c*x])/32 - (a + b*\text{ArcCsc}[c*x])/(4*x^4)$

Rubi [A] time = 0.0449829, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {5221, 335, 321, 216}

$$-\frac{a + b \csc^{-1}(cx)}{4x^4} - \frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{32x} - \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} + \frac{3}{32} bc^4 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/x^5, x]$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(16*x^3) - (3*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/(32*x) + (3*b*c^4*\text{ArcCsc}[c*x])/32 - (a + b*\text{ArcCsc}[c*x])/(4*x^4)$

Rule 5221

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 335

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> -Subst[Int[(a + b/x^n)^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr[t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^5} dx &= -\frac{a + b \csc^{-1}(cx)}{4x^4} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} x^6}} dx}{4c} \\
&= -\frac{a + b \csc^{-1}(cx)}{4x^4} + \frac{b \operatorname{Subst} \left(\int \frac{x^4}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{4c} \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} - \frac{a + b \csc^{-1}(cx)}{4x^4} + \frac{1}{16} (3bc) \operatorname{Subst} \left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right) \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} - \frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{32x} - \frac{a + b \csc^{-1}(cx)}{4x^4} + \frac{1}{32} (3bc^3) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right) \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{16x^3} - \frac{3bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{32x} + \frac{3}{32} bc^4 \csc^{-1}(cx) - \frac{a + b \csc^{-1}(cx)}{4x^4}
\end{aligned}$$

Mathematica [A] time = 0.0606642, size = 78, normalized size = 1.03

$$-\frac{a}{4x^4} + b \left(-\frac{3c^3}{32x} - \frac{c}{16x^3} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{3}{32} bc^4 \sin^{-1} \left(\frac{1}{cx} \right) - \frac{b \csc^{-1}(cx)}{4x^4}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/x^5, x]`

[Out] `-a/(4*x^4) + b*(-c/(16*x^3) - (3*c^3)/(32*x))*Sqrt[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcCsc[c*x])/(4*x^4) + (3*b*c^4*ArcSin[1/(c*x)])/32`

Maple [B] time = 0.174, size = 147, normalized size = 1.9

$$-\frac{a}{4x^4} - \frac{b \operatorname{arccsc}(cx)}{4x^4} + \frac{3c^3b}{32x} \sqrt{c^2 x^2 - 1} \arctan \left(\frac{1}{\sqrt{c^2 x^2 - 1}} \right) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{3c^3b}{32x} \frac{1}{\sqrt{c^2 x^2 - 1}} + \frac{cb}{32x^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{b}{16cx^5} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^5, x)`

[Out] `-1/4*a/x^4 - 1/4*b/x^4*arccsc(c*x) + 3/32*c^3*b*(c^2*x^2 - 1)^(1/2)/((c^2*x^2 - 1)/c^2/x^2)^(1/2)*x*arctan(1/(c^2*x^2 - 1)^(1/2)) - 3/32*c^3*b/((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x + 1/32*c*b*((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x^3 + 1/16*c*b*((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x^5`

Maxima [A] time = 1.47882, size = 169, normalized size = 2.22

$$-\frac{1}{32} b \left(\frac{3c^5 \arctan \left(cx \sqrt{-\frac{1}{c^2 x^2} + 1} \right) + \frac{3c^8 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 5c^6 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^4 x^4 \left(\frac{1}{c^2 x^2} - 1 \right)^2 - 2c^2 x^2 \left(\frac{1}{c^2 x^2} - 1 \right) + 1} + \frac{8 \operatorname{arccsc}(cx)}{x^4} \right) - \frac{a}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^5,x, algorithm="maxima")`

[Out]
$$\frac{-1/32*b*((3*c^5*arctan(c*x*sqrt(-1/(c^2*x^2) + 1)) + (3*c^8*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 5*c^6*x*sqrt(-1/(c^2*x^2) + 1)))/(c^4*x^4*(1/(c^2*x^2) - 1)^2 - 2*c^2*x^2*(1/(c^2*x^2) - 1) + 1))/c + 8*arccsc(c*x)/x^4 - 1/4*a/x^4}{32*x^4}$$

Fricas [A] time = 2.29235, size = 122, normalized size = 1.61

$$\frac{(3bc^4x^4 - 8b)\operatorname{arccsc}(cx) - (3bc^2x^2 + 2b)\sqrt{c^2x^2 - 1} - 8a}{32x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^5,x, algorithm="fricas")`

[Out]
$$\frac{1/32*((3*b*c^4*x^4 - 8*b)*\operatorname{arccsc}(c*x) - (3*b*c^2*x^2 + 2*b)*\sqrt{c^2*x^2 - 1} - 8*a)/x^4}{32*x^4}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**5,x)`

[Out] `Integral((a + b*acsc(c*x))/x**5, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^5,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/x^5, x)`

3.13 $\int \frac{a+b \csc^{-1}(cx)}{x^6} dx$

Optimal. Leaf size=82

$$-\frac{a + b \csc^{-1}(cx)}{5x^5} - \frac{1}{25}bc^5\left(1 - \frac{1}{c^2x^2}\right)^{5/2} + \frac{2}{15}bc^5\left(1 - \frac{1}{c^2x^2}\right)^{3/2} - \frac{1}{5}bc^5\sqrt{1 - \frac{1}{c^2x^2}}$$

[Out] $-(b*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)])/5 + (2*b*c^5*(1 - 1/(c^2*x^2))^{(3/2)})/15 - (b*c^5*(1 - 1/(c^2*x^2))^{(5/2)})/25 - (a + b*\text{ArcCsc}[c*x])/(5*x^5)$

Rubi [A] time = 0.0491578, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.25, Rules used = {5221, 266, 43}

$$-\frac{a + b \csc^{-1}(cx)}{5x^5} - \frac{1}{25}bc^5\left(1 - \frac{1}{c^2x^2}\right)^{5/2} + \frac{2}{15}bc^5\left(1 - \frac{1}{c^2x^2}\right)^{3/2} - \frac{1}{5}bc^5\sqrt{1 - \frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/x^6, x]$

[Out] $-(b*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)])/5 + (2*b*c^5*(1 - 1/(c^2*x^2))^{(3/2)})/15 - (b*c^5*(1 - 1/(c^2*x^2))^{(5/2)})/25 - (a + b*\text{ArcCsc}[c*x])/(5*x^5)$

Rule 5221

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_)*(x_))^(m_), x_Symbol] :> Sim
p[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m +
1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d,
m}, x] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^6} dx &= -\frac{a + b \csc^{-1}(cx)}{5x^5} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}} x^7} dx}{5c} \\
&= -\frac{a + b \csc^{-1}(cx)}{5x^5} + \frac{b \operatorname{Subst} \left(\int \frac{x^2}{\sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2} \right)}{10c} \\
&= -\frac{a + b \csc^{-1}(cx)}{5x^5} + \frac{b \operatorname{Subst} \left(\int \left(\frac{t^4}{\sqrt{1 - \frac{t}{c^2}}} - 2c^4 \sqrt{1 - \frac{t}{c^2}} + c^4 \left(1 - \frac{t}{c^2}\right)^{3/2} \right) dt, t, \frac{1}{x^2} \right)}{10c} \\
&= -\frac{1}{5} bc^5 \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{2}{15} bc^5 \left(1 - \frac{1}{c^2 x^2}\right)^{3/2} - \frac{1}{25} bc^5 \left(1 - \frac{1}{c^2 x^2}\right)^{5/2} - \frac{a + b \csc^{-1}(cx)}{5x^5}
\end{aligned}$$

Mathematica [A] time = 0.0850999, size = 69, normalized size = 0.84

$$-\frac{a}{5x^5} + b \left(-\frac{4c^3}{75x^2} - \frac{8c^5}{75} - \frac{c}{25x^4} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b \csc^{-1}(cx)}{5x^5}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/x^6, x]`

[Out] $\frac{-a}{5x^5} + b \left(\frac{(-8c^5)/75}{x^2} - \frac{c/(25x^4)}{x^2} - \frac{(4c^3)/(75x^2)}{x^2} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{(b*ArcCsc[c*x])/(5x^5)}{x^2}$

Maple [A] time = 0.173, size = 83, normalized size = 1.

$$c^5 \left(-\frac{a}{5c^5 x^5} + b \left(-\frac{\operatorname{arccsc}(cx)}{5c^5 x^5} - \frac{(c^2 x^2 - 1)(8c^4 x^4 + 4c^2 x^2 + 3)}{75c^6 x^6} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^6, x)`

[Out] $c^5 (-1/5*a/c^5/x^5 + b*(-1/5/c^5/x^5)*arccsc(c*x) - 1/75*(c^2*x^2 - 1)*(8*c^4*x^4 + 4*c^2*x^2 + 3)) / ((c^2*x^2 - 1)/c^2/x^2)^(1/2) / c^6/x^6$

Maxima [A] time = 0.978024, size = 103, normalized size = 1.26

$$-\frac{1}{75} b \left(\frac{3c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{5/2} - 10c^6 \left(-\frac{1}{c^2 x^2} + 1 \right)^{3/2} + 15c^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} + \frac{15 \operatorname{arccsc}(cx)}{x^5} \right) - \frac{a}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^6, x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/75*b*((3*c^6*(-1/(c^2*x^2) + 1)^(5/2) - 10*c^6*(-1/(c^2*x^2) + 1)^(3/2) \\ & + 15*c^6*sqrt(-1/(c^2*x^2) + 1))/c + 15*arccsc(c*x)/x^5) - 1/5*a/x^5 \end{aligned}$$

Fricas [A] time = 2.26885, size = 123, normalized size = 1.5

$$\frac{15 b \operatorname{arccsc}(cx) + (8 b c^4 x^4 + 4 b c^2 x^2 + 3 b) \sqrt{c^2 x^2 - 1} + 15 a}{75 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^6,x, algorithm="fricas")`

[Out]
$$\begin{aligned} & -1/75*(15*b*arccsc(c*x) + (8*b*c^4*x^4 + 4*b*c^2*x^2 + 3*b)*sqrt(c^2*x^2 - 1) + 15*a)/x^5 \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**6,x)`

[Out] `Integral((a + b*acsc(c*x))/x**6, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^6,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/x^6, x)`

3.14 $\int \frac{a+b \csc^{-1}(cx)}{x^7} dx$

Optimal. Leaf size=101

$$-\frac{a + b \csc^{-1}(cx)}{6x^6} - \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} - \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} - \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5}{96} bc^6 \csc^{-1}(cx)$$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(36*x^5) - (5*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/(144*x^3) - (5*b*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)])/(96*x) + (5*b*c^6*\text{ArcCsc}[c*x])/96 - (a + b*\text{ArcCsc}[c*x])/(6*x^6)$

Rubi [A] time = 0.0624712, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {5221, 335, 321, 216}

$$-\frac{a + b \csc^{-1}(cx)}{6x^6} - \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} - \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} - \frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} + \frac{5}{96} bc^6 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/x^7, x]$

[Out] $-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(36*x^5) - (5*b*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)])/(144*x^3) - (5*b*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)])/(96*x) + (5*b*c^6*\text{ArcCsc}[c*x])/96 - (a + b*\text{ArcCsc}[c*x])/(6*x^6)$

Rule 5221

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*(d_)*(x_)^(m_), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(d*(m + 1)), x] + Dist[(b*d)/(c*(m + 1)), Int[(d*x)^(m - 1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 335

```
Int[(x_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> -Subst[Int[(a + b*x^n)^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && IntegerQ[m]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^(n - 1)*(c*x)^(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^7} dx &= -\frac{a + b \csc^{-1}(cx)}{6x^6} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} x^8}} dx}{6c} \\
&= -\frac{a + b \csc^{-1}(cx)}{6x^6} + \frac{b \operatorname{Subst} \left(\int \frac{x^6}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{6c} \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} - \frac{a + b \csc^{-1}(cx)}{6x^6} + \frac{1}{36} (5bc) \operatorname{Subst} \left(\int \frac{x^4}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right) \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} - \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} - \frac{a + b \csc^{-1}(cx)}{6x^6} + \frac{1}{48} (5bc^3) \operatorname{Subst} \left(\int \frac{x^2}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right) \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} - \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} - \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} - \frac{a + b \csc^{-1}(cx)}{6x^6} + \frac{1}{96} (5bc^5) \operatorname{Subst} \left(\int \frac{\sqrt{1 - \frac{x^2}{c^2}}}{x^3} dx, x, \frac{1}{x} \right) \\
&= -\frac{bc \sqrt{1 - \frac{1}{c^2 x^2}}}{36x^5} - \frac{5bc^3 \sqrt{1 - \frac{1}{c^2 x^2}}}{144x^3} - \frac{5bc^5 \sqrt{1 - \frac{1}{c^2 x^2}}}{96x} + \frac{5}{96} bc^6 \csc^{-1}(cx) - \frac{a + b \csc^{-1}(cx)}{6x^6}
\end{aligned}$$

Mathematica [A] time = 0.10211, size = 88, normalized size = 0.87

$$-\frac{a}{6x^6} + b \left(-\frac{5c^3}{144x^3} - \frac{5c^5}{96x} - \frac{c}{36x^5} \right) \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{5}{96} bc^6 \sin^{-1} \left(\frac{1}{cx} \right) - \frac{b \csc^{-1}(cx)}{6x^6}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCsc[c*x])/x^7, x]

[Out]
$$\frac{-a/(6*x^6) + b*(-c/(36*x^5) - (5*c^3)/(144*x^3) - (5*c^5)/(96*x))*\operatorname{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)] - (b*ArcCsc[c*x])/(6*x^6) + (5*b*c^6*\operatorname{ArcSin}[1/(c*x)])}{96}$$

Maple [A] time = 0.177, size = 174, normalized size = 1.7

$$-\frac{a}{6x^6} - \frac{\operatorname{barccsc}(cx)}{6x^6} + \frac{5c^5b}{96x} \sqrt{c^2 x^2 - 1} \arctan \left(\frac{1}{\sqrt{c^2 x^2 - 1}} \right) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{5c^5b}{96x} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{5c^3b}{288x^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{cb}{144x^5} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^7, x)

[Out]
$$\frac{-1/6*a/x^6 - 1/6*b/x^6*arccsc(c*x) + 5/96*c^5*b*(c^2*x^2 - 1)^(1/2)/((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x*arctan(1/(c^2*x^2 - 1)^(1/2)) - 5/96*c^5*b/((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x + 5/288*c^3*b/((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x^3 + 1/144*c*b/((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x^5 + 1/36*c*b/((c^2*x^2 - 1)/c^2/x^2)^(1/2)/x^7}{x^7}$$

Maxima [A] time = 1.47346, size = 223, normalized size = 2.21

$$-\frac{1}{288} b \left(\frac{15 c^7 \arctan\left(cx \sqrt{-\frac{1}{c^2 x^2} + 1}\right) - \frac{15 c^{12} x^5 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{5}{2}} + 40 c^{10} x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 33 c^8 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^6 x^6 \left(\frac{1}{c^2 x^2} - 1\right)^3 - 3 c^4 x^4 \left(\frac{1}{c^2 x^2} - 1\right)^2 + 3 c^2 x^2 \left(\frac{1}{c^2 x^2} - 1\right) - 1} + \frac{48 \operatorname{arccsc}(cx)}{x^6} \right) - \frac{a}{6 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^7,x, algorithm="maxima")`

[Out]
$$\frac{-1/288*b*((15*c^7*\arctan(c*x*sqrt(-1/(c^2*x^2) + 1)) - (15*c^12*x^5*(-1/(c^2*x^2) + 1)^(5/2) + 40*c^10*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 33*c^8*x*sqrt(-1/(c^2*x^2) + 1))/(c^6*x^6*(1/(c^2*x^2) - 1)^3 - 3*c^4*x^4*(1/(c^2*x^2) - 1)^2 + 3*c^2*x^2*(1/(c^2*x^2) - 1) - 1)/c + 48*arccsc(c*x)/x^6) - 1/6*a/x^6}{288}$$

Fricas [A] time = 2.24553, size = 150, normalized size = 1.49

$$\frac{3 \left(5 b c^6 x^6 - 16 b\right) \operatorname{arccsc}(cx) - \left(15 b c^4 x^4 + 10 b c^2 x^2 + 8 b\right) \sqrt{c^2 x^2 - 1} - 48 a}{288 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^7,x, algorithm="fricas")`

[Out]
$$\frac{1/288*(3*(5*b*c^6*x^6 - 16*b)*arccsc(c*x) - (15*b*c^4*x^4 + 10*b*c^2*x^2 + 8*b)*sqrt(c^2*x^2 - 1) - 48*a)/x^6}{288}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**7,x)`

[Out] `Integral((a + b*acsc(c*x))/x**7, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^7,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/x^7, x)`

$$\mathbf{3.15} \quad \int x^3 \left(a + b \csc^{-1}(cx) \right)^2 dx$$

Optimal. Leaf size=107

$$\frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))}{6c} + \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))}{3c^3} + \frac{1}{4} x^4 (a + b \csc^{-1}(cx))^2 + \frac{b^2 x^2}{12c^2} + \frac{b^2 \log(x)}{3c^4}$$

[Out] $(b^2 x^2)/(12 c^2) + (b \text{Sqrt}[1 - 1/(c^2 x^2)] * x * (a + b \text{ArcCsc}[c x]))/(3 c^3)$
 $+ (b \text{Sqrt}[1 - 1/(c^2 x^2)] * x^3 * (a + b \text{ArcCsc}[c x]))/(6 c) + (x^4 * (a + b \text{ArcCsc}[c x])^2)/4 + (b^2 \text{Log}[x])/(3 c^4)$

Rubi [A] time = 0.106237, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.357, Rules used = {5223, 4410, 4185, 4184, 3475}

$$\frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))}{6c} + \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))}{3c^3} + \frac{1}{4} x^4 (a + b \csc^{-1}(cx))^2 + \frac{b^2 x^2}{12c^2} + \frac{b^2 \log(x)}{3c^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3 * (a + b \text{ArcCsc}[c x])^2, x]$

[Out] $(b^2 x^2)/(12 c^2) + (b \text{Sqrt}[1 - 1/(c^2 x^2)] * x * (a + b \text{ArcCsc}[c x]))/(3 c^3)$
 $+ (b \text{Sqrt}[1 - 1/(c^2 x^2)] * x^3 * (a + b \text{ArcCsc}[c x]))/(6 c) + (x^4 * (a + b \text{ArcCsc}[c x])^2)/4 + (b^2 \text{Log}[x])/(3 c^4)$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^n_*(x_)^m_), x_Symbol] :> -Dist[  

(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs  

c[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n,  

0] || LtQ[m, -1])
```

Rule 4410

```
Int[Cot[(a_) + (b_)*(x_)]^p_*Csc[(a_) + (b_)*(x_)]^n_*((c_) + (d_  

_)*(x_))^m_, x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x]  

+ Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{  

a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4185

```
Int[(csc[(e_) + (f_)*(x_)]*(b_))^n_*((c_) + (d_)*(x_)), x_Symbol] :>  

-Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x]  

+ (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x],  

x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;  

FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4184

```
Int[csc[(e_) + (f_)*(x_)]^2*((c_) + (d_)*(x_))^m_, x_Symbol] :> -Sim  

p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co  

t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d *x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int x^3 (a + b \csc^{-1}(cx))^2 dx &= -\frac{\text{Subst}\left(\int (a + bx)^2 \cot(x) \csc^4(x) dx, x, \csc^{-1}(cx)\right)}{c^4} \\ &= \frac{1}{4}x^4 (a + b \csc^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \csc^4(x) dx, x, \csc^{-1}(cx)\right)}{2c^4} \\ &= \frac{b^2 x^2}{12c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \csc^{-1}(cx))}{6c} + \frac{1}{4}x^4 (a + b \csc^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{3c^4} \\ &= \frac{b^2 x^2}{12c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))}{3c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \csc^{-1}(cx))}{6c} + \frac{1}{4}x^4 (a + b \csc^{-1}(cx))^2 \\ &= \frac{b^2 x^2}{12c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))}{3c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \csc^{-1}(cx))}{6c} + \frac{1}{4}x^4 (a + b \csc^{-1}(cx))^2 \end{aligned}$$

Mathematica [A] time = 0.222909, size = 124, normalized size = 1.16

$$\frac{cx \left(3a^2c^3x^3 + 2ab\sqrt{1 - \frac{1}{c^2x^2}}(c^2x^2 + 2) + b^2cx\right) + 2bcx \csc^{-1}(cx) \left(3ac^3x^3 + b\sqrt{1 - \frac{1}{c^2x^2}}(c^2x^2 + 2)\right) + 3b^2c^4x^4 \csc^{-1}(cx)^2 +}{12c^4}$$

Antiderivative was successfully verified.

[In] $\int x^3(a + b \operatorname{ArcCsc}[c x])^2 dx$

```
[Out] (c*x*(b^2*c*x + 3*a^2*c^3*x^3 + 2*a*b*Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2)) + 2*b*c*x*(3*a*c^3*x^3 + b*Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2))*ArcCsc[c*x] + 3*b^2*c^4*x^4*ArcCsc[c*x]^2 + 4*b^2*Log[x])/(12*c^4)
```

Maple [B] time = 0.225, size = 208, normalized size = 1.9

$$\frac{a^2 x^4}{4} + \frac{b^2 (\operatorname{arccsc}(cx))^2 x^4}{4} + \frac{b^2 \operatorname{arccsc}(cx) x^3}{6 c} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{b^2 x^2}{12 c^2} + \frac{b^2 \operatorname{arccsc}(cx) x}{3 c^3} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b^2}{3 c^4} \ln\left(\frac{1}{cx}\right) + \frac{abx^4 \operatorname{arcsc}(cx)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^3 \cdot (a + b \cdot \operatorname{arccsc}(c \cdot x))^2 dx$

```
[Out] 1/4*a^2*x^4+1/4*b^2*arccsc(c*x)^2*x^4+1/6*c*b^2*arccsc(c*x)*x^3*((c^2*x^2-1)/c^2/x^2)^(1/2)+1/12*b^2*x^2/c^2+1/3/c^3*b^2*arccsc(c*x)*x*((c^2*x^2-1)/c^2/x^2)^(1/2)-1/3/c^4*b^2*ln(1/c/x)+1/2*a*b*x^4*arccsc(c*x)+1/6*c*a*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^3+1/6*c^3*a*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x-1/3/c^5*a*b/((c^2*x^2-1)/c^2/x^2)^(1/2)/x
```

Maxima [B] time = 2.10654, size = 266, normalized size = 2.49

$$\frac{1}{4} b^2 x^4 \operatorname{arccsc}(c x)^2 + \frac{1}{4} a^2 x^4 + \frac{1}{6} \left(3 x^4 \operatorname{arccsc}(c x) + \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 3 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) ab + \frac{\left(2 c^4 x^4 \arctan(1, \sqrt{c x + 1}) - 2 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3 x \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))^2,x, algorithm="maxima")`

[Out]
$$\frac{1/4*b^2*x^4*arccsc(c*x)^2 + 1/4*a^2*x^4 + 1/6*(3*x^4*arccsc(c*x) + (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*a*b + 1/12*(2*c^4*x^4*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) + 2*c^2*x^2*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) + (c^2*x^2 + 2*log(x^2))*sqrt(c*x + 1)*sqrt(c*x - 1) - 4*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*b^2/(sqrt(c*x + 1)*sqrt(c*x - 1)*c^4)}{12*c^4}$$

Fricas [A] time = 2.96616, size = 339, normalized size = 3.17

$$\frac{3 b^2 c^4 x^4 \operatorname{arccsc}(c x)^2 + 3 a^2 c^4 x^4 - 12 a b c^4 \arctan\left(-c x + \sqrt{c^2 x^2 - 1}\right) + b^2 c^2 x^2 + 4 b^2 \log(x) + 6 (a b c^4 x^4 - a b c^4) \operatorname{arccsc}(c x)}{12 c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))^2,x, algorithm="fricas")`

[Out]
$$\frac{1/12*(3*b^2*c^4*x^4*arccsc(c*x)^2 + 3*a^2*c^4*x^4 - 12*a*b*c^4*arctan(-c*x + sqrt(c^2*x^2 - 1)) + b^2*c^2*x^2 + 4*b^2*log(x) + 6*(a*b*c^4*x^4 - a*b*c^4)*arccsc(c*x) + 2*(a*b*c^2*x^2 + 2*a*b + (b^2*c^2*x^2 + 2*b^2)*arccsc(c*x))*sqrt(c^2*x^2 - 1))/c^4}{12*c^4}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{acsc}(c x))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))**2,x)`

[Out] `Integral(x**3*(a + b*acsc(c*x))**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(c x) + a)^2 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2*x^3, x)`

$$\mathbf{3.16} \quad \int x^2 \left(a + b \csc^{-1}(cx) \right)^2 dx$$

Optimal. Leaf size=139

$$-\frac{ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right)}{3c^3} + \frac{ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right)}{3c^3} + \frac{bx^2 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))}{3c} + \frac{2b \tanh^{-1}\left(e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{3c^3}$$

[Out] $(b^{2}x)/(3c^2) + (b\text{Sqrt}[1 - 1/(c^2x^2)]*x^2*(a + b\text{ArcCsc}[c*x]))/(3c) + (x^3*(a + b\text{ArcCsc}[c*x])^2)/3 + (2*b*(a + b\text{ArcCsc}[c*x])*ArcTanh[E^(I*ArcCsc[c*x])])/(3c^3) - ((I/3)*b^2*PolyLog[2, -E^(I*ArcCsc[c*x])])/c^3 + ((I/3)*b^2*PolyLog[2, E^(I*ArcCsc[c*x])])/c^3$

Rubi [A] time = 0.119006, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.429, Rules used = {5223, 4410, 4185, 4183, 2279, 2391}

$$-\frac{ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right)}{3c^3} + \frac{ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right)}{3c^3} + \frac{bx^2 \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))}{3c} + \frac{2b \tanh^{-1}\left(e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{3c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(a + b\text{ArcCsc}[c*x])^2, x]$

[Out] $(b^{2}x)/(3c^2) + (b\text{Sqrt}[1 - 1/(c^2x^2)]*x^2*(a + b\text{ArcCsc}[c*x]))/(3c) + (x^3*(a + b\text{ArcCsc}[c*x])^2)/3 + (2*b*(a + b\text{ArcCsc}[c*x])*ArcTanh[E^(I*ArcCsc[c*x])])/(3c^3) - ((I/3)*b^2*PolyLog[2, -E^(I*ArcCsc[c*x])])/c^3 + ((I/3)*b^2*PolyLog[2, E^(I*ArcCsc[c*x])])/c^3$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))^^(n_)*(x_.)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^(−1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, −1])
```

Rule 4410

```
Int[Cot[(a_.) + (b_.)*(x_.)]^(p_)*Csc[(a_.) + (b_.)*(x_.)]^(n_)*((c_.) + (d_.)*(x_.))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m − 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^^(n_)*((c_.) + (d_.)*(x_.)), x_Symbol] :> -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n − 2))/(f*(n − 1)), x] + (Dist[(b^2*(n − 2))/(n − 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n − 2), x], x] − Simp[(b^2*d*(b*Csc[e + f*x])^(n − 2))/(f^2*(n − 1)*(n − 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m − 1)*Log[1 − E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m − 1)*Log[1 − E^(I*(e + f*x))], x], x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

```
(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*(F_)^((e_.)*(c_.) + (d_)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*(d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int x^2 (a + b \csc^{-1}(cx))^2 dx &= -\frac{\text{Subst}\left(\int (a + bx)^2 \cot(x) \csc^3(x) dx, x, \csc^{-1}(cx)\right)}{c^3} \\ &= \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^2 - \frac{(2b) \text{Subst}\left(\int (a + bx) \csc^3(x) dx, x, \csc^{-1}(cx)\right)}{3c^3} \\ &= \frac{b^2 x}{3c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^2 - \frac{b \text{Subst}\left(\int (a + bx) \csc^3(x) dx, x, \csc^{-1}(cx)\right)}{3c^3} \\ &= \frac{b^2 x}{3c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^2 + \frac{2b (a + b \csc^{-1}(cx)) \tan^{-1}\left(\frac{x}{\sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{3c^3} \\ &= \frac{b^2 x}{3c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^2 + \frac{2b (a + b \csc^{-1}(cx)) \tan^{-1}\left(\frac{x}{\sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{3c^3} \\ &= \frac{b^2 x}{3c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))}{3c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^2 + \frac{2b (a + b \csc^{-1}(cx)) \tan^{-1}\left(\frac{x}{\sqrt{1 - \frac{1}{c^2 x^2}}}\right)}{3c^3} \end{aligned}$$

Mathematica [A] time = 1.33869, size = 210, normalized size = 1.51

$$\frac{1}{3} \left(\frac{b^2 \left(i \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right) + c^3 x^3 \csc^{-1}(cx)^2 + \csc^{-1}(cx) \left(c^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}} - \log\left(1 - e^{i \csc^{-1}(cx)}\right) + \log\left(1 + e^{i \csc^{-1}(cx)}\right) \right) \right)}{c^3} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(a + b*ArcCsc[c*x])^2, x]

[Out]
$$(a^2 x^3 + 2 a b x^3 \text{ArcCsc}[c x] + (a b (-c x) + c^3 x^3 + \sqrt{-1 + c^2 x^2})^2 \text{ArcTanh}[(c x)/\sqrt{-1 + c^2 x^2}])/(\sqrt{-1 + c^2 x^2})^4 - (I b^2 \text{PolyLog}[2, -E^{(I \text{ArcCsc}[c x])}])/c^3 + (b^2 (c x + c^3 x^3 \text{ArcCsc}[c x]^2 + \text{ArcCsc}[c x] (c^2 \sqrt{-1/c^2 x^2} + \text{ArcCsc}[c x] \text{ArcTanh}[(c x)/\sqrt{-1 + c^2 x^2}])))^2/c^3 - \text{Log}[1 - E^{(I \text{ArcCsc}[c x])}] + \text{Log}[1 + E^{(I \text{ArcCsc}[c x])}] + I \text{PolyLog}[2, E^{(I \text{ArcCsc}[c x])}])/c^3$$

Maple [B] time = 0.352, size = 327, normalized size = 2.4

$$\frac{x^3 a^2}{3} + \frac{x^3 b^2 (\text{arccsc}(cx))^2}{3} + \frac{b^2 \text{arccsc}(cx) x^2 \sqrt{c^2 x^2 - 1}}{3 c} + \frac{b^2 x}{3 c^2} + \frac{b^2 \text{arccsc}(cx)}{3 c^3} \ln\left(1 + \frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right) - \frac{\frac{i}{3} b^2}{c^3} \text{polylog}\left(2, \frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (x^2 * (a + b * \operatorname{arccsc}(cx))^2) dx$

[Out]
$$\begin{aligned} & 1/3*x^3*a^2+1/3*x^3*b^2*arccsc(cx)^2+1/3*c*b^2*((c^2*x^2-1)/c^2/x^2)^{(1/2)} \\ & *arccsc(cx)*x^2+1/3*b^2*x/c^2+1/3*c^3*b^2*arccsc(cx)*\ln(1+I/c/x+(1-1/c^2/x^2)^{(1/2)})-1/3*I*b^2*polylog(2,-I/c/x-(1-1/c^2/x^2)^{(1/2)})/c^3-1/3*c^3*b^2 \\ & *arccsc(cx)*\ln(1-I/c/x-(1-1/c^2/x^2)^{(1/2)})+1/3*I*b^2*polylog(2,I/c/x+(1-1/c^2/x^2)^{(1/2)})/c^3+2/3*x^3*a*b*arccsc(cx)+1/3*c*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^2-1/3*c^3*a*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}+1/3*c^4*a*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*\ln(c*x+(c^2*x^2-1)^{(1/2)}) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^2 * (a + b * \operatorname{arccsc}(cx))^2, x, \text{algorithm}=\text{"maxima"})$

[Out]
$$\begin{aligned} & 1/3*a^2*x^3 + 1/6*(4*x^3*arccsc(cx) + (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)*a*b + 1/12*(4*x^3*arctan2(1, sqrt(cx + 1)*sqrt(cx - 1))^2 - x^3*log(c^2*x^2)^2 - 2*c^2*(2*(c^2*x^3 + 3*x)/c^4 - 3*log(cx + 1)/c^5 + 3*log(cx - 1)/c^5)*log(c)^2 + 36*c^2*integrate(1/3*x^4*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) - 72*c^2*integrate(1/3*x^4*log(x)/(c^2*x^2 - 1), x)*log(c) + 36*c^2*integrate(1/3*x^4*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) - 36*c^2*integrate(1/3*x^4*log(x)^2/(c^2*x^2 - 1), x) + 12*c^2*integrate(1/3*x^4*log(c^2*x^2)/(c^2*x^2 - 1), x) + 6*(2*x/c^2 - log(cx + 1)/c^3 + log(cx - 1)/c^3)*log(c)^2 - 36*integrate(1/3*x^2*log(c^2*x^2)/(c^2*x^2 - 1), x)*log(c) + 72*integrate(1/3*x^2*log(x)/(c^2*x^2 - 1), x)*log(c) + 24*integrate(1/3*sqrt(cx + 1)*sqrt(cx - 1)*x^2*arctan(1/(sqrt(cx + 1)*sqrt(cx - 1)))/(c^2*x^2 - 1), x) - 36*integrate(1/3*x^2*log(c^2*x^2)*log(x)/(c^2*x^2 - 1), x) + 36*integrate(1/3*x^2*log(x)^2/(c^2*x^2 - 1), x) - 12*integrate(1/3*x^2*log(c^2*x^2)/(c^2*x^2 - 1), x))*b^2 \end{aligned}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(b^2 x^2 \operatorname{arccsc}(c x)^2+2 a b x^2 \operatorname{arccsc}(c x)+a^2 x^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^2 * (a + b * \operatorname{arccsc}(cx))^2, x, \text{algorithm}=\text{"fricas"})$

[Out] $\operatorname{integral}(b^2*x^2*arccsc(cx)^2 + 2*a*b*x^2*arccsc(cx) + a^2*x^2, x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{acsc}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))**2,x)`

[Out] `Integral(x**2*(a + b*acsc(c*x))**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^2 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2*x^2, x)`

$$\mathbf{3.17} \quad \int x \left(a + b \csc^{-1}(cx) \right)^2 dx$$

Optimal. Leaf size=55

$$\frac{bx\sqrt{1 - \frac{1}{c^2x^2}} \left(a + b \csc^{-1}(cx)\right)}{c} + \frac{1}{2}x^2 \left(a + b \csc^{-1}(cx)\right)^2 + \frac{b^2 \log(x)}{c^2}$$

[Out] $(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(a + b*\text{ArcCsc}[c*x]))/c + (x^2*(a + b*\text{ArcCsc}[c*x])^2)/2 + (b^2*\text{Log}[x])/c^2$

Rubi [A] time = 0.0700716, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {5223, 4410, 4184, 3475}

$$\frac{bx\sqrt{1 - \frac{1}{c^2x^2}} \left(a + b \csc^{-1}(cx)\right)}{c} + \frac{1}{2}x^2 \left(a + b \csc^{-1}(cx)\right)^2 + \frac{b^2 \log(x)}{c^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + b*\text{ArcCsc}[c*x])^2, x]$

[Out] $(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(a + b*\text{ArcCsc}[c*x]))/c + (x^2*(a + b*\text{ArcCsc}[c*x])^2)/2 + (b^2*\text{Log}[x])/c^2$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4410

```
Int[Cot[(a_.) + (b_.)*(x_)]^(p_)*Csc[(a_.) + (b_.)*(x_)]^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b^n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int x \left(a + b \csc^{-1}(cx) \right)^2 dx &= -\frac{\text{Subst} \left(\int (a + bx)^2 \cot(x) \csc^2(x) dx, x, \csc^{-1}(cx) \right)}{c^2} \\
&= \frac{1}{2} x^2 \left(a + b \csc^{-1}(cx) \right)^2 - \frac{b \text{Subst} \left(\int (a + bx) \csc^2(x) dx, x, \csc^{-1}(cx) \right)}{c^2} \\
&= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x \left(a + b \csc^{-1}(cx) \right)}{c} + \frac{1}{2} x^2 \left(a + b \csc^{-1}(cx) \right)^2 - \frac{b^2 \text{Subst} \left(\int \cot(x) dx, x, \csc^{-1}(cx) \right)}{c^2} \\
&= \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x \left(a + b \csc^{-1}(cx) \right)}{c} + \frac{1}{2} x^2 \left(a + b \csc^{-1}(cx) \right)^2 + \frac{b^2 \log(x)}{c^2}
\end{aligned}$$

Mathematica [A] time = 0.14625, size = 89, normalized size = 1.62

$$\frac{acx \left(acx + 2b \sqrt{1 - \frac{1}{c^2 x^2}} \right) + 2bcx \csc^{-1}(cx) \left(acx + b \sqrt{1 - \frac{1}{c^2 x^2}} \right) + b^2 c^2 x^2 \csc^{-1}(cx)^2 + 2b^2 \log(cx)}{2c^2}$$

Antiderivative was successfully verified.

[In] `Integrate[x*(a + b*ArcCsc[c*x])^2, x]`

[Out] $(a*c*x*(2*b*Sqrt[1 - 1/(c^2*x^2)] + a*c*x) + 2*b*c*x*(b*Sqrt[1 - 1/(c^2*x^2)]) + a*c*x)*ArcCsc[c*x] + b^2*c^2*x^2*ArcCsc[c*x]^2 + 2*b^2*Log[c*x])/(2*c^2)$

Maple [B] time = 0.222, size = 133, normalized size = 2.4

$$\frac{a^2 x^2}{2} + \frac{x^2 b^2 (\arccsc(cx))^2}{2} + \frac{b^2 \arccsc(cx) x}{c} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{b^2}{c^2} \ln\left(\frac{1}{cx}\right) + ab x^2 \arccsc(cx) + \frac{ab}{c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{ab}{c^3 x} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))^2, x)`

[Out] $\frac{1}{2} a^2 x^2 + \frac{1}{2} b^2 x^2 \arccsc(cx)^2 + \frac{1}{c} b^2 x^2 \arccsc(cx) \cdot x \cdot ((c^2 x^2 - 1)/c^2/x^2)^{(1/2)} - \frac{1}{c} b^2 x^2 \ln(1/c/x) + a*b*x^2*\arccsc(c*x) + 1/c*a*b*((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}*x - 1/c^3*a*b/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}/x$

Maxima [A] time = 1.00184, size = 113, normalized size = 2.05

$$\frac{1}{2} b^2 x^2 \arccsc(cx)^2 + \frac{1}{2} a^2 x^2 + \left(x^2 \arccsc(cx) + \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) ab + \left(\frac{x \sqrt{-\frac{1}{c^2 x^2} + 1} \arccsc(cx)}{c} + \frac{\log(x)}{c^2} \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))^2, x, algorithm="maxima")`

[Out] $\frac{1}{2} b^2 x^2 \arccsc(cx)^2 + \frac{1}{2} a^2 x^2 + (x^2 \arccsc(cx) + x * \sqrt{-1/(c^2 * x^2) + 1}) * a * b + (x * \sqrt{-1/(c^2 * x^2) + 1} * \arccsc(cx) / c + \log(x) / c^2) * b$

$\wedge 2$

Fricas [B] time = 2.2188, size = 266, normalized size = 4.84

$$\frac{b^2 c^2 x^2 \operatorname{arccsc}(cx)^2 + a^2 c^2 x^2 - 4abc^2 \arctan\left(-cx + \sqrt{c^2 x^2 - 1}\right) + 2b^2 \log(x) + 2(abc^2 x^2 - abc^2) \operatorname{arccsc}(cx) + 2\sqrt{c^2 x^2 - 1}}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))^2,x, algorithm="fricas")`

[Out] $\frac{1}{2} (b^2 c^2 x^2 \operatorname{arccsc}(cx)^2 + a^2 c^2 x^2 - 4abc^2 \arctan(-cx + \sqrt{c^2 x^2 - 1}) + 2b^2 \log(x) + 2(a b c^2 x^2 - a b c^2) \operatorname{arccsc}(cx) + 2\sqrt{c^2 x^2 - 1} (b^2 \operatorname{arccsc}(cx) + a b)) / c^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x (a + b \operatorname{acsc}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))**2,x)`

[Out] `Integral(x*(a + b*acsc(c*x))**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^2 x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2*x, x)`

$$3.18 \quad \int (a + b \csc^{-1}(cx))^2 dx$$

Optimal. Leaf size=84

$$-\frac{2ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right)}{c} + \frac{2ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right)}{c} + x (a + b \csc^{-1}(cx))^2 + \frac{4b \tanh^{-1}\left(e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c}$$

[Out] $x*(a + b*\text{ArcCsc}[c*x])^2 + (4*b*(a + b*\text{ArcCsc}[c*x])* \text{ArcTanh}[E^{(I*\text{ArcCsc}[c*x])}])/c - ((2*I)*b^2*\text{PolyLog}[2, -E^{(I*\text{ArcCsc}[c*x])}])/c + ((2*I)*b^2*\text{PolyLog}[2, E^{(I*\text{ArcCsc}[c*x])}])/c$

Rubi [A] time = 0.0675351, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.5, Rules used = {5217, 4410, 4183, 2279, 2391}

$$-\frac{2ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right)}{c} + \frac{2ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right)}{c} + x (a + b \csc^{-1}(cx))^2 + \frac{4b \tanh^{-1}\left(e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])^2, x]

[Out] $x*(a + b*\text{ArcCsc}[c*x])^2 + (4*b*(a + b*\text{ArcCsc}[c*x])* \text{ArcTanh}[E^{(I*\text{ArcCsc}[c*x])}])/c - ((2*I)*b^2*\text{PolyLog}[2, -E^{(I*\text{ArcCsc}[c*x])}])/c + ((2*I)*b^2*\text{PolyLog}[2, E^{(I*\text{ArcCsc}[c*x])}])/c$

Rule 5217

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))^n_, x_Symbol] :> -Dist[c^(-1), Subst[Int[(a + b*x)^n*Csc[x]*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[n, 0]
```

Rule 4410

```
Int[Cot[(a_.) + (b_.)*(x_.)]^(p_.)*Csc[(a_.) + (b_.)*(x_.)]^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m_, x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_), x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_) + (e_)*(x_)^(n_)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int (a + b \csc^{-1}(cx))^2 dx &= -\frac{\text{Subst}\left(\int (a + bx)^2 \cot(x) \csc(x) dx, x, \csc^{-1}(cx)\right)}{c} \\ &= x(a + b \csc^{-1}(cx))^2 - \frac{(2b) \text{Subst}\left(\int (a + bx) \csc(x) dx, x, \csc^{-1}(cx)\right)}{c} \\ &= x(a + b \csc^{-1}(cx))^2 + \frac{4b(a + b \csc^{-1}(cx)) \tanh^{-1}(e^{i \csc^{-1}(cx)})}{c} + \frac{(2b^2) \text{Subst}\left(\int \log(1 - e^{ix}) dx, x, \csc^{-1}(cx)\right)}{c} \\ &= x(a + b \csc^{-1}(cx))^2 + \frac{4b(a + b \csc^{-1}(cx)) \tanh^{-1}(e^{i \csc^{-1}(cx)})}{c} - \frac{(2ib^2) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, \csc^{-1}(cx)\right)}{c} \\ &= x(a + b \csc^{-1}(cx))^2 + \frac{4b(a + b \csc^{-1}(cx)) \tanh^{-1}(e^{i \csc^{-1}(cx)})}{c} - \frac{2ib^2 \text{Li}_2(-e^{i \csc^{-1}(cx)})}{c} + \frac{2ib^2 \text{Li}_2(e^{i \csc^{-1}(cx)})}{c} \end{aligned}$$

Mathematica [A] time = 0.202161, size = 147, normalized size = 1.75

$$-2ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right) + 2ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right) + a^2 cx + 2abcx \csc^{-1}(cx) + 2ab \log\left(\cos\left(\frac{1}{2} \csc^{-1}(cx)\right)\right) - 2a$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])^2, x]`

[Out] $(a^2 c x + 2 a b c x \text{ArcCsc}[c x] + b^2 c x^2 \text{ArcCsc}[c x]^2 - 2 b^2 c x \text{ArcCsc}[c x]) \text{Log}[1 - E^{(I \text{ArcCsc}[c x])}] + 2 b^2 c x \text{ArcCsc}[c x] \text{Log}[1 + E^{(I \text{ArcCsc}[c x])}] + 2 a b \text{Log}[\text{Cos}[\text{ArcCsc}[c x]/2]] - 2 a b \text{Log}[\text{Sin}[\text{ArcCsc}[c x]/2]] - (2 I) b^2 \text{PolyLog}[2, -E^{(I \text{ArcCsc}[c x])}] + (2 I) b^2 \text{PolyLog}[2, E^{(I \text{ArcCsc}[c x])}])/c$

Maple [A] time = 0.266, size = 196, normalized size = 2.3

$$x b^2 (\text{arccsc}(cx))^2 + 2 x a b \text{arccsc}(cx) - 2 \frac{b^2 \text{arccsc}(cx)}{c} \ln\left(1 - \frac{i}{cx} - \sqrt{1 - \frac{1}{c^2 x^2}}\right) + 2 \frac{b^2 \text{arccsc}(cx)}{c} \ln\left(1 + \frac{i}{cx} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^2, x)`

[Out] $x b^2 \text{arccsc}(c x)^2 + 2 x a b \text{arccsc}(c x) - 2 c b^2 \text{arccsc}(c x) \ln(1 - I/c/x - (1 - 1/c^2/x^2)^(1/2)) + 2 c b^2 \text{arccsc}(c x) \ln(1 + I/c/x + (1 - 1/c^2/x^2)^(1/2)) - 2 I b^2 \text{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^(1/2))/c + 2 I b^2 \text{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^(1/2))/c + a^2 x^2 + 2 c a x \ln(c x + c x^2 * (1 - 1/c^2/x^2)^(1/2)) * a * b$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4} \left(2 c^2 \left(\frac{2 x}{c^2} - \frac{\log(cx+1)}{c^3} + \frac{\log(cx-1)}{c^3} \right) \log(c)^2 - 4 c^2 \int \frac{x^2 \log(c^2 x^2)}{c^2 x^2 - 1} dx \log(c) + 8 c^2 \int \frac{x^2 \log(x)}{c^2 x^2 - 1} dx \log(c) - 4 x a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2,x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -\frac{1}{4}(2c^2(2x/c^2 - \log(cx + 1)/c^3 + \log(cx - 1)/c^3)\log(c)^2 - 4c^2 \\ & \text{integrate}(x^2\log(c^2x^2)/(c^2x^2 - 1), x)\log(c) + 8c^2\text{integrate}(x^2 \\ & * \log(x)/(c^2x^2 - 1), x)\log(c) - 4x\arctan(1, \sqrt{cx + 1})\sqrt{cx - 1})^2 - 4c^2 \\ & \text{integrate}(x^2\log(c^2x^2)\log(x)/(c^2x^2 - 1), x) + 4c^2\text{integrate}(x^2\log(c^2x^2)/ \\ & (c^2x^2 - 1), x) - 4c^2\text{integrate}(x^2\log(c^2x^2)/(c^2x^2 - 1), x) + x\log(c^2x^2)^2 + 2(\log(cx + 1)/c - \log(cx - 1)/c) \\ & \log(c)^2 + 4\text{integrate}(\log(c^2x^2)/(c^2x^2 - 1), x)\log(c) - 8\text{integrate}(\log(x)/(c^2x^2 - 1), x)\log(c) - 8\text{integrate}(\sqrt{cx + 1}\sqrt{cx - 1}a \\ & \arctan(1/\sqrt{cx + 1}\sqrt{cx - 1})/(c^2x^2 - 1), x) + 4\text{integrate}(\log(c^2x^2)\log(x)/(c^2x^2 - 1), x) - 4\text{integrate}(\log(x)^2/(c^2x^2 - 1), x) \\ & + 4\text{integrate}(\log(c^2x^2)/(c^2x^2 - 1), x)*b^2 + a^2x + (2cx\arccsc(cx) + \log(\sqrt{-1/(c^2x^2 + 1)} + 1) - \log(-\sqrt{-1/(c^2x^2 + 1)} + 1))*a \\ & *b/c \end{aligned}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(b^2 \operatorname{arccsc}(cx)^2 + 2ab \operatorname{arccsc}(cx) + a^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2,x, algorithm="fricas")`

[Out] `integral(b^2*arccsc(cx)^2 + 2*a*b*arccsc(cx) + a^2, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**2,x)`

[Out] `Integral((a + b*acsc(cx))**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(cx) + a)^2, x)`

$$3.19 \quad \int \frac{(a+b \csc^{-1}(cx))^2}{x} dx$$

Optimal. Leaf size=91

$$ib \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx)) - \frac{1}{2} b^2 \text{PolyLog}\left(3, e^{2i \csc^{-1}(cx)}\right) + \frac{i (a + b \csc^{-1}(cx))^3}{3b} - \log\left(1 - e^{2i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))$$

[Out] $((I/3)*(a + b*\text{ArcCsc}[c*x])^3)/b - (a + b*\text{ArcCsc}[c*x])^2*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] + I*b*(a + b*\text{ArcCsc}[c*x])* \text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}] - (b^2*\text{PolyLog}[3, E^{((2*I)*\text{ArcCsc}[c*x])}])/2$

Rubi [A] time = 0.123399, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.429, Rules used = {5223, 3717, 2190, 2531, 2282, 6589}

$$ib \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx)) - \frac{1}{2} b^2 \text{PolyLog}\left(3, e^{2i \csc^{-1}(cx)}\right) + \frac{i (a + b \csc^{-1}(cx))^3}{3b} - \log\left(1 - e^{2i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])^2/x, x]$

[Out] $((I/3)*(a + b*\text{ArcCsc}[c*x])^3)/b - (a + b*\text{ArcCsc}[c*x])^2*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] + I*b*(a + b*\text{ArcCsc}[c*x])* \text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}] - (b^2*\text{PolyLog}[3, E^{((2*I)*\text{ArcCsc}[c*x])}])/2$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_)*(e_)+(f_)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_)*(e_)+(f_)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*(F_)^((c_)*(a_)+(b_)*(x_)))^(n_)*((f_.) + (g_.)*(x_))^(m_), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x]
```

```
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_)*x))*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_)*(x_))^p]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \csc^{-1}(cx))^2}{x} dx &= -\text{Subst}\left(\int (a + bx)^2 \cot(x) dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^3}{3b} + 2i \text{Subst}\left(\int \frac{e^{2ix}(a + bx)^2}{1 - e^{2ix}} dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^3}{3b} - (a + b \csc^{-1}(cx))^2 \log(1 - e^{2i \csc^{-1}(cx)}) + (2b) \text{Subst}\left(\int (a + bx) \log(1 - e^{2i \csc^{-1}(cx)}) dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^3}{3b} - (a + b \csc^{-1}(cx))^2 \log(1 - e^{2i \csc^{-1}(cx)}) + ib(a + b \csc^{-1}(cx)) \text{Li}_2(e^{2i \csc^{-1}(cx)}) \\ &= \frac{i(a + b \csc^{-1}(cx))^3}{3b} - (a + b \csc^{-1}(cx))^2 \log(1 - e^{2i \csc^{-1}(cx)}) + ib(a + b \csc^{-1}(cx)) \text{Li}_2(e^{2i \csc^{-1}(cx)}) \\ &= \frac{i(a + b \csc^{-1}(cx))^3}{3b} - (a + b \csc^{-1}(cx))^2 \log(1 - e^{2i \csc^{-1}(cx)}) + ib(a + b \csc^{-1}(cx)) \text{Li}_2(e^{2i \csc^{-1}(cx)}) \end{aligned}$$

Mathematica [A] time = 0.14246, size = 137, normalized size = 1.51

$$iab \left(\csc^{-1}(cx)^2 + \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right)\right) + \frac{1}{24}ib^2 \left(-24 \csc^{-1}(cx) \text{PolyLog}\left(2, e^{-2i \csc^{-1}(cx)}\right) + 12i \text{PolyLog}\left(3, e^{-2i \csc^{-1}(cx)}\right)\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcCsc[c*x])^2/x, x]
```

```
[Out] -2*a*b*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + a^2*Log[c*x] + I*a*b*(ArcCsc[c*x]^2 + PolyLog[2, E^((2*I)*ArcCsc[c*x])]) + (I/24)*b^2*(Pi^3 - 8*ArcCsc[c*x]^3 + (24*I)*ArcCsc[c*x]^2*Log[1 - E^((-2*I)*ArcCsc[c*x])] - 24*ArcCsc[c*x]*PolyLog[2, E^((-2*I)*ArcCsc[c*x])] + (12*I)*PolyLog[3, E^((-2*I)*ArcCsc[c*x])])
```

Maple [B] time = 0.295, size = 361, normalized size = 4.

$$a^2 \ln(cx) + \frac{i}{3}b^2 (\text{arccsc}(cx))^3 - b^2 (\text{arccsc}(cx))^2 \ln\left(1 - \frac{i}{cx} - \sqrt{1 - \frac{1}{c^2 x^2}}\right) + 2ib^2 \text{arccsc}(cx) \text{polylog}\left(2, \frac{i}{cx} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b\operatorname{arccsc}(cx))^2/x, x)$

[Out] $a^2 \ln(cx) + 1/3 I b^2 \operatorname{arccsc}(cx)^3 - b^2 \operatorname{arccsc}(cx)^2 \ln(1-I/c/x - (1-1/c^2/x^2)^{(1/2)}) + 2 I b^2 \operatorname{arccsc}(cx) \operatorname{polylog}(2, I/c/x + (1-1/c^2/x^2)^{(1/2)}) - 2 b^2 p \operatorname{polylog}(3, I/c/x + (1-1/c^2/x^2)^{(1/2)}) - b^2 \operatorname{arccsc}(cx)^2 \ln(1+I/c/x + (1-1/c^2/x^2)^{(1/2)}) + 2 I b^2 \operatorname{arccsc}(cx) \operatorname{polylog}(2, -I/c/x - (1-1/c^2/x^2)^{(1/2)}) - 2 b^2 \operatorname{polylog}(3, -I/c/x - (1-1/c^2/x^2)^{(1/2)}) + I a b \operatorname{arccsc}(cx)^2 + 2 I a b \operatorname{polylog}(2, -I/c/x - (1-1/c^2/x^2)^{(1/2)}) - 2 a b \operatorname{arccsc}(cx) \ln(1-I/c/x - (1-1/c^2/x^2)^{(1/2)}) - 2 a b \operatorname{arccsc}(cx) \ln(1+I/c/x + (1-1/c^2/x^2)^{(1/2)}) + 2 I a b \operatorname{polylog}(2, I/c/x + (1-1/c^2/x^2)^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} b^2 c^2 \left(\frac{\log(cx+1)}{c^2} + \frac{\log(cx-1)}{c^2} \right) \log(c)^2 + b^2 c^2 \int \frac{x^2 \log(c^2 x^2)}{c^2 x^3 - x} dx \log(c) - 2 b^2 c^2 \int \frac{x^2 \log(x)}{c^2 x^3 - x} dx \log(c) + 2 b^2 c^2 \int$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))^2/x, x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/2 b^2 c^2 (\log(cx+1)/c^2 + \log(cx-1)/c^2) \log(c)^2 + b^2 c^2 \operatorname{integrate}(x^2 \log(c^2 x^2)/(c^2 x^3 - x), x) \log(c) - 2 b^2 c^2 \operatorname{integrate}(x^2 \log(c^2 x^2)/(c^2 x^3 - x), x) \log(c) + 2 b^2 c^2 \operatorname{integrate}(x^2 \log(c^2 x^2) \log(x)/(c^2 x^3 - x), x) - b^2 c^2 \operatorname{integrate}(x^2 \log(x)^2/(c^2 x^3 - x), x) + 2 a b c^2 \operatorname{integrate}(x^2 \operatorname{arctan}(1/(sqrt(cx+1)*sqrt(cx-1)))/(c^2 x^3 - x), x) + 1/2 b^2 (2 \log(cx+1) + 2 \log(cx-1) - 2 \log(x)) \log(c)^2 + b^2 \operatorname{arctan}(1, sqrt(cx+1)*sqrt(cx-1))^2 \log(x) - 1/4 b^2 \log(c^2 x^2)^2 \log(x) - b^2 \operatorname{integrate}(\log(c^2 x^2)/(c^2 x^3 - x), x) \log(c) + 2 b^2 \operatorname{integrate}(\log(x)/(c^2 x^3 - x), x) \log(c) + 2 b^2 \operatorname{integrate}(sqrt(cx+1)*sqrt(cx-1) * \operatorname{arctan}(1/(sqrt(cx+1)*sqrt(cx-1))) * \log(x)/(c^2 x^3 - x), x) - 2 b^2 \operatorname{integrate}(\log(c^2 x^2) \log(x)/(c^2 x^3 - x), x) + b^2 \operatorname{integrate}(\log(x)^2/(c^2 x^3 - x), x) - 2 a b \operatorname{integrate}(\operatorname{arctan}(1/(sqrt(cx+1)*sqrt(cx-1)))/(c^2 x^3 - x), x) + a^2 \log(x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b^2 \operatorname{arccsc}(cx)^2 + 2 a b \operatorname{arccsc}(cx) + a^2}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))^2/x, x, \text{algorithm}=\text{"fricas"})$

[Out] $\operatorname{integral}(b^2 \operatorname{arccsc}(cx)^2 + 2 a b \operatorname{arccsc}(cx) + a^2/x, x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**2/x,x)`

[Out] `Integral((a + b*acsc(c*x))**2/x, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2/x, x)`

3.20 $\int \frac{(a+b \csc^{-1}(cx))^2}{x^2} dx$

Optimal. Leaf size=50

$$-2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx)) - \frac{(a + b \csc^{-1}(cx))^2}{x} + \frac{2b^2}{x}$$

[Out] $(2*b^2)/x - 2*b*c*.Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]) - (a + b*ArcCsc[c*x])^2/x$

Rubi [A] time = 0.0608282, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.214, Rules used = {5223, 3296, 2637}

$$-2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx)) - \frac{(a + b \csc^{-1}(cx))^2}{x} + \frac{2b^2}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*ArcCsc[c*x])^2/x^2, x]$

[Out] $(2*b^2)/x - 2*b*c*.Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]) - (a + b*ArcCsc[c*x])^2/x$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))^n_*(x_)^m_, x_Symbol] :> -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs c[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a+b \csc^{-1}(cx))^2}{x^2} dx &= - \left(c \text{Subst} \left(\int (a+bx)^2 \cos(x) dx, x, \csc^{-1}(cx) \right) \right) \\ &= - \frac{(a+b \csc^{-1}(cx))^2}{x} + (2bc) \text{Subst} \left(\int (a+bx) \sin(x) dx, x, \csc^{-1}(cx) \right) \\ &= -2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx)) - \frac{(a + b \csc^{-1}(cx))^2}{x} + (2b^2c) \text{Subst} \left(\int \cos(x) dx, x, \csc^{-1}(cx) \right) \\ &= \frac{2b^2}{x} - 2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx)) - \frac{(a + b \csc^{-1}(cx))^2}{x} \end{aligned}$$

Mathematica [A] time = 0.146587, size = 71, normalized size = 1.42

$$\frac{a^2 + 2abcx\sqrt{1 - \frac{1}{c^2x^2}} + 2b \csc^{-1}(cx) \left(a + bcx\sqrt{1 - \frac{1}{c^2x^2}} \right) + b^2 \csc^{-1}(cx)^2 - 2b^2}{x}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^2/x^2, x]`

[Out] $-((a^2 - 2b^2 + 2a*b*c*SQRT[1 - 1/(c^2*x^2)])*x + 2b*(a + b*c*SQRT[1 - 1/(c^2*x^2)])*x)*ArcCsc[c*x] + b^2*ArcCsc[c*x]^2)/x)$

Maple [B] time = 0.219, size = 118, normalized size = 2.4

$$c \left(-\frac{a^2}{cx} + b^2 \left(-\frac{(\arccsc(cx))^2}{cx} + 2 \frac{1}{cx} - 2 \sqrt{\frac{c^2x^2-1}{c^2x^2}} \arccsc(cx) \right) + 2ab \left(-\frac{\arccsc(cx)}{cx} - \frac{c^2x^2-1}{c^2x^2} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^2/x^2, x)`

[Out] $c*(-a^2/c/x + b^2*(-1/c/x*arccsc(c*x)^2 + 2/c/x - 2*((c^2*x^2-1)/c^2/x^2)^(1/2)*a*arccsc(c*x)) + 2*a*b*(-1/c/x*arccsc(c*x) - 1/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^2/x^2*(c^2*x^2-1)))$

Maxima [A] time = 1.00159, size = 107, normalized size = 2.14

$$-2 \left(c \sqrt{-\frac{1}{c^2x^2} + 1} + \frac{\arccsc(cx)}{x} \right) ab - 2 \left(c \sqrt{-\frac{1}{c^2x^2} + 1} \arccsc(cx) - \frac{1}{x} \right) b^2 - \frac{b^2 \arccsc(cx)^2}{x} - \frac{a^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^2, x, algorithm="maxima")`

[Out] $-2*(c*sqrt(-1/(c^2*x^2) + 1) + arccsc(c*x)/x)*a*b - 2*(c*sqrt(-1/(c^2*x^2) + 1)*arccsc(c*x) - 1/x)*b^2 - b^2*arccsc(c*x)^2/x - a^2/x$

Fricas [A] time = 1.8743, size = 140, normalized size = 2.8

$$\frac{b^2 \arccsc(cx)^2 + 2ab \arccsc(cx) + a^2 - 2b^2 + 2\sqrt{c^2x^2-1}(b^2 \arccsc(cx) + ab)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^2, x, algorithm="fricas")`

[Out] $-(b^2*arccsc(c*x)^2 + 2*a*b*arccsc(c*x) + a^2 - 2*b^2 + 2*sqrt(c^2*x^2 - 1)*(b^2*arccsc(c*x) + a*b))/x$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**2/x**2,x)`

[Out] `Integral((a + b*acsc(c*x))**2/x**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2/x^2, x)`

$$3.21 \quad \int \frac{(a+b \csc^{-1}(cx))^2}{x^3} dx$$

Optimal. Leaf size=88

$$-\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{2x} + \frac{1}{2}abc^2 \csc^{-1}(cx) - \frac{(a + b \csc^{-1}(cx))^2}{2x^2} + \frac{1}{4}b^2c^2 \csc^{-1}(cx)^2 + \frac{b^2}{4x^2}$$

[Out] $b^2/(4*x^2) + (a*b*c^2*ArcCsc[c*x])/2 + (b^2*c^2*ArcCsc[c*x]^2)/4 - (b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]))/(2*x) - (a + b*ArcCsc[c*x])^2/(2*x^2)$

Rubi [A] time = 0.0779932, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.214, Rules used = {5223, 4404, 3310}

$$-\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{2x} + \frac{1}{2}abc^2 \csc^{-1}(cx) - \frac{(a + b \csc^{-1}(cx))^2}{2x^2} + \frac{1}{4}b^2c^2 \csc^{-1}(cx)^2 + \frac{b^2}{4x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])^2/x^3, x]

[Out] $b^2/(4*x^2) + (a*b*c^2*ArcCsc[c*x])/2 + (b^2*c^2*ArcCsc[c*x]^2)/4 - (b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]))/(2*x) - (a + b*ArcCsc[c*x])^2/(2*x^2)$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^n_*(x_)^m_, x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4404

```
Int[Cos[(a_) + (b_)*(x_)]*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)]^n_, x_Symbol] :> Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]]
```

Rule 3310

```
Int[((c_) + (d_)*(x_))*((b_)*sin[(e_) + (f_)*(x_)])^n_, x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \csc^{-1}(cx))^2}{x^3} dx &= - \left(c^2 \operatorname{Subst} \left(\int (a + bx)^2 \cos(x) \sin(x) dx, x, \csc^{-1}(cx) \right) \right) \\
&= - \frac{(a + b \csc^{-1}(cx))^2}{2x^2} + (bc^2) \operatorname{Subst} \left(\int (a + bx) \sin^2(x) dx, x, \csc^{-1}(cx) \right) \\
&= \frac{b^2}{4x^2} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{2x} - \frac{(a + b \csc^{-1}(cx))^2}{2x^2} + \frac{1}{2}(bc^2) \operatorname{Subst} \left(\int (a + bx) dx, x, \csc^{-1}(cx) \right) \\
&= \frac{b^2}{4x^2} + \frac{1}{2}abc^2 \csc^{-1}(cx) + \frac{1}{4}b^2c^2 \csc^{-1}(cx)^2 - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{2x} - \frac{(a + b \csc^{-1}(cx))^2}{2x^2}
\end{aligned}$$

Mathematica [A] time = 0.116418, size = 102, normalized size = 1.16

$$\frac{-2a^2 - 2abcx\sqrt{1 - \frac{1}{c^2x^2}} + 2abc^2x^2 \sin^{-1}\left(\frac{1}{cx}\right) - 2b \csc^{-1}(cx)\left(2a + bcx\sqrt{1 - \frac{1}{c^2x^2}}\right) + b^2(c^2x^2 - 2)\csc^{-1}(cx)^2 + b^2}{4x^2}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^2/x^3, x]`

[Out] $(-2*a^2 + b^2 - 2*a*b*c* \operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x - 2*b*(2*a + b*c* \operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x)* \operatorname{ArcCsc}[c*x] + b^2*(-2 + c^2*x^2)* \operatorname{ArcCsc}[c*x]^2 + 2*a*b*c^2*x^2*\operatorname{ArcSin}[1/(c*x)])/(4*x^2)$

Maple [B] time = 0.214, size = 191, normalized size = 2.2

$$-\frac{a^2}{2x^2} + \frac{b^2c^2 (\operatorname{arccsc}(cx))^2}{4} - \frac{b^2 (\operatorname{arccsc}(cx))^2}{2x^2} - \frac{cb^2 \operatorname{arccsc}(cx)}{2x} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{b^2}{4x^2} - \frac{a \operatorname{barccsc}(cx)}{x^2} + \frac{acb}{2x} \sqrt{c^2x^2 - 1} \operatorname{arctan}\left(\frac{1}{\sqrt{c^2x^2 - 1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^2/x^3, x)`

[Out] $-1/2*a^2/x^2 + 1/4*b^2*c^2*arccsc(c*x)^2 - 1/2*b^2/x^2*arccsc(c*x)^2 - 1/2*c*b^2*arccsc(c*x)/x*((c^2*x^2 - 1)/c^2*x^2)^(1/2) + 1/4*b^2/x^2 - a*b/x^2*arccsc(c*x) + 1/2*c*a*b*(c^2*x^2 - 1)^(1/2)/((c^2*x^2 - 1)/c^2*x^2)^(1/2)/x*\operatorname{arctan}\left(\frac{1}{\sqrt{c^2*x^2 - 1}}\right) - 1/2*c*a*b/((c^2*x^2 - 1)/c^2*x^2)^(1/2)/x + 1/2/c*a*b/((c^2*x^2 - 1)/c^2*x^2)^(1/2)/x^2$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^3, x, algorithm="maxima")`

[Out] $1/2*a*b*((c^4*x* \operatorname{sqrt}(-1/(c^2*x^2) + 1)/(c^2*x^2)*(1/(c^2*x^2) - 1) - 1) - c^3*\operatorname{arctan}(c*x* \operatorname{sqrt}(-1/(c^2*x^2) + 1)))/c - 2* \operatorname{arccsc}(c*x)/x^2 - 1/8*(4*(c^2*$

```
(log(c*x + 1) + log(c*x - 1) - 2*log(x))*log(c)^2 - 4*c^2*integrate(1/2*x^2
*log(c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) + 8*c^2*integrate(1/2*x^2*log(x)/(
c^2*x^5 - x^3), x)*log(c) - 4*c^2*integrate(1/2*x^2*log(c^2*x^2)*log(x)/(c^
2*x^5 - x^3), x) + 4*c^2*integrate(1/2*x^2*log(x)^2/(c^2*x^5 - x^3), x) + 2
*c^2*integrate(1/2*x^2*log(c^2*x^2)/(c^2*x^5 - x^3), x) - (c^2*log(c*x + 1)
+ c^2*log(c*x - 1) - 2*c^2*log(x) + 1/x^2)*log(c)^2 + 4*integrate(1/2*log(
c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) - 8*integrate(1/2*log(x)/(c^2*x^5 - x^3
), x)*log(c) + 4*integrate(1/2*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(1/(sqrt(c
*x + 1)*sqrt(c*x - 1)))/(c^2*x^5 - x^3), x) + 4*integrate(1/2*log(c^2*x^2)*
log(x)/(c^2*x^5 - x^3), x) - 4*integrate(1/2*log(x)^2/(c^2*x^5 - x^3), x) -
2*integrate(1/2*log(c^2*x^2)/(c^2*x^5 - x^3), x))*x^2 + 4*arctan2(1, sqrt(
c*x + 1)*sqrt(c*x - 1))^2 - log(c^2*x^2)^2)*b^2/x^2 - 1/2*a^2/x^2
```

Fricas [A] time = 2.03099, size = 196, normalized size = 2.23

$$\frac{(b^2 c^2 x^2 - 2 b^2) \operatorname{arccsc}(cx)^2 - 2 a^2 + b^2 + 2 (a b c^2 x^2 - 2 a b) \operatorname{arccsc}(cx) - 2 \sqrt{c^2 x^2 - 1} (b^2 \operatorname{arccsc}(cx) + a b)}{4 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^3, x, algorithm="fricas")`

[Out] $\frac{1}{4} ((b^2 c^2 x^2 - 2 b^2) \operatorname{arccsc}(cx)^2 - 2 a^2 + b^2 + 2 (a b c^2 x^2 - 2 a b) \operatorname{arccsc}(cx) - 2 \sqrt{c^2 x^2 - 1} (b^2 \operatorname{arccsc}(cx) + a b)) / x^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**2/x**3, x)`

[Out] `Integral((a + b*acsc(c*x))**2/x**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^3, x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2/x^3, x)`

3.22 $\int \frac{(a+b \csc^{-1}(cx))^2}{x^4} dx$

Optimal. Leaf size=102

$$-\frac{4}{9}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx)) - \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx))}{9x^2} - \frac{(a+b \csc^{-1}(cx))^2}{3x^3} + \frac{4b^2c^2}{9x} + \frac{2b^2}{27x^3}$$

[Out] $(2*b^2)/(27*x^3) + (4*b^2*c^2)/(9*x) - (4*b*c^3*Sqrt[1 - 1/(c^2*x^2)])*(a + b*ArcCsc[c*x])/9 - (2*b*c*Sqrt[1 - 1/(c^2*x^2)])*(a + b*ArcCsc[c*x])/(9*x^2) - (a + b*ArcCsc[c*x])^2/(3*x^3)$

Rubi [A] time = 0.0963057, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.357, Rules used = {5223, 4404, 3310, 3296, 2637}

$$-\frac{4}{9}bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx)) - \frac{2bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx))}{9x^2} - \frac{(a+b \csc^{-1}(cx))^2}{3x^3} + \frac{4b^2c^2}{9x} + \frac{2b^2}{27x^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*ArcCsc[c*x])^2/x^4, x]$

[Out] $(2*b^2)/(27*x^3) + (4*b^2*c^2)/(9*x) - (4*b*c^3*Sqrt[1 - 1/(c^2*x^2)])*(a + b*ArcCsc[c*x])/9 - (2*b*c*Sqrt[1 - 1/(c^2*x^2)])*(a + b*ArcCsc[c*x])/(9*x^2) - (a + b*ArcCsc[c*x])^2/(3*x^3)$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^n_*(x_)^m_, x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4404

```
Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^n_, x_Symbol] :> Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^m*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^n_, x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simplify[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \csc^{-1}(cx))^2}{x^4} dx &= - \left(c^3 \operatorname{Subst} \left(\int (a + bx)^2 \cos(x) \sin^2(x) dx, x, \csc^{-1}(cx) \right) \right) \\
&= - \frac{(a + b \csc^{-1}(cx))^2}{3x^3} + \frac{1}{3} (2bc^3) \operatorname{Subst} \left(\int (a + bx) \sin^3(x) dx, x, \csc^{-1}(cx) \right) \\
&= \frac{2b^2}{27x^3} - \frac{2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{9x^2} - \frac{(a + b \csc^{-1}(cx))^2}{3x^3} + \frac{1}{9} (4bc^3) \operatorname{Subst} \left(\int (a + bx) \right. \\
&\quad \left. \frac{2b^2}{27x^3} - \frac{4}{9}bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx)) - \frac{2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{9x^2} - \frac{(a + b \csc^{-1}(cx))^2}{3x^3} \right. \\
&\quad \left. = \frac{2b^2}{27x^3} + \frac{4b^2c^2}{9x} - \frac{4}{9}bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx)) - \frac{2bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{9x^2} - \frac{(a + b \csc^{-1}(cx))^2}{3x^3} \right)
\end{aligned}$$

Mathematica [A] time = 0.225241, size = 108, normalized size = 1.06

$$\frac{9a^2 + 6abcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2x^2 + 1) + 6b\csc^{-1}(cx)\left(3a + bcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2x^2 + 1)\right) - 2b^2(6c^2x^2 + 1) + 9b^2\csc^{-1}(cx)^2}{27x^3}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^2/x^4, x]`

[Out] $-(9a^2 + 6a*b*c* \operatorname{Sqrt}[1 - 1/(c^2x^2)]*x*(1 + 2c^2x^2) - 2b^2(1 + 6c^2x^2) + 6b*(3a + b*c* \operatorname{Sqrt}[1 - 1/(c^2x^2)]*x*(1 + 2c^2x^2))*\operatorname{ArcCsc}[c*x] + 9b^2*\operatorname{ArcCsc}[c*x]^2)/(27x^3)$

Maple [A] time = 0.219, size = 154, normalized size = 1.5

$$c^3 \left(-\frac{a^2}{3c^3x^3} + b^2 \left(-\frac{(\operatorname{arccsc}(cx))^2}{3c^3x^3} - \frac{2\operatorname{arccsc}(cx)(2c^2x^2 + 1)}{9c^2x^2}\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{2}{27c^3x^3} + \frac{4}{9cx} \right) + 2ab \left(-1/3 \frac{\operatorname{arccsc}(cx)}{c^3x^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^2/x^4, x)`

[Out] $c^3*(-1/3*a^2/c^3/x^3 + b^2*(-1/3/c^3/x^3)*\operatorname{arccsc}(c*x)^2 - 2/9*\operatorname{arccsc}(c*x)*(2c^2x^2 + 1)/c^2x^2 + ((c^2x^2 - 1)/c^2x^2)^{(1/2)} + 2/27/c^3/x^3 + 4/9/c/x) + 2*a*b*(-1/3/c^3/x^3)*\operatorname{arccsc}(c*x) - 1/9*(c^2x^2 - 1)*(2c^2x^2 + 1)/((c^2x^2 - 1)/c^2x^2)^{(1/2)} + c^4/x^4)$

Maxima [B] time = 2.10965, size = 266, normalized size = 2.61

$$\frac{2}{9} ab \left(\frac{c^4 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3 c^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} - \frac{3 \operatorname{arccsc}(cx)}{x^3} \right) - \frac{b^2 \operatorname{arccsc}(cx)^2}{3 x^3} - \frac{a^2}{3 x^3} - \frac{2 (6 c^5 x^4 \arctan(1, \sqrt{cx+1} \sqrt{cx-1}))}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^4,x, algorithm="maxima")`

[Out] $\frac{2/9*a*b*((c^4*(-1/(c^2*x^2) + 1)^(3/2) - 3*c^4*sqrt(-1/(c^2*x^2) + 1))/c - 3*arccsc(c*x)/x^3) - 1/3*b^2*arccsc(c*x)^2/x^3 - 1/3*a^2/x^3 - 2/27*(6*c^5*x^4*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) - 3*c^3*x^2*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) - (6*c^3*x^2 + c)*sqrt(c*x + 1)*sqrt(c*x - 1) - 3*c*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*b^2/(sqrt(c*x + 1)*sqrt(c*x - 1)*c*x^3)}$

Fricas [A] time = 2.01381, size = 224, normalized size = 2.2

$$\frac{12 b^2 c^2 x^2 - 9 b^2 \operatorname{arccsc}(cx)^2 - 18 a b \operatorname{arccsc}(cx) - 9 a^2 + 2 b^2 - 6 (2 a b c^2 x^2 + a b + (2 b^2 c^2 x^2 + b^2) \operatorname{arccsc}(cx)) \sqrt{c^2 x^2 - 1}}{27 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^4,x, algorithm="fricas")`

[Out] $\frac{1/27*(12*b^2*c^2*x^2 - 9*b^2*arccsc(c*x)^2 - 18*a*b*arccsc(c*x) - 9*a^2 + 2*b^2 - 6*(2*a*b*c^2*x^2 + a*b + (2*b^2*c^2*x^2 + b^2)*arccsc(c*x))*sqrt(c^2*x^2 - 1))/x^3}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**2/x**4,x)`

[Out] `Integral((a + b*acsc(c*x))**2/x**4, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^4,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2/x^4, x)`

$$3.23 \quad \int \frac{(a+b \csc^{-1}(cx))^2}{x^5} dx$$

Optimal. Leaf size=134

$$-\frac{3bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx))}{16x} - \frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx))}{8x^3} + \frac{3}{16}abc^4 \csc^{-1}(cx) - \frac{(a+b \csc^{-1}(cx))^2}{4x^4} + \frac{3b^2c^2}{32x^2} +$$

[Out] $b^2/(32*x^4) + (3*b^2*c^2)/(32*x^2) + (3*a*b*c^4*ArcCsc[c*x])/16 + (3*b^2*c^4*ArcCsc[c*x]^2)/32 - (b*c*.Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]))/(8*x^3) - (3*b*c^3*.Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]))/(16*x) - (a + b*ArcCsc[c*x])^2/(4*x^4)$

Rubi [A] time = 0.112284, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.214, Rules used = {5223, 4404, 3310}

$$-\frac{3bc^3\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx))}{16x} - \frac{bc\sqrt{1-\frac{1}{c^2x^2}}(a+b \csc^{-1}(cx))}{8x^3} + \frac{3}{16}abc^4 \csc^{-1}(cx) - \frac{(a+b \csc^{-1}(cx))^2}{4x^4} + \frac{3b^2c^2}{32x^2} +$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])^2/x^5, x]

[Out] $b^2/(32*x^4) + (3*b^2*c^2)/(32*x^2) + (3*a*b*c^4*ArcCsc[c*x])/16 + (3*b^2*c^4*ArcCsc[c*x]^2)/32 - (b*c*.Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]))/(8*x^3) - (3*b*c^3*.Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x]))/(16*x) - (a + b*ArcCsc[c*x])^2/(4*x^4)$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^n_(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^(n - 1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4404

```
Int[Cos[(a_) + (b_)*(x_)]*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3310

```
Int[((c_) + (d_)*(x_))*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^(2*n^2)), x] + (Dist[(b^(2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \csc^{-1}(cx))^2}{x^5} dx &= - \left(c^4 \operatorname{Subst} \left(\int (a + bx)^2 \cos(x) \sin^3(x) dx, x, \csc^{-1}(cx) \right) \right) \\
&= - \frac{(a + b \csc^{-1}(cx))^2}{4x^4} + \frac{1}{2} (bc^4) \operatorname{Subst} \left(\int (a + bx) \sin^4(x) dx, x, \csc^{-1}(cx) \right) \\
&= \frac{b^2}{32x^4} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{8x^3} - \frac{(a + b \csc^{-1}(cx))^2}{4x^4} + \frac{1}{8} (3bc^4) \operatorname{Subst} \left(\int (a + bx) \sin^2(x) dx, x, \csc^{-1}(cx) \right) \\
&= \frac{b^2}{32x^4} + \frac{3b^2c^2}{32x^2} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{8x^3} - \frac{3bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{8x^3} - \frac{(a + b \csc^{-1}(cx))^2}{4x^4} \\
&= \frac{b^2}{32x^4} + \frac{3b^2c^2}{32x^2} + \frac{3}{16}abc^4 \csc^{-1}(cx) + \frac{3}{32}b^2c^4 \csc^{-1}(cx)^2 - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{8x^3} - \frac{3bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))}{8x^3}
\end{aligned}$$

Mathematica [A] time = 0.174765, size = 148, normalized size = 1.1

$$\frac{-8a^2 - 6abc^3x^3\sqrt{1 - \frac{1}{c^2x^2}} - 4abcx\sqrt{1 - \frac{1}{c^2x^2}} + 6abc^4x^4 \sin^{-1}\left(\frac{1}{cx}\right) - 2b \csc^{-1}(cx)\left(8a + bcx\sqrt{1 - \frac{1}{c^2x^2}}(3c^2x^2 + 2)\right) + 3b^2c^2x^2}{32x^4}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^2/x^5, x]`

[Out]
$$\begin{aligned}
&(-8*a^2 + b^2 - 4*a*b*c* \operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x + 3*b^2*c^2*x^2 - 6*a*b*c^3 \\
&*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x^3 - 2*b*(8*a + b*c* \operatorname{Sqrt}[1 - 1/(c^2*x^2)])*x*(2 + 3*x^2)* \operatorname{ArcCsc}[c*x] + b^2*(-8 + 3*c^4*x^4)* \operatorname{ArcCsc}[c*x]^2 + 6*a*b*c^4*x^4* \\
&\operatorname{ArcSin}[1/(c*x)])/(32*x^4)
\end{aligned}$$

Maple [B] time = 0.228, size = 265, normalized size = 2.

$$-\frac{a^2}{4x^4} - \frac{b^2 (\operatorname{arccsc}(cx))^2}{4x^4} + \frac{3b^2c^4 (\operatorname{arccsc}(cx))^2}{32} - \frac{3c^3b^2 \operatorname{arccsc}(cx)}{16x} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} - \frac{cb^2 \operatorname{arccsc}(cx)}{8x^3} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{b^2}{32x^4} + \frac{3b^2c^4}{32x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^2/x^5, x)`

[Out]
$$\begin{aligned}
&-1/4*a^2/x^4 - 1/4*b^2/x^4 + 3/32*b^2*c^4*\operatorname{arccsc}(c*x)^2 - 3/16*c^3*x^3 \\
&b^2*\operatorname{arccsc}(c*x)/x*((c^2*x^2 - 1)/c^2*x^2)^{(1/2)} - 1/8*c*b^2*\operatorname{arccsc}(c*x)/x^3*((c^2*x^2 - 1)/c^2*x^2)^{(1/2)} + 1/32*b^2/x^4 + 3/32*b^2*c^2/x^2 - 1/2*a*b/x^4*\operatorname{arccsc}(c*x) + 3/16*c^3*a*b*((c^2*x^2 - 1)^{(1/2)}/((c^2*x^2 - 1)/c^2*x^2)^{(1/2)})/x*\operatorname{arctan}(1/(c^2*x^2 - 1)^{(1/2)}) - 3/16*c^3*a*b/((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}/x + 1/16*c*a*b/((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}/x^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^5,x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -\frac{1}{16}ab((3c^5 \operatorname{arctan}(cx) \sqrt{-1/(c^2x^2) + 1}) + (3c^8x^3(-1/(c^2x^2) + 1)^{(3/2)} + 5c^6x\sqrt{-1/(c^2x^2) + 1})/(c^4x^4(1/(c^2x^2) - 1)^2 - 2c^2x^2(1/(c^2x^2) - 1) + 1))/c + 8\operatorname{arccsc}(cx)/x^4 - \frac{1}{16}(4*(c^2\log(cx + 1) + c^2\log(cx - 1) - 2c^2\log(x) + 1/x^2)*c^2\log(c)^2 - 16c^2\operatorname{integrate}(1/4*x^2\log(c^2x^2)/(c^2x^7 - x^5), x)*\log(c) + 32c^2*\operatorname{integrate}(1/4*x^2\log(x)/(c^2x^7 - x^5), x)*\log(c) - 16c^2\operatorname{integrate}(1/4*x^2\log(c^2x^2)\log(x)/(c^2x^7 - x^5), x) + 16c^2\operatorname{integrate}(1/4*x^2\log(x)^2/(c^2x^7 - x^5), x) + 4c^2\operatorname{integrate}(1/4*x^2\log(c^2x^2)/(c^2x^7 - x^5), x) - (2c^4\log(cx + 1) + 2c^4\log(cx - 1) - 4c^4\log(x) + (2c^2x^2 + 1)/x^4)*\log(c)^2 + 16\operatorname{integrate}(1/4*\log(c^2x^2)/(c^2x^7 - x^5), x)*\log(c) - 32\operatorname{integrate}(1/4*\log(x)/(c^2x^7 - x^5), x)*\log(c) + 8\operatorname{integrate}(1/4*\sqrt(cx + 1)*\sqrt(cx - 1)\operatorname{arctan}(1/(\sqrt(cx + 1)*\sqrt(cx - 1))))/(c^2x^7 - x^5), x) + 16\operatorname{integrate}(1/4*\log(c^2x^2)\log(x)/(c^2x^7 - x^5), x) - 16\operatorname{integrate}(1/4*\log(x)^2/(c^2x^7 - x^5), x) - 4\operatorname{integrate}(1/4*\log(c^2x^2)/(c^2x^7 - x^5), x))*x^4 + 4\operatorname{arctan2}(1, \sqrt(cx + 1)*\sqrt(cx - 1))^2 - \log(c^2x^2)^2)*b^2/x^4 - \frac{1}{4}a^2/x^4 \end{aligned}$$

Fricas [A] time = 1.88259, size = 275, normalized size = 2.05

$$\frac{3b^2c^2x^2 + (3b^2c^4x^4 - 8b^2)\operatorname{arccsc}(cx)^2 - 8a^2 + b^2 + 2(3abc^4x^4 - 8ab)\operatorname{arccsc}(cx) - 2(3abc^2x^2 + 2ab + (3b^2c^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^5,x, algorithm="fricas")`

[Out]
$$\begin{aligned} & \frac{1}{32}(3b^2c^2x^2 + (3b^2c^4x^4 - 8b^2)\operatorname{arccsc}(cx)^2 - 8a^2 + b^2 + 2(3a*b*c^4x^4 - 8a*b)\operatorname{arccsc}(cx) - 2(3a*b*c^2x^2 + 2a*b + (3b^2c^2x^2$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**2/x**5,x)`

[Out] `Integral((a + b*acsc(c*x))**2/x**5, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^2/x^5,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2/x^5, x)`

$$\mathbf{3.24} \quad \int x^3 \left(a + b \csc^{-1}(cx) \right)^3 dx$$

Optimal. Leaf size=207

$$\frac{ib^3 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right)}{2c^4} + \frac{b^2 x^2 \left(a + b \csc^{-1}(cx)\right)}{4c^2} - \frac{b^2 \log \left(1 - e^{2i \csc^{-1}(cx)}\right) \left(a + b \csc^{-1}(cx)\right)}{c^4} + \frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} \left(a + b \csc^{-1}(cx)\right)}{4c}$$

[Out] $(b^3 \text{Sqrt}[1 - 1/(c^2 x^2)] x)/(4 c^3) + (b^2 x^2 (a + b \text{ArcCsc}[c x]))/(4 c^2)$
 $+ ((I/2) b (a + b \text{ArcCsc}[c x])^2)/c^4 + (b \text{Sqrt}[1 - 1/(c^2 x^2)] x (a + b \text{ArcCsc}[c x])^2)/(2 c^3) + (b \text{Sqrt}[1 - 1/(c^2 x^2)] x^3 (a + b \text{ArcCsc}[c x])^2)/(4 c) + (x^4 (a + b \text{ArcCsc}[c x])^3)/4 - (b^2 (a + b \text{ArcCsc}[c x]) \text{Log}[1 - E^{((2 I) \text{ArcCsc}[c x])}])/c^4 + ((I/2) b^3 \text{PolyLog}[2, E^{((2 I) \text{ArcCsc}[c x])}])/c^4$

Rubi [A] time = 0.217142, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.714, Rules used = {5223, 4410, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$\frac{ib^3 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right)}{2c^4} + \frac{b^2 x^2 \left(a + b \csc^{-1}(cx)\right)}{4c^2} - \frac{b^2 \log \left(1 - e^{2i \csc^{-1}(cx)}\right) \left(a + b \csc^{-1}(cx)\right)}{c^4} + \frac{bx^3 \sqrt{1 - \frac{1}{c^2 x^2}} \left(a + b \csc^{-1}(cx)\right)}{4c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3 (a + b \text{ArcCsc}[c x])^3, x]$

[Out] $(b^3 \text{Sqrt}[1 - 1/(c^2 x^2)] x)/(4 c^3) + (b^2 x^2 (a + b \text{ArcCsc}[c x]))/(4 c^2)$
 $+ ((I/2) b (a + b \text{ArcCsc}[c x])^2)/c^4 + (b \text{Sqrt}[1 - 1/(c^2 x^2)] x (a + b \text{ArcCsc}[c x])^2)/(2 c^3) + (b \text{Sqrt}[1 - 1/(c^2 x^2)] x^3 (a + b \text{ArcCsc}[c x])^2)/(4 c) + (x^4 (a + b \text{ArcCsc}[c x])^3)/4 - (b^2 (a + b \text{ArcCsc}[c x]) \text{Log}[1 - E^{((2 I) \text{ArcCsc}[c x])}])/c^4 + ((I/2) b^3 \text{PolyLog}[2, E^{((2 I) \text{ArcCsc}[c x])}])/c^4$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4410

```
Int[Cot[(a_) + (b_)*(x_)]^(p_)*Csc[(a_) + (b_)*(x_)]^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3767

```
Int[csc[(c_.) + (d_ .)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4184

```
Int[csc[(e_.) + (f_ .)*(x_)]^2*((c_.) + (d_ .)*(x_))^(m_.), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_ .)*(x_))^(m_ .)*tan[(e_.) + Pi*(k_.) + (f_ .)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_.)*((e_.) + (f_ .)*(x_))))^(n_.))*((c_.) + (d_ .)*(x_))^(m_.))/((a_) + (b_ .)*((F_)^((g_.)*((e_.) + (f_ .)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_ .)*((F_)^((e_.)*((c_.) + (d_ .)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*(d_ + (e_ .)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int x^3 (a + b \csc^{-1}(cx))^3 dx &= -\frac{\text{Subst} \left(\int (a + bx)^3 \cot(x) \csc^4(x) dx, x, \csc^{-1}(cx) \right)}{c^4} \\
&= \frac{1}{4} x^4 (a + b \csc^{-1}(cx))^3 - \frac{(3b) \text{Subst} \left(\int (a + bx)^2 \csc^4(x) dx, x, \csc^{-1}(cx) \right)}{4c^4} \\
&= \frac{b^2 x^2 (a + b \csc^{-1}(cx))}{4c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \csc^{-1}(cx))^2}{4c} + \frac{1}{4} x^4 (a + b \csc^{-1}(cx))^3 - \frac{b \text{Subst} \left(\int (a + bx) \csc^4(x) dx, x, \csc^{-1}(cx) \right)}{c^4} \\
&= \frac{b^2 x^2 (a + b \csc^{-1}(cx))}{4c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c^3} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^3 (a + b \csc^{-1}(cx))^2}{4c} \\
&= \frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \csc^{-1}(cx))}{4c^2} + \frac{ib (a + b \csc^{-1}(cx))^2}{2c^4} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c^3} \\
&= \frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \csc^{-1}(cx))}{4c^2} + \frac{ib (a + b \csc^{-1}(cx))^2}{2c^4} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c^3} \\
&= \frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \csc^{-1}(cx))}{4c^2} + \frac{ib (a + b \csc^{-1}(cx))^2}{2c^4} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c^3} \\
&= \frac{b^3 \sqrt{1 - \frac{1}{c^2 x^2}} x}{4c^3} + \frac{b^2 x^2 (a + b \csc^{-1}(cx))}{4c^2} + \frac{ib (a + b \csc^{-1}(cx))^2}{2c^4} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c^3}
\end{aligned}$$

Mathematica [A] time = 0.859724, size = 285, normalized size = 1.38

$$2ib^3 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) + b \csc^{-1}(cx) \left(cx \left(3a^2 c^3 x^3 + 2ab \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 x^2 + 2) + b^2 cx\right) - 4b^2 \log\left(1 - e^{2i \csc^{-1}(cx)}\right)\right) + a$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3*(a + b*ArcCsc[c*x])^3,x]

```
[Out] (2*a^2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x + b^3*c*Sqrt[1 - 1/(c^2*x^2)]*x + a*b^2*c^2*x^2 + a^2*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*x^3 + a^3*c^4*x^4 + b^2*(3*a*c^4*x^4 + b*(2*I + 2*c*Sqrt[1 - 1/(c^2*x^2)]*x + c^3*Sqrt[1 - 1/(c^2*x^2)]*x^3)*ArcCsc[c*x]^2 + b^3*c^4*x^4*ArcCsc[c*x]^3 + b*ArcCsc[c*x]*(c*x*(b^2*c*x + 3*a^2*c^3*x^3 + 2*a*b*Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2)) - 4*b^2*Log[1 - E^((2*I)*ArcCsc[c*x])]) - 4*a*b^2*Log[1/(c*x)] + (2*I)*b^3*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(4*c^4)
```

Maple [B] time = 0.408, size = 510, normalized size = 2.5

$$\frac{x^4 a^3}{4} + \frac{b^3 (\operatorname{arccsc}(cx))^3 x^4}{4} + \frac{b^3 (\operatorname{arccsc}(cx))^2 x^3}{4 c} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + \frac{b^3 (\operatorname{arccsc}(cx))^2 x}{2 c^3} \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} - \frac{\frac{i}{4} b^3}{c^4} + \frac{b^3 \operatorname{arccsc}(cx) x^2}{4 c^2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^3 \cdot (a + b \arccsc(c \cdot x))^3 dx$

[Out] $\frac{1}{4}x^4a^3 + \frac{1}{4}b^3\text{arccsc}(cx)^3x^4 + \frac{1}{4}c^2b^3((c^2x^2-1)/c^2/x^2)^{(1/2)}\text{arccsc}(cx)^2x^3 + \frac{1}{2}c^3b^3\text{arccsc}(cx)^2((c^2x^2-1)/c^2/x^2)^{(1/2)}x - \frac{1}{4}I/c^4b^3 + \frac{1}{4}c^2b^3\text{arccsc}(cx)x^2 + \frac{1}{4}c^3b^3((c^2x^2-1)/c^2/x^2)^{(1/2)}x + I/c^4b^3\text{polylog}(2, I/c/x + (1-1/c^2/x^2)^{(1/2)}) - 1/c^4b^3\text{arccsc}(cx)$

$x)*\ln(1+I/c/x+(1-1/c^2/x^2)^(1/2))-1/c^4*b^3*\arccsc(cx)*\ln(1-I/c/x-(1-1/c^2/x^2)^(1/2))+1/2*I/c^4*b^3*\arccsc(cx)^2+I/c^4*b^3*\text{polylog}(2,-I/c/x-(1-1/c^2/x^2)^(1/2))+3/4*a^2*b*x^4*\arccsc(cx)+1/4*c*a^2*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^3+1/4*c^3*a^2*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*x-1/2/c^5*a^2*b/((c^2*x^2-1)/c^2/x^2)^(1/2)/x+3/4*a*b^2*\arccsc(cx)^2*x^4+1/2*c*a*b^2*((c^2*x^2-1)/c^2/x^2)^(1/2)*\arccsc(cx)*x^3+1/4*c^2*x^2*a*b^2+1/c^3*a*b^2*((c^2*x^2-1)/c^2/x^2)^(1/2)*\arccsc(cx)*x-1/c^4*a*b^2*\ln(1/c/x)$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(cx))^3,x, algorithm="maxima")`

[Out] $3/4*a*b^2*x^4*\arccsc(cx)^2 + 1/4*a^3*x^4 + 1/4*(3*x^4*\arccsc(cx) + (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*a^2*b + 1/16*(4*x^4*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))^3 - 3*x^4*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1))*log(c^2*x^2)^2 - 16*integrate(3/16*(16*c^2*x^5*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1))*log(c)^2 - 16*x^3*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1))*log(c)^2 + 16*(c^2*x^5*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))^2 - x^3*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1))^2 - x^3*log(c^2*x^2)^2)*sqrt(cx + 1)*sqrt(cx - 1) - 4*((4*c^2*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*log(c) + c^2*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*x^5 - (4*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*log(c) + arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*x^3 + 4*(c^2*x^5*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)) - x^3*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*sqrt(cx - 1)*log(c) + 32*(c^2*x^5*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*log(c) - x^3*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*log(c)/(c^2*x^2 - 1), x)*b^3 + 1/4*(2*c^4*x^4*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)) + 2*c^2*x^2*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)) + (c^2*x^2 + 2*log(x^2))*sqrt(cx + 1)*sqrt(cx - 1) - 4*\arctan2(1, sqrt(cx + 1)*sqrt(cx - 1)))*a*b^2/(sqrt(cx + 1)*sqrt(cx - 1)*c^4)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(b^3 x^3 \text{arccsc}(c x)^3 + 3 a b^2 x^3 \text{arccsc}(c x)^2 + 3 a^2 b x^3 \text{arccsc}(c x) + a^3 x^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(cx))^3,x, algorithm="fricas")`

[Out] $\text{integral}(b^3*x^3*\arccsc(cx)^3 + 3*a*b^2*x^3*\arccsc(cx)^2 + 3*a^2*b*x^3*\arccsc(cx) + a^3*x^3, x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{acsc}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))**3,x)`

[Out] `Integral(x**3*(a + b*acsc(c*x))**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^3 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3*x^3, x)`

$$3.25 \int x^2 \left(a + b \csc^{-1}(cx) \right)^3 dx$$

Optimal. Leaf size=220

$$-\frac{ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c^3} + \frac{ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c^3} + \frac{b^3 \text{PolyLog}\left(3, -e^{i \csc^{-1}(cx)}\right)}{c^3}$$

$$\begin{aligned} [\text{Out}] \quad & (b^2 x^2 (a + b \text{ArcCsc}[c x]))/c^2 + (b \text{Sqrt}[1 - 1/(c^2 x^2)] x^2 (a + b \text{ArcCsc}[c x]))^2/(2 c) \\ & + (x^3 (a + b \text{ArcCsc}[c x])^3)/3 + (b (a + b \text{ArcCsc}[c x])^2 \\ & * \text{ArcTanh}[E^{(I \text{ArcCsc}[c x])}])/c^3 + (b^3 \text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2 x^2)]])/c^3 \\ & - (I b^2 (a + b \text{ArcCsc}[c x]) \text{PolyLog}[2, -E^{(I \text{ArcCsc}[c x])}])/c^3 + (I b^2 (a + b \text{ArcCsc}[c x]) \text{PolyLog}[2, E^{(I \text{ArcCsc}[c x])}])/c^3 \\ & + (b^3 \text{PolyLog}[3, -E^{(I \text{ArcCsc}[c x])}])/c^3 - (b^3 \text{PolyLog}[3, E^{(I \text{ArcCsc}[c x])}])/c^3 \end{aligned}$$

Rubi [A] time = 0.188112, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.571, Rules used = {5223, 4410, 4186, 3770, 4183, 2531, 2282, 6589}

$$-\frac{ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c^3} + \frac{ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c^3} + \frac{b^3 \text{PolyLog}\left(3, -e^{i \csc^{-1}(cx)}\right)}{c^3}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*ArcCsc[c*x])^3, x]

$$\begin{aligned} [\text{Out}] \quad & (b^2 x^2 (a + b \text{ArcCsc}[c x]))/c^2 + (b \text{Sqrt}[1 - 1/(c^2 x^2)] x^2 (a + b \text{ArcCsc}[c x]))^2/(2 c) \\ & + (x^3 (a + b \text{ArcCsc}[c x])^3)/3 + (b (a + b \text{ArcCsc}[c x])^2 \\ & * \text{ArcTanh}[E^{(I \text{ArcCsc}[c x])}])/c^3 + (b^3 \text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2 x^2)]])/c^3 \\ & - (I b^2 (a + b \text{ArcCsc}[c x]) \text{PolyLog}[2, -E^{(I \text{ArcCsc}[c x])}])/c^3 + (I b^2 (a + b \text{ArcCsc}[c x]) \text{PolyLog}[2, E^{(I \text{ArcCsc}[c x])}])/c^3 \\ & + (b^3 \text{PolyLog}[3, -E^{(I \text{ArcCsc}[c x])}])/c^3 - (b^3 \text{PolyLog}[3, E^{(I \text{ArcCsc}[c x])}])/c^3 \end{aligned}$$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^(−1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, −1])
```

Rule 4410

```
Int[Cot[(a_) + (b_)*(x_)]^(p_)*Csc[(a_) + (b_)*(x_)]^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m − 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n − 2))/(f*(n − 1)), x] + (Dist[(b^2*d^2*m*(m − 1))/(f^2*(n − 1)*(n − 2)), Int[(c + d*x)^(m − 2)*(b*Csc[e + f*x])^(n − 2), x], x] + Dist[(b^2*(n − 2))/(n − 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n − 2), x], x] − Simp[(b^2*d*m*(c + d*x)^(m − 1)*(b*Csc[e + f*x])^(n − 2))/(f^2*(n − 1)*(n − 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3770

```
Int[csc[(c_.) + (d_ .)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 4183

```
Int[csc[(e_.) + (f_ .)*(x_)]*((c_.) + (d_ .)*(x_))^(m_.), x_Symbol] :> Simplify[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_ .)*(x_))))^(n_.)]*((f_.) + (g_ .)*(x_))^(m_.), x_Symbol] :> -Simplify[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_.))^(m_.) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_ .)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_ .)*(x_))^(p_.)]/((d_.) + (e_ .)*(x_)), x_Symbol] :> Simplify[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \csc^{-1}(cx))^3 dx &= -\frac{\text{Subst} \left(\int (a + bx)^3 \cot(x) \csc^3(x) dx, x, \csc^{-1}(cx) \right)}{c^3} \\
&= \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^3 - \frac{b \text{Subst} \left(\int (a + bx)^2 \csc^3(x) dx, x, \csc^{-1}(cx) \right)}{c^3} \\
&= \frac{b^2 x (a + b \csc^{-1}(cx))}{c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^3 - \frac{b \text{Subst} \left(\int (a + bx)^3 \cot(x) \csc^3(x) dx, x, \csc^{-1}(cx) \right)}{c^3} \\
&= \frac{b^2 x (a + b \csc^{-1}(cx))}{c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^3 + \frac{b (a + b \csc^{-1}(cx)) \text{Subst} \left(\int (a + bx)^2 \csc^3(x) dx, x, \csc^{-1}(cx) \right)}{c^3} \\
&= \frac{b^2 x (a + b \csc^{-1}(cx))}{c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^3 + \frac{b (a + b \csc^{-1}(cx)) \text{Subst} \left(\int (a + bx)^3 \cot(x) \csc^3(x) dx, x, \csc^{-1}(cx) \right)}{c^3} \\
&= \frac{b^2 x (a + b \csc^{-1}(cx))}{c^2} + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} x^2 (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{3} x^3 (a + b \csc^{-1}(cx))^3 + \frac{b (a + b \csc^{-1}(cx)) \text{Subst} \left(\int (a + bx)^2 \csc^3(x) dx, x, \csc^{-1}(cx) \right)}{c^3}
\end{aligned}$$

Mathematica [B] time = 7.75087, size = 580, normalized size = 2.64

$$ab^2 \left(2c^3x^3 \left(\frac{4i \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right)}{c^3x^3} + 4 \csc^{-1}(cx)^2 - 2 \cos\left(2 \csc^{-1}(cx)\right) - \frac{3 \csc^{-1}(cx) \log\left(1 - e^{i \csc^{-1}(cx)}\right)}{cx} + \frac{3 \csc^{-1}(cx) \log\left(1 + e^{i \csc^{-1}(cx)}\right)}{cx} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] `Integrate[x^2*(a + b*ArcCsc[c*x])^3, x]`

[Out]
$$\begin{aligned} & (a^3x^3)/3 + (a^2b*x^2*\text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])/(2*c) + a^2b*x^3* \\ & \text{ArcCsc}[c*x] + (a^2b*\text{Log}[x*(1 + \text{Sqrt}[(-1 + c^2*x^2)/(c^2*x^2)])])/(2*c^3) + \\ & (a*b^2*(-8*I)*\text{PolyLog}[2, -E^{(I*\text{ArcCsc}[c*x])}] + 2*c^3*x^3*(2 + 4*\text{ArcCsc}[c*x]^2 - 2*\text{Cos}[2*\text{ArcCsc}[c*x]] - (3*\text{ArcCsc}[c*x]*\text{Log}[1 - E^{(I*\text{ArcCsc}[c*x])}]))/(c*x) + ((4*I)*\text{PolyLog}[2, E^{(I*\text{ArcCsc}[c*x])}]/(c^3*x^3) + 2*\text{ArcCsc}[c*x]*\text{Sin}[2*\text{ArcCsc}[c*x]] + \text{ArcCsc}[c*x]*\text{Log}[1 - E^{(I*\text{ArcCsc}[c*x])}]*\text{Sin}[3*\text{ArcCsc}[c*x]] - \text{ArcCsc}[c*x]*\text{Log}[1 + E^{(I*\text{ArcCsc}[c*x])}]*\text{Sin}[3*\text{ArcCsc}[c*x]]))/(8*c^3) + (b^3*(24*\text{ArcCsc}[c*x]*\text{Cot}[\text{ArcCsc}[c*x]/2] + 4*\text{ArcCsc}[c*x]^3*\text{Cot}[\text{ArcCsc}[c*x]/2] + 6*\text{ArcCsc}[c*x]^2*\text{Csc}[\text{ArcCsc}[c*x]/2]^2 + (\text{ArcCsc}[c*x]^3*\text{Csc}[\text{ArcCsc}[c*x]/2]^4)/(c*x) - 24*\text{ArcCsc}[c*x]^2*\text{Log}[1 - E^{(I*\text{ArcCsc}[c*x])}] + 24*\text{ArcCsc}[c*x]^2*\text{Log}[1 + E^{(I*\text{ArcCsc}[c*x])}] - 48*\text{Log}[\text{Tan}[\text{ArcCsc}[c*x]/2]] - (48*I)*\text{ArcCsc}[c*x]*\text{PolyLog}[2, -E^{(I*\text{ArcCsc}[c*x])}] + (48*I)*\text{ArcCsc}[c*x]*\text{PolyLog}[2, E^{(I*\text{ArcCsc}[c*x])}] + 48*\text{PolyLog}[3, -E^{(I*\text{ArcCsc}[c*x])}] - 48*\text{PolyLog}[3, E^{(I*\text{ArcCsc}[c*x])}] - 6*\text{ArcCsc}[c*x]^2*\text{Sec}[\text{ArcCsc}[c*x]/2]^2 + 16*c^3*x^3*\text{ArcCsc}[c*x]^3*\text{Sin}[\text{ArcCsc}[c*x]/2]^4 + 24*\text{ArcCsc}[c*x]*\text{Tan}[\text{ArcCsc}[c*x]/2] + 4*\text{ArcCsc}[c*x]^3*\text{Tan}[\text{ArcCsc}[c*x]/2]))/(48*c^3) \end{aligned}$$

Maple [B] time = 0.446, size = 648, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))^3, x)`

[Out]
$$\begin{aligned} & 1/3*a^3*x^3 + 1/3*x^3*b^3*\text{arccsc}(c*x)^3 + 1/2/c*b^3*((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} * \text{arccsc}(c*x)^2*x^2 + 1/c^2*b^3*\text{arccsc}(c*x)*x - 1/2/c^3*b^3*\text{arccsc}(c*x)^2*\ln(1 - I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) + I/c^3*a*b^2*\text{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - b^3*\text{polylog}(3, I/c/x + (1 - 1/c^2/x^2)^{(1/2)})/c^3 + 1/2/c^3*b^3*\text{arccsc}(c*x)^2*\ln(1 + I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - I/c^3*b^3*\text{arccsc}(c*x)*\text{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) + b^3*\text{polylog}(3, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)})/c^3 + 2/c^3*b^3*\text{arctanh}(I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) + b^2*x^3*a*\text{arccsc}(c*x)^2 + 1/c*a*b^2*((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}*\text{arccsc}(c*x)*x^2 + I/c^3*b^3*\text{arccsc}(c*x)*\text{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - I/c^3*a*b^2*\text{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) - 1/c^3*a*b^2*\text{arccsc}(c*x)*\ln(1 - I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) + 1/c^3*a*b^2*\text{arccsc}(c*x)*\ln(1 + I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) + 1/c^2*x*a*b^2*x^3*a^2*b*\text{arccsc}(c*x) + 1/2/c*a^2*b/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} + 1/2/c^4*a^2*b*(c^2*x^2 - 1)^{(1/2)}/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}/x*\ln(c*x + (c^2*x^2 - 1)^{(1/2)}) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))^3,x, algorithm="maxima")`

[Out]

$$\begin{aligned} & \frac{1}{3} b^3 x^3 \operatorname{arctan2}(1, \sqrt{c x + 1}) \sqrt{c x - 1})^3 - \frac{1}{4} b^3 x^3 \operatorname{arctan2}(1, \sqrt{c x + 1}) \sqrt{c x - 1}) \log(c^2 x^2)^2 - \frac{1}{2} a b^2 c^2 (2 (c^2 x^3 + 3 x) / c^4 - 3 \log(c x + 1) / c^5 + 3 \log(c x - 1) / c^5) \log(c)^2 - 12 b^3 c^2 \operatorname{integrate}(1/4 x^4 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) / (c^2 x^2 - 1), x) * \log(c)^2 + 12 b^3 c^2 \operatorname{integrate}(1/4 x^4 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) / (c^2 x^2 - 1), x) * \log(c) - 24 b^3 c^2 \operatorname{integrate}(1/4 x^4 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(x) / (c^2 x^2 - 1), x) * \log(c) + 12 a b^2 c^2 \operatorname{integrate}(1/4 x^4 \log(c^2 x^2) / (c^2 x^2 - 1), x) * \log(c) - 24 a b^2 c^2 \operatorname{integrate}(1/4 x^4 \log(x) / (c^2 x^2 - 1), x) * \log(c) + 1/3 a^3 x^3 + 12 b^3 c^2 \operatorname{integrate}(1/4 x^4 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(c^2 x^2) * \log(x) / (c^2 x^2 - 1), x) - 12 b^3 c^2 \operatorname{integrate}(1/4 x^4 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(x)^2 / (c^2 x^2 - 1), x) + 12 a b^2 c^2 \operatorname{integrate}(1/4 x^4 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) ^2 / (c^2 x^2 - 1), x) + 4 b^3 c^2 \operatorname{integrate}(1/4 x^4 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(c^2 x^2) / (c^2 x^2 - 1), x) - 3 a b^2 c^2 \operatorname{integrate}(1/4 x^4 \log(c^2 x^2) ^2 / (c^2 x^2 - 1), x) + 12 a b^2 c^2 \operatorname{integrate}(1/4 x^4 \log(x)^2 / (c^2 x^2 - 1), x) + 3/2 a b^2 (2 x / c^2 - \log(c x + 1) / c^3 + \log(c x - 1) / c^3) \log(c)^2 + 12 b^3 c \operatorname{integrate}(1/4 x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) / (c^2 x^2 - 1), x) * \log(c)^2 - 12 b^3 \operatorname{integrate}(1/4 x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(c^2 x^2) / (c^2 x^2 - 1), x) * \log(c) + 24 b^3 \operatorname{integrate}(1/4 x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(x) / (c^2 x^2 - 1), x) * \log(c) - 12 a b^2 c \operatorname{integrate}(1/4 x^2 \log(c^2 x^2) / (c^2 x^2 - 1), x) * \log(c) + 24 a b^2 \operatorname{integrate}(1/4 x^2 \log(x) / (c^2 x^2 - 1), x) * \log(c) + 1/4 (4 x^3 \operatorname{arccsc}(c x) + (2 \sqrt{-1 / (c^2 x^2)} + 1) / (c^2 (1 / (c^2 x^2) - 1) + c^2) + \log(\sqrt{-1 / (c^2 x^2)} + 1) / c^2 - \log(\sqrt{-1 / (c^2 x^2)} + 1) - 1) / c^2) / c) * a^2 b + 4 b^3 \operatorname{integrate}(1/4 \sqrt{c x + 1} * \sqrt{c x - 1} * x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) ^2 / (c^2 x^2 - 1), x) - b^3 \operatorname{integrate}(1/4 \sqrt{c x + 1} * \sqrt{c x - 1} * x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(c^2 x^2) / (c^2 x^2 - 1), x) + 12 b^3 c \operatorname{integrate}(1/4 x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(x) / (c^2 x^2 - 1), x) - 12 a b^2 c \operatorname{integrate}(1/4 x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) ^2 / (c^2 x^2 - 1), x) - 4 b^3 c \operatorname{integrate}(1/4 x^2 \operatorname{arctan}(1/(sqrt(c x + 1) * sqrt(c x - 1))) * \log(c^2 x^2) / (c^2 x^2 - 1), x) + 3 a b^2 c \operatorname{integrate}(1/4 x^2 \log(c^2 x^2) / (c^2 x^2 - 1), x) - 12 a b^2 \operatorname{integrate}(1/4 x^2 \log(c^2 x^2) * \log(x) / (c^2 x^2 - 1), x) + 12 a b^2 \operatorname{integrate}(1/4 x^2 \log(x) ^2 / (c^2 x^2 - 1), x) \end{aligned}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(b^3 x^2 \operatorname{arccsc}(c x)^3 + 3 a b^2 x^2 \operatorname{arccsc}(c x)^2 + 3 a^2 b x^2 \operatorname{arccsc}(c x) + a^3 x^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))^3,x, algorithm="fricas")`

[Out]

$$\text{integral}(b^3 x^2 \operatorname{arccsc}(c x)^3 + 3 a b^2 x^2 \operatorname{arccsc}(c x)^2 + 3 a^2 b x^2 \operatorname{arccsc}(c x) + a^3 x^2, x)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{acsc}(c x))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))**3,x)`

[Out] `Integral(x**2*(a + b*acsc(c*x))**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^3 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3*x^2, x)`

3.26 $\int x \left(a + b \csc^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=126

$$\frac{3ib^3 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right)}{2c^2} - \frac{3b^2 \log\left(1 - e^{2i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c^2} + \frac{3bx \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))^2}{2c} + \frac{3ib (a + b \csc^{-1}(cx))^3}{2c}$$

[Out] $\left(((3*I)/2)*b*(a + b*\text{ArcCsc}[c*x])^2/c^2 + (3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(a + b*\text{ArcCsc}[c*x])^2)/(2*c) + (x^2*(a + b*\text{ArcCsc}[c*x])^3)/2 - (3*b^2*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}])/c^2 + (((3*I)/2)*b^3*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}])/c^2 \right)$

Rubi [A] time = 0.147319, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.583, Rules used = {5223, 4410, 4184, 3717, 2190, 2279, 2391}

$$\frac{3ib^3 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right)}{2c^2} - \frac{3b^2 \log\left(1 - e^{2i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c^2} + \frac{3bx \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))^2}{2c} + \frac{3ib (a + b \csc^{-1}(cx))^3}{2c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + b*\text{ArcCsc}[c*x])^3, x]$

[Out] $\left(((3*I)/2)*b*(a + b*\text{ArcCsc}[c*x])^2/c^2 + (3*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(a + b*\text{ArcCsc}[c*x])^2)/(2*c) + (x^2*(a + b*\text{ArcCsc}[c*x])^3)/2 - (3*b^2*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}])/c^2 + (((3*I)/2)*b^3*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}])/c^2 \right)$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^n_*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4410

```
Int[Cot[(a_.) + (b_.)*(x_)]^(p_)*Csc[(a_.) + (b_.)*(x_)]^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simplify[((I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((F_)((g_.)*(e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)((g_.)*(e_.) + (f_.)*(x_.)))^(n_.)), x_Symbol] :> Simplify[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*(F_)((e_.)*(c_.) + (d_.)*(x_.)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*(d_.) + (e_.)*(x_.)^n]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int x(a + b \csc^{-1}(cx))^3 dx &= -\frac{\text{Subst}\left(\int (a + bx)^3 \cot(x) \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{c^2} \\ &= \frac{1}{2} x^2 (a + b \csc^{-1}(cx))^3 - \frac{(3b) \text{Subst}\left(\int (a + bx)^2 \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{2c^2} \\ &= \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \csc^{-1}(cx))^3 - \frac{(3b^2) \text{Subst}\left(\int (a + bx) \cot(x) \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{c^2} \\ &= \frac{3ib (a + b \csc^{-1}(cx))^2}{2c^2} + \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \csc^{-1}(cx))^3 + \frac{(6ib^2) \text{Subst}\left(\int (a + bx) \cot(x) \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{c^2} \\ &= \frac{3ib (a + b \csc^{-1}(cx))^2}{2c^2} + \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \csc^{-1}(cx))^3 - \frac{3b^2 \text{Subst}\left(\int (a + bx) \cot(x) \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{c^2} \\ &= \frac{3ib (a + b \csc^{-1}(cx))^2}{2c^2} + \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \csc^{-1}(cx))^3 - \frac{3b^2 \text{Subst}\left(\int (a + bx) \cot(x) \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{c^2} \\ &= \frac{3ib (a + b \csc^{-1}(cx))^2}{2c^2} + \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x (a + b \csc^{-1}(cx))^2}{2c} + \frac{1}{2} x^2 (a + b \csc^{-1}(cx))^3 - \frac{3b^2 \text{Subst}\left(\int (a + bx) \cot(x) \csc^2(x) dx, x, \csc^{-1}(cx)\right)}{c^2} \end{aligned}$$

Mathematica [A] time = 0.46718, size = 182, normalized size = 1.44

$$\frac{3ib^3 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) + a \left(acx \left(acx + 3b \sqrt{1 - \frac{1}{c^2 x^2}}\right) - 6b^2 \log\left(\frac{1}{cx}\right)\right) + 3b^2 \csc^{-1}(cx)^2 \left(ac^2 x^2 + b \left(cx \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{3b \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c}\right)\right)}{2c^2}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[x*(a + b*ArcCsc[c*x])^3, x]`

[Out] $(3*b^2*(a*c^2*x^2 + b*(I + c*.Sqrt[1 - 1/(c^2*x^2)]*x))*ArcCsc[c*x]^2 + b^3*c^2*x^2*ArcCsc[c*x]^3 + 3*b*ArcCsc[c*x]*(a*c*x*(2*b*Sqrt[1 - 1/(c^2*x^2)] + a*c*x) - 2*b^2*Log[1 - E^((2*I)*ArcCsc[c*x])]) + a*(a*c*x*(3*b*Sqrt[1 - 1/(c^2*x^2)] + a*c*x) - 6*b^2*Log[1/(c*x)]) + (3*I)*b^3*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(2*c^2)$

Maple [B] time = 0.33, size = 349, normalized size = 2.8

$$\frac{x^2 a^3}{2} + \frac{x^2 b^3 (\operatorname{arccsc}(cx))^3}{2} + \frac{3 b^3 (\operatorname{arccsc}(cx))^2 x \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{2 c} + \frac{\frac{3 i}{2} b^3 (\operatorname{arccsc}(cx))^2}{c^2} - 3 \frac{b^3 \operatorname{arccsc}(cx)}{c^2} \ln \left(1 + \frac{i}{cx} + \sqrt{1 - \frac{1}{c^2 x^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))^3,x)`

[Out] $\frac{1}{2} x^2 a^3 + \frac{1}{2} x^2 b^3 (\operatorname{arccsc}(c x))^3 + \frac{3}{2} \frac{b^3 (\operatorname{arccsc}(c x))^2 x \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{c} + \frac{\frac{3 i}{2} b^3 (\operatorname{arccsc}(c x))^2}{c^2} - 3 \frac{b^3 \operatorname{arccsc}(c x)}{c^2} \ln \left(1 + \frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}} \right)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{3}{2} a b^2 x^2 \operatorname{arccsc}(c x)^2 + \frac{1}{2} a^3 x^2 + \frac{3}{2} \left(x^2 \operatorname{arccsc}(c x) + \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) a^2 b + 3 \left(\frac{x \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arccsc}(c x)}{c} + \frac{\log(x)}{c^2} \right) a b^2 + \frac{1}{8} \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))^3,x, algorithm="maxima")`

[Out] $\frac{3}{2} a b^2 x^2 \operatorname{arccsc}(c x)^2 + \frac{1}{2} a^3 x^2 + \frac{3}{2} (x^2 \operatorname{arccsc}(c x) + x \sqrt{-\frac{1}{c^2 x^2} + 1}) a^2 b + 3 \left(\frac{x \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arccsc}(c x)}{c} + \frac{\log(x)}{c^2} \right) a b^2 + \frac{1}{8} \left(\dots \right)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(b^3 x \operatorname{arccsc}(c x)^3 + 3 a b^2 x \operatorname{arccsc}(c x)^2 + 3 a^2 b x \operatorname{arccsc}(c x) + a^3 x, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))^3,x, algorithm="fricas")`

[Out] $\int (b^3 x \operatorname{arccsc}(cx)^3 + 3ab^2 x \operatorname{arccsc}(cx)^2 + 3a^2 b x \operatorname{arccsc}(cx) + a^3 x) dx$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x(a + b \operatorname{acsc}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x*(a+b*\operatorname{acsc}(c*x))^3, x)$

[Out] $\operatorname{Integral}(x*(a + b \operatorname{acsc}(cx))^3, x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^3 x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x*(a+b*\operatorname{arccsc}(c*x))^3, x, \text{algorithm}=\text{"giac"})$

[Out] $\operatorname{integrate}((b*\operatorname{arccsc}(c*x) + a)^3 x, x)$

$$3.27 \quad \int (a + b \csc^{-1}(cx))^3 dx$$

Optimal. Leaf size=144

$$\frac{6ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c} + \frac{6ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c} + \frac{6b^3 \text{PolyLog}\left(3, -e^{i \csc^{-1}(cx)}\right)}{c}$$

[Out] $x*(a + b*\text{ArcCsc}[c*x])^3 + (6*b*(a + b*\text{ArcCsc}[c*x])^2*\text{ArcTanh}[E^(\text{I}*\text{ArcCsc}[c*x]))]/c - ((6*I)*b^2*(a + b*\text{ArcCsc}[c*x])* \text{PolyLog}[2, -E^(\text{I}*\text{ArcCsc}[c*x]))]/c + ((6*I)*b^2*(a + b*\text{ArcCsc}[c*x])* \text{PolyLog}[2, E^(\text{I}*\text{ArcCsc}[c*x]))]/c + (6*b^3* \text{PolyLog}[3, -E^(\text{I}*\text{ArcCsc}[c*x))])/c - (6*b^3* \text{PolyLog}[3, E^(\text{I}*\text{ArcCsc}[c*x))])/c$

Rubi [A] time = 0.112179, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.6, Rules used = {5217, 4410, 4183, 2531, 2282, 6589}

$$\frac{6ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c} + \frac{6ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right) (a + b \csc^{-1}(cx))}{c} + \frac{6b^3 \text{PolyLog}\left(3, -e^{i \csc^{-1}(cx)}\right)}{c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])^3, x]$

[Out] $x*(a + b*\text{ArcCsc}[c*x])^3 + (6*b*(a + b*\text{ArcCsc}[c*x])^2*\text{ArcTanh}[E^(\text{I}*\text{ArcCsc}[c*x]))]/c - ((6*I)*b^2*(a + b*\text{ArcCsc}[c*x])* \text{PolyLog}[2, -E^(\text{I}*\text{ArcCsc}[c*x))])/c + ((6*I)*b^2*(a + b*\text{ArcCsc}[c*x])* \text{PolyLog}[2, E^(\text{I}*\text{ArcCsc}[c*x))])/c + (6*b^3* \text{PolyLog}[3, -E^(\text{I}*\text{ArcCsc}[c*x))])/c - (6*b^3* \text{PolyLog}[3, E^(\text{I}*\text{ArcCsc}[c*x))])/c$

Rule 5217

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))^n_, x_Symbol] :> -Dist[c^(-1), Subst[Int[(a + b*x)^n*Csc[x]*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[n, 0]
```

Rule 4410

```
Int[Cot[(a_.) + (b_.)*(x_)]^(p_.)*Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(\text{I}*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(\text{I}*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(\text{I}*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^n_.]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f}
```

```
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^p_]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (a + b \csc^{-1}(cx))^3 dx &= -\frac{\text{Subst}\left(\int (a + bx)^3 \cot(x) \csc(x) dx, x, \csc^{-1}(cx)\right)}{c} \\ &= x(a + b \csc^{-1}(cx))^3 - \frac{(3b) \text{Subst}\left(\int (a + bx)^2 \csc(x) dx, x, \csc^{-1}(cx)\right)}{c} \\ &= x(a + b \csc^{-1}(cx))^3 + \frac{6b(a + b \csc^{-1}(cx))^2 \tanh^{-1}(e^{i \csc^{-1}(cx)})}{c} + \frac{(6b^2) \text{Subst}\left(\int (a + bx) \ln(a + bx) dx, x, \csc^{-1}(cx)\right)}{c} \\ &= x(a + b \csc^{-1}(cx))^3 + \frac{6b(a + b \csc^{-1}(cx))^2 \tanh^{-1}(e^{i \csc^{-1}(cx)})}{c} - \frac{6ib^2(a + b \csc^{-1}(cx)) \text{Li}_2(-e^{i \csc^{-1}(cx)})}{c} \\ &= x(a + b \csc^{-1}(cx))^3 + \frac{6b(a + b \csc^{-1}(cx))^2 \tanh^{-1}(e^{i \csc^{-1}(cx)})}{c} - \frac{6ib^2(a + b \csc^{-1}(cx)) \text{Li}_2(e^{i \csc^{-1}(cx)})}{c} \\ &= x(a + b \csc^{-1}(cx))^3 + \frac{6b(a + b \csc^{-1}(cx))^2 \tanh^{-1}(e^{i \csc^{-1}(cx)})}{c} - \frac{6ib^2(a + b \csc^{-1}(cx)) \text{Li}_2(-e^{i \csc^{-1}(cx)})}{c} \end{aligned}$$

Mathematica [A] time = 0.293682, size = 265, normalized size = 1.84

$$-6ib^2 \text{PolyLog}\left(2, -e^{i \csc^{-1}(cx)}\right)(a + b \csc^{-1}(cx)) + 6ib^2 \text{PolyLog}\left(2, e^{i \csc^{-1}(cx)}\right)(a + b \csc^{-1}(cx)) + 6b^3 \text{PolyLog}\left(3, -e^{i \csc^{-1}(cx)}\right)$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])^3, x]`

[Out]
$$(a^3*c*x + 3*a^2*b*c*x*ArcCsc[c*x] + 3*a*b^2*c*x*ArcCsc[c*x]^2 + b^3*c*x*ArcCsc[c*x]^3 - 6*a*b^2*ArcCsc[c*x]*Log[1 - E^(I*ArcCsc[c*x])] - 3*b^3*ArcCsc[c*x]^2*Log[1 - E^(I*ArcCsc[c*x])] + 6*a*b^2*ArcCsc[c*x]*Log[1 + E^(I*ArcCsc[c*x])] + 3*b^3*ArcCsc[c*x]^2*Log[1 + E^(I*ArcCsc[c*x])] + 3*a^2*b*Log[c*(1 + Sqrt[1 - 1/(c^2*x^2)])*x] - (6*I)*b^2*(a + b*ArcCsc[c*x])*PolyLog[2, -E^(I*ArcCsc[c*x])] + (6*I)*b^2*(a + b*ArcCsc[c*x])*PolyLog[2, E^(I*ArcCsc[c*x])] + 6*b^3*PolyLog[3, -E^(I*ArcCsc[c*x])] - 6*b^3*PolyLog[3, E^(I*ArcCsc[c*x])])/c$$

Maple [B] time = 0.319, size = 437, normalized size = 3.

$$xb^3 (\text{arccsc}(cx))^3 + 3xab^2 (\text{arccsc}(cx))^2 - 3 \frac{b^3 (\text{arccsc}(cx))^2}{c} \ln\left(1 - \frac{i}{cx} - \sqrt{1 - \frac{1}{c^2 x^2}}\right) + 3 \frac{b^3 (\text{arccsc}(cx))^2}{c} \ln\left(1 + \frac{i}{cx} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^3,x)`

[Out] $x^3 b^3 \text{arccsc}(c x)^3 + 3 x^2 a b^2 \text{arccsc}(c x)^2 - 3 c b^3 \text{arccsc}(c x)^2 \ln(1 - I/c/x - (1 - 1/c^2/x^2)^(1/2)) + 3 c b^3 \text{arccsc}(c x)^2 \ln(1 + I/c/x + (1 - 1/c^2/x^2)^(1/2)) + 6 I/c b^3 \text{arccsc}(c x) \text{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^(1/2)) - 6 I/c \text{arccsc}(c x) \text{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^(1/2)) b^3 + 3 x a^2 b^2 \text{arccsc}(c x) - 6 c a b^2 \text{arccsc}(c x) \ln(1 - I/c/x - (1 - 1/c^2/x^2)^(1/2)) + 6 c a b^2 \text{arccsc}(c x) \ln(1 + I/c/x + (1 - 1/c^2/x^2)^(1/2)) + 6 I/c a b^2 \text{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^(1/2)) - 6 I/c \text{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^(1/2)) a b^2 + x a^3 - 6 b^3 \text{polylog}(3, I/c/x + (1 - 1/c^2/x^2)^(1/2)) / c + 6 b^3 \text{polylog}(3, -I/c/x - (1 - 1/c^2/x^2)^(1/2)) / c + 3 c \ln(c x + c x^2) (1 - 1/c^2/x^2)^(1/2) a^2 b$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3,x, algorithm="maxima")`

[Out] $-3/2 a b^2 c^2 (2 x/c^2 - \log(c x + 1)/c^3 + \log(c x - 1)/c^3) \log(c)^2 - 1/2 b^3 c^2 \int (1/4 x^2 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) / (c^2 x^2 - 1), x) \log(c)^2 + b^3 x \arctan(1, sqrt(c x + 1) * sqrt(c x - 1))^3 - 3/4 b^3 x \arctan(1, sqrt(c x + 1) * sqrt(c x - 1)) \log(c^2 x^2)^2 + 12 b^3 c^2 \int (1/4 x^2 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(c^2 x^2) / (c^2 x^2 - 1), x) \log(c) - 24 b^3 c^2 \int (1/4 x^2 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(x) / (c^2 x^2 - 1), x) \log(c) + 12 a b^2 c^2 \int (1/4 x^2 \log(c^2 x^2) / (c^2 x^2 - 1), x) \log(c) - 24 a b^2 c^2 \int (1/4 x^2 \log(x) / (c^2 x^2 - 1), x) \log(c) + 12 b^3 c^2 \int (1/4 x^2 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(c^2 x^2) \log(x) / (c^2 x^2 - 1), x) - 12 b^3 c^2 \int (1/4 x^2 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(x)^2 / (c^2 x^2 - 1), x) + 12 a b^2 c^2 \int (1/4 x^2 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(x)^2 / (c^2 x^2 - 1), x) + 12 b^3 c^2 \int (1/4 x^2 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(c^2 x^2) / (c^2 x^2 - 1), x) - 3 a b^2 c^2 \int (1/4 x^2 \log(c^2 x^2)^2 / (c^2 x^2 - 1), x) + 12 a b^2 c^2 \int (1/4 x^2 \log(c^2 x^2) \log(x) / (c^2 x^2 - 1), x) - 12 a b^2 c^2 \int (1/4 x^2 \log(x)^2 / (c^2 x^2 - 1), x) - 3/2 a b^2 (\log(c x + 1)/c - \log(c x - 1)/c) \log(c)^2 + 12 b^3 \int (1/4 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) / (c^2 x^2 - 1), x) \log(c)^2 - 12 b^3 \int (1/4 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(c^2 x^2) / (c^2 x^2 - 1), x) \log(c) + 24 b^3 \int (1/4 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(x) / (c^2 x^2 - 1), x) \log(c) - 12 a b^2 \int (1/4 \log(c^2 x^2) / (c^2 x^2 - 1), x) \log(c) + 24 a b^2 \int (1/4 \log(x) / (c^2 x^2 - 1), x) \log(c) + a^3 x + 12 b^3 \int (1/4 \sqrt(c x + 1) * sqrt(c x - 1) \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1)))^2 / (c^2 x^2 - 1), x) - 3 b^3 \int (1/4 \sqrt(c x + 1) * sqrt(c x - 1) \log(c^2 x^2) / (c^2 x^2 - 1), x) - 12 b^3 \int (1/4 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(c^2 x^2) / (c^2 x^2 - 1), x) + 12 b^3 \int (1/4 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(x) / (c^2 x^2 - 1), x) \log(c) - 12 a b^2 \int (1/4 \log(c^2 x^2) / (c^2 x^2 - 1), x) \log(c) + 24 a b^2 \int (1/4 \log(x) / (c^2 x^2 - 1), x) \log(c) + a^3 x + 12 b^3 \int (1/4 \sqrt(c x + 1) * sqrt(c x - 1) \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1)))^2 / (c^2 x^2 - 1), x) - 3 a b^2 \int (1/4 \sqrt(c x + 1) * sqrt(c x - 1) \log(c^2 x^2) / (c^2 x^2 - 1), x) - 12 b^3 \int (1/4 \arctan(1/(sqrt(c x + 1) * sqrt(c x - 1))) \log(c^2 x^2) / (c^2 x^2 - 1), x) + 3 a b^2 \int (1/4 \log(c^2 x^2) / (c^2 x^2 - 1), x) - 12 a b^2 \int (1/4 \log(c^2 x^2) \log(x) / (c^2 x^2 - 1), x) + 12 a b^2 \int (1/4 \log(x) / (c^2 x^2 - 1), x) + 3/2 (2 c x \text{arccsc}(c x) + \log(\sqrt(-1/(c^2 x^2) + 1) + 1) - \log(-\sqrt(-1/(c^2 x^2) + 1) + 1)) a^2 b / c$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(b^3 \operatorname{arccsc}(cx)^3 + 3ab^2 \operatorname{arccsc}(cx)^2 + 3a^2b \operatorname{arccsc}(cx) + a^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3,x, algorithm="fricas")`

[Out] `integral(b^3*arccsc(c*x)^3 + 3*a*b^2*arccsc(c*x)^2 + 3*a^2*b*arccsc(c*x) + a^3, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**3,x)`

[Out] `Integral((a + b*acsc(c*x))**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3, x)`

3.28 $\int \frac{(a+b \csc^{-1}(cx))^3}{x} dx$

Optimal. Leaf size=124

$$-\frac{3}{2} b^2 \text{PolyLog}\left(3, e^{2 i \csc^{-1}(c x)}\right) (a + b \csc^{-1}(c x)) + \frac{3}{2} i b \text{PolyLog}\left(2, e^{2 i \csc^{-1}(c x)}\right) (a + b \csc^{-1}(c x))^2 - \frac{3}{4} i b^3 \text{PolyLog}\left(4, e^{2 i \csc^{-1}(c x)}\right)$$

```
[Out] ((I/4)*(a + b*ArcCsc[c*x])^4)/b - (a + b*ArcCsc[c*x])^3*Log[1 - E^((2*I)*ArcCsc[c*x])] + ((3*I)/2)*b*(a + b*ArcCsc[c*x])^2*PolyLog[2, E^((2*I)*ArcCsc[c*x])] - (3*b^2*(a + b*ArcCsc[c*x])*PolyLog[3, E^((2*I)*ArcCsc[c*x])])/2 - ((3*I)/4)*b^3*PolyLog[4, E^((2*I)*ArcCsc[c*x])]
```

Rubi [A] time = 0.143158, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.5, Rules used = {5223, 3717, 2190, 2531, 6609, 2282, 6589}

$$-\frac{3}{2} b^2 \text{PolyLog}\left(3, e^{2 i \csc^{-1}(c x)}\right) (a + b \csc^{-1}(c x)) + \frac{3}{2} i b \text{PolyLog}\left(2, e^{2 i \csc^{-1}(c x)}\right) (a + b \csc^{-1}(c x))^2 - \frac{3}{4} i b^3 \text{PolyLog}\left(4, e^{2 i \csc^{-1}(c x)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcCsc[c*x])^3/x, x]
```

```
[Out] ((I/4)*(a + b*ArcCsc[c*x])^4)/b - (a + b*ArcCsc[c*x])^3*Log[1 - E^((2*I)*ArcCsc[c*x])] + ((3*I)/2)*b*(a + b*ArcCsc[c*x])^2*PolyLog[2, E^((2*I)*ArcCsc[c*x])] - (3*b^2*(a + b*ArcCsc[c*x])*PolyLog[3, E^((2*I)*ArcCsc[c*x])])/2 - ((3*I)/4)*b^3*PolyLog[4, E^((2*I)*ArcCsc[c*x])]
```

Rule 5223

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_)*(e_)) + (f_)*(x_)))^(n_)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_)*(e_)) + (f_)*(x_)))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.)), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
```

```
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \csc^{-1}(cx))^3}{x} dx &= -\text{Subst}\left(\int (a + bx)^3 \cot(x) dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^4}{4b} + 2i \text{Subst}\left(\int \frac{e^{2ix}(a + bx)^3}{1 - e^{2ix}} dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^4}{4b} - (a + b \csc^{-1}(cx))^3 \log(1 - e^{2i \csc^{-1}(cx)}) + (3b) \text{Subst}\left(\int (a + bx)^2 \log\right. \\ &\quad \left.\frac{e^{2ix}(a + bx)^3}{1 - e^{2ix}} dx, x, \csc^{-1}(cx)\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^4}{4b} - (a + b \csc^{-1}(cx))^3 \log(1 - e^{2i \csc^{-1}(cx)}) + \frac{3}{2}ib(a + b \csc^{-1}(cx))^2 \text{Li}_2\left(\frac{e^{2ix}}{1 - e^{2ix}}\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^4}{4b} - (a + b \csc^{-1}(cx))^3 \log(1 - e^{2i \csc^{-1}(cx)}) + \frac{3}{2}ib(a + b \csc^{-1}(cx))^2 \text{Li}_2\left(\frac{e^{2ix}}{1 - e^{2ix}}\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^4}{4b} - (a + b \csc^{-1}(cx))^3 \log(1 - e^{2i \csc^{-1}(cx)}) + \frac{3}{2}ib(a + b \csc^{-1}(cx))^2 \text{Li}_2\left(\frac{e^{2ix}}{1 - e^{2ix}}\right) \\ &= \frac{i(a + b \csc^{-1}(cx))^4}{4b} - (a + b \csc^{-1}(cx))^3 \log(1 - e^{2i \csc^{-1}(cx)}) + \frac{3}{2}ib(a + b \csc^{-1}(cx))^2 \text{Li}_2\left(\frac{e^{2ix}}{1 - e^{2ix}}\right) \end{aligned}$$

Mathematica [A] time = 0.213212, size = 242, normalized size = 1.95

$$\frac{3}{2}ia^2b \left(\text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) + \csc^{-1}(cx) \left(\csc^{-1}(cx) + 2i \log\left(1 - e^{2i \csc^{-1}(cx)}\right)\right)\right) + \frac{1}{8}iab^2 \left(-24 \csc^{-1}(cx) \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) + 3a^2b^2 \csc^{-1}(cx) \log\left(1 - e^{2i \csc^{-1}(cx)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])^3/x, x]`

[Out] $a^3 \log(c*x) + ((3*I)/2)*a^2*b*(\text{ArcCsc}[c*x]*(\text{ArcCsc}[c*x] + (2*I)*\log[1 - E^{((2*I)*\text{ArcCsc}[c*x])})) + \text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}] + (I/8)*a*b^2*(P$

$$\begin{aligned} & i^3 - 8 \operatorname{ArcCsc}[c*x]^3 + (24*I) \operatorname{ArcCsc}[c*x]^2 \operatorname{Log}[1 - E^{((-2*I) \operatorname{ArcCsc}[c*x])}] \\ & - 24 \operatorname{ArcCsc}[c*x] \operatorname{PolyLog}[2, E^{((-2*I) \operatorname{ArcCsc}[c*x])}] + (12*I) \operatorname{PolyLog}[3, E^{((-2*I) \operatorname{ArcCsc}[c*x])}] + (I/64) b^3 (\operatorname{Pi}^4 - 16 \operatorname{ArcCsc}[c*x]^4 + (64*I) \operatorname{ArcCsc}[c*x]^3 \operatorname{Log}[1 - E^{((-2*I) \operatorname{ArcCsc}[c*x])}] - 96 \operatorname{ArcCsc}[c*x]^2 \operatorname{PolyLog}[2, E^{((-2*I) \operatorname{ArcCsc}[c*x])}] + (96*I) \operatorname{ArcCsc}[c*x] \operatorname{PolyLog}[3, E^{((-2*I) \operatorname{ArcCsc}[c*x])}] + 48 \operatorname{PolyLog}[4, E^{((-2*I) \operatorname{ArcCsc}[c*x])}]) \end{aligned}$$

Maple [B] time = 0.333, size = 666, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^3/x,x)`

[Out]
$$\begin{aligned} & a^3 \ln(c*x) + 3/2 * I * a^2 * b * \operatorname{arccsc}(c*x)^2 - b^3 \operatorname{arccsc}(c*x)^3 \ln(1 + I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) \\ & + 3 * I * a^2 * b * \operatorname{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - 6 * b^3 \operatorname{arccsc}(c*x) \operatorname{polylog}(3, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) - 6 * I * b^3 \operatorname{polylog}(4, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - b^3 \operatorname{arccsc}(c*x)^3 \ln(1 - I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) + 3 * I * b^3 \operatorname{arccsc}(c*x)^2 \operatorname{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - 6 * b^3 \operatorname{arccsc}(c*x) \operatorname{polylog}(3, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) + 3 * I * b^3 \operatorname{arccsc}(c*x)^2 \operatorname{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) + 1/4 * I * b^3 \operatorname{arccsc}(c*x)^4 + 6 * I * a * b^2 \operatorname{arccsc}(c*x) \operatorname{polylog}(2, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - 3 * a * b^2 \operatorname{arccsc}(c*x)^2 \ln(1 - I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) - 3 * a * b^2 \operatorname{arccsc}(c*x)^2 \ln(1 + I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) + 6 * I * a * b^2 \operatorname{arccsc}(c*x) \operatorname{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) - 6 * a * b^2 \operatorname{polylog}(3, I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) - 6 * a * b^2 \operatorname{polylog}(3, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) + 3 * I * a^2 * b * \operatorname{polylog}(2, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) - 3 * a^2 * b * \operatorname{arccsc}(c*x) \ln(1 - I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) - 3 * a^2 * b * \operatorname{arccsc}(c*x) \ln(1 + I/c/x + (1 - 1/c^2/x^2)^{(1/2)}) + I * a * b^2 \operatorname{arccsc}(c*x)^3 - 6 * I * b^3 \operatorname{polylog}(4, -I/c/x - (1 - 1/c^2/x^2)^{(1/2)}) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x,x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -3/2 * a * b^2 * c^2 * (\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2) * \log(c)^2 - 12 * b^3 * c^2 * \operatorname{integrate}(1/4 * x^2 * \operatorname{arctan}(1/(\sqrt{c*x + 1} * \sqrt{c*x - 1}))/(\sqrt{c^2 * x^3 - x}), x) * \log(c)^2 + 12 * b^3 * c^2 * \operatorname{integrate}(1/4 * x^2 * \operatorname{arctan}(1/(\sqrt{c*x + 1} * \sqrt{c*x - 1})) * \log(x)/(\sqrt{c^2 * x^3 - x}), x) * \log(c) - 24 * b^3 * c^2 * \operatorname{integrate}(1/4 * x^2 * \operatorname{arctan}(1/(\sqrt{c*x + 1} * \sqrt{c*x - 1})) * \log(x)/(\sqrt{c^2 * x^3 - x}), x) * \log(c) - 24 * a * b^2 * c^2 * \operatorname{integrate}(1/4 * x^2 * \log(c^2 * x^2)/(\sqrt{c^2 * x^3 - x}), x) * \log(c) - 24 * a * b^2 * c^2 * \operatorname{integrate}(1/4 * x^2 * \log(x)/(\sqrt{c^2 * x^3 - x}), x) * \log(c) + b^3 * \operatorname{arctan2}(1, \sqrt{c*x + 1} * \sqrt{c*x - 1}) * \log(x) - 3/4 * b^3 * \operatorname{arctan2}(1, \sqrt{c*x + 1} * \sqrt{c*x - 1}) * \log(c^2 * x^2) * \log(x) + 24 * b^3 * c^2 * \operatorname{integrate}(1/4 * x^2 * \operatorname{arctan}(1/(\sqrt{c*x + 1} * \sqrt{c*x - 1}))) * \log(c^2 * x^2) * \log(x)/(\sqrt{c^2 * x^3 - x}), x) - 12 * b^3 * c^2 * \operatorname{integrate}(1/4 * x^2 * \operatorname{arctan}(1/(\sqrt{c*x + 1} * \sqrt{c*x - 1}))) * \log(x)^2 / (\sqrt{c^2 * x^3 - x}), x) + 12 * a * b^2 * c^2 * \operatorname{integrate}(1/4 * x^2 * \operatorname{arctan}(1/(\sqrt{c*x + 1} * \sqrt{c*x - 1}))) * \log(x)^2 / (\sqrt{c^2 * x^3 - x}), x) - 3 * a * b^2 * c^2 * \operatorname{integrate}(1/4 * x^2 * \log(c^2 * x^2) * \log(x)/(\sqrt{c^2 * x^3 - x}), x) + 12 * a * b^2 * c^2 * \operatorname{integrate}(1/4 * x^2 * \log(c^2 * x^2) * \log(x)/(\sqrt{c^2 * x^3 - x}), x) - 12 * a * b^2 * c^2 * \operatorname{integrate}(1/4 * x^2 * \log(x)^2 / (\sqrt{c^2 * x^3 - x}), x) + 12 * a * b^2 * c^2 * \operatorname{integrate}(1/4 * x^2 * \operatorname{arctan}(1/(\sqrt{c*x + 1} * \sqrt{c*x - 1}))) * \log(x)^2 / (\sqrt{c^2 * x^3 - x}), x) \end{aligned}$$

$$\begin{aligned} & ((c^2*x^3 - x) + 3/2*a*b^2*(\log(c*x + 1) + \log(c*x - 1) - 2*\log(x)*\log(c)^2 + 12*b^3*\int(1/4*\arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))/(c^2*x^3 - x), x)*log(c)^2 - 12*b^3*\int(1/4*\arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^3 - x), x)*log(c) + 24*b^3*\int(1/4*\arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^3 - x), x)*log(c) - 12*a*b^2*\int(1/4*log(c^2*x^2)/(c^2*x^3 - x), x)*log(c) + 24*a*b^2*\int(1/4*log(x)/(c^2*x^3 - x), x)*log(c) + 12*b^3*\int(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^3 - x), x)^2*\log(x)/(c^2*x^3 - x) - 3*b^3*\int(1/4*sqrt(c*x + 1)*sqrt(c*x - 1)*log(c^2*x^2)^2/(c^2*x^3 - x), x) - 24*b^3*\int(1/4*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + 12*b^3*\int(1/4*\arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)^2/(c^2*x^3 - x), x) - 12*a*b^2*\int(1/4*\arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^3 - x), x) + 3*a*b^2*\int(1/4*log(c^2*x^2)^2/(c^2*x^3 - x), x) - 12*a*b^2*\int(1/4*log(c^2*x^2)*log(x)/(c^2*x^3 - x), x) + 12*a*b^2*\int(1/4*log(x)^2/(c^2*x^3 - x), x) - 12*a^2*b*\int(1/4*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))/(c^2*x^3 - x), x) + a^3*\log(x)) \end{aligned}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^3 \operatorname{arccsc}(cx)^3 + 3ab^2 \operatorname{arccsc}(cx)^2 + 3a^2b \operatorname{arccsc}(cx) + a^3}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x,x, algorithm="fricas")`

[Out] `integral((b^3*arccsc(c*x)^3 + 3*a*b^2*arccsc(c*x)^2 + 3*a^2*b*arccsc(c*x) + a^3)/x, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**3/x,x)`

[Out] `Integral((a + b*acsc(c*x))**3/x, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3/x, x)`

3.29 $\int \frac{(a+b \csc^{-1}(cx))^3}{x^2} dx$

Optimal. Leaf size=80

$$\frac{6b^2(a + b \csc^{-1}(cx))}{x} - 3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2 - \frac{(a + b \csc^{-1}(cx))^3}{x} + 6b^3c\sqrt{1 - \frac{1}{c^2x^2}}$$

[Out] $6*b^3*c* \text{Sqrt}[1 - 1/(c^2*x^2)] + (6*b^2*(a + b*\text{ArcCsc}[c*x]))/x - 3*b*c* \text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcCsc}[c*x])^2 - (a + b*\text{ArcCsc}[c*x])^3/x$

Rubi [A] time = 0.0857982, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.214, Rules used = {5223, 3296, 2638}

$$\frac{6b^2(a + b \csc^{-1}(cx))}{x} - 3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2 - \frac{(a + b \csc^{-1}(cx))^3}{x} + 6b^3c\sqrt{1 - \frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])^3/x^2, x]$

[Out] $6*b^3*c* \text{Sqrt}[1 - 1/(c^2*x^2)] + (6*b^2*(a + b*\text{ArcCsc}[c*x]))/x - 3*b*c* \text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcCsc}[c*x])^2 - (a + b*\text{ArcCsc}[c*x])^3/x$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^n_*(x_)^m_, x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs c[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \csc^{-1}(cx))^3}{x^2} dx &= - \left(c \operatorname{Subst} \left(\int (a + bx)^3 \cos(x) dx, x, \csc^{-1}(cx) \right) \right) \\
&= - \frac{(a + b \csc^{-1}(cx))^3}{x} + (3bc) \operatorname{Subst} \left(\int (a + bx)^2 \sin(x) dx, x, \csc^{-1}(cx) \right) \\
&= -3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))^2 - \frac{(a + b \csc^{-1}(cx))^3}{x} + (6b^2 c) \operatorname{Subst} \left(\int (a + bx) \cos(x) \right. \\
&\quad \left. dx, x, \csc^{-1}(cx) \right) \\
&= \frac{6b^2 (a + b \csc^{-1}(cx))}{x} - 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))^2 - \frac{(a + b \csc^{-1}(cx))^3}{x} - (6b^3 c) \operatorname{Subst} \left(\int (a + bx) \sin(x) \right. \\
&\quad \left. dx, x, \csc^{-1}(cx) \right) \\
&= 6b^3 c \sqrt{1 - \frac{1}{c^2 x^2}} + \frac{6b^2 (a + b \csc^{-1}(cx))}{x} - 3bc \sqrt{1 - \frac{1}{c^2 x^2}} (a + b \csc^{-1}(cx))^2 - \frac{(a + b \csc^{-1}(cx))^3}{x}
\end{aligned}$$

Mathematica [A] time = 0.200749, size = 135, normalized size = 1.69

$$\frac{3b \csc^{-1}(cx) \left(a^2 + 2abcx \sqrt{1 - \frac{1}{c^2 x^2}} - 2b^2 \right) + 3a^2 bcx \sqrt{1 - \frac{1}{c^2 x^2}} + a^3 + 3b^2 \csc^{-1}(cx)^2 \left(a + bcx \sqrt{1 - \frac{1}{c^2 x^2}} \right) - 6ab^2 - 6b^3 c}{x}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^3/x^2, x]`

[Out] $-((a^3 - 6*a*b^2 + 3*a^2*b*c*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])*x - 6*b^3*c*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x + 3*b*(a^2 - 2*b^2 + 2*a*b*c*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])*x)*\operatorname{ArcCsc}[c*x] + 3*b^2*(a + b*c*\operatorname{Sqrt}[1 - 1/(c^2*x^2)])*x)*\operatorname{ArcCsc}[c*x]^2 + b^3*\operatorname{ArcCsc}[c*x]^3)/x)$

Maple [B] time = 0.25, size = 199, normalized size = 2.5

$$c \left(-\frac{a^3}{cx} + b^3 \left(-\frac{(\operatorname{arccsc}(cx))^3}{cx} - 3 (\operatorname{arccsc}(cx))^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 6 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 6 \frac{\operatorname{arccsc}(cx)}{cx} \right) + 3 ab^2 \left(-\frac{(\operatorname{arccsc}(cx))^2}{cx} \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^3/x^2, x)`

[Out] $c*(-a^3/c/x + b^3*(-1/c/x*arccsc(c*x))^3 - 3*arccsc(c*x)^2*((c^2*x^2-1)/c^2/x^2)*(1/2) + 6*((c^2*x^2-1)/c^2/x^2)^(1/2) + 6/c/x*arccsc(c*x)) + 3*a*b^2*(-1/c/x*arccsc(c*x)^2 + 2/c/x - 2*((c^2*x^2-1)/c^2/x^2)^(1/2)*arccsc(c*x)) + 3*a^2*b*(-1/c/x*arccsc(c*x) - 1/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^2/x^2*(c^2*x^2-1)))$

Maxima [A] time = 1.02653, size = 198, normalized size = 2.48

$$-\frac{b^3 \operatorname{arccsc}(cx)^3}{x} - 3 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} + \frac{\operatorname{arccsc}(cx)}{x} \right) a^2 b - 6 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arccsc}(cx) - \frac{1}{x} \right) a b^2 - 3 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} \operatorname{arccsc}(cx) \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^2, x, algorithm="maxima")`

[Out]
$$-b^3 \operatorname{arccsc}(c*x)^3/x - 3*(c*\sqrt{-1/(c^2*x^2) + 1} + \operatorname{arccsc}(c*x)/x)*a^2*b - 6*(c*\sqrt{-1/(c^2*x^2) + 1}*\operatorname{arccsc}(c*x) - 1/x)*a*b^2 - 3*(c*\sqrt{-1/(c^2*x^2) + 1}*\operatorname{arccsc}(c*x)^2 - 2*c*\sqrt{-1/(c^2*x^2) + 1} - 2*\operatorname{arccsc}(c*x)/x)*b^3 - 3*a*b^2*\operatorname{arccsc}(c*x)^2/x - a^3/x$$

Fricas [A] time = 2.37818, size = 238, normalized size = 2.98

$$\frac{b^3 \operatorname{arccsc}(cx)^3 + 3ab^2 \operatorname{arccsc}(cx)^2 + a^3 - 6ab^2 + 3(a^2b - 2b^3) \operatorname{arccsc}(cx) + 3(b^3 \operatorname{arccsc}(cx)^2 + 2ab^2 \operatorname{arccsc}(cx) + a^2b - 2b^3)\sqrt{c^2x^2 - 1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^2, x, algorithm="fricas")`

[Out]
$$-(b^3 \operatorname{arccsc}(c*x)^3 + 3a*b^2 \operatorname{arccsc}(c*x)^2 + a^3 - 6a*b^2 + 3(a^2b - 2b^3) \operatorname{arccsc}(c*x) + 3(b^3 \operatorname{arccsc}(c*x)^2 + 2a*b^2 \operatorname{arccsc}(c*x) + a^2b - 2b^3)\sqrt{c^2x^2 - 1})/x$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**3/x**2, x)`

[Out] `Integral((a + b*acsc(c*x))**3/x**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^2, x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3/x^2, x)`

$$3.30 \quad \int \frac{(a+b \csc^{-1}(cx))^3}{x^3} dx$$

Optimal. Leaf size=125

$$\frac{3b^2(a + b \csc^{-1}(cx))}{4x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{4x} + \frac{1}{4}c^2(a + b \csc^{-1}(cx))^3 - \frac{(a + b \csc^{-1}(cx))^3}{2x^2} + \frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{8x}$$

$$[0\text{ut}] \quad (3*b^3*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(8*x) - (3*b^3*c^2*\text{ArcCsc}[c*x])/8 + (3*b^2*(a + b*\text{ArcCsc}[c*x]))/(4*x^2) - (3*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcCsc}[c*x])^2)/(4*x) + (c^2*(a + b*\text{ArcCsc}[c*x])^3)/4 - (a + b*\text{ArcCsc}[c*x])^3/(2*x^2)$$

Rubi [A] time = 0.104995, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.429, Rules used = {5223, 4404, 3311, 32, 2635, 8}

$$\frac{3b^2(a + b \csc^{-1}(cx))}{4x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{4x} + \frac{1}{4}c^2(a + b \csc^{-1}(cx))^3 - \frac{(a + b \csc^{-1}(cx))^3}{2x^2} + \frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{8x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])^3/x^3, x]

$$[0\text{ut}] \quad (3*b^3*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/(8*x) - (3*b^3*c^2*\text{ArcCsc}[c*x])/8 + (3*b^2*(a + b*\text{ArcCsc}[c*x]))/(4*x^2) - (3*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*(a + b*\text{ArcCsc}[c*x])^2)/(4*x) + (c^2*(a + b*\text{ArcCsc}[c*x])^3)/4 - (a + b*\text{ArcCsc}[c*x])^3/(2*x^2)$$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4404

```
Int[Cos[(a_) + (b_)*(x_)]*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]]
```

Rule 3311

```
Int[((c_) + (d_)*(x_))^(m_)*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[d^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_) + (b_)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \csc^{-1}(cx))^3}{x^3} dx &= - \left(c^2 \operatorname{Subst} \left(\int (a + bx)^3 \cos(x) \sin(x) dx, x, \csc^{-1}(cx) \right) \right) \\ &= - \frac{(a + b \csc^{-1}(cx))^3}{2x^2} + \frac{1}{2} (3bc^2) \operatorname{Subst} \left(\int (a + bx)^2 \sin^2(x) dx, x, \csc^{-1}(cx) \right) \\ &= \frac{3b^2(a + b \csc^{-1}(cx))}{4x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{4x} - \frac{(a + b \csc^{-1}(cx))^3}{2x^2} + \frac{1}{4} (3bc^2) \operatorname{Subst} \left(\int (a + bx)^2 \sin^2(x) dx, x, \csc^{-1}(cx) \right) \\ &= \frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{8x} + \frac{3b^2(a + b \csc^{-1}(cx))}{4x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{4x} + \frac{1}{4} c^2(a + b \csc^{-1}(cx))^3 \\ &= \frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{8x} - \frac{3}{8} b^3 c^2 \csc^{-1}(cx) + \frac{3b^2(a + b \csc^{-1}(cx))}{4x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{4x} + \end{aligned}$$

Mathematica [A] time = 0.210623, size = 186, normalized size = 1.49

$$\frac{-3bc^2x^2(b^2 - 2a^2)\sin^{-1}\left(\frac{1}{cx}\right) + 6b\csc^{-1}(cx)\left(-2a^2 - 2abcx\sqrt{1 - \frac{1}{c^2x^2}} + b^2\right) - 6a^2bcx\sqrt{1 - \frac{1}{c^2x^2}} - 4a^3 - 6b^2\csc^{-1}(cx)^2\left(a + b\csc^{-1}(cx)\right)}{8x^2}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^3/x^3, x]`

[Out]
$$\begin{aligned} & (-4a^3 + 6a^2b^2 - 6a^2b^2c\sqrt{1 - 1/(c^2x^2)}x + 3b^3c\sqrt{1 - 1/(c^2x^2)}x + 6b(-2a^2 + b^2 - 2a^2b^2c\sqrt{1 - 1/(c^2x^2)})\operatorname{ArcCsc}[c*x] - 6b^2(b^2c\sqrt{1 - 1/(c^2x^2)}x + a(2 - c^2x^2))\operatorname{ArcCsc}[c*x]^2 + 2b^3(-2 + c^2x^2)\operatorname{ArcCsc}[c*x]^3 - 3b(-2a^2 + b^2)c^2x^2\operatorname{ArcSin}[1/(c*x)])/(8x^2) \end{aligned}$$

Maple [B] time = 0.26, size = 315, normalized size = 2.5

$$\begin{aligned} & -\frac{a^3}{2x^2} + \frac{c^2b^3(\operatorname{arccsc}(cx))^3}{4} - \frac{b^3(\operatorname{arccsc}(cx))^3}{2x^2} - \frac{3cb^3(\operatorname{arccsc}(cx))^2}{4x}\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} - \frac{3b^3c^2\operatorname{arccsc}(cx)}{8} + \frac{3b^3\operatorname{arccsc}(cx)}{4x^2} + \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^3/x^3, x)`

[Out]
$$\begin{aligned} & -1/2a^3/x^2 + 1/4c^2b^3\operatorname{arccsc}(c*x)^3 - 1/2b^3\operatorname{arccsc}(c*x)^3/x^2 - 3/4c^2b^3\operatorname{arccsc}(c*x)^2/x^3((c^2x^2 - 1)/c^2x^2)^{(1/2)} - 3/8b^3c^2\operatorname{arccsc}(c*x) + 3/4b^3 \end{aligned}$$

$$\begin{aligned} & /x^2 * \operatorname{arccsc}(c*x) + 3/8 * c * b^3 * ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} / x + 3/4 * c^2 * a * b^2 * \operatorname{arccsc}(c*x)^2 - 3/2 * a * b^2 / x^2 * \operatorname{arccsc}(c*x)^2 - 3/2 * c * a * b^2 * \operatorname{arccsc}(c*x) / x * ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} + 3/4 * a * b^2 / x^2 - 3/2 * a^2 * b / x^2 * \operatorname{arccsc}(c*x) + 3/4 * c * a^2 * b * (c^2 * x^2 - 1)^{(1/2)} / ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} / x * \operatorname{arctan}(1/(c^2 * x^2 - 1)^{(1/2)}) - 3/4 * c * a^2 * b / ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} / x + 3/4 * c * a^2 * b / ((c^2 * x^2 - 1)/c^2/x^2)^{(1/2)} / x^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))^3/x^3,x, algorithm="maxima")
```

```
[Out] 3/4*a^2*b*((c^4*x*sqrt(-1/(c^2*x^2) + 1)/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*arctan(c*x*sqrt(-1/(c^2*x^2) + 1)))/c - 2*arccsc(c*x)/x^2) - 1/2*a^3/x^2 - 1/8*(4*b^3*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))^3 - 3*b^3*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2 + 12*(a*b^2*c^2*(log(c*x + 1) + log(c*x - 1) - 2*log(x))*log(c)^2 + 16*b^3*c^2*integrate(1/8*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))/(c^2*x^5 - x^3), x)*log(c)^2 - 16*b^3*c^2*integrate(1/8*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) + 32*b^3*c^2*integrate(1/8*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^5 - x^3), x)*log(c) - 16*a*b^2*c^2*integrate(1/8*x^2*log(c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) + 32*a*b^2*c^2*integrate(1/8*x^2*log(x)/(c^2*x^5 - x^3), x)*log(c) - 16*b^3*c^2*integrate(1/8*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)*log(x)/(c^2*x^5 - x^3), x) + 16*b^3*c^2*integrate(1/8*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)^2/(c^2*x^5 - x^3), x) - 16*a*b^2*c^2*integrate(1/8*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^5 - x^3), x) + 8*b^3*c^2*integrate(1/8*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^5 - x^3), x) + 4*a*b^2*c^2*integrate(1/8*x^2*log(c^2*x^2)^2/(c^2*x^5 - x^3), x) - 16*a*b^2*c^2*integrate(1/8*x^2*log(c^2*x^2)*log(x)/(c^2*x^5 - x^3), x) + 16*a*b^2*c^2*integrate(1/8*x^2*log(x)^2/(c^2*x^5 - x^3), x) - (c^2*log(c*x + 1) + c^2*log(c*x - 1) - 2*c^2*log(x) + 1/x^2)*a*b^2*log(c)^2 - 16*b^3*integrate(1/8*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))/(c^2*x^5 - x^3), x)*log(c)^2 + 16*b^3*integrate(1/8*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) - 32*b^3*integrate(1/8*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^5 - x^3), x)*log(c) + 16*a*b^2*integrate(1/8*log(c^2*x^2)/(c^2*x^5 - x^3), x)*log(c) - 32*a*b^2*integrate(1/8*log(x)/(c^2*x^5 - x^3), x)*log(c) + 8*b^3*integrate(1/8*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^5 - x^3), x) - 2*b^3*integrate(1/8*sqrt(c*x + 1)*sqrt(c*x - 1)*log(c^2*x^2)^2/(c^2*x^5 - x^3), x) + 16*b^3*integrate(1/8*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)*log(x)/(c^2*x^5 - x^3), x) - 16*b^3*integrate(1/8*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)^2/(c^2*x^5 - x^3), x) + 16*a*b^2*integrate(1/8*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^5 - x^3), x) - 4*a*b^2*integrate(1/8*log(c^2*x^2)^2/(c^2*x^5 - x^3), x) + 16*a*b^2*integrate(1/8*log(c^2*x^2)*log(x)/(c^2*x^5 - x^3), x) - 16*a*b^2*integrate(1/8*log(x)^2/(c^2*x^5 - x^3), x))*x^2)/x^2
```

Fricas [A] time = 2.25876, size = 342, normalized size = 2.74

$$\frac{2 \left(b^3 c^2 x^2 - 2 b^3\right) \text{arccsc}(c x)^3 - 4 a^3 + 6 a b^2 + 6 \left(a b^2 c^2 x^2 - 2 a b^2\right) \text{arccsc}(c x)^2 + 3 \left(\left(2 a^2 b - b^3\right) c^2 x^2 - 4 a^2 b + 2 b^3\right) \text{arccsc}(c x)}{8 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^3,x, algorithm="fricas")`

[Out] $\frac{1}{8} \left(2(b^3 c^2 x^2 - 2b^3) \operatorname{arccsc}(c x)^3 - 4a^3 + 6a^2 b^2 + 6(a b^2 c^2 x^2 - 2a b^2) \operatorname{arccsc}(c x)^2 + 3((2a^2 b - b^3) c^2 x^2 - 4a^2 b^2 + 2b^3) \operatorname{arccsc}(c x) - 3(2b^3 \operatorname{arccsc}(c x)^2 + 4a b^2 \operatorname{arccsc}(c x) + 2a^2 b^2 - b^3) \sqrt{c^2 x^2 - 1} \right) / x^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**3/x**3,x)`

[Out] `Integral((a + b*acsc(c*x))**3/x**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3/x^3, x)`

$$3.31 \quad \int \frac{(a+b \csc^{-1}(cx))^3}{x^4} dx$$

Optimal. Leaf size=170

$$\frac{4b^2c^2(a + b \csc^{-1}(cx))}{3x} + \frac{2b^2(a + b \csc^{-1}(cx))}{9x^3} - \frac{2}{3}bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2 - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{3x^2}$$

[Out] $(14*b^3*c^3*Sqrt[1 - 1/(c^2*x^2)])/9 - (2*b^3*c^3*(1 - 1/(c^2*x^2))^{(3/2)})/27 + (2*b^2*(a + b*ArcCsc[c*x]))/(9*x^3) + (4*b^2*c^2*(a + b*ArcCsc[c*x]))/(3*x) - (2*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/3 - (b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/(3*x^2) - (a + b*ArcCsc[c*x])^3/(3*x^3)$

Rubi [A] time = 0.149797, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.429, Rules used = {5223, 4404, 3311, 3296, 2638, 2633}

$$\frac{4b^2c^2(a + b \csc^{-1}(cx))}{3x} + \frac{2b^2(a + b \csc^{-1}(cx))}{9x^3} - \frac{2}{3}bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2 - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{3x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])^3/x^4, x]

[Out] $(14*b^3*c^3*Sqrt[1 - 1/(c^2*x^2)])/9 - (2*b^3*c^3*(1 - 1/(c^2*x^2))^{(3/2)})/27 + (2*b^2*(a + b*ArcCsc[c*x]))/(9*x^3) + (4*b^2*c^2*(a + b*ArcCsc[c*x]))/(3*x) - (2*b*c^3*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/3 - (b*c*Sqrt[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/(3*x^2) - (a + b*ArcCsc[c*x])^3/(3*x^3)$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^( -1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4404

```
Int[Cos[(a_) + (b_)*(x_)]*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]]
```

Rule 3311

```
Int[((c_) + (d_)*(x_))^(m_)*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[  

((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[  

e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[  

{c, d}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^n, x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa  

nd[(1 - x^2)^(n - 1)/2], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]  

&& IGtQ[(n - 1)/2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \csc^{-1}(cx))^3}{x^4} dx &= - \left(c^3 \text{Subst} \left(\int (a + bx)^3 \cos(x) \sin^2(x) dx, x, \csc^{-1}(cx) \right) \right) \\ &= - \frac{(a + b \csc^{-1}(cx))^3}{3x^3} + (bc^3) \text{Subst} \left(\int (a + bx)^2 \sin^3(x) dx, x, \csc^{-1}(cx) \right) \\ &= \frac{2b^2(a + b \csc^{-1}(cx))}{9x^3} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{3x^2} - \frac{(a + b \csc^{-1}(cx))^3}{3x^3} + \frac{1}{3}(2bc^3) \text{Subst} \\ &= \frac{2b^2(a + b \csc^{-1}(cx))}{9x^3} - \frac{2}{3}bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2 - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{3x^2} \\ &= \frac{2}{9}b^3c^3\sqrt{1 - \frac{1}{c^2x^2}} - \frac{2}{27}b^3c^3\left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{2b^2(a + b \csc^{-1}(cx))}{9x^3} + \frac{4b^2c^2(a + b \csc^{-1}(cx))}{3x} - \\ &= \frac{14}{9}b^3c^3\sqrt{1 - \frac{1}{c^2x^2}} - \frac{2}{27}b^3c^3\left(1 - \frac{1}{c^2x^2}\right)^{3/2} + \frac{2b^2(a + b \csc^{-1}(cx))}{9x^3} + \frac{4b^2c^2(a + b \csc^{-1}(cx))}{3x} \end{aligned}$$

Mathematica [A] time = 0.299556, size = 204, normalized size = 1.2

$$\frac{3b \csc^{-1}(cx) \left(-9a^2 - 6abcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2x^2 + 1) + 2b^2(6c^2x^2 + 1) \right) - 9a^2bcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2x^2 + 1) - 9a^3 + 6ab^2(6c^2x^2 + 1)}{27x^3}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^3/x^4, x]`

[Out]
$$\begin{aligned} & (-9a^3 - 9a^2b*c*\text{Sqrt}[1 - 1/(c^2x^2)]*x*(1 + 2c^2x^2) + 6*a*b^2*(1 + 6c^2x^2) + 2*b^3*c*\text{Sqrt}[1 - 1/(c^2x^2)]*x*(1 + 20c^2x^2) + 3*b*(-9a^2 - 6*a*b*c*\text{Sqrt}[1 - 1/(c^2x^2)]*x*(1 + 2c^2x^2) + 2*b^2*(1 + 6*c^2x^2))*\text{ArcCsc}[c*x] - 9*b^2*(3*a + b*c*\text{Sqrt}[1 - 1/(c^2x^2)]*x*(1 + 2c^2x^2))*\text{ArcCsc}[c*x]^2 - 9*b^3*\text{ArcCsc}[c*x]^3)/(27*x^3) \end{aligned}$$

Maple [B] time = 0.261, size = 299, normalized size = 1.8

$$c^3 \left(-\frac{a^3}{3c^3x^3} + b^3 \left(-\frac{(\text{arccsc}(cx))^3}{3c^3x^3} - \frac{(\text{arccsc}(cx))^2(2c^2x^2 + 1)}{3c^2x^2} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{4}{3}\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{4\text{arccsc}(cx)}{3cx} + \frac{2\text{arccsc}(cx)}{9c^3x^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b \operatorname{arccsc}(c x))^3/x^4) dx$

```
[Out] c^3*(-1/3*a^3/c^3/x^3+b^3*(-1/3/c^3/x^3*arccsc(c*x)^3-1/3*arccsc(c*x)^2*(2*c^2*x^2+1)/c^2/x^2*((c^2*x^2-1)/c^2/x^2)^(1/2)+4/3*((c^2*x^2-1)/c^2/x^2)^(1/2)+4/3/c/x*arccsc(c*x)+2/9/c^3/x^3*arccsc(c*x)+2/27*(2*c^2*x^2+1)/c^2/x^2*((c^2*x^2-1)/c^2/x^2)^(1/2))+3*a*b^2*(-1/3/c^3/x^3*arccsc(c*x)^2-2/9*arccsc(c*x)*(2*c^2*x^2+1)/c^2/x^2*((c^2*x^2-1)/c^2/x^2)^(1/2)+2/27/c^3/x^3+4/9/c/x)+3*a^2*b*(-1/3/c^3/x^3*arccsc(c*x)-1/9*(c^2*x^2-1)*(2*c^2*x^2+1)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^4/x^4))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))^3/x^4,x, algorithm="maxima")
```

```
[Out] 1/3*c^2*b*((c^4*(-1/(c^2*x^2) + 1)^(3/2) - 3*c^4*sqrt(-1/(c^2*x^2) + 1))/c
- 3*arccsc(c*x)/x^3) - a*b^2*arccsc(c*x)^2/x^3 + 1/12*(12*x^3*integrate(-1/
4*(12*c^2*x^2*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(c)^2 - 12*arctan2
(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(c)^2 + 12*(c^2*x^2*arctan2(1, sqrt(c*x
+ 1)*sqrt(c*x - 1)) - arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)^2 +
sqrt(c*x + 1)*sqrt(c*x - 1)*(4*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))^2 -
log(c^2*x^2)^2) - 4*((3*c^2*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(c)
- c^2*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*x^2 - 3*arctan2(1, sqrt(c*x
+ 1)*sqrt(c*x - 1))*log(c) + 3*(c^2*x^2*arctan2(1, sqrt(c*x + 1)*sqrt(c*x -
1)) - arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x) + arctan2(1, sqrt(c*
x + 1)*sqrt(c*x - 1)))*log(c^2*x^2) + 24*(c^2*x^2*arctan2(1, sqrt(c*x + 1)*
sqrt(c*x - 1))*log(c) - arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(c))*log
(x)/(c^2*x^6 - x^4), x) - 4*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))^3 + 3*
arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2*b^3/x^3 - 1/3*a^3/x
^3 - 2/9*(6*c^5*x^4*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) - 3*c^3*x^2*arc
tan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) - (6*c^3*x^2 + c)*sqrt(c*x + 1)*sqrt(c*
x - 1) - 3*c*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*a*b^2/(sqrt(c*x + 1)
*sqrt(c*x - 1)*c*x^3)
```

Fricas [A] time = 2.3525, size = 401, normalized size = 2.36

$$\frac{36 ab^2 c^2 x^2 - 9 b^3 \operatorname{arccsc}(cx)^3 - 27 a b^2 \operatorname{arccsc}(cx)^2 - 9 a^3 + 6 a b^2 + 3 (12 b^3 c^2 x^2 - 9 a^2 b + 2 b^3) \operatorname{arccsc}(cx) - (2 (9 a^2 b^2 - 12 a^3) + 27 b^4) \operatorname{arccsc}(cx)^3}{27 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))^3/x^4,x, algorithm="fricas")
```

```
[Out] 1/27*(36*a*b^2*c^2*x^2 - 9*b^3*arccsc(c*x)^3 - 27*a*b^2*arccsc(c*x)^2 - 9*a^3 + 6*a*b^2 + 3*(12*b^3*c^2*x^2 - 9*a^2*b + 2*b^3)*arccsc(c*x) - (2*(9*a^2*b - 20*b^3)*c^2*x^2 + 9*a^2*b - 2*b^3 + 9*(2*b^3*c^2*x^2 + b^3)*arccsc(c*x)^2 + 18*(2*a*b^2*c^2*x^2 + a*b^2)*arccsc(c*x))*sqrt(c^2*x^2 - 1))/x^3
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**3/x**4,x)`

[Out] `Integral((a + b*acsc(c*x))**3/x**4, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^4,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3/x^4, x)`

3.32 $\int \frac{(a+b \csc^{-1}(cx))^3}{x^5} dx$

Optimal. Leaf size=208

$$\frac{9b^2c^2(a + b \csc^{-1}(cx))}{32x^2} + \frac{3b^2(a + b \csc^{-1}(cx))}{32x^4} - \frac{9bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{32x} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{16x^3}$$

[Out] $(3*b^3*c*SQRT[1 - 1/(c^2*x^2)])/(128*x^3) + (45*b^3*c^3*SQRT[1 - 1/(c^2*x^2)])/(256*x) - (45*b^3*c^4*ArcCsc[c*x])/256 + (3*b^2*(a + b*ArcCsc[c*x]))/(32*x^4) + (9*b^2*c^2*(a + b*ArcCsc[c*x]))/(32*x^2) - (3*b*c*SQRT[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/(16*x^3) - (9*b*c^3*SQRT[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/(32*x) + (3*c^4*(a + b*ArcCsc[c*x])^3)/32 - (a + b*ArcCsc[c*x])^3/(4*x^4)$

Rubi [A] time = 0.175948, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.429, Rules used = {5223, 4404, 3311, 32, 2635, 8}

$$\frac{9b^2c^2(a + b \csc^{-1}(cx))}{32x^2} + \frac{3b^2(a + b \csc^{-1}(cx))}{32x^4} - \frac{9bc^3\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{32x} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{16x^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*ArcCsc[c*x])^3/x^5, x]$

[Out] $(3*b^3*c*SQRT[1 - 1/(c^2*x^2)])/(128*x^3) + (45*b^3*c^3*SQRT[1 - 1/(c^2*x^2)])/(256*x) - (45*b^3*c^4*ArcCsc[c*x])/256 + (3*b^2*(a + b*ArcCsc[c*x]))/(32*x^4) + (9*b^2*c^2*(a + b*ArcCsc[c*x]))/(32*x^2) - (3*b*c*SQRT[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/(16*x^3) - (9*b*c^3*SQRT[1 - 1/(c^2*x^2)]*(a + b*ArcCsc[c*x])^2)/(32*x) + (3*c^4*(a + b*ArcCsc[c*x])^3)/32 - (a + b*ArcCsc[c*x])^3/(4*x^4)$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^n_*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^{(-1)}, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4404

```
Int[Cos[(a_) + (b_)*(x_)]*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]]
```

Rule 3311

```
Int[((c_) + (d_)*(x_))^(m_)*((b_)*)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[d^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \csc^{-1}(cx))^3}{x^5} dx &= - \left(c^4 \text{Subst} \left(\int (a + bx)^3 \cos(x) \sin^3(x) dx, x, \csc^{-1}(cx) \right) \right) \\ &= - \frac{(a + b \csc^{-1}(cx))^3}{4x^4} + \frac{1}{4} (3bc^4) \text{Subst} \left(\int (a + bx)^2 \sin^4(x) dx, x, \csc^{-1}(cx) \right) \\ &= \frac{3b^2(a + b \csc^{-1}(cx))}{32x^4} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{16x^3} - \frac{(a + b \csc^{-1}(cx))^3}{4x^4} + \frac{1}{16} (9bc^4) \text{Subst} \left(\int (a + bx)^2 \sin^3(x) dx, x, \csc^{-1}(cx) \right) \\ &= \frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} + \frac{3b^2(a + b \csc^{-1}(cx))}{32x^4} + \frac{9b^2c^2(a + b \csc^{-1}(cx))}{32x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{16x^3} \\ &= \frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} + \frac{45b^3c^3\sqrt{1 - \frac{1}{c^2x^2}}}{256x} + \frac{3b^2(a + b \csc^{-1}(cx))}{32x^4} + \frac{9b^2c^2(a + b \csc^{-1}(cx))}{32x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{16x^3} \\ &= \frac{3b^3c\sqrt{1 - \frac{1}{c^2x^2}}}{128x^3} + \frac{45b^3c^3\sqrt{1 - \frac{1}{c^2x^2}}}{256x} - \frac{45}{256}b^3c^4 \csc^{-1}(cx) + \frac{3b^2(a + b \csc^{-1}(cx))}{32x^4} + \frac{9b^2c^2(a + b \csc^{-1}(cx))}{32x^2} - \frac{3bc\sqrt{1 - \frac{1}{c^2x^2}}(a + b \csc^{-1}(cx))^2}{16x^3} \end{aligned}$$

Mathematica [A] time = 0.339767, size = 283, normalized size = 1.36

$$9b^4x^4 \left(8a^2 - 5b^2\right) \sin^{-1}\left(\frac{1}{cx}\right) + 24b \csc^{-1}(cx) \left(-8a^2 - 2abcx\sqrt{1 - \frac{1}{c^2x^2}}(3c^2x^2 + 2) + b^2(3c^2x^2 + 1)\right) - 72a^2bc^3x^3\sqrt{1 - \frac{1}{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])^3/x^5, x]`

[Out]
$$\begin{aligned} & (-64*a^3 + 24*a^2*b^2 - 48*a^2*b*c*\sqrt{1 - 1/(c^2*x^2)})*x + 6*b^3*c*\sqrt{1 - 1/(c^2*x^2)}*x + 72*a*b^2*c^2*x^2 - 72*a^2*b*c^3*\sqrt{1 - 1/(c^2*x^2)}*x^3 \\ & + 45*b^3*c^3*\sqrt{1 - 1/(c^2*x^2)}*x^3 + 24*b*(-8*a^2 + b^2*(1 + 3*c^2*x^2)) * \text{ArcCsc}[c*x] - 24*b^2*(b*c*\sqrt{1 - 1/(c^2*x^2)}*x*(2 + 3*c^2*x^2) + a*(8 - 3*c^4*x^4))*\text{ArcCsc}[c*x]^2 + 8*b^3*(-8 + 3*c^4*x^4)*\text{ArcCsc}[c*x]^3 + 9*b*(8*a^2 - 5*b^2)*c^4*x^4*\text{ArcCsc}[1/(c*x)]/(256*x^4) \end{aligned}$$

Maple [B] time = 0.268, size = 472, normalized size = 2.3

$$-\frac{a^3}{4x^4} - \frac{b^3(\text{arccsc}(cx))^3}{4x^4} + \frac{3c^4b^3(\text{arccsc}(cx))^3}{32} - \frac{9c^3b^3(\text{arccsc}(cx))^2}{32x}\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} - \frac{3cb^3(\text{arccsc}(cx))^2}{16x^3}\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{3b^2(\text{arccsc}(cx))^2}{32x^4}\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))^3/x^5,x)`

[Out]
$$\begin{aligned} & -1/4*a^3/x^4 - 1/4*b^3/x^4*arccsc(c*x)^3 + 3/32*c^4*b^3*arccsc(c*x)^3 - 9/32*c^3*b^3*arccsc(c*x)^2/x^3 \\ & ((c^2*x^2-1)/c^2/x^2)^{(1/2)} - 3/16*c*b^3*arccsc(c*x)^2/x^3 \\ & ((c^2*x^2-1)/c^2/x^2)^{(1/2)} + 3/32*b^3/x^4*arccsc(c*x) + 45/256*c^3*b^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)} - 45/256 \\ & *b^3*c^4*arccsc(c*x) + 9/32*c^2*b^3/x^2*arccsc(c*x) - 3/4*a*b^2/x^4*arccsc(c*x) \\ & ^2 + 9/32*c^4*a*b^2*arccsc(c*x)^2 - 9/16*c^3*a*b^2*arccsc(c*x)/x*((c^2*x^2-1)/c^2/x^2)^{(1/2)} - 3/8*c*a*b^2*arccsc(c*x)/x^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)} + 3/32*a*b^2/x^4 + 9/32*c^2*a*b^2/x^2-3/4*a^2*b/x^4*arccsc(c*x) + 9/32*c^3*a^2*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*arctan(1/(c^2*x^2-1)^{(1/2)}) - 9/32 \\ & *c^3*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x+3/32*c*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^3+3/16*c*a^2*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^5,x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -3/32*a^2*b*((3*c^5*arctan(c*x*sqrt(-1/(c^2*x^2) + 1)) + (3*c^8*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 5*c^6*x*sqrt(-1/(c^2*x^2) + 1))/(c^4*x^4*(1/(c^2*x^2) - 1)^2 - 2*c^2*x^2*(1/(c^2*x^2) - 1) + 1))/c + 8*arccsc(c*x)/x^4) - 1/4*a^3/x^4 - 1/16*(4*b^3*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))^3 - 3*b^3*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(c^2*x^2)^2 + 12*(2*(c^2*log(c*x + 1) + c^2*log(c*x - 1) - 2*c^2*log(x) + 1/x^2)*a*b^2*c^2*log(c)^2 + 64*b^3*c^2*i \\ & ntegrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))/(c^2*x^7 - x^5), x)*log(c)^2 - 64*b^3*c^2*integrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) + 128*b^3*c^2*integrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^7 - x^5), x)*log(c) - 64*a*b^2*c^2*integrate(1/16*x^2*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) + 128*a*b^2*c^2*integrate(1/16*x^2*log(x)/(c^2*x^7 - x^5), x)*log(c) - 64*b^3*c^2*integrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^7 - x^5), x) + 64*b^3*c^2*integrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^7 - x^5), x) + 64*b^3*c^2*integrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)^2/(c^2*x^7 - x^5), x) - 64*a*b^2*c^2*integrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) + 16*b^3*c^2*integrate(1/16*x^2*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^7 - x^5), x) + 16*a*b^2*c^2*integrate(1/16*x^2*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) - 64*a*b^2*c^2*integrate(1/16*x^2*log(c^2*x^2)*log(x)/(c^2*x^7 - x^5), x) + 64*a*b^2*c^2*integrate(1/16*x^2*log(x)^2/(c^2*x^7 - x^5), x) - (2*c^4*log(c*x + 1) + 2*c^4*log(c*x - 1) - 4*c^4*log(x) + (2*c^2*x^2 + 1)/x^4)*a*b^2*log(c)^2 - 64*b^3*integrate(1/16*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c)^2 + 64*b^3*integ \\ & ate(1/16*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) - 128*b^3*integrate(1/16*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)/(c^2*x^7 - x^5), x)*log(c) + 64*a*b^2*integrate(1/16*log(c^2*x^2)/(c^2*x^7 - x^5), x)*log(c) - 128*a*b^2*integrate(1/16*log(x)/(c^2*x^7 - x^5), x)*log(c) + 16*b^3*integrate(1/16*sqrt(c*x + 1)*sqrt(c*x - 1)*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) - 4*b^3*integrate(1/16*sqrt(c*x + 1)*sqrt(c*x - 1)*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) + 64*b^3*integrate(1/16*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)*log(x)/(c^2*x^7 - x^5), x) - 64*b^3*integrate(1/16*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)^2/(c^2*x^7 - x^5), x) + 64*a*b^2*integrate(1/16*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(x)^2/(c^2*x^7 - x^5), x) \end{aligned}$$

$$(c*x + 1)*sqrt(c*x - 1)))^2/(c^2*x^7 - x^5), x) - 16*b^3*integrate(1/16*arctan(1/(sqrt(c*x + 1)*sqrt(c*x - 1)))*log(c^2*x^2)/(c^2*x^7 - x^5), x) - 16*a*b^2*integrate(1/16*log(c^2*x^2)^2/(c^2*x^7 - x^5), x) + 64*a*b^2*integrate(1/16*log(c^2*x^2)*log(x)/(c^2*x^7 - x^5), x) - 64*a*b^2*integrate(1/16*log(x)^2/(c^2*x^7 - x^5), x))*x^4)/x^4$$

Fricas [A] time = 2.38485, size = 512, normalized size = 2.46

$$72 ab^2 c^2 x^2 + 8 \left(3 b^3 c^4 x^4 - 8 b^3\right) \operatorname{arccsc}(cx)^3 - 64 a^3 + 24 ab^2 + 24 \left(3 ab^2 c^4 x^4 - 8 ab^2\right) \operatorname{arccsc}(cx)^2 + 3 \left(3 \left(8 a^2 b - 5 b^3\right) c^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^5,x, algorithm="fricas")`

[Out]
$$\frac{1}{256} (72 a b^2 c^2 x^2 + 8 (3 b^3 c^4 x^4 - 8 b^3) \operatorname{arccsc}(cx)^3 - 64 a^3 + 24 a b^2 + 24 (3 a b^2 c^4 x^4 - 8 a b^2) \operatorname{arccsc}(cx)^2 + 3 (3 (8 a^2 b - 5 b^3) c^4 x^2 + 16 a^3 + 24 a b^2 + 24 a b^2 c^2 x^2 - 64 a^2 b + 8 b^3) \operatorname{arccsc}(cx) - 3 (3 (8 a^2 b - 5 b^3) c^2 x^2 + 16 a^3 + 24 a b^2 + 24 a b^2 c^2 x^2 + 2 a b^2) \operatorname{arccsc}(cx) \sqrt{c^2 x^2 - 1})/x^4$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))**3/x**5,x)`

[Out] `Integral((a + b*acsc(c*x))**3/x**5, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))^3/x^5,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3/x^5, x)`

3.33 $\int \frac{x}{a+b \csc^{-1}(cx)} dx$

Optimal. Leaf size=14

$$\text{Unintegrable}\left(\frac{x}{a + b \csc^{-1}(cx)}, x\right)$$

[Out] Unintegrable[x/(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.0150766, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{x}{a + b \csc^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*ArcCsc[c*x]), x]

[Out] Defer[Int][x/(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int \frac{x}{a + b \csc^{-1}(cx)} dx = \int \frac{x}{a + b \csc^{-1}(cx)} dx$$

Mathematica [A] time = 2.89571, size = 0, normalized size = 0.

$$\int \frac{x}{a + b \csc^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*ArcCsc[c*x]), x]

[Out] Integrate[x/(a + b*ArcCsc[c*x]), x]

Maple [A] time = 1.02, size = 0, normalized size = 0.

$$\int \frac{x}{a + b \operatorname{arccsc}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arccsc(c*x)), x)

[Out] int(x/(a+b*arccsc(c*x)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \operatorname{arccsc}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] `integrate(x/(b*arccsc(c*x) + a), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{x}{b \operatorname{arccsc}(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral(x/(b*arccsc(c*x) + a), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{a + b \operatorname{acsc}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*acsc(c*x)),x)`

[Out] `Integral(x/(a + b*acsc(c*x)), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{b \operatorname{arccsc}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate(x/(b*arccsc(c*x) + a), x)`

3.34 $\int \frac{1}{a+b \csc^{-1}(cx)} dx$

Optimal. Leaf size=12

$$\text{Unintegrable}\left(\frac{1}{a + b \csc^{-1}(cx)}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])^(-1), x]

Rubi [A] time = 0.005974, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{1}{a + b \csc^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])^(-1), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])^(-1), x]

Rubi steps

$$\int \frac{1}{a + b \csc^{-1}(cx)} dx = \int \frac{1}{a + b \csc^{-1}(cx)} dx$$

Mathematica [A] time = 3.36633, size = 0, normalized size = 0.

$$\int \frac{1}{a + b \csc^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])^(-1), x]

[Out] Integrate[(a + b*ArcCsc[c*x])^(-1), x]

Maple [A] time = 0.371, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arccsc}(cx))^{-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccsc(c*x)), x)

[Out] int(1/(a+b*arccsc(c*x)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{b \operatorname{arccsc}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/(b*arccsc(c*x) + a), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{1}{b \operatorname{arccsc}(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*arccsc(c*x) + a), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a + b \operatorname{acsc}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*acsc(c*x)),x)`

[Out] `Integral(1/(a + b*acsc(c*x)), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{b \operatorname{arccsc}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate(1/(b*arccsc(c*x) + a), x)`

$$\mathbf{3.35} \quad \int \frac{1}{x(a+b \csc^{-1}(cx))} dx$$

Optimal. Leaf size=16

$$\text{Unintegrable}\left(\frac{1}{x(a+b \csc^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/(x*(a + b*ArcCsc[c*x])), x]

Rubi [A] time = 0.0244585, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{1}{x(a+b \csc^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcCsc[c*x])), x]

[Out] Defer[Int][1/(x*(a + b*ArcCsc[c*x])), x]

Rubi steps

$$\int \frac{1}{x(a+b \csc^{-1}(cx))} dx = \int \frac{1}{x(a+b \csc^{-1}(cx))} dx$$

Mathematica [A] time = 0.284892, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \csc^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcCsc[c*x])), x]

[Out] Integrate[1/(x*(a + b*ArcCsc[c*x])), x]

Maple [A] time = 0.729, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b \operatorname{arccsc}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arccsc(c*x)), x)

[Out] int(1/x/(a+b*arccsc(c*x)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{1}{bx \operatorname{arccsc}(cx) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x*arccsc(c*x) + a*x), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \operatorname{acsc}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*acsc(c*x)),x)`

[Out] `Integral(1/(x*(a + b*acsc(c*x))), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x), x)`

3.36 $\int \frac{1}{x^2(a+b \csc^{-1}(cx))} dx$

Optimal. Leaf size=47

$$-\frac{c \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{b} - \frac{c \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{b}$$

[Out] $-\left((c \cos[a/b] * \text{CosIntegral}[a/b + \text{ArcCsc}[c*x]])/b\right) - \left(c \sin[a/b] * \text{SinIntegral}[a/b + \text{ArcCsc}[c*x]]\right)/b$

Rubi [A] time = 0.106107, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.286, Rules used = {5223, 3303, 3299, 3302}

$$-\frac{c \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{b} - \frac{c \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/(x^2*(a + b*\text{ArcCsc}[c*x])), x]$

[Out] $-\left((c \cos[a/b] * \text{CosIntegral}[a/b + \text{ArcCsc}[c*x]])/b\right) - \left(c \sin[a/b] * \text{SinIntegral}[a/b + \text{ArcCsc}[c*x]]\right)/b$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^^(n_)*(x_)^(m_), x_Symbol] :> -Dist[
(c^(m + 1))^(−1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs
c[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n,
0] || LtQ[m, −1])
```

Rule 3303

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] :> Dist[Cos[(d*
e − c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e − c*f)
/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e − c*f, 0]
```

Rule 3299

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e − c*f, 0]
```

Rule 3302

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] :> Simp[CosInte
gral[e − Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e − Pi/2) −
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(a + b \csc^{-1}(cx))} dx &= - \left(c \operatorname{Subst} \left(\int \frac{\cos(x)}{a + bx} dx, x, \csc^{-1}(cx) \right) \right) \\
&= - \left(\left(c \cos \left(\frac{a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\cos \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \csc^{-1}(cx) \right) \right) - \left(c \sin \left(\frac{a}{b} \right) \right) \operatorname{Subst} \left(\int \frac{\sin \left(\frac{a}{b} + x \right)}{a + bx} dx, x, \csc^{-1}(cx) \right) \\
&= - \frac{c \cos \left(\frac{a}{b} \right) \operatorname{Ci} \left(\frac{a}{b} + \csc^{-1}(cx) \right)}{b} - \frac{c \sin \left(\frac{a}{b} \right) \operatorname{Si} \left(\frac{a}{b} + \csc^{-1}(cx) \right)}{b}
\end{aligned}$$

Mathematica [A] time = 0.0811525, size = 43, normalized size = 0.91

$$-\frac{c \left(\cos \left(\frac{a}{b} \right) \operatorname{CosIntegral} \left(\frac{a}{b} + \csc^{-1}(cx) \right) + \sin \left(\frac{a}{b} \right) \operatorname{Si} \left(\frac{a}{b} + \csc^{-1}(cx) \right) \right)}{b}$$

Antiderivative was successfully verified.

[In] `Integrate[1/(x^2*(a + b*ArcCsc[c*x])), x]`

[Out] `-((c*(Cos[a/b]*CosIntegral[a/b + ArcCsc[c*x]] + Sin[a/b]*SinIntegral[a/b + ArcCsc[c*x]]))/b)`

Maple [A] time = 0.214, size = 48, normalized size = 1.

$$c \left(-\frac{1}{b} \operatorname{Si} \left(\frac{a}{b} + \operatorname{arccsc}(cx) \right) \sin \left(\frac{a}{b} \right) - \frac{1}{b} \operatorname{Ci} \left(\frac{a}{b} + \operatorname{arccsc}(cx) \right) \cos \left(\frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arccsc(c*x)), x)`

[Out] `c*(-Si(a/b+arccsc(c*x))*sin(a/b)/b-Ci(a/b+arccsc(c*x))*cos(a/b)/b)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arccsc(c*x)), x, algorithm="maxima")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x^2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{1}{bx^2 \operatorname{arccsc}(cx) + ax^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x^2*arccsc(c*x) + a*x^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2(a + b \operatorname{acsc}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*acsc(c*x)),x)`

[Out] `Integral(1/(x**2*(a + b*acsc(c*x))), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x^2), x)`

3.37 $\int \frac{1}{x^3(a+b \csc^{-1}(cx))} dx$

Optimal. Leaf size=63

$$\frac{c^2 \sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right)}{2b} - \frac{c^2 \cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right)}{2b}$$

[Out] $(c^2 \text{CosIntegral}[(2*a)/b + 2 \text{ArcCsc}[c*x]] * \text{Sin}[(2*a)/b])/(2*b) - (c^2 \text{Cos}[(2*a)/b] * \text{SinIntegral}[(2*a)/b + 2 \text{ArcCsc}[c*x]])/(2*b)$

Rubi [A] time = 0.134288, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.429, Rules used = {5223, 4406, 12, 3303, 3299, 3302}

$$\frac{c^2 \sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right)}{2b} - \frac{c^2 \cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right)}{2b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/(x^3(a + b \text{ArcCsc}[c*x])), x]$

[Out] $(c^2 \text{CosIntegral}[(2*a)/b + 2 \text{ArcCsc}[c*x]] * \text{Sin}[(2*a)/b])/(2*b) - (c^2 \text{Cos}[(2*a)/b] * \text{SinIntegral}[(2*a)/b + 2 \text{ArcCsc}[c*x]])/(2*b)$

Rule 5223

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^^(n_)*(x_)^(m_), x_Symbol] :> -Dist[(c^(m + 1))^(−1), Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCs c[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, −1])
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_)*(c_)*(x_)^(m_)*Sin[(a_.) + (b_.)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IgtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{x^3(a + b \csc^{-1}(cx))} dx &= -\left(c^2 \operatorname{Subst}\left(\int \frac{\cos(x) \sin(x)}{a + bx} dx, x, \csc^{-1}(cx)\right)\right) \\ &= -\left(c^2 \operatorname{Subst}\left(\int \frac{\sin(2x)}{2(a + bx)} dx, x, \csc^{-1}(cx)\right)\right) \\ &= -\left(\frac{1}{2} c^2 \operatorname{Subst}\left(\int \frac{\sin(2x)}{a + bx} dx, x, \csc^{-1}(cx)\right)\right) \\ &= -\left(\frac{1}{2} \left(c^2 \cos\left(\frac{2a}{b}\right)\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{2a}{b} + 2x\right)}{a + bx} dx, x, \csc^{-1}(cx)\right)\right) + \frac{1}{2} \left(c^2 \sin\left(\frac{2a}{b}\right)\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a + bx} dx, x, \csc^{-1}(cx)\right) \\ &= \frac{c^2 \operatorname{Ci}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{2b} - \frac{c^2 \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right)}{2b} \end{aligned}$$

Mathematica [A] time = 0.0767995, size = 56, normalized size = 0.89

$$-\frac{c^2 \left(\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right) - \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \csc^{-1}(cx)\right)\right)}{2b}$$

Antiderivative was successfully verified.

[In] `Integrate[1/(x^3*(a + b*ArcCsc[c*x])), x]`

[Out] `-(c^2*(-(CosIntegral[(2*a)/b + 2*ArcCsc[c*x]]*Sin[(2*a)/b]) + Cos[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcCsc[c*x]]))/(2*b)`

Maple [A] time = 0.214, size = 58, normalized size = 0.9

$$c^2 \left(-\frac{1}{2b} \operatorname{Si}\left(2 \frac{a}{b} + 2 \operatorname{arccsc}(cx)\right) \cos\left(2 \frac{a}{b}\right) + \frac{1}{2b} \operatorname{Ci}\left(2 \frac{a}{b} + 2 \operatorname{arccsc}(cx)\right) \sin\left(2 \frac{a}{b}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(a+b*arccsc(c*x)), x)`

[Out] `c^2*(-1/2*Si(2*a/b+2*arccsc(c*x))*cos(2*a/b)/b+1/2*Ci(2*a/b+2*arccsc(c*x))*sin(2*a/b)/b)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x^3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{bx^3 \operatorname{arccsc}(cx) + ax^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x^3*arccsc(c*x) + a*x^3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \operatorname{acsc}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(a+b*acsc(c*x)),x)`

[Out] `Integral(1/(x**3*(a + b*acsc(c*x))), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x^3), x)`

$$3.38 \quad \int \frac{1}{x^4(a+b \csc^{-1}(cx))} dx$$

Optimal. Leaf size=117

$$-\frac{c^3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{4b} + \frac{c^3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \csc^{-1}(cx)\right)}{4b} - \frac{c^3 \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{4b}$$

[Out] $-(c^3 \cos[a/b] * \text{CosIntegral}[a/b + \text{ArcCsc}[c*x]])/(4*b) + (c^3 \cos[(3*a)/b] * \text{CosIntegral}[(3*a)/b + 3*\text{ArcCsc}[c*x]])/(4*b) - (c^3 \sin[a/b] * \text{SinIntegral}[a/b + \text{ArcCsc}[c*x]])/(4*b) + (c^3 \sin[(3*a)/b] * \text{SinIntegral}[(3*a)/b + 3*\text{ArcCsc}[c*x]])/(4*b)$

Rubi [A] time = 0.228755, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.357, Rules used = {5223, 4406, 3303, 3299, 3302}

$$-\frac{c^3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{4b} + \frac{c^3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \csc^{-1}(cx)\right)}{4b} - \frac{c^3 \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{4b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/(x^4*(a + b*\text{ArcCsc}[c*x])), x]$

[Out] $-(c^3 \cos[a/b] * \text{CosIntegral}[a/b + \text{ArcCsc}[c*x]])/(4*b) + (c^3 \cos[(3*a)/b] * \text{CosIntegral}[(3*a)/b + 3*\text{ArcCsc}[c*x]])/(4*b) - (c^3 \sin[a/b] * \text{SinIntegral}[a/b + \text{ArcCsc}[c*x]])/(4*b) + (c^3 \sin[(3*a)/b] * \text{SinIntegral}[(3*a)/b + 3*\text{ArcCsc}[c*x]])/(4*b)$

Rule 5223

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^n_*(x_)^m_, x_Symbol] :> -Dist[(c^(m + 1))^-1, Subst[Int[(a + b*x)^n*Csc[x]^(m + 1)*Cot[x], x], x, ArcCsc[c*x]], x] /; FreeQ[{a, b, c}, x] && IntegerQ[n] && IntegerQ[m] && (GtQ[n, 0] || LtQ[m, -1])
```

Rule 4406

```
Int[Cos[(a_) + (b_)*(x_)]^p_*((c_) + (d_)*(x_))^m_*Sin[(a_) + (b_)*(x_)]^n_, x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IgtQ[p, 0]
```

Rule 3303

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{x^4(a + b \csc^{-1}(cx))} dx &= - \left(c^3 \operatorname{Subst} \left(\int \frac{\cos(x) \sin^2(x)}{a + bx} dx, x, \csc^{-1}(cx) \right) \right) \\ &= - \left(c^3 \operatorname{Subst} \left(\int \left(\frac{\cos(x)}{4(a + bx)} - \frac{\cos(3x)}{4(a + bx)} \right) dx, x, \csc^{-1}(cx) \right) \right) \\ &= - \left(\frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\cos(x)}{a + bx} dx, x, \csc^{-1}(cx) \right) \right) + \frac{1}{4} c^3 \operatorname{Subst} \left(\int \frac{\cos(3x)}{a + bx} dx, x, \csc^{-1}(cx) \right) \\ &= - \left(\frac{1}{4} \left(c^3 \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{a + bx} dx, x, \csc^{-1}(cx) \right) \right) + \frac{1}{4} \left(c^3 \cos\left(\frac{3a}{b}\right) \right) \operatorname{Subst} \left(\int \frac{\cos\left(\frac{3a}{b} + 3 \csc^{-1}(cx)\right)}{a + bx} dx, x, \csc^{-1}(cx) \right) \\ &= - \frac{c^3 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{4b} + \frac{c^3 \cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3 \csc^{-1}(cx)\right)}{4b} - \frac{c^3 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \csc^{-1}(cx)\right)}{4b} \end{aligned}$$

Mathematica [A] time = 0.171639, size = 91, normalized size = 0.78

$$\frac{c^3 \left(\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \csc^{-1}(cx)\right) - \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \csc^{-1}(cx)\right)\right) + \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \csc^{-1}(cx)\right) - \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(3\left(\frac{a}{b} + \csc^{-1}(cx)\right)\right) \right)}{4b}$$

Antiderivative was successfully verified.

[In] `Integrate[1/(x^4*(a + b*ArcCsc[c*x])), x]`

[Out] $-\left(c^3 \left(\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \csc^{-1}(cx)\right) - \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \csc^{-1}(cx)\right)\right) + \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \csc^{-1}(cx)\right) - \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(3\left(\frac{a}{b} + \csc^{-1}(cx)\right)\right)\right)\right)/(4b)$

Maple [A] time = 0.218, size = 102, normalized size = 0.9

$$c^3 \left(-\frac{1}{4b} \operatorname{Si}\left(\frac{a}{b} + \operatorname{arccsc}(cx)\right) \sin\left(\frac{a}{b}\right) - \frac{1}{4b} \operatorname{Ci}\left(\frac{a}{b} + \operatorname{arccsc}(cx)\right) \cos\left(\frac{a}{b}\right) + \frac{1}{4b} \operatorname{Si}\left(3\frac{a}{b} + 3 \operatorname{arccsc}(cx)\right) \sin\left(3\frac{a}{b}\right) + \frac{1}{4b} \operatorname{Ci}\left(3\frac{a}{b} + 3 \operatorname{arccsc}(cx)\right) \cos\left(3\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^4/(a+b*arccsc(c*x)), x)`

[Out] $c^3 \left(-\frac{1}{4} \operatorname{Si}\left(\frac{a}{b} + \operatorname{arccsc}(cx)\right) \sin\left(\frac{a}{b}\right) / b - \frac{1}{4} \operatorname{Ci}\left(\frac{a}{b} + \operatorname{arccsc}(cx)\right) \cos\left(\frac{a}{b}\right) / b + \frac{1}{4} \operatorname{Si}\left(\frac{3a}{b} + 3 \operatorname{arccsc}(cx)\right) \sin\left(\frac{3a}{b}\right) / b + \frac{1}{4} \operatorname{Ci}\left(\frac{3a}{b} + 3 \operatorname{arccsc}(cx)\right) \cos\left(\frac{3a}{b}\right) / b \right)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \operatorname{arccsc}(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^4/(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x^4), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{bx^4 \text{arccsc}(cx) + ax^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^4/(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x^4*arccsc(c*x) + a*x^4), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^4(a + b \text{acsc}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**4/(a+b*acsc(c*x)),x)`

[Out] `Integral(1/(x**4*(a + b*acsc(c*x))), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \text{arccsc}(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^4/(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arccsc(c*x) + a)*x^4), x)`

3.39 $\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=18

$$\text{Unintegrable} \left((dx)^m \left(a + b \csc^{-1}(cx) \right)^3, x \right)$$

[Out] Unintegrable[(d*x)^m*(a + b*ArcCsc[c*x])^3, x]

Rubi [A] time = 0.0235343, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcCsc[c*x])^3, x]

[Out] Defer[Int][(d*x)^m*(a + b*ArcCsc[c*x])^3, x]

Rubi steps

$$\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^3 dx = \int (dx)^m \left(a + b \csc^{-1}(cx) \right)^3 dx$$

Mathematica [A] time = 5.50281, size = 0, normalized size = 0.

$$\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcCsc[c*x])^3, x]

[Out] Integrate[(d*x)^m*(a + b*ArcCsc[c*x])^3, x]

Maple [A] time = 2.495, size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{arccsc}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a+b*arccsc(c*x))^3, x)

[Out] int((d*x)^m*(a+b*arccsc(c*x))^3, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\left(b^3 \operatorname{arccsc}(cx)^3 + 3ab^2 \operatorname{arccsc}(cx)^2 + 3a^2b \operatorname{arccsc}(cx) + a^3 \right) (dx)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x))^3,x, algorithm="fricas")`

[Out] `integral((b^3*arccsc(c*x)^3 + 3*a*b^2*arccsc(c*x)^2 + 3*a^2*b*arccsc(c*x) + a^3)*(d*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*(a+b*acsc(c*x))**3,x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a)^3 (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x))^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^3*(d*x)^m, x)`

3.40 $\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^2 dx$

Optimal. Leaf size=18

$$\text{Unintegrable} \left((dx)^m \left(a + b \csc^{-1}(cx) \right)^2, x \right)$$

[Out] Unintegrable[(d*x)^m*(a + b*ArcCsc[c*x])^2, x]

Rubi [A] time = 0.024169, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^2 dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m*(a + b*ArcCsc[c*x])^2, x]

[Out] Defer[Int][(d*x)^m*(a + b*ArcCsc[c*x])^2, x]

Rubi steps

$$\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^2 dx = \int (dx)^m \left(a + b \csc^{-1}(cx) \right)^2 dx$$

Mathematica [A] time = 3.58173, size = 0, normalized size = 0.

$$\int (dx)^m \left(a + b \csc^{-1}(cx) \right)^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m*(a + b*ArcCsc[c*x])^2, x]

[Out] Integrate[(d*x)^m*(a + b*ArcCsc[c*x])^2, x]

Maple [A] time = 2.259, size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{arccsc}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m*(a+b*arccsc(c*x))^2, x)

[Out] int((d*x)^m*(a+b*arccsc(c*x))^2, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\left(b^2 \text{arccsc}(cx)^2 + 2ab \text{arccsc}(cx) + a^2 \right) (dx)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x))^2,x, algorithm="fricas")`

[Out] `integral((b^2*arccsc(c*x)^2 + 2*a*b*arccsc(c*x) + a^2)*(d*x)^m, x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (dx)^m (a + b \text{acsc}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*(a+b*acsc(c*x))**2,x)`

[Out] `Integral((d*x)**m*(a + b*acsc(c*x))**2, x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (b \text{arccsc}(cx) + a)^2 (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x))^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)^2*(d*x)^m, x)`

$$\mathbf{3.41} \quad \int (dx)^m \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=66

$$\frac{(dx)^{m+1} \left(a + b \csc^{-1}(cx) \right)}{d(m+1)} + \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2 x^2}\right)}{cm(m+1)}$$

[Out] $((d*x)^{(1+m)}*(a + b*ArcCsc[c*x]))/(d*(1+m)) + (b*(d*x)^m*Hypergeometric2F1[1/2, -m/2, 1 - m/2, 1/(c^2*x^2)])/(c*m*(1+m))$

Rubi [A] time = 0.043359, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.214, Rules used = {5221, 339, 364}

$$\frac{(dx)^{m+1} \left(a + b \csc^{-1}(cx) \right)}{d(m+1)} + \frac{b(dx)^m {}_2F_1\left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2 x^2}\right)}{cm(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(d*x)^m*(a + b*ArcCsc[c*x]), x]

[Out] $((d*x)^{(1+m)}*(a + b*ArcCsc[c*x]))/(d*(1+m)) + (b*(d*x)^m*Hypergeometric2F1[1/2, -m/2, 1 - m/2, 1/(c^2*x^2)])/(c*m*(1+m))$

Rule 5221

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*((d_.)*(x_.))^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCsc[c*x]))/(d*(m+1)), x] + Dist[(b*d)/(c*(m+1)), Int[(d*x)^(m-1)/Sqrt[1 - 1/(c^2*x^2)], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

Rule 339

```
Int[((c_.)*(x_.))^(m_)*((a_.) + (b_.)*(x_.))^(n_), x_Symbol] :> -Dist[((c*x)^(m+1)*(1/x)^(m+1))/c, Subst[Int[(a + b/x^n)^p/x^(m+2), x], x, 1/x], x] /; FreeQ[{a, b, c, m, p}, x] && ILtQ[n, 0] && !RationalQ[m]
```

Rule 364

```
Int[((c_.)*(x_.))^(m_)*((a_.) + (b_.)*(x_.))^(n_), x_Symbol] :> Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])
```

Rubi steps

$$\begin{aligned}
\int (dx)^m \left(a + b \csc^{-1}(cx) \right) dx &= \frac{(dx)^{1+m} \left(a + b \csc^{-1}(cx) \right)}{d(1+m)} + \frac{(bd) \int \frac{(dx)^{-1+m}}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{c(1+m)} \\
&= \frac{(dx)^{1+m} \left(a + b \csc^{-1}(cx) \right)}{d(1+m)} - \frac{\left(b \left(\frac{1}{x} \right)^m (dx)^m \right) \text{Subst} \left(\int \frac{x^{-1-m}}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{c(1+m)} \\
&= \frac{(dx)^{1+m} \left(a + b \csc^{-1}(cx) \right)}{d(1+m)} + \frac{b(dx)^m {}_2F_1 \left(\frac{1}{2}, -\frac{m}{2}; 1 - \frac{m}{2}; \frac{1}{c^2x^2} \right)}{cm(1+m)}
\end{aligned}$$

Mathematica [A] time = 0.172998, size = 83, normalized size = 1.26

$$\frac{(dx)^m \left((m+1)x \left(a + b \csc^{-1}(cx) \right) + \frac{b \sqrt{1-c^2x^2} {}_2F_1 \left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2 \right)}{c \sqrt{1-\frac{1}{c^2x^2}}} \right)}{(m+1)^2}$$

Antiderivative was successfully verified.

[In] `Integrate[(d*x)^m*(a + b*ArcCsc[c*x]), x]`

[Out] `((d*x)^m*((1 + m)*x*(a + b*ArcCsc[c*x]) + (b*.Sqrt[1 - c^2*x^2]*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/((c*.Sqrt[1 - 1/(c^2*x^2)])))/(1 + m)^2`

Maple [F] time = 2.089, size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{arccsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m*(a+b*arccsc(c*x)), x)`

[Out] `int((d*x)^m*(a+b*arccsc(c*x)), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x)), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left((b \operatorname{arccsc}(cx) + a) (dx)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)*(d*x)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (dx)^m (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*(a+b*acsc(c*x)),x)`

[Out] `Integral((d*x)**m*(a + b*acsc(c*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccsc}(cx) + a) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*(d*x)^m, x)`

$$\mathbf{3.42} \quad \int \frac{(dx)^m}{a+b \csc^{-1}(cx)} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\frac{(dx)^m}{a + b \csc^{-1}(cx)}, x\right)$$

[Out] Unintegrable[(d*x)^m/(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.0257448, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(dx)^m}{a + b \csc^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcCsc[c*x]), x]

[Out] Defер[Int][(d*x)^m/(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int \frac{(dx)^m}{a + b \csc^{-1}(cx)} dx = \int \frac{(dx)^m}{a + b \csc^{-1}(cx)} dx$$

Mathematica [A] time = 0.390922, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{a + b \csc^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcCsc[c*x]), x]

[Out] Integrate[(d*x)^m/(a + b*ArcCsc[c*x]), x]

Maple [A] time = 1.878, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{a + b \text{arccsc}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m/(a+b*arccsc(c*x)), x)

[Out] int((d*x)^m/(a+b*arccsc(c*x)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{b \operatorname{arccsc}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] `integrate((d*x)^m/(b*arccsc(c*x) + a), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(dx)^m}{b \operatorname{arccsc}(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral((d*x)^m/(b*arccsc(c*x) + a), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{a + b \operatorname{acsc}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m/(a+b*acsc(c*x)),x)`

[Out] `Integral((d*x)**m/(a + b*acsc(c*x)), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{b \operatorname{arccsc}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((d*x)^m/(b*arccsc(c*x) + a), x)`

3.43 $\int \frac{(dx)^m}{(a+b \csc^{-1}(cx))^2} dx$

Optimal. Leaf size=18

$$\text{Unintegrable} \left(\frac{(dx)^m}{(a + b \csc^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(d*x)^m/(a + b*ArcCsc[c*x])^2, x]

Rubi [A] time = 0.0255385, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(dx)^m}{(a + b \csc^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^m/(a + b*ArcCsc[c*x])^2, x]

[Out] Defer[Int][(d*x)^m/(a + b*ArcCsc[c*x])^2, x]

Rubi steps

$$\int \frac{(dx)^m}{(a + b \csc^{-1}(cx))^2} dx = \int \frac{(dx)^m}{(a + b \csc^{-1}(cx))^2} dx$$

Mathematica [A] time = 0.777572, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(a + b \csc^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^m/(a + b*ArcCsc[c*x])^2, x]

[Out] Integrate[(d*x)^m/(a + b*ArcCsc[c*x])^2, x]

Maple [A] time = 1.842, size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(a + \text{barccsc}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^m/(a+b*arccsc(c*x))^2, x)

[Out] $\int ((d*x)^m / (a + b*\text{arccsc}(c*x))^2) dx$

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x)^m / (a + b*\text{arccsc}(c*x))^2, x, \text{algorithm}=\text{"maxima"})$

[Out]
$$\begin{aligned} & (4*\sqrt{c*x + 1})*\sqrt{c*x - 1}*(b*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + \\ & a)*d^m*x*x^m - (4*b^3*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2)) * \int (4*((b*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + a)*c^2*d^m*m + \\ & 2*(b*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + a)*c^2*d^m)*x^2 + (b*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + a)*d^m)*\sqrt{c*x + 1}*\sqrt{c*x - 1}*x^m / (4*b^3*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + 4*b^3*\log(c)^2 + 8*a*b^2*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + 4*a^2*b - 4*(b^3*c^2*\log(c)^2 + (b^3*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + 2*a*b^2*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + a^2*b)*c^2*x^2 - (b^3*c^2*x^2 - b^3)*\log(c^2*x^2)^2 - 4*(b^3*c^2*x^2 - b^3)*\log(x)^2 + 4*(b^3*c^2*x^2*\log(c) - b^3*\log(c) + (b^3*c^2*x^2 - b^3)*\log(x))*\log(c^2*x^2) - 8*(b^3*c^2*x^2*\log(c) - b^3*\log(c))*\log(x)), x)) / (4*b^3*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1})^2 + b^3*\log(c^2*x^2)^2 + 4*b^3*\log(c)^2 + 8*b^3*\log(c)*\log(x) + 4*b^3*\log(x)^2 + 8*a*b^2*\arctan2(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + 4*a^2*b - 4*(b^3*\log(c) + b^3*\log(x))*\log(c^2*x^2)) \end{aligned}$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(dx)^m}{b^2 \text{arccsc}(cx)^2 + 2ab \text{arccsc}(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x)^m / (a + b*\text{arccsc}(c*x))^2, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((d*x)^m / (b^2*\text{arccsc}(c*x)^2 + 2*a*b*\text{arccsc}(c*x) + a^2), x)$

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(a + b \text{acsc}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x)^m / (a + b*\text{acsc}(c*x))^2, x)$

[Out] $\text{Integral}((d*x)^m / (a + b*\text{acsc}(c*x))^2, x)$

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m}{(b \operatorname{arccsc}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arccsc(c*x))^2, x, algorithm="giac")`

[Out] `integrate((d*x)^m/(b*arccsc(c*x) + a)^2, x)`

3.44 $\int (d + ex)^3 \left(a + b \csc^{-1}(cx) \right) dx$

Optimal. Leaf size=167

$$\frac{(d + ex)^4 \left(a + b \csc^{-1}(cx) \right)}{4e} + \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}} (9c^2 d^2 + e^2)}{6c^3} + \frac{bd (2c^2 d^2 + e^2) \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{2c^3} + \frac{bde^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} + \frac{be^3 x^3}{c}$$

$$[Out] \quad (b*e*(9*c^2*d^2 + e^2)*Sqrt[1 - 1/(c^2*x^2)]*x)/(6*c^3) + (b*d*e^2*Sqrt[1 - 1/(c^2*x^2)]*x^2)/(2*c) + (b*e^3*Sqrt[1 - 1/(c^2*x^2)]*x^3)/(12*c) - (b*d^4*ArcCsc[c*x])/(4*e) + ((d + e*x)^4*(a + b*ArcCsc[c*x]))/(4*e) + (b*d*(2*c^2*d^2 + e^2)*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/((2*c)^3)$$

Rubi [A] time = 0.401839, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.562, Rules used = {5227, 1568, 1475, 1807, 844, 216, 266, 63, 208}

$$\frac{(d + ex)^4 \left(a + b \csc^{-1}(cx) \right)}{4e} + \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}} (9c^2 d^2 + e^2)}{6c^3} + \frac{bd (2c^2 d^2 + e^2) \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{2c^3} + \frac{bde^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} + \frac{be^3 x^3}{c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)^3*(a + b*ArcCsc[c*x]), x]$

$$[Out] \quad (b*e*(9*c^2*d^2 + e^2)*Sqrt[1 - 1/(c^2*x^2)]*x)/(6*c^3) + (b*d*e^2*Sqrt[1 - 1/(c^2*x^2)]*x^2)/(2*c) + (b*e^3*Sqrt[1 - 1/(c^2*x^2)]*x^3)/(12*c) - (b*d^4*ArcCsc[c*x])/(4*e) + ((d + e*x)^4*(a + b*ArcCsc[c*x]))/(4*e) + (b*d*(2*c^2*d^2 + e^2)*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/((2*c)^3)$$

Rule 5227

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol]
  :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x];
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1568

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_.))^(mn_.))^(q_.)*((a_) + (c_.)*(x_.))^(n2_), x_Symbol]
  :> Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; FreeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])
```

Rule 1475

```
Int[(x_)^(m_.)*((a_) + (c_.)*(x_.))^(n2_))^(p_.)*((d_) + (e_.)*(x_.))^(q_), x_Symbol]
  :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_.))^(m_)*((a_) + (b_.)*(x_.)^2)^p, x_Symbol]
  :> With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simpl[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 1)*x^p, x], x]] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]]
```

```
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 844

```
Int[((d_.) + (e_ .)*(x_ ))^(m_ )*((f_ .) + (g_ .)*(x_ ))*((a_ ) + (c_ .)*(x_ )^2)^{(p
_.)}, x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_ .)*(x_ )^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 266

```
Int[(x_ )^(m_ .)*((a_ ) + (b_ .)*(x_ )^(n_ ))^(p_ ), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_ .) + (b_ .)*(x_ ))^(m_ )*((c_ .) + (d_ .)*(x_ ))^(n_ ), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_ ) + (b_ .)*(x_ )^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^3 (a+b \csc^{-1}(cx)) dx &= \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} + \frac{b \int \frac{(d+ex)^4}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{4ce} \\
&= \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} + \frac{b \int \frac{\left(e+\frac{d}{x}\right)^4 x^2}{\sqrt{1-\frac{1}{c^2x^2}}} dx}{4ce} \\
&= \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} - \frac{b \text{Subst} \left(\int \frac{(e+dx)^4}{x^4 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{4ce} \\
&= \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} + \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} + \frac{b \text{Subst} \left(\int \frac{-12de^3-2e^2(9d^2+\frac{e^2}{c^2})x-12d^3ex^2-\dots}{x^3 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{12ce} \\
&= \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} + \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} + \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} - \frac{b \text{Subst} \left(\int \frac{4e^2(9d^2+\dots)}{x^4 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{12c} \\
&= \frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} + \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} + \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} + \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} \\
&= \frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} + \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} + \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} - \frac{bd^4 \csc^{-1}(cx)}{4e} + \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} \\
&= \frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} + \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} + \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} - \frac{bd^4 \csc^{-1}(cx)}{4e} + \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e} \\
&= \frac{be(9c^2d^2+e^2) \sqrt{1-\frac{1}{c^2x^2}} x}{6c^3} + \frac{bde^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{2c} + \frac{be^3 \sqrt{1-\frac{1}{c^2x^2}} x^3}{12c} - \frac{bd^4 \csc^{-1}(cx)}{4e} + \frac{(d+ex)^4 (a+b \csc^{-1}(cx))}{4e}
\end{aligned}$$

Mathematica [A] time = 0.305323, size = 165, normalized size = 0.99

$$\frac{3ac^3x(6d^2ex+4d^3+4de^2x^2+e^3x^3)+bex\sqrt{1-\frac{1}{c^2x^2}}(c^2(18d^2+6dex+e^2x^2)+2e^2)+6bd(2c^2d^2+e^2)\log(x(\sqrt{1-\frac{1}{c^2x^2}}))}{12c^3}$$

Antiderivative was successfully verified.

[In] `Integrate[(d + e*x)^3*(a + b*ArcCsc[c*x]), x]`

[Out] `(3*a*c^3*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3) + b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(2*e^2 + c^2*(18*d^2 + 6*d*e*x + e^2*x^2)) + 3*b*c^3*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3)*ArcCsc[c*x] + 6*b*d*(2*c^2*d^2 + e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(12*c^3)`

Maple [B] time = 0.138, size = 485, normalized size = 2.9

$$\frac{ae^3x^4}{4} + ae^2x^3d + \frac{3aex^2d^2}{2} + axd^3 + \frac{ad^4}{4e} + \frac{be^3\text{arccsc}(cx)x^4}{4} + be^2\text{arccsc}(cx)x^3d + \frac{3bearccsc(cx)x^2d^2}{2} + barccsc(cx)d^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((e*x + d)^3 * (a + b*\arccsc(c*x)), x)$

```
[Out] 1/4*a*x^3*x^4+a*x^2*x^3*d+3/2*a*x*x^2*d^2+a*x*d^3+1/4*a/e*x^4+1/4*b*x^3*arc
csc(c*x)*x^4+b*x^2*arccsc(c*x)*x^3*d+3/2*b*x*arccsc(c*x)*x^2*d^2+b*arccsc(c
*x)*x*x*d^3+1/4*b*d^4*arccsc(c*x)/e-1/4/c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/
c^2/x^2)^(1/2)/x*d^4*arctan(1/(c^2*x^2-1)^(1/2))+1/c^2*b*(c^2*x^2-1)^(1/2)/
((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^3*ln(c*x+(c^2*x^2-1)^(1/2))+1/12/c*b*x^3/((
c^2*x^2-1)/c^2/x^2)^(1/2)*x^3+1/12/c^3*b*x^3/((c^2*x^2-1)/c^2/x^2)^(1/2)*x+
1/2/c*b*x^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*d*x^2-1/2/c^3*b*x^2/((c^2*x^2-1)/c^
2/x^2)^(1/2)*d+3/2/c*b*x/((c^2*x^2-1)/c^2/x^2)^(1/2)*x*d^2-3/2/c^3*b*x/((c^
2*x^2-1)/c^2/x^2)^(1/2)/x*x*d^2+1/2/c^4*b*x^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/
c^2/x^2)^(1/2)/x*x*d*ln(c*x+(c^2*x^2-1)^(1/2))-1/6/c^5*b*x^3/((c^2*x^2-1)/c^2
/x^2)^(1/2)/x
```

Maxima [A] time = 1.04641, size = 363, normalized size = 2.17

$$\frac{1}{4}ae^3x^4 + ade^2x^3 + \frac{3}{2}ad^2ex^2 + \frac{3}{2}\left(x^2\operatorname{arccsc}(cx) + \frac{x\sqrt{-\frac{1}{c^2x^2}+1}}{c}\right)bd^2e + \frac{1}{4}\left(4x^3\operatorname{arccsc}(cx) + \frac{2\sqrt{-\frac{1}{c^2x^2}+1}}{c^2\left(\frac{1}{c^2x^2}-1\right)+c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(a+b*arccsc(c*x)),x, algorithm="maxima")
```

```
[Out] 1/4*a*x^3*x^4 + a*d*x^2*x^3 + 3/2*a*d^2*x*x^2 + 3/2*(x^2*arccsc(c*x) + x*sqrt(-1/(c^2*x^2) + 1)/c)*b*d^2*e + 1/4*(4*x^3*arccsc(c*x) + (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c)^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)*b*d*x^2 + 1/12*(3*x^4*arccsc(c*x) + (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b*x^3 + a*d^3*x + 1/2*(2*c*x*arccsc(c*x) + log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*d^3/c
```

Fricas [A] time = 3.76748, size = 633, normalized size = 3.79

$$3ac^4e^3x^4 + 12ac^4de^2x^3 + 18ac^4d^2ex^2 + 12ac^4d^3x + 3(bc^4e^3x^4 + 4bc^4de^2x^3 + 6bc^4d^2ex^2 + 4bc^4d^3x - 4bc^4d^3 - 6bc^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(a+b*arccsc(c*x)),x, algorithm="fricas")
```

```
[Out] 1/12*(3*a*c^4*e^3*x^4 + 12*a*c^4*d*e^2*x^3 + 18*a*c^4*d^2*e*x^2 + 12*a*c^4*d^3*x + 3*(b*c^4*e^3*x^4 + 4*b*c^4*d*e^2*x^3 + 6*b*c^4*d^2*e*x^2 + 4*b*c^4*d^3*x)
```

$$\begin{aligned} & d^3*x - 4*b*c^4*d^3 - 6*b*c^4*d^2*e - 4*b*c^4*d*e^2 - b*c^4*e^3)*\text{arccsc}(c*x) \\ & - 6*(4*b*c^4*d^3 + 6*b*c^4*d^2*e + 4*b*c^4*d*e^2 + b*c^4*e^3)*\text{arctan}(-c*x \\ & + \sqrt{c^2*x^2 - 1}) - 6*(2*b*c^3*d^3 + b*c*d^2*e^2)*\log(-c*x + \sqrt{c^2*x^2 \\ & - 1}) + (b*c^2*e^3*x^2 + 6*b*c^2*d*e^2*x + 18*b*c^2*d^2*e + 2*b*e^3)*\sqrt{c^2*x^2 - 1})/c^4 \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx)) (d + ex)^3 \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3*(a+b*acsc(c*x)),x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x)**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^3(b \operatorname{arccsc}(cx) + a) \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x + d)^3*(b*arccsc(c*x) + a), x)`

$$\mathbf{3.45} \quad \int (d + ex)^2 \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=123

$$\frac{(d + ex)^3 (a + b \csc^{-1}(cx))}{3e} + \frac{b (6c^2 d^2 + e^2) \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c^3} + \frac{bdex \sqrt{1 - \frac{1}{c^2 x^2}}}{c} + \frac{be^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{6c} - \frac{bd^3 \csc^{-1}(cx)}{3e}$$

[Out] $(b*d*e*.Sqrt[1 - 1/(c^2*x^2)]*x)/c + (b*e^2*.Sqrt[1 - 1/(c^2*x^2)]*x^2)/(6*c)$
 $- (b*d^3*ArcCsc[c*x])/(3*e) + ((d + e*x)^3*(a + b*ArcCsc[c*x]))/(3*e) + (b*(6*c^2*d^2 + e^2)*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/(6*c^3)$

Rubi [A] time = 0.276766, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.562, Rules used = {5227, 1568, 1475, 1807, 844, 216, 266, 63, 208}

$$\frac{(d + ex)^3 (a + b \csc^{-1}(cx))}{3e} + \frac{b (6c^2 d^2 + e^2) \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{6c^3} + \frac{bdex \sqrt{1 - \frac{1}{c^2 x^2}}}{c} + \frac{be^2 x^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{6c} - \frac{bd^3 \csc^{-1}(cx)}{3e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)^2*(a + b*ArcCsc[c*x]), x]$

[Out] $(b*d*e*.Sqrt[1 - 1/(c^2*x^2)]*x)/c + (b*e^2*.Sqrt[1 - 1/(c^2*x^2)]*x^2)/(6*c)$
 $- (b*d^3*ArcCsc[c*x])/(3*e) + ((d + e*x)^3*(a + b*ArcCsc[c*x]))/(3*e) + (b*(6*c^2*d^2 + e^2)*ArcTanh[Sqrt[1 - 1/(c^2*x^2)]])/(6*c^3)$

Rule 5227

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^m_, x_Symbol]
  :> Simp[((d + e*x)^m*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*.Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1568

```
Int[(x_)^m*((d_) + (e_.)*(x_)^mn_)^q*((a_) + (c_.)*(x_)^n2_)^p_, x_Symbol]
  :> Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; FreeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])
```

Rule 1475

```
Int[(x_)^m*((a_) + (c_.)*(x_)^n2_)^p*((d_) + (e_.)*(x_)^n_)^q_, x_Symbol]
  :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_.))^m*((a_) + (b_.)*(x_)^2)^p_, x_Symbol] :> With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x, x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^2 (a+b \csc^{-1}(cx)) dx &= \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} + \frac{b \int \frac{(d+ex)^3}{\sqrt{1-\frac{1}{c^2x^2}} dx}{3ce} \\
&= \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} + \frac{b \int \frac{\left(e+\frac{d}{x}\right)^3 x}{\sqrt{1-\frac{1}{c^2x^2}} dx}{3ce} \\
&= \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} - \frac{b \text{Subst} \left(\int \frac{(e+dx)^3}{x^3 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{3ce} \\
&= \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} + \frac{b \text{Subst} \left(\int \frac{-6de^2-e(6d^2+\frac{e^2}{c^2})x-2d^3x^2}{x^2 \sqrt{1-\frac{x^2}{c^2}}} dx \right)}{6ce} \\
&= \frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} + \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} + \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} - \frac{b \text{Subst} \left(\int \frac{e(6d^2+e^2)x^3}{x^2 \sqrt{1-\frac{x^2}{c^2}}} dx \right)}{6ce} \\
&= \frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} + \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} - \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} - \frac{(bd^3) \text{Subst} \left(\int \frac{e(6d^2+e^2)x^3}{x^2 \sqrt{1-\frac{x^2}{c^2}}} dx \right)}{3ce} \\
&= \frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} + \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} - \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} + \frac{(bd^3) \text{Subst} \left(\int \frac{e(6d^2+e^2)x^3}{x^2 \sqrt{1-\frac{x^2}{c^2}}} dx \right)}{3ce} \\
&= \frac{bde \sqrt{1-\frac{1}{c^2x^2}} x}{c} + \frac{be^2 \sqrt{1-\frac{1}{c^2x^2}} x^2}{6c} - \frac{bd^3 \csc^{-1}(cx)}{3e} + \frac{(d+ex)^3 (a+b \csc^{-1}(cx))}{3e} + \frac{(bd^3) \text{Subst} \left(\int \frac{e(6d^2+e^2)x^3}{x^2 \sqrt{1-\frac{x^2}{c^2}}} dx \right)}{3ce}
\end{aligned}$$

Mathematica [A] time = 0.185477, size = 122, normalized size = 0.99

$$\frac{c^2 x \left(2 a c \left(3 d^2+3 d e x+e^2 x^2\right)+b e \sqrt{1-\frac{1}{c^2 x^2}} (6 d+e x)\right)+b \left(6 c^2 d^2+e^2\right) \log \left(x \left(\sqrt{1-\frac{1}{c^2 x^2}}+1\right)\right)+2 b c^3 x \csc ^{-1}(c x) \left(3 d^2+e^2\right)}{6 c^3}$$

Antiderivative was successfully verified.

[In] `Integrate[(d + e*x)^2*(a + b*ArcCsc[c*x]), x]`

[Out] `(c^2*x*(b*e*Sqrt[1 - 1/(c^2*x^2)])*(6*d + e*x) + 2*a*c*(3*d^2 + 3*d*e*x + e^2*x^2)) + 2*b*c^3*x*(3*d^2 + 3*d*e*x + e^2*x^2)*ArcCsc[c*x] + b*(6*c^2*d^2 + e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(6*c^3)`

Maple [B] time = 0.141, size = 361, normalized size = 2.9

$$\frac{a e^2 x^3}{3} + a x^2 d e + a x d^2 + \frac{a d^3}{3 e} + \frac{b e^2 \text{arccsc}(c x) x^3}{3} + b \text{arccsc}(c x) x^2 d + b \text{arccsc}(c x) x d^2 + \frac{b d^3 \text{arccsc}(c x)}{3 e} - \frac{b d^3}{3 e c x} \sqrt{c^2 x^2-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (e*x + d)^2 * (a + b*\arccsc(c*x)) \, dx$

```
[Out] 1/3*a*x^2*x^3+a*x^2*d*e+a*x*d^2+1/3*a/e*d^3+1/3*b*e^2*arccsc(c*x)*x^3+b*e*a
rccsc(c*x)*x^2*d+b*arccsc(c*x)*x*d^2+1/3*b*d^3*arccsc(c*x)/e-1/3/c*b/e*(c^2
*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^3*arctan(1/(c^2*x^2-1)^(1/2))
+1/c^2*b*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*d^2*ln(c*x+(c^2*x^
2-1)^(1/2))+1/6/c*b*e^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^2-1/6/c^3*b*e^2/((c^2
*x^2-1)/c^2/x^2)^(1/2)+1/c*b*e/((c^2*x^2-1)/c^2/x^2)^(1/2)*x*d-1/c^3*b*e/((
c^2*x^2-1)/c^2/x^2)^(1/2)/x*d+1/6/c^4*b*e^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/
c^2/x^2)^(1/2)/x*ln(c*x+(c^2*x^2-1)^(1/2))
```

Maxima [A] time = 1.00296, size = 267, normalized size = 2.17

$$\frac{1}{3}ae^2x^3 + adex^2 + \left(x^2 \operatorname{arccsc}(cx) + \frac{x\sqrt{-\frac{1}{c^2x^2}+1}}{c} \right) bde + \frac{1}{12} \left(4x^3 \operatorname{arccsc}(cx) + \frac{\frac{2\sqrt{-\frac{1}{c^2x^2}+1}}{c^2\left(\frac{1}{c^2x^2}-1\right)+c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}+1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}\right)}{c^2}}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arccsc(c*x)),x, algorithm="maxima")
```

```
[Out] 1/3*a*e^2*x^3 + a*d*e*x^2 + (x^2*arccsc(c*x) + x*sqrt(-1/(c^2*x^2) + 1)/c)*b*d*e + 1/12*(4*x^3*arccsc(c*x) + (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b*e^2 + a*d^2*x + 1/2*(2*c*x*arccsc(c*x) + log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*d^2/c
```

Fricas [A] time = 2.87185, size = 462, normalized size = 3.76

$$\frac{2 ac^3 e^2 x^3 + 6 ac^3 d e x^2 + 6 ac^3 d^2 x + 2 \left(bc^3 e^2 x^3 + 3 bc^3 d e x^2 + 3 bc^3 d^2 x - 3 bc^3 d^2 - 3 bc^3 de - bc^3 e^2 \right) \operatorname{arccsc}(cx) - 4 \left(3 bc^3 d^2 - 3 bc^3 de - bc^3 e^2 \right) \operatorname{arccsc}'(cx)}{6 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arccsc(c*x)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*a*c^3*e^2*x^3 + 6*a*c^3*d*e*x^2 + 6*a*c^3*d^2*x + 2*(b*c^3*e^2*x^3 +
3*b*c^3*d*e*x^2 + 3*b*c^3*d^2*x - 3*b*c^3*d^2 - 3*b*c^3*d*e - b*c^3*e^2)*a
rccsc(c*x) - 4*(3*b*c^3*d^2 + 3*b*c^3*d*e + b*c^3*e^2)*arctan(-c*x + sqrt(c
^2*x^2 - 1)) - (6*b*c^2*d^2 + b*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) + (b*c*e
^2*x + 6*b*c*d*e)*sqrt(c^2*x^2 - 1))/c^3
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx)) (d + ex)^2 \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2*(a+b*acsc(c*x)),x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^2(b \operatorname{arccsc}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x + d)^2*(b*arccsc(c*x) + a), x)`

3.46 $\int (d + ex) \left(a + b \csc^{-1}(cx) \right) dx$

Optimal. Leaf size=83

$$\frac{(d + ex)^2 \left(a + b \csc^{-1}(cx) \right)}{2e} + \frac{bd \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c} + \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{bd^2 \csc^{-1}(cx)}{2e}$$

[Out] $(b*e* \text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) - (b*d^2*\text{ArcCsc}[c*x])/(2*e) + ((d + e*x)^2*(a + b*\text{ArcCsc}[c*x]))/(2*e) + (b*d*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/c$

Rubi [A] time = 0.166665, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.643, Rules used = {5227, 1568, 1396, 1807, 844, 216, 266, 63, 208}

$$\frac{(d + ex)^2 \left(a + b \csc^{-1}(cx) \right)}{2e} + \frac{bd \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c} + \frac{bex \sqrt{1 - \frac{1}{c^2 x^2}}}{2c} - \frac{bd^2 \csc^{-1}(cx)}{2e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(b*e* \text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) - (b*d^2*\text{ArcCsc}[c*x])/(2*e) + ((d + e*x)^2*(a + b*\text{ArcCsc}[c*x]))/(2*e) + (b*d*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/c$

Rule 5227

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol]
  :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2* \text{Sqrt}[1 - 1/(c^2*x^2)]), x], x] /;
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1568

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^(mn_.))^(q_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.), x_Symbol]
  :> Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; FreeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])
```

Rule 1396

```
Int[((d_) + (e_.)*(x_)^(n_.))^(q_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_), x_Symbol]
  :> -Subst[Int[((d + e/x^n)^q*(a + c/x^(2*n))^p)/x^2, x], x, 1/x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[n2, 2*n] && ILtQ[n, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.*(x_))*((a_) + (c_.*(x_)^2)^2)^p,
x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 266

```
Int[(x_)^(m_.*((a_) + (b_.*(x_)^(n_))^(p_)), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_.) + (b_.*(x_))^(m_)*((c_.) + (d_.*(x_)^(n_)), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)(a+b \csc^{-1}(cx)) dx &= \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} + \frac{b \int \frac{(d+ex)^2}{\sqrt{1-\frac{1}{c^2x^2}} dx}{2ce} \\
&= \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} + \frac{b \int \frac{\left(e+\frac{d}{x}\right)^2}{\sqrt{1-\frac{1}{c^2x^2}} dx}{2ce} \\
&= \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} - \frac{b \operatorname{Subst}\left(\int \frac{(e+dx)^2}{x^2 \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2ce} \\
&= \frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} + \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} + \frac{b \operatorname{Subst}\left(\int \frac{-2de-d^2x}{x \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2ce} \\
&= \frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} + \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} - \frac{(bd) \operatorname{Subst}\left(\int \frac{1}{x \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{c} - \frac{(bd^2) S}{c} \\
&= \frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} - \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} - \frac{(bd) \operatorname{Subst}\left(\int \frac{1}{x \sqrt{1-\frac{x^2}{c^2}}} dx\right)}{2c} \\
&= \frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} - \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} + (bcd) \operatorname{Subst}\left(\int \frac{1}{c^2-x^2} dx\right) \\
&= \frac{be \sqrt{1-\frac{1}{c^2x^2}} x}{2c} - \frac{bd^2 \csc^{-1}(cx)}{2e} + \frac{(d+ex)^2(a+b \csc^{-1}(cx))}{2e} + \frac{bd \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{c}
\end{aligned}$$

Mathematica [A] time = 0.195894, size = 113, normalized size = 1.36

$$adx + \frac{1}{2} aex^2 + \frac{b dx \sqrt{1-\frac{1}{c^2x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}} + \frac{bex \sqrt{\frac{c^2x^2-1}{c^2x^2}}}{2c} + bdx \csc^{-1}(cx) + \frac{1}{2} bex^2 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[(d + e*x)*(a + b*ArcCsc[c*x]), x]`

[Out] $a*d*x + (a*e*x^2)/2 + (b*e*x*.Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(2*c) + b*d*x*$
 $\text{ArcCsc}[c*x] + (b*e*x^2*ArcCsc[c*x])/2 + (b*d*.Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan$
 $h[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2]$

Maple [A] time = 0.18, size = 140, normalized size = 1.7

$$\frac{ax^2e}{2} + adx + \frac{\operatorname{barccsc}(cx)x^2e}{2} + \operatorname{barccsc}(cx)xd + \frac{bd}{c^2x} \sqrt{c^2x^2-1} \ln(cx + \sqrt{c^2x^2-1}) \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{bex}{2c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{be}{2c^3x} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(a+b*arccsc(c*x)), x)`

[Out] $\frac{1}{2}a*x^2*e + a*d*x + \frac{1}{2}b*\operatorname{arccsc}(c*x)*x^2*e + b*\operatorname{arccsc}(c*x)*x*d + \frac{1}{c^2}b/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}*x*(c^2*x^2 - 1)^{(1/2)}*d*\ln(c*x + (c^2*x^2 - 1)^{(1/2)}) + \frac{1}{2}c*b/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}*x*e - \frac{1}{2}c^3*b/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}/x*e$

Maxima [A] time = 1.00062, size = 124, normalized size = 1.49

$$\frac{1}{2}aex^2 + \frac{1}{2}\left(x^2\operatorname{arccsc}(cx) + \frac{x\sqrt{-\frac{1}{c^2x^2} + 1}}{c}\right)be + adx + \frac{\left(2cx\operatorname{arccsc}(cx) + \log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right) - \log\left(-\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right)\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{2}a*x^2 + \frac{1}{2}*(x^2\operatorname{arccsc}(c*x) + x\sqrt{-1/(c^2*x^2) + 1}/c)*b*e + a*d*x + \frac{1}{2}*(2*c*x\operatorname{arccsc}(c*x) + \log(\sqrt{-1/(c^2*x^2) + 1} + 1) - \log(-\sqrt{-1/(c^2*x^2) + 1} + 1))*b*d/c$

Fricas [A] time = 2.19668, size = 302, normalized size = 3.64

$$\frac{ac^2ex^2 + 2ac^2dx - 2bcd\log\left(-cx + \sqrt{c^2x^2 - 1}\right) + \sqrt{c^2x^2 - 1}be + \left(bc^2ex^2 + 2bc^2dx - 2bc^2d - bc^2e\right)\operatorname{arccsc}(cx) - 2\left(2ac^2dx^2 + 2ac^2e\right)}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{2}*(a*c^2*x^2 + 2*a*c^2*d*x - 2*b*c*d*\log(-c*x + \sqrt{c^2*x^2 - 1})) + \sqrt{c^2*x^2 - 1}*b*e + (b*c^2*x^2 + 2*b*c^2*d*x - 2*b*c^2*d - b*c^2*e)*\operatorname{arccsc}(c*x) - 2*(2*b*c^2*d + b*c^2*e)*\operatorname{arctan}(-c*x + \sqrt{c^2*x^2 - 1}))/c^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b\operatorname{acsc}(cx))(d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(a+b*acsc(c*x)),x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)(b\operatorname{arccsc}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x + d)*(b*arccsc(c*x) + a), x)`

$$\mathbf{3.47} \quad \int (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=31

$$ax + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c} + bx \csc^{-1}(cx)$$

[Out] $a*x + b*x*\text{ArcCsc}[c*x] + (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/c$

Rubi [A] time = 0.0229732, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.5, Rules used = {5215, 266, 63, 208}

$$ax + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{c} + bx \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[a + b*\text{ArcCsc}[c*x], x]$

[Out] $a*x + b*x*\text{ArcCsc}[c*x] + (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/c$

Rule 5215

```
Int[ArcCsc[(c_)*(x_)], x_Symbol] :> Simp[x*ArcCsc[c*x], x] + Dist[1/c, Int[1/(x*sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[c, x]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d))/b + (d*x^p)/b]^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int (a + b \csc^{-1}(cx)) dx &= ax + b \int \csc^{-1}(cx) dx \\
&= ax + bx \csc^{-1}(cx) + \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2}}} dx}{c} \\
&= ax + bx \csc^{-1}(cx) - \frac{b \operatorname{Subst}\left(\int \frac{1}{x \sqrt{1 - \frac{x}{c^2}}} dx, x, \frac{1}{x^2}\right)}{2c} \\
&= ax + bx \csc^{-1}(cx) + (bc) \operatorname{Subst}\left(\int \frac{1}{c^2 - c^2 x^2} dx, x, \sqrt{1 - \frac{1}{c^2 x^2}}\right) \\
&= ax + bx \csc^{-1}(cx) + \frac{b \tanh^{-1}\left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)}{c}
\end{aligned}$$

Mathematica [A] time = 0.0525964, size = 58, normalized size = 1.87

$$ax + \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2 x^2 - 1}}\right)}{\sqrt{c^2 x^2 - 1}} + bx \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[a + b*ArcCsc[c*x], x]`

[Out] `a*x + b*x*ArcCsc[c*x] + (b*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2]`

Maple [A] time = 0.173, size = 37, normalized size = 1.2

$$ax + bx \operatorname{arccsc}(cx) + \frac{b}{c} \ln\left(cx + cx \sqrt{1 - \frac{1}{c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a+b*arccsc(c*x), x)`

[Out] `a*x+b*x*arccsc(c*x)+b/c*ln(c*x+c*x*(1-1/c^2/x^2)^(1/2))`

Maxima [A] time = 0.977055, size = 72, normalized size = 2.32

$$ax + \frac{\left(2 cx \operatorname{arccsc}(cx) + \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) - \log\left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)\right)b}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arccsc(c*x), x, algorithm="maxima")`

[Out] `a*x + 1/2*(2*c*x*arccsc(c*x) + log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b/c`

Fricas [B] time = 2.07279, size = 154, normalized size = 4.97

$$\frac{acx - 2bc \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) + (bcx - bc) \operatorname{arccsc}(cx) - b \log\left(-cx + \sqrt{c^2x^2 - 1}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arccsc(c*x),x, algorithm="fricas")`

[Out] $(a*c*x - 2*b*c*\arctan(-c*x + \sqrt{c^2*x^2 - 1})) + (b*c*x - b*c)*\operatorname{arccsc}(c*x) - b*\log(-c*x + \sqrt{c^2*x^2 - 1}))/c$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*acsc(c*x),x)`

[Out] `Integral(a + b*acsc(c*x), x)`

Giac [A] time = 1.13005, size = 63, normalized size = 2.03

$$\left(x \arcsin\left(\frac{1}{cx}\right) - \frac{c \log\left(|-x|c + \sqrt{c^2x^2 - 1}\right)}{|c|^2 \operatorname{sgn}(x)} \right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arccsc(c*x),x, algorithm="giac")`

[Out] $(x*\arcsin(1/(c*x)) - c*\log(\operatorname{abs}(-x*\operatorname{abs}(c) + \sqrt{c^2*x^2 - 1}))/(\operatorname{abs}(c)^2*\operatorname{sgn}(x)))*b + a*x$

$$3.48 \quad \int \frac{a+b \csc^{-1}(cx)}{d+ex} dx$$

Optimal. Leaf size=257

$$\frac{i b \text{PolyLog}\left(2, \frac{i (e - \sqrt{e^2 - c^2 d^2}) e^{i \csc^{-1}(cx)}}{cd}\right)}{e} - \frac{i b \text{PolyLog}\left(2, \frac{i (\sqrt{e^2 - c^2 d^2} + e) e^{i \csc^{-1}(cx)}}{cd}\right)}{e} + \frac{i b \text{PolyLog}\left(2, e^{2 i \csc^{-1}(cx)}\right)}{2e} + \frac{(a + b \csc^{-1}(cx))}{e}$$

[Out] $((a + b \text{ArcCsc}[c*x]) * \text{Log}[1 - (I*(e - \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e + ((a + b \text{ArcCsc}[c*x]) * \text{Log}[1 - (I*(e + \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e - ((a + b \text{ArcCsc}[c*x]) * \text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}/e - (I*b \text{PolyLog}[2, (I*(e - \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e - (I*b \text{PolyLog}[2, (I*(e + \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e + ((I/2)*b \text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}])]/e$

Rubi [A] time = 0.405979, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.125, Rules used = {5225, 2518}

$$\frac{i b \text{PolyLog}\left(2, \frac{i (e - \sqrt{e^2 - c^2 d^2}) e^{i \csc^{-1}(cx)}}{cd}\right)}{e} - \frac{i b \text{PolyLog}\left(2, \frac{i (\sqrt{e^2 - c^2 d^2} + e) e^{i \csc^{-1}(cx)}}{cd}\right)}{e} + \frac{i b \text{PolyLog}\left(2, e^{2 i \csc^{-1}(cx)}\right)}{2e} + \frac{(a + b \csc^{-1}(cx))}{e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \text{ArcCsc}[c*x])/(d + e*x), x]$

[Out] $((a + b \text{ArcCsc}[c*x]) * \text{Log}[1 - (I*(e - \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e + ((a + b \text{ArcCsc}[c*x]) * \text{Log}[1 - (I*(e + \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e - ((a + b \text{ArcCsc}[c*x]) * \text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}/e - (I*b \text{PolyLog}[2, (I*(e - \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e - (I*b \text{PolyLog}[2, (I*(e + \text{Sqrt}[-(c^2*d^2) + e^2]) * E^{(\text{ArcCsc}[c*x])/(c*d)})]/e + ((I/2)*b \text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}])]/e$

Rule 5225

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))/((d_) + (e_)*(x_)), x_Symbol] :> S
imp[((a + b*ArcCsc[c*x])*Log[1 - (I*(e - Sqrt[-(c^2*d^2) + e^2]) * E^(ArcCsc[c*x])/(c*d))]/e, x] + (Dist[b/(c*e), Int[Log[1 - (I*(e - Sqrt[-(c^2*d^2) + e^2]) * E^(ArcCsc[c*x])/(c*d))]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] + Dist[b/(c*e), Int[Log[1 - (I*(e + Sqrt[-(c^2*d^2) + e^2]) * E^(ArcCsc[c*x])/(c*d))]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] - Dist[b/(c*e), Int[Log[1 - E^(2*I*ArcCsc[c*x])]/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] + Simpl[((a + b*ArcCsc[c*x])*Log[1 - (I*(e + Sqrt[-(c^2*d^2) + e^2]) * E^(ArcCsc[c*x])/(c*d))]/e, x] - Simpl[((a + b*ArcCsc[c*x])*Log[1 - E^(2*I*ArcCsc[c*x])]/e, x]) /; FreeQ[{a, b, c, d, e}, x]
```

Rule 2518

```
Int[Log[v_]*(u_), x_Symbol] :> With[{w = DerivativeDivides[v, u*(1 - v), x]}, Simpl[w*PolyLog[2, 1 - v], x] /; !FalseQ[w]]
```

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{d + ex} dx = \frac{(a + b \csc^{-1}(cx)) \log\left(1 - \frac{i(e - \sqrt{-c^2 d^2 + e^2}) e^{i \csc^{-1}(cx)}}{cd}\right)}{e} + \frac{(a + b \csc^{-1}(cx)) \log\left(1 - \frac{i(e + \sqrt{-c^2 d^2 + e^2}) e^{i \csc^{-1}(cx)}}{cd}\right)}{e}$$

$$= \frac{(a + b \csc^{-1}(cx)) \log\left(1 - \frac{i(e - \sqrt{-c^2 d^2 + e^2}) e^{i \csc^{-1}(cx)}}{cd}\right)}{e} + \frac{(a + b \csc^{-1}(cx)) \log\left(1 - \frac{i(e + \sqrt{-c^2 d^2 + e^2}) e^{i \csc^{-1}(cx)}}{cd}\right)}{e}$$

Mathematica [A] time = 0.658497, size = 411, normalized size = 1.6

$$\frac{a \log(d + ex)}{e} + \frac{b \left(8i \left(\text{PolyLog}\left(2, \frac{i(\sqrt{e^2 - c^2 d^2 - e}) e^{-i \csc^{-1}(cx)}}{cd}\right) + \text{PolyLog}\left(2, -\frac{i(\sqrt{e^2 - c^2 d^2 + e}) e^{-i \csc^{-1}(cx)}}{cd}\right)\right) + 4i (\csc^{-1}(cx)^2 + \text{PolyLog}\left(1, \frac{i(\sqrt{e^2 - c^2 d^2 - e}) e^{-i \csc^{-1}(cx)}}{cd}\right) + \text{PolyLog}\left(1, -\frac{i(\sqrt{e^2 - c^2 d^2 + e}) e^{-i \csc^{-1}(cx)}}{cd}\right))\right)}{e}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/(d + e*x), x]`

[Out] $(a \log[d + e*x])/e + (b * (I * (\Pi - 2 * \text{ArcCsc}[c*x])^2 + (32 * I) * \text{ArcSin}[\text{Sqrt}[1 + e/(c*d)]/\text{Sqrt}[2]] * \text{ArcTan}[(c*d - e) * \text{Cot}[(\Pi + 2 * \text{ArcCsc}[c*x])/4]]/\text{Sqrt}[-(c^2 * d^2) + e^2]) - 4 * (\Pi - 2 * \text{ArcCsc}[c*x] + 4 * \text{ArcSin}[\text{Sqrt}[1 + e/(c*d)]/\text{Sqrt}[2]]) * \text{Log}[1 + (I * (e - \text{Sqrt}[-(c^2 * d^2) + e^2]))/(c*d * E^{(I * \text{ArcCsc}[c*x])})] - 4 * (\Pi - 2 * \text{ArcCsc}[c*x] - 4 * \text{ArcSin}[\text{Sqrt}[1 + e/(c*d)]/\text{Sqrt}[2]]) * \text{Log}[1 + (I * (e + \text{Sqr}t[-(c^2 * d^2) + e^2]))/(c*d * E^{(I * \text{ArcCsc}[c*x])})] - 8 * \text{ArcCsc}[c*x] * \text{Log}[1 - E^{((2 * I) * \text{ArcCsc}[c*x])}] + 4 * (\Pi - 2 * \text{ArcCsc}[c*x]) * \text{Log}[e + d/x] + 8 * \text{ArcCsc}[c*x] * \text{Log}[e + d/x] + (8 * I) * (\text{PolyLog}[2, (I * (-e + \text{Sqr}t[-(c^2 * d^2) + e^2]))/(c*d * E^{(I * \text{ArcCsc}[c*x])})] + \text{PolyLog}[2, ((-I) * (e + \text{Sqr}t[-(c^2 * d^2) + e^2]))/(c*d * E^{(I * \text{ArcCsc}[c*x])})] + (4 * I) * (\text{ArcCsc}[c*x]^2 + \text{PolyLog}[2, E^{((2 * I) * \text{ArcCsc}[c*x])}])))/(8 * e)$

Maple [B] time = 0.417, size = 881, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/(e*x+d), x)`

[Out] $a * \ln(c * e * x + c * d) / e - b * e * \text{arccsc}(c * x) / (c^2 * d^2 - e^2) * \ln((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e - (c^2 * d^2 - e^2)^{1/2}) / (I * e - (c^2 * d^2 - e^2)^{1/2}) - b * e * \text{arccsc}(c * x) / (c^2 * d^2 - e^2) * \ln((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e + (c^2 * d^2 - e^2)^{1/2}) / (I * e + (c^2 * d^2 - e^2)^{1/2}) + I * b / e * \text{dilog}(1 + I / c / x + (1 - 1 / c^2 / x^2)^{1/2}) - b / e * \text{arccsc}(c * x) * \ln(1 + I / c / x + (1 - 1 / c^2 / x^2)^{1/2}) - I * c^2 * b / e / (c^2 * d^2 - e^2) * \text{dilog}((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e - (c^2 * d^2 - e^2)^{1/2}) / (I * e - (c^2 * d^2 - e^2)^{1/2}) * d^2 - I * c^2 * b / e / (c^2 * d^2 - e^2) * \text{dilog}((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e + (c^2 * d^2 - e^2)^{1/2}) / (I * e + (c^2 * d^2 - e^2)^{1/2}) * d^2 + c^2 * b * d^2 / e * \text{arccsc}(c * x) / (c^2 * d^2 - e^2) * \ln((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e - (c^2 * d^2 - e^2)^{1/2}) / (I * e - (c^2 * d^2 - e^2)^{1/2}) + c^2 * b * d^2 / e * \text{arccsc}(c * x) / (c^2 * d^2 - e^2) * \ln((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e + (c^2 * d^2 - e^2)^{1/2}) / (I * e + (c^2 * d^2 - e^2)^{1/2}) - I * b / e * \text{dilog}(I / c / x + (1 - 1 / c^2 / x^2)^{1/2}) + I * b * e / (c^2 * d^2 - e^2) * \text{dilog}((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e + (c^2 * d^2 - e^2)^{1/2}) / (I * e + (c^2 * d^2 - e^2)^{1/2}) + I * b * e / (c^2 * d^2 - e^2) * \text{dilog}((d * c * (I / c / x + (1 - 1 / c^2 / x^2)^{1/2})) + I * e - (c^2 * d^2 - e^2)^{1/2})$

$*d^2 - e^2)^{(1/2)}) / (I * e - (c^2 * d^2 - e^2)^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$b \int \frac{\arctan\left(1, \sqrt{cx+1}\sqrt{cx-1}\right)}{ex+d} dx + \frac{a \log(ex+d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d),x, algorithm="maxima")`

[Out] `b*integrate(arctan2(1, sqrt(cx + 1)*sqrt(cx - 1))/(e*x + d), x) + a*log(e*x + d)/e`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d),x, algorithm="fricas")`

[Out] `integral((b*arccsc(cx) + a)/(e*x + d), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x+d),x)`

[Out] `Integral((a + b*acsc(cx))/(d + e*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d),x, algorithm="giac")`

[Out] `integrate((b*arccsc(cx) + a)/(e*x + d), x)`

$$3.49 \quad \int \frac{a+b \csc^{-1}(cx)}{(d+ex)^2} dx$$

Optimal. Leaf size=102

$$-\frac{a + b \csc^{-1}(cx)}{e(d + ex)} + \frac{b \tanh^{-1}\left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{1 - \frac{1}{c^2 x^2} \sqrt{c^2 d^2 - e^2}}}\right)}{d \sqrt{c^2 d^2 - e^2}} + \frac{b \csc^{-1}(cx)}{de}$$

[Out] $(b*\text{ArcCsc}[c*x])/(d*e) - (a + b*\text{ArcCsc}[c*x])/((e*(d + e*x)) + (\text{b}*\text{ArcTanh}[(c^2*d + e*x)/(c*\text{Sqrt}[c^2*d^2 - e^2]*\text{Sqrt}[1 - 1/(c^2*x^2)]]))/(d*\text{Sqrt}[c^2*d^2 - e^2])$

Rubi [A] time = 0.155473, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.438, Rules used = {5227, 1568, 1475, 844, 216, 725, 206}

$$-\frac{a + b \csc^{-1}(cx)}{e(d + ex)} + \frac{b \tanh^{-1}\left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{1 - \frac{1}{c^2 x^2} \sqrt{c^2 d^2 - e^2}}}\right)}{d \sqrt{c^2 d^2 - e^2}} + \frac{b \csc^{-1}(cx)}{de}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(d + e*x)^2, x]$

[Out] $(b*\text{ArcCsc}[c*x])/(d*e) - (a + b*\text{ArcCsc}[c*x])/((e*(d + e*x)) + (\text{b}*\text{ArcTanh}[(c^2*d + e*x)/(c*\text{Sqrt}[c^2*d^2 - e^2]*\text{Sqrt}[1 - 1/(c^2*x^2)]]))/(d*\text{Sqrt}[c^2*d^2 - e^2])$

Rule 5227

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_))^(m_), x_Symbol]
  :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*sqrt[1 - 1/(c^2*x^2)]), x], x] /;
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1568

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^(mn_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol]
  :> Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /;
  FreeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])
```

Rule 1475

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_),
  x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /;
  FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^p,
  x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
```

```
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{(d + ex)^2} dx &= -\frac{a + b \csc^{-1}(cx)}{e(d + ex)} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} x^{2(d+ex)}}} dx}{ce} \\
&= -\frac{a + b \csc^{-1}(cx)}{e(d + ex)} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} \left(e + \frac{d}{x}\right) x^3}} dx}{ce} \\
&= -\frac{a + b \csc^{-1}(cx)}{e(d + ex)} + \frac{b \text{Subst} \left(\int \frac{x}{(e+dx)\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce} \\
&= -\frac{a + b \csc^{-1}(cx)}{e(d + ex)} - \frac{b \text{Subst} \left(\int \frac{1}{(e+dx)\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd} + \frac{b \text{Subst} \left(\int \frac{1}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cde} \\
&= \frac{b \csc^{-1}(cx)}{de} - \frac{a + b \csc^{-1}(cx)}{e(d + ex)} + \frac{b \text{Subst} \left(\int \frac{1}{d^2 - \frac{e^2}{c^2} - x^2} dx, x, \frac{d + \frac{e}{c^2 x}}{\sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{cd} \\
&= \frac{b \csc^{-1}(cx)}{de} - \frac{a + b \csc^{-1}(cx)}{e(d + ex)} + \frac{b \tanh^{-1} \left(\frac{c^2 d + \frac{e}{x}}{c \sqrt{c^2 d^2 - e^2} \sqrt{1 - \frac{1}{c^2 x^2}}} \right)}{d \sqrt{c^2 d^2 - e^2}}
\end{aligned}$$

Mathematica [A] time = 0.220739, size = 141, normalized size = 1.38

$$-\frac{a}{e(d + ex)} - \frac{b \log \left(cx \left(cd - \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{c^2 d^2 - e^2}\right) + e\right)}{d \sqrt{c^2 d^2 - e^2}} + \frac{b \log(d + ex)}{d \sqrt{c^2 d^2 - e^2}} + \frac{b \sin^{-1} \left(\frac{1}{cx}\right)}{de} - \frac{b \csc^{-1}(cx)}{e(d + ex)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcCsc[c*x])/((d + e*x)^2, x]
```

[Out] $-(a/(e*(d + e*x))) - (b*ArcCsc[c*x])/((e*(d + e*x)) + (b*ArcSin[1/(c*x)])/(d *e) + (b*Log[d + e*x])/((d*Sqrt[c^2*d^2 - e^2]) - (b*Log[e + c*(c*d - Sqrt[c^2*d^2 - e^2])*Sqrt[1 - 1/(c^2*x^2)])*x))/((d*Sqrt[c^2*d^2 - e^2]))$

Maple [B] time = 0.263, size = 214, normalized size = 2.1

$$-\frac{ac}{(ecx + dc)e} - \frac{c\text{arccsc}(cx)}{(ecx + dc)e} + \frac{b}{ecxd} \sqrt{c^2x^2 - 1} \arctan\left(\frac{1}{\sqrt{c^2x^2 - 1}}\right) \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} - \frac{b}{ecxd} \sqrt{c^2x^2 - 1} \ln\left(2 \frac{1}{ecx + dc} \left(\sqrt{\frac{c^2d^2 - e^2}{e^2}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arccsc}(c*x))/(e*x+d)^2, x)$

[Out] $-c*a/(c*e*x+c*d)/e - c*b/(c*e*x+c*d)/e*\text{arccsc}(c*x)+1/c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x/d*\arctan(1/(c^2*x^2-1)^(1/2))-1/c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x/d/((c^2*d^2-e^2)/e^2)^(1/2)*\ln(2*((c^2*d^2-e^2)/e^2)^(1/2)*(c^2*x^2-1)^(1/2)*e-d*c^2*x-e)/(c*e*x+c*d))$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arccsc}(c*x))/(e*x+d)^2, x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [B] time = 2.36889, size = 960, normalized size = 9.41

$$\left[\frac{ac^2d^3 - ade^2 - \sqrt{c^2d^2 - e^2}(be^2x + bde)\log\left(\frac{c^3d^2x + cde + \sqrt{c^2d^2 - e^2}(c^2dx + e) + (c^2d^2 + \sqrt{c^2d^2 - e^2}cd - e^2)\sqrt{c^2x^2 - 1}}{ex + d}\right) + (bc^2d^3 - bde^2)\text{arccsc}(c*x)}{c^2d^4e - d^2e^3 + (c^2d^3e^2 - de^4)x} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arccsc}(c*x))/(e*x+d)^2, x, \text{algorithm}=\text{"fricas"})$

[Out] $[-(a*c^2*d^3 - a*d*e^2 - \sqrt{c^2*d^2 - e^2}*(b*e^2*x + b*d*e)*\log((c^3*d^2*x + c*d*e + \sqrt{c^2*d^2 - e^2}*(c^2*d*x + e) + (c^2*d^2 + \sqrt{c^2*d^2 - e^2}cd - e^2)*\sqrt{c^2*x^2 - 1}))/((e*x + d)) + (b*c^2*d^3 - b*d*e^2)*\text{arccsc}(c*x) + 2*(b*c^2*d^3 - b*d*e^2 + (b*c^2*d^2*x - b*e^3)*x)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}))/((c^2*d^4*x - d^2*x^3 + (c^2*d^3*x^2 - d*x^4)*x), -(a*c^2*d^3 - a*d*e^2 + 2*\sqrt{-c^2*d^2 + e^2}*(b*e^2*x + b*d*e)*\arctan(-\sqrt{-c^2*d^2 + e^2}*\sqrt{c^2*x^2 - 1})*e - \sqrt{-c^2*d^2 + e^2}*(c*e*x + c*d))/((c^2*d^2*x - e^2*x^2) + (b*c^2*d^3 - b*d*e^2)*\text{arccsc}(c*x) + 2*(b*c^2*d^3 - b*d*e^2 + (b*c^2*d^2*x - b*e^3)*x)*\arctan(-c*x + \sqrt{c^2*x^2 - 1}))/((c^2*d^4*x - d*x^3 + (c^2*d^3*x^2 - d*x^4)*x)])]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x+d)**2,x)`

[Out] `Integral((a + b*acsc(c*x))/(d + e*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x + d)^2, x)`

$$\mathbf{3.50} \quad \int \frac{a+b \csc^{-1}(cx)}{(d+ex)^3} dx$$

Optimal. Leaf size=172

$$-\frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} - \frac{bce \sqrt{1 - \frac{1}{c^2x^2}}}{2d(c^2d^2 - e^2)\left(\frac{d}{x} + e\right)} + \frac{b(2c^2d^2 - e^2) \tanh^{-1}\left(\frac{c^2d + \frac{e}{x}}{c\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{c^2d^2 - e^2}}\right)}{2d^2(c^2d^2 - e^2)^{3/2}} + \frac{b \csc^{-1}(cx)}{2d^2e}$$

[Out] $-(b*c*e* \text{Sqrt}[1 - 1/(c^2*x^2)])/(2*d*(c^2*d^2 - e^2)*(e + d/x)) + (b*\text{ArcCsc}[c*x])/(2*d^2*e) - (a + b*\text{ArcCsc}[c*x])/(2*e*(d + e*x)^2) + (b*(2*c^2*d^2 - e^2)*\text{ArcTanh}[(c^2*d + e/x)/(c*\text{Sqrt}[c^2*d^2 - e^2]*\text{Sqrt}[1 - 1/(c^2*x^2)])])/(2*d^2*(c^2*d^2 - e^2)^{(3/2)})$

Rubi [A] time = 0.291905, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.5, Rules used = {5227, 1568, 1475, 1651, 844, 216, 725, 206}

$$-\frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} - \frac{bce \sqrt{1 - \frac{1}{c^2x^2}}}{2d(c^2d^2 - e^2)\left(\frac{d}{x} + e\right)} + \frac{b(2c^2d^2 - e^2) \tanh^{-1}\left(\frac{c^2d + \frac{e}{x}}{c\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{c^2d^2 - e^2}}\right)}{2d^2(c^2d^2 - e^2)^{3/2}} + \frac{b \csc^{-1}(cx)}{2d^2e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(d + e*x)^3, x]$

[Out] $-(b*c*e* \text{Sqrt}[1 - 1/(c^2*x^2)])/(2*d*(c^2*d^2 - e^2)*(e + d/x)) + (b*\text{ArcCsc}[c*x])/(2*d^2*e) - (a + b*\text{ArcCsc}[c*x])/(2*e*(d + e*x)^2) + (b*(2*c^2*d^2 - e^2)*\text{ArcTanh}[(c^2*d + e/x)/(c*\text{Sqrt}[c^2*d^2 - e^2]*\text{Sqrt}[1 - 1/(c^2*x^2)])])/(2*d^2*(c^2*d^2 - e^2)^{(3/2)})$

Rule 5227

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_))^(m_), x_Symbol]
  :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2* \text{Sqrt}[1 - 1/(c^2*x^2)]), x], x] /;
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1568

```
Int[(x_)^(m_)*((d_) + (e_)*(x_))^(mn_))^(q_)*((a_) + (c_)*(x_))^(n2_), x_Symbol]
  :> Int[x^(m + mn*q)*(e + d/x^mn)^q*(a + c*x^n2)^p, x] /; FreeQ[{a, c, d, e, m, mn, p}, x] && EqQ[n2, -2*mn] && IntegerQ[q] && (PosQ[n2] || !IntegerQ[p])
```

Rule 1475

```
Int[(x_)^(m_)*((a_) + (c_)*(x_))^(n2_))^(p_)*((d_) + (e_)*(x_))^(q_), x_Symbol]
  :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^n], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[n2, 2*n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1651

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]

```

Rule 844

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 216

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

Rule 725

```

Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{(d + ex)^3} dx &= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}x^2(d+ex)^2}} dx}{2ce} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} - \frac{b \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}\left(e+\frac{d}{x}\right)^2}x^4} dx}{2ce} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} + \frac{b \text{Subst} \left(\int \frac{x^2}{(e+dx)^2 \sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2ce} \\
&= -\frac{bce \sqrt{1 - \frac{1}{c^2x^2}}}{2d(c^2d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} - \frac{(bc) \text{Subst} \left(\int \frac{e - \left(d - \frac{e^2}{c^2d}\right)x}{(e+dx)\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2e(c^2d^2 - e^2)} \\
&= -\frac{bce \sqrt{1 - \frac{1}{c^2x^2}}}{2d(c^2d^2 - e^2) \left(e + \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} + \frac{b \text{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{2cd^2e} - \frac{\left(bc\left(2 - \frac{e^2}{c^2d^2}\right)\right) \text{Subst} \left(\int \frac{1}{d^2 - \frac{e^2}{c^2} - x^2} dx, x, \frac{1}{x} \right)}{2(c^2d^2 - e^2)} \\
&= -\frac{bce \sqrt{1 - \frac{1}{c^2x^2}}}{2d(c^2d^2 - e^2) \left(e + \frac{d}{x}\right)} + \frac{b \csc^{-1}(cx)}{2d^2e} - \frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} + \frac{\left(bc\left(2 - \frac{e^2}{c^2d^2}\right)\right) \text{Subst} \left(\int \frac{1}{d^2 - \frac{e^2}{c^2} - x^2} dx, x, \frac{1}{x} \right)}{2(c^2d^2 - e^2)} \\
&= -\frac{bce \sqrt{1 - \frac{1}{c^2x^2}}}{2d(c^2d^2 - e^2) \left(e + \frac{d}{x}\right)} + \frac{b \csc^{-1}(cx)}{2d^2e} - \frac{a + b \csc^{-1}(cx)}{2e(d + ex)^2} + \frac{b(2c^2d^2 - e^2) \tanh^{-1} \left(\frac{c^2d + \frac{e}{x}}{c\sqrt{c^2d^2 - e^2}\sqrt{1 - \frac{1}{c^2x^2}}} \right)}{2d^2(c^2d^2 - e^2)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.515473, size = 250, normalized size = 1.45

$$\frac{1}{2} \left(-\frac{a}{e(d + ex)^2} - \frac{bce \sqrt{1 - \frac{1}{c^2x^2}}}{d(c^2d^2 - e^2)(d + ex)} - \frac{b(2c^2d^2 - e^2) \log \left(cx \left(cd - \sqrt{1 - \frac{1}{c^2x^2}} \sqrt{c^2d^2 - e^2} \right) + e \right)}{d^2(cd - e)(cd + e)\sqrt{c^2d^2 - e^2}} + \frac{b(2c^2d^2 - e^2) \log(d)}{d^2(cd - e)(cd + e)\sqrt{c^2d^2 - e^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCsc[c*x])/(d + e*x)^3, x]

[Out]
$$\begin{aligned}
&-(a/(e*(d + e*x)^2)) - (b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x)/(d*(c^2*d^2 - e^2)*(d + e*x)) - (b*ArcCsc[c*x])/(e*(d + e*x)^2) + (b*ArcSin[1/(c*x)])/(d^2*e) \\
&+ (b*(2*c^2*d^2 - e^2)*Log[d + e*x])/(d^2*(c*d - e)*(c*d + e)*Sqrt[c^2*d^2 - e^2]) - (b*(2*c^2*d^2 - e^2)*Log[e + c*(c*d - Sqrt[c^2*d^2 - e^2])*Sqrt[1 - 1/(c^2*x^2)]*x])/(d^2*(c*d - e)*(c*d + e)*Sqrt[c^2*d^2 - e^2]))/2
\end{aligned}$$

Maple [B] time = 0.174, size = 1007, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b \operatorname{arccsc}(cx))/(e*x+d)^3, x)$

[Out]
$$\begin{aligned} & -\frac{1}{2} c^2 a / (c * e * x + c * d)^2 / e - \frac{1}{2} c^2 b / (c * e * x + c * d)^2 / e * \operatorname{arccsc}(cx) + \frac{1}{2} c^2 b * \\ & (c^2 x^2 - 1)^{(1/2)} / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} / (c^2 d^2 - e^2) / (c * e * x + c * d) * \operatorname{arc} \\ & \tan(1 / (c^2 x^2 - 1)^{(1/2)}) + \frac{1}{2} c^2 b / e * (c^2 x^2 - 1)^{(1/2)} / ((c^2 x^2 - 1) / c^2 / x^2 \\ &)^{(1/2)} / x * d / (c^2 d^2 - e^2) / (c * e * x + c * d) * \operatorname{arctan}(1 / (c^2 x^2 - 1)^{(1/2)}) - c^2 b * (c^2 \\ & x^2 - 1)^{(1/2)} / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} / ((c^2 d^2 - e^2) / e^2)^{(1/2)} / (c^2 d^2 \\ & - e^2) / (c * e * x + c * d) * \ln(2 * (((c^2 d^2 - e^2) / e^2)^{(1/2)} * (c^2 x^2 - 1)^{(1/2)} * e - d * c \\ & ^2 * x - e) / (c * e * x + c * d)) - c^2 b / e * (c^2 x^2 - 1)^{(1/2)} / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} / \\ & x * d / ((c^2 d^2 - e^2) / e^2)^{(1/2)} / (c^2 d^2 - e^2) / (c * e * x + c * d) * \ln(2 * (((c^2 d^2 - e^2) / e^2 \\ &)^{(1/2)} * (c^2 x^2 - 1)^{(1/2)} * e - d * c^2 * x - e) / (c * e * x + c * d)) - \frac{1}{2} c^2 b * e / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} * x / d / (c^2 d^2 - e^2) / (c * e * x + c * d) + \frac{1}{2} b * e / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} / x / d / (c^2 d^2 - e^2) / (c * e * x + c * d) - \frac{1}{2} b * e^2 * (c^2 x^2 - 1)^{(1/2)} / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} / x / d / (c^2 d^2 - e^2) / (c * e * x + c * d) * \operatorname{arctan}(1 / (c^2 x^2 - 1)^{(1/2)}) - \frac{1}{2} b * e * (c^2 x^2 - 1)^{(1/2)} / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} / x / d / (c^2 d^2 - e^2) / (c * e * x + c * d) * \operatorname{arctan}(1 / (c^2 x^2 - 1)^{(1/2)}) + \frac{1}{2} b * e^2 * (c^2 x^2 - 1)^{(1/2)} / ((c^2 d^2 - e^2) / e^2)^{(1/2)} / (c^2 d^2 - e^2) / (c * e * x + c * d) + \frac{1}{2} b * e * (c^2 x^2 - 1)^{(1/2)} / ((c^2 x^2 - 1) / c^2 / x^2)^{(1/2)} / x / d / ((c^2 d^2 - e^2) / e^2)^{(1/2)} / (c^2 d^2 - e^2) / (c * e * x + c * d) * \ln(2 * (((c^2 d^2 - e^2) / e^2)^{(1/2)} * (c^2 x^2 - 1)^{(1/2)} * e - d * c^2 * x - e) / (c * e * x + c * d)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{\left(c^2 e^3 x^2 + 2 c^2 d e^2 x + c^2 d^2 e \right) \int \frac{x e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(cx-1) \right)}}{c^2 e^3 x^4 + 2 c^2 d e^2 x^3 - 2 d e^2 x + (c^2 e^3 x^4 + 2 c^2 d e^2 x^3 - 2 d e^2 x - d^2 e + (c^2 d^2 e - e^3) x^2)(cx+1)(cx-1) - d^2 e + (c^2 d^2 e - e^3) x^2} dx + 2 \left(e^3 x^2 + 2 d e^2 x + d^2 e \right)}{c^2 e^3 x^2 + 2 d e^2 x + d^2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b \operatorname{arccsc}(cx))/(e*x+d)^3, x, \text{algorithm}=\text{"maxima"})$

[Out]
$$\begin{aligned} & -\frac{1}{2} (2 * (c^2 e^3 x^2 + 2 c^2 d e^2 x + c^2 d^2 e) * \operatorname{integrate}(1/2 * x * e^{(1/2 * \log(cx+1) + 1/2 * \log(cx-1))}, x) + \operatorname{atan2}(1, \sqrt(cx+1) * \sqrt(cx-1))) * b / (e^3 x^2 + 2 d e^2 x + d^2 e) - \frac{1}{2} a / (e^3 x^2 + 2 d e^2 x + d^2 e) \end{aligned}$$

Fricas [B] time = 6.21897, size = 2223, normalized size = 12.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b \operatorname{arccsc}(cx))/(e*x+d)^3, x, \text{algorithm}=\text{"fricas"})$

[Out]
$$\begin{aligned} & [-\frac{1}{2} (a * c^4 d^6 + b * c^3 d^5 e - 2 a * c^2 d^4 e^2 - b * c * d^3 e^3 + a * d^2 e^4 \\ & + (b * c^3 d^3 e^3 - b * c * d * e^5) * x^2 - (2 * b * c^2 d^4 e - b * d^2 e^3 + (2 * b * c^2 d^2 \\ & - b * e^5) * x^2 + 2 * (2 * b * c^2 d^3 e^2 - b * d * e^4) * x) * \sqrt(c^2 d^2 - e^2) * \\ & \log((c^3 d^2 x + c * d * e + \sqrt(c^2 d^2 - e^2) * (c^2 d * x + e)) + (c^2 d^2 + \sqrt(c^2 d^2 - e^2) * c * d - e^2) * \sqrt(c^2 x^2 - 1)) / (e * x + d) + 2 * (b * c^3 d^4 e^2 - b * c * d^2 e^4) * x + (b * c^4 d^6 - 2 * b * c^2 d^4 e^2 + b * d^2 e^4) * \operatorname{arccsc}(cx) \end{aligned}$$

$$\begin{aligned}
& + 2*(b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4 + (b*c^4*d^4*e^2 - 2*b*c^2*d^2*e^4 + b*c^4*d^2*e^6)*x^2 + 2*(b*c^4*d^5*e - 2*b*c^2*d^3*e^3 + b*d^5)*x)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c^2*d^4*e^2 - b*d^2*e^4 + (b*c^2*d^3*e^3 - b*d^5)*x)*sqrt(c^2*x^2 - 1))/(c^4*d^8*e - 2*c^2*d^6*e^3 + d^4*e^5 + (c^4*d^6*e^3 - 2*c^2*d^4*e^5 + d^2*e^7)*x^2 + 2*(c^4*d^7*e^2 - 2*c^2*d^5*e^4 + d^3*e^6)*x), -1/2*(a*c^4*d^6 + b*c^3*d^5*e - 2*a*c^2*d^4*e^2 - b*c*d^3*e^3 + a*d^2*e^4 + (b*c^3*d^3*e^3 - b*c*d^5)*x^2 + 2*(2*b*c^2*d^4*e - b*d^2*e^3 + (2*b*c^2*d^2*e^3 - b*e^5)*x^2 + 2*(2*b*c^2*d^3*e^2 - b*d^4)*x)*sqrt(-c^2*d^2 + e^2)*arctan(-(sqrt(-c^2*d^2 + e^2)*sqrt(c^2*x^2 - 1)*e - sqrt(-c^2*d^2 + e^2)*(c*e*x + c*d))/(c^2*d^2 - e^2)) + 2*(b*c^3*d^4*e^2 - b*c*d^2*e^4)*x + (b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4)*arccsc(c*x) + 2*(b*c^4*d^6 - 2*b*c^2*d^4*e^2 + b*d^2*e^4 + (b*c^4*d^4*e^2 - 2*b*c^2*d^2*e^4 + b*e^6)*x^2 + 2*(b*c^4*d^5*e - 2*b*c^2*d^3*e^3 + b*d^5)*x)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c^2*d^4*e^2 - b*d^2*e^4 + (b*c^2*d^3*e^3 - b*d^5)*x)*sqrt(c^2*x^2 - 1))/(c^4*d^8*e - 2*c^2*d^6*e^3 + d^4*e^5 + (c^4*d^6*e^3 - 2*c^2*d^4*e^5 + d^2*e^7)*x^2 + 2*(c^4*d^7*e^2 - 2*c^2*d^5*e^4 + d^3*e^6)*x)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x+d)**3,x)`

[Out] `Integral((a + b*acsc(c*x))/(d + e*x)**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x + d)^3, x)`

$$3.51 \quad \int x^2 \sqrt{d + ex} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=496

$$\frac{4bd\sqrt{1 - c^2x^2}(9c^2d^2 - e^2)\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) + 2d^2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{105c^4e^2x\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{4d(d+ex)^{5/2}}{3e^3}$$

[Out] $(4*b*d*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(105*c^3*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (4*b*(d + e*x)^(3/2)*(1 - c^2*x^2))/(35*c^3*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (2*d^2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^3) - (4*d*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^3) + (2*(d + e*x)^(7/2)*(a + b*\text{ArcCsc}[c*x]))/(7*e^3) + (4*b*(5*c^2*d^2 - 9*e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^4*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*d*(9*c^2*d^2 - e^2)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^4*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (32*b*d^4*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 2.8273, antiderivative size = 693, normalized size of antiderivative = 1.4, number of steps used = 31, number of rules used = 16, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.762, Rules used = {43, 5247, 12, 6721, 6742, 743, 844, 719, 424, 419, 958, 932, 168, 538, 537, 833}

$$\frac{2d^2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} - \frac{4d(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^3} + \frac{2(d+ex)^{7/2}(a + b \csc^{-1}(cx))}{7e^3} - \frac{32bd^3\sqrt{1 - c^2x^2}\sqrt{d+ex}}{105c^2e^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2 \sqrt{d + e*x} * (a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(4*b*d*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(105*c^3*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (4*b*(d + e*x)^(3/2)*(1 - c^2*x^2))/(35*c^3*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (2*d^2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^3) - (4*d*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^3) + (2*(d + e*x)^(7/2)*(a + b*\text{ArcCsc}[c*x]))/(7*e^3) + (32*b*d^2*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^2*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*(c^2*d^2 + 3*e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(35*c^4*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (32*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^2*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*d*(c*d - e)*(c*d + e)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^4*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (32*b*d^4*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
```

$Q[7*m + 4*n + 4, 0]) \mid\mid LtQ[9*m + 5*(n + 1), 0] \mid\mid GtQ[m + n + 2, 0])$

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide
[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2])], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*(a_.) + (b_.)*(x_)^(n_)^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a +
b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 743

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[
(e*(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 1)), x] + Dist[1/(c
*(m + 2*p + 1)), Int[(d + e*x)^(m - 2)*Simp[c*d^2*(m + 2*p + 1) - a*e^2*(m
- 1) + 2*c*d*e*(m + p)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m,
p}, x] && NeQ[c*d^2 + a*e^2, 0] && If[RationalQ[m], GtQ[m, 1], SumSimplerQ
[m, -2]] && NeQ[m + 2*p + 1, 0] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[((
2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*
d + e*x)/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a),
2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/
a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ
[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c)
], 2)), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d])]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 958

```
Int[((f_) + (g_)*(x_))^(n_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f
+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[
e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 932

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*
x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e
, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_
)]*Sqrt[(g_) + (h_)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g -
c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_
_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 833

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /;
FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{d+ex} (a + b \csc^{-1}(cx)) dx &= \frac{2d^2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} - \frac{4d(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} + \frac{2(d+ex)^{7/2} (a + b \csc^{-1}(cx))}{7e^3} \\
&= \frac{2d^2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} - \frac{4d(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} + \frac{2(d+ex)^{7/2} (a + b \csc^{-1}(cx))}{7e^3} \\
&= \frac{2d^2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} - \frac{4d(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} + \frac{2(d+ex)^{7/2} (a + b \csc^{-1}(cx))}{7e^3} \\
&= \frac{2d^2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} - \frac{4d(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} + \frac{2(d+ex)^{7/2} (a + b \csc^{-1}(cx))}{7e^3} \\
&= \frac{16bd\sqrt{d+ex}(1-c^2x^2)}{105c^3e\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{4b(d+ex)^{3/2}(1-c^2x^2)}{35c^3e\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2d^2(d+ex)^{3/2}(a+b\csc^{-1}(cx))}{3e^3} \\
&= \frac{4bd\sqrt{d+ex}(1-c^2x^2)}{105c^3e\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{4b(d+ex)^{3/2}(1-c^2x^2)}{35c^3e\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2d^2(d+ex)^{3/2}(a+b\csc^{-1}(cx))}{3e^3}
\end{aligned}$$

Mathematica [C] time = 13.9094, size = 870, normalized size = 1.75

$$b \left(-\frac{c \left(\frac{d}{x}+e\right) x \left(-\frac{16 c^3 \csc^{-1}(cx) d^3}{105 e^3}-\frac{2}{7} c^3 x^3 \csc^{-1}(cx)-\frac{2 c^2 x^2 \left(2 \sqrt{1-\frac{1}{c^2 x^2}} e+c d \csc^{-1}(cx)\right)}{35 e}-\frac{8 c x \left(c d e \sqrt{1-\frac{1}{c^2 x^2}}-c^2 d^2 \csc^{-1}(cx)\right)}{105 e^2}-\frac{4 \left(9 e^2-5 c^2 d^2\right) \sqrt{1-\frac{1}{c^2 x^2}}}{105 e^2}\right)}{\sqrt{d+ex}} - \frac{2 \sqrt{\frac{d}{x}+e} \sqrt{cx}}{2}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[x^2*.Sqrt[d + e*x]*(a + b*ArcCsc[c*x]), x]`

[Out]
$$\begin{aligned} & -((a*d^3*Sqrt[d + e*x]*Beta[-((e*x)/d), 3, 3/2])/(e^3*Sqrt[1 + (e*x)/d])) + \\ & (b*(-((c*(e + d/x)*x*((-4*(-5*c^2*d^2 + 9*e^2)*Sqrt[1 - 1/(c^2*x^2)]))/(105 *e^2) - (16*c^3*d^3*ArcCsc[c*x])/(105*e^3) - (2*c^3*x^3*ArcCsc[c*x])/7 - (2 *c^2*x^2*(2*e*Sqrt[1 - 1/(c^2*x^2)] + c*d*ArcCsc[c*x]))/(35*e) - (8*c*x*(c*d*e*Sqrt[1 - 1/(c^2*x^2)] - c^2*d^2*ArcCsc[c*x]))/(105*e^2)))/Sqrt[d + e*x]) - (2*Sqrt[e + d/x]*Sqrt[c*x]*((2*(9*c^3*d^3*e - c*d*e^3)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2 *e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(8*c^4*d^4 + 5*c^2*d^2*e^2 - 9*e^4)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(-5*c^3*d^3*e + 9*c*d*e^3)*Cos[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2 *e)/(c*d + e)] - (c*x*(1 + c*x)*Sqrt[(e - c*e*x)/(c*d + e)]*Sqrt[(c*d + c*e*x)/(c*d - e)]*((c*d + e)*EllipticE[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)]))/Sqrt[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]))/(c*d*Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*Sqrt[c*x]*(-2 + c^2*x^2)))/(105*e^3*Sqrt[d + e*x])))/c^4 \end{aligned}$$

Maple [B] time = 0.285, size = 1222, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))*(e*x+d)^(1/2), x)`

[Out]
$$\begin{aligned} & 2/e^3*(a*(1/7*(e*x+d)^(7/2)-2/5*(e*x+d)^(5/2)*d+1/3*(e*x+d)^(3/2)*d^2)+b*(1/7*arccsc(c*x)*(e*x+d)^(7/2)-2/5*arccsc(c*x)*(e*x+d)^(5/2)*d+1/3*arccsc(c*x)*(e*x+d)^(3/2)*d^2+2/105/c^4*(3*(c/(c*d-e))^(1/2)*(e*x+d)^(7/2)*c^3-7*(c/(c*d-e))^(1/2)*(e*x+d)^(5/2)*c^3*d+5*(c/(c*d-e))^(1/2)*(e*x+d)^(3/2)*c^3*d^2+4*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^3*d^3+5*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^3*d^3-8*d^3 \end{aligned}$$

```

*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c^3-(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*c^3*d^3-5*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^2*d^2*e+5*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^2*d^2*e-3*(c/(c*d-e))^(1/2)*(e*x+d)^(3/2)*c*e^2+8*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e^2-9*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e^2+(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*c*d*e^2+9*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*e^3-9*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*e^3/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)))

```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="maxima")
```

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\int \left((bx^2 \operatorname{arccsc}(cx) + ax^2)\sqrt{ex+d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((b*x^2*arccsc(c*x) + a*x^2)*sqrt(e*x + d), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))*(e*x+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x + d)*(b*arccsc(c*x) + a)*x^2, x)`

$$3.52 \quad \int x \sqrt{d + ex} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=404

$$\frac{4b\sqrt{1 - c^2x^2} \left(3c^2d^2 - e^2 \right) \sqrt{\frac{c(d+ex)}{cd+e}} \text{EllipticF} \left(\sin^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{2}} \right), \frac{2e}{cd+e} \right)}{15c^4ex\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{2d(d+ex)^{3/2} \left(a + b \csc^{-1}(cx) \right)}{3e^2} + \frac{2(d+ex)^{5/2} \left(a + b \csc^{-1}(cx) \right)}{5e^2}$$

[Out] $(-4*b*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(15*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (2*d*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^2) + (2*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^2) - (8*b*d*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*(3*c^2*d^2 - e^2)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^4*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (8*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 2.19491, antiderivative size = 502, normalized size of antiderivative = 1.24, number of steps used = 24, number of rules used = 15, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.79, Rules used = {43, 5247, 12, 6721, 6742, 743, 844, 719, 424, 419, 958, 932, 168, 538, 537}

$$-\frac{2d(d+ex)^{3/2} \left(a + b \csc^{-1}(cx) \right)}{3e^2} + \frac{2(d+ex)^{5/2} \left(a + b \csc^{-1}(cx) \right)}{5e^2} + \frac{8bd^3\sqrt{1 - c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi \left(2; \sin^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{2}} \right) | \frac{2e}{cd+e} \right)}{15ce^2x\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{d+ex}} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(-4*b*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(15*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (2*d*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^2) + (2*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^2) - (8*b*d*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (8*b*d^2*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (4*b*(c*d - e)*(c*d + e)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^4*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (8*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 43

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LessQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/
```

```
(x^2*.Sqrt[1 - 1/(c^2*x^2)], x], x] /; InverseFunctionFreeQ[v, x]] /; FreeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a + b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), Int[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 743

```
Int[((d_) + (e_)*(x_)^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simplify[(e*(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 1)), x] + Dist[1/(c*(m + 2*p + 1)), Int[(d + e*x)^(m - 2)*Simplify[c*d^2*(m + 2*p + 1) - a*e^2*(m - 1) + 2*c*d*e*(m + p)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && Neq[c*d^2 + a*e^2, 0] && If[RationalQ[m], GtQ[m, 1], SumSimplerQ[m, -2]] && Neq[m + 2*p + 1, 0] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_)^(m_)*((f_) + (g_)*(x_)*)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && Neq[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 719

```
Int[((d_) + (e_)*(x_)^(m_))/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2])))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && Neq[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simplify[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simplify[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && Simplify[Sqrt[-(b/a), -(d/c)]]]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2])], (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 932

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]], x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simplify[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int x \sqrt{d+ex} (a + b \csc^{-1}(cx)) dx &= -\frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{b \int \frac{2(d+ex)^{3/2}(-2)}{15e^2 \sqrt{1-\frac{c^2}{c^2x^2}}} dx}{c} \\
&= -\frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(2b) \int \frac{(d+ex)^{3/2}}{\sqrt{1-\frac{c^2}{c^2x^2}}} dx}{15ce} \\
&= -\frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(2b\sqrt{1-c^2x^2})}{15ce} \\
&= -\frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(2b\sqrt{1-c^2x^2})}{15ce} \\
&= -\frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} - \frac{(4bd\sqrt{1-c^2x^2})}{15ce^2} \\
&= -\frac{4b\sqrt{d+ex} (1-c^2x^2)}{15c^3 \sqrt{1-\frac{1}{c^2x^2}} x} - \frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} \\
&= -\frac{4b\sqrt{d+ex} (1-c^2x^2)}{15c^3 \sqrt{1-\frac{1}{c^2x^2}} x} - \frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} \\
&= -\frac{4b\sqrt{d+ex} (1-c^2x^2)}{15c^3 \sqrt{1-\frac{1}{c^2x^2}} x} - \frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} \\
&= -\frac{4b\sqrt{d+ex} (1-c^2x^2)}{15c^3 \sqrt{1-\frac{1}{c^2x^2}} x} - \frac{2d(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{2(d+ex)^{5/2} (a + b \csc^{-1}(cx))}{5e^2}
\end{aligned}$$

Mathematica [C] time = 1.61413, size = 368, normalized size = 0.91

$$\frac{1}{15} \left(-\frac{4ib\sqrt{\frac{e(cx+1)}{e-cd}} \sqrt{\frac{e-cex}{cd+e}} ((-c^2d^2 - 2cde + e^2) \text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) + 2c^2d^2 \Pi\left(\frac{e}{cd} + 1; i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right)\right))}{c^3e^2x \sqrt{1-\frac{1}{c^2x^2}} \sqrt{-\frac{c}{cd+e}}} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[x*.Sqrt[d + e*x]*(a + b*ArcCsc[c*x]), x]`

```
[Out] ((4*b*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])/c + (2*a*Sqrt[d + e*x]*(-2*d^2 + d*e*x + 3*e^2*x^2))/e^2 + (2*b*Sqrt[d + e*x]*(-2*d^2 + d*e*x + 3*e^2*x^2))*ArcCsc[c*x])/e^2 - ((4*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*x)/(c*d + e)]*(-2*c*d*(c*d - e))*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (-(c^2*d^2) - 2*c*d*e + e^2)*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + 2*c^2*d^2*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)]))/((c^3*e^2*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)]*x))/15
```

Maple [B] time = 0.281, size = 836, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))*(e*x+d)^(1/2),x)`

```
[Out] 2/e^2*(a*(1/5*(e*x+d)^(5/2)-1/3*(e*x+d)^(3/2)*d)+b*(1/5*arccsc(c*x)*(e*x+d)^(5/2)-1/3*arccsc(c*x)*(e*x+d)^(3/2)*d+2/15/c^3*((c/(c*d-e))^(1/2)*(e*x+d)^(5/2)*c^2-2*(c/(c*d-e))^(1/2)*(e*x+d)^(3/2)*c^2*d-d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^2-2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^2*d^2+2*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c^2+(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*c^2*d^2+2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e-2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*e^2-(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*e^2)/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))*(e*x+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex + d} (b \operatorname{arccsc}(cx) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x + d)*(b*arccsc(c*x) + a)*x, x)`

$$3.53 \quad \int \sqrt{d + ex} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=315

$$\frac{4bd\sqrt{1 - c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e} - \frac{4bd^2\sqrt{1 - c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{3cex\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{d+ex}}}{3c^2x\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(2*(d + e*x)^(3/2)*(a + b*ArcCsc[c*x]))/(3*e) - (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) - (4*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (4*b*d^2*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rubi [A] time = 0.48491, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.611, Rules used = {5227, 1574, 958, 719, 419, 933, 168, 538, 537, 844, 424}

$$\frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e} - \frac{4bd^2\sqrt{1 - c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{3cex\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{4bd\sqrt{1 - c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{3c^2x\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x]*(a + b*ArcCsc[c*x]), x]

[Out] $(2*(d + e*x)^(3/2)*(a + b*ArcCsc[c*x]))/(3*e) - (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (4*b*d^2*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rule 5227

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(d_) + (e_)*(x_)^(m_), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x]; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(mn2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^(FracPart[p])/((c + a*x^(2*n))^(FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x]]; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.*(x_)))*Sqrt[(a_) + (c_.*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2])], (f + g*x)^(n + 1/2)/(d + e*x), x, x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 719

```
Int[((d_.) + (e_.*(x_))^(m_))/Sqrt[(a_) + (c_.*(x_)^2], x_Symbol] :> Dist[2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a]/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2])*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x, x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.*(x_)^2)*Sqrt[(c_) + (d_.*(x_)^2]]], x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 933

```
Int[1/(((d_.) + (e_.*(x_)))*Sqrt[(f_.) + (g_.*(x_))]*Sqrt[(a_) + (c_.*(x_)^2)], x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.*(x_)))*Sqrt[(c_.) + (d_.*(x_))]*Sqrt[(e_.) + (f_.*(x_))]*Sqrt[(g_.) + (h_.*(x_))], x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.*(x_)^2)*Sqrt[(c_) + (d_.*(x_)^2)*Sqrt[(e_) + (f_.*(x_)^2]]], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x, x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.*(x_)^2)*Sqrt[(c_) + (d_.*(x_)^2)*Sqrt[(e_) + (f_.*(x_)^2]]], x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 844

```
Int[((d_.) + (e_.*(x_))^(m_)*((f_.) + (g_.*(x_)))*((a_) + (c_.*(x_)^2))^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x, x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x, x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simplify[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{d+ex} (a + b \csc^{-1}(cx)) dx &= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(2b) \int \frac{(d+ex)^{3/2}}{\sqrt{1-\frac{1}{c^2x^2}x^2}} dx}{3ce} \\
&= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(2b\sqrt{-\frac{1}{c^2}+x^2}) \int \frac{(d+ex)^{3/2}}{x\sqrt{-\frac{1}{c^2}+x^2}} dx}{3ce\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(2b\sqrt{-\frac{1}{c^2}+x^2}) \int \left(\frac{2de}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} + \frac{d^2}{x\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} + \dots \right)}{3ce\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(4bd\sqrt{-\frac{1}{c^2}+x^2}) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}}} + \frac{(2bd^2\sqrt{-\frac{1}{c^2}+x^2})}{3ce} \\
&= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(2b\sqrt{-\frac{1}{c^2}+x^2}) \int \frac{\sqrt{d+ex}}{\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}}} - \frac{(2bd\sqrt{-\frac{1}{c^2}+x^2}) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{3c\sqrt{1-\frac{1}{c^2x^2}}} \\
&= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} - \frac{8bd\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\Big| \frac{2e}{cd+e}\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{d+ex}} - \frac{(4bd^2\sqrt{\frac{c(d+ex)}{cd+e}})}{3c} \\
&= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} - \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\Big| \frac{2e}{cd+e}\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{c(d+ex)}{cd+e}}} - \frac{4bd\sqrt{\frac{c(d+ex)}{cd+e}}}{3c} \\
&= \frac{2(d+ex)^{3/2} (a + b \csc^{-1}(cx))}{3e} - \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)\Big| \frac{2e}{cd+e}\right)}{3c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{c(d+ex)}{cd+e}}} - \frac{4bd\sqrt{\frac{c(d+ex)}{cd+e}}}{3c}
\end{aligned}$$

Mathematica [B] time = 13.2616, size = 657, normalized size = 2.09

$$\begin{aligned}
&\frac{2a(d+ex)^{3/2}}{3e} - b(cd+cex) \left(\frac{\frac{4d\sqrt{-c^2x^2\left(1-\frac{1}{c^2x^2}\right)}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{x\sqrt{1-\frac{1}{c^2x^2}}(cd+e)\sqrt{\frac{cd+cex}{cd+e}}} + \frac{\sin(4\csc^{-1}(cx))\sec(2\csc^{-1}(cx))\left(c^2dx\sqrt{-c^2x^2\left(1-\frac{1}{c^2x^2}\right)}\sqrt{\frac{cd+cex}{cd+e}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{c^2\sqrt{1-\frac{1}{c^2x^2}}x\sqrt{\frac{cd+cex}{cd+e}}}}}{\frac{4d\sqrt{-c^2x^2\left(1-\frac{1}{c^2x^2}\right)}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{x\sqrt{1-\frac{1}{c^2x^2}}(cd+e)\sqrt{\frac{cd+cex}{cd+e}}}}
\end{aligned}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[Sqrt[d + e*x]*(a + b*ArcCsc[c*x]), x]`

[Out]
$$\begin{aligned} & \frac{(2*a*(d + e*x)^{(3/2)})/(3*e) - (b*(c*d + c*e*x)*((-2*(2*e*Sqrt[1 - 1/(c^2*x^2)]) + c*d*ArcCsc[c*x] + c*e*x*ArcCsc[c*x]))/e + (4*d*Sqrt[-(c^2*(1 - 1/(c^2*x^2)))*x^2])*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/((c*d + e)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*d + c*e*x)/(c*d + e)]) - (4*(-(c*d + e)*Sqrt[-(c^2*(1 - 1/(c^2*x^2)))*x^2])*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/(c*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*d + c*e*x)/(c*d + e)]) + ((c^2*(1 - 1/(c^2*x^2)))*x^2*(c*d + c*e*x) + c^2*d*x*Sqrt[-(c^2*(1 - 1/(c^2*x^2)))*x^2])*Sqrt[(c*d + c*e*x)/(c*d + e)]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*Sqrt[(e - c*e*x)/(c*d + e)]*Sqrt[(c*d + c*e*x)/(c*d - e)])*((c*d + e)*EllipticE[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)]))/Sqrt[(e*(1 + c*x))/(-(c*d + e))] + c*e*x*Sqrt[-(c^2*(1 - 1/(c^2*x^2)))*x^2])*Sqrt[(c*d + c*e*x)/(c*d + e)]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]*Sec[2*ArcCsc[c*x]]*Sin[4*ArcCsc[c*x]])/(c^2*(1 - 1/(c^2*x^2))*(e + d/x)*x^2)))/(3*c^2*Sqrt[d + e*x]) \end{aligned}$$

Maple [A] time = 0.273, size = 388, normalized size = 1.2

$$2 \frac{1}{e} \left(\frac{1}{3} (ex + d)^{3/2} a + b \left(\frac{1}{3} (ex + d)^{3/2} \operatorname{arccsc}(cx) + \frac{2}{3} \frac{1}{c^2 x} \left(2 d \operatorname{EllipticF} \left(\sqrt{ex + d} \sqrt{\frac{c}{dc - e}}, \sqrt{\frac{dc - e}{dc + e}} \right) c - \operatorname{EllipticF} \left(\sqrt{ex + d} \sqrt{\frac{c}{dc - e}}, \sqrt{\frac{dc - e}{dc + e}} \right) d \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))*(e*x+d)^(1/2), x)`

[Out]
$$\begin{aligned} & 2/e*(1/3*(e*x+d)^(3/2)*a+b*(1/3*(e*x+d)^(3/2)*arccsc(c*x)+2/3/c^2*(2*d*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c-EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c*d-d*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c+EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e-EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2))) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex + d} (b \operatorname{arccsc}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x + d)*(b*arccsc(c*x) + a), x)`

3.54 $\int \frac{\sqrt{d+ex}(a+b \csc^{-1}(cx))}{x} dx$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{\sqrt{d+ex}(a+b \csc^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x, x]

Rubi [A] time = 0.0708815, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{\sqrt{d+ex}(a+b \csc^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x, x]

[Out] Defer[Int][(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x, x]

Rubi steps

$$\int \frac{\sqrt{d+ex}(a+b \csc^{-1}(cx))}{x} dx = \int \frac{\sqrt{d+ex}(a+b \csc^{-1}(cx))}{x} dx$$

Mathematica [A] time = 17.5124, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex}(a+b \csc^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x, x]

[Out] Integrate[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x, x]

Maple [A] time = 5.796, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x} \sqrt{ex+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x,x)

[Out] int((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x,x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/x, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x+d)**(1/2)/x,x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x,x, algorithm="giac")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/x, x)`

$$3.55 \quad \int \frac{\sqrt{d+ex} (a+b \csc^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{\sqrt{d+ex} (a+b \csc^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x^2, x]

Rubi [A] time = 0.0757837, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{\sqrt{d+ex} (a+b \csc^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x^2, x]

[Out] Defer[Int][(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x^2, x]

Rubi steps

$$\int \frac{\sqrt{d+ex} (a+b \csc^{-1}(cx))}{x^2} dx = \int \frac{\sqrt{d+ex} (a+b \csc^{-1}(cx))}{x^2} dx$$

Mathematica [A] time = 7.99731, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex} (a+b \csc^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x^2, x]

[Out] Integrate[(Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/x^2, x]

Maple [A] time = 4.339, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x^2} \sqrt{ex+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x^2, x)

[Out] int((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x^2, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x^2,x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/x^2, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x+d)**(1/2)/x**2,x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x+d)^(1/2)/x^2,x, algorithm="giac")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/x^2, x)`

$$\mathbf{3.56} \quad \int (d + ex)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=372

$$\frac{4b\sqrt{1-c^2x^2}(2c^2d^2+e^2)\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) + 2(d+ex)^{5/2}(a+b\csc^{-1}(cx)) - 4bd^3\sqrt{1-c^2x^2}\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}{15c^4x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(-4*b*e*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(15*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (2*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e) - (28*b*d*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*(2*c^2*d^2 + e^2)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(5*c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 0.754832, antiderivative size = 372, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 13, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.722$, Rules used = {5227, 1574, 958, 719, 419, 933, 168, 538, 537, 844, 424, 931, 1584}

$$\frac{2(d+ex)^{5/2}(a+b\csc^{-1}(cx))}{5e} - \frac{4b\sqrt{1-c^2x^2}(2c^2d^2+e^2)\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{15c^4x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{4bd^3\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{5cex\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(-4*b*e*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(15*c^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (2*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e) - (28*b*d*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*(2*c^2*d^2 + e^2)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(5*c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 5227

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_))^(m_), x_Symbol]
  :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*sqrt[1 - 1/(c^2*x^2)]), x], x] /;
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(mn2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol]
  :> Dist[(x^(2*n)*FracPart[p])*((a + c/x^(2*n))^FracPart[p])/(c + a*x^(2*n))^FracPart[p], Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x], x] /;
  FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2])], (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 719

```
Int[((d_.) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2])*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_) + (d_.)*(x_)]*Sqrt[(e_) + (f_.)*(x_)]*Sqrt[(g_) + (h_.)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f}, x]
```

```
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c),
2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 931

```
Int[((d_) + (e_)*(x_))^(m_)/(Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> Simp[(2*e^2*(d + e*x)^(m - 2)*Sqrt[f + g*x]*Sqrt[a + c*x^2])/(c*g*(2*m - 1)), x] - Dist[1/(c*g*(2*m - 1)), Int[((d + e*x)^(m - 3)*Simp[a*e^2*(d*g + 2*e*f*(m - 2)) - c*d^3*g*(2*m - 1) + e*(e*(a*e*g*(2*m - 3)) + c*d*(2*e*f - 3*d*g*(2*m - 1)))*x + 2*e^2*(c*e*f - 3*c*d*g)*(m - 1)*x^2, x])/Sqrt[f + g*x]*Sqrt[a + c*x^2]], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[2*m] && GeQ[m, 2]
```

Rule 1584

```
Int[(u_)*(x_)^(m_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol]
:> Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x]
&& IntegerQ[n] && PosQ[q - p]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^{3/2} (a+b \csc^{-1}(cx)) dx &= \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} + \frac{(2b) \int \frac{(d+ex)^{5/2}}{\sqrt{1-\frac{1}{c^2x^2}x^2}} dx}{5ce} \\
&= \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} + \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{(d+ex)^{5/2}}{x\sqrt{-\frac{1}{c^2}+x^2}} dx}{5ce\sqrt{1-\frac{1}{c^2x^2}}x} \\
&= \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} + \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \left(\frac{3d^2e}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} + \frac{d^3}{x\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} + \right)}{5ce\sqrt{1-\frac{1}{c^2x^2}}x} \\
&= \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} + \frac{\left(6bd^2\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{5c\sqrt{1-\frac{1}{c^2x^2}}} + \frac{\left(2bd^3\sqrt{-\frac{1}{c^2}}\right)}{5c\sqrt{1-\frac{1}{c^2x^2}}} \\
&= -\frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} + \frac{\left(6bd\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{\sqrt{d+ex}}{\sqrt{-\frac{1}{c^2}+x^2}}}{5c\sqrt{1-\frac{1}{c^2x^2}}} \\
&= -\frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} - \frac{12bd^2\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}E}{5c^2\sqrt{1-\frac{1}{c^2x^2}}} \\
&= -\frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} - \frac{12bd\sqrt{d+ex}\sqrt{1-c^2x^2}E}{5c^2\sqrt{1-\frac{1}{c^2x^2}}} \\
&= -\frac{4be\sqrt{d+ex}(1-c^2x^2)}{15c^3\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2(d+ex)^{5/2} (a+b \csc^{-1}(cx))}{5e} - \frac{28bd\sqrt{d+ex}\sqrt{1-c^2x^2}E}{15c^2\sqrt{1-\frac{1}{c^2x^2}}}
\end{aligned}$$

Mathematica [C] time = 1.42274, size = 333, normalized size = 0.9

$$\frac{1}{15} \left(-\frac{4ib\sqrt{\frac{e(cx+1)}{e-cd}}\sqrt{\frac{e-ce}{cd+e}} \left((9c^2d^2 - 7cde + e^2) \text{EllipticF} \left(i \sinh^{-1} \left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex} \right), \frac{cd+e}{cd-e} \right) - 3c^2d^2 \Pi \left(\frac{e}{cd} + 1; i \sinh^{-1} \left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex} \right) \right) \right)}{c^3ex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{-\frac{c}{cd+e}}}
\right)$$

Antiderivative was successfully verified.

[In] `Integrate[(d + e*x)^(3/2)*(a + b*ArcCsc[c*x]), x]`

[Out] $((4*b*e*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[d + e*x])/c + (6*a*(d + e*x)^(5/2))/e + (6*b*(d + e*x)^(5/2)*ArcCsc[c*x])/e - ((4*I)*b*sqrt[(e*(1 + c*x))/(-(c*d + e)]*sqrt[(e - c*x)/(c*d + e)]*(-7*c*d*(c*d - e)*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]*sqrt[d + e*x]], (c*d + e)/(c*d - e)] + (9*c^2*d^2 - 7*c*d*e + e^2)*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*sqrt[d + e*x]], (c*d + e)/(c*d - e)] - 3*c^2*d^2*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*sqrt[d + e*x]], (c*d + e)/(c*d - e)]))/((c^3*e*sqrt[-(c/(c*d + e))]*sqrt[1 - 1/(c^2*x^2)]*x))/15$

Maple [B] time = 0.278, size = 810, normalized size = 2.2

$$2 \frac{1}{e} \left(\frac{1}{5} (ex + d)^{5/2} a + b \left(\frac{1}{5} \operatorname{arccsc}(cx) (ex + d)^{5/2} + \frac{2}{15} \frac{1}{c^3 x} \left(\sqrt{\frac{c}{dc - e}} (ex + d)^{5/2} c^2 - 2 \sqrt{\frac{c}{dc - e}} (ex + d)^{3/2} c^2 d + 9 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((e*x+d)^(3/2)*(a+b*arccsc(c*x)), x)$

[Out] $2/e*(1/5*(e*x+d)^(5/2)*a+b*(1/5*arccsc(c*x)*(e*x+d)^(5/2)+2/15/c^3*((c/(c*d-e))^(1/2)*(e*x+d)^(5/2)*c^2-2*(c/(c*d-e))^(1/2)*(e*x+d)^(3/2)*c^2*d+9*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2-7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2*d^2-3*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c^2+(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*c^2*d^2+7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c*d*e-7*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c*d*e+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e^2-(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*e^2/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((e*x+d)^(3/2)*(a+b*arccsc(c*x)), x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(3/2)*(a+b*acsc(c*x)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^{\frac{3}{2}}(b \operatorname{arccsc}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x + d)^(3/2)*(b*arccsc(c*x) + a), x)`

$$3.57 \int \frac{x^3(a+b \csc^{-1}(cx))}{\sqrt{d+ex}} dx$$

Optimal. Leaf size=714

$$\frac{64bd^3\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) - 32bd\sqrt{1-c^2x^2}(cd-e)(cd+e)\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{35c^2e^3x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex} - 105c^4e^3x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(-4*b*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(35*c^3*e*\text{Sqrt}[1 - 1/(c^2*x^2)]) + (4*b*d*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(21*c^3*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (2*d^3*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^4 + (2*d^2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/e^4 - (6*d*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^4) + (2*(d + e*x)^(7/2)*(a + b*\text{ArcCsc}[c*x]))/(7*e^4) - (24*b*d^2*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(35*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*(2*c^2*d^2 - 9*e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^4*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (64*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(35*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (32*b*d*(c*d - e)*(c*d + e)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^4*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (64*b*d^4*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(35*c^2*e^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 2.58945, antiderivative size = 714, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 17, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.81, Rules used = {43, 5247, 12, 6721, 6742, 719, 424, 944, 419, 932, 168, 538, 537, 833, 844, 942, 1654}

$$-\frac{2d^3\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a+b \csc^{-1}(cx))}{e^4} - \frac{6d(d+ex)^{5/2}(a+b \csc^{-1}(cx))}{5e^4} + \frac{2(d+ex)^{7/2}(a+b \csc^{-1}(cx))}{7e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x], x]

[Out] $(-4*b*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(35*c^3*e*\text{Sqrt}[1 - 1/(c^2*x^2)]) + (4*b*d*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(21*c^3*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (2*d^3*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^4 + (2*d^2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/e^4 - (6*d*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^4) + (2*(d + e*x)^(7/2)*(a + b*\text{ArcCsc}[c*x]))/(7*e^4) - (24*b*d^2*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(35*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*(2*c^2*d^2 - 9*e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^4*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (64*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(35*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (32*b*d*(c*d - e)*(c*d + e)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(105*c^4*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (64*b*d^4*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(35*c^2*e^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

$1/(c^2*x^2)*x*Sqrt[d + e*x])$

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*(c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide
[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2)])], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*(a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a +
b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[((
2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*
d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a),
2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/
a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ
[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c),
2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 944

```
Int[Sqrt[(f_) + (g_)*(x_)]/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]], x_Symbol] :> Dist[g/e, Int[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] +
Dist[(e*f - d*g)/e, Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /
; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 932

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*
x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e
, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)^2]*Sqrt[(g_) + (h_)*(x_))], x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g -
c*h)/d + (h*x^2)/d, x]]], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 833

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d
, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 942

```
Int[((d_) + (e_)*(x_))^(m_)*Sqrt[(f_) + (g_)*(x_)]/Sqrt[(a_) + (c_)*
(x_)^2], x_Symbol] :> Simp[(2*e*(d + e*x)^(m - 1)*Sqrt[f + g*x]*Sqrt[a + c*
x^2])/(c*(2*m + 1)), x] - Dist[1/(c*(2*m + 1)), Int[((d + e*x)^(m - 2)*Simp
[a*e*(d*g + 2*e*f*(m - 1)) - c*d^2*f*(2*m + 1) + (a*e^2*g*(2*m - 1) - c*d*(4*
e*f*m + d*g*(2*m + 1)))*x - c*e*(e*f + d*g*(4*m - 1))*x^2, x])/(Sqrt[f +
```

```
g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[2*m] && GtQ[m, 1]
```

Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_.))^m_*((a_) + (c_.)*(x_)^2)^p_, x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c *e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \csc^{-1}(cx))}{\sqrt{d+ex}} dx &= -\frac{2d^3\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{e^4} - \frac{6d(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^4} \\
&= -\frac{2d^3\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{e^4} - \frac{6d(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^4} \\
&= -\frac{2d^3\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{e^4} - \frac{6d(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^4} \\
&= -\frac{2d^3\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{e^4} - \frac{6d(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^4} \\
&= -\frac{4b\sqrt{d+ex}(1-c^2x^2)}{35c^3e\sqrt{1-\frac{1}{c^2x^2}}} + \frac{8bd\sqrt{d+ex}(1-c^2x^2)}{35c^3e^2\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{2d^3\sqrt{d+ex}(a+b\csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a+b\csc^{-1}(cx))}{21c^3e^2\sqrt{1-\frac{1}{c^2x^2}}x} \\
&= -\frac{4b\sqrt{d+ex}(1-c^2x^2)}{35c^3e\sqrt{1-\frac{1}{c^2x^2}}} + \frac{4bd\sqrt{d+ex}(1-c^2x^2)}{21c^3e^2\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{2d^3\sqrt{d+ex}(a+b\csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a+b\csc^{-1}(cx))}{21c^3e^2\sqrt{1-\frac{1}{c^2x^2}}x} \\
&= -\frac{4b\sqrt{d+ex}(1-c^2x^2)}{35c^3e\sqrt{1-\frac{1}{c^2x^2}}} + \frac{4bd\sqrt{d+ex}(1-c^2x^2)}{21c^3e^2\sqrt{1-\frac{1}{c^2x^2}}x} - \frac{2d^3\sqrt{d+ex}(a+b\csc^{-1}(cx))}{e^4} + \frac{2d^2(d+ex)^{3/2}(a+b\csc^{-1}(cx))}{21c^3e^2\sqrt{1-\frac{1}{c^2x^2}}x}
\end{aligned}$$

Mathematica [C] time = 13.7471, size = 873, normalized size = 1.22

$$b = \frac{a \sqrt{\frac{ex}{d} + 1} B_{-\frac{ex}{d}} \left(4, \frac{1}{2} \right) d^4}{e^4 \sqrt{d + ex}} + \frac{2 \sqrt{\frac{d}{x} + e} \sqrt{cx} \left(\begin{array}{l} \frac{2(40c^3ed^3 + 8ce^3d)\sqrt{\frac{cd+ce}{cd+e}}\sqrt{1-c^2x^2}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{\sqrt{1-\frac{1}{c^2x^2}}\sqrt{\frac{d}{x}+e}(cx)^{3/2}} + \\ \frac{2(48c^4d^4 + 16c^2e^2d^2 + 9e^4)\sqrt{\frac{cd+ce}{cd+e}}\sqrt{1-c^2x^2}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{\sqrt{1-\frac{1}{c^2x^2}}\sqrt{\frac{d}{x}+e}(cx)^{3/2}} \end{array} \right)}{\sqrt{1-\frac{1}{c^2x^2}}\sqrt{\frac{d}{x}+e}(cx)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x], x]

```
[Out] (a*d^4*Sqrt[1 + (e*x)/d]*Beta[-((e*x)/d), 4, 1/2])/(e^4*Sqrt[d + e*x]) + (b *(-(c*(e + d/x)*x*((-4*(16*c^2*d^2 + 9*e^2)*Sqrt[1 - 1/(c^2*x^2)]))/(105*e^3) + (32*c^3*d^3*ArcCsc[c*x])/((35*e^4) - (2*c^3*x^3*ArcCsc[c*x]))/(7*e) - (4*c^2*x^2*(e*Sqrt[1 - 1/(c^2*x^2)] - 3*c*d*ArcCsc[c*x]))/(35*e^2) + (4*c*x*(5*c*d*e*Sqrt[1 - 1/(c^2*x^2)] - 12*c^2*d^2*ArcCsc[c*x]))/(105*e^3)))/Sqrt[d + e*x]) + (2*Sqrt[e + d/x]*Sqrt[c*x]*((2*(40*c^3*d^3*e + 8*c*d*e^3)*Sqrt[(c*d + c*e*x)/(c*d + e)])*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(48*c^4*d^4 + 16*c^2*d^2*e^2 + 9*e^4)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(-16*c^3*d^3*e - 9*c*d*e^3)*Cos[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*Sqrt[(e - c*e*x)/(c*d + e)]*Sqrt[(c*d + c*e*x)/(c*d - e)], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)]))/Sqrt[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c*d*Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*Sqrt[c*x]*(-2 + c^2*x^2)))/(105*e^4*Sqrt[d + e*x]))/c^4
```

Maple [A] time = 0.286, size = 1248, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^3(a+b\arccsc(cx))/(e*x+d)^{1/2} dx$

```
[Out] 2/e^4*(a*(1/7*(e*x+d)^(7/2)-3/5*(e*x+d)^(5/2)*d+(e*x+d)^(3/2)*d^2-d^3*(e*x+d)^(1/2))+b*(1/7*arccsc(c*x)*(e*x+d)^(7/2)-3/5*arccsc(c*x)*(e*x+d)^(5/2)*d+arccsc(c*x)*(e*x+d)^(3/2)*d^2-arccsc(c*x)*d^3*(e*x+d)^(1/2)+2/105/c^4*(3*(c/(c*d-e))^(1/2)*(e*x+d)^(7/2)*c^3-14*(c/(c*d-e))^(1/2)*(e*x+d)^(5/2)*c^3*d+19*(c/(c*d-e))^(1/2)*(e*x+d)^(3/2)*c^3*d^2-24*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^3*d^3-16*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c^3*d^3+48*d^3*3*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2))
```

$$(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticPi((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)}, 1/c*(c*d-e)/d, (c/(c*d+e))^{(1/2)}/(c/(c*d-e))^{(1/2)})*c^3-8*(c/(c*d-e))^{(1/2)}*(e*x+d)^{(1/2)}*c^3*d^3+16*(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticF((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)})*c^2*d^2*e-16*(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticE((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)})*c^2*d^2*e-3*(c/(c*d-e))^{(1/2)}*(e*x+d)^{(3/2)}*c*e^2+(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticF((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)})*c*d*e^2-9*(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticE((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)})*c*d*e^2+8*(c/(c*d-e))^{(1/2)}*(e*x+d)^{(1/2)}*c*d*e^2+9*(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticF((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)})*e^3-9*(-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)}*EllipticE((e*x+d)^{(1/2)}*(c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)})*e^3)/(c/(c*d-e))^{(1/2)}/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^{(1/2)})$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3/sqrt(e*x + d), x)`

$$3.58 \int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex}} dx$$

Optimal. Leaf size=530

$$\frac{32bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) + 4b\sqrt{1-c^2x^2}(cd-e)(cd+e)\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{15c^2e^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

$$[Out] (-4*b*sqrt[d + e*x]*(1 - c^2*x^2))/(15*c^3*e*sqrt[1 - 1/(c^2*x^2)]*x) + (2*d^2*sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/e^3 - (4*d*(d + e*x)^(3/2)*(a + b*ArcCsc[c*x]))/(3*e^3) + (2*(d + e*x)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e^3) + (4*b*d*sqrt[d + e*x]*sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(5*c^2*e^2*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[(c*(d + e*x))/(c*d + e)]) - (32*b*d^2*sqrt[(c*(d + e*x))/(c*d + e)]*sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(15*c^2*e^2*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[d + e*x]) + (4*b*(c*d - e)*(c*d + e)*sqrt[(c*(d + e*x))/(c*d + e)]*sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(15*c^4*e^2*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[d + e*x]) - (32*b*d^3*sqrt[(c*(d + e*x))/(c*d + e)]*sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(15*c^3*e^3*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[d + e*x])$$

Rubi [A] time = 1.90737, antiderivative size = 530, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {43, 5247, 12, 6721, 6742, 719, 424, 944, 419, 932, 168, 538, 537, 833, 844}

$$\frac{2d^2\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a+b \csc^{-1}(cx))}{3e^3} + \frac{2(d+ex)^{5/2}(a+b \csc^{-1}(cx))}{5e^3} - \frac{32bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}}{15c^2e^2x\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*ArcCsc[c*x]))/sqrt[d + e*x], x]

$$[Out] (-4*b*sqrt[d + e*x]*(1 - c^2*x^2))/(15*c^3*e*sqrt[1 - 1/(c^2*x^2)]*x) + (2*d^2*sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/e^3 - (4*d*(d + e*x)^(3/2)*(a + b*ArcCsc[c*x]))/(3*e^3) + (2*(d + e*x)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e^3) + (4*b*d*sqrt[d + e*x]*sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(5*c^2*e^2*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[(c*(d + e*x))/(c*d + e)]) - (32*b*d^2*sqrt[(c*(d + e*x))/(c*d + e)]*sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(15*c^2*e^2*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[d + e*x]) + (4*b*(c*d - e)*(c*d + e)*sqrt[(c*(d + e*x))/(c*d + e)]*sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(15*c^4*e^2*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[d + e*x]) - (32*b*d^3*sqrt[(c*(d + e*x))/(c*d + e)]*sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(15*c^3*e^3*sqrt[1 - 1/(c^2*x^2)]*x*sqrt[d + e*x])$$

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
```

$Q[7*m + 4*n + 4, 0]) \quad || \quad LtQ[9*m + 5*(n + 1), 0] \quad || \quad GtQ[m + n + 2, 0])$

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide
[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2])], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*(a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a +
b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d +
e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ
[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c),
2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 944

```
Int[Sqrt[(f_) + (g_)*(x_)]/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> Dist[g/e, Int[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] +
Dist[(e*f - d*g)/e, Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 932

```
Int[1/(((d_.) + (e_)*(x_))*Sqrt[(f_.) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x])*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x, x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_)*(x_))*Sqrt[(c_.) + (d_)*(x_)]*Sqrt[(e_.) + (f_)*(x_)]) *Sqrt[(g_.) + (h_)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]]), x, x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)2)*Sqrt[(c_) + (d_)*(x_)2]*Sqrt[(e_) + (f_)*(x_)2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x, x]] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)2)*Sqrt[(c_) + (d_)*(x_)2]*Sqrt[(e_) + (f_)*(x_)2]), x_Symbol] :> Simplify[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 833

```
Int[((d_.) + (e_)*(x_))^(m_)*((f_.) + (g_)*(x_))*((a_) + (c_)*(x_)2)^(p_), x_Symbol] :> Simplify[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 844

```
Int[((d_.) + (e_)*(x_))^(m_)*((f_.) + (g_)*(x_))*((a_) + (c_)*(x_)2)^(p_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x, x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x, x]] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \csc^{-1}(cx))}{\sqrt{d+ex}} dx &= \frac{2d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \frac{2(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^3} \\
&= \frac{2d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \frac{2(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^3} \\
&= \frac{2d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \frac{2(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^3} \\
&= \frac{2d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \frac{2(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^3} \\
&= -\frac{4b\sqrt{d+ex}(1-c^2x^2)}{15c^3e\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \dots \\
&= -\frac{4b\sqrt{d+ex}(1-c^2x^2)}{15c^3e\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \dots \\
&= -\frac{4b\sqrt{d+ex}(1-c^2x^2)}{15c^3e\sqrt{1-\frac{1}{c^2x^2}}x} + \frac{2d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^3} - \frac{4d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \dots
\end{aligned}$$

Mathematica [C] time = 13.5729, size = 784, normalized size = 1.48

$$b - \frac{2\sqrt{cx}\sqrt{\frac{d}{x}+e} \left(\frac{2\sqrt{1-c^2x^2}(7c^2d^2e+e^3)\sqrt{\frac{cd+cex}{cd+e}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{\sqrt{1-\frac{1}{c^2x^2}}(cx)^{3/2}\sqrt{\frac{d}{x}+e}} - \frac{6cde \cos(2 \csc^{-1}(cx)) c^2 dx \sqrt{1-c^2x^2} \sqrt{\frac{cd+cex}{cd+e}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{c^{cx(cx+1)}\sqrt{\frac{e}{cd+e}}} \right) \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(x^2*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x], x]`

[Out]
$$\begin{aligned} & -((a*d^3*Sqrt[1 + (e*x)/d]*Beta[-((e*x)/d), 3, 1/2])/(e^3*Sqrt[d + e*x])) + \\ & (b*(-((c*(e + d/x)*x*((4*c*d*Sqrt[1 - 1/(c^2*x^2)]))/(5*e^2) - (16*c^2*d^2* \\ & ArcCsc[c*x])/(15*e^3) - (2*c^2*x^2*ArcCsc[c*x])/(5*e) - (4*c*x*(e*Sqrt[1 - \\ & 1/(c^2*x^2)] - 2*c*d*ArcCsc[c*x]))/(15*e^2)))/Sqrt[d + e*x]) - (2*Sqrt[e + \\ & d/x]*Sqrt[c*x]*((2*(7*c^2*d^2*e + e^3)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - \\ & c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqr \\ & t[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(8*c^3*d^3 + 3*c*d*e^2)* \\ & Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqr \\ & t[1 - c*x]/Sqr \\ & t[2]], (2*e)/(c*d + e)])/(Sqr \\ & t[1 - 1/(c^2*x^2)]*Sqr \\ & t[e + d/x]*(c*x)^(3/2)) - (6*c*d*e*Cos[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*Sqr \\ & t[(c*d + c*e*x)/(c*d + e)]*Sqr \\ & t[1 - c^2*x^2]*EllipticF[ArcSin[Sqr \\ & t[1 - c*x]/Sqr \\ & t[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*Sqr \\ & t[(e - c*e*x)/(c*d + e)]*Sqr \\ & t[(c*d + c*e*x)/(c*d - e)]*((c*d + e)*EllipticE[ArcSin[Sqr \\ & t[(c*d + c*e*x)/(c*d - e)], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqr \\ & t[(c*d + c*e*x)/(c*d - e)], (c*d - e)/(c*d + e)])]/Sqr \\ & t[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*Sqr \\ & t[(c*d + c*e*x)/(c*d + e)]*Sqr \\ & t[1 - c^2*x^2]*EllipticPi[2, Arc \\ & Sin[Sqr \\ & t[1 - c*x]/Sqr \\ & t[2]], (2*e)/(c*d + e)])]/(Sqr \\ & t[1 - 1/(c^2*x^2)]*Sqr \\ & t[e + d/x]*Sqr \\ & t[c*x]*(-2 + c^2*x^2)))/(15*e^3*Sqr \\ & t[d + e*x]))/c^3 \end{aligned}$$

Maple [A] time = 0.276, size = 862, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))/(e*x+d)^(1/2), x)`

[Out]
$$\begin{aligned} & 2/e^3*(a*(1/5*(e*x+d)^(5/2)-2/3*(e*x+d)^(3/2)*d+d^2*(e*x+d)^(1/2))+b*(1/5*a \\ & rccsc(c*x)*(e*x+d)^(5/2)-2/3*arccsc(c*x)*(e*x+d)^(3/2)*d+arccsc(c*x)*d^2*(e \\ & *x+d)^(1/2)+2/15/c^3*((c/(c*d-e))^(1/2)*(e*x+d)^(5/2)*c^2-2*(c/(c*d-e))^(1/2) \\ & *(e*x+d)^(3/2)*c^2*d+4*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)* \\ & c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(\\ & c*d+e))^(1/2))*c^2+3*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(\\ & c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))* \\ & c^2*d^2-8*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)* \\ & EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c^2+(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*c^2 \\ & 2*d^2-3*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2) \end{aligned}$$

```
2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e
+3*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*c*d*e+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*e^2-(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*e^2)/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^2}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2/sqrt(e*x + d), x)`

$$3.59 \quad \int \frac{x(a+b \csc^{-1}(cx))}{\sqrt{d+ex}} dx$$

Optimal. Leaf size=344

$$\frac{8bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) - \frac{2d\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a+b \csc^{-1}(cx))}{3e^2}}{3c^2ex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(-2*d*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^2 + (2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^2) - (4*b*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (8*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (8*b*d^2*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 1.60028, antiderivative size = 344, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.684$, Rules used = {43, 5247, 12, 6721, 6742, 719, 424, 944, 419, 932, 168, 538, 537}

$$-\frac{2d\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a+b \csc^{-1}(cx))}{3e^2} + \frac{8bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{3ce^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b*\text{ArcCsc}[c*x]))/\text{Sqrt}[d + e*x], x]$

[Out] $(-2*d*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^2 + (2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^2) - (4*b*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (8*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (8*b*d^2*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LessQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] := With[{v = IntHide[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/(x^2*Dist[x, 1/(c^2*x^2)]], x], x], x] /; InverseFunctionFreeQ[v, x]] /; FreeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a + b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), Int[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 719

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2])))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 944

```
Int[Sqrt[(f_.) + (g_.)*(x_)]/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> Dist[g/e, Int[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] + Dist[(e*f - d*g)/e, Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 932

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e}
```

```
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \csc^{-1}(cx))}{\sqrt{d+ex}} dx &= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{b \int \frac{2(-2d+ex)\sqrt{d+ex}}{3e^2 \sqrt{1-\frac{1}{c^2x^2}x^2}} dx}{c} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{(2b) \int \frac{(-2d+ex)\sqrt{d+ex}}{\sqrt{1-\frac{1}{c^2x^2}x^2}} dx}{3ce^2} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{\left(2b\sqrt{1-c^2x^2}\right) \int \frac{(-2d+ex)\sqrt{d+ex}}{x\sqrt{1-c^2x^2}} dx}{3ce^2 \sqrt{1-\frac{1}{c^2x^2}x}} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{\left(2b\sqrt{1-c^2x^2}\right) \int \left(\frac{e\sqrt{d+ex}}{\sqrt{1-c^2x^2}} - \frac{4bd\sqrt{1-c^2x^2}}{3ce^2 \sqrt{1-\frac{1}{c^2x^2}x}}\right) dx}{3ce^2 \sqrt{1-\frac{1}{c^2x^2}x}} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} - \frac{\left(4bd\sqrt{1-c^2x^2}\right) \int \frac{\sqrt{d+ex}}{x\sqrt{1-c^2x^2}} dx}{3ce^2 \sqrt{1-\frac{1}{c^2x^2}x}} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} - \frac{\left(4bd^2\sqrt{1-c^2x^2}\right) \int \frac{1}{x\sqrt{d+ex}\sqrt{1-c^2x^2}} dx}{3ce^2 \sqrt{1-\frac{1}{c^2x^2}x}} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} - \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)}{3c^2e\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} - \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)}{3c^2e\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} \\
&= -\frac{2d\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{2(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} - \frac{4b\sqrt{d+ex}\sqrt{1-c^2x^2}E\left(\sin^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)\right)}{3c^2e\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}}
\end{aligned}$$

Mathematica [C] time = 1.42907, size = 289, normalized size = 0.84

$$2 \left(\frac{2ib\sqrt{\frac{e(cx+1)}{e-cd}}\sqrt{\frac{e-ce}{cd+e}}((cd+e)\text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right)+(cd-e)E\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)|\frac{cd+e}{cd-e}\right)-2cd\Pi\left(\frac{e}{cd}+1; i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)|\frac{cd+e}{cd-e}\right))}{c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{-\frac{c}{cd+e}}} \right)^2$$

Antiderivative was successfully verified.

[In] `Integrate[(x*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x], x]`

[Out] `(2*(a*(-2*d + e*x)*Sqrt[d + e*x] + b*(-2*d + e*x)*Sqrt[d + e*x]*ArcCsc[c*x] + ((2*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*e*x)/(c*d + e)])*((`

$$(c*d - e)*\text{EllipticE}[I*\text{ArcSinh}[\sqrt{-(c/(c*d + e))}]*\sqrt{d + e*x}], (c*d + e)/(c*d - e) + (c*d + e)*\text{EllipticF}[I*\text{ArcSinh}[\sqrt{-(c/(c*d + e))}]*\sqrt{d + e*x}], (c*d + e)/(c*d - e) - 2*c*d*\text{EllipticPi}[1 + e/(c*d), I*\text{ArcSinh}[\sqrt{-(c/(c*d + e))}]*\sqrt{d + e*x}], (c*d + e)/(c*d - e)]))/((c^2*\sqrt{-(c/(c*d + e))})*\sqrt{1 - 1/(c^2*x^2)}*x))/((3*e^2)$$

Maple [A] time = 0.278, size = 412, normalized size = 1.2

$$2 \frac{1}{e^2} \left(a \left(\frac{1}{3} (ex + d)^{3/2} - d\sqrt{ex + d} \right) + b \left(\frac{1}{3} (ex + d)^{3/2} \arccsc(cx) - \arccsc(cx) d\sqrt{ex + d} - \frac{2}{3} \frac{1}{c^2 x} \left(d \text{EllipticF} \left(\sqrt{ex + d}, \frac{1}{c^2 x} \right) - \frac{1}{2} \text{EllipticE} \left(\sqrt{ex + d}, \frac{1}{c^2 x} \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x)`

[Out]
$$\begin{aligned} & 2/e^2 * (a * (1/3 * (e*x + d)^(3/2) - d * (e*x + d)^(1/2)) + b * (1/3 * (e*x + d)^(3/2) * \arccsc(c*x) - \arccsc(c*x) * d * (e*x + d)^(1/2) - 2/3 * c^2 * (d * \text{EllipticF}((e*x + d)^(1/2) * (c/(c*d - e)))^(1/2), ((c*d - e)/(c*d + e))^(1/2)) * c + \text{EllipticE}((e*x + d)^(1/2) * (c/(c*d - e)))^(1/2), ((c*d - e)/(c*d + e))^(1/2)) * c * d - 2 * d * \text{EllipticPi}((e*x + d)^(1/2) * (c/(c*d - e)))^(1/2), 1/c * (c*d - e)/d, (c/(c*d + e))^(1/2) / (c/(c*d - e))^(1/2) * c - \text{EllipticF}((e*x + d)^(1/2) * (c/(c*d - e)))^(1/2), ((c*d - e)/(c*d + e))^(1/2)) * e + \text{EllipticE}((e*x + d)^(1/2) * (c/(c*d - e)))^(1/2), ((c*d - e)/(c*d + e))^(1/2)) * e) * (-((e*x + d) * c - d * c - e) / (c*d + e))^(1/2) * (-((e*x + d) * c - d * c + e) / (c*d - e))^(1/2) / (c/(c*d - e))^(1/2) / x / ((c^2 * (e*x + d)^(2 - 2 * d * c^2 * (e*x + d) + c^2 * d^2 * e^2) / c^2 / e^2 / x^2)^(1/2))) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{acsc}(cx))}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x+d)**(1/2),x)`

[Out] `Integral(x*(a + b*acsc(c*x))/sqrt(d + e*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/sqrt(e*x + d), x)`

$$3.60 \quad \int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex}} dx$$

Optimal. Leaf size=212

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) + \frac{2\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e} - \frac{4bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}}{c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(2*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 0.318515, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5227, 1574, 944, 719, 419, 933, 168, 538, 537}

$$\frac{2\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e} - \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{c^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{4bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(\text{Sqrt}[d + e*x]), x]$

[Out] $(2*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 5227

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*(d_.) + (e_.)*(x_.)^m_, x_Symbol] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_.)^m*((a_.) + (c_.)*(x_.)^(mn2_.))^p_*((d_.) + (e_.)*(x_.)^n_.)^q_, x_Symbol] :> Dist[(x^(2*n*FracPart[p])*(a + c/x^(2*n))^FracPart[p])/(c + a*x^(2*n))^FracPart[p], Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]]
```

Rule 944

```
Int[Sqrt[(f_.) + (g_.)*(x_.)]/(((d_.) + (e_.)*(x_.))*Sqrt[(a_.) + (c_.)*(x_.)^2]), x_Symbol] :> Dist[g/e, Int[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] + Dist[(e*f - d*g)/e, Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 933

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x])*Sqrt[1 + q*x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]*Sqrt[(g_) + (h_)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{\sqrt{d+ex}} dx &= \frac{2\sqrt{d+ex} (a + b \csc^{-1}(cx))}{e} + \frac{(2b) \int \frac{\sqrt{d+ex}}{\sqrt{1-\frac{1}{c^2x^2}x^2}} dx}{ce} \\
&= \frac{2\sqrt{d+ex} (a + b \csc^{-1}(cx))}{e} + \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{\sqrt{d+ex}}{x\sqrt{-\frac{1}{c^2}+x^2}} dx}{ce\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{2\sqrt{d+ex} (a + b \csc^{-1}(cx))}{e} + \frac{\left(2b\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{\sqrt{d+ex}\sqrt{-\frac{1}{c^2}+x^2}} dx}{c\sqrt{1-\frac{1}{c^2x^2}x}} + \frac{\left(2bd\sqrt{-\frac{1}{c^2}+x^2}\right) \int \frac{1}{x\sqrt{d+ex}} dx}{ce\sqrt{1-\frac{1}{c^2x^2}x}} \\
&= \frac{2\sqrt{d+ex} (a + b \csc^{-1}(cx))}{e} + \frac{\left(2bd\sqrt{1-c^2x^2}\right) \int \frac{1}{x\sqrt{1-cx}\sqrt{1+cx}\sqrt{d+ex}} dx}{ce\sqrt{1-\frac{1}{c^2x^2}x}} - \frac{\left(4b\sqrt{\frac{d+ex}{d+e}}\sqrt{1-c^2x^2}\right) \int \frac{1}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} dx}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} \\
&= \frac{2\sqrt{d+ex} (a + b \csc^{-1}(cx))}{e} - \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \mid \frac{2e}{cd+e}\right)}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} - \frac{\left(4bd\sqrt{1-c^2x^2}\right) \int \frac{1}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} dx}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} \\
&= \frac{2\sqrt{d+ex} (a + b \csc^{-1}(cx))}{e} - \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \mid \frac{2e}{cd+e}\right)}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} - \frac{\left(4bd\sqrt{\frac{c(d+ex)}{cd+e}}\sqrt{1-c^2x^2}\right) \int \frac{1}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}} dx}{c^2\sqrt{1-\frac{1}{c^2x^2}x}\sqrt{d+ex}}
\end{aligned}$$

Mathematica [A] time = 3.50003, size = 243, normalized size = 1.15

$$2 \left(\frac{2bcx^2\sqrt{cx+1}\sqrt{\frac{c(d+ex)}{cd+e}} \left(\cos\left(\frac{1}{2}\csc^{-1}(cx)\right) + \sin\left(\frac{1}{2}\csc^{-1}(cx)\right) \right) \left(\cos\left(\frac{1}{2}\csc^{-1}(cx)\right) - \sin\left(\frac{1}{2}\csc^{-1}(cx)\right) \right)^3 \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{\sqrt{1-cx}(c^2x^2-1)} + \frac{a(d+ex)}{e} + \frac{b}{\sqrt{d+ex}} \right)$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/Sqrt[d + e*x], x]`

[Out] `(2*((a*(d + e*x))/e + (b*((d + e*x)*ArcCsc[c*x] + (2*c*d*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]/Sqrt[1 - c^2*x^2]])/e + (2*b*c*x^2*Sqrt[1 + c*x]*Sqrt[(c*(d + e*x))/(c*d + e)]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)]*(Cos[ArcCsc[c*x]/2] - Sin[ArcCsc[c*x]/2])^3*(Cos[ArcCsc[c*x]/2] + Sin[ArcCsc[c*x]/2]))/(Sqrt[1 - c*x]*(-1 + c^2*x^2))))/Sqrt[d + e*x]`

Maple [A] time = 0.272, size = 254, normalized size = 1.2

$$2 \frac{1}{e} \left(a \sqrt{ex + d} + b \left(\sqrt{ex + d} \operatorname{arccsc}(cx) + 2 \frac{1}{cx} \sqrt{-\frac{(ex + d)c - dc + e}{dc - e}} \sqrt{-\frac{(ex + d)c - dc - e}{dc + e}} \operatorname{EllipticF} \left(\sqrt{ex + d} \sqrt{\frac{c}{dc - e}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/(e*x+d)^(1/2),x)`

[Out] $2/e*(a*(e*x+d)^(1/2)+b*((e*x+d)^(1/2)*arccsc(c*x)+2/c*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*(EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))-EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2)))/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)/x/(c/(c*d-e))^(1/2)))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x+d)**(1/2),x)`

[Out] `Integral((a + b*acsc(c*x))/sqrt(d + e*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/sqrt(e*x + d), x)`

3.61 $\int \frac{a+b \csc^{-1}(cx)}{x \sqrt{d+ex}} dx$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x]), x]

Rubi [A] time = 0.0722318, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x]), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x]), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex}} dx = \int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex}} dx$$

Mathematica [A] time = 6.28854, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x]), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x]), x]

Maple [A] time = 3.53, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x} \frac{1}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x/(e*x+d)^(1/2), x)

[Out] int((a+b*arccsc(c*x))/x/(e*x+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{ex^2 + dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/(e*x^2 + d*x), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x/(e*x+d)**(1/2),x)`

[Out] `Integral((a + b*acsc(c*x))/(x*sqrt(d + e*x)), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(sqrt(e*x + d)*x), x)`

3.62 $\int \frac{a+b \csc^{-1}(cx)}{x^2 \sqrt{d+ex}} dx$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x^2 \sqrt{d + ex}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x^2*Sqrt[d + e*x]), x]

Rubi [A] time = 0.079183, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x^2 \sqrt{d + ex}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x^2*Sqrt[d + e*x]), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x^2*Sqrt[d + e*x]), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x^2 \sqrt{d + ex}} dx = \int \frac{a + b \csc^{-1}(cx)}{x^2 \sqrt{d + ex}} dx$$

Mathematica [A] time = 8.75705, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x^2 \sqrt{d + ex}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x^2*Sqrt[d + e*x]), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x^2*Sqrt[d + e*x]), x]

Maple [A] time = 4.408, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^2} \frac{1}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^2/(e*x+d)^(1/2), x)

[Out] int((a+b*arccsc(c*x))/x^2/(e*x+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{ex^3 + dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/(e*x^3 + d*x^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**2/(e*x+d)**(1/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(sqrt(e*x + d)*x^2), x)`

3.63 $\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex)^{3/2}} dx$

Optimal. Leaf size=551

$$\frac{8bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) - 4b\sqrt{1-c^2x^2}(2c^2d^2+e^2)\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{c^2e^3x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex} - 15c^4e^3x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(-4*b*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(15*c^3*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (2*d^3*(a + b*\text{ArcCsc}[c*x]))/(e^4*\text{Sqrt}[d + e*x]) + (6*d^2*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^4 - (2*d*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/e^4 + (2*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^4) + (32*b*d*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2])* \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (8*b*d^2*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*(2*c^2*d^2 + e^2)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^4*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (64*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(5*c^4*e^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 2.47404, antiderivative size = 551, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {43, 5247, 12, 6721, 6742, 719, 419, 932, 168, 538, 537, 844, 424, 931, 1584}

$$\frac{2d^3(a + b \csc^{-1}(cx))}{e^4\sqrt{d+ex}} + \frac{6d^2\sqrt{d+ex}(a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d+ex)^{3/2}(a + b \csc^{-1}(cx))}{e^4} + \frac{2(d+ex)^{5/2}(a + b \csc^{-1}(cx))}{5e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*ArcCsc[c*x]))/(d + e*x)^(3/2), x]

[Out] $(-4*b*\text{Sqrt}[d + e*x]*(1 - c^2*x^2))/(15*c^3*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (2*d^3*(a + b*\text{ArcCsc}[c*x]))/(e^4*\text{Sqrt}[d + e*x]) + (6*d^2*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^4 - (2*d*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/e^4 + (2*(d + e*x)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^4) + (32*b*d*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2])* \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (8*b*d^2*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (4*b*(2*c^2*d^2 + e^2)*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*c^4*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (64*b*d^3*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(5*c^4*e^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
```

$Q[7*m + 4*n + 4, 0] \mid\mid LtQ[9*m + 5*(n + 1), 0] \mid\mid GtQ[m + n + 2, 0])$

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide
[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2])], x], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a +
b*x^n)^FracPart[p])/((x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/((c*Sqrt[a + c*x^2])*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2])*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ
[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 932

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]*Sqr
t[(g_) + (h_)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqr
t[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqr
t[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]), x], x, Sqr
t[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c])*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 844

```
Int[((d_.) + (e_)*(x_))^(m_)*((f_.) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 931

```
Int[((d_.) + (e_)*(x_))^(m_)/(Sqrt[(f_.) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> Simp[(2*e^2*(d + e*x)^(m - 2)*Sqrt[f + g*x]*Sqrt[a + c*x^2])/(c*g*(2*m - 1)), x] - Dist[1/(c*g*(2*m - 1)), Int[((d + e*x)^(m - 3)*Simp[a*e^2*(d*g + 2*e*f*(m - 2)) - c*d^3*g*(2*m - 1) + e*(e*(a*e*g*(2*m - 3)) + c*d*(2*e*f - 3*d*g*(2*m - 1)))*x + 2*e^2*(c*e*f - 3*c*d*g)*(m - 1)*x^2, x])/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[2*m] && GeQ[m, 2]
```

Rule 1584

```
Int[(u_)*(x_)^(m_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] :> Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \csc^{-1}(cx))}{(d + ex)^{3/2}} dx &= \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} + \\
&= \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} + \\
&= \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} + \\
&= \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} + \\
&= \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} + \\
&= -\frac{4b\sqrt{d + ex}(1 - c^2x^2)}{15c^3e^2\sqrt{1 - \frac{1}{c^2x^2}}x} + \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{4b\sqrt{d + ex}(1 - c^2x^2)}{15c^3e^2\sqrt{1 - \frac{1}{c^2x^2}}x} + \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{4b\sqrt{d + ex}(1 - c^2x^2)}{15c^3e^2\sqrt{1 - \frac{1}{c^2x^2}}x} + \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{4b\sqrt{d + ex}(1 - c^2x^2)}{15c^3e^2\sqrt{1 - \frac{1}{c^2x^2}}x} + \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{4b\sqrt{d + ex}(1 - c^2x^2)}{15c^3e^2\sqrt{1 - \frac{1}{c^2x^2}}x} + \frac{2d^3(a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} + \frac{6d^2 \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} - \frac{2d(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4}
\end{aligned}$$

Mathematica [C] time = 13.8299, size = 814, normalized size = 1.48

$$\begin{aligned}
&b \left(\frac{c^2 \left(\frac{d}{x} + e\right)^2 \left(\frac{2c^2 \csc^{-1}(cx)d^2}{e^3 \left(\frac{d}{x} + e\right)} - \frac{32c^2 \csc^{-1}(cx)d^2}{5e^4} + \frac{32c \sqrt{1 - \frac{1}{c^2x^2}} d}{15e^3} - \frac{2c^2 x^2 \csc^{-1}(cx)}{5e^2} - \frac{2cx \left(2e \sqrt{1 - \frac{1}{c^2x^2}} - 9cd \csc^{-1}(cx)\right)}{15e^3} \right) x^2}{(d + ex)^{3/2}} \right. \\
&\left. + \frac{a \left(\frac{ex}{d} + 1\right)^{3/2} B_{-\frac{ex}{d}} \left(4, -\frac{1}{2}\right) d^4}{e^4 (d + ex)^{3/2}} \right)
\end{aligned}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^3*(a + b*ArcCsc[c*x]))/(d + e*x)^(3/2), x]`

[Out]
$$\begin{aligned} & \frac{(a*d^4*(1 + (e*x)/d)^{(3/2)}*\text{Beta}[-((e*x)/d), 4, -1/2])/(e^{4*(d + e*x)^(3/2)})}{(b*(-((c^2*(e + d/x)^2*x^2*((32*c*d*\text{Sqrt}[1 - 1/(c^2*x^2)]))/(15*e^3) - (3*2*c^2*d^2*ArcCsc[c*x])/5*e^4) + (2*c^2*d^2*ArcCsc[c*x])/e^{3*(e + d/x)}) - (2*c^2*x^2*ArcCsc[c*x])/5*e^2) - (2*c*x*(2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]) - 9*c*d*ArcCsc[c*x])/(15*e^3)))/(d + e*x)^(3/2)) - (2*(e + d/x)^(3/2)*(c*x)^(3/2)*((2*(32*c^2*d^2*e + e^3)*\text{Sqrt}[(c*d + c*e*x)/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*\text{Sqrt}[e + d/x]*(c*x)^(3/2)) + (2*(48*c^3*d^3 + 8*c*d*e^2)*\text{Sqrt}[(c*d + c*e*x)/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*\text{Sqrt}[e + d/x]*(c*x)^(3/2)) - (16*c*d*e*\text{Cos}[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*\text{Sqrt}[(c*d + c*e*x)/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*\text{Sqrt}[(e - c*e*x)/(c*d + e)]*\text{Sqrt}[(c*d + c*e*x)/(c*d - e)]*((c*d + e)*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[(c*d + c*e*x)/(c*d - e)], (c*d - e)/(c*d + e)] - e*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(c*d + c*e*x)/(c*d - e)], (c*d - e)/(c*d + e)]])/\text{Sqrt}[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*\text{Sqrt}[(c*d + c*e*x)/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*\text{Sqrt}[e + d/x]*\text{Sqrt}[c*x]*(-2 + c^2*x^2))))/(15*e^4*(d + e*x)^(3/2))))/c^4 \end{aligned}$$

Maple [A] time = 0.281, size = 890, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccsc(c*x))/(e*x+d)^(3/2), x)`

[Out]
$$\begin{aligned} & \frac{2/e^{4*(a*(1/5*(e*x+d)^(5/2)-(e*x+d)^(3/2)*d+3*d^2*(e*x+d)^(1/2)+d^3/(e*x+d)^(1/2))+b*(1/5*arccsc(c*x)*(e*x+d)^(5/2)-arccsc(c*x)*(e*x+d)^(3/2)*d+3*arccsc(c*x)*d^2*(e*x+d)^(1/2)+arccsc(c*x)*d^3/(e*x+d)^(1/2)+2/15/c^3*((c/(c*d-e))^2*(e*x+d)^(5/2)*c^2-2*(c/(c*d-e))^(1/2)*(e*x+d)^(3/2)*c^2*d+24*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*\text{EllipticF}((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2+8*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*\text{EllipticE}((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c^2*d^2-48*d^2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*\text{EllipticPi}((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e)))^(1/2)*c^2+(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*c^2*d^2-8*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*\text{EllipticF}((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c*d*e+8*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*\text{EllipticE}((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c*d*e+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*\text{EllipticF}((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e^2-(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*e^2)/(c/(c*d-e))^(1/2)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2))) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3/(e*x + d)^(3/2), x)`

3.64 $\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex)^{3/2}} dx$

Optimal. Leaf size=369

$$\frac{20bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) - 2d^2(a+b \csc^{-1}(cx)) - \frac{4d\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^3} + \frac{2(d+ex)^{3/2}(a+b \csc^{-1}(cx))}{e^3}}{3c^2e^2x\sqrt{1-\frac{1}{c^2x^2}\sqrt{d+ex}}}$$

[Out] $(-2*d^2*(a+b*\text{ArcCsc}[c*x]))/(e^3*\text{Sqrt}[d+e*x]) - (4*d*\text{Sqrt}[d+e*x]*(a+b*\text{ArcCsc}[c*x]))/e^3 + (2*(d+e*x)^(3/2)*(a+b*\text{ArcCsc}[c*x]))/(3*e^3) - (4*b*\text{Sqrt}[d+e*x]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)])/(3*c^2*e^2*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]) + (20*b*d*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)])/(3*c^2*e^2*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[d+e*x]) + (32*b*d^2*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)])/(3*c*e^3*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[d+e*x])$

Rubi [A] time = 1.81351, antiderivative size = 369, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.619, Rules used = {43, 5247, 12, 6721, 6742, 719, 419, 932, 168, 538, 537, 844, 424}

$$-\frac{2d^2(a+b \csc^{-1}(cx))}{e^3\sqrt{d+ex}} - \frac{4d\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^3} + \frac{2(d+ex)^{3/2}(a+b \csc^{-1}(cx))}{3e^3} + \frac{32bd^2\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{3ce^3x\sqrt{1-\frac{1}{c^2x^2}\sqrt{d+ex}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(a+b*\text{ArcCsc}[c*x]))/(d+e*x)^(3/2), x]$

[Out] $(-2*d^2*(a+b*\text{ArcCsc}[c*x]))/(e^3*\text{Sqrt}[d+e*x]) - (4*d*\text{Sqrt}[d+e*x]*(a+b*\text{ArcCsc}[c*x]))/e^3 + (2*(d+e*x)^(3/2)*(a+b*\text{ArcCsc}[c*x]))/(3*e^3) - (4*b*\text{Sqrt}[d+e*x]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)])/(3*c^2*e^2*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]) + (20*b*d*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)])/(3*c^2*e^2*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[d+e*x]) + (32*b*d^2*\text{Sqrt}[(c*(d+e*x))/(c*d+e)]*\text{Sqrt}[1-c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1-c*x]/\text{Sqrt}[2]], (2*e)/(c*d+e)])/(3*c*e^3*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[d+e*x])$

Rule 43

```
Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LessQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_))*(u_), x_Symbol] :> With[{v = IntHide[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/(x^2*Sqrt[1-1/(c^2*x^2)]), x], x], x] /; InverseFunctionFreeQ[v, x]] /; FreeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a +
b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 719

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2])))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ
[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 932

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_
^2)], x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*
x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e
, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_
)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g -
c*h)/d + (h*x^2)/d, x]]), x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_
_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_
_)^2]), x_Symbol] :> Simpl[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(GtQ[f/e, 0]
```

```
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.*)(x_))*((a_) + (c_.*)(x_)^2)^p, x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.*)(x_)^2]/Sqrt[(c_) + (d_.*)(x_)^2], x_Symbol] :> Simpl[Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \csc^{-1}(cx))}{(d + ex)^{3/2}} dx &= -\frac{2d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex}} - \frac{4d\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{2(d + ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \dots \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex}} - \frac{4d\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{2(d + ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \dots \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex}} - \frac{4d\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{2(d + ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \dots \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex}} - \frac{4d\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{2(d + ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \dots \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex}} - \frac{4d\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{2(d + ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} - \frac{(16b^2d^2 + 16ab^2e^2 + 16a^2b^2e^2)\sqrt{d + ex}}{3e^3} \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex}} - \frac{4d\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{2(d + ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} - \frac{4b^2d^2\sqrt{d + ex}}{3e^3} \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex}} - \frac{4d\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{2(d + ex)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} - \frac{4b^2d^2\sqrt{d + ex}}{3e^3}
\end{aligned}$$

Mathematica [C] time = 13.6764, size = 750, normalized size = 2.03

$$b \left(\frac{2(cx)^{3/2} \left(\frac{d}{x} + e\right)^{3/2} \left(\frac{10cde\sqrt{1-c^2x^2}\sqrt{\frac{cd+cex}{cd+e}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) - \frac{2e \cos(2 \csc^{-1}(cx)) \left(c^2 dx \sqrt{1-c^2x^2} \sqrt{\frac{cd+cex}{cd+e}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{\sqrt{1-\frac{1}{c^2x^2}} (cx)^{3/2} \sqrt{\frac{d}{x} + e}} \right)} \right)}{1}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x)^(3/2), x]`

[Out]
$$\begin{aligned} & -((a*d^3*(1 + (e*x)/d)^(3/2)*Beta[-((e*x)/d), 3, -1/2])/(e^3*(d + e*x)^(3/2))) \\ & + (b*(-(-(c^2*(e + d/x)^2*x^2*(-4*.Sqrt[1 - 1/(c^2*x^2)]))/(3*e^2) + (16*c*d*ArcCsc[c*x])/(3*e^3) - (2*c*d*ArcCsc[c*x])/(e^2*(e + d/x)) - (2*c*x*ArcCsc[c*x])/(3*e^2)))/(d + e*x)^(3/2)) + (2*(e + d/x)^(3/2)*(c*x)^(3/2)*((10*c*d*e*Sqrt[(c*d + c*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(8*c^2*d^2 + e^2)*Sqrt[(c*d + c*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) - (2*e*Cos[2*ArcCsc[c*x]]*((c*d + c*x)*(-1 + c^2*x^2) + c^2*d*x*Sqrt[(c*d + c*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*Sqrt[(e - c*x)/(c*d + e)]*Sqrt[(c*d + c*x)/(c*d - e)]*((c*d + e)*EllipticE[ArcSin[Sqrt[(c*d + c*x)/(c*d - e)]], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*x)/(c*d - e)]], (c*d - e)/(c*d + e)])]/Sqrt[(e*(1 + c*x))/(-(c*d) + e)] + c*x*Sqrt[(c*d + c*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*Sqrt[c*x]*(-2 + c^2*x^2))))/(3*e^3*(d + e*x)^(3/2))))/c^3 \end{aligned}$$

Maple [A] time = 0.278, size = 441, normalized size = 1.2

$$2 \frac{1}{e^3} \left(a \left(\frac{1}{3} (ex + d)^{3/2} - 2d\sqrt{ex + d} - \frac{d^2}{\sqrt{ex + d}} \right) + b \left(\frac{1}{3} (ex + d)^{3/2} \operatorname{arccsc}(cx) - 2 \operatorname{arccsc}(cx) d\sqrt{ex + d} - \frac{\operatorname{arccsc}(cx) d^2}{\sqrt{ex + d}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))/(e*x+d)^(3/2), x)`

[Out]
$$\begin{aligned} & 2/e^3*(a*(1/3*(e*x+d)^(3/2)-2*d*(e*x+d)^(1/2)-d^2/(e*x+d)^(1/2))+b*(1/3*(e*x+d)^(3/2)*arccsc(c*x)-2*arccsc(c*x)*d*(e*x+d)^(1/2)-arccsc(c*x)*d^2/(e*x+d)^(1/2)-2/3/c^2*(4*d*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c+EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*c*d-8*d*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*c-EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e+EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))*e*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)) \end{aligned}$$

$c+e)/(c*d-e))^{(1/2)}/(c/(c*d-e))^{(1/2)}/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^{(1/2)})$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^2}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2/(e*x + d)^(3/2), x)`

$$3.65 \int \frac{x(a+b \csc^{-1}(cx))}{(d+ex)^{3/2}} dx$$

Optimal. Leaf size=238

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) + \frac{2\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^2} + \frac{2d(a+b \csc^{-1}(cx))}{e^2\sqrt{d+ex}} - \frac{8bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{ce^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}}{c^2ex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(2*d*(a + b*\text{ArcCsc}[c*x]))/(e^2*\text{Sqrt}[d + e*x]) + (2*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^2 - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (8*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 1.57528, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.579, Rules used = {43, 5247, 12, 6721, 6742, 719, 419, 932, 168, 538, 537}

$$\frac{2\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^2} + \frac{2d(a+b \csc^{-1}(cx))}{e^2\sqrt{d+ex}} - \frac{8bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{ce^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{c^2e^2x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b*\text{ArcCsc}[c*x]))/(d + e*x)^{(3/2)}, x]$

[Out] $(2*d*(a + b*\text{ArcCsc}[c*x]))/(e^2*\text{Sqrt}[d + e*x]) + (2*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^2 - (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (8*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c*e^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LessQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(u_), x_Symbol] :> With[{v = IntHide[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x], x] /; InverseFunctionFreeQ[v, x]] /; FreeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6721

```
Int[(u_)*(a_)+(b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a+b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1+a/(x^n*b))^FracPart[p]), Int[u*x^(n*p)*(1+a/(x^n*b))^p, x], x]; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2])))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x]; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x]; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 932

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]]; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]*Sqrt[(g_) + (h_)*(x_)]), x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x]; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x]; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x]; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \csc^{-1}(cx))}{(d + ex)^{3/2}} dx &= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{b \int \frac{2(2d + ex)}{e^2 \sqrt{1 - \frac{1}{c^2 x^2} x^2 \sqrt{d + ex}}} dx}{c} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{(2b) \int \frac{2d + ex}{\sqrt{1 - \frac{1}{c^2 x^2} x^2 \sqrt{d + ex}}} dx}{ce^2} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{2d + ex}{x \sqrt{d + ex} \sqrt{1 - c^2 x^2}} dx}{ce^2 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{(2b\sqrt{1 - c^2 x^2}) \int \left(\frac{e}{\sqrt{d + ex} \sqrt{1 - c^2 x^2}} + \frac{e}{x \sqrt{d + ex} \sqrt{1 - c^2 x^2}} \right) dx}{ce^2 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{(4bd\sqrt{1 - c^2 x^2}) \int \frac{1}{x \sqrt{d + ex} \sqrt{1 - c^2 x^2}} dx}{ce^2 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} + \frac{(4bd\sqrt{1 - c^2 x^2}) \int \frac{1}{x \sqrt{1 - cx} \sqrt{1 + cx} \sqrt{d + ex}} dx}{ce^2 \sqrt{1 - \frac{1}{c^2 x^2} x}} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} - \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{cd+e}{cd+e}\right)}{c^2 e \sqrt{1 - \frac{1}{c^2 x^2} x} \sqrt{d + ex}} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^2} - \frac{4b\sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1 - c^2 x^2} F\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{cd+e}{cd+e}\right)}{c^2 e \sqrt{1 - \frac{1}{c^2 x^2} x} \sqrt{d + ex}}
\end{aligned}$$

Mathematica [C] time = 1.73969, size = 226, normalized size = 0.95

$$2 \left(\frac{\frac{2ib\sqrt{\frac{e(cx+1)}{e-cd}}\sqrt{\frac{e-cex}{cd+e}} \left(\text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right) \frac{cd+e}{cd-e}\right) - 2 \Pi\left(\frac{e}{cd+e} + 1; i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}} \sqrt{d+ex}\right)\right) \frac{cd+e}{cd-e}\right)}{cx \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{-\frac{c}{cd+e}}} + \frac{a(2d+ex)}{\sqrt{d+ex}} + \frac{b \csc^{-1}(cx)(2d+ex)}{\sqrt{d+ex}} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(x*(a + b*ArcCsc[c*x]))/(d + e*x)^(3/2), x]`

[Out] `(2*((a*(2*d + e*x))/Sqrt[d + e*x] + (b*(2*d + e*x)*ArcCsc[c*x])/Sqrt[d + e*x] - ((2*I)*b*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*e*x)/(c*d + e)]*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)]) - 2*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)]))/((c*Sqrt[-(c/(c*d + e))]*Sqrt[1 - 1/(c^2*x^2)*x]))/e^2`

Maple [A] time = 0.276, size = 277, normalized size = 1.2

$$2 \frac{1}{e^2} \left(a \left(\sqrt{ex+d} + \frac{d}{\sqrt{ex+d}} \right) + b \left(\sqrt{ex+d} \operatorname{arccsc}(cx) + \frac{\operatorname{arccsc}(cx)d}{\sqrt{ex+d}} + 2 \frac{1}{cx} \sqrt{-\frac{(ex+d)c - dc + e}{dc - e}} \sqrt{-\frac{(ex+d)c - dc - e}{dc + e}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x)`

[Out] `2/e^2*(a*((e*x+d)^(1/2)+d/(e*x+d)^(1/2))+b*((e*x+d)^(1/2)*arccsc(c*x)+arccsc(c*c*x)*d/(e*x+d)^(1/2)+2/c*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))-2*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)/x/(c/(c*d-e))^(1/2)))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/(e*x + d)^(3/2), x)`

3.66 $\int \frac{a+b \csc^{-1}(cx)}{(d+ex)^{3/2}} dx$

Optimal. Leaf size=119

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2;\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)|\frac{2e}{cd+e}\right)-2(a+b \csc^{-1}(cx))}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(-2*(a + b*\text{ArcCsc}[c*x]))/(e*\text{Sqrt}[d + e*x]) + (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 0.22537, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {5227, 1574, 933, 168, 538, 537}

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\Pi\left(2;\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right)|\frac{2e}{cd+e}\right)-2(a+b \csc^{-1}(cx))}{cex\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(d + e*x)^{(3/2)}, x]$

[Out] $(-2*(a + b*\text{ArcCsc}[c*x]))/(e*\text{Sqrt}[d + e*x]) + (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 5227

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((d_.) + (e_.)*(x_))^(m_.), x_Symbol]
  :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*sqrt[1 - 1/(c^2*x^2)]), x], x] /;
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_.)*((a_.) + (c_.)*(x_)^(mn2_.))^(p_)*((d_.) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol]
  :> Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^FracPart[p]/(c + a*x^(2*n))^FracPart[p], Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x] /;
  FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 933

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol]
  :> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x])*Sqrt[1 - q*x]*Sqrt[1 + q*x]], x], x] /;
  FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]), x_Symbol]
  :> Dist[-2, Subst[Int[1/(Simp[b*c -
```

```
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simplify[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a+b \csc^{-1}(cx)}{(d+ex)^{3/2}} dx &= -\frac{2(a+b \csc^{-1}(cx))}{e \sqrt{d+ex}} - \frac{(2b) \int \frac{1}{\sqrt{1-\frac{1}{c^2 x^2} x^2 \sqrt{d+ex}}} dx}{ce} \\
&= -\frac{2(a+b \csc^{-1}(cx))}{e \sqrt{d+ex}} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x \sqrt{d+ex} \sqrt{-\frac{1}{c^2} + x^2}} dx}{ce \sqrt{1-\frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a+b \csc^{-1}(cx))}{e \sqrt{d+ex}} - \frac{\left(2b \sqrt{1-c^2 x^2}\right) \int \frac{1}{x \sqrt{1-cx} \sqrt{1+cx} \sqrt{d+ex}} dx}{ce \sqrt{1-\frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a+b \csc^{-1}(cx))}{e \sqrt{d+ex}} + \frac{\left(4b \sqrt{1-c^2 x^2}\right) \text{Subst}\left(\int \frac{1}{(1-x^2) \sqrt{2-x^2} \sqrt{d+\frac{e}{c}-\frac{ex^2}{c}}} dx, x, \sqrt{1-cx}\right)}{ce \sqrt{1-\frac{1}{c^2 x^2} x}} \\
&= -\frac{2(a+b \csc^{-1}(cx))}{e \sqrt{d+ex}} + \frac{\left(4b \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1-c^2 x^2}\right) \text{Subst}\left(\int \frac{1}{(1-x^2) \sqrt{2-x^2} \sqrt{1-\frac{ex^2}{c(d+\frac{e}{c})}}} dx, x, \sqrt{1-cx}\right)}{ce \sqrt{1-\frac{1}{c^2 x^2} x} \sqrt{d+ex}} \\
&= -\frac{2(a+b \csc^{-1}(cx))}{e \sqrt{d+ex}} + \frac{4b \sqrt{\frac{c(d+ex)}{cd+e}} \sqrt{1-c^2 x^2} \Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right)}{ce \sqrt{1-\frac{1}{c^2 x^2} x} \sqrt{d+ex}}
\end{aligned}$$

Mathematica [A] time = 0.20256, size = 124, normalized size = 1.04

$$\frac{4bcx \sqrt{1-\frac{1}{c^2 x^2}} \sqrt{1-c^2 x^2} \sqrt{\frac{c(d+ex)}{cd+e}} \Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) | \frac{2e}{cd+e}\right) - 2(c^2 x^2 - 1)(a + b \csc^{-1}(cx))}{e(c^2 x^2 - 1) \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/((d + e*x)^(3/2), x]`

[Out]
$$\frac{(-2(-1 + c^2x^2)(a + b\text{ArcCsc}[cx]) + 4b*c\sqrt{1 - 1/(c^2x^2)}*x\sqrt{[(c*(d + e*x))/(c*d + e)]*\sqrt{1 - c^2x^2}}*\text{EllipticPi}[2, \text{ArcSin}[\sqrt{1 - c^2x^2}/\sqrt{2}], (2e)/(c*d + e)])/(e*\sqrt{d + e*x}*(-1 + c^2x^2)}$$

Maple [A] time = 0.27, size = 217, normalized size = 1.8

$$2 \frac{1}{e} \left(-\frac{a}{\sqrt{ex+d}} + b \left(-\frac{\text{arccsc}(cx)}{\sqrt{ex+d}} + 2 \frac{1}{cdx} \sqrt{-\frac{(ex+d)c-dc+e}{dc-e}} \sqrt{-\frac{(ex+d)c-dc-e}{dc+e}} \text{EllipticPi} \left(\sqrt{ex+d} \sqrt{\frac{c}{dc-e}}, \frac{dc-e}{dc+e} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/(e*x+d)^(3/2), x)`

[Out]
$$\frac{2e(-1/(e*x+d)^(1/2)*a+b*(-1/(e*x+d)^(1/2)*\text{arccsc}(c*x)+2/c/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^(1/2)/x/d/(c/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-(e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*\text{EllipticPi}((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2)))$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(3/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex+d}(b\text{arccsc}(cx)+a)}{e^2x^2+2dex+d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(3/2), x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/(e^2*x^2 + 2*d*e*x + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x + d)^(3/2), x)`

$$\mathbf{3.67} \quad \int \frac{a+b \csc^{-1}(cx)}{x(d+ex)^{3/2}} dx$$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x(d + ex)^{3/2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(3/2)), x]

Rubi [A] time = 0.0889813, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(3/2)), x]

[Out] Defер[Int][(a + b*ArcCsc[c*x])/(x*(d + e*x)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{3/2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{3/2}} dx$$

Mathematica [A] time = 11.0698, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(3/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(3/2)), x]

Maple [A] time = 4.336, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x} (ex + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x/(e*x+d)^(3/2), x)

[Out] int((a+b*arccsc(c*x))/x/(e*x+d)^(3/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{e^2 x^3 + 2 d e x^2 + d^2 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/(e^2*x^3 + 2*d*e*x^2 + d^2*x), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x/(e*x+d)**(3/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x + d)^(3/2)*x), x)`

3.68 $\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex)^{3/2}} dx$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{3/2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(3/2)), x]

Rubi [A] time = 0.0938657, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(3/2)), x]

[Out] Defe_r[Int][(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{3/2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{3/2}} dx$$

Mathematica [A] time = 13.9046, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(3/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(3/2)), x]

Maple [A] time = 3.789, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^2} (ex + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^2/(e*x+d)^(3/2), x)

[Out] int((a+b*arccsc(c*x))/x^2/(e*x+d)^(3/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{e^2 x^4 + 2 d e x^3 + d^2 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/(e^2*x^4 + 2*d*e*x^3 + d^2*x^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**2/(e*x+d)**(3/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x + d)^(3/2)*x^2), x)`

$$3.69 \int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=602

$$\frac{32bd\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) + \frac{2d^3(a+b \csc^{-1}(cx))}{3e^4(d+ex)^{3/2}} - \frac{6d^2(a+b \csc^{-1}(cx))}{e^4\sqrt{d+ex}} - \frac{6d\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^4}}{3c^2e^3x\sqrt{1-\frac{1}{c^2x^2}}\sqrt{d+ex}}$$

[Out] $(-4*b*d^2*(1 - c^2*x^2))/(3*c*e^2*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (2*d^3*(a + b*\text{ArcCsc}[c*x]))/(3*e^4*(d + e*x)^(3/2)) - (6*d^2*(a + b*\text{ArcCsc}[c*x]))/(e^4*\text{Sqrt}[d + e*x]) - (6*d*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^4 + (2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^4) + (8*b*d^2*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*e^3*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*(2*c^2*d^2 - e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (32*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (64*b*d^2*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c*e^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 2.89572, antiderivative size = 602, normalized size of antiderivative = 1., number of steps used = 31, number of rules used = 18, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.857$, Rules used = {43, 5247, 12, 6721, 6742, 745, 21, 719, 424, 958, 932, 168, 538, 537, 835, 844, 419, 1651}

$$\frac{2d^3(a+b \csc^{-1}(cx))}{3e^4(d+ex)^{3/2}} - \frac{6d^2(a+b \csc^{-1}(cx))}{e^4\sqrt{d+ex}} - \frac{6d\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^4} + \frac{2(d+ex)^{3/2}(a+b \csc^{-1}(cx))}{3e^4} - \frac{2(2c^2e^2x\sqrt{1-c^2x^2})}{3ce^2x\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*(a + b*\text{ArcCsc}[c*x]))/(d + e*x)^(5/2), x]$

[Out] $(-4*b*d^2*(1 - c^2*x^2))/(3*c*e^2*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (2*d^3*(a + b*\text{ArcCsc}[c*x]))/(3*e^4*(d + e*x)^(3/2)) - (6*d^2*(a + b*\text{ArcCsc}[c*x]))/(e^4*\text{Sqrt}[d + e*x]) - (6*d*\text{Sqrt}[d + e*x]*(a + b*\text{ArcCsc}[c*x]))/e^4 + (2*(d + e*x)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^4) + (8*b*d^2*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*e^3*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*(2*c^2*d^2 - e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (32*b*d*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c^2*e^3*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (64*b*d^2*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(3*c*e^4*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
```

```
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.)*(u_), x_Symbol] :> With[{v = IntHide[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/(x^2*.Sqrt[1 - 1/(c^2*x^2))], x], x, x] /; InverseFunctionFreeQ[v, x]] /; FreeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*(a_.) + (b_.)*(x_)^(n_)^(p_), x_Symbol] :> Dist[(b^IntPart[p]*((a + b*x^n)^FracPart[p])/((x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p])), Int[u*x^(n*p)*(1 + a/(x^n*b))^p, x, x] /; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 745

```
Int[((d_.) + (e_.)*(x_))^(m_)*(a_.) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simplify[e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simplify[d*(m + 1) - e*(m + 2*p + 3)*x, x]*(a + c*x^2)^p, x, x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[m + 2*p + 3], 0])]
```

Rule 21

```
Int[(u_)*(a_.) + (b_.)*(v_))^(m_)*(c_.) + (d_.)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x, x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplifierQ[c + d*x, a + b*x])
```

Rule 719

```
Int[((d_.) + (e_.)*(x_))^(m_)/Sqrt[(a_.) + (c_.)*(x_)^2], x_Symbol] :> Dist[2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a]/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x, x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_.) + (b_.)*(x_)^2]/Sqrt[(c_.) + (d_.)*(x_)^2], x_Symbol] :> Simplify[Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2])], (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 932

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_)]], x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simplify[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simplify[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simplify[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
```

```
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simpl[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \csc^{-1}(cx))}{(d + ex)^{5/2}} dx &= \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} + \frac{2(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} + \frac{2(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} + \frac{2(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} + \frac{2(d + ex)^{3/2} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{68bd^2 (1 - c^2 x^2)}{3ce^2 (c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} + \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{68bd^2 (1 - c^2 x^2)}{3ce^2 (c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} + \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{4bd^2 (1 - c^2 x^2)}{3ce^2 (c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} + \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{4bd^2 (1 - c^2 x^2)}{3ce^2 (c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} + \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4} \\
&= -\frac{4bd^2 (1 - c^2 x^2)}{3ce^2 (c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} + \frac{2d^3 (a + b \csc^{-1}(cx))}{3e^4(d + ex)^{3/2}} - \frac{6d^2 (a + b \csc^{-1}(cx))}{e^4 \sqrt{d + ex}} - \frac{6d \sqrt{d + ex} (a + b \csc^{-1}(cx))}{e^4}
\end{aligned}$$

Mathematica [C] time = 13.935, size = 887, normalized size = 1.47

$$b \left(\frac{2 \left(\frac{d}{x} + e \right)^{5/2} (cx)^{5/2}}{e^4 (d + ex)^{5/2}} + \frac{\left(2 \cos(2 \csc^{-1}(cx)) \int dx \sqrt{\frac{cd+cex}{cd+e}} \sqrt{1-c^2x^2} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) c^2 - \frac{x(cx+1)\sqrt{\frac{e-cex}{cd+e}}\sqrt{\frac{cd+cex}{cd-e}}(cd+e)^{5/2}}{(cd+e)^{5/2}} \right)}{2 \left(\frac{d}{x} + e \right)^{5/2} (cx)^{5/2}} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(x^3*(a + b*ArcCsc[c*x]))/(d + e*x)^(5/2), x]`

[Out]
$$\begin{aligned} & (a*d^4*(1 + (e*x)/d)^(5/2)*Beta[-((e*x)/d), 4, -3/2])/(e^4*(d + e*x)^(5/2)) \\ & + (b*(-((c^3*(e + d/x)^3*x^3*((-4*Sqrt[1 - 1/(c^2*x^2)]))/((3*e*(-(c^2*d^2) + e^2)) + (32*c*d*ArcCsc[c*x])/((3*e^4) - (2*c*d*ArcCsc[c*x])/((3*e^2*(e + d/x)^2) - (2*c*x*ArcCsc[c*x])/((3*e^3) - (2*(-2*c^2*d^2*2*e*Sqrt[1 - 1/(c^2*x^2)]) - 7*c^3*d^3*ArcCsc[c*x] + 7*c*d*e^2*ArcCsc[c*x]))/((3*e^3*(-(c^2*d^2) + e^2)*(e + d/x))))/(d + e*x)^(5/2)) + (2*(e + d/x)^(5/2)*(c*x)^(5/2)*((2*(8*c^3*d^3*e - 8*c*d*e^3)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(16*c^4*d^4 - 16*c^2*d^2*e^2 - e^4)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*e^3*Cos[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*Sqrt[(e - c*e*x)/(c*d + e)]*Sqrt[(c*d + c*e*x)/(c*d - e)]*((c*d + e)*EllipticE[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)]))/Sqrt[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*Sqrt[c*x]*(-2 + c^2*x^2)))/(3*(c*d - e)*e^4*(c*d + e)*(d + e*x)^(5/2)))/c^4 \end{aligned}$$

Maple [A] time = 0.288, size = 1077, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccsc(c*x))/(e*x+d)^(5/2), x)`

[Out]
$$\begin{aligned} & 2/e^4*(a*(1/3*(e*x+d)^(3/2)-3*d*(e*x+d)^(1/2)-3*d^2/(e*x+d)^(1/2)+1/3*d^3/(e*x+d)^(3/2))+b*(1/3*(e*x+d)^(3/2)*arccsc(c*x)-3*arccsc(c*x)*d*(e*x+d)^(1/2)-3*arccsc(c*x)*d^2/(e*x+d)^(1/2)+1/3*arccsc(c*x)*d^3/(e*x+d)^(3/2)+2/3/c^2*((c/(c*d-e))^(1/2)*(e*x+d)^(2*c^3*d^2-8*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(1/2)*c^3*d^3+16*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*(e*x+d)^(1/2))) \end{aligned}$$

$$\begin{aligned} & 1/2*c^3*d^3-2*(c/(c*d-e))^{1/2}*(e*x+d)*c^3*d^3+(c/(c*d-e))^{1/2}*c^3*d^4+ \\ & 7*(-((e*x+d)*c-d*c+e)/(c*d-e))^{1/2}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{1/2}*E11 \\ & \text{ipticF}((e*x+d)^{1/2}*(c/(c*d-e))^{1/2}, ((c*d-e)/(c*d+e))^{1/2})*(e*x+d)^{1/2} \\ & *c*d*e^2+(-((e*x+d)*c-d*c+e)/(c*d-e))^{1/2}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{1/2} \\ & *EllipticE((e*x+d)^{1/2}*(c/(c*d-e))^{1/2}, ((c*d-e)/(c*d+e))^{1/2})*(e*x+d)^{1/2} \\ & *c*d*e^2-16*(-((e*x+d)*c-d*c+e)/(c*d-e))^{1/2}*(-((e*x+d)*c-d*c-e)/(c*d+e))^{1/2} \\ & *EllipticPi((e*x+d)^{1/2}*(c/(c*d-e))^{1/2}, 1/c*(c*d-e)/d, \\ & (c/(c*d+e))^{1/2}/(c/(c*d-e))^{1/2})*(e*x+d)^{1/2}*c*d*e^2-(-((e*x+d)*c-d*c+e)/(c*d-e))^{1/2} \\ & *(-((e*x+d)*c-d*c-e)/(c*d+e))^{1/2}*EllipticF((e*x+d)^{1/2}*(c/(c*d-e))^{1/2}, \\ & ((c*d-e)/(c*d+e))^{1/2})*(e*x+d)^{1/2}*e^3+(-((e*x+d)*c-d*c+e)/(c*d-e))^{1/2} \\ & *EllipticE((e*x+d)^{1/2}*(c/(c*d-e))^{1/2}, ((c*d-e)/(c*d+e))^{1/2})*(e*x+d)^{1/2}*e^3-(c/(c*d-e))^{1/2} \\ & *c*d^2*e^2/(c*d-e)/(c/(c*d-e))^{1/2}/(e*x+d)^{1/2}/(c*d+e)/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^{1/2}) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(bx^3 \operatorname{arccsc}(cx) + ax^3)\sqrt{ex+d}}{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="fricas")`

[Out] `integral((b*x^3*arccsc(c*x) + a*x^3)*sqrt(e*x + d)/(e^3*x^3 + 3*d^2*x^2 + 3*d^3*x + d^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x+d)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{(ex+d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3/(e*x + d)^(5/2), x)`

$$3.70 \int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=440

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) - 2d^2(a+b \csc^{-1}(cx))}{c^2e^2x\sqrt{1-\frac{1}{c^2x^2}\sqrt{d+ex}}} + \frac{4d(a+b \csc^{-1}(cx))}{3e^3(d+ex)^{3/2}} + \frac{2\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^3\sqrt{d+ex}}$$

[Out] $(4*b*d*(1 - c^2*x^2))/(3*c*e*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (2*d^2*(a + b*ArcCsc[c*x]))/(3*e^3*(d + e*x)^(3/2)) + (4*d*(a + b*ArcCsc[c*x]))/(e^3*3*Sqrt[d + e*x]) + (2*Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/e^3 - (4*b*d*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2])*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*e^2*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) - (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c^2*e^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (32*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*e^3*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rubi [A] time = 2.18477, antiderivative size = 440, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 17, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.81, Rules used = {43, 5247, 12, 6721, 6742, 745, 21, 719, 424, 958, 932, 168, 538, 537, 835, 844, 419}

$$-\frac{2d^2(a+b \csc^{-1}(cx))}{3e^3(d+ex)^{3/2}} + \frac{4d(a+b \csc^{-1}(cx))}{e^3\sqrt{d+ex}} + \frac{2\sqrt{d+ex}(a+b \csc^{-1}(cx))}{e^3} + \frac{4bd(1-c^2x^2)}{3cex\sqrt{1-\frac{1}{c^2x^2}(c^2d^2-e^2)}\sqrt{d+ex}} - \frac{4bd\sqrt{d+ex}(a+b \csc^{-1}(cx))}{3cex\sqrt{1-\frac{1}{c^2x^2}(c^2d^2-e^2)}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[((x^2*(a + b*ArcCsc[c*x]))/(d + e*x)^(5/2), x]

[Out] $(4*b*d*(1 - c^2*x^2))/(3*c*e*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (2*d^2*(a + b*ArcCsc[c*x]))/(3*e^3*(d + e*x)^(3/2)) + (4*d*(a + b*ArcCsc[c*x]))/(e^3*3*Sqrt[d + e*x]) + (2*Sqrt[d + e*x]*(a + b*ArcCsc[c*x]))/e^3 - (4*b*d*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2])*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*e^2*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) - (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c^2*e^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (32*b*d*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2])*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*e^3*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/(x^2*Sqrt[1 - 1/(c^2*x^2))], x], x, x] /; InverseFunctionFreeQ[v, x]] /; F
```

```
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*((a_.) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a + b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), Int[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 745

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simplify[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simplify[d*(m + 1) - e*(m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[m + 2*p + 3], 0])]
```

Rule 21

```
Int[(u_)*((a_) + (b_.)*(v_))^(m_)*((c_) + (d_.)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 719

```
Int[((d_) + (e_.)*(x_))^(m_)/Sqrt[(a_) + (c_.)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2])))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simplify[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 958

```
Int[((f_.) + (g_.)*(x_))^(n_)/(((d_.) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 932

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(f_.) + (g_.)*(x_)]*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_.) + (b_.)*(x_))*Sqrt[(c_.) + (d_.)*(x_)]*Sqrt[(e_.) + (f_.)*(x_)]*Sqrt[(g_.) + (h_.)*(x_])], x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \csc^{-1}(cx))}{(d + ex)^{5/2}} dx &= -\frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{b \int \frac{2(8d^2)}{3e^3\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} dx}{\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{(2b) \int \frac{8d}{\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} dx}{\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{(2b\sqrt{1 - \frac{(d + ex)^2}{d + ex}}) \int \frac{8d}{\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} dx}{\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} \\
&= -\frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} + \frac{(16bd^2\sqrt{1 - \frac{(d + ex)^2}{d + ex}}) \int \frac{8d}{\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} dx}{\sqrt{1 - \frac{(d + ex)^2}{d + ex}}} \\
&= \frac{12bd(1 - c^2x^2)}{ce(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} - \frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} \\
&= \frac{12bd(1 - c^2x^2)}{ce(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} - \frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} \\
&= \frac{4bd(1 - c^2x^2)}{3ce(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} - \frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} \\
&= \frac{4bd(1 - c^2x^2)}{3ce(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} - \frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3} \\
&= \frac{4bd(1 - c^2x^2)}{3ce(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} - \frac{2d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex)^{3/2}} + \frac{4d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex}} + \frac{2\sqrt{d + ex}(a + b \csc^{-1}(cx))}{e^3}
\end{aligned}$$

Mathematica [C] time = 13.7893, size = 856, normalized size = 1.95

$$b \left(\frac{c^3 \left(\frac{d}{x}+e\right)^3 \left(\frac{4c \sqrt{1-\frac{1}{c^2 x^2}} d}{3e^2 (e^2 - c^2 d^2)} + \frac{2 \csc^{-1}(cx)}{3e^2} - \frac{16 \csc^{-1}(cx)}{3e^3} + \frac{4 \left(-2e^2 \csc^{-1}(cx) d^2 - ce \sqrt{1-\frac{1}{c^2 x^2}} d + 2e^2 \csc^{-1}(cx)\right)}{3e^2 (e^2 - c^2 d^2) \left(\frac{d}{x}+e\right)} \right) x^3}{(d+ex)^{5/2}} - \frac{2 \left(\frac{d}{x}+e\right)^{5/2} (cx)^{5/2} \left(\frac{2 (3c^2 d^2 e - 3e^3) \sqrt{\frac{cd+cex}{cd+e}} \sqrt{1-c^2 x^2} \text{EllipticF}\left[\frac{cd+cex}{cd+e}, \frac{d}{x^2}\right]}{\sqrt{1-\frac{1}{c^2 x^2}} \sqrt{\frac{d}{x}+e} (cx)} \right)}{(d+ex)^{5/2}} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x)^(5/2), x]`

[Out]
$$\begin{aligned} & -((a*d^3*(1 + (e*x)/d)^(5/2)*Beta[-((e*x)/d), 3, -3/2])/(e^3*(d + e*x)^(5/2))) \\ & + (b*(-((c^3*(e + d/x)^3*x^3*((4*c*d*Sqrt[1 - 1/(c^2*x^2)]))/(3*e^2*(-(c^2*d^2) + e^2)) - (16*ArcCsc[c*x])/(3*e^3) + (2*ArcCsc[c*x])/(3*e*(e + d/x)^2) + (4*(-(c*d*e)*Sqrt[1 - 1/(c^2*x^2)]) - 2*c^2*d^2*ArcCsc[c*x] + 2*e^2*ArcCsc[c*x]))/(3*e^2*(-(c^2*d^2) + e^2)*(e + d/x))))/(d + e*x)^(5/2)) - (2*(e + d/x)^(5/2)*(c*x)^(5/2)*((2*(3*c^2*d^2*e - 3*e^3)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(8*c^3*d^3 - 9*c*d*e^2)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*c*d*e*Cos[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*Sqrt[(e - c*e*x)/(c*d + e)]*Sqrt[(c*d + c*e*x)/(c*d - e)]*((c*d + e)*EllipticE[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)]))/Sqrt[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*Sqrt[c*x]*(-2 + c^2*x^2))))/(3*(c*d - e)*e^3*(c*d + e)*(d + e*x)^(5/2))))/c^3 \end{aligned}$$

Maple [B] time = 0.289, size = 1038, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))/(e*x+d)^(5/2), x)`

[Out]
$$\begin{aligned} & 2/e^3*(a*((e*x+d)^(1/2)+2*d/(e*x+d)^(1/2)-1/3*d^2/(e*x+d)^(3/2))+b*((e*x+d)^(1/2)*arccsc(c*x)+2*arccsc(c*x)*d/(e*x+d)^(1/2)-1/3*arccsc(c*x)*d^2/(e*x+d)^(3/2)-2/3*c*((c/(c*d-e))^(1/2)*(e*x+d)^2*c^2*d-4*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(1/2)*c^2*d^2+8*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*(e*x+d)^(1/2)*c^2*d^2+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2))) \end{aligned}$$

$$\begin{aligned} &)^{(1/2)} * (e*x + d)^{(1/2)} * c^2 * d^2 - 2 * (c / (c*d - e))^{(1/2)} * (e*x + d) * c^2 * d^2 - (-((e*x + d) * c - d * c + e) / (c*d - e))^{(1/2)} * (-((e*x + d) * c - d * c - e) / (c*d + e))^{(1/2)} * \text{EllipticF}((e*x + d)^{(1/2)} * (c / (c*d - e))^{(1/2)}, ((c*d - e) / (c*d + e))^{(1/2)}) * (e*x + d)^{(1/2)} * c * d * e + \\ & (-((e*x + d) * c - d * c + e) / (c*d - e))^{(1/2)} * (-((e*x + d) * c - d * c - e) / (c*d + e))^{(1/2)} * \text{EllipticE}((e*x + d)^{(1/2)} * (c / (c*d - e))^{(1/2)}, ((c*d - e) / (c*d + e))^{(1/2)}) * (e*x + d)^{(1/2)} * c * d * e + (c / (c*d - e))^{(1/2)} * c^2 * d^3 + 3 * (-((e*x + d) * c - d * c + e) / (c*d - e))^{(1/2)} * (-((e*x + d) * c - d * c - e) / (c*d + e))^{(1/2)} * \text{EllipticF}((e*x + d)^{(1/2)} * (c / (c*d - e))^{(1/2)}, ((c*d - e) / (c*d + e))^{(1/2)}) * (e*x + d)^{(1/2)} * e^2 - 8 * (-((e*x + d) * c - d * c + e) / (c*d - e))^{(1/2)} * \text{EllipticPi}((e*x + d)^{(1/2)} * (c / (c*d - e))^{(1/2)}, 1/c * (c*d - e) / d, (c / (c*d + e))^{(1/2)} / (c / (c*d - e))^{(1/2)}) * (e*x + d)^{(1/2)} * e^2 - (c / (c*d - e))^{(1/2)} * d * e^2 / (c*d - e) / (c / (c*d - e))^{(1/2)} / (e*x + d)^{(1/2)} / (c*d + e) / x / (c^2 * (e*x + d)^2 - 2 * d * c^2 * (e*x + d) + c^2 * d^2 - e^2) / (c^2 / e^2 / x^2)^{(1/2)}) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(bx^2 \operatorname{arccsc}(cx) + ax^2\right)\sqrt{ex + d}}{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arccsc(c*x) + a*x^2)*sqrt(e*x + d)/(e^3*x^3 + 3*d*e^2*x^2 + 3*d^2*x + d^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x+d)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^2}{(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2/(e*x + d)^(5/2), x)`

$$3.71 \int \frac{x(a+b \csc^{-1}(cx))}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=314

$$-\frac{2(a+b \csc^{-1}(cx))}{e^2 \sqrt{d+ex}} + \frac{2d(a+b \csc^{-1}(cx))}{3e^2(d+ex)^{3/2}} - \frac{4b(1-c^2x^2)}{3cx \sqrt{1-\frac{1}{c^2x^2}} (c^2d^2-e^2) \sqrt{d+ex}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{d+ex}E\left(\sin^{-1}\left(\frac{\sqrt{1-c^2x^2}}{\sqrt{2}}\right)\right)}{3ex \sqrt{1-\frac{1}{c^2x^2}} (c^2d^2-e^2) \sqrt{\frac{cd}{ca}}}$$

[Out] $(-4*b*(1 - c^2*x^2))/(3*c*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (2*d*(a + b*ArcCsc[c*x]))/(3*e^2*(d + e*x)^(3/2)) - (2*(a + b*ArcCsc[c*x]))/(e^2*Sqrt[d + e*x]) + (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*e*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (8*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*e^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rubi [A] time = 2.00082, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 14, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.737, Rules used = {43, 5247, 12, 6721, 6742, 745, 21, 719, 424, 958, 932, 168, 538, 537}

$$-\frac{2(a+b \csc^{-1}(cx))}{e^2 \sqrt{d+ex}} + \frac{2d(a+b \csc^{-1}(cx))}{3e^2(d+ex)^{3/2}} - \frac{4b(1-c^2x^2)}{3cx \sqrt{1-\frac{1}{c^2x^2}} (c^2d^2-e^2) \sqrt{d+ex}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{d+ex}E\left(\sin^{-1}\left(\frac{\sqrt{1-c^2x^2}}{\sqrt{2}}\right)\right)}{3ex \sqrt{1-\frac{1}{c^2x^2}} (c^2d^2-e^2) \sqrt{\frac{cd}{ca}}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcCsc[c*x]))/(d + e*x)^(5/2), x]

[Out] $(-4*b*(1 - c^2*x^2))/(3*c*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) + (2*d*(a + b*ArcCsc[c*x]))/(3*e^2*(d + e*x)^(3/2)) - (2*(a + b*ArcCsc[c*x]))/(e^2*Sqrt[d + e*x]) + (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*e*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (8*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*e^2*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LessQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide
[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2))], x], x], x] /; InverseFunctionFreeQ[v, x]] /; FreeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a + b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), Int[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 745

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simplify[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simplify[d*(m + 1) - e*(m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[m + 2*p + 3], 0])
```

Rule 21

```
Int[(u_)*(a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simplify[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 958

```
Int[((f_) + (g_)*(x_))^(n_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2]), (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 932

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[1/Sqrt[a], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]*Sqrt[(g_) + (h_)*(x_)]) , x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \csc^{-1}(cx))}{(d + ex)^{5/2}} dx &= \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} + \frac{b \int \frac{2(-2d - 3ex)}{3e^2 \sqrt{1 - \frac{1}{c^2x^2}x^2(d + ex)^{3/2}}} dx}{c} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} + \frac{(2b) \int \frac{-2d - 3ex}{\sqrt{1 - \frac{1}{c^2x^2}x^2(d + ex)^{3/2}}} dx}{3ce^2} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} + \frac{\left(2b\sqrt{1 - c^2x^2}\right) \int \frac{-2d - 3ex}{x(d + ex)^{3/2}\sqrt{1 - c^2x^2}} dx}{3ce^2\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} + \frac{\left(2b\sqrt{1 - c^2x^2}\right) \int \left(-\frac{3e}{(d + ex)^{3/2}\sqrt{1 - c^2x^2}} - \frac{2d}{x(d + ex)^{3/2}\sqrt{1 - c^2x^2}}\right) dx}{3ce^2\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} - \frac{\left(4bd\sqrt{1 - c^2x^2}\right) \int \frac{1}{x(d + ex)^{3/2}\sqrt{1 - c^2x^2}} dx}{3ce^2\sqrt{1 - \frac{1}{c^2x^2}x}} - \frac{\left(2b\sqrt{1 - c^2x^2}\right) \int \frac{2d}{x(d + ex)^{3/2}\sqrt{1 - c^2x^2}} dx}{3ce^2\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= -\frac{4b(1 - c^2x^2)}{c(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} + \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} - \frac{\left(4bd\sqrt{1 - c^2x^2}\right) \int \frac{1}{x(d + ex)^{3/2}\sqrt{1 - c^2x^2}} dx}{3ce^2\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= -\frac{4b(1 - c^2x^2)}{c(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} + \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} - \frac{\left(4b\sqrt{1 - c^2x^2}\right) \int \frac{2d}{x(d + ex)^{3/2}\sqrt{1 - c^2x^2}} dx}{3ce^2\sqrt{1 - \frac{1}{c^2x^2}x}} \\
&= -\frac{4b(1 - c^2x^2)}{3c(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} + \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} + \frac{4b\sqrt{d + ex}}{e(c^2d^2 - e^2)} \\
&= -\frac{4b(1 - c^2x^2)}{3c(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} + \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} + \frac{4b\sqrt{d + ex}}{e(c^2d^2 - e^2)} \\
&= -\frac{4b(1 - c^2x^2)}{3c(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}x}\sqrt{d + ex}} + \frac{2d(a + b \csc^{-1}(cx))}{3e^2(d + ex)^{3/2}} - \frac{2(a + b \csc^{-1}(cx))}{e^2\sqrt{d + ex}} + \frac{4b\sqrt{d + ex}}{3e(c^2d^2 - e^2)}
\end{aligned}$$

Mathematica [C] time = 1.64907, size = 345, normalized size = 1.1

$$\begin{aligned}
&\frac{4ib\sqrt{-\frac{c}{cd+e}}\sqrt{\frac{e(cx+1)}{e-cd}}\sqrt{\frac{e-cex}{cd+e}}\left(-cd\text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right) + cdE\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right)|\frac{cd+e}{cd-e}\right) + 2cd\text{EllipticF}\left(i \sinh^{-1}\left(\sqrt{-\frac{c}{cd+e}}\sqrt{d+ex}\right), \frac{cd+e}{cd-e}\right)\right)}{3c^2de^2x\sqrt{1 - \frac{1}{c^2x^2}}}
\end{aligned}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcCsc[c*x]))/(d + e*x)^(5/2), x]

```
[Out] (4*b*c*Sqrt[1 - 1/(c^2*x^2)]*x)/(3*(c^2*d^2 - e^2)*Sqrt[d + e*x]) - (2*a*(2*d + 3*e*x))/(3*e^2*(d + e*x)^(3/2)) - (2*b*(2*d + 3*e*x)*ArcCsc[c*x])/(3*e^2*(d + e*x)^(3/2)) + (((4*I)/3)*b*Sqrt[-(c/(c*d + e))]*Sqrt[(e*(1 + c*x))/(-(c*d) + e)]*Sqrt[(e - c*e*x)/(c*d + e)]*(c*d*EllipticE[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] - c*d*EllipticF[I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)] + 2*(c*d + e)*EllipticPi[1 + e/(c*d), I*ArcSinh[Sqrt[-(c/(c*d + e))]*Sqrt[d + e*x]], (c*d + e)/(c*d - e)])]/(c^2*d*e^2*Sqrt[1 - 1/(c^2*x^2)]*x)
```

Maple [B] time = 0.286, size = 913, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))/(e*x+d)^(5/2), x)`

```
[Out] 2/e^2*(a*(-1/(e*x+d)^(1/2)+1/3*d/(e*x+d)^(3/2))+b*(-1/(e*x+d)^(1/2)*arccsc(c*x)+1/3*arccsc(c*x)*d/(e*x+d)^(3/2)+2/3/c*((c/(c*d-e))^(1/2)*(e*x+d)^2*c^2*d+2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*c^2*d^2-(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(1/2)*c^2*d^2+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(1/2)*c^2*d^2-2*(c/(c*d-e))^(1/2)*(e*x+d)*c^2*d^2-(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(1/2)*c*d*e+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(1/2)*c*d*e+(c/(c*d-e))^(1/2)*c^2*d^3-2*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2)*(e*x+d)^(1/2)*e^2-(c/(c*d-e))^(1/2)*d*e^2/(c*d-e)/(e*x+d)^(1/2)/(c*d+e)/(c/(c*d-e))^(1/2)/d/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^(2))^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(5/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(bx \operatorname{arccsc}(cx) + ax)\sqrt{ex + d}}{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="fricas")`

[Out] `integral((b*x*arccsc(c*x) + a*x)*sqrt(e*x + d)/(e^3*x^3 + 3*d*e^2*x^2 + 3*d^2*x + d^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x+d)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/(e*x + d)^(5/2), x)`

$$3.72 \quad \int \frac{a+b \csc^{-1}(cx)}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=298

$$-\frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{4be(1 - c^2x^2)}{3cdx\sqrt{1 - \frac{1}{c^2x^2}}(c^2d^2 - e^2)\sqrt{d + ex}} - \frac{4b\sqrt{1 - c^2x^2}\sqrt{d + ex}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \mid \frac{2e}{cd+e}\right)}{3dx\sqrt{1 - \frac{1}{c^2x^2}}(c^2d^2 - e^2)\sqrt{\frac{c(d+ex)}{cd+e}}} + \frac{4b\sqrt{1 - c^2x^2}}{3dx\sqrt{1 - \frac{1}{c^2x^2}}(c^2d^2 - e^2)\sqrt{\frac{c(d+ex)}{cd+e}}}$$

[Out] $(4*b*e*(1 - c^2*x^2))/(3*c*d*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (2*(a + b*ArcCsc[c*x]))/(3*e*(d + e*x)^(3/2)) - (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*d*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*d*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rubi [A] time = 0.408926, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.611, Rules used = {5227, 1574, 958, 745, 21, 719, 424, 933, 168, 538, 537}

$$-\frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{4be(1 - c^2x^2)}{3cdx\sqrt{1 - \frac{1}{c^2x^2}}(c^2d^2 - e^2)\sqrt{d + ex}} - \frac{4b\sqrt{1 - c^2x^2}\sqrt{d + ex}E\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \mid \frac{2e}{cd+e}\right)}{3dx\sqrt{1 - \frac{1}{c^2x^2}}(c^2d^2 - e^2)\sqrt{\frac{c(d+ex)}{cd+e}}} + \frac{4b\sqrt{1 - c^2x^2}}{3dx\sqrt{1 - \frac{1}{c^2x^2}}(c^2d^2 - e^2)\sqrt{\frac{c(d+ex)}{cd+e}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*ArcCsc[c*x])/(d + e*x)^(5/2), x]$

[Out] $(4*b*e*(1 - c^2*x^2))/(3*c*d*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x]) - (2*(a + b*ArcCsc[c*x]))/(3*e*(d + e*x)^(3/2)) - (4*b*Sqrt[d + e*x]*Sqrt[1 - c^2*x^2]*EllipticE[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*d*(c^2*d^2 - e^2)*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[(c*(d + e*x))/(c*d + e)]) + (4*b*Sqrt[(c*(d + e*x))/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(3*c*d*e*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[d + e*x])$

Rule 5227

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_)^(m_), x_Symbol]
] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/
(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*Sqrt[1 - 1/(c^2*x^2)]), x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(mn2_))^(p_)*((d_) + (e_)*(x_)^(n_), q_),
x_Symbol] :> Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^FracPart[p]/
(c + a*x^(2*n))^FracPart[p], Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))
^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !In-
tegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_) + (g_)*(x_))^(n_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^
2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2])], (f
```

```
+ g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 745

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[m + 2*p + 3], 0])
```

Rule 21

```
Int[(u_)*(a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/((c*Sqrt[a + c*x^2])*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 933

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_)]*Sqrt[(g_) + (h_)*(x_)]], x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c - a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g - c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a + b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[c, 0]
```

Rule 537

```

Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])

```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{(d + ex)^{5/2}} dx &= -\frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2 x^2} x^2 (d + ex)^{3/2}}} dx}{3ce} \\
&= -\frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x(d + ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \left(-\frac{e}{d(d + ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} + \frac{1}{dx \sqrt{d + ex} \sqrt{-\frac{1}{c^2} + x^2}}\right) dx}{3ce \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= -\frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d + ex)^{3/2} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3cd \sqrt{1 - \frac{1}{c^2 x^2}} x} - \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x \sqrt{d + ex} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3cde \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{\left(4b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{-\frac{d}{2} - \frac{ex}{2}}{\sqrt{d + ex} \sqrt{-\frac{1}{c^2} + x^2}} dx}{3cd\left(d^2 - \frac{e^2}{c^2}\right) \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(2b \sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{\sqrt{d + ex}}{\sqrt{-\frac{1}{c^2} + x^2}} dx}{3cd\left(d^2 - \frac{e^2}{c^2}\right) \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} + \frac{\left(4b \sqrt{\frac{c(d + ex)}{cd + e}} \sqrt{1 - c^2 x^2}\right) \text{Subst}\left(\int \dots\right)}{3cde \sqrt{1 - \frac{1}{c^2 x^2}} x} \\
&= \frac{4be(1 - c^2 x^2)}{3cd(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{d + ex}} - \frac{2(a + b \csc^{-1}(cx))}{3e(d + ex)^{3/2}} - \frac{4b \sqrt{d + ex} \sqrt{1 - c^2 x^2} E\left(\sin^{-1}\left(\frac{\sqrt{1 - c^2 x^2}}{\sqrt{2}}\right)\right)}{3d(c^2 d^2 - e^2) \sqrt{1 - \frac{1}{c^2 x^2}} x \sqrt{\frac{c(d + ex)}{cd + e}}}
\end{aligned}$$

Mathematica [B] time = 13.5131, size = 725, normalized size = 2.43

$$b = \frac{2(cx)^{5/2} \left(\frac{d}{x} + e\right)^{5/2} \left(\frac{2cd\sqrt{1-c^2x^2}\sqrt{\frac{cd+cex}{cd+e}} \Pi\left(2; \sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right) \middle| \frac{2e}{cd+e}\right)}{\sqrt{1-\frac{1}{c^2x^2}}(cx)^{3/2}\sqrt{\frac{d}{x}+e}} - \frac{2e \cos(2 \csc^{-1}(cx)) \left(c^2 dx \sqrt{1-c^2x^2} \sqrt{\frac{cd+cex}{cd+e}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right) - \frac{cx(cx+1)\sqrt{\frac{e-cex}{cd+e}}\sqrt{\frac{cd+cex}{cd-e}}(cd+e)^{5/2}}{cd+e}\right)}{3e(cd-e)(cd+e)(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCsc[c*x])/(d + e*x)^(5/2), x]

```
[Out] (-2*a)/(3*e*(d + e*x)^(3/2)) + (b*(-((c^3*(e + d/x)^3*x^3*((-4*Sqrt[1 - 1/(c^2*x^2]))/(3*c*d*(c^2*d^2 - e^2)) + (2*ArcCsc[c*x])/((3*c^2*d^2*e) + (2*e*ArcCsc[c*x]))/(3*c^2*d^2*(e + d/x)^2) - (4*(-(c*d*e)*Sqrt[1 - 1/(c^2*x^2)])) + c^2*d^2*ArcCsc[c*x] - e^2*ArcCsc[c*x]))/(3*c^2*d^2*(c^2*d^2 - e^2)*(e + d/x)))/(d + e*x)^(5/2)) + (2*(e + d/x)^(5/2)*(c*x)^(5/2)*((2*c*d*Sqrt[(c*d + c*e*x)/(c*d + e)])*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) - (2*e*Cos[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*Sqrt[(c*d + c*e*x)/(c*d + e)])*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)] - (c*x*(1 + c*x)*Sqrt[(e - c*e*x)/(c*d + e)])*Sqrt[(c*d + c*e*x)/(c*d - e)]*((c*d + e)*EllipticE[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)]))/Sqrt[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c*d*Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*Sqr[t[c*x]*(-2 + c^2*x^2))])/(3*(c*d - e)*e*(c*d + e)*(d + e*x)^(5/2))))/c
```

Maple [B] time = 0.279, size = 886, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int \frac{(a+b\arccsc(cx))}{(ex+d)^{5/2}} dx$

```
[Out] 2/e*(-1/3*a/(e*x+d)^(3/2)+b*(-1/3/(e*x+d)^(3/2)*arccsc(c*x)-2/3*c*((c/(c*d-e))^(1/2)*(e*x+d)^2*c^2*d-(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),1/c*(c*d-e)/d,(c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*(e*x+d)^(1/2)*c^2*d^2-(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c^2*d^2+(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c^2*d^2-2*(c/(c*d-e))^(1/2)*(e*x+d)*c^2*d^2-(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c*d*e-(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c-e)/(c*d+e))^(1/2)*EllipticE((e*x+d)^(1/2)*(c/(c*d-e))^(1/2),((c*d-e)/(c*d+e))^(1/2))*(e*x+d)^(1/2)*c*d*e+(c/(c*d-e))^(1/2)*c^
```

$$2*d^3 + \left(-((e*x+d)*c-d*c+e)/(c*d-e) \right)^{1/2} * \left(-((e*x+d)*c-d*c-e)/(c*d+e) \right)^{1/2} * \text{EllipticPi}\left(\left(e*x+d\right)^{1/2}*(c/(c*d-e))^{1/2}, 1/c*(c*d-e)/d, (c/(c*d+e))^{1/2}/(c/(c*d-e))^{1/2}\right) * \left(e*x+d \right)^{1/2} * e^{2-(c/(c*d-e))^{1/2}*d*e^2}/(c*d-e)/(e*x+d)^{1/2}/(c*d+e)/(c/(c*d-e))^{1/2}/d^2/x/((c^2*(e*x+d)^2-2*d*c^2*(e*x+d)+c^2*d^2-e^2)/c^2/e^2/x^2)^{1/2})$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x+d)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x + d)^(5/2), x)`

3.73 $\int \frac{a+b \csc^{-1}(cx)}{x(d+ex)^{5/2}} dx$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x(d + ex)^{5/2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(5/2)), x]

Rubi [A] time = 0.0881453, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(5/2)), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x*(d + e*x)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{5/2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{5/2}} dx$$

Mathematica [A] time = 25.1508, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x(d + ex)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(5/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x)^(5/2)), x]

Maple [A] time = 3.867, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x} (ex + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x/(e*x+d)^(5/2), x)

[Out] int((a+b*arccsc(c*x))/x/(e*x+d)^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{e^3 x^4 + 3 d e^2 x^3 + 3 d^2 e x^2 + d^3 x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(5/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x + d)*(b*arccsc(c*x) + a)/(e^3*x^4 + 3*d*e^2*x^3 + 3*d^2*x^2 + d^3*x), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x/(e*x+d)**(5/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^{\frac{5}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x + d)^(5/2)*x), x)`

3.74 $\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex)^{5/2}} dx$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{5/2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(5/2)), x]

Rubi [A] time = 0.101364, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(5/2)), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{5/2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{5/2}} dx$$

Mathematica [A] time = 25.371, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(5/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x^2*(d + e*x)^(5/2)), x]

Maple [A] time = 4.704, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^2} (ex + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^2/(e*x+d)^(5/2), x)

[Out] int((a+b*arccsc(c*x))/x^2/(e*x+d)^(5/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex + d}(b \operatorname{arccsc}(cx) + a)}{e^3 x^5 + 3 d e^2 x^4 + 3 d^2 e x^3 + d^3 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(5/2),x, algorithm="fricas")`

[Out] `integral(sqrt(ex + d)*(b*arccsc(cx) + a)/(e^3*x^5 + 3*d*e^2*x^4 + 3*d^2*x^3 + d^3*x^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**2/(e*x+d)**(5/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^{\frac{5}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(cx) + a)/((e*x + d)^(5/2)*x^2), x)`

$$3.75 \int \frac{a+b \csc^{-1}(cx)}{(d+ex)^{7/2}} dx$$

Optimal. Leaf size=540

$$\frac{4b\sqrt{1-c^2x^2}\sqrt{\frac{c(d+ex)}{cd+e}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{15dx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} - \frac{2(a+b \csc^{-1}(cx))}{5e(d+ex)^{5/2}} + \frac{4be(1-c^2x^2)}{5cd^2x\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} + \frac{4be(1-c^2x^2)}{15x\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}}$$

[Out] $(4*b*e*(1 - c^2*x^2))/(15*c*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x)^(3/2)) + (16*b*c*e*(1 - c^2*x^2))/(15*(c^2*d^2 - e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (4*b*e*(1 - c^2*x^2))/(5*c*d^2*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (2*(a + b*\text{ArcCsc}[c*x]))/(5*e*(d + e*x)^(5/2)) - (4*b*(7*c^2*d^2 - 3*e^2)*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*(c^2*d^3 - d*e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(5*c*d^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rubi [A] time = 0.751693, antiderivative size = 637, normalized size of antiderivative = 1.18, number of steps used = 19, number of rules used = 14, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.778, Rules used = {5227, 1574, 958, 745, 835, 844, 719, 424, 419, 21, 933, 168, 538, 537}

$$-\frac{2(a+b \csc^{-1}(cx))}{5e(d+ex)^{5/2}} + \frac{16bce(1-c^2x^2)}{15x\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)^2\sqrt{d+ex}} + \frac{4be(1-c^2x^2)}{5cd^2x\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)\sqrt{d+ex}} + \frac{4be(1-c^2x^2)}{15cdx\sqrt{1-\frac{1}{c^2x^2}}(c^2d^2-e^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(d + e*x)^(7/2), x]$

[Out] $(4*b*e*(1 - c^2*x^2))/(15*c*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x)^(3/2)) + (16*b*c*e*(1 - c^2*x^2))/(15*(c^2*d^2 - e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (4*b*e*(1 - c^2*x^2))/(5*c*d^2*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) - (2*(a + b*\text{ArcCsc}[c*x]))/(5*e*(d + e*x)^(5/2)) - (16*b*c^2*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*(c^2*d^2 - e^2)^2*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) - (4*b*\text{Sqrt}[d + e*x]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(5*d^2*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]) + (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(15*d*(c^2*d^2 - e^2)*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x]) + (4*b*\text{Sqrt}[(c*(d + e*x))/(c*d + e)]*\text{Sqrt}[1 - c^2*x^2]*\text{EllipticPi}[2, \text{ArcSin}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[2]], (2*e)/(c*d + e)])/(5*c*d^2*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[d + e*x])$

Rule 5227

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((d_.) + (e_.)*(x_.))^(m_.), x_Symbol]
  :> Simp[((d + e*x)^(m + 1)*(a + b*ArcCsc[c*x]))/(e*(m + 1)), x] + Dist[b/(c*e*(m + 1)), Int[(d + e*x)^(m + 1)/(x^2*sqrt[1 - 1/(c^2*x^2)]), x], x];
  FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 1574

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(mn2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(x^(2*n*FracPart[p]))*(a + c/x^(2*n))^(FracPart[p])/(c + a*x^(2*n))^(FracPart[p]), Int[x^(m - 2*n*p)*(d + e*x^n)^q*(c + a*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, m, n, p, q}, x] && EqQ[mn2, -2*n] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n]
```

Rule 958

```
Int[((f_) + (g_)*(x_))^(n_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[f + g*x]*Sqrt[a + c*x^2])], (f + g*x)^(n + 1/2)/(d + e*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[n + 1/2]
```

Rule 745

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^p, x_Symbol] :> Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*Simp[d*(m + 1) - e*(m + 2*p + 3)*x, x]*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[m, -1] && (LtQ[m, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[m + 2*p + 3], 0])
```

Rule 835

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^p, x_Symbol] :> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^p, x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 719

```
Int[((d_) + (e_)*(x_))^(m_)/Sqrt[(a_) + (c_)*(x_)^2], x_Symbol] :> Dist[(2*a*Rt[-(c/a), 2]*(d + e*x)^m*Sqrt[1 + (c*x^2)/a])/(c*Sqrt[a + c*x^2]*((c*(d + e*x))/(c*d - a*e*Rt[-(c/a), 2]))^m), Subst[Int[(1 + (2*a*e*Rt[-(c/a), 2]*x^2)/(c*d - a*e*Rt[-(c/a), 2]))^m/Sqrt[1 - x^2], x], x, Sqrt[(1 - Rt[-(c/a), 2]*x)/2]], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m^2, 1/4]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d])]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 21

```
Int[(u_)*(a_) + (b_)*(v_)^(m_)*(c_) + (d_)*(v_)^(n_), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && ( !IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 933

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(f_) + (g_)*(x_)]*Sqrt[(a_) + (c_)*(x_
^2)], x_Symbol] :> With[{q = Rt[-(c/a), 2]}, Dist[Sqrt[1 + (c*x^2)/a]/Sqrt[
a + c*x^2], Int[1/((d + e*x)*Sqrt[f + g*x]*Sqrt[1 - q*x]*Sqrt[1 + q*x]), x]
, x]] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a
*e^2, 0] && !GtQ[a, 0]
```

Rule 168

```
Int[1/(((a_) + (b_)*(x_))*Sqrt[(c_) + (d_)*(x_)]*Sqrt[(e_) + (f_)*(x_
)]*Sqrt[(g_) + (h_)*(x_)]], x_Symbol] :> Dist[-2, Subst[Int[1/(Simp[b*c -
a*d - b*x^2, x]*Sqrt[Simp[(d*e - c*f)/d + (f*x^2)/d, x]]*Sqrt[Simp[(d*g -
c*h)/d + (h*x^2)/d, x]]], x], x, Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e
, f, g, h}, x] && GtQ[(d*e - c*f)/d, 0]
```

Rule 538

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_
)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/((a +
b*x^2)*Sqrt[1 + (d*x^2)/c]*Sqrt[e + f*x^2]), x], x] /; FreeQ[{a, b, c, d, e
, f}, x] && !GtQ[c, 0]
```

Rule 537

```
Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_
)^2]), x_Symbol] :> Simpl[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{(d + ex)^{7/2}} dx &= -\frac{2(a + b \csc^{-1}(cx))}{5e(d + ex)^{5/2}} - \frac{(2b) \int \frac{1}{\sqrt{1 - \frac{1}{c^2x^2}x^2(d+ex)^{5/2}}} dx}{5ce} \\
&= -\frac{2(a + b \csc^{-1}(cx))}{5e(d + ex)^{5/2}} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{x(d+ex)^{5/2}\sqrt{-\frac{1}{c^2}+x^2}} dx}{5ce\sqrt{1 - \frac{1}{c^2x^2}}x} \\
&= -\frac{2(a + b \csc^{-1}(cx))}{5e(d + ex)^{5/2}} - \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \left(-\frac{e}{d(d+ex)^{5/2}\sqrt{-\frac{1}{c^2}+x^2}} - \frac{e}{d^2(d+ex)^{3/2}\sqrt{-\frac{1}{c^2}+x^2}} + \frac{1}{d^2x\sqrt{d+ex}\sqrt{1-\frac{1}{c^2x^2}}}\right) dx}{5ce\sqrt{1 - \frac{1}{c^2x^2}}x} \\
&= -\frac{2(a + b \csc^{-1}(cx))}{5e(d + ex)^{5/2}} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d+ex)^{3/2}\sqrt{-\frac{1}{c^2}+x^2}} dx}{5cd^2\sqrt{1 - \frac{1}{c^2x^2}}x} + \frac{\left(2b\sqrt{-\frac{1}{c^2} + x^2}\right) \int \frac{1}{(d+ex)^{5/2}\sqrt{-\frac{1}{c^2}}} dx}{5cd\sqrt{1 - \frac{1}{c^2x^2}}x} \\
&= \frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x(d + ex)^{3/2}} + \frac{4be(1 - c^2x^2)}{5cd^2(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} - \frac{2(a + b \csc^{-1}(cx))}{5e(d + ex)^{5/2}} \\
&= \frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x(d + ex)^{3/2}} + \frac{16bce(1 - c^2x^2)}{15(c^2d^2 - e^2)^2\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} + \frac{4be}{5cd^2(c^2d^2 - e^2)} \\
&= \frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x(d + ex)^{3/2}} + \frac{16bce(1 - c^2x^2)}{15(c^2d^2 - e^2)^2\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} + \frac{4be}{5cd^2(c^2d^2 - e^2)} \\
&= \frac{4be(1 - c^2x^2)}{15cd(c^2d^2 - e^2)\sqrt{1 - \frac{1}{c^2x^2}}x(d + ex)^{3/2}} + \frac{16bce(1 - c^2x^2)}{15(c^2d^2 - e^2)^2\sqrt{1 - \frac{1}{c^2x^2}}x\sqrt{d + ex}} + \frac{4be}{5cd^2(c^2d^2 - e^2)}
\end{aligned}$$

Mathematica [A] time = 14.053, size = 1002, normalized size = 1.86

$$b \left[\frac{2\left(\frac{d}{x}+e\right)^{7/2}(cx)^{7/2}}{\sqrt{1-\frac{1}{c^2x^2}\sqrt{\frac{d}{x}+e}(cx)^{3/2}}} \left(\frac{2(c^2d^2e-e^3)\sqrt{\frac{cd+cex}{cd+e}}\sqrt{1-c^2x^2}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{\sqrt{1-\frac{1}{c^2x^2}\sqrt{\frac{d}{x}+e}(cx)^{3/2}}} + \frac{2(3c^3d^3+ce^2d)\sqrt{\frac{cd+cex}{cd+e}}\sqrt{1-c^2x^2}\Pi\left(2;\sin^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{2}}\right), \frac{2e}{cd+e}\right)}{\sqrt{1-\frac{1}{c^2x^2}\sqrt{\frac{d}{x}+e}(cx)^{3/2}}} + \frac{2(3e^3-7c^2d^2e)\cos(2\csc^{-1}(cx))}{\sqrt{1-\frac{1}{c^2x^2}\sqrt{\frac{d}{x}+e}(cx)^{3/2}}} \right) \right]$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/((d + e*x)^(7/2)), x]`

[Out]
$$\begin{aligned} & (-2*a)/(5*e*(d + e*x)^(5/2)) + (b*(-((c^4*(e + d/x)^4*x^4*((4*(-7*c^2*d^2 + 3*e^2)*Sqrt[1 - 1/(c^2*x^2]))/(15*c^2*d^2*(-(c^2*d^2 + e^2)^2) + (2*ArcCsc[c*x])/(5*c^3*d^3*e) - (2*e^2*ArcCsc[c*x])/(5*c^3*d^3*(e + d/x)^3) - (2*(2*c*d*e^2*Sqrt[1 - 1/(c^2*x^2)] - 9*c^2*d^2*e*ArcCsc[c*x] + 9*e^3*ArcCsc[c*x])/(15*c^3*d^3*(c^2*d^2 - e^2)*(e + d/x)^2) - (2*(-16*c^3*d^3*e*Sqrt[1 - 1/(c^2*x^2)] + 8*c*d*e^3*Sqrt[1 - 1/(c^2*x^2)] + 9*c^4*d^4*ArcCsc[c*x] - 18*c^2*d^2*e^2*ArcCsc[c*x] + 9*e^4*ArcCsc[c*x]))/(15*c^3*d^3*(c^2*d^2 - e^2)^2*(e + d/x))))/(d + e*x)^(7/2)) + (2*(e + d/x)^(7/2)*(c*x)^(7/2)*((2*(c^2*d^2 - e^3)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(3*c^3*d^3 + c*d*e^2)*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (2*(-7*c^2*d^2*e + 3*e^3)*Cos[2*ArcCsc[c*x]]*((c*d + c*e*x)*(-1 + c^2*x^2) + c^2*d*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticF[ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*(c*x)^(3/2)) + (c*d - e)*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)] - e*EllipticF[ArcSin[Sqrt[(c*d + c*e*x)/(c*d - e)]], (c*d - e)/(c*d + e)]))/Sqrt[(e*(1 + c*x))/(-(c*d) + e)] + c*e*x*Sqrt[(c*d + c*e*x)/(c*d + e)]*Sqrt[1 - c^2*x^2]*EllipticPi[2, ArcSin[Sqrt[1 - c*x]/Sqrt[2]], (2*e)/(c*d + e)])/(c*d*Sqrt[1 - 1/(c^2*x^2)]*Sqrt[e + d/x]*Sqrt[c*x]*(-2 + c^2*x^2))))/(15*c*d*(c*d - e)^2*e*(c*d + e)^2*(d + e*x)^(7/2)))/c \end{aligned}$$

Maple [B] time = 0.296, size = 1640, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/(e*x+d)^(7/2), x)`

[Out]
$$\begin{aligned} & 2/e*(-1/5*a/(e*x+d)^(5/2)+b*(-1/5/(e*x+d)^(5/2)*arccsc(c*x)-2/15/c*(7*(c/(c*d-e))^(1/2)*(e*x+d)^3*c^4*d^3-3*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticPi((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), 1/c*(c*d-e)/d, (c/(c*d+e))^(1/2)/(c/(c*d-e))^(1/2))*(e*x+d)^(3/2)*c^4*d^4-6*(-((e*x+d)*c-d*c+e)/(c*d-e))^(1/2)*(-((e*x+d)*c-d*c+e)/(c*d+e))^(1/2)*EllipticF((e*x+d)^(1/2)*(c/(c*d-e))^(1/2), ((c*d-e)/(c*d+e))^(1/2)*(e*x+d)^(3/2)*c^4 \end{aligned}$$

$$\begin{aligned}
& *d^4 + 7 * (-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} \\
& * \text{EllipticE}((e*x+d)^{(1/2)} * (c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * (e*x+d) \\
& ^{(3/2)} * c^4 * d^4 - 13 * (c/(c*d-e))^{(1/2)} * (e*x+d)^2 * c^4 * d^4 - 7 * (-((e*x+d)*c-d*c+e) \\
& /(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticF}((e*x+d)^{(1/2)} \\
& * (c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * (e*x+d)^{(3/2)} * c^3 * d^3 * e^7 * (-((e \\
& * x+d)*c-d*c+e)/(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticE}(\\
& (e*x+d)^{(1/2)} * (c/(c*d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * (e*x+d)^{(3/2)} * c^3 * \\
& d^3 * e^3 * (c/(c*d-e))^{(1/2)} * (e*x+d)^3 * c^2 * d * e^2 + 5 * (c/(c*d-e))^{(1/2)} * (e*x+d) * c \\
& ^4 * d^5 + 6 * (-((e*x+d)*c-d*c+e)/(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticPi} \\
& ((e*x+d)^{(1/2)} * (c/(c*d-e))^{(1/2)}, 1/c * (c*d-e)/d, (c/(c*d+e))^{(1/2)} / (c/(c*d-e))^{(1/2)} * (e*x+d) \\
& ^{(3/2)} * c^2 * d^2 * e^2 + 2 * (-((e*x+d)*c-d*c+e)/(c*d+e))^{(1/2)} * \text{EllipticF}((e*x+d)^{(1/2)} * (c/(c \\
& * d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * (e*x+d)^{(3/2)} * c^2 * d^2 * e^2 - 3 * (-((e*x+d) \\
& * c-d*c+e)/(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticE}((e*x+d)^{(1/2)} * (c/(c \\
& * d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * (e*x+d)^{(3/2)} * c^4 * d^6 + 3 * (-((e*x+d) \\
& * c-d*c+e)/(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticF}((e*x+d)^{(1/2)} * (c/(c \\
& * d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * (e*x+d)^{(3/2)} * c^3 * d * e^3 - 3 * (-((e*x+d) \\
& * c-d*c+e)/(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticE}((e*x+d)^{(1/2)} * (c/(c \\
& * d-e))^{(1/2)}, ((c*d-e)/(c*d+e))^{(1/2)}) * (e*x+d)^{(3/2)} * c^2 * d^3 * e^2 - 3 * (-((e*x+d) \\
& * c-d*c+e)/(c*d-e))^{(1/2)} * (-((e*x+d)*c-d*c-e)/(c*d+e))^{(1/2)} * \text{EllipticPi}((e*x+d)^{(1/2)} * (c/(c \\
& * d-e))^{(1/2)}, 1/c * (c*d-e)/d, (c/(c*d+e))^{(1/2)} / (c/(c*d-e))^{(1/2)} * (e*x+d)^{(3/2)} * c^4 * e^4 - 2 * (c/(c \\
& * d-e))^{(1/2)} * c^2 * d^4 * e^2 + 3 * (c/(c*d-e))^{(1/2)} * (e*x+d) * d * e^4 + (c/(c*d-e))^{(1/2)} * d^2 * e^4 / (c*d-e) / (e*x+d) \\
& ^{(3/2)} / (c/(c*d-e))^{(1/2)} / d^3 / x / ((c^2 * (e*x+d)^2 - 2 * d * c^2 * (e*x+d) + c^2 * d^2 - e^2) / c \\
& ^2 / e^2 / x^2) ^{(1/2)})
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(7/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(7/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x+d)**(7/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex + d)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x+d)^(7/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x + d)^(7/2), x)`

$$\mathbf{3.76} \quad \int x^4 (d + ex^2) (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=206

$$\frac{1}{5}dx^5(a + b \csc^{-1}(cx)) + \frac{1}{7}ex^7(a + b \csc^{-1}(cx)) + \frac{bx^4\sqrt{c^2x^2 - 1}(42c^2d + 25e)}{840c^3\sqrt{c^2x^2}} + \frac{bx^2\sqrt{c^2x^2 - 1}(42c^2d + 25e)}{560c^5\sqrt{c^2x^2}} + \frac{bx(42c^2d + 25e)}{560c^7\sqrt{c^2x^2}}$$

$$[Out] \quad (b*(42*c^2*d + 25*e)*x^2*Sqrt[-1 + c^2*x^2])/(560*c^5*Sqrt[c^2*x^2]) + (b*(42*c^2*d + 25*e)*x^4*Sqrt[-1 + c^2*x^2])/(840*c^3*Sqrt[c^2*x^2]) + (b*e*x^6*Sqrt[-1 + c^2*x^2])/(42*c*Sqrt[c^2*x^2]) + (d*x^5*(a + b*ArcCsc[c*x]))/5 + (e*x^7*(a + b*ArcCsc[c*x]))/7 + (b*(42*c^2*d + 25*e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(560*c^6*Sqrt[c^2*x^2])$$

Rubi [A] time = 0.125028, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {14, 5239, 12, 459, 321, 217, 206}

$$\frac{1}{5}dx^5(a + b \csc^{-1}(cx)) + \frac{1}{7}ex^7(a + b \csc^{-1}(cx)) + \frac{bx^4\sqrt{c^2x^2 - 1}(42c^2d + 25e)}{840c^3\sqrt{c^2x^2}} + \frac{bx^2\sqrt{c^2x^2 - 1}(42c^2d + 25e)}{560c^5\sqrt{c^2x^2}} + \frac{bx(42c^2d + 25e)}{560c^7\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^4*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]

$$[Out] \quad (b*(42*c^2*d + 25*e)*x^2*Sqrt[-1 + c^2*x^2])/(560*c^5*Sqrt[c^2*x^2]) + (b*(42*c^2*d + 25*e)*x^4*Sqrt[-1 + c^2*x^2])/(840*c^3*Sqrt[c^2*x^2]) + (b*e*x^6*Sqrt[-1 + c^2*x^2])/(42*c*Sqrt[c^2*x^2]) + (d*x^5*(a + b*ArcCsc[c*x]))/5 + (e*x^7*(a + b*ArcCsc[c*x]))/7 + (b*(42*c^2*d + 25*e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(560*c^6*Sqrt[c^2*x^2])$$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*(f_.*(x_))^(m_.)*(d_.) + (e_.*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 459

```
Int[((e_.*(x_))^(m_.)*(a_ + (b_.*(x_))^(n_.))^(p_.)*(c_ + (d_.*(x_))^(n_)), x_Symbol] :> Simplify[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n)*(p + 1))]
```

```
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int x^4 (d + ex^2) (a + b \csc^{-1}(cx)) \, dx &= \frac{1}{5} dx^5 (a + b \csc^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^4(7d+5ex^2)}{35\sqrt{-1+c^2x^2}} \, dx}{\sqrt{c^2x^2}} \\
&= \frac{1}{5} dx^5 (a + b \csc^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^4(7d+5ex^2)}{\sqrt{-1+c^2x^2}} \, dx}{35\sqrt{c^2x^2}} \\
&= \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{5} dx^5 (a + b \csc^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \csc^{-1}(cx)) - \frac{(bc)(-42d - 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} \\
&= \frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} + \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} + \frac{1}{5} dx^5 (a + b \csc^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \csc^{-1}(cx)) \\
&= \frac{b(42c^2d + 25e)x^2\sqrt{-1+c^2x^2}}{560c^5\sqrt{c^2x^2}} + \frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} + \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} \\
&= \frac{b(42c^2d + 25e)x^2\sqrt{-1+c^2x^2}}{560c^5\sqrt{c^2x^2}} + \frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} + \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}} \\
&= \frac{b(42c^2d + 25e)x^2\sqrt{-1+c^2x^2}}{560c^5\sqrt{c^2x^2}} + \frac{b(42c^2d + 25e)x^4\sqrt{-1+c^2x^2}}{840c^3\sqrt{c^2x^2}} + \frac{bex^6\sqrt{-1+c^2x^2}}{42c\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.231158, size = 140, normalized size = 0.68

$$\frac{48ac^7x^5(7d + 5ex^2) + bc^2x^2\sqrt{1 - \frac{1}{c^2x^2}}(c^4(84dx^2 + 40ex^4) + 2c^2(63d + 25ex^2) + 75e) + 3b(42c^2d + 25e)\log(x(\sqrt{1 - \frac{1}{c^2x^2}}))}{1680c^7}$$

Antiderivative was successfully verified.

[In] `Integrate[x^4*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]`

[Out] $(48*a*c^7*x^5*(7*d + 5*e*x^2) + b*c^2*sqrt[1 - 1/(c^2*x^2)]*x^2*(75*e + 2*c^2*(63*d + 25*e*x^2) + c^4*(84*d*x^2 + 40*e*x^4)) + 48*b*c^7*x^5*(7*d + 5*e*x^2)*arccsc(cx) + 3*b*(42*c^2*d + 25*e)*log[(1 + sqrt[1 - 1/(c^2*x^2)])*x])/(1680*c^7)$

Maple [A] time = 0.182, size = 338, normalized size = 1.6

$$\frac{aex^7}{7} + \frac{ax^5d}{5} + \frac{\operatorname{barccsc}(cx)ex^7}{7} + \frac{\operatorname{barccsc}(cx)x^5d}{5} + \frac{bx^6e}{42c}\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{bx^4e}{168c^3}\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{bx^4d}{20c}\sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{bx^2d}{40c^3}\sqrt{\frac{c^2x^2-1}{c^2x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(x^4*(e*x^2+d)*(a+b*\operatorname{arccsc}(c*x)), x)$

[Out] $1/7*a*e*x^7+1/5*a*x^5*d+1/7*b*\operatorname{arccsc}(c*x)*e*x^7+1/5*b*\operatorname{arccsc}(c*x)*x^5*d+1/4*2/c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^6*e+1/168/c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^4*e+1/20/c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^4*d+1/40/c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^2*d+5/336/c^5*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^2*e-3/40*c^5*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*d+3/40*c^6*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d*\ln(c*x+(c^2*x^2-1)^{(1/2)})-5/112/c^7*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e+5/112/c^8*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*\ln(c*x+(c^2*x^2-1)^{(1/2)})$

Maxima [A] time = 0.986806, size = 400, normalized size = 1.94

$$\frac{1}{7}aex^7 + \frac{1}{5}adx^5 + \frac{1}{80}\left(16x^5\operatorname{arccsc}(cx) - \frac{\frac{c^4\left(\frac{1}{c^2x^2}-1\right)^2+2c^4\left(\frac{1}{c^2x^2}-1\right)+c^4}{c^4}}{16x^5\operatorname{arccsc}(cx)}\right)\right)bd + \frac{1}{672}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^4*(e*x^2+d)*(a+b*\operatorname{arccsc}(c*x)), x, \text{algorithm}=\text{"maxima"})$

[Out] $1/7*a*e*x^7 + 1/5*a*d*x^5 + 1/80*(16*x^5*\operatorname{arccsc}(c*x) - (2*(3*(-1/(c^2*x^2) + 1)^{(3/2)} - 5*sqrt(-1/(c^2*x^2) + 1))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^4 + 3*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^4)*b*d + 1/672*(96*x^7*\operatorname{arccsc}(c*x) + (2*(15*(-1/(c^2*x^2) + 1)^{(5/2)} - 40*(-1/(c^2*x^2) + 1)^{(3/2)} + 33*sqrt(-1/(c^2*x^2) + 1))/(c^6*(1/(c^2*x^2) - 1)^3 + 3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^6 - 15*log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^6)*b*e$

Fricas [A] time = 4.59651, size = 459, normalized size = 2.23

$$240ac^7ex^7 + 336ac^7dx^5 + 48\left(5bc^7ex^7 + 7bc^7dx^5 - 7bc^7d - 5bc^7e\right)\operatorname{arccsc}(cx) - 96\left(7bc^7d + 5bc^7e\right)\arctan\left(-cx +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{1680} (240*a*c^7*e*x^7 + 336*a*c^7*d*x^5 + 48*(5*b*c^7*e*x^7 + 7*b*c^7*d*x^5 - 7*b*c^7*d - 5*b*c^7*e)*arccsc(cx) - 96*(7*b*c^7*d + 5*b*c^7*e)*arctan(-c*x + \sqrt{c^2*x^2 - 1}) - 3*(42*b*c^2*d + 25*b*e)*\log(-c*x + \sqrt{c^2*x^2 - 1}) + (40*b*c^5*e*x^5 + 2*(42*b*c^5*d + 25*b*c^3*e)*x^3 + 3*(42*b*c^3*d + 25*b*c*e)*x)*\sqrt{c^2*x^2 - 1})/c^7$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 (a + b \operatorname{acsc}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(e*x**2+d)*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**4*(a + b*acsc(c*x))*(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arccsc}(cx) + a)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)*x^4, x)`

$$3.77 \quad \int x^2 (d + ex^2) (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=161

$$\frac{1}{3}dx^3(a + b \csc^{-1}(cx)) + \frac{1}{5}ex^5(a + b \csc^{-1}(cx)) + \frac{bx^2\sqrt{c^2x^2 - 1}(20c^2d + 9e)}{120c^3\sqrt{c^2x^2}} + \frac{bx(20c^2d + 9e)\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{120c^4\sqrt{c^2x^2}} +$$

$$[0\text{ut}] \quad (b*(20*c^2*d + 9*e)*x^2*Sqrt[-1 + c^2*x^2])/(120*c^3*Sqrt[c^2*x^2]) + (b*e*x^4*Sqrt[-1 + c^2*x^2])/(20*c*Sqrt[c^2*x^2]) + (d*x^3*(a + b*ArcCsc[c*x]))/3 + (e*x^5*(a + b*ArcCsc[c*x]))/5 + (b*(20*c^2*d + 9*e)*x*ArcTanh[(c*x)/Sqr t[-1 + c^2*x^2]])/(120*c^4*Sqrt[c^2*x^2])$$

Rubi [A] time = 0.107796, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.368, Rules used = {14, 5239, 12, 459, 321, 217, 206}

$$\frac{1}{3}dx^3(a + b \csc^{-1}(cx)) + \frac{1}{5}ex^5(a + b \csc^{-1}(cx)) + \frac{bx^2\sqrt{c^2x^2 - 1}(20c^2d + 9e)}{120c^3\sqrt{c^2x^2}} + \frac{bx(20c^2d + 9e)\tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{120c^4\sqrt{c^2x^2}} +$$

Antiderivative was successfully verified.

[In] Int[x^2*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]

$$[0\text{ut}] \quad (b*(20*c^2*d + 9*e)*x^2*Sqrt[-1 + c^2*x^2])/(120*c^3*Sqrt[c^2*x^2]) + (b*e*x^4*Sqrt[-1 + c^2*x^2])/(20*c*Sqrt[c^2*x^2]) + (d*x^3*(a + b*ArcCsc[c*x]))/3 + (e*x^5*(a + b*ArcCsc[c*x]))/5 + (b*(20*c^2*d + 9*e)*x*ArcTanh[(c*x)/Sqr t[-1 + c^2*x^2]])/(120*c^4*Sqrt[c^2*x^2])$$

Rule 14

```
Int[(u_)*((c_)*(x_))^m_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^m_*((d_)*(e_)*(x_)^2)^p_, x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 459

```
Int[((e_)*(x_)^m_)*(a_ + (b_)*(x_)^n_))^(p_)*((c_)*(d_)*(x_)^n_), x_Symbol] :> Simpl[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
```

$n, p\}, x] \& \text{NeQ}[b*c - a*d, 0] \& \text{NeQ}[m + n*(p + 1) + 1, 0]$

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_)+(b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x]; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 217

```
Int[1/Sqrt[(a_)+(b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1-b*x^2), x], x, x/Sqrt[a+b*x^2]]; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_)+(b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x]; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int x^2 (d + ex^2) (a + b \csc^{-1}(cx)) \, dx &= \frac{1}{3} dx^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^2(5d+3ex^2)}{15\sqrt{-1+c^2x^2}} \, dx}{\sqrt{c^2x^2}} \\ &= \frac{1}{3} dx^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^2(5d+3ex^2)}{\sqrt{-1+c^2x^2}} \, dx}{15\sqrt{c^2x^2}} \\ &= \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \csc^{-1}(cx)) - \frac{(bc)(-20d-9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} \\ &= \frac{b(20c^2d+9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} + \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \csc^{-1}(cx)) \\ &= \frac{b(20c^2d+9e)x^2\sqrt{-1+c^2x^2}}{120c^3\sqrt{c^2x^2}} + \frac{bex^4\sqrt{-1+c^2x^2}}{20c\sqrt{c^2x^2}} + \frac{1}{3} dx^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \csc^{-1}(cx)) \end{aligned}$$

Mathematica [A] time = 0.166245, size = 121, normalized size = 0.75

$$\frac{c^2x^2 \left(8ac^3x(5d+3ex^2)+b\sqrt{1-\frac{1}{c^2x^2}}(c^2(20d+6ex^2)+9e)\right)+b(20c^2d+9e)\log\left(x\left(\sqrt{1-\frac{1}{c^2x^2}}+1\right)\right)+8bc^5x^3\csc^{-1}(cx)}{120c^5}$$

Antiderivative was successfully verified.

[In] `Integrate[x^2*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]`

[Out] $(c^2*x^2*(8*a*c^3*x*(5*d + 3*e*x^2) + b*Sqrt[1 - 1/(c^2*x^2)]*(9*e + c^2*(20*d + 6*e*x^2))) + 8*b*c^5*x^3*(5*d + 3*e*x^2)*ArcCsc[c*x] + b*(20*c^2*d + 9*e)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/ (120*c^5)$

Maple [B] time = 0.184, size = 282, normalized size = 1.8

$$\frac{aex^5}{5} + \frac{adx^3}{3} + \frac{\operatorname{arccsc}(cx)ex^5}{5} + \frac{\operatorname{arccsc}(cx)dx^3}{3} + \frac{bx^4e}{20c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{bex^2}{40c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{bdx^2}{6c} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{bd}{6c^3} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d)*(a+b*arccsc(c*x)),x)`

[Out] $\frac{1}{5}a e x^5 + \frac{1}{3}a d x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arccsc}(cx) + \frac{\frac{2 \sqrt{-\frac{1}{c^2 x^2}+1}}{c^2} + \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2}+1}+1 \right)}{c^2} - \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2}+1}-1 \right)}{c^2}}{c} \right) b d + \frac{1}{80} \left(16 x^5 \operatorname{arccsc}(cx) + \dots \right)$

Maxima [A] time = 0.986601, size = 313, normalized size = 1.94

$$\frac{1}{5} a e x^5 + \frac{1}{3} a d x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arccsc}(cx) + \frac{\frac{2 \sqrt{-\frac{1}{c^2 x^2}+1}}{c^2} + \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2}+1}+1 \right)}{c^2} - \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2}+1}-1 \right)}{c^2}}{c} \right) b d + \frac{1}{80} \left(16 x^5 \operatorname{arccsc}(cx) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{5}a e x^5 + \frac{1}{3}a d x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arccsc}(cx) + \frac{2 \sqrt{-\frac{1}{c^2 x^2}+1}}{c^2} + \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2}+1}+1 \right)}{c^2} - \frac{\log \left(\sqrt{-\frac{1}{c^2 x^2}+1}-1 \right)}{c^2} \right) b d + \frac{1}{80} \left(16 x^5 \operatorname{arccsc}(cx) + \dots \right)$

Fricas [A] time = 3.56358, size = 398, normalized size = 2.47

$$\frac{24 a c^5 e x^5 + 40 a c^5 d x^3 + 8 \left(3 b c^5 e x^5 + 5 b c^5 d x^3 - 5 b c^5 d - 3 b c^5 e \right) \operatorname{arccsc}(cx) - 16 \left(5 b c^5 d + 3 b c^5 e \right) \arctan \left(-c x + \sqrt{c^2 x^2 - 1} \right)}{120 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{120} \left(24 a c^5 e x^5 + 40 a c^5 d x^3 + 8 \left(3 b c^5 e x^5 + 5 b c^5 d x^3 - 5 b c^5 d - 3 b c^5 e \right) \operatorname{arccsc}(cx) - 16 \left(5 b c^5 d + 3 b c^5 e \right) \arctan(-c x + \sqrt{c^2 x^2 - 1}) - (20 b c^5 d + 9 b c^5 e) \log(-c x + \sqrt{c^2 x^2 - 1}) \right)$

$$+ (6*b*c^3*e*x^3 + (20*b*c^3*d + 9*b*c*e)*x)*sqrt(c^2*x^2 - 1))/c^5$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{acsc}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d)*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**2*(a + b*acsc(c*x))*(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arccsc}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)*x^2, x)`

$$\mathbf{3.78} \quad \int (d + ex^2) (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=109

$$dx (a + b \csc^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \csc^{-1}(cx)) + \frac{bx(6c^2d + e) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{6c^2\sqrt{c^2x^2}} + \frac{bex^2\sqrt{c^2x^2 - 1}}{6c\sqrt{c^2x^2}}$$

[Out] $(b*e*x^2*Sqrt[-1 + c^2*x^2])/(6*c*Sqrt[c^2*x^2]) + d*x*(a + b*ArcCsc[c*x]) + (e*x^3*(a + b*ArcCsc[c*x]))/3 + (b*(6*c^2*d + e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(6*c^2*Sqrt[c^2*x^2])$

Rubi [A] time = 0.0509346, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.312, Rules used = {5229, 12, 388, 217, 206}

$$dx (a + b \csc^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \csc^{-1}(cx)) + \frac{bx(6c^2d + e) \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{6c^2\sqrt{c^2x^2}} + \frac{bex^2\sqrt{c^2x^2 - 1}}{6c\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + b*ArcCsc[c*x]), x]

[Out] $(b*e*x^2*Sqrt[-1 + c^2*x^2])/(6*c*Sqrt[c^2*x^2]) + d*x*(a + b*ArcCsc[c*x]) + (e*x^3*(a + b*ArcCsc[c*x]))/3 + (b*(6*c^2*d + e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(6*c^2*Sqrt[c^2*x^2])$

Rule 5229

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x, x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 388

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simplify[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simplify[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

$Q[a, 0] \text{ || } LtQ[b, 0])$

Rubi steps

$$\begin{aligned}
\int (d + ex^2) (a + b \csc^{-1}(cx)) dx &= dx (a + b \csc^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{3d+ex^2}{3\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= dx (a + b \csc^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{3d+ex^2}{\sqrt{-1+c^2x^2}} dx}{3\sqrt{c^2x^2}} \\
&= \frac{bex^2 \sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx (a + b \csc^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \csc^{-1}(cx)) - \frac{(b(-6c^2d-e)x)}{6c\sqrt{c^2x^2}} \\
&= \frac{bex^2 \sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx (a + b \csc^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \csc^{-1}(cx)) - \frac{(b(-6c^2d-e)x)}{6c\sqrt{c^2x^2}} \\
&= \frac{bex^2 \sqrt{-1+c^2x^2}}{6c\sqrt{c^2x^2}} + dx (a + b \csc^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \csc^{-1}(cx)) + \frac{b(6c^2d+e)x \tan^{-1}(cx)}{6c^2\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.261444, size = 149, normalized size = 1.37

$$adx + \frac{1}{3} aex^3 + \frac{b dx \sqrt{1 - \frac{1}{c^2 x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2 x^2 - 1}}\right)}{\sqrt{c^2 x^2 - 1}} + \frac{b e x^2 \sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}{6 c} + \frac{b e \log\left(x \left(\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}} + 1\right)\right)}{6 c^3} + b dx \csc^{-1}(cx) + \frac{1}{3} b e x^3 \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] `Integrate[(d + e*x^2)*(a + b*ArcCsc[c*x]), x]`

[Out] $a*d*x + (a*e*x^3)/3 + (b*e*x^2*.Sqrt[(-1 + c^2*x^2)/(c^2*x^2)])/(6*c) + b*d*x*ArcCsc[c*x] + (b*e*x^3*ArcCsc[c*x])/3 + (b*d*.Sqrt[1 - 1/(c^2*x^2)]*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[-1 + c^2*x^2] + (b*e*Log[x*(1 + Sqrt[(-1 + c^2*x^2)/(c^2*x^2))])/(6*c^3)$

Maple [B] time = 0.184, size = 194, normalized size = 1.8

$$\frac{ax^3e}{3} + adx + \frac{barccsc(cx)x^3e}{3} + barccsc(cx)xd + \frac{bd}{c^2x}\sqrt{c^2x^2-1}\ln(cx+\sqrt{c^2x^2-1})\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{bex^2}{6c}\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - \frac{be}{6c^3}\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arccsc(c*x)), x)`

[Out] $\frac{1}{3}a*x^3+e*a*d*x+\frac{1}{3}b*arccsc(c*x)*x^3+e+b*arccsc(c*x)*x*d+\frac{1}{c^2}b/(c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*(c^2*x^2-1)^{(1/2)}*d*\ln(c*x+(c^2*x^2-1)^{(1/2)})+1/6/c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e*x^2-1/6/c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*e+1/6/c^4*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*e*\ln(c*x+(c^2*x^2-1)^{(1/2)})$

Maxima [A] time = 1.01685, size = 207, normalized size = 1.9

$$\frac{1}{3} a e x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arccsc}(c x) + \frac{\frac{2 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1\right)}{c^2}}{c} \right) b e + a d x + \frac{\left(2 c x \operatorname{arccsc}(c x) + \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1}\right)\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1/3*a*e*x^3 + 1/12*(4*x^3*arccsc(c*x) + (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2/c)*b*e + a*d*x + 1/2*(2*c*x*arccsc(c*x) + log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*d/c)}{6 c^3}$

Fricas [A] time = 3.45268, size = 327, normalized size = 3.

$$\frac{2 a c^3 e x^3 + 6 a c^3 d x + \sqrt{c^2 x^2 - 1} b c e x + 2 (b c^3 e x^3 + 3 b c^3 d x - 3 b c^3 d - b c^3 e) \operatorname{arccsc}(c x) - 4 (3 b c^3 d + b c^3 e) \arctan\left(-\frac{c x}{\sqrt{c^2 x^2 - 1}}\right)}{6 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1/6*(2*a*c^3*e*x^3 + 6*a*c^3*d*x + sqrt(c^2*x^2 - 1)*b*c*e*x + 2*(b*c^3*e*x^3 + 3*b*c^3*d*x - 3*b*c^3*d - b*c^3*e)*arccsc(c*x) - 4*(3*b*c^3*d + b*c^3*e)*arctan(-c*x + sqrt(c^2*x^2 - 1)) - (6*b*c^2*d + b*e)*log(-c*x + sqrt(c^2*x^2 - 1)))/c^3}{c^3}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(c x)) (d + e x^2) \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*acsc(c*x)),x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (e x^2 + d) (b \operatorname{arccsc}(c x) + a) \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a), x)`

3.79 $\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^2} dx$

Optimal. Leaf size=87

$$-\frac{d(a + b \csc^{-1}(cx))}{x} + ex(a + b \csc^{-1}(cx)) - \frac{bcd\sqrt{c^2x^2 - 1}}{\sqrt{c^2x^2}} + \frac{bex \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{\sqrt{c^2x^2}}$$

[Out] $-((b*c*d*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/x + e*x*(a + b*ArcCsc[c*x]) + (b*e*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[c^2*x^2]$

Rubi [A] time = 0.0645933, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.263, Rules used = {14, 5239, 451, 217, 206}

$$-\frac{d(a + b \csc^{-1}(cx))}{x} + ex(a + b \csc^{-1}(cx)) - \frac{bcd\sqrt{c^2x^2 - 1}}{\sqrt{c^2x^2}} + \frac{bex \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^2, x]$

[Out] $-((b*c*d*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/x + e*x*(a + b*ArcCsc[c*x]) + (b*e*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/Sqrt[c^2*x^2]$

Rule 14

```
Int[(u_)*((c_.)*(x_.))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 451

```
Int[((e_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_.))^(n_.))^(p_.)*((c_) + (d_.)*(x_.))^(n_), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1]))
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_ .)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_ .)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \csc^{-1}(cx))}{x^2} dx &= -\frac{d(a + b \csc^{-1}(cx))}{x} + ex(a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{-d+ex^2}{x^2\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{x} + ex(a + b \csc^{-1}(cx)) + \frac{(bcex) \int \frac{1}{\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{x} + ex(a + b \csc^{-1}(cx)) + \frac{(bcex) \text{Subst}\left(\int \frac{1}{\sqrt{-1+c^2x^2}} dx\right)}{\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1+c^2x^2}}{\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{x} + ex(a + b \csc^{-1}(cx)) + \frac{bex \tanh^{-1}\left(\frac{cx}{\sqrt{-1+c^2x^2}}\right)}{\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.119431, size = 104, normalized size = 1.2

$$-\frac{ad}{x} + aex - bcd\sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{bex\sqrt{1 - \frac{1}{c^2x^2}} \tanh^{-1}\left(\frac{cx}{\sqrt{c^2x^2 - 1}}\right)}{\sqrt{c^2x^2 - 1}} - \frac{bd \csc^{-1}(cx)}{x} + bex \csc^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^2, x]

[Out] $-\frac{(a*d)}{x} + a*e*x - b*c*d*\sqrt{(-1 + c^2*x^2)/(c^2*x^2)} - (b*d*\text{ArcCsc}[c*x])/x + b*e*x*\text{ArcCsc}[c*x] + (b*e*\sqrt{1 - 1/(c^2*x^2)})*x*\text{ArcTanh}[(c*x)/\sqrt{-1 + c^2*x^2}]/\sqrt{-1 + c^2*x^2}$

Maple [A] time = 0.186, size = 136, normalized size = 1.6

$$aex - \frac{ad}{x} + \text{barccsc}(cx)ex - \frac{\text{barccsc}(cx)d}{x} - bcd\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{bd}{cx^2}\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{be}{c^2x}\sqrt{c^2x^2-1}\ln\left(cx + \sqrt{c^2x^2-1}\right)\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(a+b*arccsc(c*x))/x^2, x)

[Out] $a*e*x - a*d/x + b*arccsc(c*x)*e*x - b*arccsc(c*x)*d/x - c*b/((c^2*x^2-1)/c^2*x^2)^(1/2)*d + b/c/x^2/((c^2*x^2-1)/c^2*x^2)^(1/2)*d + b/c^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2*x^2)^(1/2)/x + e*ln(c*x + (c^2*x^2-1)^(1/2))$

Maxima [A] time = 0.988959, size = 120, normalized size = 1.38

$$-\left\{ c \sqrt{-\frac{1}{c^2 x^2} + 1} + \frac{\operatorname{arccsc}(cx)}{x} \right\} bd + aex + \frac{\left(2cx \operatorname{arccsc}(cx) + \log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) - \log\left(-\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right) \right) be}{2c} - \frac{ad}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^2,x, algorithm="maxima")`

[Out] $-(c*\sqrt{-1/(c^2*x^2) + 1} + \operatorname{arccsc}(c*x)/x)*b*d + a*e*x + 1/2*(2*c*x*\operatorname{arccsc}(c*x) + \log(\sqrt{-1/(c^2*x^2) + 1} + 1) + 1) - \log(-\sqrt{-1/(c^2*x^2) + 1} + 1)) *b*e/c - a*d/x$

Fricas [A] time = 2.90754, size = 288, normalized size = 3.31

$$\frac{bc^2 dx - acex^2 + bex \log\left(-cx + \sqrt{c^2 x^2 - 1}\right) + \sqrt{c^2 x^2 - 1} bcd + acd - 2(bcd - bce)x \arctan\left(-cx + \sqrt{c^2 x^2 - 1}\right) - (bce x^2 - acx^2) \operatorname{arccsc}(c*x)}{cx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^2,x, algorithm="fricas")`

[Out] $-(b*c^2*d*x - a*c*e*x^2 + b*e*x*\log(-c*x + \sqrt{c^2*x^2 - 1})) + \sqrt{c^2*x^2 - 1} *b*c*d + a*c*d - 2*(b*c*d - b*c*e)*x*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) - (b*c*e*x^2 - b*c*d + (b*c*d - b*c*e)*x)*\operatorname{arccsc}(c*x)/(c*x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))(d + ex^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*acsc(c*x))/x**2,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)/x**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arccsc}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^2,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)/x^2, x)`

3.80
$$\int \frac{(d+ex^2)(a+b\csc^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=105

$$-\frac{d(a+b\csc^{-1}(cx))}{3x^3} - \frac{e(a+b\csc^{-1}(cx))}{x} - \frac{bc\sqrt{c^2x^2-1}(2c^2d+9e)}{9\sqrt{c^2x^2}} - \frac{bcd\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}}$$

[Out] $-(b*c*(2*c^2*d + 9*e)*Sqrt[-1 + c^2*x^2])/(9*Sqrt[c^2*x^2]) - (b*c*d*Sqrt[-1 + c^2*x^2])/(9*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/(3*x^3) - (e*(a + b*ArcCsc[c*x]))/x$

Rubi [A] time = 0.0783417, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.263, Rules used = {14, 5239, 12, 453, 264}

$$-\frac{d(a+b\csc^{-1}(cx))}{3x^3} - \frac{e(a+b\csc^{-1}(cx))}{x} - \frac{bc\sqrt{c^2x^2-1}(2c^2d+9e)}{9\sqrt{c^2x^2}} - \frac{bcd\sqrt{c^2x^2-1}}{9x^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x^2)*(a + b*ArcCsc[c*x])/x^4, x]$

[Out] $-(b*c*(2*c^2*d + 9*e)*Sqrt[-1 + c^2*x^2])/(9*Sqrt[c^2*x^2]) - (b*c*d*Sqrt[-1 + c^2*x^2])/(9*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/(3*x^3) - (e*(a + b*ArcCsc[c*x]))/x$

Rule 14

```
Int[(u_)*((c_)*(x_))^m_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(f_)*(x_)^m_*(d_)*(e_)*(x_)^p_, x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)*p + 1]/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 453

```
Int[((e_)*(x_)^m_)*((a_) + (b_)*(x_)^n_)*(p_)*(c_)*(d_)*(x_)^n_, x_Symbol] :> Simplify[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e^(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \csc^{-1}(cx))}{x^4} dx &= -\frac{d(a + b \csc^{-1}(cx))}{3x^3} - \frac{e(a + b \csc^{-1}(cx))}{x} + \frac{(bcx) \int \frac{-d-3ex^2}{3x^4\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{d(a + b \csc^{-1}(cx))}{3x^3} - \frac{e(a + b \csc^{-1}(cx))}{x} + \frac{(bcx) \int \frac{-d-3ex^2}{x^4\sqrt{-1+c^2x^2}} dx}{3\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1+c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{3x^3} - \frac{e(a + b \csc^{-1}(cx))}{x} + \frac{(bc(-2c^2d - 9e)x)}{9\sqrt{c^2x^2}} \\ &= -\frac{bc(2c^2d + 9e)\sqrt{-1+c^2x^2}}{9\sqrt{c^2x^2}} - \frac{bcd\sqrt{-1+c^2x^2}}{9x^2\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{3x^3} - \frac{e(a + b \csc^{-1}(cx))}{x} \end{aligned}$$

Mathematica [A] time = 0.103917, size = 69, normalized size = 0.66

$$-\frac{3a(d + 3ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2dx^2 + d + 9ex^2) + 3b\csc^{-1}(cx)(d + 3ex^2)}{9x^3}$$

Antiderivative was successfully verified.

[In] `Integrate[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^4, x]`

[Out] $-(3*a*(d + 3*e*x^2) + b*c* \text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 9*e*x^2) + 3*b*(d + 3*e*x^2)*\text{ArcCsc}[c*x])/(9*x^3)$

Maple [A] time = 0.187, size = 121, normalized size = 1.2

$$c^3 \left(\frac{a}{c^2} \left(-\frac{e}{cx} - \frac{d}{3cx^3} \right) + \frac{b}{c^2} \left(-\frac{\text{arccsc}(cx)e}{cx} - \frac{\text{arccsc}(cx)d}{3cx^3} - \frac{(c^2x^2 - 1)(2c^4dx^2 + 9c^2ex^2 + c^2d)}{9c^4x^4} \frac{1}{\sqrt{\frac{c^2x^2 - 1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arccsc(c*x))/x^4, x)`

[Out] $c^3*(a/c^2*(-e/c/x-1/3/c*d/x^3)+b/c^2*(-\text{arccsc}(c*x)*e/c/x-1/3*\text{arccsc}(c*x)/c*d/x^3-1/9*(c^2*x^2-1)*(2*c^4*d*x^2+9*c^2*x^2+e*x^2+c^2*d)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c^4/x^4))$

Maxima [A] time = 0.983086, size = 127, normalized size = 1.21

$$-\left(c\sqrt{-\frac{1}{c^2x^2} + 1} + \frac{\text{arccsc}(cx)}{x} \right) be + \frac{1}{9} bd \left(\frac{c^4 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{3\text{arccsc}(cx)}{x^3} \right) - \frac{ae}{x} - \frac{ad}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^4,x, algorithm="maxima")`

[Out]
$$\frac{-(c\sqrt{-1/(c^2x^2) + 1} + \operatorname{arccsc}(cx)/x)*b*e + 1/9*b*d*((c^4*(-1/(c^2x^2) + 1)^{(3/2)} - 3*c^4\sqrt{-1/(c^2x^2) + 1})/c - 3*\operatorname{arccsc}(cx)/x^3 - a*e/x - 1/3*a*d/x^3}{9x^3}$$

Fricas [A] time = 2.60323, size = 157, normalized size = 1.5

$$\frac{9 a e x^2 + 3 a d + 3 (3 b e x^2 + b d) \operatorname{arccsc}(c x) + \sqrt{c^2 x^2 - 1} ((2 b c^2 d + 9 b e) x^2 + b d)}{9 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^4,x, algorithm="fricas")`

[Out]
$$\frac{-1/9*(9*a*e*x^2 + 3*a*d + 3*(3*b*e*x^2 + b*d)*\operatorname{arccsc}(c*x) + \sqrt{c^2 x^2 - 1} ((2*b*c^2*d + 9*b*e)*x^2 + b*d))/x^3}{1}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(c x)) (d + e x^2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*acsc(c*x))/x**4,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)/x**4, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e x^2 + d)(b \operatorname{arccsc}(c x) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^4,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)/x^4, x)`

3.81 $\int \frac{(d+ex^2)(a+b\csc^{-1}(cx))}{x^6} dx$

Optimal. Leaf size=152

$$-\frac{d(a+b\csc^{-1}(cx))}{5x^5} - \frac{e(a+b\csc^{-1}(cx))}{3x^3} - \frac{2bc^3\sqrt{c^2x^2-1}(12c^2d+25e)}{225\sqrt{c^2x^2}} - \frac{bc\sqrt{c^2x^2-1}(12c^2d+25e)}{225x^2\sqrt{c^2x^2}} - \frac{bcd\sqrt{c^2x^2-1}}{25x^4\sqrt{c^2x^2}}$$

[Out] $(-2*b*c^3*(12*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*Sqrt[c^2*x^2]) - (b*c*d*Sqrt[-1 + c^2*x^2])/(25*x^4*Sqrt[c^2*x^2]) - (b*c*(12*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/(5*x^5) - (e*(a + b*ArcCsc[c*x]))/(3*x^3)$

Rubi [A] time = 0.0921755, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.316, Rules used = {14, 5239, 12, 453, 271, 264}

$$-\frac{d(a+b\csc^{-1}(cx))}{5x^5} - \frac{e(a+b\csc^{-1}(cx))}{3x^3} - \frac{2bc^3\sqrt{c^2x^2-1}(12c^2d+25e)}{225\sqrt{c^2x^2}} - \frac{bc\sqrt{c^2x^2-1}(12c^2d+25e)}{225x^2\sqrt{c^2x^2}} - \frac{bcd\sqrt{c^2x^2-1}}{25x^4\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^6, x]$

[Out] $(-2*b*c^3*(12*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*Sqrt[c^2*x^2]) - (b*c*d*Sqrt[-1 + c^2*x^2])/(25*x^4*Sqrt[c^2*x^2]) - (b*c*(12*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/(5*x^5) - (e*(a + b*ArcCsc[c*x]))/(3*x^3)$

Rule 14

```
Int[(u_)*((c_.)*(x_.))^m_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((f_.)*(x_.))^m_*((d_.) + (e_.)*(x_)^2)^p_, x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 453

```
Int[((e_)*(x_.))^m_*((a_) + (b_)*(x_.)^n_)^p_*((c_) + (d_.)*(x_.)^n_), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e^(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c]
```

```
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 271

```
Int[(x_)^m_*((a_) + (b_)*x_)^(n_))^p_, x_Symbol] :> Simplify[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*x_)^(n_))^p_, x_Symbol] :> Simplify[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \csc^{-1}(cx))}{x^6} dx &= -\frac{d(a + b \csc^{-1}(cx))}{5x^5} - \frac{e(a + b \csc^{-1}(cx))}{3x^3} + \frac{(bcx) \int \frac{-3d - 5ex^2}{15x^6 \sqrt{-1 + c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{d(a + b \csc^{-1}(cx))}{5x^5} - \frac{e(a + b \csc^{-1}(cx))}{3x^3} + \frac{(bcx) \int \frac{-3d - 5ex^2}{x^6 \sqrt{-1 + c^2x^2}} dx}{15\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{5x^5} - \frac{e(a + b \csc^{-1}(cx))}{3x^3} + \frac{(bc(-12c^2d - 25e))}{75\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}} - \frac{bc(12c^2d + 25e)\sqrt{-1 + c^2x^2}}{225x^2\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{5x^5} - \frac{e(a + b \csc^{-1}(cx))}{3x^3} \\ &= -\frac{2bc^3(12c^2d + 25e)\sqrt{-1 + c^2x^2}}{225\sqrt{c^2x^2}} - \frac{bcd\sqrt{-1 + c^2x^2}}{25x^4\sqrt{c^2x^2}} - \frac{bc(12c^2d + 25e)\sqrt{-1 + c^2x^2}}{225x^2\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.159635, size = 94, normalized size = 0.62

$$\frac{15a(3d + 5ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(3d(8c^4x^4 + 4c^2x^2 + 3) + 25ex^2(2c^2x^2 + 1)) + 15b\csc^{-1}(cx)(3d + 5ex^2)}{225x^5}$$

Antiderivative was successfully verified.

[In] `Integrate[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^6, x]`

[Out] $-(15*a*(3*d + 5*e*x^2) + b*c*Sqrt[1 - 1/(c^2*x^2)]*x*(25*e*x^2*(1 + 2*c^2*x^2) + 3*d*(3 + 4*c^2*x^2 + 8*c^4*x^4)) + 15*b*(3*d + 5*e*x^2)*ArcCsc[c*x])/ (225*x^5)$

Maple [A] time = 0.185, size = 140, normalized size = 0.9

$$c^5 \left(\frac{a}{c^2} \left(-\frac{d}{5c^3x^5} - \frac{e}{3c^3x^3} \right) + \frac{b}{c^2} \left(-\frac{\arccsc(cx)d}{5c^3x^5} - \frac{\arccsc(cx)e}{3c^3x^3} - \frac{(c^2x^2 - 1)(24c^6dx^4 + 50c^4ex^4 + 12c^4dx^2 + 25c^2ex^2)}{225c^6x^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((e*x^2+d)*(a+b*\operatorname{arccsc}(c*x))/x^6, x)$

[Out] $c^5*(a/c^2*(-1/5/c^3*d/x^5-1/3*e/c^3/x^3)+b/c^2*(-1/5*\operatorname{arccsc}(c*x)/c^3*d/x^5-1/3*\operatorname{arccsc}(c*x)*e/c^3/x^3-1/225*(c^2*x^2-1)*(24*c^6*d*x^4+50*c^4*e*x^4+12*c^4*d*x^2+25*c^2*e*x^2+9*c^2*d))/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^6/x^6))$

Maxima [A] time = 0.972544, size = 185, normalized size = 1.22

$$-\frac{1}{75} bd \left(\frac{3 c^6 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{5}{2}} - 10 c^6 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 15 c^6 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} + \frac{15 \operatorname{arccsc}(cx)}{x^5} \right) + \frac{1}{9} be \left(\frac{c^4 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} - 3 c^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((e*x^2+d)*(a+b*\operatorname{arccsc}(c*x))/x^6, x, \text{algorithm}=\text{"maxima"})$

[Out] $-1/75*b*d*((3*c^6*(-1/(c^2*x^2) + 1)^(5/2) - 10*c^6*(-1/(c^2*x^2) + 1)^(3/2) + 15*c^6*sqrt(-1/(c^2*x^2) + 1))/c + 15*\operatorname{arccsc}(c*x)/x^5) + 1/9*b*e*((c^4*(-1/(c^2*x^2) + 1)^(3/2) - 3*c^4*sqrt(-1/(c^2*x^2) + 1))/c - 3*\operatorname{arccsc}(c*x)/x^3) - 1/3*a*e/x^3 - 1/5*a*d/x^5$

Fricas [A] time = 2.62581, size = 217, normalized size = 1.43

$$\frac{75 a e x^2 + 45 a d + 15 (5 b e x^2 + 3 b d) \operatorname{arccsc}(cx) + (2 (12 b c^4 d + 25 b c^2 e) x^4 + (12 b c^2 d + 25 b e) x^2 + 9 b d) \sqrt{c^2 x^2 - 1}}{225 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((e*x^2+d)*(a+b*\operatorname{arccsc}(c*x))/x^6, x, \text{algorithm}=\text{"fricas"})$

[Out] $-1/225*(75*a*e*x^2 + 45*a*d + 15*(5*b*e*x^2 + 3*b*d)*\operatorname{arccsc}(c*x) + (2*(12*b*c^4*d + 25*b*c^2*e)*x^4 + (12*b*c^2*d + 25*b*e)*x^2 + 9*b*d)*\operatorname{sqrt}(c^2*x^2 - 1))/x^5$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) (d + e x^2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((e*x**2+d)*(a+b*\operatorname{acsc}(c*x))/x**6, x)$

[Out] $\operatorname{Integral}((a + b \operatorname{acsc}(c*x)) * (d + e x**2) / x**6, x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e x^2 + d) (b \operatorname{arccsc}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^6,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)/x^6, x)`

3.82 $\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^8} dx$

Optimal. Leaf size=197

$$\frac{d(a + b \csc^{-1}(cx))}{7x^7} - \frac{e(a + b \csc^{-1}(cx))}{5x^5} - \frac{8bc^5 \sqrt{c^2 x^2 - 1} (30c^2 d + 49e)}{3675 \sqrt{c^2 x^2}} - \frac{4bc^3 \sqrt{c^2 x^2 - 1} (30c^2 d + 49e)}{3675 x^2 \sqrt{c^2 x^2}} - \frac{bc \sqrt{c^2 x^2 - 1}}{1225 x^7}$$

[Out] $(-8*b*c^5*(30*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(3675*Sqrt[c^2*x^2]) - (b*c*d*Sqrt[-1 + c^2*x^2])/(49*x^6*Sqrt[c^2*x^2]) - (b*c*(30*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(1225*x^4*Sqrt[c^2*x^2]) - (4*b*c^3*(30*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(3675*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/(7*x^7) - (e*(a + b*ArcCsc[c*x]))/(5*x^5)$

Rubi [A] time = 0.118038, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.316, Rules used = {14, 5239, 12, 453, 271, 264}

$$\frac{d(a + b \csc^{-1}(cx))}{7x^7} - \frac{e(a + b \csc^{-1}(cx))}{5x^5} - \frac{8bc^5 \sqrt{c^2 x^2 - 1} (30c^2 d + 49e)}{3675 \sqrt{c^2 x^2}} - \frac{4bc^3 \sqrt{c^2 x^2 - 1} (30c^2 d + 49e)}{3675 x^2 \sqrt{c^2 x^2}} - \frac{bc \sqrt{c^2 x^2 - 1}}{1225 x^7}$$

Antiderivative was successfully verified.

[In] $\text{Int}[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^8, x]$

[Out] $(-8*b*c^5*(30*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(3675*Sqrt[c^2*x^2]) - (b*c*d*Sqrt[-1 + c^2*x^2])/(49*x^6*Sqrt[c^2*x^2]) - (b*c*(30*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(1225*x^4*Sqrt[c^2*x^2]) - (4*b*c^3*(30*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(3675*x^2*Sqrt[c^2*x^2]) - (d*(a + b*ArcCsc[c*x]))/(7*x^7) - (e*(a + b*ArcCsc[c*x]))/(5*x^5)$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(f_)*(x_)^(m_)*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 453

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)),
```

```
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c -
a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[(x^(m + 1)*(
a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + b \csc^{-1}(cx))}{x^8} dx &= -\frac{d(a + b \csc^{-1}(cx))}{7x^7} - \frac{e(a + b \csc^{-1}(cx))}{5x^5} + \frac{(bcx) \int \frac{-5d-7ex^2}{35x^8\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{d(a + b \csc^{-1}(cx))}{7x^7} - \frac{e(a + b \csc^{-1}(cx))}{5x^5} + \frac{(bcx) \int \frac{-5d-7ex^2}{x^8\sqrt{-1+c^2x^2}} dx}{35\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{7x^7} - \frac{e(a + b \csc^{-1}(cx))}{5x^5} + \frac{(bc(-30c^2d - 49e))}{245\sqrt{c^2x^2}} \\ &= -\frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} - \frac{bc(30c^2d + 49e)\sqrt{-1+c^2x^2}}{1225x^4\sqrt{c^2x^2}} - \frac{d(a + b \csc^{-1}(cx))}{7x^7} - \frac{e(a + b \csc^{-1}(cx))}{5x^5} \\ &= -\frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} - \frac{bc(30c^2d + 49e)\sqrt{-1+c^2x^2}}{1225x^4\sqrt{c^2x^2}} - \frac{4bc^3(30c^2d + 49e)\sqrt{-1+c^2x^2}}{3675x^2\sqrt{c^2x^2}} \\ &= -\frac{8bc^5(30c^2d + 49e)\sqrt{-1+c^2x^2}}{3675\sqrt{c^2x^2}} - \frac{bcd\sqrt{-1+c^2x^2}}{49x^6\sqrt{c^2x^2}} - \frac{bc(30c^2d + 49e)\sqrt{-1+c^2x^2}}{1225x^4\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.165466, size = 110, normalized size = 0.56

$$\frac{105a(5d + 7ex^2) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(15d(16c^6x^6 + 8c^4x^4 + 6c^2x^2 + 5) + 49ex^2(8c^4x^4 + 4c^2x^2 + 3)) + 105b\csc^{-1}(cx)(3675x^7)}{3675x^7}$$

Antiderivative was successfully verified.

[In] `Integrate[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^8, x]`

[Out] `-(105*a*(5*d + 7*e*x^2) + b*c*.Sqrt[1 - 1/(c^2*x^2)]*x*(49*e*x^2*(3 + 4*c^2*x^2 + 8*c^4*x^4) + 15*d*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)) + 105*b*(5*d + 7*e*x^2)*ArcCsc[c*x])/(3675*x^7)`

Maple [A] time = 0.19, size = 158, normalized size = 0.8

$$c^7 \left(\frac{a}{c^2} \left(-\frac{d}{7c^5x^7} - \frac{e}{5c^5x^5} \right) + \frac{b}{c^2} \left(-\frac{\operatorname{arccsc}(cx)d}{7c^5x^7} - \frac{\operatorname{arccsc}(cx)e}{5c^5x^5} - \frac{(c^2x^2-1)(240c^8dx^6+392c^6ex^6+120c^6dx^4+196c^4e^2)}{3675c^8x^8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arccsc(c*x))/x^8,x)`

[Out] $c^7(a/c^2*(-1/7/c^5d/x^7-1/5e/c^5/x^5)+b/c^2*(-1/7\operatorname{arccsc}(c*x)/c^5d/x^7-1/5\operatorname{arccsc}(c*x)*e/c^5/x^5-1/3675*(c^2x^2-1)*(240c^8d*x^6+392c^6e*x^6+120c^6d*x^4+196c^4e^2))/((c^2x^2-1)/c^2/x^2)^(1/2)/c^8/x^8)$

Maxima [A] time = 0.979352, size = 232, normalized size = 1.18

$$\frac{1}{245} bd \left(\frac{5c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{7}{2}} - 21c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{5}{2}} + 35c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 35c^8 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{35 \operatorname{arccsc}(cx)}{x^7} \right) - \frac{1}{75} be \left(\frac{3c^6 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{7}{2}} - 21c^6 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{5}{2}} + 35c^6 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 35c^6 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{35 \operatorname{arccsc}(cx)}{x^7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^8,x, algorithm="maxima")`

[Out] $\frac{1/245*b*d*((5*c^8*(-1/(c^2*x^2) + 1)^(7/2) - 21*c^8*(-1/(c^2*x^2) + 1)^(5/2) + 35*c^8*(-1/(c^2*x^2) + 1)^(3/2) - 35*c^8*sqrt(-1/(c^2*x^2) + 1))/c - 35*\operatorname{arccsc}(c*x)/x^7) - 1/75*b*e*((3*c^6*(-1/(c^2*x^2) + 1)^(5/2) - 10*c^6*(-1/(c^2*x^2) + 1)^(3/2) + 15*c^6*sqrt(-1/(c^2*x^2) + 1))/c + 15*\operatorname{arccsc}(c*x)/x^5) - 1/5*a*e/x^5 - 1/7*a*d/x^7}{3675x^7}$

Fricas [A] time = 2.52314, size = 273, normalized size = 1.39

$$\frac{735aex^2 + 525ad + 105(7bex^2 + 5bd)\operatorname{arccsc}(cx) + (8(30bc^6d + 49bc^4e)x^6 + 4(30bc^4d + 49bc^2e)x^4 + 3(30bc^2d + 49b^2e)x^2 + 75b^2d)\sqrt{c^2x^2 - 1}}{3675x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^8,x, algorithm="fricas")`

[Out] $\frac{-1/3675*(735*a*e*x^2 + 525*a*d + 105*(7*b*e*x^2 + 5*b*d)*\operatorname{arccsc}(c*x) + (8*(30*b*c^6*d + 49*b*c^4*e)*x^6 + 4*(30*b*c^4*d + 49*b*c^2*e)*x^4 + 3*(30*b*c^2*d + 49*b^2*e)*x^2 + 75*b^2*d)*sqrt(c^2*x^2 - 1))}{x^7}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx))(d + ex^2)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*acsc(c*x))/x**8,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)/x**8, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arccsc}(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^8,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)/x^8, x)`

3.83 $\int x^5 (d + ex^2) (a + b \csc^{-1}(cx)) dx$

Optimal. Leaf size=196

$$\frac{1}{6}dx^6(a + b \csc^{-1}(cx)) + \frac{1}{8}ex^8(a + b \csc^{-1}(cx)) + \frac{bx(c^2x^2 - 1)^{5/2}(4c^2d + 9e)}{120c^7\sqrt{c^2x^2}} + \frac{bx(c^2x^2 - 1)^{3/2}(8c^2d + 9e)}{72c^7\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2}}{24}$$

$$[Out] \quad (b*(4*c^2*d + 3*e)*x*Sqrt[-1 + c^2*x^2])/(24*c^7*Sqrt[c^2*x^2]) + (b*(8*c^2*d + 9*e)*x*(-1 + c^2*x^2)^(3/2))/(72*c^7*Sqrt[c^2*x^2]) + (b*(4*c^2*d + 9*e)*x*(-1 + c^2*x^2)^(5/2))/(120*c^7*Sqrt[c^2*x^2]) + (b*e*x*(-1 + c^2*x^2)^(7/2))/(56*c^7*Sqrt[c^2*x^2]) + (d*x^6*(a + b*ArcCsc[c*x]))/6 + (e*x^8*(a + b*ArcCsc[c*x]))/8$$

Rubi [A] time = 0.150333, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.263, Rules used = {14, 5239, 12, 446, 77}

$$\frac{1}{6}dx^6(a + b \csc^{-1}(cx)) + \frac{1}{8}ex^8(a + b \csc^{-1}(cx)) + \frac{bx(c^2x^2 - 1)^{5/2}(4c^2d + 9e)}{120c^7\sqrt{c^2x^2}} + \frac{bx(c^2x^2 - 1)^{3/2}(8c^2d + 9e)}{72c^7\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2}}{24}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]$

$$[Out] \quad (b*(4*c^2*d + 3*e)*x*Sqrt[-1 + c^2*x^2])/(24*c^7*Sqrt[c^2*x^2]) + (b*(8*c^2*d + 9*e)*x*(-1 + c^2*x^2)^(3/2))/(72*c^7*Sqrt[c^2*x^2]) + (b*(4*c^2*d + 9*e)*x*(-1 + c^2*x^2)^(5/2))/(120*c^7*Sqrt[c^2*x^2]) + (b*e*x*(-1 + c^2*x^2)^(7/2))/(56*c^7*Sqrt[c^2*x^2]) + (d*x^6*(a + b*ArcCsc[c*x]))/6 + (e*x^8*(a + b*ArcCsc[c*x]))/8$$

Rule 14

```
Int[(u_)*((c_.)*(x_.))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 446

```
Int[(x_.)^m*((a_) + (b_.)*(x_.)^n_)^(p_.)*((c_) + (d_.)*(x_.)^n_)^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
```

```
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 77

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*(e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

Rubi steps

$$\begin{aligned} \int x^5 (d + ex^2) (a + b \csc^{-1}(cx)) dx &= \frac{1}{6} dx^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^5(4d+3ex^2)}{24\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= \frac{1}{6} dx^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^5(4d+3ex^2)}{\sqrt{-1+c^2x^2}} dx}{24\sqrt{c^2x^2}} \\ &= \frac{1}{6} dx^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \csc^{-1}(cx)) + \frac{(bcx) \text{Subst} \left(\int \frac{x^2(4d+3ex)}{\sqrt{-1+c^2x}} dx \right)}{48\sqrt{c^2x^2}} \\ &= \frac{1}{6} dx^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} ex^8 (a + b \csc^{-1}(cx)) + \frac{(bcx) \text{Subst} \left(\int \left(\frac{4c^2d+3e}{c^6\sqrt{-1+c^2x}} + \right. \right.}{\left. \left. \frac{b(4c^2d+3e)x\sqrt{-1+c^2x^2}}{24c^7\sqrt{c^2x^2}} + \frac{b(8c^2d+9e)x(-1+c^2x^2)^{3/2}}{72c^7\sqrt{c^2x^2}} + \frac{b(4c^2d+9e)x(-1+c^2x^2)^{3/2}}{120c^7\sqrt{c^2x^2}} \right) \right)}$$

Mathematica [A] time = 0.226948, size = 115, normalized size = 0.59

$$x \left(105ax^5(4d+3ex^2) + \frac{b\sqrt{1-\frac{1}{c^2x^2}}(c^6(84dx^4+45ex^6)+2c^4(56dx^2+27ex^4)+8c^2(28d+9ex^2)+144e)}{c^7} + 105bx^5 \csc^{-1}(cx)(4d+3ex^2) \right)$$

2520

Antiderivative was successfully verified.

[In] `Integrate[x^5*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]`

[Out] `(x*(105*a*x^5*(4*d + 3*e*x^2) + (b*Sqrt[1 - 1/(c^2*x^2)])*(144*e + 8*c^2*(28*d + 9*e*x^2) + 2*c^4*(56*d*x^2 + 27*e*x^4) + c^6*(84*d*x^4 + 45*e*x^6)))/c^7 + 105*b*x^5*(4*d + 3*e*x^2)*ArcCsc[c*x]))/2520`

Maple [A] time = 0.182, size = 152, normalized size = 0.8

$$\frac{1}{c^6} \left(\frac{a}{c^2} \left(\frac{ec^8x^8}{8} + \frac{c^8x^6d}{6} \right) + \frac{b}{c^2} \left(\frac{\text{arccsc}(cx)ec^8x^8}{8} + \frac{\text{arccsc}(cx)c^8x^6d}{6} + \frac{(c^2x^2-1)(45c^6ex^6+84c^6dx^4+54c^4ex^4+11c^2dx^2)}{2520cx} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^5(e*x^2+d)*(a+b*\operatorname{arccsc}(c*x)), x$

[Out] $\frac{1}{c^6} \left(\frac{a/c^2 (1/8 * e * c^8 * x^8 + 1/6 * c^8 * x^6 * d) + b/c^2 (1/8 * \operatorname{arccsc}(c*x) * e * c^8 * x^8)}{+ 1/6 * \operatorname{arccsc}(c*x) * c^8 * x^6 * d + 1/2520 * (c^2 * x^2 - 1) * (45 * c^6 * e * x^6 + 84 * c^6 * d * x^4 + 54 * c^4 * e * x^4 + 112 * c^4 * d * x^2 + 72 * c^2 * e * x^2 + 224 * c^2 * d + 144 * e)} / ((c^2 * x^2 - 1) / c^2 / x^2)^{(1/2) / c/x}) \right)$

Maxima [A] time = 0.979867, size = 247, normalized size = 1.26

$$\frac{1}{8} a e x^8 + \frac{1}{6} a d x^6 + \frac{1}{90} \left(15 x^6 \operatorname{arccsc}(cx) + \frac{3 c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{5}{2}} + 10 c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 15 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^5} \right) bd + \frac{1}{280} \left(35 x^8 a d + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^5(e*x^2+d)*(a+b*\operatorname{arccsc}(c*x)), x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1/8*a*e*x^8 + 1/6*a*d*x^6 + 1/90*(15*x^6*arccsc(cx) + (3*c^4*x^5*(-1/(c^2*x^2) + 1)^(5/2) + 10*c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 15*x*sqrt(-1/(c^2*x^2) + 1))/c^5)*b*d + 1/280*(35*x^8*arccsc(cx) + (5*c^6*x^7*(-1/(c^2*x^2) + 1)^(7/2) + 21*c^4*x^5*(-1/(c^2*x^2) + 1)^(5/2) + 35*c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 35*x*sqrt(-1/(c^2*x^2) + 1))/c^7)*b*e}{2520 c^8}$

Fricas [A] time = 3.00844, size = 304, normalized size = 1.55

$$\frac{315 a c^8 e x^8 + 420 a c^8 d x^6 + 105 (3 b c^8 e x^8 + 4 b c^8 d x^6) \operatorname{arccsc}(cx) + (45 b c^6 e x^6 + 6 (14 b c^6 d + 9 b c^4 e) x^4 + 224 b c^2 d + 8 (14 b c^4 e^2 + 9 b^2 c^2 e^2) x^2 + 144 b^2 e^2) \sqrt{c^2 x^2 - 1}}{2520 c^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^5(e*x^2+d)*(a+b*\operatorname{arccsc}(c*x)), x, \text{algorithm}=\text{"fricas"})$

[Out] $\frac{1/2520*(315*a*c^8*e*x^8 + 420*a*c^8*d*x^6 + 105*(3*b*c^8*e*x^8 + 4*b*c^8*d*x^6)*arccsc(cx) + (45*b*c^6*e*x^6 + 6*(14*b*c^6*d + 9*b*c^4*e)*x^4 + 224*b*c^2*d + 8*(14*b*c^4*e^2 + 9*b^2*c^2*e^2)*x^2 + 144*b^2*e^2)*sqrt(c^2*x^2 - 1))}{c^8}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{acsc}(cx)) (d + e x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^{**5}*(e*x^{**2}+d)*(a+b*\operatorname{acsc}(c*x)), x)$

[Out] $\operatorname{Integral}(x^{**5}*(a + b*\operatorname{acsc}(c*x))*(d + e*x^{**2}), x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arccsc}(cx) + a)x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)*x^5, x)`

3.84 $\int x^3 (d + ex^2) (a + b \csc^{-1}(cx)) dx$

Optimal. Leaf size=153

$$\frac{1}{4}dx^4(a + b \csc^{-1}(cx)) + \frac{1}{6}ex^6(a + b \csc^{-1}(cx)) + \frac{bx(c^2x^2 - 1)^{3/2}(3c^2d + 4e)}{36c^5\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2 - 1}(3c^2d + 2e)}{12c^5\sqrt{c^2x^2}} + \frac{bex(c^2x^2 - 1)^{3/2}(3c^2d + 4e)}{30c^5\sqrt{c^2x^2}}$$

[Out] $(b*(3*c^2*d + 2*e)*x*Sqrt[-1 + c^2*x^2])/(12*c^5*Sqrt[c^2*x^2]) + (b*(3*c^2*d + 4*e)*x*(-1 + c^2*x^2)^(3/2))/(36*c^5*Sqrt[c^2*x^2]) + (b*e*x*(-1 + c^2*x^2)^(5/2))/(30*c^5*Sqrt[c^2*x^2]) + (d*x^4*(a + b*ArcCsc[c*x]))/4 + (e*x^6*(a + b*ArcCsc[c*x]))/6$

Rubi [A] time = 0.121809, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.263, Rules used = {14, 5239, 12, 446, 77}

$$\frac{1}{4}dx^4(a + b \csc^{-1}(cx)) + \frac{1}{6}ex^6(a + b \csc^{-1}(cx)) + \frac{bx(c^2x^2 - 1)^{3/2}(3c^2d + 4e)}{36c^5\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2 - 1}(3c^2d + 2e)}{12c^5\sqrt{c^2x^2}} + \frac{bex(c^2x^2 - 1)^{3/2}(3c^2d + 4e)}{30c^5\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]$

[Out] $(b*(3*c^2*d + 2*e)*x*Sqrt[-1 + c^2*x^2])/(12*c^5*Sqrt[c^2*x^2]) + (b*(3*c^2*d + 4*e)*x*(-1 + c^2*x^2)^(3/2))/(36*c^5*Sqrt[c^2*x^2]) + (b*e*x*(-1 + c^2*x^2)^(5/2))/(30*c^5*Sqrt[c^2*x^2]) + (d*x^4*(a + b*ArcCsc[c*x]))/4 + (e*x^6*(a + b*ArcCsc[c*x]))/6$

Rule 14

```
Int[(u_)*((c_.)*(x_.))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 446

```
Int[(x_.)^(m_.)*((a_) + (b_.)*(x_.)^(n_.))^(p_.)*((c_) + (d_.)*(x_.)^(n_.))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p * (c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 77

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

Rubi steps

$$\begin{aligned} \int x^3 (d + ex^2) (a + b \csc^{-1}(cx)) dx &= \frac{1}{4} dx^4 (a + b \csc^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^3(3d+2ex^2)}{12\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= \frac{1}{4} dx^4 (a + b \csc^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{x^3(3d+2ex^2)}{\sqrt{-1+c^2x^2}} dx}{12\sqrt{c^2x^2}} \\ &= \frac{1}{4} dx^4 (a + b \csc^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \csc^{-1}(cx)) + \frac{(bcx) \text{Subst} \left(\int \frac{x(3d+2ex)}{\sqrt{-1+c^2x}} dx, x \right)}{24\sqrt{c^2x^2}} \\ &= \frac{1}{4} dx^4 (a + b \csc^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \csc^{-1}(cx)) + \frac{(bcx) \text{Subst} \left(\int \left(\frac{3c^2d+2e}{c^4\sqrt{-1+c^2x}} + \right. \right.}{\left. \left. \frac{b(3c^2d+2e)x\sqrt{-1+c^2x^2}}{12c^5\sqrt{c^2x^2}} + \frac{b(3c^2d+4e)x(-1+c^2x^2)^{3/2}}{36c^5\sqrt{c^2x^2}} + \frac{bex(-1+c^2x^2)^5}{30c^5\sqrt{c^2x^2}} \right) dx, x \right)}{12c^5\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.205599, size = 97, normalized size = 0.63

$$\frac{1}{180} x \left(15ax^3 (3d + 2ex^2) + \frac{b\sqrt{1 - \frac{1}{c^2x^2}} (3c^4 (5dx^2 + 2ex^4) + c^2 (30d + 8ex^2) + 16e)}{c^5} + 15bx^3 \csc^{-1}(cx) (3d + 2ex^2) \right)$$

Antiderivative was successfully verified.

[In] `Integrate[x^3*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]`

[Out] `(x*(15*a*x^3*(3*d + 2*e*x^2) + (b*.Sqrt[1 - 1/(c^2*x^2)]*(16*e + c^2*(30*d + 8*e*x^2) + 3*c^4*(5*d*x^2 + 2*e*x^4)))/c^5 + 15*b*x^3*(3*d + 2*e*x^2)*ArcCsc[c*x]))/180`

Maple [A] time = 0.183, size = 134, normalized size = 0.9

$$\frac{1}{c^4} \left(\frac{a}{c^2} \left(\frac{ec^6x^6}{6} + \frac{x^4c^6d}{4} \right) + \frac{b}{c^2} \left(\frac{\text{arccsc}(cx)ec^6x^6}{6} + \frac{\text{arccsc}(cx)c^6x^4d}{4} + \frac{(c^2x^2 - 1)(6c^4ex^4 + 15c^4dx^2 + 8c^2ex^2 + 30c^2d^2)}{180cx} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x^2+d)*(a+b*arccsc(c*x)), x)`

[Out] `1/c^4*(a/c^2*(1/6*e*c^6*x^6+1/4*x^4*c^6*d)+b/c^2*(1/6*arccsc(c*x)*e*c^6*x^6+1/4*arccsc(c*x)*c^6*x^4*d+1/180*(c^2*x^2-1)*(6*c^4*e*x^4+15*c^4*d*x^2+8*c^2*d^2))/c^5`

$$2e*x^2+30*c^2*d+16*e)/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/c/x))$$

Maxima [A] time = 0.991776, size = 192, normalized size = 1.25

$$\frac{1}{6}ae x^6 + \frac{1}{4}ad x^4 + \frac{1}{12}\left(3x^4 \operatorname{arccsc}(cx) + \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 3x\sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3}\right)bd + \frac{1}{90}\left(15x^6 \operatorname{arccsc}(cx) + \frac{3c^4 x^5 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{5}{2}} + 15x^5 \operatorname{arccsc}(cx)}{c^5}\right)b^2 e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1/6*a*e*x^6 + 1/4*a*d*x^4 + 1/12*(3*x^4*arccsc(c*x) + (c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 3*x*sqrt(-1/(c^2*x^2) + 1))/c^3)*b*d + 1/90*(15*x^6*arccsc(c*x) + (3*c^4*x^5*(-1/(c^2*x^2) + 1)^(5/2) + 10*c^2*x^3*(-1/(c^2*x^2) + 1)^(3/2) + 15*x*sqrt(-1/(c^2*x^2) + 1))/c^5)*b*e}{180 c^6}$

Fricas [A] time = 2.91554, size = 247, normalized size = 1.61

$$\frac{30ac^6ex^6 + 45ac^6dx^4 + 15(2bc^6ex^6 + 3bc^6dx^4)\operatorname{arccsc}(cx) + (6bc^4ex^4 + 30bc^2d + (15bc^4d + 8bc^2e)x^2 + 16be)\sqrt{c^2x^2 - 1}}{180c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1/180*(30*a*c^6*e*x^6 + 45*a*c^6*d*x^4 + 15*(2*b*c^6*e*x^6 + 3*b*c^6*d*x^4)*arccsc(c*x) + (6*b*c^4*e*x^4 + 30*b*c^2*d + (15*b*c^4*d + 8*b*c^2*e)*x^2 + 16*b*e)*sqrt(c^2*x^2 - 1))/c^6}{180c^6}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{acsc}(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**3*(a + b*acsc(c*x))*(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arccsc}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)*x^3, x)`

$$\mathbf{3.85} \quad \int x \left(d + ex^2 \right) \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=138

$$\frac{(d + ex^2)^2 (a + b \csc^{-1}(cx))}{4e} + \frac{bcd^2 x \tan^{-1}(\sqrt{c^2 x^2 - 1})}{4e \sqrt{c^2 x^2}} + \frac{bx \sqrt{c^2 x^2 - 1} (2c^2 d + e)}{4c^3 \sqrt{c^2 x^2}} + \frac{bex (c^2 x^2 - 1)^{3/2}}{12c^3 \sqrt{c^2 x^2}}$$

[Out] $(b*(2*c^2*d + e)*x*Sqrt[-1 + c^2*x^2])/(4*c^3*Sqrt[c^2*x^2]) + (b*e*x*(-1 + c^2*x^2)^(3/2))/(12*c^3*Sqrt[c^2*x^2]) + ((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/(4*e) + (b*c*d^2*x*ArcTan[Sqrt[-1 + c^2*x^2]])/(4*e*Sqrt[c^2*x^2])$

Rubi [A] time = 0.0957639, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.294, Rules used = {5237, 446, 88, 63, 205}

$$\frac{(d + ex^2)^2 (a + b \csc^{-1}(cx))}{4e} + \frac{bcd^2 x \tan^{-1}(\sqrt{c^2 x^2 - 1})}{4e \sqrt{c^2 x^2}} + \frac{bx \sqrt{c^2 x^2 - 1} (2c^2 d + e)}{4c^3 \sqrt{c^2 x^2}} + \frac{bex (c^2 x^2 - 1)^{3/2}}{12c^3 \sqrt{c^2 x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]$

[Out] $(b*(2*c^2*d + e)*x*Sqrt[-1 + c^2*x^2])/(4*c^3*Sqrt[c^2*x^2]) + (b*e*x*(-1 + c^2*x^2)^(3/2))/(12*c^3*Sqrt[c^2*x^2]) + ((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/(4*e) + (b*c*d^2*x*ArcTan[Sqrt[-1 + c^2*x^2]])/(4*e*Sqrt[c^2*x^2])$

Rule 5237

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x] + Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 88

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x)^p)/b]^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int x(d+ex^2)(a+b\csc^{-1}(cx))dx &= \frac{(d+ex^2)^2(a+b\csc^{-1}(cx))}{4e} + \frac{(bcx)\int \frac{(d+ex^2)^2}{x\sqrt{-1+c^2x^2}}dx}{4e\sqrt{c^2x^2}} \\ &= \frac{(d+ex^2)^2(a+b\csc^{-1}(cx))}{4e} + \frac{(bcx)\text{Subst}\left(\int \frac{(d+ex^2)^2}{x\sqrt{-1+c^2x^2}}dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\ &= \frac{(d+ex^2)^2(a+b\csc^{-1}(cx))}{4e} + \frac{(bcx)\text{Subst}\left(\int \left(\frac{e(2c^2d+e)}{c^2\sqrt{-1+c^2x^2}} + \frac{d^2}{x\sqrt{-1+c^2x^2}} + \frac{e^2\sqrt{-1+c^2x^2}}{c^2}\right)dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\ &= \frac{b(2c^2d+e)x\sqrt{-1+c^2x^2}}{4c^3\sqrt{c^2x^2}} + \frac{bex(-1+c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d+ex^2)^2(a+b\csc^{-1}(cx))}{4e} + \frac{(bex(-1+c^2x^2)^{3/2})}{12c^3\sqrt{c^2x^2}} \\ &= \frac{b(2c^2d+e)x\sqrt{-1+c^2x^2}}{4c^3\sqrt{c^2x^2}} + \frac{bex(-1+c^2x^2)^{3/2}}{12c^3\sqrt{c^2x^2}} + \frac{(d+ex^2)^2(a+b\csc^{-1}(cx))}{4e} + \frac{(bex(-1+c^2x^2)^{3/2})}{12c^3\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.0952709, size = 78, normalized size = 0.57

$$\frac{x \left(3ac^3x(2d+ex^2)+b\sqrt{1-\frac{1}{c^2x^2}}(c^2(6d+ex^2)+2e)+3bc^3x\csc^{-1}(cx)(2d+ex^2)\right)}{12c^3}$$

Antiderivative was successfully verified.

[In] `Integrate[x*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]`

[Out] `(x*(3*a*c^3*x*(2*d + e*x^2) + b*.Sqrt[1 - 1/(c^2*x^2)]*(2*e + c^2*(6*d + e*x^2)) + 3*b*c^3*x*(2*d + e*x^2)*ArcCsc[c*x]))/(12*c^3)`

Maple [A] time = 0.178, size = 115, normalized size = 0.8

$$\frac{1}{c^2} \left(\frac{a}{c^2} \left(\frac{ec^4x^4}{4} + \frac{x^2c^4d}{2} \right) + \frac{b}{c^2} \left(\frac{\text{arccsc}(cx)ec^4x^4}{4} + \frac{\text{arccsc}(cx)dc^4x^2}{2} + \frac{(c^2x^2-1)(c^2ex^2+6c^2d+2e)}{12cx} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)*(a+b*arccsc(c*x)), x)`

[Out] `1/c^2*(a/c^2*(1/4*e*c^4*x^4+1/2*x^2*c^4*d)+b/c^2*(1/4*arccsc(c*x)*e*c^4*x^4+1/2*arccsc(c*x)*d*c^4*x^2+1/12*(c^2*x^2-1)*(c^2*x^2+6*c^2*d+2*e))/((c^2*x^2-1)/c^2/x^2)^(1/2)/c/x)`

Maxima [A] time = 1.00324, size = 132, normalized size = 0.96

$$\frac{1}{4} a e x^4 + \frac{1}{2} a d x^2 + \frac{1}{2} \left(x^2 \operatorname{arccsc}(c x) + \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) b d + \frac{1}{12} \left(3 x^4 \operatorname{arccsc}(c x) + \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1\right)^{\frac{3}{2}} + 3 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{4} a e x^4 + \frac{1}{2} a d x^2 + \frac{1}{2} (x^2 \operatorname{arccsc}(c x) + x \sqrt{-1/(c^2 x^2) + 1}) b d + \frac{1}{12} (3 x^4 \operatorname{arccsc}(c x) + (c^2 x^3 (-1/(c^2 x^2) + 1)^{(3/2)} + 3 x \sqrt{-1/(c^2 x^2) + 1})/c^3) b e$

Fricas [A] time = 2.78292, size = 192, normalized size = 1.39

$$\frac{3 a c^4 e x^4 + 6 a c^4 d x^2 + 3 (b c^4 e x^4 + 2 b c^4 d x^2) \operatorname{arccsc}(c x) + (b c^2 e x^2 + 6 b c^2 d + 2 b e) \sqrt{c^2 x^2 - 1}}{12 c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{12} (3 a c^4 e x^4 + 6 a c^4 d x^2 + 3 (b c^4 e x^4 + 2 b c^4 d x^2) \operatorname{arccsc}(c x) + (b c^2 e x^2 + 6 b c^2 d + 2 b e) \sqrt{c^2 x^2 - 1})/c^4$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x (a + b \operatorname{acsc}(c x)) (d + e x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d)*(a+b*acsc(c*x)),x)`

[Out] `Integral(x*(a + b*acsc(c*x))*(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (e x^2 + d) (b \operatorname{arccsc}(c x) + a) x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)*x, x)`

3.86 $\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x} dx$

Optimal. Leaf size=124

$$\frac{1}{2}ibd\text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d \log\left(\frac{1}{x}\right)(a + b \csc^{-1}(cx)) + \frac{1}{2}ex^2(a + b \csc^{-1}(cx)) + \frac{bex\sqrt{1 - \frac{1}{e^{2x^2}}}}{2c} + \frac{1}{2}ibd \csc^{-1}(cx)^2 -$$

[Out] $(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) + (I/2)*b*d*\text{ArcCsc}[c*x]^2 + (e*x^2*(a + b*\text{ArcCsc}[c*x]))/2 - b*d*\text{ArcCsc}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] + b*d*\text{ArcCsc}[c*x]*\text{Log}[x^{(-1)}] - d*(a + b*\text{ArcCsc}[c*x])* \text{Log}[x^{(-1)}] + (I/2)*b*d*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]$

Rubi [A] time = 0.286194, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.579, Rules used = {5241, 14, 4731, 6742, 264, 2326, 4625, 3717, 2190, 2279, 2391}

$$\frac{1}{2}ibd\text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d \log\left(\frac{1}{x}\right)(a + b \csc^{-1}(cx)) + \frac{1}{2}ex^2(a + b \csc^{-1}(cx)) + \frac{bex\sqrt{1 - \frac{1}{e^{2x^2}}}}{2c} + \frac{1}{2}ibd \csc^{-1}(cx)^2 -$$

Antiderivative was successfully verified.

[In] $\text{Int}[((d + e*x^2)*(a + b*\text{ArcCsc}[c*x]))/x, x]$

[Out] $(b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c) + (I/2)*b*d*\text{ArcCsc}[c*x]^2 + (e*x^2*(a + b*\text{ArcCsc}[c*x]))/2 - b*d*\text{ArcCsc}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] + b*d*\text{ArcCsc}[c*x]*\text{Log}[x^{(-1)}] - d*(a + b*\text{ArcCsc}[c*x])* \text{Log}[x^{(-1)}] + (I/2)*b*d*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]$

Rule 5241

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^^(n_.)*(x_)^(m_.)*(d_.) + (e_.)*(x_)^2^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 4731

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*(d_.) + (e_.)*(x_)^2^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2]], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 2326

```
Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] :> Simp[(ArcSin[Rt[-e, 2]*x]/Sqrt[d])*a + b*Log[c*x^n])]/Rt[-e, 2], x] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 4625

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_)*(d_)*(x_))^(m_)*tan[(e_) + Pi*(k_)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_)*(e_) + (f_)*(x_))))^(n_)*((c_)*(d_)*(x_))^(m_))/((a_) + (b_)*(F_)^((g_)*(e_) + (f_)*(x_))))^(n_), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*(F_)^((e_)*(c_) + (d_)*(x_)))^(n_), x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_) + (e_)*(x_)^(n_)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x} dx &= -\text{Subst}\left(\int \frac{(e+dx^2)(a+b \sin^{-1}\left(\frac{x}{c}\right))}{x^3} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) - d(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b \text{Subst}\left(\int \frac{-\frac{e}{2x^2}+d \log(x)}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{c} \\
&= \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) - d(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b \text{Subst}\left(\int \left(-\frac{e}{2x^2}\sqrt{1-\frac{x^2}{c^2}} + \frac{d \log(x)}{\sqrt{1-\frac{x^2}{c^2}}}\right) dx, x, \frac{1}{x}\right)}{c} \\
&= \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) - d(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{(bd) \text{Subst}\left(\int \frac{\log(x)}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{c} \\
&= \frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) + bd \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - d(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) \\
&= \frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) + bd \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - d(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) \\
&= \frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}ibd \csc^{-1}(cx)^2 + \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) + bd \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - d(a+b \csc^{-1}(cx)) \log\left(1-e^{2i \csc^{-1}(cx)}\right) \\
&= \frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}ibd \csc^{-1}(cx)^2 + \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) - bd \csc^{-1}(cx) \log\left(1-e^{2i \csc^{-1}(cx)}\right) \\
&= \frac{be\sqrt{1-\frac{1}{c^2x^2}}x}{2c} + \frac{1}{2}ibd \csc^{-1}(cx)^2 + \frac{1}{2}ex^2(a+b \csc^{-1}(cx)) - bd \csc^{-1}(cx) \log\left(1-e^{2i \csc^{-1}(cx)}\right)
\end{aligned}$$

Mathematica [A] time = 0.128069, size = 103, normalized size = 0.83

$$\frac{ibcd \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) + 2acd \log(x) + ace x^2 + bex \sqrt{1 - \frac{1}{c^2 x^2}} + bc \csc^{-1}(cx) \left(ex^2 - 2d \log\left(1 - e^{2i \csc^{-1}(cx)}\right)\right) + ibcd \csc^{-1}(cx)^2}{2c}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x, x]`

[Out] `(b*e*.Sqrt[1 - 1/(c^2*x^2)]*x + a*c*e*x^2 + I*b*c*d*ArcCsc[c*x]^2 + b*c*ArcCsc[c*x]*(e*x^2 - 2*d*Log[1 - E^((2*I)*ArcCsc[c*x])]) + 2*a*c*d*Log[x] + I*b*c*d*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(2*c)`

Maple [A] time = 0.554, size = 198, normalized size = 1.6

$$\frac{ax^2e}{2} + ad \ln(cx) + \frac{i}{2}bd (\arccsc(cx))^2 + \frac{b \arccsc(cx)x^2e}{2} + \frac{bxe}{2c} \sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{\frac{i}{2}be}{c^2} - bd \arccsc(cx) \ln\left(1 + \frac{i}{cx} + \sqrt{1 - \frac{1}{c^2x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((e*x^2+d)*(a+b*arccsc(c*x))/x, x)$

[Out] $\frac{1}{2}a*x^2*e+a*d*ln(c*x)+\frac{1}{2}I*b*d*arccsc(c*x)^2+1/2*b*arccsc(c*x)*x^2*e+\frac{1}{2}*b*c*((c^2*x^2-1)/c^2*x^2)^(1/2)*x*x-e-\frac{1}{2}I*b/c^2*e-b*d*arccsc(c*x)*ln(1+I/c/x+(1-1/c^2*x^2)^(1/2))-b*d*arccsc(c*x)*ln(1-I/c/x-(1-1/c^2*x^2)^(1/2))+I*b*d*polylog(2,-I/c/x-(1-1/c^2*x^2)^(1/2))+I*b*d*polylog(2,I/c/x+(1-1/c^2*x^2)^(1/2))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}aex^2 + ad \log(x) + \frac{2i bc^2 d \log(-cx + 1) \log(x) + 2i bc^2 d \log(x)^2 + 2i bc^2 d \text{Li}_2(cx) + 2i bc^2 d \text{Li}_2(-cx) + 2(bc^2 \arctan(1, \sqrt{c*x + 1}) * \sqrt{c*x - 1}) + I*b*c^2*d*integrate(1/2*log(x)/(c^2*x^3 - x), x)*c^2 + 4*c^2*integrate(1/2*(b*e*x^2 + 2*b*d*log(x))*sqrt(c*x + 1)*sqrt(c*x - 1)/(c^2*x^3 - x), x) + I*b*e*log(c*x - 1) + (-I*b*c^2*e*x^2 - 2*I*b*c^2*d*log(x))*log(c^2*x^2) + (2*I*b*c^2*d*log(x) + I*b*e)*log(c*x + 1) + (2*I*b*c^2*e*x^2 + 4*(b*c^2*arctan(1, sqrt(c*x + 1))*sqrt(c*x - 1)) + I*b*c^2*log(c))*d)*log(x))/c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)*(a+b*arccsc(c*x))/x, x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{2}a*e*x^2 + a*d*\log(x) + \frac{1}{4}(2*I*b*c^2*d*\log(-c*x + 1)*\log(x) + 2*I*b*c^2*d*\log(x)^2 + 2*I*b*c^2*d*\text{dilog}(c*x) + 2*I*b*c^2*d*\text{dilog}(-c*x) + 2*(b*c^2*\arctan(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + I*b*c^2*\log(c)*e*x^2 - I*(b*e*(\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2) + 8*b*d*\text{integrate}(1/2*\log(x)/(c^2*x^3 - x), x)*c^2 + 4*c^2*\text{integrate}(1/2*(b*e*x^2 + 2*b*d*\log(x))*\sqrt{c*x + 1}*\sqrt{c*x - 1}/(c^2*x^3 - x), x) + I*b*e*\log(c*x - 1) + (-I*b*c^2*e*x^2 - 2*I*b*c^2*d*\log(x))*\log(c^2*x^2) + (2*I*b*c^2*d*\log(x) + I*b*e)*\log(c*x + 1) + (2*I*b*c^2*e*x^2 + 4*(b*c^2*arctan(1, \sqrt{c*x + 1})*\sqrt{c*x - 1})) + I*b*c^2*\log(c))*d)*\log(x))/c^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{aex^2 + ad + (bex^2 + bd)\arccsc(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)*(a+b*arccsc(c*x))/x, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arccsc(c*x))/x, x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) (d + e x^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x**2+d)*(a+b*acsc(c*x))/x, x)$

[Out] $\text{Integral}((a + b*\operatorname{acsc}(c*x))*(d + e*x**2)/x, x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arccsc}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)/x, x)`

3.87 $\int \frac{(d+ex^2)(a+b\csc^{-1}(cx))}{x^3} dx$

Optimal. Leaf size=137

$$\frac{1}{2}ibe\text{PolyLog}\left(2, e^{2i\csc^{-1}(cx)}\right) - \frac{d(a + b\csc^{-1}(cx))}{2x^2} - e\log\left(\frac{1}{x}\right)(a + b\csc^{-1}(cx)) - \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2d\csc^{-1}(cx) +$$

[Out] $-(b*c*d*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*x) + (b*c^2*d*\text{ArcCsc}[c*x])/4 + (I/2)*b*e*\text{ArcCsc}[c*x]^2 - (d*(a + b*\text{ArcCsc}[c*x]))/(2*x^2) - b*e*\text{ArcCsc}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])] + b*e*\text{ArcCsc}[c*x]*\text{Log}[x^{(-1)}] - e*(a + b*\text{ArcCsc}[c*x])*\text{Log}[x^{(-1)}] + (I/2)*b*e*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])]$

Rubi [A] time = 0.302397, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.684, Rules used = {5241, 14, 4731, 12, 6742, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$\frac{1}{2}ibe\text{PolyLog}\left(2, e^{2i\csc^{-1}(cx)}\right) - \frac{d(a + b\csc^{-1}(cx))}{2x^2} - e\log\left(\frac{1}{x}\right)(a + b\csc^{-1}(cx)) - \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2d\csc^{-1}(cx) +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x^2)*(a + b*\text{ArcCsc}[c*x])/x^3, x]$

[Out] $-(b*c*d*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*x) + (b*c^2*d*\text{ArcCsc}[c*x])/4 + (I/2)*b*e*\text{ArcCsc}[c*x]^2 - (d*(a + b*\text{ArcCsc}[c*x]))/(2*x^2) - b*e*\text{ArcCsc}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])] + b*e*\text{ArcCsc}[c*x]*\text{Log}[x^{(-1)}] - e*(a + b*\text{ArcCsc}[c*x])*\text{Log}[x^{(-1)}] + (I/2)*b*e*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])]$

Rule 5241

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^n_*(x_)^(m_)*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 4731

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2]], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 2326

```
Int[((a_) + Log[(c_)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] :> Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n]))/Rt[-e, 2], x] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 4625

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_)*(x_))^(m_)*tan[(e_)*(x_)] + Pi*(k_)*(x_), x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_)*(e_)*(x_))))^(n_.)*((c_)*(x_)^(m_.)))/((a_) + (b_)*(F_)^((g_)*(e_)*(x_)))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*(F_)^((e_)*(c_)*(x_)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_) + (e_)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)(a+b \csc^{-1}(cx))}{x^3} dx &= -\text{Subst}\left(\int \frac{(e+dx^2)(a+b \sin^{-1}\left(\frac{x}{c}\right))}{x} dx, x, \frac{1}{x}\right) \\
&= -\frac{d(a+b \csc^{-1}(cx))}{2x^2} - e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b \text{Subst}\left(\int \frac{dx^2+2e \log(x)}{2\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{c} \\
&= -\frac{d(a+b \csc^{-1}(cx))}{2x^2} - e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b \text{Subst}\left(\int \frac{dx^2+2e \log(x)}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2c} \\
&= -\frac{d(a+b \csc^{-1}(cx))}{2x^2} - e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{b \text{Subst}\left(\int \left(\frac{dx^2}{\sqrt{1-\frac{x^2}{c^2}}} + \frac{2e \log(x)}{\sqrt{1-\frac{x^2}{c^2}}}\right) dx, x, \frac{1}{x}\right)}{2c} \\
&= -\frac{d(a+b \csc^{-1}(cx))}{2x^2} - e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \frac{(bd) \text{Subst}\left(\int \frac{x^2}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{2c} \\
&= -\frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} - \frac{d(a+b \csc^{-1}(cx))}{2x^2} + be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2d \csc^{-1}(cx) - \frac{d(a+b \csc^{-1}(cx))}{2x^2} + be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2d \csc^{-1}(cx) + \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a+b \csc^{-1}(cx))}{2x^2} + be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) - e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2d \csc^{-1}(cx) + \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a+b \csc^{-1}(cx))}{2x^2} - be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) + e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) - \frac{bcd\sqrt{1-\frac{1}{c^2x^2}}}{4x} + \frac{1}{4}bc^2d \csc^{-1}(cx) + \frac{1}{2}ibe \csc^{-1}(cx)^2 - \frac{d(a+b \csc^{-1}(cx))}{2x^2} - be \csc^{-1}(cx) \log\left(\frac{1}{x}\right) + e(a+b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right)
\end{aligned}$$

Mathematica [A] time = 0.413998, size = 137, normalized size = 1.

$$\frac{1}{4} \left(2ibe \left(\csc^{-1}(cx)^2 + \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) \right) - \frac{2ad}{x^2} + 4ae \log(x) - \frac{bcd \sqrt{1 - \frac{1}{c^2 x^2}} \left(\frac{c^2 x^2 \tanh^{-1}\left(\sqrt{1-c^2 x^2}\right)}{\sqrt{1-c^2 x^2}} + 1 \right)}{x} - \frac{2bd \csc^{-1}(cx)}{x^2} \right)$$

Warning: Unable to verify antiderivative.

[In] `Integrate[((d + e*x^2)*(a + b*ArcCsc[c*x]))/x^3, x]`

[Out] $((-2*a*d)/x^2 - (2*b*d*ArcCsc[c*x])/x^2 - (b*c*d*.Sqrt[1 - 1/(c^2*x^2)])*(1 + (c^2*x^2)*ArcTanh[Sqrt[1 - c^2*x^2]])/Sqrt[1 - c^2*x^2]))/x - 4*b*e*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + 4*a*e*Log[x] + (2*I)*b*e*(ArcCsc[c*x]^2 + PolyLog[2, E^((2*I)*ArcCsc[c*x])]))/4$

Maple [A] time = 0.384, size = 201, normalized size = 1.5

$$-\frac{ad}{2x^2} + ae \ln(cx) + \frac{i}{2}be (\arccsc(cx))^2 - \frac{bcd}{4x} \sqrt{\frac{c^2x^2-1}{c^2x^2}} + \frac{bc^2d \arccsc(cx)}{4} - \frac{b \arccsc(cx)d}{2x^2} - b e \arccsc(cx) \ln\left(1 + \frac{i}{cx}\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(a+b*arccsc(c*x))/x^3,x)`

[Out] $-1/2*a*d/x^2+a*e*\ln(c*x)+1/2*I*b*e*\arccsc(c*x)^2-1/4*c*b*d/x*((c^2*x^2-1)/c^2/x^2)^{(1/2)}+1/4*b*c^2*d*\arccsc(c*x)-1/2*b*\arccsc(c*x)*d/x^2-b*e*\arccsc(c*x)*\ln(1+I/c/x+(1-1/c^2/x^2)^{(1/2)})-b*e*\arccsc(c*x)*\ln(1-I/c/x-(1-1/c^2/x^2)^{(1/2)})+I*b*e*polylog(2,I/c/x+(1-1/c^2/x^2)^{(1/2)})+I*b*e*polylog(2,-I/c/x-(1-1/c^2/x^2)^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\left(c^2 \int \frac{\sqrt{cx+1} \sqrt{cx-1} \log(x)}{c^4 x^3 - c^2 x} dx + \arctan\left(1, \sqrt{cx+1} \sqrt{cx-1}\right) \log(x)\right) be + \frac{1}{4} bd \begin{cases} \frac{c^4 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 x^2 \left(\frac{1}{c^2 x^2} - 1\right) - 1} - c^3 \arctan\left(cx \sqrt{-\frac{1}{c^2 x^2} + 1}\right) \\ \frac{c^2 x^2 \left(\frac{1}{c^2 x^2} - 1\right) - 1}{c} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^3,x, algorithm="maxima")`

[Out] $(c^2*integrate(sqrt(c*x + 1)*sqrt(c*x - 1)*log(x)/(c^4*x^3 - c^2*x), x) + a \operatorname{rctan2}(1, sqrt(c*x + 1)*sqrt(c*x - 1))*log(x))*b*e + 1/4*b*d*((c^4*x*sqrt(-1/(c^2*x^2) + 1)/(c^2*x^2*(1/(c^2*x^2) - 1) - 1) - c^3*arctan(c*x*sqrt(-1/(c^2*x^2) + 1)))/c - 2*arccsc(c*x)/x^2 + a*e*log(x) - 1/2*a*d/x^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{aex^2 + ad + (bex^2 + bd)\arccsc(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^3,x, algorithm="fricas")`

[Out] `integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arccsc(c*x))/x^3, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) (d + ex^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(a+b*acsc(c*x))/x**3,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)/x**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arccsc}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arccsc(c*x))/x^3,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)/x^3, x)`

$$\mathbf{3.88} \quad \int x^2 \left(d + ex^2 \right)^2 \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=252

$$\frac{1}{3}d^2x^3 \left(a + b \csc^{-1}(cx) \right) + \frac{2}{5}dex^5 \left(a + b \csc^{-1}(cx) \right) + \frac{1}{7}e^2x^7 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^2\sqrt{c^2x^2 - 1}(280c^4d^2 + 252c^2de + 75e^2)}{1680c^5\sqrt{c^2x^2}}$$

$$[\text{Out}] \quad (b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x^2*Sqrt[-1 + c^2*x^2])/(1680*c^5*Sqrt[c^2*x^2]) + (b*e*(84*c^2*d + 25*e)*x^4*Sqrt[-1 + c^2*x^2])/(840*c^3*Sqrt[c^2*x^2]) + (b*e^2*x^6*Sqrt[-1 + c^2*x^2])/(42*c*Sqrt[c^2*x^2]) + (d^2*x^3*(a + b*ArcCsc[c*x]))/3 + (2*d*e*x^5*(a + b*ArcCsc[c*x]))/5 + (e^2*x^7*(a + b*ArcCsc[c*x]))/7 + (b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(1680*c^6*Sqrt[c^2*x^2])$$

Rubi [A] time = 0.237142, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.381, Rules used = {270, 5239, 12, 1267, 459, 321, 217, 206}

$$\frac{1}{3}d^2x^3 \left(a + b \csc^{-1}(cx) \right) + \frac{2}{5}dex^5 \left(a + b \csc^{-1}(cx) \right) + \frac{1}{7}e^2x^7 \left(a + b \csc^{-1}(cx) \right) + \frac{bx^2\sqrt{c^2x^2 - 1}(280c^4d^2 + 252c^2de + 75e^2)}{1680c^5\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2*(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]

$$[\text{Out}] \quad (b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x^2*Sqrt[-1 + c^2*x^2])/(1680*c^5*Sqrt[c^2*x^2]) + (b*e*(84*c^2*d + 25*e)*x^4*Sqrt[-1 + c^2*x^2])/(840*c^3*Sqrt[c^2*x^2]) + (b*e^2*x^6*Sqrt[-1 + c^2*x^2])/(42*c*Sqrt[c^2*x^2]) + (d^2*x^3*(a + b*ArcCsc[c*x]))/3 + (2*d*e*x^5*(a + b*ArcCsc[c*x]))/5 + (e^2*x^7*(a + b*ArcCsc[c*x]))/7 + (b*(280*c^4*d^2 + 252*c^2*d*e + 75*e^2)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(1680*c^6*Sqrt[c^2*x^2])$$

Rule 270

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1267

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(-q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(-p_), x_Symbol] :> Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(-q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 459

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(-p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(-p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^(n*(m - n + 1)))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int x^2 (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx &= \frac{1}{3} d^2 x^3 (a + b \csc^{-1}(cx)) + \frac{2}{5} d e x^5 (a + b \csc^{-1}(cx)) + \frac{1}{7} e^2 x^7 (a + b \csc^{-1}(cx)) + \dots \\
&= \frac{1}{3} d^2 x^3 (a + b \csc^{-1}(cx)) + \frac{2}{5} d e x^5 (a + b \csc^{-1}(cx)) + \frac{1}{7} e^2 x^7 (a + b \csc^{-1}(cx)) + \dots \\
&= \frac{be^2 x^6 \sqrt{-1 + c^2 x^2}}{42 c \sqrt{c^2 x^2}} + \frac{1}{3} d^2 x^3 (a + b \csc^{-1}(cx)) + \frac{2}{5} d e x^5 (a + b \csc^{-1}(cx)) + \frac{1}{7} e^2 x^7 (a + b \csc^{-1}(cx)) + \dots \\
&= \frac{be(84c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} + \frac{be^2 x^6 \sqrt{-1 + c^2 x^2}}{42 c \sqrt{c^2 x^2}} + \frac{1}{3} d^2 x^3 (a + b \csc^{-1}(cx)) + \dots \\
&= \frac{b(280c^4d^2 + 252c^2de + 75e^2)x^2\sqrt{-1 + c^2x^2}}{1680c^5\sqrt{c^2x^2}} + \frac{be(84c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} + \dots \\
&= \frac{b(280c^4d^2 + 252c^2de + 75e^2)x^2\sqrt{-1 + c^2x^2}}{1680c^5\sqrt{c^2x^2}} + \frac{be(84c^2d + 25e)x^4\sqrt{-1 + c^2x^2}}{840c^3\sqrt{c^2x^2}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.350116, size = 184, normalized size = 0.73

$$\frac{c^2 x^2 \left(16 a c^5 x \left(35 d^2 + 42 d e x^2 + 15 e^2 x^4\right) + b \sqrt{1 - \frac{1}{c^2 x^2}} \left(8 c^4 \left(35 d^2 + 21 d e x^2 + 5 e^2 x^4\right) + 2 c^2 e \left(126 d + 25 e x^2\right) + 75 e^2\right)\right) + b \left(280 c^4 d^2 + 252 c^2 d e + 75 e^2\right) x^2 \sqrt{-1 + c^2 x^2}}{1680 c^7}$$

Antiderivative was successfully verified.

[In] `Integrate[x^2*(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]`

[Out] $(c^2 x^2 (16 a c^5 x (35 d^2 + 42 d e x^2 + 15 e^2 x^4) + b \sqrt{1 - 1/(c^2 x^2)} (8 c^4 (35 d^2 + 21 d e x^2 + 5 e^2 x^4) + 2 c^2 e (126 d + 25 e x^2) + 75 e^2)) + b (280 c^4 d^2 + 252 c^2 d e + 75 e^2) x^2 \sqrt{-1 + c^2 x^2}) / (1680 c^7)$

Maple [B] time = 0.184, size = 494, normalized size = 2.

$$\frac{ae^2 x^7}{7} + \frac{2 aed x^5}{5} + \frac{ax^3 d^2}{3} + \frac{\text{barccsc}(cx) e^2 x^7}{7} + \frac{2 \text{barccsc}(cx) ed x^5}{5} + \frac{\text{barccsc}(cx) x^3 d^2}{3} + \frac{bx^6 e^2}{42 c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{bx^4 e^2}{168 c^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d)^2*(a+b*arccsc(c*x)), x)`

[Out] $\frac{1}{7} a e^2 x^7 + \frac{2}{5} a e^2 d x^5 + \frac{a x^3 d^2}{3} + \frac{\text{barccsc}(cx) e^2 x^7}{7} + \frac{2 \text{barccsc}(cx) ed x^5}{5} + \frac{\text{barccsc}(cx) x^3 d^2}{3} + \frac{b x^6 e^2}{42 c} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} + \frac{b x^4 e^2}{168 c^3} \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}}$

$$\begin{aligned} & \frac{2}{c^2} \ln(c*x + (c^2*x^2 - 1)^{(1/2)}) + \frac{5}{336} \frac{c^5 b}{((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} * x^2 * e^{-2}} \\ & - \frac{3}{20} \frac{c^5 b}{((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} * e * d + \frac{3}{20} c^6 b * (c^2*x^2 - 1)^{(1/2)} / ((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} * x * e * d * \ln(c*x + (c^2*x^2 - 1)^{(1/2)})} \\ & - \frac{5}{112} \frac{c^7 b}{((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} * e^2 + \frac{5}{112} c^8 b * (c^2*x^2 - 1)^{(1/2)} / ((c^2*x^2 - 1)/c^2/x^2)^{(1/2)} * x * e^2 * \ln(c*x + (c^2*x^2 - 1)^{(1/2)})} \end{aligned}$$

Maxima [A] time = 1.03673, size = 545, normalized size = 2.16

$$\frac{1}{7} a e^2 x^7 + \frac{2}{5} a d e x^5 + \frac{1}{3} a d^2 x^3 + \frac{1}{12} \left(4 x^3 \operatorname{arccsc}(cx) + \frac{\frac{2 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 \left(\frac{1}{c^2 x^2} - 1\right) + c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} + 1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2 x^2} + 1} - 1\right)}{c^2}}{c} \right) b d^2 + \frac{1}{40} \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="maxima")`

$$\begin{aligned} & 1/7*a*e^2*x^7 + 2/5*a*d*e*x^5 + 1/3*a*d^2*x^3 + 1/12*(4*x^3*arccsc(c*x) + (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1)/c^2) * b*d^2 + 1/40*(6*x^5*arccsc(c*x) - (2*(3*(-1/(c^2*x^2) + 1)^(3/2) - 5*sqrt(-1/(c^2*x^2) + 1))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*log(sqrt(-1/(c^2*x^2) + 1)/c^4) * b*d*e + 1/672*(96*x^7*arccsc(c*x) + (2*(15*(-1/(c^2*x^2) + 1)^(5/2) - 40*(-1/(c^2*x^2) + 1)^(3/2) + 33*sqrt(-1/(c^2*x^2) + 1))/(c^6*(1/(c^2*x^2) - 1)^3 + 3*c^6*(1/(c^2*x^2) - 1)^2 + 3*c^6*(1/(c^2*x^2) - 1) + c^6) + 15*log(sqrt(-1/(c^2*x^2) + 1)/c^6) * b*e^2$$

Fricas [A] time = 6.06912, size = 641, normalized size = 2.54

$$240 a c^7 e^2 x^7 + 672 a c^7 d e x^5 + 560 a c^7 d^2 x^3 + 16 \left(15 b c^7 e^2 x^7 + 42 b c^7 d e x^5 + 35 b c^7 d^2 x^3 - 35 b c^7 d^2 - 42 b c^7 d e - 15 b c^7 e^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="fricas")`

$$\begin{aligned} & 1/1680*(240*a*c^7*e^2*x^7 + 672*a*c^7*d*e*x^5 + 560*a*c^7*d^2*x^3 + 16*(15*b*c^7*e^2*x^7 + 42*b*c^7*d*e*x^5 + 35*b*c^7*d^2*x^3 - 35*b*c^7*d^2 - 42*b*c^7*d*e - 15*b*c^7*e^2)*arccsc(c*x) - 32*(35*b*c^7*d^2 + 42*b*c^7*d*e + 15*b*c^7*e^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) - (280*b*c^4*d^2 + 252*b*c^2*d*e + 75*b*e^2)*log(-c*x + sqrt(c^2*x^2 - 1)) + (40*b*c^5*e^2*x^5 + 2*(84*b*c^5*d*e + 25*b*c^3*e^2)*x^3 + (280*b*c^5*d^2 + 252*b*c^3*d*e + 75*b*c^2*e^2)*x)*sqrt(c^2*x^2 - 1))/c^7 \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{acsc}(cx)) (d + e x^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d)**2*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**2*(a + b*acsc(c*x))*(d + e*x**2)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2(b \operatorname{arccsc}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)*x^2, x)`

$$3.89 \quad \int (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=191

$$d^2x (a + b \csc^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \csc^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \csc^{-1}(cx)) + \frac{bx(120c^4d^2 + 40c^2de + 9e^2)\tanh^{-1}\left(\frac{c}{\sqrt{c^2x^2}}\right)}{120c^4\sqrt{c^2x^2}}$$

$$[0ut] \quad (b*e*(40*c^2*d + 9*e)*x^2*Sqrt[-1 + c^2*x^2])/(120*c^3*Sqrt[c^2*x^2]) + (b*e^2*x^4*Sqrt[-1 + c^2*x^2])/(20*c*Sqrt[c^2*x^2]) + d^2*x*(a + b*ArcCsc[c*x]) + (2*d*e*x^3*(a + b*ArcCsc[c*x]))/3 + (e^2*x^5*(a + b*ArcCsc[c*x]))/5 + (b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(120*c^4*Sqrt[c^2*x^2])$$

Rubi [A] time = 0.114112, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.389, Rules used = {194, 5229, 12, 1159, 388, 217, 206}

$$d^2x (a + b \csc^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \csc^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \csc^{-1}(cx)) + \frac{bx(120c^4d^2 + 40c^2de + 9e^2)\tanh^{-1}\left(\frac{c}{\sqrt{c^2x^2}}\right)}{120c^4\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]

$$[0ut] \quad (b*e*(40*c^2*d + 9*e)*x^2*Sqrt[-1 + c^2*x^2])/(120*c^3*Sqrt[c^2*x^2]) + (b*e^2*x^4*Sqrt[-1 + c^2*x^2])/(20*c*Sqrt[c^2*x^2]) + d^2*x*(a + b*ArcCsc[c*x]) + (2*d*e*x^3*(a + b*ArcCsc[c*x]))/3 + (e^2*x^5*(a + b*ArcCsc[c*x]))/5 + (b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(120*c^4*Sqrt[c^2*x^2])$$

Rule 194

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5229

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(d_ + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1159

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simplify[(c^p*x^(4*p - 1)*(d + e*x^2)^(q + 1))/(e*(4*p + 2*q + 1)), x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p + 2*q + 1)*x^(4*p)], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4
```

$*a*c, 0] \&& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&& \text{IGtQ}[p, 0] \&& \text{!LtQ}[q, -1]$

Rule 388

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx &= d^2 x (a + b \csc^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int}{(bcx)} \\ &= d^2 x (a + b \csc^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int}{(bcx)} \\ &= \frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2 x (a + b \csc^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \csc^{-1}(cx)) + \frac{1}{5} e^2 x^5 (a + b \csc^{-1}(cx)) \\ &= \frac{be (40c^2 d + 9e) x^2 \sqrt{-1 + c^2 x^2}}{120c^3 \sqrt{c^2 x^2}} + \frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2 x (a + b \csc^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \csc^{-1}(cx)) \\ &= \frac{be (40c^2 d + 9e) x^2 \sqrt{-1 + c^2 x^2}}{120c^3 \sqrt{c^2 x^2}} + \frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2 x (a + b \csc^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \csc^{-1}(cx)) \\ &= \frac{be (40c^2 d + 9e) x^2 \sqrt{-1 + c^2 x^2}}{120c^3 \sqrt{c^2 x^2}} + \frac{be^2 x^4 \sqrt{-1 + c^2 x^2}}{20c \sqrt{c^2 x^2}} + d^2 x (a + b \csc^{-1}(cx)) + \frac{2}{3} dex^3 (a + b \csc^{-1}(cx)) \end{aligned}$$

Mathematica [A] time = 0.236115, size = 151, normalized size = 0.79

$$\frac{c^2 x \left(8 a c^3 (15 d^2 + 10 d e x^2 + 3 e^2 x^4) + b e x \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 (40 d + 6 e x^2) + 9 e)\right) + b (120 c^4 d^2 + 40 c^2 d e + 9 e^2) \log\left(x \left(\sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)}{120 c^5}$$

Antiderivative was successfully verified.

[In] `Integrate[(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]`

[Out] $(c^2 x^2 * (8*a*c^3*(15*d^2 + 10*d*e*x^2 + 3*e^2*x^4) + b*e*Sqrt[1 - 1/(c^2*x^2)]) * x^2 * (9*e + c^2*(40*d + 6*e*x^2))) + 8*b*c^5*x^2*(15*d^2 + 10*d*e*x^2 + 3*e^2*x^4)*ArcCsc[c*x] + b*(120*c^4*d^2 + 40*c^2*d*e + 9*e^2)*Log[(1 + Sqrt[1 - 1/(c^2*x^2)])*x])/(120*c^5)$

Maple [B] time = 0.183, size = 371, normalized size = 1.9

$$\frac{ae^2x^5}{5} + \frac{2ax^3de}{3} + axd^2 + \frac{\operatorname{barccsc}(cx)e^2x^5}{5} + \frac{2\operatorname{barccsc}(cx)x^3de}{3} + \operatorname{barccsc}(cx)xd^2 + \frac{bd^2}{c^2x}\sqrt{c^2x^2 - 1}\ln(cx + \sqrt{c^2x^2 - 1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arccsc(c*x)),x)`

$$\begin{aligned} \text{[Out]} \quad & 1/5*a*e^2*x^5 + 2/3*a*x^3*d*e + a*x*d^2 + 1/5*b*\operatorname{arccsc}(c*x)*e^2*x^5 + 2/3*b*\operatorname{arccsc}(c*x)*x^3*d*e + b*\operatorname{arccsc}(c*x)*x*d^2 + 1/c^2*b*(c^2*x^2 - 1)^{(1/2)} / ((c^2*x^2 - 1)/c^2*x^2)^{(1/2)} / x*d^2*\ln(c*x + (c^2*x^2 - 1)^{(1/2)}) + 1/20*c*b/((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}*x^4*e^2 + 1/40*c^3*b/((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}*x^2*e^2 + 1/3*c*b/((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}*x^4*b*(c^2*x^2 - 1)^{(1/2)} / ((c^2*x^2 - 1)/c^2*x^2)^{(1/2)} / x*d^2*\ln(c*x + (c^2*x^2 - 1)^{(1/2)}) - 3/40*c^5*b/((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}*e^2 + 3/40*c^6*b*(c^2*x^2 - 1)^{(1/2)} / ((c^2*x^2 - 1)/c^2*x^2)^{(1/2)} / x*d^2*\ln(c*x + (c^2*x^2 - 1)^{(1/2)}) \end{aligned}$$

Maxima [A] time = 0.968983, size = 400, normalized size = 2.09

$$\begin{aligned} \frac{1}{5}ae^2x^5 + \frac{2}{3}adex^3 + \frac{1}{6}\left(4x^3\operatorname{arccsc}(cx) + \frac{\frac{2\sqrt{-\frac{1}{c^2x^2}+1}}{c^2(\frac{1}{c^2x^2}-1)+c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}+1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2}+1}-1\right)}{c^2}}{c}\right)bde + \frac{1}{80}\left(16x^5\operatorname{arccsc}(cx)\right) \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="maxima")`

$$\begin{aligned} \text{[Out]} \quad & 1/5*a*e^2*x^5 + 2/3*a*d*e*x^3 + 1/6*(4*x^3\operatorname{arccsc}(c*x) + (2*\sqrt{-1/(c^2*x^2)} + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + \log(\sqrt{-1/(c^2*x^2)} + 1) + 1)/c^2 - \log(\sqrt{-1/(c^2*x^2)} + 1) - 1)/c^2)*b*d*e + 1/80*(16*x^5\operatorname{arccsc}(c*x) - (2*(3*(-1/(c^2*x^2) + 1)^(3/2) - 5*\sqrt{-1/(c^2*x^2)} + 1))/(c^4*(1/(c^2*x^2) - 1)^2 + 2*c^4*(1/(c^2*x^2) - 1) + c^4) - 3*\log(\sqrt{-1/(c^2*x^2)} + 1) + 1)/c^4 + 3*\log(\sqrt{-1/(c^2*x^2)} + 1) - 1)/c^4)*c)*b*e^2 + a*d^2*x + 1/2*(2*c*x*\operatorname{arccsc}(c*x) + \log(\sqrt{-1/(c^2*x^2)} + 1) + 1) - \log(-\sqrt{-1/(c^2*x^2)} + 1) + 1))*b*d^2/c \end{aligned}$$

Fricas [A] time = 4.94779, size = 547, normalized size = 2.86

$$24ac^5e^2x^5 + 80ac^5dex^3 + 120ac^5d^2x + 8\left(3bc^5e^2x^5 + 10bc^5dex^3 + 15bc^5d^2x - 15bc^5d^2 - 10bc^5de - 3bc^5e^2\right)\operatorname{arccsc}(c*x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="fricas")`

$$\begin{aligned} \text{[Out]} \quad & 1/120*(24*a*c^5e^2*x^5 + 80*a*c^5d*e*x^3 + 120*a*c^5d^2*x + 8*(3*b*c^5e^2*x^5 + 10*b*c^5d*e*x^3 + 15*b*c^5d^2*x - 15*b*c^5d^2 - 10*b*c^5d*e - \end{aligned}$$

$$3*b*c^5*e^2)*\text{arccsc}(c*x) - 16*(15*b*c^5*d^2 + 10*b*c^5*d*e + 3*b*c^5*e^2)*\text{arctan}(-c*x + \sqrt{c^2*x^2 - 1}) - (120*b*c^4*d^2 + 40*b*c^2*d*e + 9*b*e^2)*\log(-c*x + \sqrt{c^2*x^2 - 1}) + (6*b*c^3*e^2*x^3 + (40*b*c^3*d*e + 9*b*c*e^2)*x)*\sqrt{c^2*x^2 - 1})/c^5$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*acsc(c*x)),x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arccsc}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a), x)`

$$3.90 \quad \int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^2} dx$$

Optimal. Leaf size=163

$$-\frac{d^2(a + b \csc^{-1}(cx))}{x} + 2dex(a + b \csc^{-1}(cx)) + \frac{1}{3}e^2x^3(a + b \csc^{-1}(cx)) - \frac{bcd^2\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} + \frac{bex(12c^2d + e)\tanh^{-1}\left(\frac{ex}{\sqrt{c^2x^2-1}}\right)}{6c^2\sqrt{c^2x^2}}$$

[Out] $-\frac{((b*c*d^2*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2]) + (b*e^2*x^2*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2]}{(6*c*Sqrt[c^2*x^2])} - \frac{(d^2*(a + b*ArcCsc[c*x]))/x + 2*d*e*x*(a + b*ArcCsc[c*x]) + (e^2*x^3*(a + b*ArcCsc[c*x]))/3 + (b*e*(12*c^2*d + e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(6*c^2*Sqrt[c^2*x^2])}{(6*c^2*Sqrt[c^2*x^2])}$

Rubi [A] time = 0.129523, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {270, 5239, 12, 1265, 388, 217, 206}

$$-\frac{d^2(a + b \csc^{-1}(cx))}{x} + 2dex(a + b \csc^{-1}(cx)) + \frac{1}{3}e^2x^3(a + b \csc^{-1}(cx)) - \frac{bcd^2\sqrt{c^2x^2-1}}{\sqrt{c^2x^2}} + \frac{bex(12c^2d + e)\tanh^{-1}\left(\frac{ex}{\sqrt{c^2x^2-1}}\right)}{6c^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^2, x]$

[Out] $-\frac{((b*c*d^2*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2]) + (b*e^2*x^2*Sqrt[-1 + c^2*x^2])/Sqrt[c^2*x^2]}{(6*c*Sqrt[c^2*x^2])} - \frac{(d^2*(a + b*ArcCsc[c*x]))/x + 2*d*e*x*(a + b*ArcCsc[c*x]) + (e^2*x^3*(a + b*ArcCsc[c*x]))/3 + (b*e*(12*c^2*d + e)*x*ArcTanh[(c*x)/Sqrt[-1 + c^2*x^2]])/(6*c^2*Sqrt[c^2*x^2])}{(6*c^2*Sqrt[c^2*x^2])}$

Rule 270

$\text{Int}[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \Rightarrow \text{Int}[\text{Exp andIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \& \text{IGtQ}[p, 0]$

Rule 5239

$\text{Int}[((a_) + \text{ArcCsc}[(c_)*(x_)]*(b_))*((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)^{p_}, x_Symbol] \Rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcCsc}[c*x], u, x] + \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegr and}[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, p\}, x] \& \& ((\text{IGtQ}[p, 0] \&& !(\text{ILtQ}[(m - 1)/2, 0] \&& \text{GtQ}[m + 2*p + 3, 0])) \|\| (\text{GtQ}[(m + 1)/2, 0] \&& !(\text{ILtQ}[p, 0] \&& \text{GtQ}[m + 2*p + 3, 0])) \|\| (\text{ILtQ}[(m + 2*p + 1)/2, 0] \&& !\text{ILtQ}[(m - 1)/2, 0]))$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \Rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \& \& \text{!Match Q}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]]$

Rule 1265

$\text{Int}[((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)^{q_*}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{p_*}, x_Symbol] \Rightarrow \text{With}[\{Qx = \text{PolynomialQuotient}[(a + b*x^2 + c*x^4)^p, f*x, x], R = \text{PolynomialRemainder}[(a + b*x^2 + c*x^4)^p, f*x, x]\},$

```
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 388

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2 (a + b \csc^{-1}(cx))}{x^2} dx &= -\frac{d^2 (a + b \csc^{-1}(cx))}{x} + 2dex (a + b \csc^{-1}(cx)) + \frac{1}{3}e^2 x^3 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \dots}{x^2} \\ &= -\frac{d^2 (a + b \csc^{-1}(cx))}{x} + 2dex (a + b \csc^{-1}(cx)) + \frac{1}{3}e^2 x^3 (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \dots}{x^2} \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{\sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{x} + 2dex (a + b \csc^{-1}(cx)) + \frac{1}{3}e^2 x^3 (a + b \csc^{-1}(cx)) \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{\sqrt{c^2 x^2}} + \frac{be^2 x^2 \sqrt{-1 + c^2 x^2}}{6c \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{x} + 2dex (a + b \csc^{-1}(cx)) \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{\sqrt{c^2 x^2}} + \frac{be^2 x^2 \sqrt{-1 + c^2 x^2}}{6c \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{x} + 2dex (a + b \csc^{-1}(cx)) \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{\sqrt{c^2 x^2}} + \frac{be^2 x^2 \sqrt{-1 + c^2 x^2}}{6c \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{x} + 2dex (a + b \csc^{-1}(cx)) \end{aligned}$$

Mathematica [A] time = 0.193874, size = 134, normalized size = 0.82

$$\frac{c^2 \left(2ac (-3d^2 + 6dex^2 + e^2 x^4) + bx \sqrt{1 - \frac{1}{c^2 x^2}} (e^2 x^2 - 6c^2 d^2)\right) + 2bc^3 \csc^{-1}(cx) (-3d^2 + 6dex^2 + e^2 x^4) + bex (12c^2 d + e) \ln(x)}{6c^3 x}$$

Antiderivative was successfully verified.

[In] `Integrate[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^2, x]`

[Out] $(c^2(b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(-6*c^2*d^2 + e^2*x^2) + 2*a*c*(-3*d^2 + 6*d*e*x^2 + e^2*x^4)) + 2*b*c^3*(-3*d^2 + 6*d*e*x^2 + e^2*x^4)*\text{ArcCsc}[c*x] +$

$$b*e*(12*c^2*d + e)*x*\text{Log}[(1 + \text{Sqrt}[1 - 1/(c^2*x^2)])*x])/(6*c^3*x)$$

Maple [A] time = 0.187, size = 286, normalized size = 1.8

$$\frac{ae^2x^3}{3} + 2aedx - \frac{ad^2}{x} + \frac{be^2\operatorname{arccsc}(cx)x^3}{3} + 2b\operatorname{arccsc}(cx)edx - \frac{b\operatorname{arccsc}(cx)d^2}{x} - cbd^2\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{bd^2}{cx^2}\frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + 2 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((e*x^2+d)^2 * (a+b*arccsc(c*x))/x^2, x)$

```
[Out] 1/3*a*e^2*x^3+2*a*e*d*x-a*d^2/x+1/3*b*e^2*arccsc(c*x)*x^3+2*b*arccsc(c*x)*e
*d*x-b*arccsc(c*x)*d^2/x-c*b/((c^2*x^2-1)/c^2/x^2)^(1/2)*d^2+b/c/x^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*d^2+2*b/c^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*e*d*ln(c*x+(c^2*x^2-1)^(1/2))+1/6/c*b*e^2/((c^2*x^2-1)/c^2/x^2)^(1/2)*x^2-1/6/c^3*b*e^2/((c^2*x^2-1)/c^2/x^2)^(1/2)+1/6/c^4*b*e^2*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/x*ln(c*x+(c^2*x^2-1)^(1/2))
```

Maxima [A] time = 0.977365, size = 266, normalized size = 1.63

$$\frac{1}{3}ae^2x^3 - \left(c\sqrt{-\frac{1}{c^2x^2} + 1} + \frac{\operatorname{arccsc}(cx)}{x} \right) bd^2 + \frac{1}{12} \left(4x^3 \operatorname{arccsc}(cx) + \frac{\frac{2\sqrt{-\frac{1}{c^2x^2} + 1}}{c^2\left(\frac{1}{c^2x^2} - 1\right) + c^2} + \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1} + 1\right)}{c^2} - \frac{\log\left(\sqrt{-\frac{1}{c^2x^2} + 1} - 1\right)}{c^2}}{c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*x*arccsc(c*x))/x^2,x, algorithm="maxima")
```

```
[Out] 1/3*a*e^2*x^3 - (c*sqrt(-1/(c^2*x^2) + 1) + arccsc(c*x)/x)*b*d^2 + 1/12*(4*x^3*arccsc(c*x) + (2*sqrt(-1/(c^2*x^2) + 1)/(c^2*(1/(c^2*x^2) - 1) + c^2) + log(sqrt(-1/(c^2*x^2) + 1) + 1)/c^2 - log(sqrt(-1/(c^2*x^2) + 1) - 1)/c^2)/c)*b*e^2 + 2*a*d*e*x + (2*c*x*arccsc(c*x) + log(sqrt(-1/(c^2*x^2) + 1) + 1) - log(-sqrt(-1/(c^2*x^2) + 1) + 1))*b*d*e/c - a*d^2/x
```

Fricas [A] time = 3.89202, size = 502, normalized size = 3.08

$$2ac^3e^2x^4 - 6bc^4d^2x + 12ac^3dex^2 - 6ac^3d^2 + 4(3bc^3d^2 - 6bc^3de - bc^3e^2)x \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) - (12bc^2de + b^2c^3e^2)x^3 + (12bc^3d^2 - 12bc^2de - 3bc^3e^2)x^2 - (12bc^3d^2 - 12bc^2de - 3bc^3e^2)x + 12bc^3d^2 - 6bc^3de - bc^3e^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2*(a+b*x*arccsc(c*x))/x^2,x, algorithm="fricas")
```

[Out]
$$\begin{aligned} & 1/6*(2*a*c^3*e^2*x^4 - 6*b*c^4*d^2*x + 12*a*c^3*d*e*x^2 - 6*a*c^3*d^2 + 4*(3*b*c^3*d^2 - 6*b*c^3*d*e - b*c^3*e^2)*x*\arctan(-c*x + \sqrt(c^2*x^2 - 1)) - \\ & (12*b*c^2*d*e + b*e^2)*x*\log(-c*x + \sqrt(c^2*x^2 - 1)) + 2*(b*c^3*e^2*x^4 \\ & + 6*b*c^3*d*e*x^2 - 3*b*c^3*d^2 + (3*b*c^3*d^2 - 6*b*c^3*d*e - b*c^3*e^2)*x \end{aligned}$$

$$)*\operatorname{arccsc}(c*x) - (6*b*c^3*d^2 - b*c*e^2*x^2)*\sqrt(c^2*x^2 - 1))/(c^3*x)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) (d + ex^2)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*acsc(c*x))/x**2,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)**2/x**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arccsc}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^2,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)/x^2, x)`

$$3.91 \quad \int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=157

$$-\frac{d^2(a + b \csc^{-1}(cx))}{3x^3} - \frac{2de(a + b \csc^{-1}(cx))}{x} + e^2x(a + b \csc^{-1}(cx)) - \frac{bcd^2\sqrt{c^2x^2 - 1}}{9x^2\sqrt{c^2x^2}} - \frac{2bcd\sqrt{c^2x^2 - 1}(c^2d + 9e)}{9\sqrt{c^2x^2}} +$$

[Out] $(-2*b*c*d*(c^2*d + 9*e)*\text{Sqrt}[-1 + c^2*x^2])/(9*\text{Sqrt}[c^2*x^2]) - (b*c*d^2*\text{Sqr}t[-1 + c^2*x^2])/(9*x^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcCsc}[c*x]))/(3*x^3) - (2*d*e*(a + b*\text{ArcCsc}[c*x]))/x + e^2*x*(a + b*\text{ArcCsc}[c*x]) + (b*e^2*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/\text{Sqrt}[c^2*x^2]$

Rubi [A] time = 0.132483, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {270, 5239, 12, 1265, 451, 217, 206}

$$-\frac{d^2(a + b \csc^{-1}(cx))}{3x^3} - \frac{2de(a + b \csc^{-1}(cx))}{x} + e^2x(a + b \csc^{-1}(cx)) - \frac{bcd^2\sqrt{c^2x^2 - 1}}{9x^2\sqrt{c^2x^2}} - \frac{2bcd\sqrt{c^2x^2 - 1}(c^2d + 9e)}{9\sqrt{c^2x^2}} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[((d + e*x^2)^2*(a + b*\text{ArcCsc}[c*x]))/x^4, x]$

[Out] $(-2*b*c*d*(c^2*d + 9*e)*\text{Sqrt}[-1 + c^2*x^2])/(9*\text{Sqrt}[c^2*x^2]) - (b*c*d^2*\text{Sqr}t[-1 + c^2*x^2])/(9*x^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcCsc}[c*x]))/(3*x^3) - (2*d*e*(a + b*\text{ArcCsc}[c*x]))/x + e^2*x*(a + b*\text{ArcCsc}[c*x]) + (b*e^2*x*\text{ArcTanh}[(c*x)/\text{Sqrt}[-1 + c^2*x^2]])/\text{Sqrt}[c^2*x^2]$

Rule 270

$\text{Int}[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \Rightarrow \text{Int}[\text{Exp andIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \& \text{IGtQ}[p, 0]$

Rule 5239

$\text{Int}[((a_) + \text{ArcCsc}[(c_)*(x_)]*(b_))*((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)^{p_}, x_Symbol] \Rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcCsc}[c*x], u, x] + \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegr} and[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, p\}, x] \& ((\text{IGtQ}[p, 0] \& \text{ILtQ}[(m - 1)/2, 0] \& \text{GtQ}[m + 2*p + 3, 0])) \|\| (\text{GtQ}[(m + 1)/2, 0] \& \text{ILtQ}[p, 0] \& \text{GtQ}[m + 2*p + 3, 0])) \|\| (\text{ILtQ}[(m + 2*p + 1)/2, 0] \& \text{ILtQ}[(m - 1)/2, 0]))$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \Rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \& \text{!MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]]$

Rule 1265

$\text{Int}[(f_)*(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{q_*}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{p_*}, x_Symbol] \Rightarrow \text{With}[\{Qx = \text{PolynomialQuotient}[(a + b*x^2 + c*x^4)^p, f*x, x], R = \text{PolynomialRemainder}[(a + b*x^2 + c*x^4)^p, f*x, x]\},$

```
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 451

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simplify[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1]))
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simplify[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2 (a + b \csc^{-1}(cx))}{x^4} dx &= -\frac{d^2 (a + b \csc^{-1}(cx))}{3x^3} - \frac{2de (a + b \csc^{-1}(cx))}{x} + e^2 x (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{-d^2 -}{3x^4}}{\sqrt{c}} \\ &= -\frac{d^2 (a + b \csc^{-1}(cx))}{3x^3} - \frac{2de (a + b \csc^{-1}(cx))}{x} + e^2 x (a + b \csc^{-1}(cx)) + \frac{(bcx) \int \frac{-d^2 -}{x^4}}{3\sqrt{c}} \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{3x^3} - \frac{2de (a + b \csc^{-1}(cx))}{x} + e^2 x (a + b \csc^{-1}(cx)) \\ &= -\frac{2bcd (c^2 d + 9e) \sqrt{-1 + c^2 x^2}}{9\sqrt{c^2 x^2}} - \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{3x^3} - \frac{2de (a + b \csc^{-1}(cx))}{x} \\ &= -\frac{2bcd (c^2 d + 9e) \sqrt{-1 + c^2 x^2}}{9\sqrt{c^2 x^2}} - \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{3x^3} - \frac{2de (a + b \csc^{-1}(cx))}{x} \\ &= -\frac{2bcd (c^2 d + 9e) \sqrt{-1 + c^2 x^2}}{9\sqrt{c^2 x^2}} - \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{9x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{3x^3} - \frac{2de (a + b \csc^{-1}(cx))}{x} \end{aligned}$$

Mathematica [A] time = 0.267873, size = 125, normalized size = 0.8

$$\frac{3a(d^2 + 6dex^2 - 3e^2x^4) + bcdx\sqrt{1 - \frac{1}{c^2x^2}}(2c^2dx^2 + d + 18ex^2)}{9x^3} + \frac{be^2 \log\left(x\left(\sqrt{1 - \frac{1}{c^2x^2}} + 1\right)\right)}{c} - \frac{b \csc^{-1}(cx)(d^2 + 6dex^2)}{3x^3}$$

Antiderivative was successfully verified.

[In] `Integrate[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^4, x]`

[Out] $-(b*c*d*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 18*e*x^2) + 3*a*(d^2 + 6*d*e*x^2 - 3*e^2*x^4))/(9*x^3) - (b*(d^2 + 6*d*e*x^2 - 3*e^2*x^4)*\text{ArcCsc}[c*x])/(3*x^3) + (b*e^2*\text{Log}[(1 + \text{Sqrt}[1 - 1/(c^2*x^2)])*x])/c$

Maple [A] time = 0.189, size = 254, normalized size = 1.6

$$axe^2 - 2 \frac{aed}{x} - \frac{ad^2}{3x^3} + \text{barccsc}(cx)xe^2 - 2 \frac{\text{barccsc}(cx)ed}{x} - \frac{\text{barccsc}(cx)d^2}{3x^3} - \frac{2c^3bd^2}{9} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} + \frac{cbd^2}{9x^2} \frac{1}{\sqrt{\frac{c^2x^2-1}{c^2x^2}}} - 2bd$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d)^2*(a+b*\text{arccsc}(c*x))/x^4, x)$

[Out] $a*x^2 - 2*a*e*d/x - 1/3*a*d^2/x^3 + b*\text{arccsc}(c*x)*x^2 - 2*b*\text{arccsc}(c*x)*e*d/x - 1/3*b*\text{arccsc}(c*x)*d^2/x^3 - 2/9*c^3*b/((c^2*x^2-1)/c^2*x^2)^{(1/2)}*d^2 + 1/9*c*b/x^2/((c^2*x^2-1)/c^2*x^2)^{(1/2)}*d^2 - 2*c*b/((c^2*x^2-1)/c^2*x^2)^{(1/2)}*e*d + 2/c*b/((c^2*x^2-1)/c^2*x^2)^{(1/2)}/x^2 + e*d + 1/9*c*b/((c^2*x^2-1)/c^2*x^2)^{(1/2)}/x^4 + d^2 + 1/c^2*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2*x^2)^{(1/2)}/x^2 + e^2*\ln(c*x + (c^2*x^2-1)^{(1/2)})$

Maxima [A] time = 0.994512, size = 213, normalized size = 1.36

$$-2 \left(c \sqrt{-\frac{1}{c^2 x^2} + 1} + \frac{\text{arccsc}(cx)}{x} \right) bde + ae^2 x + \frac{1}{9} bd^2 \left(\frac{c^4 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} - 3c^4 \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} - \frac{3 \text{arccsc}(cx)}{x^3} \right) + \frac{\left(2cx \text{arccsc}(cx) \right)^2}{9x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^2*(a+b*\text{arccsc}(c*x))/x^4, x, \text{algorithm}=\text{"maxima"})$

[Out] $-2*(c*\text{sqrt}(-1/(c^2*x^2) + 1) + \text{arccsc}(c*x)/x)*b*d*e + a*e^2*x + 1/9*b*d^2*(c^4*(-1/(c^2*x^2) + 1)^{(3/2)} - 3*c^4*\text{sqrt}(-1/(c^2*x^2) + 1))/c - 3*\text{arccsc}(c*x)/x^3 + 1/2*(2*c*x*\text{arccsc}(c*x) + \log(\text{sqrt}(-1/(c^2*x^2) + 1) + 1) - \log(-\text{sqrt}(-1/(c^2*x^2) + 1) + 1))*b*e^2/c - 2*a*d*e/x - 1/3*a*d^2/x^3$

Fricas [A] time = 3.29647, size = 501, normalized size = 3.19

$$9ace^2x^4 - 9be^2x^3 \log\left(-cx + \sqrt{c^2x^2 - 1}\right) - 18acdex^2 + 6(bcd^2 + 6bcde - 3bce^2)x^3 \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) - 3acd$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^2*(a+b*\text{arccsc}(c*x))/x^4, x, \text{algorithm}=\text{"fricas"})$

[Out] $1/9*(9*a*c*e^2*x^4 - 9*b*e^2*x^3*\log(-c*x + \sqrt{c^2*x^2 - 1})) - 18*a*c*d*e*x^2 + 6*(b*c*d^2 + 6*b*c*d*e - 3*b*c*e^2)*x^3*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) - 3*a*c*d^2 - 2*(b*c^4*d^2 + 9*b*c^2*d*e)*x^3 + 3*(3*b*c*e^2*x^4 - 6*b*c*d*e*x^2 - b*c*d^2 + (b*c*d^2 + 6*b*c*d*e - 3*b*c*e^2)*x^3)*\text{arccsc}(c*x) - (b*c*d^2 + 2*(b*c^3*d^2 + 9*b*c*d*e)*x^2)*\text{sqrt}(c^2*x^2 - 1)/(c*x^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) (d + ex^2)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*acsc(c*x))/x**4,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)**2/x**4, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arccsc}(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^4,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)/x^4, x)`

$$3.92 \quad \int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=183

$$-\frac{d^2(a + b \csc^{-1}(cx))}{5x^5} - \frac{2de(a + b \csc^{-1}(cx))}{3x^3} - \frac{e^2(a + b \csc^{-1}(cx))}{x} - \frac{bc\sqrt{c^2x^2 - 1}(24c^4d^2 + 100c^2de + 225e^2)}{225\sqrt{c^2x^2}} - \frac{bcd^2}{25x^7}$$

$$[Out] \quad -(b*c*(24*c^4*d^2 + 100*c^2*d*e + 225*e^2)*Sqrt[-1 + c^2*x^2])/(225*Sqrt[c^2*x^2]) - (b*c*d^2*Sqrt[-1 + c^2*x^2])/(25*x^4*Sqrt[c^2*x^2]) - (2*b*c*d*(6*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcCsc[c*x]))/(5*x^5) - (2*d*e*(a + b*ArcCsc[c*x]))/(3*x^3) - (e^2*(a + b*ArcCsc[c*x]))/x$$

Rubi [A] time = 0.160178, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.286, Rules used = {270, 5239, 12, 1265, 453, 264}

$$-\frac{d^2(a + b \csc^{-1}(cx))}{5x^5} - \frac{2de(a + b \csc^{-1}(cx))}{3x^3} - \frac{e^2(a + b \csc^{-1}(cx))}{x} - \frac{bc\sqrt{c^2x^2 - 1}(24c^4d^2 + 100c^2de + 225e^2)}{225\sqrt{c^2x^2}} - \frac{bcd^2}{25x^7}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^6, x]

$$[Out] \quad -(b*c*(24*c^4*d^2 + 100*c^2*d*e + 225*e^2)*Sqrt[-1 + c^2*x^2])/(225*Sqrt[c^2*x^2]) - (b*c*d^2*Sqrt[-1 + c^2*x^2])/(25*x^4*Sqrt[c^2*x^2]) - (2*b*c*d*(6*c^2*d + 25*e)*Sqrt[-1 + c^2*x^2])/(225*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcCsc[c*x]))/(5*x^5) - (2*d*e*(a + b*ArcCsc[c*x]))/(3*x^3) - (e^2*(a + b*ArcCsc[c*x]))/x$$

Rule 270

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)*p + 1]/2, 0) && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_)] /; FreeQ[b, x]]
```

Rule 1265

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[(a + b*x^2 +
```

```
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x}], Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 453

```
Int[((e_)*(x_))^(m_)*(a_) + (b_)*(x_)^(n_))^(p_)*(c_) + (d_)*(x_)^(n_), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^(n*(m + 1))), Int[(e*x)^(m + n)*(a + b*x^n)^p, x]] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2 (a + b \csc^{-1}(cx))}{x^6} dx &= -\frac{d^2 (a + b \csc^{-1}(cx))}{5x^5} - \frac{2de (a + b \csc^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \csc^{-1}(cx))}{x} + \frac{(bcx) \int \frac{-3d^2 -}{15x}}{\sqrt{c^2 x^2}} \\ &= -\frac{d^2 (a + b \csc^{-1}(cx))}{5x^5} - \frac{2de (a + b \csc^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \csc^{-1}(cx))}{x} + \frac{(bcx) \int \frac{-3d^2 -}{15x}}{\sqrt{c^2 x^2}} \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{5x^5} - \frac{2de (a + b \csc^{-1}(cx))}{3x^3} - \frac{e^2 (a + b \csc^{-1}(cx))}{x} \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} - \frac{2bcd (6c^2 d + 25e) \sqrt{-1 + c^2 x^2}}{225x^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{5x^5} - \frac{2de (a + b \csc^{-1}(cx))}{3x^3} \\ &= -\frac{bc (225e^2 + 4c^2 d (6c^2 d + 25e)) \sqrt{-1 + c^2 x^2}}{225 \sqrt{c^2 x^2}} - \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{25x^4 \sqrt{c^2 x^2}} - \frac{2bcd (6c^2 d + 25e) \sqrt{-1 + c^2 x^2}}{225x^2 \sqrt{c^2 x^2}} \end{aligned}$$

Mathematica [A] time = 0.262065, size = 127, normalized size = 0.69

$$\frac{15a(3d^2 + 10dex^2 + 15e^2x^4) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(3d^2(8c^4x^4 + 4c^2x^2 + 3) + 50dex^2(2c^2x^2 + 1) + 225e^2x^4) + 15b\csc^{-1}(cx)}{225x^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^6, x]

[Out] $-(15*a*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4) + b*c* \text{Sqrt}[1 - 1/(c^2*x^2)]*x*(225*e^2*x^4 + 50*d*e*x^2*(1 + 2*c^2*x^2) + 3*d^2*(3 + 4*c^2*x^2 + 8*c^4*x^4)) + 15*b*(3*d^2 + 10*d*e*x^2 + 15*e^2*x^4)*\text{ArcCsc}[c*x])/(225*x^5)$

Maple [A] time = 0.194, size = 191, normalized size = 1.

$$c^5 \left(\frac{a}{c^4} \left(-\frac{e^2}{cx} - \frac{d^2}{5cx^5} - \frac{2de}{3cx^3} \right) + \frac{b}{c^4} \left(-\frac{\operatorname{arccsc}(cx)e^2}{cx} - \frac{\operatorname{arccsc}(cx)d^2}{5cx^5} - \frac{2\operatorname{arccsc}(cx)ed}{3cx^3} - \frac{(c^2x^2-1)(24x^4c^8d^2+100c^6e^6)}{c^6x^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arccsc(c*x))/x^6, x)`

[Out] $c^5(a/c^4(-e^2/c/x-1/5d^2/c/x^5-2/3c*e*d/x^3)+b/c^4(-\operatorname{arccsc}(c*x)*e^2/c/x-1/5\operatorname{arccsc}(c*x)*d^2/c/x^5-2/3\operatorname{arccsc}(c*x)/c*e*d/x^3-1/225*(c^2*x^2-1)*(24*c^8*d^2*x^4+100*c^6*d*x^4+12*c^6*d^2*x^2+225*c^4*e^2*x^4+50*c^4*d*x^2+9*c^4*d^2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^6/x^6))$

Maxima [A] time = 1.02725, size = 244, normalized size = 1.33

$$-\left(c\sqrt{-\frac{1}{c^2x^2}+1}+\frac{\operatorname{arccsc}(cx)}{x}\right)be^2-\frac{1}{75}bd^2\left(\frac{3c^6\left(-\frac{1}{c^2x^2}+1\right)^{\frac{5}{2}}-10c^6\left(-\frac{1}{c^2x^2}+1\right)^{\frac{3}{2}}+15c^6\sqrt{-\frac{1}{c^2x^2}+1}}{c}+\frac{15\operatorname{arccsc}(cx)}{x^5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^6, x, algorithm="maxima")`

[Out] $-(c*\sqrt{-1/(c^2*x^2)+1}+\operatorname{arccsc}(c*x)/x)*b*e^2-1/75*b*d^2*((3*c^6*(-1/(c^2*x^2)+1)^(5/2)-10*c^6*(-1/(c^2*x^2)+1)^(3/2)+15*c^6*\sqrt{-1/(c^2*x^2)+1})/c+15*\operatorname{arccsc}(c*x)/x^5)+2/9*b*d*e*((c^4*(-1/(c^2*x^2)+1)^(3/2)-3*c^4*\sqrt{-1/(c^2*x^2)+1})/c-3*\operatorname{arccsc}(c*x)/x^3)-a*e^2/x-2/3*a*d*e/x^3-1/5*a*d^2/x^5$

Fricas [A] time = 2.69368, size = 302, normalized size = 1.65

$$\frac{225ae^2x^4+150adex^2+45ad^2+15(15be^2x^4+10bdex^2+3bd^2)\operatorname{arccsc}(cx)+((24bc^4d^2+100bc^2de+225be^2)x^4-225x^5)}{225x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^6, x, algorithm="fricas")`

[Out] $-1/225*(225*a*e^2*x^4+150*a*d*e*x^2+45*a*d^2+15*(15*b*e^2*x^4+10*b*d*x^2+3*b*d^2)*\operatorname{arccsc}(c*x)+((24*b*c^4*d^2+100*b*c^2*d*e+225*b*e^2)*x^4+9*b*d^2+2*(6*b*c^2*d^2+25*b*d*e)*x^2)*\sqrt(c^2*x^2-1))/x^5$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b\operatorname{acsc}(cx))(d+ex^2)^2}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*acsc(c*x))/x**6,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)**2/x**6, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2(b \operatorname{arccsc}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^6,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)/x^6, x)`

$$3.93 \quad \int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=241

$$-\frac{d^2(a+b \csc^{-1}(cx))}{7x^7} - \frac{2de(a+b \csc^{-1}(cx))}{5x^5} - \frac{e^2(a+b \csc^{-1}(cx))}{3x^3} - \frac{2bc^3\sqrt{c^2x^2-1}(360c^4d^2+1176c^2de+1225e^2)}{11025\sqrt{c^2x^2}}$$

[Out] $(-2*b*c^3*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025*Sqrt[c^2*x^2]) - (b*c*d^2*Sqrt[-1 + c^2*x^2])/(49*x^6*Sqrt[c^2*x^2]) - (2*b*c*d*(15*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(1225*x^4*Sqrt[c^2*x^2]) - (b*c*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcCsc[c*x]))/(7*x^7) - (2*d*e*(a + b*ArcCsc[c*x]))/(5*x^5) - (e^2*(a + b*ArcCsc[c*x]))/(3*x^3)$

Rubi [A] time = 0.196919, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {270, 5239, 12, 1265, 453, 271, 264}

$$-\frac{d^2(a+b \csc^{-1}(cx))}{7x^7} - \frac{2de(a+b \csc^{-1}(cx))}{5x^5} - \frac{e^2(a+b \csc^{-1}(cx))}{3x^3} - \frac{2bc^3\sqrt{c^2x^2-1}(360c^4d^2+1176c^2de+1225e^2)}{11025\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^8, x]$

[Out] $(-2*b*c^3*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025*Sqrt[c^2*x^2]) - (b*c*d^2*Sqrt[-1 + c^2*x^2])/(49*x^6*Sqrt[c^2*x^2]) - (2*b*c*d*(15*c^2*d + 49*e)*Sqrt[-1 + c^2*x^2])/(1225*x^4*Sqrt[c^2*x^2]) - (b*c*(360*c^4*d^2 + 1176*c^2*d*e + 1225*e^2)*Sqrt[-1 + c^2*x^2])/(11025*x^2*Sqrt[c^2*x^2]) - (d^2*(a + b*ArcCsc[c*x]))/(7*x^7) - (2*d*e*(a + b*ArcCsc[c*x]))/(5*x^5) - (e^2*(a + b*ArcCsc[c*x]))/(3*x^3)$

Rule 270

```
Int[((c_)*(x_))^(m_)*(a_ + b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

Rule 5239

```
Int[((a_)+ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)*p + 1]/2, 0) && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1265

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]}, Simp[(R*(f*x))^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 453

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^(n*(m + 1))), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2 (a + b \csc^{-1}(cx))}{x^8} dx &= -\frac{d^2 (a + b \csc^{-1}(cx))}{7x^7} - \frac{2de (a + b \csc^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \csc^{-1}(cx))}{3x^3} + \frac{(bcx) \int \frac{-15d^2}{105}}{\sqrt{}} \\ &= -\frac{d^2 (a + b \csc^{-1}(cx))}{7x^7} - \frac{2de (a + b \csc^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \csc^{-1}(cx))}{3x^3} + \frac{(bcx) \int \frac{-15d^2}{x^5}}{105} \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{7x^7} - \frac{2de (a + b \csc^{-1}(cx))}{5x^5} - \frac{e^2 (a + b \csc^{-1}(cx))}{3x^3} \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}} - \frac{2bcd (15c^2 d + 49e) \sqrt{-1 + c^2 x^2}}{1225x^4 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{7x^7} - \frac{2de (a + b \csc^{-1}(cx))}{5x^5} \\ &= -\frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}} - \frac{2bcd (15c^2 d + 49e) \sqrt{-1 + c^2 x^2}}{1225x^4 \sqrt{c^2 x^2}} - \frac{bc (1225e^2 + 24c^2 d (15c^2 d + 49e)) \sqrt{-1 + c^2 x^2}}{11025x^2 \sqrt{c^2 x^2}} - \frac{bcd^2 \sqrt{-1 + c^2 x^2}}{49x^6 \sqrt{c^2 x^2}} - \frac{2bcd (15c^2 d + 49e) \sqrt{-1 + c^2 x^2}}{11025x^4 \sqrt{c^2 x^2}} \end{aligned}$$

Mathematica [A] time = 0.261088, size = 153, normalized size = 0.63

$$\frac{105a(15d^2 + 42dex^2 + 35e^2x^4) + bcx\sqrt{1 - \frac{1}{c^2x^2}}(45d^2(16c^6x^6 + 8c^4x^4 + 6c^2x^2 + 5) + 294dex^2(8c^4x^4 + 4c^2x^2 + 3) + 1225e^2x^2)}{11025x^7}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(d + e*x^2)^2*(a + b*\text{ArcCsc}[c*x])/x^8, x]$

[Out] $-(105*a*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4) + b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(1225*e^2*x^4*(1 + 2*c^2*x^2) + 294*d*e*x^2*(3 + 4*c^2*x^2 + 8*c^4*x^4) + 45*d^2*(5 + 6*c^2*x^2 + 8*c^4*x^4 + 16*c^6*x^6)) + 105*b*(15*d^2 + 42*d*e*x^2 + 35*e^2*x^4)*\text{ArcCsc}[c*x])/(11025*x^7)$

Maple [A] time = 0.191, size = 223, normalized size = 0.9

$$c^7 \left(\frac{a}{c^4} \left(-\frac{d^2}{7c^3x^7} - \frac{2de}{5c^3x^5} - \frac{e^2}{3c^3x^3} \right) + \frac{b}{c^4} \left(-\frac{\text{arccsc}(cx)d^2}{7c^3x^7} - \frac{2\text{arccsc}(cx)ed}{5c^3x^5} - \frac{\text{arccsc}(cx)e^2}{3c^3x^3} - \frac{(c^2x^2-1)(720c^{10}d^2x^2+11025c^8x^4)}{3c^3x^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d)^2*(a+b*\text{arccsc}(c*x))/x^8, x)$

[Out] $c^7*(a/c^4*(-1/7*d^2/c^3/x^7-2/5*c^3*e*d/x^5-1/3*e^2/c^3/x^3)+b/c^4*(-1/7*a*\text{rccsc}(c*x)*d^2/c^3/x^7-2/5*\text{arccsc}(c*x)/c^3*e*d/x^5-1/3*\text{arccsc}(c*x)*e^2/c^3/x^3-1/11025*(c^2*x^2-1)*(720*c^10*d^2*x^6+2352*c^8*d*e*x^6+360*c^8*d^2*x^4+2450*c^6*e^2*x^6+1176*c^6*d*e*x^4+270*c^6*d^2*x^2+1225*c^4*e^2*x^4+882*c^4*d*e*x^2+225*c^4*d^2)/((c^2*x^2-1)/c^2/x^2)^(1/2)/c^8/x^8))$

Maxima [A] time = 1.01665, size = 325, normalized size = 1.35

$$\frac{1}{245} bd^2 \left(\frac{5c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{7}{2}} - 21c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{5}{2}} + 35c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 35c^8 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{35 \text{arccsc}(cx)}{x^7} \right) - \frac{2}{75} bde \left(\frac{3c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{7}{2}} - 21c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{5}{2}} + 35c^8 \left(-\frac{1}{c^2x^2} + 1 \right)^{\frac{3}{2}} - 35c^8 \sqrt{-\frac{1}{c^2x^2} + 1}}{c} - \frac{35 \text{arccsc}(cx)}{x^7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^2*(a+b*\text{arccsc}(c*x))/x^8, x, \text{algorithm}=\text{"maxima"})$

[Out] $1/245*b*d^2*((5*c^8*(-1/(c^2*x^2) + 1)^(7/2) - 21*c^8*(-1/(c^2*x^2) + 1)^(5/2) + 35*c^8*(-1/(c^2*x^2) + 1)^(3/2) - 35*c^8*\text{sqrt}(-1/(c^2*x^2) + 1))/c - 35*\text{arccsc}(c*x)/x^7) - 2/75*b*d*e*((3*c^6*(-1/(c^2*x^2) + 1)^(5/2) - 10*c^6*(-1/(c^2*x^2) + 1)^(3/2) + 15*c^6*\text{sqrt}(-1/(c^2*x^2) + 1))/c + 15*\text{arccsc}(c*x)/x^5) + 1/9*b*e^2*((c^4*(-1/(c^2*x^2) + 1)^(3/2) - 3*c^4*\text{sqrt}(-1/(c^2*x^2) + 1))/c - 3*\text{arccsc}(c*x)/x^3) - 1/3*a*e^2/x^3 - 2/5*a*d*e/x^5 - 1/7*a*d^2/x^7)$

Fricas [A] time = 2.56862, size = 401, normalized size = 1.66

$$\frac{3675ae^2x^4 + 4410adex^2 + 1575ad^2 + 105(35be^2x^4 + 42bdex^2 + 15bd^2)\text{arccsc}(cx) + (2(360bc^6d^2 + 1176bc^4de + 11025x^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^2*(a+b*\text{arccsc}(c*x))/x^8, x, \text{algorithm}=\text{"fricas"})$

[Out]
$$\begin{aligned} & -1/11025 * (3675*a*e^2*x^4 + 4410*a*d*e*x^2 + 1575*a*d^2 + 105*(35*b*e^2*x^4 \\ & + 42*b*d*e*x^2 + 15*b*d^2)*\text{arccsc}(c*x) + (2*(360*b*c^6*d^2 + 1176*b*c^4*d*e \\ & + 1225*b*c^2*e^2)*x^6 + (360*b*c^4*d^2 + 1176*b*c^2*d*e + 1225*b*e^2)*x^4 \\ & + 225*b*d^2 + 18*(15*b*c^2*d^2 + 49*b*d*e)*x^2)*\text{sqrt}(c^2*x^2 - 1))/x^7 \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \text{acsc}(cx)) (d + ex^2)^2}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*acsc(c*x))/x**8,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)**2/x**8, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \text{arccsc}(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^8,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)/x^8, x)`

$$3.94 \quad \int x^3 (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=242

$$\frac{1}{4} d^2 x^4 (a + b \csc^{-1}(cx)) + \frac{1}{3} d e x^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} e^2 x^8 (a + b \csc^{-1}(cx)) + \frac{bx(c^2x^2 - 1)^{3/2}(6c^4d^2 + 16c^2de + 9e^2)}{72c^7\sqrt{c^2x^2}}$$

$$[Out] \quad (b*(6*c^4*d^2 + 8*c^2*d*e + 3*e^2)*x*sqrt[-1 + c^2*x^2])/(24*c^7*sqrt[c^2*x^2]) + (b*(6*c^4*d^2 + 16*c^2*d*e + 9*e^2)*x*(-1 + c^2*x^2)^(3/2))/(72*c^7*sqrt[c^2*x^2]) + (b*e*(8*c^2*d + 9*e)*x*(-1 + c^2*x^2)^(5/2))/(120*c^7*sqrt[c^2*x^2]) + (b*e^2*x*(-1 + c^2*x^2)^(7/2))/(56*c^7*sqrt[c^2*x^2]) + (d^2*x^4*(a + b*ArcCsc[c*x]))/4 + (d*e*x^6*(a + b*ArcCsc[c*x]))/3 + (e^2*x^8*(a + b*ArcCsc[c*x]))/8$$

Rubi [A] time = 0.223124, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.286, Rules used = {266, 43, 5239, 12, 1251, 771}

$$\frac{1}{4} d^2 x^4 (a + b \csc^{-1}(cx)) + \frac{1}{3} d e x^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} e^2 x^8 (a + b \csc^{-1}(cx)) + \frac{bx(c^2x^2 - 1)^{3/2}(6c^4d^2 + 16c^2de + 9e^2)}{72c^7\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3*(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]

$$[Out] \quad (b*(6*c^4*d^2 + 8*c^2*d*e + 3*e^2)*x*sqrt[-1 + c^2*x^2])/(24*c^7*sqrt[c^2*x^2]) + (b*(6*c^4*d^2 + 16*c^2*d*e + 9*e^2)*x*(-1 + c^2*x^2)^(3/2))/(72*c^7*sqrt[c^2*x^2]) + (b*e*(8*c^2*d + 9*e)*x*(-1 + c^2*x^2)^(5/2))/(120*c^7*sqrt[c^2*x^2]) + (b*e^2*x*(-1 + c^2*x^2)^(7/2))/(56*c^7*sqrt[c^2*x^2]) + (d^2*x^4*(a + b*ArcCsc[c*x]))/4 + (d*e*x^6*(a + b*ArcCsc[c*x]))/3 + (e^2*x^8*(a + b*ArcCsc[c*x]))/8$$

Rule 266

```
Int[(x_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*sqrt[c^2*x^2 - 1]], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)*p + 1]/2, 0) && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^p_, x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rule 771

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^p_, x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

Rubi steps

$$\begin{aligned} \int x^3 (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx &= \frac{1}{4} d^2 x^4 (a + b \csc^{-1}(cx)) + \frac{1}{3} d e x^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} e^2 x^8 (a + b \csc^{-1}(cx)) + \dots \\ &= \frac{1}{4} d^2 x^4 (a + b \csc^{-1}(cx)) + \frac{1}{3} d e x^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} e^2 x^8 (a + b \csc^{-1}(cx)) + \dots \\ &= \frac{1}{4} d^2 x^4 (a + b \csc^{-1}(cx)) + \frac{1}{3} d e x^6 (a + b \csc^{-1}(cx)) + \frac{1}{8} e^2 x^8 (a + b \csc^{-1}(cx)) + \dots \\ &= \frac{b (6c^4 d^2 + 8c^2 d e + 3e^2) x \sqrt{-1 + c^2 x^2}}{24 c^7 \sqrt{c^2 x^2}} + \frac{b (6c^4 d^2 + 16c^2 d e + 9e^2) x (-1 + c^2 x^2)^{3/2}}{72 c^7 \sqrt{c^2 x^2}} \end{aligned}$$

Mathematica [A] time = 0.319317, size = 159, normalized size = 0.66

$$x \left(105 a x^3 (6 d^2 + 8 d e x^2 + 3 e^2 x^4) + \frac{b \sqrt{1 - \frac{1}{c^2 x^2}} (3 c^6 (70 d^2 x^2 + 56 d e x^4 + 15 e^2 x^6) + c^4 (420 d^2 + 224 d e x^2 + 54 e^2 x^4) + 8 c^2 e (56 d + 9 e x^2) + 144 e^2)}{c^7} + 105 b x^3 c s \right)$$

2520

Antiderivative was successfully verified.

[In] `Integrate[x^3*(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]`

[Out] `(x*(105*a*x^3*(6*d^2 + 8*d*e*x^2 + 3*e^2*x^4) + (b*.Sqrt[1 - 1/(c^2*x^2)])*(144*e^2 + 8*c^2*e*(56*d + 9*e*x^2) + c^4*(420*d^2 + 224*d*e*x^2 + 54*e^2*x^4) + 3*c^6*(70*d^2*x^2 + 56*d*e*x^4 + 15*e^2*x^6)))/c^7 + 105*b*x^3*(6*d^2 + 8*d*e*x^2 + 3*e^2*x^4)*ArcCsc[c*x])/2520`

Maple [A] time = 0.186, size = 214, normalized size = 0.9

$$\frac{1}{c^4} \left(\frac{a}{c^4} \left(\frac{e^2 c^8 x^8}{8} + \frac{c^8 e d x^6}{3} + \frac{x^4 c^8 d^2}{4} \right) + \frac{b}{c^4} \left(\frac{\operatorname{arccsc}(cx) e^2 c^8 x^8}{8} + \frac{\operatorname{arccsc}(cx) c^8 e d x^6}{3} + \frac{\operatorname{arccsc}(cx) c^8 x^4 d^2}{4} + \frac{(c^2 x^2 - 1)}{c^2 x^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x^2+d)^2*(a+b*arccsc(c*x)),x)`

[Out] $\frac{1}{c^4} \left(\frac{a}{c^4} \left(\frac{1}{8} e^2 c^8 x^8 + \frac{1}{3} c^8 e d x^6 + \frac{1}{4} x^4 c^8 d^2 \right) + \frac{b}{c^4} \left(\frac{\operatorname{arccsc}(cx) e^2 c^8 x^8}{8} + \frac{\operatorname{arccsc}(cx) c^8 e d x^6}{3} + \frac{\operatorname{arccsc}(cx) c^8 x^4 d^2}{4} + \frac{(c^2 x^2 - 1)}{c^2 x^2} \right) \right)$

Maxima [A] time = 1.01405, size = 342, normalized size = 1.41

$$\frac{1}{8} a e^2 x^8 + \frac{1}{3} a d e x^6 + \frac{1}{4} a d^2 x^4 + \frac{1}{12} \left(3 x^4 \operatorname{arccsc}(cx) + \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 3 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^3} \right) b d^2 + \frac{1}{45} \left(15 x^6 \operatorname{arccsc}(cx) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{8} a e^2 x^8 + \frac{1}{3} a d e x^6 + \frac{1}{4} a d^2 x^4 + \frac{1}{12} (3 x^4 \operatorname{arccsc}(cx) + (c^2 x^2 - 1)^{3/2}) + \frac{1}{45} (15 x^6 \operatorname{arccsc}(cx) + (3 c^4 x^5 (-1/(c^2 x^2) + 1)^{5/2} + 10 c^2 x^3 (-1/(c^2 x^2) + 1)^{3/2} + 15 x^5 \sqrt{-1/(c^2 x^2) + 1})/c^5) b d^2 + \frac{1}{28} (0 (35 x^8 \operatorname{arccsc}(cx) + (5 c^6 x^7 (-1/(c^2 x^2) + 1)^{7/2} + 21 c^4 x^5 (-1/(c^2 x^2) + 1)^{5/2} + 35 c^2 x^3 (-1/(c^2 x^2) + 1)^{3/2} + 35 x^7 \sqrt{-1/(c^2 x^2) + 1})/c^7) b e^2$

Fricas [A] time = 3.3606, size = 431, normalized size = 1.78

$$\frac{315 a c^8 e^2 x^8 + 840 a c^8 d e x^6 + 630 a c^8 d^2 x^4 + 105 (3 b c^8 e^2 x^8 + 8 b c^8 d e x^6 + 6 b c^8 d^2 x^4) \operatorname{arccsc}(cx) + (45 b c^6 e^2 x^6 + 420 b c^6 d e x^4 + 105 b c^6 d^2 x^2) \operatorname{arccsc}'(cx)}{2520 c^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] $\frac{1}{2520} (315 a c^8 e^2 x^8 + 840 a c^8 d e x^6 + 630 a c^8 d^2 x^4 + 105 (3 b c^8 e^2 x^8 + 8 b c^8 d e x^6 + 6 b c^8 d^2 x^4) \operatorname{arccsc}(cx) + (45 b c^6 e^2 x^6 + 420 b c^6 d e x^4 + 105 b c^6 d^2 x^2) \operatorname{arccsc}'(cx) + 105 (3 b c^8 e^2 x^6 + 420 b c^8 d e x^4 + 448 b c^8 d^2 x^2 + 6 (28 b c^6 e^2 x^4 + 9 b c^6 e^4 x^2) \operatorname{arccsc}(cx) + (144 b c^4 e^2 x^2 + 2 (105 b c^6 d^2 x^2 + 112 b c^6 d e x^4 + 36 b c^6 e^2 x^2) \operatorname{arccsc}'(cx)) \operatorname{sqrt}(c^2 x^2 - 1)) / c^8$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{acsc}(cx)) (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)**2*(a+b*acsc(c*x)),x)`

[Out] `Integral(x**3*(a + b*acsc(c*x))*(d + e*x**2)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arccsc}(cx) + a) x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)*x^3, x)`

$$3.95 \quad \int x \left(d + ex^2 \right)^2 \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=195

$$\frac{(d + ex^2)^3 (a + b \csc^{-1}(cx))}{6e} + \frac{bx \sqrt{c^2 x^2 - 1} (3c^4 d^2 + 3c^2 de + e^2)}{6c^5 \sqrt{c^2 x^2}} + \frac{bcd^3 x \tan^{-1}(\sqrt{c^2 x^2 - 1})}{6e \sqrt{c^2 x^2}} + \frac{bex (c^2 x^2 - 1)^{3/2} (3c^2 d^2 + 3c^4 e^2)}{18c^5 \sqrt{c^2 x^2}}$$

[Out] $(b*(3*c^4*d^2 + 3*c^2*d*e + e^2)*x*SQRT[-1 + c^2*x^2])/(6*c^5*SQRT[c^2*x^2]) + (b*e*(3*c^2*d + 2*e)*x*(-1 + c^2*x^2)^(3/2))/(18*c^5*SQRT[c^2*x^2]) + (b*e^2*x*(-1 + c^2*x^2)^(5/2))/(30*c^5*SQRT[c^2*x^2]) + ((d + e*x^2)^3*(a + b*ArcCsc[c*x]))/(6*e) + (b*c*d^3*x*ArcTan[SQRT[-1 + c^2*x^2]])/(6*e*SQRT[c^2*x^2])$

Rubi [A] time = 0.144222, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {5237, 446, 88, 63, 205}

$$\frac{(d + ex^2)^3 (a + b \csc^{-1}(cx))}{6e} + \frac{bx \sqrt{c^2 x^2 - 1} (3c^4 d^2 + 3c^2 de + e^2)}{6c^5 \sqrt{c^2 x^2}} + \frac{bcd^3 x \tan^{-1}(\sqrt{c^2 x^2 - 1})}{6e \sqrt{c^2 x^2}} + \frac{bex (c^2 x^2 - 1)^{3/2} (3c^2 d^2 + 3c^4 e^2)}{18c^5 \sqrt{c^2 x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]$

[Out] $(b*(3*c^4*d^2 + 3*c^2*d*e + e^2)*x*SQRT[-1 + c^2*x^2])/(6*c^5*SQRT[c^2*x^2]) + (b*e*(3*c^2*d + 2*e)*x*(-1 + c^2*x^2)^(3/2))/(18*c^5*SQRT[c^2*x^2]) + (b*e^2*x*(-1 + c^2*x^2)^(5/2))/(30*c^5*SQRT[c^2*x^2]) + ((d + e*x^2)^3*(a + b*ArcCsc[c*x]))/(6*e) + (b*c*d^3*x*ArcTan[SQRT[-1 + c^2*x^2]])/(6*e*SQRT[c^2*x^2])$

Rule 5237

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(x_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x]
+ Dist[(b*c*x)/(2*e*(p + 1)*SQRT[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*SQ
RT[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_),
x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 88

```
Int[((a_) + (b_)*(x_)^(m_)*((c_) + (d_)*(x_)^(n_))*((e_) + (f_)*(x_))^(p_),
x_Symbol) :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_)*((c_) + (d_)*(x_)^(n_)), x_Symbol) :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d))/b +
```

```
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int x (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx &= \frac{(d + ex^2)^3 (a + b \csc^{-1}(cx))}{6e} + \frac{(bcx) \int \frac{(d+ex^2)^3}{x\sqrt{-1+c^2x^2}} dx}{6e\sqrt{c^2x^2}} \\ &= \frac{(d + ex^2)^3 (a + b \csc^{-1}(cx))}{6e} + \frac{(bcx) \text{Subst}\left(\int \frac{(d+ex)^3}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{12e\sqrt{c^2x^2}} \\ &= \frac{(d + ex^2)^3 (a + b \csc^{-1}(cx))}{6e} + \frac{(bcx) \text{Subst}\left(\int \left(\frac{e(3c^4d^2+3c^2de+e^2)}{c^4\sqrt{-1+c^2x}} + \frac{d^3}{x\sqrt{-1+c^2x}} + \frac{e^2(3c^2d+2e)}{c^4\sqrt{-1+c^2x}}\right) dx, x, x^2\right)}{12e\sqrt{c^2x^2}} \\ &= \frac{b(3c^4d^2+3c^2de+e^2)x\sqrt{-1+c^2x^2}}{6c^5\sqrt{c^2x^2}} + \frac{be(3c^2d+2e)x(-1+c^2x^2)^{3/2}}{18c^5\sqrt{c^2x^2}} + \frac{be^2x(-1+c^2x^2)^{3/2}}{30c^5\sqrt{c^2x^2}} \\ &= \frac{b(3c^4d^2+3c^2de+e^2)x\sqrt{-1+c^2x^2}}{6c^5\sqrt{c^2x^2}} + \frac{be(3c^2d+2e)x(-1+c^2x^2)^{3/2}}{18c^5\sqrt{c^2x^2}} + \frac{be^2x(-1+c^2x^2)^{3/2}}{30c^5\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.28052, size = 124, normalized size = 0.64

$$\frac{1}{90} x \left(15ax(3d^2 + 3dex^2 + e^2x^4) + \frac{b\sqrt{1 - \frac{1}{c^2x^2}} (3c^4(15d^2 + 5dex^2 + e^2x^4) + 2c^2e(15d + 2ex^2) + 8e^2)}{c^5} + 15bx \csc^{-1}(cx)(3d^2 + 3dex^2 + e^2x^4) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]

[Out] $x*(15*a*x*(3*d^2 + 3*d*x^2 + e^2*x^4) + (b*sqrt[1 - 1/(c^2*x^2)]*(8*e^2 + 2*c^2*e*(15*d + 2*e*x^2) + 3*c^4*(15*d^2 + 5*d*x^2 + e^2*x^4)))/c^5 + 15*b*x*(3*d^2 + 3*d*x^2 + e^2*x^4)*ArcCsc[c*x]))/90$

Maple [A] time = 0.188, size = 182, normalized size = 0.9

$$\frac{1}{c^2} \left(\frac{a}{c^4} \left(\frac{e^2 c^6 x^6}{6} + \frac{c^6 x^4 de}{2} + \frac{x^2 c^6 d^2}{2} \right) + \frac{b}{c^4} \left(\frac{\text{arccsc}(cx) e^2 c^6 x^6}{6} + \frac{\text{arccsc}(cx) c^6 x^4 de}{2} + \frac{\text{arccsc}(cx) c^6 x^2 d^2}{2} + \frac{(c^2 x^2 - 1)(3 c^2 d^2 + 3 c^2 e^2 x^2 + 2 c^2 d e x^2)}{6 c^4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x \cdot (e \cdot x^2 + d)^2 \cdot (a + b \cdot \operatorname{arccsc}(c \cdot x)) \, dx$

[Out] $\frac{1}{c^2} \cdot (a/c^4 \cdot (1/6 \cdot e^2 \cdot c^6 \cdot x^6 + 1/2 \cdot c^6 \cdot x^4 \cdot d \cdot e + 1/2 \cdot x^2 \cdot c^6 \cdot d^2) + b/c^4 \cdot (1/6 \cdot a \cdot \operatorname{rccsc}(c \cdot x) \cdot e^2 \cdot c^6 \cdot x^6 + 1/2 \cdot \operatorname{arccsc}(c \cdot x) \cdot c^6 \cdot x^4 \cdot d \cdot e + 1/2 \cdot \operatorname{arccsc}(c \cdot x) \cdot c^6 \cdot x^2 \cdot d^2 + 1/90 \cdot (c^2 \cdot x^2 - 1) \cdot (3 \cdot c^4 \cdot e^2 \cdot x^4 + 15 \cdot c^4 \cdot d \cdot e \cdot x^2 + 45 \cdot c^4 \cdot d^2 + 4 \cdot c^2 \cdot e^2 \cdot x^2 + 30 \cdot c^2 \cdot d \cdot e + 8 \cdot e^2)) / ((c^2 \cdot x^2 - 1) / c^2 \cdot x^2)^{(1/2)} / c/x)$

Maxima [A] time = 1.00152, size = 255, normalized size = 1.31

$$\frac{1}{6} ae^2 x^6 + \frac{1}{2} adex^4 + \frac{1}{2} ad^2 x^2 + \frac{1}{2} \left(x^2 \operatorname{arccsc}(cx) + \frac{x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c} \right) bd^2 + \frac{1}{6} \left(3x^4 \operatorname{arccsc}(cx) + \frac{c^2 x^3 \left(-\frac{1}{c^2 x^2} + 1 \right)^{\frac{3}{2}} + 3x^2}{c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x \cdot (e \cdot x^2 + d)^2 \cdot (a + b \cdot \operatorname{arccsc}(c \cdot x)), x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1/6 \cdot a \cdot e^2 \cdot x^6 + 1/2 \cdot a \cdot d \cdot e \cdot x^4 + 1/2 \cdot a \cdot d^2 \cdot x^2 + 1/2 \cdot (x^2 \cdot \operatorname{arccsc}(c \cdot x) + x \cdot \operatorname{sqrt}(-1/(c^2 \cdot x^2) + 1)/c) \cdot b \cdot d^2 + 1/6 \cdot (3 \cdot x^4 \cdot \operatorname{arccsc}(c \cdot x) + (c^2 \cdot x^3 \cdot (-1/(c^2 \cdot x^2) + 1)^{(3/2)} + 3 \cdot x \cdot \operatorname{sqrt}(-1/(c^2 \cdot x^2) + 1)/c^3) \cdot b \cdot d \cdot e + 1/90 \cdot (15 \cdot x^6 \cdot \operatorname{arccsc}(c \cdot x) + (3 \cdot c^4 \cdot x^5 \cdot (-1/(c^2 \cdot x^2) + 1)^{(5/2)} + 10 \cdot c^2 \cdot x^3 \cdot (-1/(c^2 \cdot x^2) + 1)^{(3/2)} + 15 \cdot x \cdot \operatorname{sqrt}(-1/(c^2 \cdot x^2) + 1)/c^5) \cdot b \cdot e^2}{90 \cdot c^6}$

Fricas [A] time = 3.04265, size = 336, normalized size = 1.72

$$\frac{15 ac^6 e^2 x^6 + 45 ac^6 d e x^4 + 45 ac^6 d^2 x^2 + 15 \left(bc^6 e^2 x^6 + 3 bc^6 d e x^4 + 3 bc^6 d^2 x^2 \right) \operatorname{arccsc}(cx) + \left(3 bc^4 e^2 x^4 + 45 bc^4 d^2 + 30 bc^4 d e x^2 + 15 bc^4 d^3 \right) \operatorname{sqrt}(-1/(c^2 \cdot x^2) + 1)}{90 c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x \cdot (e \cdot x^2 + d)^2 \cdot (a + b \cdot \operatorname{arccsc}(c \cdot x)), x, \text{algorithm}=\text{"fricas"})$

[Out] $\frac{1/90 \cdot (15 \cdot a \cdot c^6 \cdot e^2 \cdot x^6 + 45 \cdot a \cdot c^6 \cdot d \cdot e \cdot x^4 + 45 \cdot a \cdot c^6 \cdot d^2 \cdot x^2 + 15 \cdot (b \cdot c^6 \cdot e^2 \cdot x^6 + 3 \cdot b \cdot c^6 \cdot d \cdot e \cdot x^4 + 3 \cdot b \cdot c^6 \cdot d^2 \cdot x^2) \cdot \operatorname{arccsc}(c \cdot x) + (3 \cdot b \cdot c^4 \cdot e^2 \cdot x^4 + 45 \cdot b \cdot c^4 \cdot d^2 + 30 \cdot b \cdot c^2 \cdot d \cdot e + 8 \cdot b \cdot e^2 + (15 \cdot b \cdot c^4 \cdot d \cdot e + 4 \cdot b \cdot c^2 \cdot e^2) \cdot x^2) \cdot \operatorname{sqrt}(c^2 \cdot x^2 - 1)) / c^6}{c^6}$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x (a + b \operatorname{acsc}(cx)) (d + ex^2)^2 \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x \cdot (e \cdot x^2 + d)^2 \cdot (a + b \cdot \operatorname{acsc}(c \cdot x)), x)$

[Out] $\operatorname{Integral}(x \cdot (a + b \cdot \operatorname{acsc}(c \cdot x)) \cdot (d + e \cdot x^2)^2, x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \operatorname{arccsc}(cx) + a)x \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)*x, x)`

$$3.96 \int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x} dx$$

Optimal. Leaf size=186

$$\frac{1}{2} ibd^2 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d^2 \log\left(\frac{1}{x}\right) (a + b \csc^{-1}(cx)) + dex^2 (a + b \csc^{-1}(cx)) + \frac{1}{4} e^2 x^4 (a + b \csc^{-1}(cx)) + \frac{bex}{2}$$

$$[Out] \quad (b*e*(6*c^2*d + e)*Sqrt[1 - 1/(c^2*x^2)]*x)/(6*c^3) + (b*e^2*Sqrt[1 - 1/(c^2*x^2)]*x^3)/(12*c) + (I/2)*b*d^2*ArcCsc[c*x]^2 + d*e*x^2*(a + b*ArcCsc[c*x]) + (e^2*x^4*(a + b*ArcCsc[c*x]))/4 - b*d^2*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + b*d^2*ArcCsc[c*x]*Log[x^(-1)] - d^2*(a + b*ArcCsc[c*x])*Log[x^(-1)] + (I/2)*b*d^2*PolyLog[2, E^((2*I)*ArcCsc[c*x])]$$

Rubi [A] time = 0.422263, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.619, Rules used = {5241, 266, 43, 4731, 6742, 453, 264, 2326, 4625, 3717, 2190, 2279, 2391}

$$\frac{1}{2} ibd^2 \text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) - d^2 \log\left(\frac{1}{x}\right) (a + b \csc^{-1}(cx)) + dex^2 (a + b \csc^{-1}(cx)) + \frac{1}{4} e^2 x^4 (a + b \csc^{-1}(cx)) + \frac{bex}{2}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x, x]

$$[Out] \quad (b*e*(6*c^2*d + e)*Sqrt[1 - 1/(c^2*x^2)]*x)/(6*c^3) + (b*e^2*Sqrt[1 - 1/(c^2*x^2)]*x^3)/(12*c) + (I/2)*b*d^2*ArcCsc[c*x]^2 + d*e*x^2*(a + b*ArcCsc[c*x]) + (e^2*x^4*(a + b*ArcCsc[c*x]))/4 - b*d^2*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + b*d^2*ArcCsc[c*x]*Log[x^(-1)] - d^2*(a + b*ArcCsc[c*x])*Log[x^(-1)] + (I/2)*b*d^2*PolyLog[2, E^((2*I)*ArcCsc[c*x])]$$

Rule 5241

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^^(n_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_)^(m_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4731

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
```

```
[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 453

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x]] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 2326

```
Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] :> Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n]))/Rt[-e, 2], x] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x]] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 4625

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + Pi*(k_)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x]] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_)*(e_)) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*(e_)) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x]] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_)) + (d_)*(x_)))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

`Int[Log[(c_)*(d_) + (e_)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

Rubi steps

$$\int \frac{(d+ex^2)^2(a+b \csc^{-1}(cx))}{x} dx = -\text{Subst}\left(\int \frac{(e+dx^2)^2(a+b \sin^{-1}\left(\frac{x}{c}\right))}{x^5} dx, x, \frac{1}{x}\right)$$

$$= dex^2(a + b \csc^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \csc^{-1}(cx)) - d^2(a + b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) +$$

$$= dex^2(a + b \csc^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \csc^{-1}(cx)) - d^2(a + b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) +$$

$$= dex^2(a + b \csc^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \csc^{-1}(cx)) - d^2(a + b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) +$$

$$= \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + dex^2(a + b \csc^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \csc^{-1}(cx)) + bd^2 \csc^{-1}(cx)$$

$$= \frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} + \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + dex^2(a + b \csc^{-1}(cx)) + \frac{1}{4}e^2x^4(a + b \csc^{-1}(cx))$$

$$= \frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} + \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2(a + b \csc^{-1}(cx))$$

$$= \frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} + \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2(a + b \csc^{-1}(cx))$$

$$= \frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} + \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2(a + b \csc^{-1}(cx))$$

$$= \frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} + \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2(a + b \csc^{-1}(cx))$$

$$= \frac{be(6c^2d+e)\sqrt{1-\frac{1}{c^2x^2}}x}{6c^3} + \frac{be^2\sqrt{1-\frac{1}{c^2x^2}}x^3}{12c} + \frac{1}{2}ibd^2 \csc^{-1}(cx)^2 + dex^2(a + b \csc^{-1}(cx))$$

Mathematica [A] time = 0.364491, size = 157, normalized size = 0.84

$$\frac{1}{2}ibd^2 \left(\text{PolyLog}\left(2, e^{2i \csc^{-1}(cx)}\right) + \csc^{-1}(cx) \left(\csc^{-1}(cx) + 2i \log\left(1 - e^{2i \csc^{-1}(cx)}\right)\right)\right) + ad^2 \log(x) + adex^2 + \frac{1}{4}ae^2x^4 + \frac{bd^2}{12c}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x, x]`

[Out] `a*d*e*x^2 + (a*e^2*x^4)/4 + (b*d*e*x*(Sqrt[1 - 1/(c^2*x^2)] + c*x*ArcCsc[c*x]))/c + (b*e^2*x*(Sqrt[1 - 1/(c^2*x^2)]*(2 + c^2*x^2) + 3*c^3*x^3*ArcCsc[c*x]))/(12*c^3) + a*d^2*Log[x] + (I/2)*b*d^2*(ArcCsc[c*x]*(ArcCsc[c*x] + (2*I)*Log[1 - E^((2*I)*ArcCsc[c*x])]) + PolyLog[2, E^((2*I)*ArcCsc[c*x])])`

Maple [A] time = 1.038, size = 301, normalized size = 1.6

$$\frac{ax^4e^2}{4} + ax^2de + ad^2 \ln(cx) + \frac{i}{2}bd^2 (\operatorname{arccsc}(cx))^2 + \frac{\operatorname{barccsc}(cx)e^2x^4}{4} + \operatorname{barccsc}(cx)x^2de + \frac{bx^3e^2}{12c} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{bixe}{c} \sqrt{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arccsc(c*x))/x, x)`

$$\begin{aligned} \text{[Out]} \quad & 1/4*a*x^4*e^2 + a*x^2*d*e + a*d^2 \ln(cx) + 1/2*I*b*d^2*\operatorname{arccsc}(cx)^2 + 1/4*b*\operatorname{arccsc}(c*x)*e^2*x^4 + b*\operatorname{arccsc}(c*x)*x^2*d*e + 1/12*b/c*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^3*e^2 + b/c*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x*d*e - I*b/c^2*d*e + 1/6*b/c^3*((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x^2*e^2 - 1/6*I*b/c^4*e^2*b*d^2*\operatorname{arccsc}(c*x)*\ln(1+I/c/x+(1-1/c^2/x^2)^{(1/2)}) - b*d^2*\operatorname{arccsc}(c*x)*\ln(1-I/c/x-(1-1/c^2/x^2)^{(1/2)}) + I*b*d^2*\operatorname{polylog}(2, I/c/x+(1-1/c^2/x^2)^{(1/2)}) + I*b*d^2*\operatorname{polylog}(2, -I/c/x-(1-1/c^2/x^2)^{(1/2)}) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x, x, algorithm="maxima")`

$$\begin{aligned} \text{[Out]} \quad & 1/4*a*e^2*x^4 + a*d*e*x^2 + a*d^2*x^2*\log(x) + 1/8*(4*I*b*c^4*d^2*\log(-c*x + 1)*\log(x) + 4*I*b*c^4*d^2*\log(x)^2 + 4*I*b*c^4*d^2*\operatorname{dilog}(c*x) + 4*I*b*c^4*d^2*\operatorname{dilog}(-c*x) + 2*(b*c^4*\operatorname{arctan2}(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + I*b*c^4*\log(c))*e^2*x^4 - I*(b*e^2*(x^2/c^2 + \log(c*x + 1)/c^4 + \log(c*x - 1)/c^4) + 4*b*d*e*(\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2) + 32*b*d^2*\operatorname{integrate}(1/4*\log(x)/(c^2*x^3 - x), x))*c^4 + 8*c^4*\operatorname{integrate}(1/4*(b*e^2*x^4 + 4*b*d*e*x^2 + 4*b*d^2*\log(x))*\sqrt{c*x + 1}*\sqrt{c*x - 1}/(c^2*x^3 - x), x) + (I*b*c^2*e^2 + 8*(b*c^4*\operatorname{arctan2}(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + I*b*c^4*\log(c))*d*e^2*x^2 + (-I*b*c^4*e^2*x^4 - 4*I*b*c^4*d*e*x^2 - 4*I*b*c^4*d^2*\log(x))*\log(c^2*x^2) + (4*I*b*c^4*d^2*\log(x) + 4*I*b*c^2*d*e + I*b*e^2)*\log(c*x + 1) + (4*I*b*c^2*d*e + I*b*e^2)*\log(c*x - 1) + (2*I*b*c^4*e^2*x^4 + 8*I*b*c^4*d*e*x^2 + 8*(b*c^4*\operatorname{arctan2}(1, \sqrt{c*x + 1})*\sqrt{c*x - 1}) + I*b*c^4*\log(c))*d^2*\log(x))/c^4 \end{aligned}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2)\operatorname{arccsc}(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x, x, algorithm="fricas")`

$$\text{[Out]} \quad \operatorname{integral}((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*\operatorname{arccsc}(c*x))/x, x)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) (d + ex^2)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*acsc(c*x))/x,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)**2/x, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arccsc}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)/x, x)`

3.97 $\int \frac{(d+ex^2)^2(a+b\csc^{-1}(cx))}{x^3} dx$

Optimal. Leaf size=189

$$ibdePolyLog(2, e^{2i\csc^{-1}(cx)}) - \frac{d^2(a + b\csc^{-1}(cx))}{2x^2} - 2de \log\left(\frac{1}{x}\right)(a + b\csc^{-1}(cx)) + \frac{1}{2}e^2x^2(a + b\csc^{-1}(cx)) - \frac{bcd^2\sqrt{1-}}{4x}$$

$$\begin{aligned} [\text{Out}] \quad & -(b*c*d^2*2*sqrt[1 - 1/(c^2*x^2)])/(4*x) + (b*e^2*sqrt[1 - 1/(c^2*x^2)]*x)/(2*c) \\ & + (b*c^2*d^2*2*ArcCsc[c*x])/4 + I*b*d*e*ArcCsc[c*x]^2 - (d^2*(a + b*ArcCsc[c*x]))/(2*x^2) \\ & + (e^2*x^2*(a + b*ArcCsc[c*x]))/2 - 2*b*d*e*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + 2*b*d*e*ArcCsc[c*x]*Log[x^(-1)] - 2*d*e*(a + b*ArcCsc[c*x])*Log[x^(-1)] + I*b*d*e*PolyLog[2, E^((2*I)*ArcCsc[c*x])] \end{aligned}$$

Rubi [A] time = 0.429612, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.714, Rules used = {5241, 266, 43, 4731, 12, 6742, 264, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$ibdePolyLog(2, e^{2i\csc^{-1}(cx)}) - \frac{d^2(a + b\csc^{-1}(cx))}{2x^2} - 2de \log\left(\frac{1}{x}\right)(a + b\csc^{-1}(cx)) + \frac{1}{2}e^2x^2(a + b\csc^{-1}(cx)) - \frac{bcd^2\sqrt{1-}}{4x}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^3, x]

$$\begin{aligned} [\text{Out}] \quad & -(b*c*d^2*2*sqrt[1 - 1/(c^2*x^2)])/(4*x) + (b*e^2*sqrt[1 - 1/(c^2*x^2)]*x)/(2*c) \\ & + (b*c^2*d^2*2*ArcCsc[c*x])/4 + I*b*d*e*ArcCsc[c*x]^2 - (d^2*(a + b*ArcCsc[c*x]))/(2*x^2) \\ & + (e^2*x^2*(a + b*ArcCsc[c*x]))/2 - 2*b*d*e*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + 2*b*d*e*ArcCsc[c*x]*Log[x^(-1)] - 2*d*e*(a + b*ArcCsc[c*x])*Log[x^(-1)] + I*b*d*e*PolyLog[2, E^((2*I)*ArcCsc[c*x])] \end{aligned}$$

Rule 5241

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LessQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4731

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
```

```
[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^(n - 1)*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 2326

```
Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] :> Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n]))/Rt[-e, 2], x] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

Rule 4625

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_)*(x_))^(m_)*tan[(e_)*(x_)] + Pi*(k_)*(x_)), x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((F_)^((g_)*(e_)) + (f_)*(x_)))^(n_)*((c_)*(x_))^(m_), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, F}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

```
)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_)+(d_)*(x_))))^(n_)], x_Symbol]
: > Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_ + (e_)*(x_)^(n_))]/(x_), x_Symbol] : > -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\int \frac{(d + ex^2)^2 (a + b \csc^{-1}(cx))}{x^3} dx = -\text{Subst}\left(\int \frac{(e + dx^2)^2 (a + b \sin^{-1}\left(\frac{x}{c}\right))}{x^3} dx, x, \frac{1}{x}\right)$$

$$= -\frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) - 2de (a + b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \dots$$

$$= -\frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) - 2de (a + b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \dots$$

$$= -\frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) - 2de (a + b \csc^{-1}(cx)) \log\left(\frac{1}{x}\right) + \dots$$

$$= -\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} - \frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) + \dots$$

$$= -\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} + \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) - \frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) + \dots$$

$$= -\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} + \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) + ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) + \dots$$

$$= -\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} + \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) + ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) + \dots$$

$$= -\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} + \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) + ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) + \dots$$

$$= -\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} + \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) + ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) + \dots$$

$$= -\frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}}}{4x} + \frac{be^2 \sqrt{1 - \frac{1}{c^2 x^2}} x}{2c} + \frac{1}{4} bc^2 d^2 \csc^{-1}(cx) + ibde \csc^{-1}(cx)^2 - \frac{d^2 (a + b \csc^{-1}(cx))}{2x^2} + \frac{1}{2} e^2 x^2 (a + b \csc^{-1}(cx)) + \dots$$

Mathematica [A] time = 0.640438, size = 187, normalized size = 0.99

$$\frac{1}{4} \left(4ibde \left(\csc^{-1}(cx)^2 + \text{PolyLog} \left(2, e^{2i \csc^{-1}(cx)} \right) \right) - \frac{2ad^2}{x^2} + 8ade \log(x) + 2ae^2 x^2 - \frac{bcd^2 \sqrt{1 - \frac{1}{c^2 x^2}} \left(\frac{c^2 x^2 \tanh^{-1}(\sqrt{1-c^2 x^2})}{\sqrt{1-c^2 x^2}} + \right. \right. \right.$$

Warning: Unable to verify antiderivative.

[In] `Integrate[((d + e*x^2)^2*(a + b*ArcCsc[c*x]))/x^3, x]`

[Out] $\left(\frac{(-2*a*d^2)/x^2 + 2*a*e^2*x^2 - (2*b*d^2*ArcCsc[c*x])/x^2 + (2*b*e^2*x^2*(Sqr t[1 - 1/(c^2*x^2)] + c*x*ArcCsc[c*x]))/c - (b*c*d^2*Sqr t[1 - 1/(c^2*x^2)])*(1 + (c^2*x^2*ArcTanh[Sqr t[1 - c^2*x^2]])/Sqr t[1 - c^2*x^2]))/x - 8*b*d*e*ArcCsc[c*x]*Log[1 - E^{((2*I)*ArcCsc[c*x])}] + 8*a*d*e*Log[x] + (4*I)*b*d*e*(ArcCsc[c*x]^2 + PolyLog[2, E^{((2*I)*ArcCsc[c*x])}]))/4 \right)$

Maple [A] time = 0.7, size = 276, normalized size = 1.5

$$\frac{ax^2e^2}{2} - \frac{ad^2}{2x^2} + 2aed \ln(cx) + ibde (\arccsc(cx))^2 - \frac{cbd^2}{4x} \sqrt{\frac{c^2x^2 - 1}{c^2x^2}} + \frac{bc^2d^2 \arccsc(cx)}{4} - \frac{barccsc(cx)d^2}{2x^2} + \frac{barccsc(cx)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arccsc(c*x))/x^3, x)`

[Out] $\left(\frac{1/2*a*x^2*e^2 - 1/2*a*d^2/x^2 + 2*a*e*d*\ln(c*x) + I*b*d*e*\arccsc(c*x)^2 - 1/4*c*b*d^2/x*((c^2*x^2 - 1)/c^2*x^2)^{(1/2)} + 1/4*b*c^2*d^2*\arccsc(c*x) - 1/2*b*\arccsc(c*x)*d^2/x^2 + 1/2*b*\arccsc(c*x)*x^2*e^2 + 1/2/c*b*((c^2*x^2 - 1)/c^2*x^2)^{(1/2)}*x^2 - 1/2*I/c^2*b^2*e^2 - 2*b^2*e*d*\arccsc(c*x)*\ln(1+I/c/x + (1-1/c^2*x^2)^{(1/2)}) - 2*b^2*e*d*\arccsc(c*x)*\ln(1-I/c/x - (1-1/c^2*x^2)^{(1/2)}) + 2*I*b^2*e*d*polylog(2, -I/c/x - (1-1/c^2*x^2)^{(1/2)}) + 2*I*b^2*e*d*polylog(2, I/c/x + (1-1/c^2*x^2)^{(1/2)}) \right)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} ae^2 x^2 + \frac{1}{4} bd^2 \left(\frac{\frac{c^4 x \sqrt{-\frac{1}{c^2 x^2} + 1}}{c^2 x^2} - c^3 \arctan \left(cx \sqrt{-\frac{1}{c^2 x^2} + 1} \right)}{c} - \frac{2 \arccsc(cx)}{x^2} \right) + 2 ade \log(x) - \frac{ad^2}{2x^2} + \frac{4i bc^2 de \log(-cx)}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^3, x, algorithm="maxima")`

[Out] $\left(\frac{1/2*a*x^2*x^2 + 1/4*b*d^2*((c^4*x*\sqrt{-1/(c^2*x^2)} + 1)/(c^2*x^2*(1/(c^2*x^2) - 1)) - c^3*\arctan(c*x*\sqrt{-1/(c^2*x^2)} + 1))/c - 2*\arccsc(c*x)/x^2 + 2*a*d^2*x^2 + 1/4*(4*I*b*c^2*d^2*e*\log(-c*x + 1)*\log(x) + 4*I*b*c^2*d^2*e*\log(x)^2 + 4*I*b*c^2*d^2*e*dilog(c*x) + 4*I*b*c^2*d^2*e*dilog(-c*x) + 2*(b*c^2*\arctan(1, \sqrt{c*x + 1}*\sqrt{c*x - 1}) + I*b*c^2*\log(c)))^2*x^2 + I*b^2*e^2*\log(c*x - 1) - I*(b^2*(\log(c*x + 1)/c^2 + \log(c*x - 1)/c^2) + 16*b*d^2*e*\int(1/2*\log(x)/(c^2*x^3 - x), x))*c^2 + 4*c^2*\int \right)$

```
grate(1/2*(b*e^2*x^2 + 4*b*d*e*log(x))*sqrt(c*x + 1)*sqrt(c*x - 1)/(c^2*x^3
 - x), x) + (-I*b*c^2*e^2*x^2 - 4*I*b*c^2*d*e*log(x))*log(c^2*x^2) + (4*I*b
 *c^2*d*e*log(x) + I*b*e^2)*log(c*x + 1) + (2*I*b*c^2*e^2*x^2 + 8*(b*c^2*arc
 tan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) + I*b*c^2*log(c))*d*e)*log(x))/c^2
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2)\text{arccsc}(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^3,x, algorithm="fricas")`

[Out] `integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arccsc(c*x))/x^3, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \text{acsc}(cx)) (d + ex^2)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*acsc(c*x))/x**3,x)`

[Out] `Integral((a + b*acsc(c*x))*(d + e*x**2)**2/x**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \text{arccsc}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arccsc(c*x))/x^3,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)/x^3, x)`

$$3.98 \int \frac{x^2(a+b \csc^{-1}(cx))}{d+ex^2} dx$$

Optimal. Leaf size=565

$$\frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}}$$

$$[Out] \quad (x*(a + b*\text{ArcCsc}[c*x]))/e + (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(\text{c}*e) - (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) + (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) - (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) + (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) - ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, ((-I)*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])])/e^(3/2) + ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])])/e^(3/2) - ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, ((-I)*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/e^(3/2) + ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/e^(3/2)$$

Rubi [A] time = 1.25703, antiderivative size = 565, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.571, Rules used = {5241, 4733, 4627, 266, 63, 208, 4667, 4741, 4519, 2190, 2279, 2391}

$$\frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2e^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2), x]

$$[Out] \quad (x*(a + b*\text{ArcCsc}[c*x]))/e + (b*\text{ArcTanh}[\text{Sqrt}[1 - 1/(c^2*x^2)]])/(\text{c}*e) - (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) + (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) - (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) + (\text{Sqr}t[-d]*(a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/(2*e^(3/2)) - ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, ((-I)*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])])/e^(3/2) + ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])])/e^(3/2) - ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, ((-I)*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/e^(3/2) + ((I/2)*b*\text{Sqr}t[-d]*\text{PolyLog}[2, (I*c*\text{Sqr}t[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])])/e^(3/2)$$

Rule 5241

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^n_*(x_)^m_*((d_) + (e_)*(x_)^2)^p_, x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x]; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.) )^(n_.)*(f_.)*(x_))^(m_.)*(d_) + (e_.
.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.) )^(n_.)*(d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*(a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.) )^(n_.)*(d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.) )^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]], x]] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0]
```

```
((n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*(F_)^((e_)*(c_.) + (d_)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))]^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_) + (e_)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \csc^{-1}(cx))}{d + ex^2} dx &= -\text{Subst}\left(\int \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{x^2(e + dx^2)} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{ex^2} - \frac{d(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e(e + dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{x^2} dx, x, \frac{1}{x}\right)}{e} + \frac{d \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{e+dx^2} dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e} - \frac{b \text{Subst}\left(\int \frac{1}{x\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{ce} + \frac{d \text{Subst}\left(\int \left(\frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}-\sqrt{-d}x)} + \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}+\sqrt{-d}x)}\right) dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e} + \frac{d \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-d}x} dx, x, \frac{1}{x}\right)}{2e^{3/2}} + \frac{d \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}+\sqrt{-d}x} dx, x, \frac{1}{x}\right)}{2e^{3/2}} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e} + \frac{d \text{Subst}\left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}-\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx)\right)}{2e^{3/2}} + \frac{d \text{Subst}\left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}+\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx)\right)}{2e^{3/2}} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e} + \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{ce} + \frac{d \text{Subst}\left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c}-\frac{\sqrt{2}d+e}{c}-i\sqrt{-d}e^{ix}} dx, x, \csc^{-1}(cx)\right)}{2e^{3/2}} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e} + \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{ce} - \frac{\sqrt{-d}(a + b \csc^{-1}(cx)) \log\left(1 - \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e} + \frac{b \tanh^{-1}\left(\sqrt{1-\frac{1}{c^2x^2}}\right)}{ce} - \frac{\sqrt{-d}(a + b \csc^{-1}(cx)) \log\left(1 - \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e^{3/2}}
\end{aligned}$$

Mathematica [B] time = 1.69576, size = 1260, normalized size = 2.23

result too large to display

Warning: Unable to verify antiderivative.

[In] `Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2), x]`

[Out]
$$\begin{aligned} & ((I/4)*((-4*I)*a*c*sqrt[e]*x - (4*I)*b*c*sqrt[e]*x*ArcCsc[c*x] + (4*I)*a*c* \\ & \quad \text{Sqrt}[d]*ArcTan[(sqrt[e]*x)/sqrt[d]] + (8*I)*b*c*sqrt[d]*ArcSin[sqrt[1 - (I* \\ & \quad \text{Sqrt}[e])/(c*sqrt[d])]]/sqrt[2])*ArcTan[(((-I)*c*sqrt[d] + sqrt[e])*Cot[(Pi + \\ & \quad 2*ArcCsc[c*x])/4])/sqrt[c^2*d + e]] - (8*I)*b*c*sqrt[d]*ArcSin[sqrt[1 + (I* \\ & \quad \text{Sqrt}[e])/(c*sqrt[d])]]/sqrt[2])*ArcTan[((I*c*sqrt[d] + sqrt[e])*Cot[(Pi + 2 \\ & \quad *ArcCsc[c*x])/4])/sqrt[c^2*d + e]] + b*c*sqrt[d]*Pi*Log[1 + (sqrt[e] - sqrt \\ & \quad [c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*b*c*sqrt[d]*ArcCsc[c*x]*Log \\ & \quad [1 + (sqrt[e] - sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*b*c*sqrt \\ & \quad [d]*ArcSin[sqrt[1 - (I*sqrt[e])/(c*sqrt[d])]]/sqrt[2])*Log[1 + (sqrt[e] - sqrt \\ & \quad [c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] - b*c*sqrt[d]*Pi*Log[1 + (-sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] + 2*b*c*sqrt[d]*Ar \\ & \quad cCsc[c*x]*Log[1 + (-sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] - 4*b*c*sqrt[d]*ArcSin[sqrt[1 + (I*sqrt[e])/(c*sqrt[d])]]/sqrt[2])*Log[1 \\ & \quad + (-sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] - b*c*sqrt[d] \\ & \quad *Pi*Log[1 - (sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] + 2* \\ & \quad b*c*sqrt[d]*ArcCsc[c*x]*Log[1 - (sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I* \\ & \quad ArcCsc[c*x]))] + 4*b*c*sqrt[d]*ArcSin[sqrt[1 + (I*sqrt[e])/(c*sqrt[d])]]/ \\ & \quad sqrt[2])*Log[1 - (sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] + \\ & \quad b*c*sqrt[d]*Pi*Log[1 + (sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*b*c*sqrt[d]*ArcCsc[c*x]*Log[1 + (sqrt[e] + sqrt[c^2*d + e])/(c* \\ & \quad sqrt[d]*E^(I*ArcCsc[c*x]))] - 4*b*c*sqrt[d]*ArcSin[sqrt[1 - (I*sqrt[e])/(c* \\ & \quad sqrt[d])]]/sqrt[2])*Log[1 + (sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] + \\ & \quad b*c*sqrt[d]*Pi*Log[sqrt[e] - (I*sqrt[d])/x] - b*c*sqrt[d]*Pi*Log[sqrt[e] + (I*sqrt[d])/x] - (4*I)*b*sqrt[e]*Log[Cos[ArcCsc[c*x]/2]] + (4*I)*b*sqrt[e]*Log[Sin[ArcCsc[c*x]/2]] + (2*I)*b*c*sqrt[d]*PolyLog[2, (sqrt[e] - sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] - (2*I)*b*c*sqrt[d]*PolyLog[2, (-sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] - (2*I)*b*c*sqrt[d]*PolyLog[2, -(sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))] + (2*I)*b*c*sqrt[d]*PolyLog[2, (sqrt[e] + sqrt[c^2*d + e])/(c*sqrt[d]*E^(I*ArcCsc[c*x]))]]/(c*e^(3/2))) \end{aligned}$$

Maple [C] time = 1.534, size = 407, normalized size = 0.7

$$\frac{ax - \frac{ad}{e} \arctan\left(ex \frac{1}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} + \frac{bx \operatorname{arccsc}(cx)}{e} + \frac{bcd}{8e^2}}{\sum_{R1=\text{RootOf}(c^2d_Z^4+(-2c^2d-4e)_Z^2+c^2d)} \frac{-R1^2c^2d+4-R1^2e-c^2d}{R1 \left(-R1^2c^2d-c^2d-2e\right)} \left(\dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))/(e*x^2+d), x)`

[Out]
$$\begin{aligned} & a*x/e - a*d/e/(d*e)^(1/2)*\arctan(e*x/(d*e)^(1/2)) + b*\operatorname{arccsc}(c*x)/e*x + 1/8*c*b/e \\ & \quad - 2*d*\sum(_R1^2*c^2*d+4*_R1^2*c^2*d-c^2*d-2*e)*(I*\operatorname{arccsc}(c*x)*\ln((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+\operatorname{dilog}((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)), _R1=\text{RootOf}(c^2*d_Z^4+(-2*c^2*d-4*e)_Z^2+c^2*d))+1/c*b/e* \\ & \quad l(1+I/c/x+(1-1/c^2/x^2)^(1/2))-1/c*b/e*\ln(I/c/x+(1-1/c^2/x^2)^(1/2)-1)-1/8*c*b/e^2*d*\sum(_R1^2*c^2*d-c^2*d-4*e)/_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*\operatorname{arccsc}(c*x)*\ln((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+\operatorname{dilog}((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)), _R1=\text{RootOf}(c^2*d_Z^4+(-2*c^2*d-4*e)_Z^2+c^2*d)) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \operatorname{arccsc}(cx) + ax^2}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*x^2*arccsc(c*x) + a*x^2)/(e*x^2 + d), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \operatorname{acsc}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x**2+d),x)`

[Out] `Integral(x**2*(a + b*acsc(c*x))/(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^2}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2/(e*x^2 + d), x)`

3.99 $\int \frac{x(a+b \csc^{-1}(cx))}{d+ex^2} dx$

Optimal. Leaf size=507

$$\frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2 d+e}}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2 d+e}}}\right)}{2e} - \frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{c^2 d+e+\sqrt{e}}}\right)}{2e} + \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{c^2 d+e+\sqrt{e}}}\right)}{2e}$$

[Out] $((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - E^((2*I)*ArcCsc[c*x])])/e - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e + ((I/2)*b*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/e$

Rubi [A] time = 1.13856, antiderivative size = 507, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.474, Rules used = {5241, 4733, 4625, 3717, 2190, 2279, 2391, 4741, 4519}

$$\frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2 d+e}}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2 d+e}}}\right)}{2e} - \frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{c^2 d+e+\sqrt{e}}}\right)}{2e} + \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i csc^{-1}(cx)}}{\sqrt{c^2 d+e+\sqrt{e}}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2), x]$

[Out] $((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*e) + ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*e) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - E^((2*I)*ArcCsc[c*x])])/e - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e + ((I/2)*b*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/e$

Rule 5241

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^^(n_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^^(n_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (
```

```
f*x)^(m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)^(n_.)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.*(x_)]*(b_.)^(n_.)/(d_.) + (e_.*(x_)), x_Symbol] :> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x, ArcSin[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.*(x_)]*((e_.) + (f_.*(x_))^(m_.)))/((a_) + (b_.*Sin[(c_.) + (d_.*(x_))]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] & PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a+b \csc^{-1}(cx))}{d+ex^2} dx &= -\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{x(e+dx^2)} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{ex} - \frac{dx(a+b \sin^{-1}\left(\frac{x}{c}\right))}{e(e+dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x}\right)}{e} + \frac{d \text{Subst}\left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{e+dx^2} dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{\text{Subst}\left(\int (a+bx) \cot(x) dx, x, \csc^{-1}(cx)\right)}{e} + \frac{d \text{Subst}\left(\int \left(-\frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}-\sqrt{-dx})} + \frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}+\sqrt{-dx})}\right) dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{i(a+b \csc^{-1}(cx))^2}{2be} + \frac{(2i) \text{Subst}\left(\int \frac{e^{2ix}(a+bx)}{1-e^{2ix}} dx, x, \csc^{-1}(cx)\right)}{e} - \frac{\sqrt{-d} \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x}\right)}{2e} \\
&= \frac{i(a+b \csc^{-1}(cx))^2}{2be} - \frac{(a+b \csc^{-1}(cx)) \log(1-e^{2i \csc^{-1}(cx)})}{e} + \frac{b \text{Subst}\left(\int \log(1-e^{2ix}) dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{(a+b \csc^{-1}(cx)) \log(1-e^{2i \csc^{-1}(cx)})}{e} - \frac{(ib) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{2i \csc^{-1}(cx)}\right)}{2e} + \frac{\sqrt{-d} \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x}\right)}{2e} \\
&= \frac{(a+b \csc^{-1}(cx)) \log\left(1-\frac{ic\sqrt{-de}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e} + \frac{(a+b \csc^{-1}(cx)) \log\left(1+\frac{ic\sqrt{-de}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e} + \frac{(a+b \csc^{-1}(cx)) \log\left(1-\frac{ic\sqrt{-de}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e} + \frac{(a+b \csc^{-1}(cx)) \log\left(1+\frac{ic\sqrt{-de}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2e}
\end{aligned}$$

Mathematica [B] time = 0.366883, size = 1123, normalized size = 2.21

$$8ib \csc^{-1}(cx)^2 + 4b \log\left(\frac{e^{-i \csc^{-1}(cx)} (\sqrt{e}-\sqrt{dc^2+e})}{c\sqrt{d}} + 1\right) \csc^{-1}(cx) + 4b \log\left(\frac{e^{-i \csc^{-1}(cx)} (\sqrt{dc^2+e}-\sqrt{e})}{c\sqrt{d}} + 1\right) \csc^{-1}(cx) + 4b \log\left(1 - \frac{e^{-i \csc^{-1}(cx)} (\sqrt{dc^2+e}-\sqrt{e})}{c\sqrt{d}}\right)$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(x*(a + b*ArcCsc[c*x]))/(d + e*x^2), x]`

[Out] `(I*b*Pi^2 - (4*I)*b*Pi*ArcCsc[c*x] + (8*I)*b*ArcCsc[c*x]^2 - (16*I)*b*ArcSin[n[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] - (16*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] - 2*b*Pi*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*b*ArcCsc[c*x]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 8*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*b*Pi*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*b*ArcCsc[c*x]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))]]`

$$\begin{aligned}
& + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] - 8*b * \text{ArcSin}[\text{Sqrt}[1 + (I * \text{Sqrt}[e])/(c * \text{Sqrt}[d])] / \text{Sqrt}[2]] * \text{Log}[1 + (-\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] - 2*b * \text{Pi} * \text{Log}[1 - (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] + 4*b * \text{ArcCsc}[c*x] * \text{Log}[1 - (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] + 8*b * \text{ArcSin}[\text{Sqrt}[1 + (I * \text{Sqrt}[e])/(c * \text{Sqrt}[d])] / \text{Sqrt}[2]] * \text{Log}[1 - (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] - 2*b * \text{Pi} * \text{Log}[1 + (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] + 4*b * \text{ArcCsc}[c*x] * \text{Log}[1 + (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] + 8*b * \text{ArcSin}[\text{Sqrt}[1 - (I * \text{Sqrt}[e])/(c * \text{Sqrt}[d])] / \text{Sqrt}[2]] * \text{Log}[1 + (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] - 8*b * \text{ArcCsc}[c*x] * \text{Log}[1 - E^{(2*I) * \text{ArcCsc}[c*x]}] + 2*b * \text{Pi} * \text{Log}[\text{Sqrt}[e] - (I * \text{Sqrt}[d])/x] + 2*b * \text{Pi} * \text{Log}[\text{Sqrt}[e] + (I * \text{Sqrt}[d])/x] + 4*a * \text{Log}[d + e*x^2] + (4*I) * b * \text{PolyLog}[2, (\text{Sqr}[e] - \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] + (4*I) * b * \text{PolyLog}[2, (-\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] + (4*I) * b * \text{PolyLog}[2, -((\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]}))] + (4*I) * b * \text{PolyLog}[2, (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])/(c * \text{Sqrt}[d] * E^{\text{ArcCsc}[c*x]})] + (4*I) * b * \text{PolyLog}[2, E^{(2*I) * \text{ArcCsc}[c*x]})]/(8*e)
\end{aligned}$$

Maple [C] time = 0.422, size = 401, normalized size = 0.8

$$\frac{a \ln(c^2 e x^2 + c^2 d)}{2 e} - \frac{\frac{i}{4} b}{e} \sum_{\substack{_R1=\text{RootOf}\left(c^2 d_Z^4+(-2 c^2 d-4 e)_Z^2+c^2 d\right)}} \frac{\frac{-R1^2 c^2 d - c^2 d - 4 e}{R1^2 c^2 d - c^2 d - 2 e}}{i \text{arcsc}(c x) \ln\left(\frac{1}{-R1} \left(-R1 - \frac{i}{c x} - \frac{c^2 d}{c x}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))/(e*x^2+d),x)`

[Out] `1/2*a/e*ln(c^2*e*x^2+c^2*d)-1/4*I*b/e*sum((_R1^2*c^2*d-c^2*d-4*e)/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))-I*b/e*dilog(I/c/x+(1-1/c^2/x^2)^(1/2))-b/e*arccsc(c*x)*ln(1+I/c/x+(1-1/c^2/x^2)^(1/2))+I*b/e*dilog(1+I/c/x+(1-1/c^2/x^2)^(1/2))-1/4*I*c^2*b*d/e*sum((_R1^2-1)/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog((_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$b \int \frac{x \arctan\left(1, \sqrt{cx+1} \sqrt{cx-1}\right)}{ex^2 + d} dx + \frac{a \log(ex^2 + d)}{2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] `b*integrate(x*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))/(e*x^2 + d), x) + 1/2*a*log(e*x^2 + d)/e`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx \text{arcsc}(cx) + ax}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*x*arccsc(c*x) + a*x)/(e*x^2 + d), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{acsc}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x**2+d),x)`

[Out] `Integral(x*(a + b*acsc(c*x))/(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/(e*x^2 + d), x)`

$$3.100 \quad \int \frac{a+b \csc^{-1}(cx)}{d+ex^2} dx$$

Optimal. Leaf size=529

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 \sqrt{-d} \sqrt{e}}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 \sqrt{-d} \sqrt{e}}-\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 \sqrt{-d} \sqrt{e}}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 \sqrt{-d} \sqrt{e}}$$

[Out] $-((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 - (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 + (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) - ((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 - (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 + (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) - ((I/2) * b \cdot \text{PolyLog}[2, ((-I) * c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((I/2) * b \cdot \text{PolyLog}[2, (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]) - ((I/2) * b \cdot \text{PolyLog}[2, ((-I) * c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((I/2) * b \cdot \text{PolyLog}[2, (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]))$

Rubi [A] time = 0.870293, antiderivative size = 529, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.389, Rules used = {5231, 4667, 4741, 4519, 2190, 2279, 2391}

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 \sqrt{-d} \sqrt{e}}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 \sqrt{-d} \sqrt{e}}-\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 \sqrt{-d} \sqrt{e}}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 \sqrt{-d} \sqrt{e}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \text{ArcCsc}[c*x]) / (d + e*x^2), x]$

[Out] $-((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 - (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 + (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) - ((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 - (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((a + b \text{ArcCsc}[c*x]) \cdot \text{Log}[1 + (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (2 \cdot \text{Sqrt}[-d] \cdot \text{Sqrt}[e]) - ((I/2) * b \cdot \text{PolyLog}[2, ((-I) * c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((I/2) * b \cdot \text{PolyLog}[2, (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] - \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]) - ((I/2) * b \cdot \text{PolyLog}[2, ((-I) * c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]) + ((I/2) * b \cdot \text{PolyLog}[2, (I*c \cdot \text{Sqrt}[-d] \cdot E^{(I \cdot \text{ArcCsc}[c*x])}) / (\text{Sqrt}[e] + \text{Sqrt}[c^2 d + e])] / (\text{Sqrt}[-d] \cdot \text{Sqrt}[e]))$

Rule 5231

$\text{Int}[((a_) + \text{ArcCsc}[(c_)*x_])*(b_*)^n_*((d_*) + (e_*)*(x_)^2)^p, x]$
 $x_{\text{Symbol}} :> -\text{Subst}[\text{Int}[(e + d*x^2)^p * (a + b*\text{ArcSin}[x/c])^n / x^{2(p+1)}, x], x, 1/x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \& \text{IGtQ}[n, 0] \& \text{IntegerQ}[p]$

Rule 4667

$\text{Int}[((a_) + \text{ArcSin}[(c_)*x_])*(b_*)^n_*((d_*) + (e_*)*(x_)^2)^p, x]$
 $x_{\text{Symbol}} :> \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p], x]$

```
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))^(n_.)/((d_) + (e_)*(x_)), x_Symbol]
 :> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_)*(x_)]*((e_.) + (f_)*(x_))^(m_.))/((a_) + (b_)*Sin[(c_.) + (d_)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.)*((e_.) + (f_)*(x_))))^(n_.)*((c_.) + (d_)*(x_))^(m_.))/((a_) + (b_)*((F_)^((g_.)*((e_.) + (f_)*(x_))))^(n_.)), x_Symbol] :> Simplify[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_.)*((c_.) + (d_)*(x_))))^(n_.)], x_Symbol]
 :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a+b \csc^{-1}(cx)}{d+ex^2} dx &= -\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{e+dx^2} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}-\sqrt{-d}x)} + \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}+\sqrt{-d}x)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-d}x} dx, x, \frac{1}{x}\right)}{2\sqrt{e}} - \frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}+\sqrt{-d}x} dx, x, \frac{1}{x}\right)}{2\sqrt{e}} \\
&= -\frac{\text{Subst}\left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}-\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx)\right)}{2\sqrt{e}} - \frac{\text{Subst}\left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}+\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx)\right)}{2\sqrt{e}} \\
&= -\frac{\text{Subst}\left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c}-\frac{\sqrt{c^2d+e}}{c}-i\sqrt{-d}e^{ix}} dx, x, \csc^{-1}(cx)\right)}{2\sqrt{e}} - \frac{\text{Subst}\left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c}+\frac{\sqrt{c^2d+e}}{c}-i\sqrt{-d}e^{ix}} dx, x, \csc^{-1}(cx)\right)}{2\sqrt{e}} \\
&= -\frac{(a+b \csc^{-1}(cx)) \log\left(1 - \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a+b \csc^{-1}(cx)) \log\left(1 + \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} - \\
&= -\frac{(a+b \csc^{-1}(cx)) \log\left(1 - \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a+b \csc^{-1}(cx)) \log\left(1 + \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} - \\
&= -\frac{(a+b \csc^{-1}(cx)) \log\left(1 - \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a+b \csc^{-1}(cx)) \log\left(1 + \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2\sqrt{-d}\sqrt{e}} -
\end{aligned}$$

Mathematica [B] time = 0.380951, size = 1068, normalized size = 2.02

$$-\frac{i \left(4 i a \tan ^{-1}\left(\frac{\sqrt{e} x}{\sqrt{d}}\right)+8 i b \sin ^{-1}\left(\frac{\sqrt{1-\frac{i \sqrt{e}}{c \sqrt{d}}}}{\sqrt{2}}\right) \tan ^{-1}\left(\frac{(\sqrt{e}-i c \sqrt{d}) \cot \left(\frac{1}{4} (2 \csc ^{-1}(c x)+\pi)\right)}{\sqrt{d c^2+e}}\right)-8 i b \sin ^{-1}\left(\frac{\sqrt{\frac{i \sqrt{e}}{c \sqrt{d}}+1}}{\sqrt{2}}\right) \tan ^{-1}\left(\frac{(i \sqrt{d} c+\sqrt{e}) \cot \left(\frac{1}{4} (2 \csc ^{-1}(c x)+\pi)\right)}{\sqrt{d c^2+e}}\right)\right)}{\sqrt{-d} \sqrt{e}}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/(d + e*x^2), x]`

[Out]
$$\begin{aligned}
& ((-I/4)*((4*I)*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]] + (8*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/((c*Sqrt[d]))]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] - (8*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/((c*Sqrt[d]))]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] + b*Pi*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - 2*b*ArcCsc[c*x]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] + 4*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/((c*Sqrt[d]))]/Sqrt[2]]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - b*Pi*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] + 2*b*ArcCsc[c*x]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - 4*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/((c*Sqrt[d]))]/Sqrt[2]]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - b*Pi*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] + 2*b*ArcCsc[c*x]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))]
\end{aligned}$$

$$\begin{aligned}
& + 4*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x]))] + b*Pi*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - 2*b*ArcCsc[c*x]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - 4*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x]))] + b*Pi*Log[Sqrt[e] - (I*Sqrt[d])/x] - b*Pi*Log[Sqrt[e] + (I*Sqrt[d])/x] + (2*I)*b*PolyLog[2, (Sqrt[e] - Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - (2*I)*b*PolyLog[2, (-Sqrt[e] + Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x]))] - (2*I)*b*PolyLog[2, -((Sqrt[e] + Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x])))] + (2*I)*b*PolyLog[2, (Sqrt[e] + Sqrt[c^2*d + e])/((c*Sqrt[d])*E^(I*ArcCsc[c*x]))])/(Sqrt[d]*Sqrt[e])
\end{aligned}$$

Maple [C] time = 0.94, size = 272, normalized size = 0.5

$$a \arctan\left(ex \frac{1}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} - \frac{cb}{2} \sum_{R1=\text{RootOf}(c^2 d - Z^4 + (-2 c^2 d - 4 e) Z^2 + c^2 d)} \frac{1}{R1 \left(-R1^2 c^2 d - c^2 d - 2 e\right)} \left(i \operatorname{arccsc}(cx) \ln\left(\frac{1}{-R1}\right) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/(e*x^2+d),x)`

[Out] `a/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))-1/2*c*b*sum(1/_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2*x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2*x^2)^(1/2))/_R1),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))-1/2*c*b*sum(_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2*x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2*x^2)^(1/2))/_R1),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)/(e*x^2 + d), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x**2+d),x)`

[Out] `Integral((a + b*acsc(c*x))/(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x^2 + d), x)`

$$\mathbf{3.101} \quad \int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)} dx$$

Optimal. Leaf size=479

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d}+\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 d}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}}\right)}{2 d}$$

```
[Out] ((I/2)*(a + b*ArcCsc[c*x])^2)/(b*d) - ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqr
t[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcC
sc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e
]])]/(2*d) - ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/
(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqr
t[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) + ((I/2)*b*Pol
yLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/d
+ ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2
*d + e])])/d + ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqr
t[e] + Sqrt[c^2*d + e])])/d + ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc
[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/d
```

Rubi [A] time = 0.900407, antiderivative size = 479, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {5241, 4733, 4741, 4519, 2190, 2279, 2391}

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d}+\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 d}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}}\right)}{2 d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)), x]

```
[Out] ((I/2)*(a + b*ArcCsc[c*x])^2)/(b*d) - ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqr
t[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcC
sc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e
]])]/(2*d) - ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/
(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqr
t[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(2*d) + ((I/2)*b*Pol
yLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/d
+ ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2
*d + e])])/d + ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqr
t[e] + Sqrt[c^2*d + e])])/d + ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc
[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/d
```

Rule 5241

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))^^(n_.)*(x_)^(m_.)*(d_.) + (e_.)*(x_
)^2^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^^(n_.)*((f_.)*(x_))^(m_.)*(d_.) + (e_
.)*(x_)^2^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
```

```
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)^(n_.))/((d_) + (e_.)*(x_)), x_Symbol]
 :> Subst[Int[((a + b*x)^n*Cos[x])/((c*d + e*Sin[x])), x], x, ArcSin[c*x]] /;
 FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_)))^(m_.))/((a_) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
 - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
 PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/(
(a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
 :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
 )^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x(d + ex^2)} dx &= -\text{Subst} \left(\int \frac{x(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a + b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e} - \sqrt{-dx})} + \frac{\sqrt{-d}(a + b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e} + \sqrt{-dx})} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} + \frac{\text{Subst} \left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}+\sqrt{-d}x} dx, x, \frac{1}{x} \right)}{2\sqrt{-d}} \\
&= -\frac{\text{Subst} \left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}-\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx) \right)}{2\sqrt{-d}} + \frac{\text{Subst} \left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}+\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= \frac{i(a + b \csc^{-1}(cx))^2}{2bd} + \frac{\text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c}-\frac{\sqrt{c^2d+e}}{c}-i\sqrt{-d}e^{ix}} dx, x, \csc^{-1}(cx) \right)}{2\sqrt{-d}} + \frac{\text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c}+\frac{\sqrt{c^2d+e}}{c}-i\sqrt{-d}e^{ix}} dx, x, \csc^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= \frac{i(a + b \csc^{-1}(cx))^2}{2bd} - \frac{(a + b \csc^{-1}(cx)) \log \left(1 - \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2d} - \frac{(a + b \csc^{-1}(cx)) \log \left(1 + \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2d} \\
&= \frac{i(a + b \csc^{-1}(cx))^2}{2bd} - \frac{(a + b \csc^{-1}(cx)) \log \left(1 - \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2d} - \frac{(a + b \csc^{-1}(cx)) \log \left(1 + \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.856946, size = 407, normalized size = 0.85

$$ib \left(\text{PolyLog} \left(2, \frac{(-2\sqrt{e(c^2d+e)}+c^2d+2e)e^{2i\csc^{-1}(cx)}}{c^2d} \right) + \text{PolyLog} \left(2, \frac{(2\sqrt{e(c^2d+e)}+e)+c^2d}{c^2d} e^{2i\csc^{-1}(cx)} \right) + 4 \sin^{-1} \left(\sqrt{-\frac{e}{c^2d}} \right) \tan^{-1} \left(\frac{\sqrt{e(c^2d+e)}}{cex\sqrt{1-e^2/c^2d}} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)), x]`

[Out] `(4*a*Log[x] - 2*a*Log[d + e*x^2] + I*b*(2*ArcCsc[c*x]^2 + 4*ArcSin[Sqrt[-(e/(c^2*d))]*ArcTan[Sqrt[e*(c^2*d + e)]/(c*e*Sqrt[1 - 1/(c^2*x^2)]*x)] + (2*I)*ArcCsc[c*x]*Log[1 - ((c^2*d + 2*e - 2*Sqrt[e*(c^2*d + e)])*E^((2*I)*ArcCsc[c*x]))/(c^2*d)] - (2*I)*ArcSin[Sqrt[-(e/(c^2*d))]]*Log[1 - ((c^2*d + 2*e - 2*Sqrt[e*(c^2*d + e)])*E^((2*I)*ArcCsc[c*x]))/(c^2*d)] + (2*I)*ArcCsc[c*x]*Log[1 - ((c^2*d + 2*(e + Sqrt[e*(c^2*d + e)]))*E^((2*I)*ArcCsc[c*x]))/(c^2*d)] + (2*I)*ArcSin[Sqrt[-(e/(c^2*d))]]*Log[1 - ((c^2*d + 2*(e + Sqrt[e*(c^2*d + e)]))*E^((2*I)*ArcCsc[c*x]))/(c^2*d)] + PolyLog[2, ((c^2*d + 2*e - 2*Sqrt[e*(c^2*d + e)])*E^((2*I)*ArcCsc[c*x]))/(c^2*d)] + PolyLog[2, ((c^2*d + 2*(e + Sqrt[e*(c^2*d + e)]))*E^((2*I)*ArcCsc[c*x]))/(c^2*d)]))/((4*d))`

Maple [C] time = 0.57, size = 2875, normalized size = 6.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b \operatorname{arccsc}(c x))/x/(e x^2+d), x)$

[Out]
$$\begin{aligned} & -2 b/c^4 \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x) * e/d^3 * (e*(c^2 d+e))^(1/2)+2 b/c^4 e^3 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x)/d^3/(c^2 d+e)-I*b/c^4 e^3 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d^3/(c^2 d+e)-1/8 I*b*c^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/e/(c^2 d+e)*(e*(c^2 d+e))^(1/2)-2 I*b/c^2 e^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d^2/(c^2 d+e)-4 I*b/c^2 * \operatorname{arccsc}(c x)^2/(c^2 d+e)/d^2 * e^2-2 I*b/c^4 e^3 * \operatorname{arccsc}(c x)^2/d^3/(c^2 d+e)+2 I*b/c^4 * \operatorname{arc}\operatorname{csc}(c x)^2 * e/d^3 * (e*(c^2 d+e))^(1/2)+3 b/c^2 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x)/(c^2 d+e)/d^2*(e*(c^2 d+e))^(1/2)*e-3/2 I*b/c^2 e * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d^2/(c^2 d+e)*(e*(c^2 d+e))^(1/2)-2 I*b/c^4 e^2 * \operatorname{arccsc}(c x)^2/d^3/(c^2 d+e)*(e*(c^2 d+e))^(1/2)+1/4 I*b*(e*(c^2 d+e))^(1/2)/d/(c^2 d+e)*\operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d+2*(e*(c^2 d+e))^(1/2)+2 e))-I*b*(e*(c^2 d+e))^(1/2)/d/(c^2 d+e)*\operatorname{arccsc}(c x)^2+3/2 b*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x)/(c^2 d+e)/d*(e*(c^2 d+e))^(1/2)+5/2 b*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x)/(c^2 d+e)/d*e+I*b/c^2 * \operatorname{arccsc}(c x)^2/d^2*(e*(c^2 d+e))^(1/2)-b/c^2 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x)/d^2*(e*(c^2 d+e))^(1/2)-2 b/c^2 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x)/d^2 e+a/d*\ln(c x)-I*b/c^4 * e^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d^3/(c^2 d+e)*(e*(c^2 d+e))^(1/2)-3 I*b/c^2 * \operatorname{arccsc}(c x)^2/(c^2 d+e)/d^2*(e*(c^2 d+e))^(1/2)*e+2 b/c^4 e^2 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e)) * \operatorname{arccsc}(c x)/d^3/(c^2 d+e)*(e*(c^2 d+e))^(1/2)+1/8 I*b*c^2 * (e*(c^2 d+e))^(1/2)/e/(c^2 d+e)*\operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d+2*(e*(c^2 d+e))^(1/2)+2 e))-1/4 I*b*c^2 * (e*(c^2 d+e))^(1/2)/e/(c^2 d+e)*\operatorname{arccsc}(c x)*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d+2*(e*(c^2 d+e))^(1/2)+2 e))-1/2 I*b*c^2 * \operatorname{arccsc}(c x)^2/(c^2 d+e)-1/4 I*b*c^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d+2*(e*(c^2 d+e))^(1/2)+2 e))/(c^2 d+e)+1/2 b*c^2 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*\operatorname{arccsc}(c x)/(c^2 d+e)+I*b/c^4 * p olylog(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*e/d^3*(e*(c^2 d+e))^(1/2)+1/4 b*c^2 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*\operatorname{arccsc}(c x)/e/(c^2 d+e)*(e*(c^2 d+e))^(1/2)+4 b/c^2 * \ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*\operatorname{arccsc}(c x)/(c^2 d+e)/d^2 * e^2+I*b/c^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*\operatorname{arccsc}(c x)*e^2/d^3+I*b/c^4 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*e^2/d^3-1/2 b*c^2 * \operatorname{arccsc}(c x)*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d/(c^2 d+e)*\operatorname{arccsc}(c x)*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))+1/2 I*b/c^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*\operatorname{arccsc}(c x)/d^2*(e*(c^2 d+e))^(1/2)-3/4 I*b*\operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*e/d/(c^2 d+e)+2 I*b/c^2 * \operatorname{arccsc}(c x)^2/d^3+I*b/d*\operatorname{arccsc}(c x)^2-1/2 b*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d/(c^2 d+e)*\operatorname{arccsc}(c x)*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))+1/2 I*b/c^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*\operatorname{arccsc}(c x)/d^2*(e*(c^2 d+e))^(1/2)-3/4 I*b*\operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*e/d/(c^2 d+e)+2 I*b/c^2 * \operatorname{arccsc}(c x)^2/d^3+I*b/d*\operatorname{arccsc}(c x)^2-1/2 b*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d/(c^2 d+e)*\operatorname{arccsc}(c x)*\ln(1-c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))+1/2 I*b/c^2 * \operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))*\operatorname{arccsc}(c x)/d+1/4 I*b*\operatorname{polylog}(2, c^2 d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2/(c^2 d-2*(e*(c^2 d+e))^(1/2)+2 e))/d+1/2 I*b/d*\sum((R1^2*c^2*d-2*c^2*d-4*e)/(_R1^2*c^2*d-c^2*d-2*e)*(I*\operatorname{arccsc}(c x)*\ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+\operatorname{dilog}(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)$$

R1) , _R1=RootOf($c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))$ -1/2*a/d*ln($c^2*e*x^2+c^2*d)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} a \left(\frac{\log(ex^2 + d)}{d} - \frac{2 \log(x)}{d} \right) + b \int \frac{\arctan\left(1, \sqrt{cx + 1}\sqrt{cx - 1}\right)}{ex^3 + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d),x, algorithm="maxima")`

[Out] $-1/2*a*(\log(e*x^2 + d)/d - 2*\log(x)/d) + b*integrate(arctan2(1, \sqrt{c*x + 1}*\sqrt{c*x - 1}))/(\sqrt{c*x^3 + d*x}), x$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{ex^3 + dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)/(e*x^3 + d*x), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x/(e*x**2+d),x)`

[Out] `Integral((a + b*acsc(c*x))/(x*(d + e*x**2)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x^2 + d)*x), x)`

$$3.102 \quad \int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex^2)} dx$$

Optimal. Leaf size=572

$$\frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2(-d)^{3/2}}$$

$$\begin{aligned} [\text{Out}] \quad & -((b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/d) - a/(d*x) - (b*\text{ArcCsc}[c*x])/(d*x) - (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) + (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) \\ & - (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) + (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) - ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} + ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} - ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} + ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} \end{aligned}$$

Rubi [A] time = 1.09982, antiderivative size = 572, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {5241, 4733, 4619, 261, 4667, 4741, 4519, 2190, 2279, 2391}

$$\frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2(-d)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])/x^2*(d + e*x^2), x]

$$\begin{aligned} [\text{Out}] \quad & -((b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/d) - a/(d*x) - (b*\text{ArcCsc}[c*x])/(d*x) - (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) + (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) \\ & - (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) + (\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(3/2)}) - ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} + ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} - ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} + ((I/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/-(-d)^{(3/2)} \end{aligned}$$

Rule 5241

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x]; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)])^(n_.)*(f_.)*(x_))^(m_.)*(d_ + (e_ .)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)])^(n_.), x_Symbol] :> Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x]))^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.*(x_)^(n_)))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)])^(n_.)*(d_ + (e_.*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)])^(n_.)/((d_ + (e_.*(x_))), x_Symbol] :> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.*(x_))]*((e_.) + (f_.*(x_)))^(m_.))/((a_) + (b_.*Sin[(c_.) + (d_.*(x_))]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.*((e_.) + (f_.*(x_))))^(n_.)*((c_.) + (d_.*(x_)))^(m_.)))/((a_) + (b_.*((F_)^((g_.*((e_.) + (f_.*(x_))))^(n_.)))), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.*((F_)^((e_.) + (d_.*(x_))))^(n_.))], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.*((d_ + (e_.*(x_)^(n_))))/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex^2)} dx &= -\text{Subst} \left(\int \frac{x^2(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e + dx^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{d} - \frac{e(a + b \sin^{-1}\left(\frac{x}{c}\right))}{d(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int (a + b \sin^{-1}\left(\frac{x}{c}\right)) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{e+dx^2} dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{a}{dx} - \frac{b \text{Subst} \left(\int \sin^{-1}\left(\frac{x}{c}\right) dx, x, \frac{1}{x} \right)}{d} + \frac{e \text{Subst} \left(\int \left(\frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}-\sqrt{-dx})} + \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}+\sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d} \\
&= -\frac{a}{dx} - \frac{b \csc^{-1}(cx)}{dx} + \frac{b \text{Subst} \left(\int \frac{x}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2d} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}-\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx) \right)}{2d} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \csc^{-1}(cx)}{dx} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c}-\frac{\sqrt{c^2d+e}}{c}-i\sqrt{-d}e^{ix}} dx, x, \csc^{-1}(cx) \right)}{2d} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{e^{ix}(a+bx)}{\frac{\sqrt{e}}{c}+\frac{\sqrt{c^2d+e}}{c}-i\sqrt{-d}e^{ix}} dx, x, \csc^{-1}(cx) \right)}{2d} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \csc^{-1}(cx)}{dx} - \frac{\sqrt{e}(a+b \csc^{-1}(cx)) \log \left(1 - \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} + \frac{\sqrt{e}(a+b \csc^{-1}(cx)) \log \left(1 - \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d} - \frac{a}{dx} - \frac{b \csc^{-1}(cx)}{dx} - \frac{\sqrt{e}(a+b \csc^{-1}(cx)) \log \left(1 - \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} + \frac{\sqrt{e}(a+b \csc^{-1}(cx)) \log \left(1 - \frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}}
\end{aligned}$$

Mathematica [B] time = 1.61997, size = 1241, normalized size = 2.17

result too large to display

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/(x^2*(d + e*x^2)), x]`

[Out]
$$\begin{aligned}
& -(a/(d*x)) - (a* \text{Sqrt}[e]* \text{ArcTan}[(\text{Sqrt}[e]*x)/ \text{Sqrt}[d]])/d^{(3/2)} + b*(-((c* \text{Sqrt}[1 - 1/(c^2*x^2)]*x + \text{ArcCsc}[c*x])/ (d*x)) + (\text{Sqrt}[e]*(\text{Pi}^2 - 4*\text{Pi}*\text{ArcCsc}[c*x] + 8*\text{ArcCsc}[c*x]^2 - 32*\text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c* \text{Sqrt}[d])]/ \text{Sqrt}[2])* \text{ArcTan}[((-I)*c* \text{Sqrt}[d] + \text{Sqrt}[e])* \text{Cot}[(\text{Pi} + 2*\text{ArcCsc}[c*x])/4])/ \text{Sqrt}[c^2*d + e]] + (4*I)* \text{Pi}*\text{Log}[1 + (\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])/ (c* \text{Sqrt}[d])* \text{E}^{(I*\text{ArcCsc}[c*x])}] - (8*I)* \text{ArcCsc}[c*x]* \text{Log}[1 + (\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])/ (c* \text{Sqrt}[d])* \text{E}^{(I*\text{ArcCsc}[c*x])}] + (16*I)* \text{ArcSin}[\text{Sqrt}[1 - (I*\text{Sqrt}[e])/(c* \text{Sqrt}[d])]/ \text{Sqrt}[2])* \text{Log}[1 + (\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])/ (c* \text{Sqrt}[d])* \text{E}^{(I*\text{ArcCsc}[c*x])}] + (4*I)* \text{Pi}*\text{Log}[1 + (\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])/ (c* \text{Sqrt}[d])* \text{E}^{(I*\text{ArcCsc}[c*x])}]
\end{aligned}$$

$$\begin{aligned}
& - (8*I)*ArcCsc[c*x]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] - (16*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] + (8*I)*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - (4*I)*Pi*Log[Sqrt[e] + (I*Sqrt[d])/x] + 8*PolyLog[2, (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] + 8*PolyLog[2, -((Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x]))] + 4*PolyLog[2, E^((2*I)*ArcCsc[c*x])]/(16*d^(3/2)) - (Sqrt[e]*(Pi^2 - 4*Pi*ArcCsc[c*x] + 8*ArcCsc[c*x]^2 - 32*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] + (4*I)*Pi*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] - (8*I)*ArcCsc[c*x]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] + (16*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] + (4*I)*Pi*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] - (8*I)*ArcCsc[c*x]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] - (16*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] + (8*I)*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - (4*I)*Pi*Log[Sqrt[e] - (I*Sqrt[d])/x] + 8*PolyLog[2, (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] + 8*PolyLog[2, (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])] + 4*PolyLog[2, E^((2*I)*ArcCsc[c*x])]]/(16*d^(3/2))
\end{aligned}$$

Maple [C] time = 1.537, size = 332, normalized size = 0.6

$$-\frac{ae}{d} \arctan\left(ex\frac{1}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} - \frac{a}{dx} - \frac{cb}{d} \sqrt{\frac{c^2x^2-1}{c^2x^2}} - \frac{\text{barccsc}(cx)}{dx} + \frac{cbe}{2d} \sum_{\text{_R1}=\text{RootOf}\left(c^2d_Z^4+(-2c^2d-4e)_Z^2+c^2d\right)} \frac{1}{-\text{R1}\left(-\text{R1}^2c^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^2/(e*x^2+d),x)`

[Out] `-a*e/d/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))-a/d/x-c*b/d*((c^2*x^2-1)/c^2/x^2)^(1/2)-b*arccsc(c*x)/d/x+1/2*c*b*e/d*sum(1/_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2*x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))+1/2*c*b*e/d*sum(_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2*x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2*x^2)^(1/2))/_R1),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \text{arccsc}(cx) + a}{ex^4 + dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)/(e*x^4 + d*x^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x^2 (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**2/(e*x**2+d),x)`

[Out] `Integral((a + b*acsc(c*x))/(x**2*(d + e*x**2)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x^2 + d)*x^2), x)`

3.103 $\int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$

Optimal. Leaf size=628

$$\frac{i b d \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{e^3}+\frac{i b d \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{e^3}+\frac{i b d \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{e^3}+\frac{i b d \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{e^3}$$

$$\begin{aligned} [\text{Out}] \quad & (b * \text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c*e^2) + (d*(a + b*\text{ArcCsc}[c*x]))/(2*e^2*(e + d/x^2)) + (x^2*(a + b*\text{ArcCsc}[c*x]))/(2*e^2) - (b*d*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(2*e^(5/2)*\text{Sqrt}[c^2*d + e]) - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 + (2*d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])]/e^3 + (I*b*d*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 + (I*b*d*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 + (I*b*d*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 + (I*b*d*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 - (I*b*d*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])])/e^3 \end{aligned}$$

Rubi [A] time = 1.32061, antiderivative size = 628, normalized size of antiderivative = 1., number of steps used = 31, number of rules used = 14, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.667, Rules used = {5241, 4733, 4627, 264, 4625, 3717, 2190, 2279, 2391, 4729, 377, 205, 4741, 4519}

$$\frac{i b d \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{e^3}+\frac{i b d \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{e^3}+\frac{i b d \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{e^3}+\frac{i b d \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{e^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^2, x]$

$$\begin{aligned} [\text{Out}] \quad & (b * \text{Sqrt}[1 - 1/(c^2*x^2)]*x)/(2*c*e^2) + (d*(a + b*\text{ArcCsc}[c*x]))/(2*e^2*(e + d/x^2)) + (x^2*(a + b*\text{ArcCsc}[c*x]))/(2*e^2) - (b*d*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(2*e^(5/2)*\text{Sqrt}[c^2*d + e]) - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 - (d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 + (2*d*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - E^((2*I)*\text{ArcCsc}[c*x])]/e^3 + (I*b*d*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 + (I*b*d*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/e^3 + (I*b*d*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 + (I*b*d*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/e^3 - (I*b*d*\text{PolyLog}[2, E^((2*I)*\text{ArcCsc}[c*x])])/e^3 \end{aligned}$$

$2, E^((2*I)*ArcCsc[c*x]))/e^3$

Rule 5241

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.)^(n_.)*(x_)^(m_.)*(d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_.) + ArcSin[(c_.*(x_)]*(b_.)^(n_.)*(f_.*(x_))^(m_.)*(d_.) + (e_.*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.*(x_)]*(b_.)^(n_.)*(d_.*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_.*(x_))^(m_.)*(a_ + (b_.*(x_)^(n_.))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 4625

```
Int[((a_.) + ArcSin[(c_.*(x_)]*(b_.)^(n_.)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_.) + (d_.*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.*(x_)), x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_.*(e_.) + (f_.*(x_))))^(n_.)*(c_.*(d_.*(x_))^(m_.)))/((a_ + (b_.*(F_)^((g_.*(e_.) + (f_.*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_ + (b_.*(F_)^((e_.*(c_.) + (d_.*(x_))))^(n_.))], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[((d_ + (e_.*(x_))^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*(x_)*(d_ + (e_.)*(x_)^2)^(p_.), x_
Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x]
 - Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
 x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_./((d_ + (e_.*(x_))), x_Symbol]
 :> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.*(x_)))^m_.)/((a_) + (b_.)*Sin[
(c_.) + (d_.)*(x_.)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
 - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b \csc^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst}\left(\int \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{x^3(e + dx^2)^2} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{e^2 x^3} - \frac{2d(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e^3 x} + \frac{d^2 x(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e^2 (e + dx^2)^2} + \frac{2d^2 x(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e^3 (e + dx^2)^2}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{(2d)\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x}\right)}{e^3} - \frac{(2d^2)\text{Subst}\left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{e+dx^2} dx, x, \frac{1}{x}\right)}{e^3} - \frac{\text{Subst}\left(\int (a+bx) \cot(x) dx, x, \csc^{-1}(cx)\right)}{e^3} \\
&= \frac{d(a + b \csc^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b \csc^{-1}(cx))}{2e^2} + \frac{(2d)\text{Subst}\left(\int (a+bx) \cot(x) dx, x, \csc^{-1}(cx)\right)}{e^3} \\
&= \frac{b\sqrt{1 - \frac{1}{c^2 x^2}}x}{2ce^2} + \frac{d(a + b \csc^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b \csc^{-1}(cx))}{2e^2} - \frac{id(a + b \csc^{-1}(cx))^2}{be^3} - \frac{(-d)^5}{bd \tan} \\
&= \frac{b\sqrt{1 - \frac{1}{c^2 x^2}}x}{2ce^2} + \frac{d(a + b \csc^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b \csc^{-1}(cx))}{2e^2} - \frac{id(a + b \csc^{-1}(cx))^2}{be^3} - \frac{bd \tan^{-1}\left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e}\sqrt{1 - \frac{1}{c^2 x^2}}x}\right)}{2e^{5/2}\sqrt{c^2 d + e}} + \frac{2d}{bd \tan} \\
&= \frac{b\sqrt{1 - \frac{1}{c^2 x^2}}x}{2ce^2} + \frac{d(a + b \csc^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b \csc^{-1}(cx))}{2e^2} - \frac{bd \tan^{-1}\left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e}\sqrt{1 - \frac{1}{c^2 x^2}}x}\right)}{2e^{5/2}\sqrt{c^2 d + e}} - \frac{d}{bd \tan} \\
&= \frac{b\sqrt{1 - \frac{1}{c^2 x^2}}x}{2ce^2} + \frac{d(a + b \csc^{-1}(cx))}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{x^2(a + b \csc^{-1}(cx))}{2e^2} - \frac{bd \tan^{-1}\left(\frac{\sqrt{c^2 d + e}}{c\sqrt{e}\sqrt{1 - \frac{1}{c^2 x^2}}x}\right)}{2e^{5/2}\sqrt{c^2 d + e}} - \frac{d}{bd \tan}
\end{aligned}$$

Mathematica [B] time = 5.61441, size = 1480, normalized size = 2.36

result too large to display

Warning: Unable to verify antiderivative.

[In] `Integrate[(x^5*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]`

```
[Out] -(-2*a*e*x^2 + (2*a*d^2)/(d + e*x^2) + 4*a*d*Log[d + e*x^2] + b*(I*d*Pi^2 - (2*e*Sqrt[1 - 1/(c^2*x^2)]*x)/c - (4*I)*d*Pi*ArcCsc[c*x] - 2*e*x^2*ArcCsc[c*x] + (d^(3/2)*ArcCsc[c*x])/Sqrt[d] - I*Sqrt[e]*x) + (d^(3/2)*ArcCsc[c*x])/Sqrt[d] + I*Sqrt[e]*x) + (8*I)*d*ArcCsc[c*x]^2 - 2*d*ArcSin[1/(c*x)] - (16*I)*d*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] - (16*I)*d*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] - 2*d*Pi*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*d*ArcCsc[c*x]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 8*d*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*d*Pi*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*d*ArcCsc[c*x]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 8*d*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*d*Pi*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*d*ArcCsc[c*x]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 8*d*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2]]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 8*d*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + 2*d*Pi*Log[Sqrt[e] - (I*Sqrt[d])/x] + 2*d*Pi*Log[Sqrt[e] + (I*Sqrt[d])/x] + (d*Sqrt[e])*Log[(2*Sqrt[d])*Sqrt[e]*(Sqrt[e] + c*(-I)*c*Sqrt[d] - Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)]*x)/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e] + (d*Sqrt[e])*Log[(2*Sqrt[d])*Sqrt[e]*(-Sqrt[e] + c*(-I)*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)]*x)/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e] + (4*I)*d*PolyLog[2, (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*d*PolyLog[2, (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*d*PolyLog[2, -(Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*d*PolyLog[2, (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*d*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(4*e^3)
```

Maple [C] time = 0.734, size = 729, normalized size = 1.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^2,x)

```
[Out] 1/2*a*x^2/e^2-a/e^3*d*ln(c^2*e*x^2+c^2*d)-1/2*c^2*a/e^3*d^2/(c^2*e*x^2+c^2*d)+1/2*c^2*b/(c^2*e*x^2+c^2*d)/e*arccsc(c*x)*x^4+c^2*b/(c^2*e*x^2+c^2*d)/e^2*arccsc(c*x)*d*x^2+1/2*c*b/(c^2*e*x^2+c^2*d)/e*((c^2*x^2-1)/c^2/x^2)^(1/2)*x*d-1/2*I*b/(c^2*e*x^2+c^2*d)/e*x^2-1/2*I*b/(c^2*e*x^2+c^2*d)/e^2*d+1/2*I*b*(e*(c^2*d+e))^(1/2)/(c^2*d+e)/e^3*arctanh(1/4*(2*c^2*d*(I/c/x+(1-1/c^2/x^2)^(1/2))^2-2*c^2*d-4*e)/(c^2*d+e+e^2)^(1/2))*d+1/2*I*b/e^3*d*sum(_R1^2*c^2*d-c^2*d-4*e)/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1), _R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d)+2*I*b/e^3*d*dilog(I/c/x+(1-1/c^2/x^2)^(1/2))+2*b/e^3*d*arccsc(c*x)*ln(1+I/c/x+(1-1/c^2/x^2)^(1/2))-2*I*b/e^3*d*dilog(1+I/c/x+(1-1/c^2/x^2)^(1/2))+1/2*I*c^2*b/e^3*d^2*sum(_R1^2-1)/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog(_R1-I/c/x)
```

$-(1 - 1/c^2/x^2)^{(1/2)}/_R1)$, $_R1=\text{RootOf}(c^2*d*_Z^4 + (-2*c^2*d - 4*e)*_Z^2 + c^2*d)$)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} a \left(\frac{d^2}{e^4 x^2 + d e^3} - \frac{x^2}{e^2} + \frac{2 d \log(ex^2 + d)}{e^3} \right) + b \int \frac{x^5 \arctan(1, \sqrt{cx + 1} \sqrt{cx - 1})}{e^2 x^4 + 2 d e x^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] $-1/2*a*(d^2/(e^4*x^2 + d*e^3) - x^2/e^2 + 2*d*log(e*x^2 + d)/e^3) + b*\text{integ}$
 $\text{rate}(x^5*\arctan(1, \sqrt{c*x + 1}*\sqrt{c*x - 1}))/(\text{e}^2*x^4 + 2*d*e*x^2 + d^2), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^5 \arccsc(cx) + ax^5}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*x^5*arccsc(c*x) + a*x^5)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*acsc(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arccsc(cx) + a)x^5}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^5/(e*x^2 + d)^2, x)`

3.104 $\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$

Optimal. Leaf size=590

$$\frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^2} - \frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2e^2} + \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2e^2}$$

[Out] $-(a + b*\text{ArcCsc}[c*x])/(2*e*(e + d/x^2)) + (b*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(2*e^{(3/2)}*\text{Sqrt}[c^2*d + e]) + ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*e^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - E^{((2*I)*\text{ArcCsc}[c*x])}])/e^2 - ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/e^2 - ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/e^2 - ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/e^2 - ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/e^2 + ((I/2)*b*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}])/e^2$

Rubi [A] time = 1.23845, antiderivative size = 590, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.571, Rules used = {5241, 4733, 4625, 3717, 2190, 2279, 2391, 4729, 377, 205, 4741, 4519}

$$\frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{2e^2} - \frac{ibPolyLog\left(2, -\frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2e^2} + \frac{ibPolyLog\left(2, \frac{ic\sqrt{-de^i}\csc^{-1}(cx)}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{2e^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^2, x]$

[Out] $-(a + b*\text{ArcCsc}[c*x])/(2*e*(e + d/x^2)) + (b*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(2*e^{(3/2)}*\text{Sqrt}[c^2*d + e]) + ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*e^2) + ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])}/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))]/(2*e^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - E^{((2*I)*\text{ArcCsc}[c*x])}])/e^2 - ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/e^2 - ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))/e^2 - ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/e^2 - ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))/e^2 + ((I/2)*b*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}])/e^2$

Rule 5241

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.)^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)^(n_.)*((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)^(n_.)/(x_), x_Symbol] :> Subst[Int[(a + b*x)^n/Tan[x], x], ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_)^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[((((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_)^(m_.)))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x] - Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 377

```
Int[((a_.) + (b_.)*(x_)^(n_.)^(p_))/((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 4741

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))^(m_))/((a_) + (b_)*Sin[(c_) + (d_)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \csc^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{x(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{e^2 x} - \frac{dx(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e(e + dx^2)^2} - \frac{dx(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e^2(e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{e+dx^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^2} dx, x, \frac{1}{x} \right)}{e^2} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} - \frac{\text{Subst} \left(\int (a + bx) \cot(x) dx, x, \csc^{-1}(cx) \right)}{e^2} + \frac{d \text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}-\sqrt{e-d})} - \frac{(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2e} \right) dx, x, \csc^{-1}(cx) \right)}{e^2} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \csc^{-1}(cx))^2}{2be^2} + \frac{(2i) \text{Subst} \left(\int \frac{e^{2ix}(a+bx)}{1-e^{2ix}} dx, x, \csc^{-1}(cx) \right)}{e^2} - \frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2e(\sqrt{e}-\sqrt{e-d})} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{i(a + b \csc^{-1}(cx))^2}{2be^2} + \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} - \frac{(a + b \csc^{-1}(cx)) \log(1 - e^{2i \csc^{-1}(cx)})}{e^2} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} - \frac{(a + b \csc^{-1}(cx)) \log(1 - e^{2i \csc^{-1}(cx)})}{e^2} - \frac{(ib) \text{Subst} \left(\int \frac{e^{2ix}(a+bx)}{1-e^{2ix}} dx, x, \csc^{-1}(cx) \right)}{2e^2} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \csc^{-1}(cx)) \log \left(1 - \frac{ic \sqrt{-d} e^{i \csc^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^2} + \frac{(ib) \text{Subst} \left(\int \frac{e^{2ix}(a+bx)}{1-e^{2ix}} dx, x, \csc^{-1}(cx) \right)}{2e^2} \\
&= -\frac{a + b \csc^{-1}(cx)}{2e \left(e + \frac{d}{x^2} \right)} + \frac{b \tan^{-1} \left(\frac{\sqrt{c^2 d + e}}{c \sqrt{e} \sqrt{1 - \frac{1}{c^2 x^2} x}} \right)}{2e^{3/2} \sqrt{c^2 d + e}} + \frac{(a + b \csc^{-1}(cx)) \log \left(1 - \frac{ic \sqrt{-d} e^{i \csc^{-1}(cx)}}{\sqrt{e} - \sqrt{c^2 d + e}} \right)}{2e^2} + \frac{(ib) \text{Subst} \left(\int \frac{e^{2ix}(a+bx)}{1-e^{2ix}} dx, x, \csc^{-1}(cx) \right)}{2e^2}
\end{aligned}$$

Mathematica [B] time = 2.04494, size = 1442, normalized size = 2.44

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]

[Out]
$$\begin{aligned} & \text{(I*b*Pi}^2 + (4*a*d)/(d + e*x^2) - (4*I)*b*Pi*ArcCsc[c*x] + (2*b*Sqrt[d]*ArcCsc[c*x])/(Sqrt[d] - I*Sqrt[e]*x) + (2*b*Sqrt[d]*ArcCsc[c*x])/(Sqrt[d] + I*Sqrt[e]*x) + (8*I)*b*ArcCsc[c*x]^2 - 4*b*ArcSin[1/(c*x)] - (16*I)*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/c*Sqrt[d])]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] - (16*I)*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] - 2*b*Pi*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*b*ArcCsc[c*x]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 8*b*ArcSin[Sqrt[1 - (I*Sqrt[e])/c*Sqrt[d])]/Sqrt[2]]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*b*Pi*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*b*ArcCsc[c*x]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 8*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/c*Sqrt[d])]/Sqrt[2]]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*b*Pi*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*b*ArcCsc[c*x]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 8*b*ArcSin[Sqrt[1 + (I*Sqrt[e])/c*Sqrt[d])]/Sqrt[2]]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 2*b*Pi*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + 4*b*ArcCsc[c*x]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - 8*b*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] + 2*b*Pi*Log[Sqrt[e] - (I*Sqrt[d])/x] + 2*b*Pi*Log[Sqrt[e] + (I*Sqrt[d])/x] + (2*b*Sqrt[e])*Log[(2*Sqrt[d]*Sqrt[e]*(Sqrt[e] + c*(-I)*c*Sqrt[d] - Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x])/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e] + (2*b*Sqrt[e])*Log[(2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(-I)*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x])/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e] + 4*a*Log[d + e*x^2] + (4*I)*b*PolyLog[2, (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*b*PolyLog[2, (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*b*PolyLog[2, -(Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*b*PolyLog[2, (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (4*I)*b*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(8*e^2) \end{aligned}$$

Maple [C] time = 0.536, size = 541, normalized size = 0.9

$$\frac{c^2 ad}{2 e^2 (c^2 ex^2 + c^2 d)} + \frac{a \ln(c^2 ex^2 + c^2 d)}{2 e^2} - \frac{c^2 b x^2 \operatorname{arccsc}(cx)}{2 e (c^2 ex^2 + c^2 d)} - \frac{\frac{i}{2} b}{(c^2 d + e) e^2} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{cx} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^3 * (a + b * \operatorname{arccsc}(c*x)) / (e*x^2 + d)^2 dx$

[Out]
$$\begin{aligned} & \frac{1}{2} \frac{c^2 a}{c^2 e^2 x^2 + c^2 d} + \frac{a}{2} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^2} - \frac{c^2 b x^2 \operatorname{arccsc}(c x)}{2 e (c^2 e x^2 + c^2 d)} - \frac{\frac{i}{2} b}{(c^2 d + e) e^2} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{2} \frac{c^2 a}{c^2 e^2 x^4 + 2 c^2 e^2 x^2 + c^2 d} - \frac{a}{4} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^4} + \frac{c^2 b x^4 \operatorname{arccsc}(c x)}{8 e^2 (c^2 e x^2 + c^2 d)^2} - \frac{\frac{i}{2} b}{(c^2 d + e) e^4} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{4} \frac{c^2 a}{c^2 e^4 x^6 + 3 c^2 e^4 x^4 + 3 c^2 e^4 x^2 + c^2 d} - \frac{a}{8} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^6} + \frac{c^2 b x^6 \operatorname{arccsc}(c x)}{16 e^4 (c^2 e x^2 + c^2 d)^3} - \frac{\frac{i}{2} b}{(c^2 d + e) e^6} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{8} \frac{c^2 a}{c^2 e^6 x^8 + 4 c^2 e^6 x^6 + 6 c^2 e^6 x^4 + 4 c^2 e^6 x^2 + c^2 d} - \frac{a}{16} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^8} + \frac{c^2 b x^8 \operatorname{arccsc}(c x)}{32 e^6 (c^2 e x^2 + c^2 d)^4} - \frac{\frac{i}{2} b}{(c^2 d + e) e^8} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{16} \frac{c^2 a}{c^2 e^8 x^{10} + 5 c^2 e^8 x^8 + 10 c^2 e^8 x^6 + 10 c^2 e^8 x^4 + 5 c^2 e^8 x^2 + c^2 d} - \frac{a}{32} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{10}} + \frac{c^2 b x^{10} \operatorname{arccsc}(c x)}{64 e^8 (c^2 e x^2 + c^2 d)^5} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{10}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{32} \frac{c^2 a}{c^2 e^{10} x^{12} + 6 c^2 e^{10} x^{10} + 15 c^2 e^{10} x^8 + 20 c^2 e^{10} x^6 + 15 c^2 e^{10} x^4 + 6 c^2 e^{10} x^2 + c^2 d} - \frac{a}{64} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{12}} + \frac{c^2 b x^{12} \operatorname{arccsc}(c x)}{128 e^{10} (c^2 e x^2 + c^2 d)^6} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{12}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{64} \frac{c^2 a}{c^2 e^{12} x^{14} + 7 c^2 e^{12} x^{12} + 21 c^2 e^{12} x^{10} + 35 c^2 e^{12} x^8 + 35 c^2 e^{12} x^6 + 21 c^2 e^{12} x^4 + 7 c^2 e^{12} x^2 + c^2 d} - \frac{a}{128} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{14}} + \frac{c^2 b x^{14} \operatorname{arccsc}(c x)}{256 e^{12} (c^2 e x^2 + c^2 d)^7} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{14}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{128} \frac{c^2 a}{c^2 e^{14} x^{16} + 8 c^2 e^{14} x^{14} + 28 c^2 e^{14} x^{12} + 56 c^2 e^{14} x^{10} + 70 c^2 e^{14} x^8 + 56 c^2 e^{14} x^6 + 28 c^2 e^{14} x^4 + 8 c^2 e^{14} x^2 + c^2 d} - \frac{a}{256} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{16}} + \frac{c^2 b x^{16} \operatorname{arccsc}(c x)}{512 e^{14} (c^2 e x^2 + c^2 d)^8} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{16}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{256} \frac{c^2 a}{c^2 e^{16} x^{18} + 9 c^2 e^{16} x^{16} + 36 c^2 e^{16} x^{14} + 84 c^2 e^{16} x^{12} + 126 c^2 e^{16} x^{10} + 126 c^2 e^{16} x^8 + 84 c^2 e^{16} x^6 + 36 c^2 e^{16} x^4 + 9 c^2 e^{16} x^2 + c^2 d} - \frac{a}{512} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{18}} + \frac{c^2 b x^{18} \operatorname{arccsc}(c x)}{1024 e^{16} (c^2 e x^2 + c^2 d)^9} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{18}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{512} \frac{c^2 a}{c^2 e^{18} x^{20} + 10 c^2 e^{18} x^{18} + 45 c^2 e^{18} x^{16} + 120 c^2 e^{18} x^{14} + 210 c^2 e^{18} x^{12} + 252 c^2 e^{18} x^{10} + 210 c^2 e^{18} x^8 + 120 c^2 e^{18} x^6 + 45 c^2 e^{18} x^4 + 10 c^2 e^{18} x^2 + c^2 d} - \frac{a}{1024} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{20}} + \frac{c^2 b x^{20} \operatorname{arccsc}(c x)}{2048 e^{18} (c^2 e x^2 + c^2 d)^{10}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{20}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{1024} \frac{c^2 a}{c^2 e^{20} x^{22} + 11 c^2 e^{20} x^{20} + 55 c^2 e^{20} x^{18} + 165 c^2 e^{20} x^{16} + 330 c^2 e^{20} x^{14} + 495 c^2 e^{20} x^{12} + 544 c^2 e^{20} x^{10} + 495 c^2 e^{20} x^8 + 330 c^2 e^{20} x^6 + 165 c^2 e^{20} x^4 + 55 c^2 e^{20} x^2 + c^2 d} - \frac{a}{2048} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{22}} + \frac{c^2 b x^{22} \operatorname{arccsc}(c x)}{4096 e^{20} (c^2 e x^2 + c^2 d)^{11}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{22}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{2048} \frac{c^2 a}{c^2 e^{22} x^{24} + 12 c^2 e^{22} x^{22} + 66 c^2 e^{22} x^{20} + 220 c^2 e^{22} x^{18} + 495 c^2 e^{22} x^{16} + 825 c^2 e^{22} x^{14} + 1050 c^2 e^{22} x^{12} + 945 c^2 e^{22} x^{10} + 630 c^2 e^{22} x^8 + 285 c^2 e^{22} x^6 + 66 c^2 e^{22} x^4 + 12 c^2 e^{22} x^2 + c^2 d} - \frac{a}{4096} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{24}} + \frac{c^2 b x^{24} \operatorname{arccsc}(c x)}{8192 e^{22} (c^2 e x^2 + c^2 d)^{12}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{24}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{4096} \frac{c^2 a}{c^2 e^{24} x^{26} + 13 c^2 e^{24} x^{24} + 78 c^2 e^{24} x^{22} + 247 c^2 e^{24} x^{20} + 595 c^2 e^{24} x^{18} + 1320 c^2 e^{24} x^{16} + 2145 c^2 e^{24} x^{14} + 2520 c^2 e^{24} x^{12} + 2145 c^2 e^{24} x^{10} + 1320 c^2 e^{24} x^8 + 595 c^2 e^{24} x^6 + 247 c^2 e^{24} x^4 + 78 c^2 e^{24} x^2 + c^2 d} - \frac{a}{8192} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{26}} + \frac{c^2 b x^{26} \operatorname{arccsc}(c x)}{16384 e^{24} (c^2 e x^2 + c^2 d)^{13}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{26}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{8192} \frac{c^2 a}{c^2 e^{26} x^{28} + 14 c^2 e^{26} x^{26} + 91 c^2 e^{26} x^{24} + 315 c^2 e^{26} x^{22} + 840 c^2 e^{26} x^{20} + 1755 c^2 e^{26} x^{18} + 2660 c^2 e^{26} x^{16} + 3150 c^2 e^{26} x^{14} + 2660 c^2 e^{26} x^{12} + 1755 c^2 e^{26} x^{10} + 840 c^2 e^{26} x^8 + 315 c^2 e^{26} x^6 + 91 c^2 e^{26} x^4 + 14 c^2 e^{26} x^2 + c^2 d} - \frac{a}{16384} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{28}} + \frac{c^2 b x^{28} \operatorname{arccsc}(c x)}{32768 e^{26} (c^2 e x^2 + c^2 d)^{14}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{28}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{16384} \frac{c^2 a}{c^2 e^{28} x^{30} + 15 c^2 e^{28} x^{28} + 105 c^2 e^{28} x^{26} + 455 c^2 e^{28} x^{24} + 1365 c^2 e^{28} x^{22} + 3465 c^2 e^{28} x^{20} + 6435 c^2 e^{28} x^{18} + 10010 c^2 e^{28} x^{16} + 13650 c^2 e^{28} x^{14} + 13650 c^2 e^{28} x^{12} + 10010 c^2 e^{28} x^{10} + 6435 c^2 e^{28} x^8 + 3465 c^2 e^{28} x^6 + 1365 c^2 e^{28} x^4 + 15 c^2 e^{28} x^2 + c^2 d} - \frac{a}{32768} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{30}} + \frac{c^2 b x^{30} \operatorname{arccsc}(c x)}{65536 e^{28} (c^2 e x^2 + c^2 d)^{15}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{30}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{65536} \frac{c^2 a}{c^2 e^{30} x^{32} + 16 c^2 e^{30} x^{30} + 120 c^2 e^{30} x^{28} + 640 c^2 e^{30} x^{26} + 2400 c^2 e^{30} x^{24} + 6400 c^2 e^{30} x^{22} + 13600 c^2 e^{30} x^{20} + 21000 c^2 e^{30} x^{18} + 26600 c^2 e^{30} x^{16} + 26600 c^2 e^{30} x^{14} + 21000 c^2 e^{30} x^{12} + 13600 c^2 e^{30} x^{10} + 6400 c^2 e^{30} x^8 + 2400 c^2 e^{30} x^6 + 640 c^2 e^{30} x^4 + 16 c^2 e^{30} x^2 + c^2 d} - \frac{a}{131072} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{32}} + \frac{c^2 b x^{32} \operatorname{arccsc}(c x)}{128000 e^{30} (c^2 e x^2 + c^2 d)^{16}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{32}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{131072} \frac{c^2 a}{c^2 e^{32} x^{34} + 17 c^2 e^{32} x^{32} + 136 c^2 e^{32} x^{30} + 840 c^2 e^{32} x^{28} + 3360 c^2 e^{32} x^{26} + 10080 c^2 e^{32} x^{24} + 24000 c^2 e^{32} x^{22} + 44800 c^2 e^{32} x^{20} + 70560 c^2 e^{32} x^{18} + 95040 c^2 e^{32} x^{16} + 100800 c^2 e^{32} x^{14} + 95040 c^2 e^{32} x^{12} + 70560 c^2 e^{32} x^{10} + 44800 c^2 e^{32} x^8 + 24000 c^2 e^{32} x^6 + 10080 c^2 e^{32} x^4 + 17 c^2 e^{32} x^2 + c^2 d} - \frac{a}{262144} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{34}} + \frac{c^2 b x^{34} \operatorname{arccsc}(c x)}{256000 e^{32} (c^2 e x^2 + c^2 d)^{17}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{34}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{262144} \frac{c^2 a}{c^2 e^{34} x^{36} + 18 c^2 e^{34} x^{34} + 153 c^2 e^{34} x^{32} + 1080 c^2 e^{34} x^{30} + 5040 c^2 e^{34} x^{28} + 19600 c^2 e^{34} x^{26} + 58800 c^2 e^{34} x^{24} + 134400 c^2 e^{34} x^{22} + 270240 c^2 e^{34} x^{20} + 448000 c^2 e^{34} x^{18} + 672000 c^2 e^{34} x^{16} + 756000 c^2 e^{34} x^{14} + 672000 c^2 e^{34} x^{12} + 448000 c^2 e^{34} x^{10} + 270240 c^2 e^{34} x^8 + 134400 c^2 e^{34} x^6 + 58800 c^2 e^{34} x^4 + 18 c^2 e^{34} x^2 + c^2 d} - \frac{a}{512000} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{36}} + \frac{c^2 b x^{36} \operatorname{arccsc}(c x)}{512000 e^{34} (c^2 e x^2 + c^2 d)^{18}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{36}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{512000} \frac{c^2 a}{c^2 e^{36} x^{38} + 19 c^2 e^{36} x^{36} + 171 c^2 e^{36} x^{34} + 1260 c^2 e^{36} x^{32} + 6300 c^2 e^{36} x^{30} + 24300 c^2 e^{36} x^{28} + 72900 c^2 e^{36} x^{26} + 186300 c^2 e^{36} x^{24} + 415800 c^2 e^{36} x^{22} + 831600 c^2 e^{36} x^{20} + 1663200 c^2 e^{36} x^{18} + 2644800 c^2 e^{36} x^{16} + 3332400 c^2 e^{36} x^{14} + 3332400 c^2 e^{36} x^{12} + 2644800 c^2 e^{36} x^{10} + 1663200 c^2 e^{36} x^8 + 831600 c^2 e^{36} x^6 + 415800 c^2 e^{36} x^4 + 19 c^2 e^{36} x^2 + c^2 d} - \frac{a}{1024000} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{38}} + \frac{c^2 b x^{38} \operatorname{arccsc}(c x)}{1024000 e^{36} (c^2 e x^2 + c^2 d)^{19}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{38}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{1024000} \frac{c^2 a}{c^2 e^{38} x^{40} + 20 c^2 e^{38} x^{38} + 189 c^2 e^{38} x^{36} + 1470 c^2 e^{38} x^{34} + 7350 c^2 e^{38} x^{32} + 31500 c^2 e^{38} x^{30} + 105000 c^2 e^{38} x^{28} + 283500 c^2 e^{38} x^{26} + 670500 c^2 e^{38} x^{24} + 1545000 c^2 e^{38} x^{22} + 3390000 c^2 e^{38} x^{20} + 6780000 c^2 e^{38} x^{18} + 11160000 c^2 e^{38} x^{16} + 16720000 c^2 e^{38} x^{14} + 16720000 c^2 e^{38} x^{12} + 11160000 c^2 e^{38} x^{10} + 6780000 c^2 e^{38} x^8 + 3390000 c^2 e^{38} x^6 + 1545000 c^2 e^{38} x^4 + 20 c^2 e^{38} x^2 + c^2 d} - \frac{a}{2048000} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{40}} + \frac{c^2 b x^{40} \operatorname{arccsc}(c x)}{2048000 e^{38} (c^2 e x^2 + c^2 d)^{20}} - \frac{\frac{i}{2} b}{(c^2 d + e) e^{40}} \sqrt{e (c^2 d + e)} \operatorname{Artanh}\left(\frac{1}{4} \left(2 c^2 d \left(\frac{i}{c x} + \sqrt{1 - \frac{1}{c^2 x^2}}\right)\right)\right) \\ & - \frac{1}{2048000} \frac{c^2 a}{c^2 e^{40} x^{42} + 21 c^2 e^{40} x^{40} + 207 c^2 e^{40} x^{38} + 1620 c^2 e^{40} x^{36} + 8100 c^2 e^{40} x^{34} + 36000 c^2 e^{40} x^{32} + 144000 c^2 e^{40} x^{30} + 486000 c^2 e^{40} x^{28} + 1458000 c^2 e^{40} x^{26} + 3645000 c^2 e^{40} x^{24} + 8145000 c^2 e^{40} x^{22} + 16290000 c^2 e^{40} x^{20} + 32580000 c^2 e^{40} x^{18} + 54870000 c^2 e^{40} x^{16} + 82800000 c^2 e^{40} x^{14} + 82800000 c^2 e^{40} x^{12} + 54870000 c^2 e^{40} x^{10} + 32580000 c^2 e^{40} x^8 + 16290000 c^2 e^{40} x^6 + 8145000 c^2 e^{40} x^4 + 21 c^2 e^{40} x^2 + c^2 d} - \frac{a}{4096000} \frac{\ln(c^2 e x^2 + c^2 d)}{c^2 e^{42}} + \frac{c^2 b x^{42} \operatorname{arccsc}(c x)}{4096000 e^{40} (c^2 e x^2 + c$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a \left(\frac{d}{e^3 x^2 + d e^2} + \frac{\log(ex^2 + d)}{e^2} \right) + b \int \frac{x^3 \arctan(1, \sqrt{cx+1} \sqrt{cx-1})}{e^2 x^4 + 2 d e x^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] $\frac{1}{2} a \left(\frac{d}{e^3 x^2 + d e^2} + \frac{\log(e x^2 + d)}{e^2} \right) + b \int \frac{x^3 \arctan(1, \sqrt{c x + 1} \sqrt{c x - 1})}{e^2 x^4 + 2 d e x^2 + d^2} dx$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b x^3 \operatorname{arccsc}(c x) + a x^3}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*x^3*arccsc(c*x) + a*x^3)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(c x) + a) x^3}{(e x^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3/(e*x^2 + d)^2, x)`

3.105 $\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$

Optimal. Leaf size=131

$$-\frac{a + b \csc^{-1}(cx)}{2e(d + ex^2)} - \frac{bcx \tan^{-1}\left(\sqrt{c^2x^2 - 1}\right)}{2de\sqrt{c^2x^2}} + \frac{bcx \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2 - 1}}{\sqrt{c^2d + e}}\right)}{2d\sqrt{e}\sqrt{c^2x^2}\sqrt{c^2d + e}}$$

[Out] $-(a + b \operatorname{ArcCsc}[c x])/(2 e (d + e x^2)) - (b c x \operatorname{ArcTan}[\operatorname{Sqrt}[-1 + c^2 x^2]])/(2 d e \operatorname{Sqrt}[c^2 x^2]) + (b c x \operatorname{ArcTan}[(\operatorname{Sqrt}[e] \operatorname{Sqrt}[-1 + c^2 x^2])/\operatorname{Sqrt}[c^2 d + e]])/(2 d \operatorname{Sqrt}[e] \operatorname{Sqrt}[c^2 d + e] \operatorname{Sqrt}[c^2 x^2])$

Rubi [A] time = 0.121013, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {5237, 446, 86, 63, 205}

$$-\frac{a + b \csc^{-1}(cx)}{2e(d + ex^2)} - \frac{bcx \tan^{-1}\left(\sqrt{c^2x^2 - 1}\right)}{2de\sqrt{c^2x^2}} + \frac{bcx \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2 - 1}}{\sqrt{c^2d + e}}\right)}{2d\sqrt{e}\sqrt{c^2x^2}\sqrt{c^2d + e}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x(a + b \operatorname{ArcCsc}[c x]))/(d + e x^2)^2, x]$

[Out] $-(a + b \operatorname{ArcCsc}[c x])/(2 e (d + e x^2)) - (b c x \operatorname{ArcTan}[\operatorname{Sqrt}[-1 + c^2 x^2]])/(2 d e \operatorname{Sqrt}[c^2 x^2]) + (b c x \operatorname{ArcTan}[(\operatorname{Sqrt}[e] \operatorname{Sqrt}[-1 + c^2 x^2])/\operatorname{Sqrt}[c^2 d + e]])/(2 d \operatorname{Sqrt}[e] \operatorname{Sqrt}[c^2 d + e] \operatorname{Sqrt}[c^2 x^2])$

Rule 5237

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(x_)*((d_) + (e_)*(x_)^2)^(p_), x
_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x]
+ Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sq
rt[c^2*x^2 - 1]), x], x]; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x
_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x]; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 86

```
Int[((e_) + (f_)*(x_))^(p_)/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x
_Symbol] :> Dist[b/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[d
/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x]; FreeQ[{a, b, c, d, e, f,
p}, x] && !IntegerQ[p]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]]; FreeQ[{a, b, c, d}, x] && NeQ
```

$[b*c - a*d, 0] \&& LtQ[-1, m, 0] \&& LeQ[-1, n, 0] \&& LeQ[Denominator[n], Denominator[m]] \&& IntLinearQ[a, b, c, d, m, n, x]$

Rule 205

$\text{Int}[(a_1 + b_1 \cdot (x_1)^2)^{-1}, x_1] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] * \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x_1] /; \text{FreeQ}[\{a, b\}, x_1] \&& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \csc^{-1}(cx))}{(d + ex^2)^2} dx &= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex^2)} - \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2}(d+ex^2)} dx}{2e\sqrt{c^2x^2}} \\ &= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex^2)} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x(d+ex)}} dx, x, x^2\right)}{4e\sqrt{c^2x^2}} \\ &= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex^2)} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{\sqrt{-1+c^2x(d+ex)}} dx, x, x^2\right)}{4d\sqrt{c^2x^2}} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{4de\sqrt{c^2x^2}} \\ &= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex^2)} + \frac{(bx) \text{Subst}\left(\int \frac{1}{d+\frac{e}{c^2}+\frac{ex^2}{c^2}} dx, x, \sqrt{-1+c^2x^2}\right)}{2cd\sqrt{c^2x^2}} - \frac{(bx) \text{Subst}\left(\int \frac{1}{\frac{1}{c^2}+\frac{x^2}{c^2}} dx, x, \sqrt{-1+c^2x^2}\right)}{2cde\sqrt{c^2x^2}} \\ &= -\frac{a + b \csc^{-1}(cx)}{2e(d + ex^2)} - \frac{bcx \tan^{-1}\left(\sqrt{-1+c^2x^2}\right)}{2de\sqrt{c^2x^2}} + \frac{bcx \tan^{-1}\left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{\sqrt{c^2d+e}}\right)}{2d\sqrt{e}\sqrt{c^2d+e}\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [C] time = 0.725949, size = 286, normalized size = 2.18

$$\frac{\frac{2a}{d+ex^2} + \frac{b\sqrt{e}\log\left(\frac{4ide-4cd\sqrt{ex}\left(c\sqrt{d+i\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}\right)}{b\sqrt{c^2(-d)-e}(\sqrt{d}-i\sqrt{ex})}\right)}{d\sqrt{c^2(-d)-e}} + \frac{b\sqrt{e}\log\left(\frac{4i(-de+cd\sqrt{ex}\left(\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}+ic\sqrt{d}\right))}{b\sqrt{c^2(-d)-e}(\sqrt{d}+i\sqrt{ex})}\right)}{d\sqrt{c^2(-d)-e}} + \frac{2b\csc^{-1}(cx)}{d+ex^2} - \frac{2b\sin^{-1}\left(\frac{1}{cx}\right)}{d}}{4e}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(x*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^2, x]$

[Out] $-\frac{((2*a)/(d + e*x^2) + (2*b*\text{ArcCsc}[c*x])/(d + e*x^2) - (2*b*\text{ArcSin}[1/(c*x)])/d + (b*\text{Sqrt}[e]*\text{Log[((4*I)*d*e - 4*c*d*\text{Sqrt}[e]*(c*\text{Sqrt}[d] + I*\text{Sqrt}[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x])/(\text{b}*\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x))]/(d*\text{Sqrt}[-(c^2*d) - e]) + (b*\text{Sqrt}[e]*\text{Log[((4*I)*(-(d*e) + c*d*\text{Sqrt}[e])*(I*c*\text{Sqrt}[d] + \text{Sqrt}[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x]))/(\text{b}*\text{Sqrt}[-(c^2*d) - e]*(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x))]/(d*\text{Sqrt}[-(c^2*d) - e]))/(4*e)$

Maple [B] time = 0.276, size = 354, normalized size = 2.7

$$-\frac{c^2 a}{2 e \left(c^2 e x^2 + c^2 d\right)} - \frac{b c^2 \text{arccsc}(cx)}{2 e \left(c^2 e x^2 + c^2 d\right)} + \frac{b}{2 e c x d} \sqrt{c^2 x^2 - 1} \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right) \frac{1}{\sqrt{\frac{c^2 x^2 - 1}{c^2 x^2}}} - \frac{b}{4 e c x d} \sqrt{c^2 x^2 - 1} \ln\left(2 \frac{c^2 x^2}{e c x + \sqrt{c^2 x^2 - 1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^2 dx$

[Out]
$$\begin{aligned} & -\frac{1}{2}c^2a/e/(c^2e*x^2+c^2d)-\frac{1}{2}c^2b/e/(c^2e*x^2+c^2d)*\operatorname{arccsc}(cx)+1/2c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2*x^2)^(1/2)/x/d*\operatorname{arctan}(1/(c^2*x^2-1))^{(1/2)}-\frac{1}{4}c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2*x^2)^(1/2)/x/d/(-(c^2*d+e)/e)^(1/2)*\ln(2*((-(c^2*d+e)/e)^(1/2)*(c^2*x^2-1)^(1/2)*e-(-c^2*e*d)^(1/2)*c*x-e)/(e*c*x+(-c^2*e*d)^(1/2)))-\frac{1}{4}c*b/e*(c^2*x^2-1)^(1/2)/((c^2*x^2-1)/c^2*x^2)^(1/2)/x/d/(-(c^2*d+e)/e)^(1/2)*\ln(-2*((-(c^2*d+e)/e)^(1/2)*(c^2*x^2-1)^(1/2)*e-(-c^2*e*d)^(1/2)*c*x-e)/(-e*c*x+(-c^2*e*d)^(1/2))) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{\left(\left(c^2 e^2 x^2 + c^2 d e\right) \int \frac{x e^{\left(\frac{1}{2} \log(cx+1)+\frac{1}{2} \log(cx-1)\right)}}{c^2 e^2 x^4 + (c^2 e^2 x^4 + (c^2 d e - e^2) x^2 - d e) (c x + 1) (c x - 1) + (c^2 d e - e^2) x^2 - d e} dx + \arctan\left(1, \sqrt{c x + 1} \sqrt{c x - 1}\right) b\right)}{2 (e^2 x^2 + d e)} - \frac{a}{2 (e^2 x^2 + d e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^2, x, \text{algorithm}=\text{"maxima"})$

[Out]
$$\begin{aligned} & -\frac{1}{2}*(2*(c^2 e^2 x^2 + c^2 d * e) * \operatorname{integrate}(1/2*x*e^(1/2*log(cx+1) + 1/2*log(cx-1))/(c^2 e^2 x^4 + (c^2 d * e - e^2) * x^2 - d * e + (c^2 e^2 x^4 + (c^2 d * e - e^2) * x^2 - d * e) * e^(log(cx+1) + log(cx-1))), x) + \arctan2(1, \sqrt{c*x+1}*\sqrt{c*x-1})) * b / (e^2 x^2 + d * e) - \frac{1}{2} * a / (e^2 x^2 + d * e) \end{aligned}$$

Fricas [A] time = 3.46322, size = 833, normalized size = 6.36

$$\frac{2 a c^2 d^2 + 2 a d e + \sqrt{-c^2 d e - e^2} (b e x^2 + b d) \log\left(\frac{c^2 e x^2 - c^2 d - 2 \sqrt{-c^2 d e - e^2} \sqrt{c^2 x^2 - 1} - 2 e}{e x^2 + d}\right) + 2 (b c^2 d^2 + b d e) \operatorname{arccsc}(c x) + 4 (b c^2 d^2 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^2, x, \text{algorithm}=\text{"fricas"})$

[Out]
$$\begin{aligned} & [-\frac{1}{4}*(2*a*c^2*d^2 + 2*a*d*e + \sqrt{(-c^2*d*e - e^2)*(b*e*x^2 + b*d)}*\log((c^2*x^2 - c^2*d - 2*\sqrt{(-c^2*d*e - e^2)}*\sqrt{c^2*x^2 - 1} - 2*e)/(e*x^2 + d)) + 2*(b*c^2*d^2 + b*d*e)*\operatorname{arccsc}(c*x) + 4*(b*c^2*d^2 + b*d*e + (b*c^2*d*e + b*e^2)*x^2)*\operatorname{arctan}(-c*x + \sqrt{c^2*x^2 - 1}))/((c^2*d^3*e + d^2*e^2 + (c^2*d^2*e^2 + d*e^3)*x^2), -\frac{1}{2}*(a*c^2*d^2 + a*d*e - \sqrt{c^2*d*e + e^2}*(b*x^2 + b*d))*\operatorname{arctan}(\sqrt{c^2*d*e + e^2}*\sqrt{c^2*x^2 - 1}/(c^2*d + e)) + (b*c^2*d^2 + b*d*e)*\operatorname{arccsc}(c*x) + 2*(b*c^2*d^2 + b*d*e + (b*c^2*d*e + b*e^2)*x^2)*\operatorname{arctan}(-c*x + \sqrt{c^2*x^2 - 1}))/((c^2*d^3*e + d^2*e^2 + (c^2*d^2*e^2 + d*e^3)*x^2)]) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/(e*x^2 + d)^2, x)`

3.106 $\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^2} dx$

Optimal. Leaf size=566

$$\frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2}$$

$$\begin{aligned} [\text{Out}] & -(e*(a + b*\text{ArcCsc}[c*x]))/(2*d^2*(e + d/x^2)) + ((I/2)*(a + b*\text{ArcCsc}[c*x])^2 \\ &)/(b*d^2) + (b*\text{Sqrt}[e]*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(2*d^2*2*\text{Sqrt}[c^2*d + e]) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^2) + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/d^2 + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/d^2 + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/d^2 \end{aligned}$$

Rubi [A] time = 1.16131, antiderivative size = 566, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.476, Rules used = {5241, 4733, 4729, 377, 205, 4741, 4519, 2190, 2279, 2391}

$$\frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{2d^2} + \frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-d}e^{i\csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{2d^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(x*(d + e*x^2)^2), x]$

$$\begin{aligned} [\text{Out}] & -(e*(a + b*\text{ArcCsc}[c*x]))/(2*d^2*(e + d/x^2)) + ((I/2)*(a + b*\text{ArcCsc}[c*x])^2 \\ &)/(b*d^2) + (b*\text{Sqrt}[e]*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(2*d^2*2*\text{Sqrt}[c^2*d + e]) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^2) - ((a + b*\text{ArcCsc}[c*x])*Log[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^2) + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/d^2 + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/d^2 + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/d^2 + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/d^2 \end{aligned}$$

Rule 5241

$\text{Int}[(a_+ + \text{ArcCsc}[(c_-)*(x_-)*(b_-)])^{(n_-)*(x_-)^(m_-)*((d_-) + (e_-)*(x_-)^2)^(p_-)}, x_{\text{Symbol}}] \Rightarrow -\text{Subst}[\text{Int}[(e + d*x^2)^p*(a + b*\text{ArcSin}[x/c])^n]/x^2]$

```
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)^(n_.)*(f_.)*(x_))^(m_.)*(d_) + (e_.
.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)*(x_)*(d_) + (e_.*(x_)^2)^(p_.), x_
Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x]
- Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 377

```
Int[((a_) + (b_.*(x_)^(n_))^(p_)/((c_) + (d_.*(x_)^(n_))), x_Symbol] :> Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 205

```
Int[((a_) + (b_.*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)^(n_.)/((d_) + (e_.*(x_))), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/((c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.*(x_))]*((e_.) + (f_.*(x_)))^(m_.))/((a_) + (b_.*Sin[
(c_.) + (d_.*(x_))]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
- I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.*(e_.) + (f_.*(x_))))^(n_.)*(c_.) + (d_.*(x_)))^(m_.))/(
(a_) + (b_.*(F_)^((g_.*(e_.) + (f_.*(x_))))^(n_.))), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.*(F_)^((e_.*(c_.) + (d_.*(x_))))^(n_.))], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_) + (e_)*(x_)^(n_)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^2} dx &= -\text{Subst}\left(\int \frac{x^3(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^2} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(-\frac{ex(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d(e+dx^2)^2} + \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d(e+dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{e+dx^2} dx, x, \frac{1}{x}\right)}{d} + \frac{e \text{Subst}\left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^2} dx, x, \frac{1}{x}\right)}{d} \\
&= -\frac{e(a+b \csc^{-1}(cx))}{2d^2\left(e+\frac{d}{x^2}\right)} - \frac{\text{Subst}\left(\int \left(-\frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}-\sqrt{-d}x)} + \frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}+\sqrt{-d}x)}\right) dx, x, \frac{1}{x}\right)}{d} + \frac{(be) \text{Subst}\left(\int \frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}-\sqrt{-d}x)} dx, x, \frac{1}{x}\right)}{d} \\
&= -\frac{e(a+b \csc^{-1}(cx))}{2d^2\left(e+\frac{d}{x^2}\right)} + \frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-d}x} dx, x, \frac{1}{x}\right)}{2(-d)^{3/2}} - \frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}+\sqrt{-d}x} dx, x, \frac{1}{x}\right)}{2(-d)^{3/2}} + \frac{(be) \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}+\sqrt{-d}x} dx, x, \frac{1}{x}\right)}{2(-d)^{3/2}} \\
&= -\frac{e(a+b \csc^{-1}(cx))}{2d^2\left(e+\frac{d}{x^2}\right)} + \frac{b\sqrt{e} \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2\sqrt{c^2d+e}} + \frac{\text{Subst}\left(\int \frac{(a+bx)\cos(x)}{\frac{\sqrt{e}}{c}-\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx)\right)}{2(-d)^{3/2}} - \frac{\text{Subst}\left(\int \frac{\frac{\sqrt{e}}{c}i\cos(x)+\frac{\sqrt{c^2d+e}}{c}\sin(x)}{\frac{\sqrt{e}}{c}-\frac{\sqrt{c^2d+e}}{c}i\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx)\right)}{2(-d)^{3/2}} \\
&= -\frac{e(a+b \csc^{-1}(cx))}{2d^2\left(e+\frac{d}{x^2}\right)} + \frac{i(a+b \csc^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e} \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2\sqrt{c^2d+e}} - \frac{\text{Subst}\left(\int \frac{\frac{\sqrt{e}}{c}i\cos(x)+\frac{\sqrt{c^2d+e}}{c}\sin(x)}{\frac{\sqrt{e}}{c}-\frac{\sqrt{c^2d+e}}{c}i\sqrt{-d}\sin(x)} dx, x, \csc^{-1}(cx)\right)}{2(-d)^{3/2}} \\
&= -\frac{e(a+b \csc^{-1}(cx))}{2d^2\left(e+\frac{d}{x^2}\right)} + \frac{i(a+b \csc^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e} \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2\sqrt{c^2d+e}} - \frac{(a+b \csc^{-1}(cx)) \log\left(1-\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2} \\
&= -\frac{e(a+b \csc^{-1}(cx))}{2d^2\left(e+\frac{d}{x^2}\right)} + \frac{i(a+b \csc^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e} \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2\sqrt{c^2d+e}} - \frac{(a+b \csc^{-1}(cx)) \log\left(1-\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2} \\
&= -\frac{e(a+b \csc^{-1}(cx))}{2d^2\left(e+\frac{d}{x^2}\right)} + \frac{i(a+b \csc^{-1}(cx))^2}{2bd^2} + \frac{b\sqrt{e} \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2\sqrt{c^2d+e}} - \frac{(a+b \csc^{-1}(cx)) \log\left(1-\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2d^2}
\end{aligned}$$

Mathematica [F] time = 41.9371, size = 0, normalized size = 0.

$$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] $\text{Integrate}[(a + b \cdot \text{ArcCsc}[c \cdot x]) / (x \cdot (d + e \cdot x^2)^2), x]$

[Out] $\text{Integrate}[(a + b \cdot \text{ArcCsc}[c \cdot x]) / (x \cdot (d + e \cdot x^2)^2), x]$

Maple [C] time = 0.839, size = 3036, normalized size = 5.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b \cdot \text{arccsc}(c \cdot x)) / x / (e \cdot x^2 + d)^2, x)$

[Out]
$$\begin{aligned} & -\frac{1}{8} I b c^2 \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 * d + e))^{(1/2)} + \\ & \quad d/e / (c^2 d + e) * (e * (c^2 d + e))^{(1/2)} - I b / c^4 e^2 \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + \\ & \quad d^4 (e * (c^2 d + e))^{(1/2)} - 3 I b / c^2 \text{arccsc}(c \cdot x)^2 / d^3 / (c^2 d + e) * (e * (c^2 d + e))^{(1/2)} * e^{-3} / 2 I b / c^2 \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + \\ & \quad d^3 / (c^2 d + e) * (e * (c^2 d + e))^{(1/2)} * e^{-1} / 4 b * c^2 (e * (c^2 d + e))^{(1/2)} / e / (c^2 d + e) / d \cdot \text{arccsc}(c \cdot x) * \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d + 2 e (c^2 d + e))^{(1/2)}) + 3 b / c^2 \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)}) * \text{arccsc}(c \cdot x) / d^3 / (c^2 d + e) * (e * (c^2 d + e))^{(1/2)} * e^{+2} b / c^4 e^2 \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)}) * \text{arccsc}(c \cdot x) / (c^2 d + e) / d^4 (e * (c^2 d + e))^{(1/2)} + 1 / 4 b * c^2 \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)}) * \text{arccsc}(c \cdot x) / d/e / (c^2 d + e) * (e * (c^2 d + e))^{(1/2)} - 2 I b / c^4 e^2 \text{arccsc}(c \cdot x)^2 / (c^2 d + e) / d^4 (e * (c^2 d + e))^{(1/2)} + a / d^2 \ln(c \cdot x) + 1 / 8 I b c^2 (e * (c^2 d + e))^{(1/2)} / e / (c^2 d + e) / d \cdot \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d + 2 e (c^2 d + e))^{(1/2)}) + I b * \text{arccsc}(c \cdot x)^2 / d^2 / d^2 - 1 / 2 b * \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) * \text{arccsc}(c \cdot x) / d^2 + 1 / 2 I b / d^2 * \text{sum}((\text{RootOf}(c^2 d * Z^4 + (-2 * c^2 d - 4 e) * Z^2 + c^2 d)) + 1 / 4 I b * \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) / d^2 + 1 / 2 a * c^2 / d / (c^2 e * x^2 + c^2 d) - 3 / 4 I b * \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) / d^2 / (c^2 d + 2 e (c^2 d + e))^{(1/2)} - 5 / 4 I b * \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) / d^2 / (c^2 d + e) * e - 5 / 2 I b * \text{arccsc}(c \cdot x)^2 / d^2 / (c^2 d + e) * e - I b * (e * (c^2 d + e))^{(1/2)} / d^2 / (c^2 d + e) * \text{arctanh}(1 / 4 * (2 * c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 - 2 * c^2 d - 4 e) / (c^2 d * e + e^2))^{(1/2)} + 1 / 4 I b * (e * (c^2 d + e))^{(1/2)} / d^2 / (c^2 d + e) * \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) / d^2 / (c^2 d + e) - 1 / 2 b * (e * (c^2 d + e))^{(1/2)} / d^2 / (c^2 d + e) * \text{arccsc}(c \cdot x) * \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d + 2 e (c^2 d + e))^{(1/2)} + 2 e) + 5 / 2 b * \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) * \text{arccsc}(c \cdot x) / d^2 / (c^2 d + e) * e - 1 / 2 I b * c^2 * \text{arccsc}(c \cdot x)^2 / d / (c^2 d + e) - 1 / 4 I b * c^2 * \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) / d / (c^2 d + e) + 2 I b / c^2 * \text{arccsc}(c \cdot x)^2 * e / d^3 + 2 I b / c^4 a rccsc(c \cdot x)^2 * e^2 / d^4 + I b / c^2 * \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) * e / d^3 - 2 b / c^4 e^2 \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) * \text{arccsc}(c \cdot x) / d^4 - b / c^2 * \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) * \text{arccsc}(c \cdot x) / d^3 * (e * (c^2 d + e))^{(1/2)} + I b / c^2 * \text{arccsc}(c \cdot x)^2 / d^3 * (e * (c^2 d + e))^{(1/2)} + 3 / 2 b * \ln(1 - c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) * \text{arccsc}(c \cdot x) / d^2 / (c^2 d + e) * (e * (c^2 d + e))^{(1/2)} + 1 / 2 I b / c^2 * \text{polylog}(2, c^2 d (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 d - 2 e (c^2 d + e))^{(1/2)} + 2 e) \end{aligned}$$

$$\begin{aligned} & *e)) / d^3 * (e * (c^2 * d + e))^{(1/2)} - 1/2 * a / d^2 * \ln(c^2 * e * x^2 + c^2 * d) - 2 * b / c^4 * e * \ln(1 - c \\ & ^2 * d * (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e}) * \operatorname{arccs} \\ & c(c*x) / d^4 * (e * (c^2 * d + e))^{(1/2)} + I * b / c^4 * \operatorname{polylog}(2, c^2 * d * (I/c/x + (1 - 1/c^2/x^2) \\ & ^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) * e / d^4 * (e * (c^2 * d + e))^{(1/2) + 4 * b} / \\ & c^2 * \ln(1 - c^2 * d * (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) * \operatorname{arccsc}(c*x) / d^3 / (c^2 * d + e) * e^2 + 2 * b / c^4 * e^3 * \ln(1 - c^2 * d * (I/c/x + (1 - 1/c^2/x^2) \\ & ^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) * \operatorname{arccsc}(c*x) / (c^2 * d + e) / d^4 - 2 * I * b / c^2 * \operatorname{polylog}(2, c^2 * d * (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) / d^3 / (c^2 * d + e) * e^2 + 2 * I * b / c^4 * \operatorname{arccsc}(c*x) ^2 * e / d^4 * (e * (c^2 * d + e))^{(1/2) - 4 * I * b} / c^2 * \operatorname{arccsc}(c*x) ^2 / d^3 / (c^2 * d + e) * e^2 - 1/2 * b * c^2 * x^2 * \operatorname{arccsc}(c*x) * e / (c^2 * e * x^2 + c^2 * d) / d^2 - 2 * I * b / c^4 * e^3 * \operatorname{arccsc}(c*x) ^2 / (c^2 * d + e) / d^4 - I * b / c^4 * e^3 * \operatorname{polylog}(2, c^2 * d * (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) / (c^2 * d + e) / d^4 + I * b / c^4 * \operatorname{polylog}(2, c^2 * d * (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) * e^2 / d^4 + 1/2 * b * c^2 * \ln(1 - c^2 * d * (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) * \operatorname{arccsc}(c*x) / d / (c^2 * d + e) - 2 * b / c^2 * e * \ln(1 - c^2 * d * (I/c/x + (1 - 1/c^2/x^2)^{(1/2)})^2 / (c^2 * d - 2 * (e * (c^2 * d + e))^{(1/2) + 2 * e})) * \operatorname{arccsc}(c*x) / d^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a \left(\frac{1}{dex^2 + d^2} - \frac{\log(ex^2 + d)}{d^2} + \frac{2 \log(x)}{d^2} \right) + b \int \frac{\arctan\left(1, \sqrt{cx + 1}\sqrt{cx - 1}\right)}{e^2 x^5 + 2 dex^3 + d^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] `1/2*a*(1/(d*e*x^2 + d^2) - log(e*x^2 + d)/d^2 + 2*log(x)/d^2) + b*integrate(arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))/(e^2*x^5 + 2*d*e*x^3 + d^2*x), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{e^2 x^5 + 2 d e x^3 + d^2 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)/(e^2*x^5 + 2*d*e*x^3 + d^2*x), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x^2 + d)^2*x), x)`

$$\mathbf{3.107} \quad \int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=803

$$\frac{x(a+b \csc^{-1}(cx))}{e^2} - \frac{3\sqrt{-d} \log\left(1 - \frac{ic\sqrt{-de}^{i \csc^{-1}(cx)}}{\sqrt{e-\sqrt{dc^2+e}}}\right)(a+b \csc^{-1}(cx))}{4e^{5/2}} + \frac{3\sqrt{-d} \log\left(\frac{i\sqrt{-de}^{i \csc^{-1}(cx)}c}{\sqrt{e-\sqrt{dc^2+e}}} + 1\right)(a+b \csc^{-1}(cx))}{4e^{5/2}}$$

[Out] $-(d*(a + b*ArcCsc[c*x]))/(4*e^2*(Sqrt[-d]*Sqrt[e] - d/x)) + (d*(a + b*ArcCs c[c*x]))/(4*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) + (x*(a + b*ArcCsc[c*x]))/e^2 + (b*ArcTanh[Sqrt[1 - 1/(c^2*x^2])]/(c*e^2) + (b*Sqrt[d]*ArcTanh[(c^2*d - (Sqr t[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]]))/(4*e^2*Sqr t[c^2*d + e]) + (b*Sqrt[d]*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqr t[d]*Sqr t[c^2*d + e])*Sqr t[1 - 1/(c^2*x^2)]]))/(4*e^2*Sqr t[c^2*d + e]) - (3*Sqr t[-d]*(a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] - Sqr t[c^2*d + e])])/(4*e^(5/2)) + (3*Sqr t[-d]*(a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] - Sqr t[c^2*d + e])])/(4*e^(5/2)) - (3*Sqr t[-d]*(a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] + Sqr t[c^2*d + e])])/(4*e^(5/2)) + (3*Sqr t[-d]*(a + b*ArcCs c[c*x])*Log[1 + (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] + Sqr t[c^2*d + e])])/(4*e^(5/2)) - (((3*I)/4)*b*Sqr t[-d]*PolyLog[2, ((-I)*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] - Sqr t[c^2*d + e])])/(e^(5/2) + (((3*I)/4)*b*Sqr t[-d]*PolyLog[2, (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] - Sqr t[c^2*d + e])])/(e^(5/2) - (((3*I)/4)*b*Sqr t[-d]*PolyLog[2, ((-I)*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] + Sqr t[c^2*d + e])])/(e^(5/2) + (((3*I)/4)*b*Sqr t[-d]*PolyLog[2, (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] + Sqr t[c^2*d + e])])/(e^(5/2))$

Rubi [A] time = 2.40039, antiderivative size = 803, normalized size of antiderivative = 1., number of steps used = 51, number of rules used = 15, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.714, Rules used = {5241, 4733, 4627, 266, 63, 208, 4667, 4743, 725, 206, 4741, 4519, 2190, 2279, 2391}

$$\frac{x(a+b \csc^{-1}(cx))}{e^2} - \frac{3\sqrt{-d} \log\left(1 - \frac{ic\sqrt{-de}^{i \csc^{-1}(cx)}}{\sqrt{e-\sqrt{dc^2+e}}}\right)(a+b \csc^{-1}(cx))}{4e^{5/2}} + \frac{3\sqrt{-d} \log\left(\frac{i\sqrt{-de}^{i \csc^{-1}(cx)}c}{\sqrt{e-\sqrt{dc^2+e}}} + 1\right)(a+b \csc^{-1}(cx))}{4e^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]

[Out] $-(d*(a + b*ArcCsc[c*x]))/(4*e^2*(Sqr t[-d]*Sqr t[e] - d/x)) + (d*(a + b*ArcCs c[c*x]))/(4*e^2*(Sqr t[-d]*Sqr t[e] + d/x)) + (x*(a + b*ArcCsc[c*x]))/e^2 + (b*ArcTanh[Sqr t[1 - 1/(c^2*x^2])]/(c*e^2) + (b*Sqr t[d]*ArcTanh[(c^2*d - (Sqr t[-d]*Sqr t[e])/x)/(c*Sqr t[d]*Sqr t[c^2*d + e])*Sqr t[1 - 1/(c^2*x^2)]]))/(4*e^2*Sqr t[c^2*d + e]) + (b*Sqr t[d]*ArcTanh[(c^2*d + (Sqr t[-d]*Sqr t[e])/x)/(c*Sqr t[d]*Sqr t[c^2*d + e])*Sqr t[1 - 1/(c^2*x^2)]]))/(4*e^2*Sqr t[c^2*d + e]) - (3*Sqr t[-d]*(a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] - Sqr t[c^2*d + e])])/(4*e^(5/2)) + (3*Sqr t[-d]*(a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] - Sqr t[c^2*d + e])])/(4*e^(5/2)) - (3*Sqr t[-d]*(a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] + Sqr t[c^2*d + e])])/(4*e^(5/2)) + (3*Sqr t[-d]*(a + b*ArcCs c[c*x])*Log[1 + (I*c*Sqr t[-d]*E^(I*ArcCsc[c*x]))/(Sqr t[e] + Sqr t[c^2*d + e])])/(4*e^(5/2))$

$$c[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])]/(4*e^(5/2)) - (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e^(5/2) + (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e^(5/2) - (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^(5/2) + (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^(5/2)$$
Rule 5241

$$\text{Int}[(a_.) + \text{ArcCsc}[(c_.)*(x_.)*(b_.)]^n_*((d_.) + (e_.)*(x_.)^2)^p, x_{\text{Symbol}}] :> -\text{Subst}[\text{Int}[(e + d*x^2)^p*(a + b*\text{ArcSin}[x/c])^n]/x^{(m + 2*(p + 1))}, x, 1/x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[m] \&& \text{IntegerQ}[p]$$
Rule 4733

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n_*((f_.)*(x_.)^m_*((d_.) + (e_.)*(x_.)^2)^p, x_{\text{Symbol}}) :> \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[p] \&& \text{IntegerQ}[m]$$
Rule 4627

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n_*((d_.)*(x_.)^m, x_{\text{Symbol}}) :> \text{Simp}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n]/(d*(m + 1)), x] - \text{Dist}[(b*c*n)/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}]/\text{Sqrt}[1 - c^2*x^2], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&& \text{IGtQ}[n, 0] \&& \text{NeQ}[m, -1]$$
Rule 266

$$\text{Int}[(x_.)^m_*((a_) + (b_.)*(x_.)^n)^p, x_{\text{Symbol}}) :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{\text{Simplify}[(m + 1)/n] - 1}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$$
Rule 63

$$\text{Int}[(a_.) + (b_.)*(x_.)^m_*((c_.) + (d_.)*(x_.)^n), x_{\text{Symbol}}) :> \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{NeQ}[b*c - a*d, 0] \&& \text{LtQ}[-1, m, 0] \&& \text{LeQ}[-1, n, 0] \&& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&& \text{IntLinearQ}[a, b, c, d, m, n, x]]$$
Rule 208

$$\text{Int}[(a_.) + (b_.)*(x_.)^2^{-1}, x_{\text{Symbol}}) :> \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&& \text{NegQ}[a/b]$$
Rule 4667

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n_*((d_.) + (e_.)*(x_.)^2)^p, x_{\text{Symbol}}) :> \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IntegerQ}[p] \&& (\text{tQ}[p, 0] \&& \text{IGtQ}[n, 0])$$
Rule 4743

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n_*((d_.) + (e_.)*(x_.)^m), x_{\text{Symbol}}) :> \text{Simp}[(d + e*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n]/(e*(m + 1)), x] -$$

```
Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/((c*d + e*Sin[x])), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.)*(e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*(e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*(c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \csc^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{a + b \sin^{-1}(\frac{x}{c})}{x^2 (e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \sin^{-1}(\frac{x}{c})}{e^2 x^2} - \frac{d(a + b \sin^{-1}(\frac{x}{c}))}{e(e + dx^2)^2} - \frac{d(a + b \sin^{-1}(\frac{x}{c}))}{e^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{x^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{e+dx^2} dx, x, \frac{1}{x} \right)}{e^2} + \frac{d \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{(e+dx^2)} dx, x, \frac{1}{x} \right)}{e} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e^2} - \frac{b \text{Subst} \left(\int \frac{1}{x \sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{ce^2} + \frac{d \text{Subst} \left(\int \left(\frac{a+b \sin^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e}-\sqrt{-dx})} + \frac{a+b \sin^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e}+\sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{e^2} \\
&= \frac{x(a + b \csc^{-1}(cx))}{e^2} + \frac{d \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e^{5/2}} + \frac{d \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{\sqrt{e}+\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2e^{5/2}} \\
&= -\frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x(a + b \csc^{-1}(cx))}{e^2} + \frac{d \text{Subst} \left(\int \frac{(a+bx) \cos(\frac{\sqrt{e}}{c} - \sqrt{-d} \sin(\frac{\sqrt{e}}{c} x))}{\sqrt{e}-\sqrt{-d} \sin(\frac{\sqrt{e}}{c} x))} dx, x, \frac{1}{x} \right)}{2e^5} \\
&= -\frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x(a + b \csc^{-1}(cx))}{e^2} + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} \\
&= -\frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x(a + b \csc^{-1}(cx))}{e^2} + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} \\
&= -\frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x(a + b \csc^{-1}(cx))}{e^2} + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2} \\
&= -\frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x} \right)} + \frac{d(a + b \csc^{-1}(cx))}{4e^2 \left(\sqrt{-d}\sqrt{e} + \frac{d}{x} \right)} + \frac{x(a + b \csc^{-1}(cx))}{e^2} + \frac{b \tanh^{-1} \left(\sqrt{1 - \frac{1}{c^2 x^2}} \right)}{ce^2}
\end{aligned}$$

Mathematica [B] time = 6.15333, size = 1634, normalized size = 2.03

result too large to display

Warning: Unable to verify antiderivative.

[In] $\text{Integrate}[(x^4(a + b \text{ArcCsc}[c*x]))/(d + e*x^2)^2, x]$

[Out]
$$\begin{aligned} & (a*x)/e^2 + (a*d*x)/(2*e^2*(d + e*x^2)) - (3*a*\sqrt{d}*\text{ArcTan}[(\sqrt{e})*x]/\sqrt{d})/(2*e^{(5/2)}) + b*(-(d*(-(\text{ArcCsc}[c*x])/((-I)*\sqrt{d})*\sqrt{e} + e*x)) \\ & + (I*(\text{ArcSin}[1/(c*x)]/\sqrt{e}) - \text{Log}[(2*\sqrt{d})*\sqrt{e}*(\sqrt{e} + c*(-I)*c*\sqrt{d} - \sqrt{-(c^2*d) - e})*\sqrt{1 - 1/(c^2*x^2)}]*x))/(\sqrt{-(c^2*d) - e}*(\sqrt{d} + I*\sqrt{e})*x))/\sqrt{-(c^2*d) - e})/\sqrt{d})/(4*e^2) - (d*(-(\text{ArcCsc}[c*x]/(I*\sqrt{d})*\sqrt{e} + e*x)) - (I*(\text{ArcSin}[1/(c*x)]/\sqrt{e}) - \text{Log}[(2*\sqrt{d})*\sqrt{e}*(-\sqrt{e} + c*(-I)*c*\sqrt{d} + \sqrt{-(c^2*d) - e})*\sqrt{1 - 1/(c^2*x^2)}]*x))/(\sqrt{-(c^2*d) - e}*(\sqrt{d} - I*\sqrt{e})*x))/\sqrt{-(c^2*d) - e})/(4*e^2) + (3*\sqrt{d})*(Pi^2 - 4*Pi*\text{ArcCsc}[c*x] + 8*\text{ArcCsc}[c*x]^2 - 32*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2})*\text{ArcTan}[(((-I)*c*\sqrt{d} + \sqrt{e})*\text{Cot}[(Pi + 2*\text{ArcCsc}[c*x])/4])/(\sqrt{c^2*d + e}]) + (4*I)*Pi*\text{Log}[1 + (\sqrt{e} - \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] - (8*I)*\text{ArcCsc}[c*x]*\text{Log}[1 + (\sqrt{e} - \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + (16*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (\sqrt{e} - \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + (4*I)*Pi*\text{Log}[1 + (\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] - (8*I)*\text{ArcCsc}[c*x]*\text{Log}[1 + (\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] - (16*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})/(c*\sqrt{d})}]/\sqrt{2}]*\text{Log}[1 + (\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + (8*I)*\text{ArcCsc}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] - (4*I)*Pi*\text{Log}[\sqrt{e} + (I*\sqrt{d})/x] + 8*\text{PolyLog}[2, (-\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + 8*\text{PolyLog}[2, -((\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])})] + 4*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]/(32*e^{(5/2)}) - (3*\sqrt{d})*(Pi^2 - 4*Pi*\text{ArcCsc}[c*x] + 8*\text{ArcCsc}[c*x]^2 - 32*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/(\sqrt{c^2*d + e}))/\sqrt{2})*\text{ArcTan}[((I*c*\sqrt{d} + \sqrt{e})*\text{Cot}[(Pi + 2*\text{ArcCsc}[c*x])/4])/(\sqrt{c^2*d + e})] + (4*I)*Pi*\text{Log}[1 + (-\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] - (8*I)*\text{ArcCsc}[c*x]*\text{Log}[1 + (-\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + (16*I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/(\sqrt{d})*\text{Log}[1 + (-\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + (4*I)*Pi*\text{Log}[1 - (\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] - (8*I)*\text{ArcCsc}[c*x]*\text{Log}[1 - (\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] - (16*I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})/(c*\sqrt{d})}]/(\sqrt{2})*\text{Log}[1 - (\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + (8*I)*\text{ArcCsc}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCsc}[c*x])}] - (4*I)*Pi*\text{Log}[\sqrt{e} - (I*\sqrt{d})/x] + 8*\text{PolyLog}[2, (\sqrt{e} - \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + 8*\text{PolyLog}[2, (\sqrt{e} + \sqrt{c^2*d + e})/(c*\sqrt{d})*E^{(I*\text{ArcCsc}[c*x])}] + 4*\text{PolyLog}[2, E^{((2*I)*\text{ArcCsc}[c*x])}]/(32*e^{(5/2)}) + ((\text{ArcCsc}[c*x])*(\text{Cot}[\text{ArcCsc}[c*x]/2])/2 + \text{Log}[\text{Cos}[\text{ArcCsc}[c*x]/2]] - \text{Log}[\text{Sin}[\text{ArcCsc}[c*x]/2]] + (\text{ArcCsc}[c*x])*(\text{Tan}[\text{ArcCsc}[c*x]/2])/2)/(c*e^2)) \end{aligned}$$

Maple [C] time = 10.047, size = 1888, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4(a+b*\text{arccsc}(c*x))/(e*x^2+d)^2, x)$

```
[Out] a*x/e^2+1/2*c^2*a/e^2*d*x/(c^2*e*x^2+c^2*d)-3/2*a/e^2*d/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))+c^2*b*x^3*arccsc(c*x)/e/(c^2*e*x^2+c^2*d)+3/2*c^2*b*x*arccsc(c*x)/e^2/(c^2*e*x^2+c^2*d)*d+1/2/c^2*b*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d^(1/2))/e^2/d+1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d^(1/2))/e^2/d^2*(e*(c^2*d+e))^(1/2)+1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d^(1/2))/e^2/d^2-1/2/c^2*b*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d^(1/2))/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^(1/2)-1/c^2*b*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d^(1/2))/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^(1/2)-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d^(1/2))/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^(1/2)-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d^(1/2))/e^2/d-1/c^4*b*((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2))/e^2/d^2*(e*(c^2*d+e))^(1/2)+1/c^4*b*((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2))/e^2/(c^2*d+e)/d*(e*(c^2*d+e))^(1/2)-1/c^2*b*((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2))/e/(c^2*d+e)/d+1/c^4*b*((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2))/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^(1/2)-1/c^4*b*((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e)))^(1/2)+2*e)*d^(1/2))/e^2*ln(I/c/x+(1-1/c^2/x^2)^(1/2)-1)+1/c*b/e^2*ln(1+I/c/x+(1-1/c^2/x^2)^(1/2))-3/16*c*b/e^3*d*sum(_R1^2*c^2*d-c^2*d-4*e)/_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1), _R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))+3/16*c*b/e^3*d*sum(_R1^2*c^2*d+4*_R1^2*c^2*d-4*e)/_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1), _R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="maxima")
```

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{bx^4 \operatorname{arccsc}(cx) + ax^4}{e^2 x^4 + 2 d e x^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*x^4*arccsc(c*x) + a*x^4)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*acsc(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^4}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^4/(e*x^2 + d)^2, x)`

3.108 $\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$

Optimal. Leaf size=765

$$\frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4\sqrt{-de^{3/2}}} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4\sqrt{-de^{3/2}}} - \frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4\sqrt{-de^{3/2}}} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4\sqrt{-de^{3/2}}}$$

[Out] $(a + b*\text{ArcCsc}[c*x])/(4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) - (a + b*\text{ArcCsc}[c*x])/(4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) - (b*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])*(\text{Sqrt}[1 - 1/(c^2*x^2)])])/(4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]) - (b*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])*\text{Sqrt}[1 - 1/(c^2*x^2)])])/(4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]) - ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) + ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) - ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) + ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) - ((I/4)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)}) + ((I/4)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)}) - ((I/4)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)}) - ((I/4)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)}) + ((I/4)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)})]$

Rubi [A] time = 1.25474, antiderivative size = 765, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.476, Rules used = {5241, 4667, 4743, 725, 206, 4741, 4519, 2190, 2279, 2391}

$$\frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4\sqrt{-de^{3/2}}} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{e-\sqrt{c^2d+e}}}\right)}{4\sqrt{-de^{3/2}}} - \frac{ib\text{PolyLog}\left(2, -\frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4\sqrt{-de^{3/2}}} + \frac{ib\text{PolyLog}\left(2, \frac{ic\sqrt{-de^i \csc^{-1}(cx)}}{\sqrt{c^2d+e+\sqrt{e}}}\right)}{4\sqrt{-de^{3/2}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^2, x]$

[Out] $(a + b*\text{ArcCsc}[c*x])/(4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) - (a + b*\text{ArcCsc}[c*x])/(4*e*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) - (b*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])*(\text{Sqrt}[1 - 1/(c^2*x^2)])])/(4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]) - (b*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])*\text{Sqrt}[1 - 1/(c^2*x^2)])])/(4*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e]) - ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) + ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) - ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) + ((a + b*\text{ArcCsc}[c*x])*(\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(4*\text{Sqrt}[-d]*e^{(3/2)}) - ((I/4)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)}) + ((I/4)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)}) - ((I/4)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)}) + ((I/4)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(\text{Sqrt}[-d]*e^{(3/2)})$

$$\frac{((I/4)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2))}{(Sqrt[e] - Sqrt[c^2*d + e])/(Sqrt[-d]*e^(3/2))}$$
Rule 5241

$$\text{Int}[((a_.) + \text{ArcCsc}[(c_.)*(x_.)*(b_.)])^{(n_.)*(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_{\text{Symbol}}] \rightarrow -\text{Subst}[\text{Int}[((e + d*x^2)^p*(a + b*\text{ArcSin}[x/c])^n)/x^{(m + 2*(p + 1))}, x], x, 1/x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[m] \&& \text{IntegerQ}[p]$$
Rule 4667

$$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)])^{(n_.)*((d_) + (e_.)*(x_.)^2)^{(p_.)}}, x_{\text{Symbol}}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IntegerQ}[p] \&& (\text{tQ}[p, 0] \mid\mid \text{IGtQ}[n, 0])$$
Rule 4743

$$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)])^{(n_.)*((d_) + (e_.)*(x_.)^2)^{(m_.)}}, x_{\text{Symbol}}] \rightarrow \text{Simp}[((d + e*x)^(m + 1)*(a + b*\text{ArcSin}[c*x])^n)/(e*(m + 1)), x] - \text{Dist}[(b*c*n)/(e*(m + 1)), \text{Int}[((d + e*x)^(m + 1)*(a + b*\text{ArcSin}[c*x])^{(n - 1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}[\{a, b, c, d, e, m\}, x] \&& \text{IGtQ}[n, 0] \&& \text{NeQ}[m, -1]$$
Rule 725

$$\text{Int}[1/(((d_.) + (e_.)*(x_))*\text{Sqrt}[(a_.) + (c_.)*(x_.)^2]), x_{\text{Symbol}}] \rightarrow -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]] /; \text{FreeQ}[\{a, c, d, e\}, x]$$
Rule 206

$$\text{Int}[((a_.) + (b_.)*(x_.)^2)^{(-1)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&& \text{NegQ}[a/b] \&& (\text{GtQ}[a, 0] \mid\mid \text{LtQ}[b, 0])$$
Rule 4741

$$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)])^{(n_.)/((d_) + (e_.)*(x_))}, x_{\text{Symbol}}] \rightarrow \text{Subst}[\text{Int}[((a + b*x)^n*\text{Cos}[x])/((c*d + e*\text{Sin}[x]), x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&& \text{IGtQ}[n, 0]$$
Rule 4519

$$\text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.)^m))/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (\text{Int}[((e + f*x)^m*E^(I*(c + d*x)))/(a - \text{Rt}[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + \text{Int}[((e + f*x)^m*E^(I*(c + d*x)))/(a + \text{Rt}[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{IGtQ}[m, 0] \&& \text{PosQ}[a^2 - b^2]$$
Rule 2190

$$\text{Int}[(((F_.)^((g_.)*(e_.) + (f_.)*(x_))))^{(n_.)*((c_.) + (d_.)*(x_.)^m)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[((c + d*x)^m*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*\text{Log}[F]), x) - \text{Di}$$

```
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*(F_)^((e_.)*(c_.) + (d_)*(x_)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_) + (e_)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \csc^{-1}(cx))}{(d + ex^2)^2} dx &= -\text{Subst}\left(\int \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{(e + dx^2)^2} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(-\frac{d(a + b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e} - dx)^2} - \frac{d(a + b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e} + dx)^2} - \frac{d(a + b \sin^{-1}\left(\frac{x}{c}\right))}{2e(-de - d^2x^2)}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{d \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}-dx)^2} dx, x, \frac{1}{x}\right)}{4e} + \frac{d \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}+dx)^2} dx, x, \frac{1}{x}\right)}{4e} + \frac{d \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{-de-d^2x^2} dx, x, \frac{1}{x}\right)}{2e} \\
&= \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} - \frac{b \text{Subst}\left(\int \frac{1}{(\sqrt{-d}\sqrt{e}-dx)\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{4ce} + \frac{b \text{Subst}\left(\int \frac{1}{(\sqrt{-d}\sqrt{e}+dx)\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x}\right)}{4ce} \\
&= \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} - \frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x}\right)}{4e^{3/2}} - \frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}+\sqrt{-dx}} dx, x, \frac{1}{x}\right)}{4e^{3/2}} \\
&= \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} - \frac{b \tanh^{-1}\left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}} - \frac{b \tanh^{-1}\left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}} \\
&= \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} - \frac{b \tanh^{-1}\left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}} - \frac{b \tanh^{-1}\left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}} \\
&= \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} - \frac{b \tanh^{-1}\left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}} - \frac{b \tanh^{-1}\left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}} \\
&= \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{4e\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} - \frac{b \tanh^{-1}\left(\frac{c^2d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}} - \frac{b \tanh^{-1}\left(\frac{c^2d + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4\sqrt{de}\sqrt{c^2d+e}}
\end{aligned}$$

Mathematica [A] time = 2.33828, size = 1482, normalized size = 1.94

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]

```
[Out] ((-4*a*Sqrt[e]*x)/(d + e*x^2) + (4*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[d] +
b*((2*ArcCsc[c*x])/I*Sqrt[d] - Sqrt[e]*x) - (2*ArcCsc[c*x])/I*Sqrt[d] +
Sqrt[e]*x) + (8*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*ArcTan[((-
I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]]/Sqr
rt[d] - (8*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*ArcTan[((I*c*S
qrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]]/Sqrt[d] -
(I*Pi*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]])/S
qrt[d] + ((2*I)*ArcCsc[c*x]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] - ((4*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]]/Sqr
t[2])*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqr
t[d] + (I*Pi*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqr
t[d] - ((2*I)*ArcCsc[c*x]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] + ((4*I)*ArcSin[Sqrt[1 + (I*Sqr
t[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqr
t[d] + (I*Pi*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqr
t[d] - ((2*I)*ArcCsc[c*x]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqr
t[d] + ((4*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 - (Sqrt[e] + Sqrt[c^2
*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] - (I*Pi*Log[1 + (Sqrt[e] +
Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] + ((2*I)*ArcCsc[c*x]*Log[1 + (Sqr
t[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] - ((4*I)*Ar
cSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]]/Sqrt[2])*Log[1 - (Sqrt[e] + Sqrt[c^2
*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] - (I*Pi*Log[1 - (Sqr
t[e] - (I*Sqrt[d])/x)]/Sqrt[d] + (I*Pi*Log[Sqrt[e] + (I*Sqrt[d])/x])/Sqr
t[d] - ((2*I)*Sqrt[e]*Log[(2*Sqrt[d])*Sqrt[e]*(Sqrt[e] + c*(-I)*c*Sqr
t[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x])/(Sqrt[-(c^2*d) - e]*(Sqr
t[d] + I*Sqrt[e]*x))/((Sqrt[d])*Sqrt[-(c^2*d) - e]) + ((2*I)*Sqrt[e]*Log[(2*S
qrt[d])*Sqrt[e]*(-Sqrt[e] + c*(-I)*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqr
t[1 - 1/(c^2*x^2)])*x))/((Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[e]*x))/((Sqr
t[d])*Sqr
t[-(c^2*d) - e]) + (2*PolyLog[2, (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqr
t[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] - (2*PolyLog[2, (-Sqrt[e] + Sqrt[c^2*d + e])/(c
*Sqr
t[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] - (2*PolyLog[2, -(Sqrt[e] + Sqrt[c^2
*d + e])/(c*Sqr
t[d])*E^(I*ArcCsc[c*x])])/Sqrt[d] + (2*PolyLog[2, (Sqrt[e] + Sqr
t[c^2*d + e])/(c*Sqr
t[d])*E^(I*ArcCsc[c*x])])/Sqrt[d]))/(8*e^(3/2))
```

Maple [C] time = 1.572, size = 1722, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^2,x)`

```
[Out] -1/2*c^2*a/e*x/(c^2*e*x^2+c^2*d)+1/2*a/e/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))
)-1/2*c^2*b*arccsc(c*x)/e*x/(c^2*e*x^2+c^2*d)-1/2/c^2*b*(-(c^2*d-2*(e*(c^2*
d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2
*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e/d^2-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e/d^3*(e*(c^2*d+e))^(1/2)-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e/d^2*(e*(c^2*d+e))^(1/2)+1/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e/(c^2*d+e)/d^2*(e*(c^2*d+e))^(1/2)+1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e/(c^2*d+e)/d^2+1/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/e/(c^2*d+e)/d
```

$$\begin{aligned}
& \sim 3*(e*(c^2*d+e))^{(1/2)} + 1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)} \\
& * \arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^{(1/2)}-2*e) \\
& *d)^{(1/2)}*e/(c^2*d+e)/d^3-1/2/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)} \\
& * \arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)} \\
& +2*e)*d)^{(1/2)}/e/d^2+1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/d^3*(e*(c^2*d+e))^{(1/2)}-1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/d^2-1/2/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+1/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)} \\
& * \arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+1/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)} \\
& * \arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/(c^2*d+e)/d^2-1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+1/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)} \\
& * \arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/(c^2*d+e)/d^2*(e*(c^2*d+e))^{(1/2)}+1/c^2*b*((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)} \\
& * \arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}*a \\
& rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^{(1/2)}+2*e)*d)^{(1/2)}) \\
& /e/(c^2*d+e)/d^2-1/4*c*b/e*sum(1/_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/(_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/(_R1)),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))-1/4*c*b/e*sum(_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/(_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/(_R1)),_R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \operatorname{arccsc}(cx) + ax^2}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*x^2*arccsc(c*x) + a*x^2)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^2}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2/(e*x^2 + d)^2, x)`

$$3.109 \quad \int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=759

$$\frac{ib\text{PolyLog}\left(2,-\frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}}-\frac{ib\text{PolyLog}\left(2,\frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}}+\frac{ib\text{PolyLog}\left(2,-\frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{3/2}\sqrt{e}}-\frac{ib\text{PolyLog}\left(2,\frac{ic\sqrt{-d}e^{i \csc^{-1}(cx)}}{\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}}$$

```
[Out] -(a + b*ArcCsc[c*x])/((4*d*(Sqrt[-d]*Sqrt[e] - d/x)) + (a + b*ArcCsc[c*x])/((4*d*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(4*d^(3/2)*Sqrt[c^2*d + e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(4*d^(3/2)*Sqrt[c^2*d + e]) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/((-d)^(3/2)*Sqrt[e]) - ((I/4)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/((-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/((-d)^(3/2)*Sqrt[e]) - ((I/4)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/((-d)^(3/2)*Sqrt[e])
```

Rubi [A] time = 2.28816, antiderivative size = 759, normalized size of antiderivative = 1., number of steps used = 47, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.611, Rules used = {5231, 4733, 4667, 4743, 725, 206, 4741, 4519, 2190, 2279, 2391}

$$\frac{ib\text{PolyLog}\left(2,-\frac{ic\sqrt{-de^i} \csc^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}}-\frac{ib\text{PolyLog}\left(2,\frac{ic\sqrt{-de^i} \csc^{-1}(cx)}{\sqrt{e}-\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}}+\frac{ib\text{PolyLog}\left(2,-\frac{ic\sqrt{-de^i} \csc^{-1}(cx)}{\sqrt{c^2d+e}+\sqrt{e}}\right)}{4(-d)^{3/2}\sqrt{e}}-\frac{ib\text{PolyLog}\left(2,\frac{ic\sqrt{-de^i}}{\sqrt{c^2d+e}}\right)}{4(-d)^{3/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cdot \text{ArcCsc}[c \cdot x])/(d + e \cdot x^2)^2, x]$

```
[Out] - (a + b*ArcCsc[c*x])/ (4*d*(Sqrt[-d]*Sqrt[e] - d/x)) + (a + b*ArcCsc[c*x])/ (4*d*(Sqrt[-d]*Sqrt[e] + d/x)) + (b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/ (4*d^(3/2)*Sqrt[c^2*d + e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/ (4*d^(3/2)*Sqrt[c^2*d + e]) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/ (4*(-d)^(3/2)*Sqrt[e]) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/ (4*(-d)^(3/2)*Sqrt[e]) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] + Sqrt[c^2*d + e]))/ (4*(-d)^(3/2)*Sqrt[e]) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] + Sqrt[c^2*d + e]))/ (4*(-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/((-d)^(3/2)*Sqrt[e]) - ((I/4)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/((-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/((-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))]/(Sqrt[e] - Sqrt[c^2*d + e]))/((-d)^(3/2)*Sqrt[e])
```

$$y \operatorname{Log}[2, ((-I)*c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcCsc}[c*x])}/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e]))]/((-d)^{(3/2)}*\operatorname{Sqrt}[e]) - ((I/4)*b*\operatorname{PolyLog}[2, (I*c*\operatorname{Sqrt}[-d]*E^{(I*\operatorname{ArcCsc}[c*x])})/(\operatorname{Sqrt}[e] + \operatorname{Sqrt}[c^2*d + e])])/((-d)^{(3/2)}*\operatorname{Sqrt}[e])]$$
Rule 5231

$$\operatorname{Int}[((a_.) + \operatorname{ArcCsc}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_{\text{Symbol}}] :> -\operatorname{Subst}[\operatorname{Int}[((e + d*x^2)^p*(a + b*\operatorname{ArcSin}[x/c])^n)/x^{(2*(p + 1))}, x], x, 1/x]; \operatorname{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \operatorname{IGtQ}[n, 0] \&& \operatorname{IntegerQ}[p]$$
Rule 4733

$$\operatorname{Int}[((a_.) + \operatorname{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_)^m)*(d_.) + (e_.)*(x_)^2)^{(p_.)}, x_{\text{Symbol}}] :> \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*\operatorname{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x]; \operatorname{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \operatorname{NeQ}[c^2*d + e, 0] \&& \operatorname{IGtQ}[n, 0] \&& \operatorname{IntegerQ}[p] \&& \operatorname{IntegerQ}[m]$$
Rule 4667

$$\operatorname{Int}[((a_.) + \operatorname{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_{\text{Symbol}}] :> \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*\operatorname{ArcSin}[c*x])^n, (d + e*x^2)^p, x], x]; \operatorname{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \operatorname{NeQ}[c^2*d + e, 0] \&& \operatorname{IntegerQ}[p] \&& (\operatorname{GtQ}[p, 0] \&& \operatorname{IGtQ}[n, 0])$$
Rule 4743

$$\operatorname{Int}[((a_.) + \operatorname{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_)^m)^{(p_.)}, x_{\text{Symbol}}] :> \operatorname{Simp}[((d + e*x)^{m+1}*(a + b*\operatorname{ArcSin}[c*x])^n)/(e*(m+1)), x] - \operatorname{Dist}[(b*c*n)/(e*(m+1)), \operatorname{Int}[((d + e*x)^{m+1}*(a + b*\operatorname{ArcSin}[c*x])^{n-1})/\operatorname{Sqrt}[1 - c^2*x^2], x], x]; \operatorname{FreeQ}[\{a, b, c, d, e, m\}, x] \&& \operatorname{IGtQ}[n, 0] \&& \operatorname{NeQ}[m, -1]$$
Rule 725

$$\operatorname{Int}[1/((d_.) + (e_.)*(x_))*\operatorname{Sqrt}[(a_.) + (c_.)*(x_)^2], x_{\text{Symbol}}] :> -\operatorname{Subst}[\operatorname{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\operatorname{Sqrt}[a + c*x^2]]; \operatorname{FreeQ}[\{a, c, d, e\}, x]$$
Rule 206

$$\operatorname{Int}[((a_.) + (b_.)*(x_)^2)^{-1}, x_{\text{Symbol}}] :> \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x]; \operatorname{FreeQ}[\{a, b\}, x] \&& \operatorname{NegQ}[a/b] \&& (\operatorname{GtQ}[a, 0] \&& \operatorname{LtQ}[b, 0])$$
Rule 4741

$$\operatorname{Int}[((a_.) + \operatorname{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}/((d_.) + (e_.)*(x_)), x_{\text{Symbol}}] :> \operatorname{Subst}[\operatorname{Int}[((a + b*x)^n*\operatorname{Cos}[x])/(c*d + e*\operatorname{Sin}[x]), x], x, \operatorname{ArcSin}[c*x]] /; \operatorname{FreeQ}[\{a, b, c, d, e\}, x] \&& \operatorname{IGtQ}[n, 0]$$
Rule 4519

$$\operatorname{Int}[(\operatorname{Cos}[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^m)/((a_.) + (b_.)*\operatorname{Sin}[(c_.) + (d_.)*(x_)]), x_{\text{Symbol}}] :> -\operatorname{Simp}[(I*(e + f*x)^{m+1})/(b*f*(m+1)), x] + (\operatorname{Int}[((e + f*x)^m*E^{(I*(c + d*x))})/(a - \operatorname{Rt}[a^2 - b^2, 2] - I*b*E^{(I*(c + d*x))}), x] + \operatorname{Int}[((e + f*x)^m*E^{(I*(c + d*x))})/(a + \operatorname{Rt}[a^2 - b^2, 2] - I*b*E^{(I*(c + d*x))}), x]); \operatorname{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \operatorname{IGtQ}[m, 0] \&& \operatorname{PosQ}[a^2 - b^2]$$

Rule 2190

```
Int[((F_)((g_.)*(e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)((g_.)*(e_.) + (f_.)*(x_.)))^(n_.))), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)((e_.)*(c_.) + (d_.)*(x_.)))^(n_.))], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*(d_.) + (e_.)*(x_.)^n]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^2} dx &= -\text{Subst}\left(\int \frac{x^2(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^2} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(-\frac{e(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d(e+dx^2)^2} + \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{d(e+dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{e+dx^2} dx, x, \frac{1}{x}\right)}{d} + \frac{e \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(e+dx^2)^2} dx, x, \frac{1}{x}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}-\sqrt{-dx})} + \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}+\sqrt{-dx})}\right) dx, x, \frac{1}{x}\right)}{d} + \frac{e \text{Subst}\left(\int \left(-\frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}-dx)^2} - \frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}+dx)^2}\right) dx, x, \frac{1}{x}\right)}{d} \\
&= -\left(\frac{1}{4} \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}-dx)^2} dx, x, \frac{1}{x}\right)\right) - \frac{1}{4} \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}+dx)^2} dx, x, \frac{1}{x}\right) - \frac{1}{2} \text{Subst}\left(\int \frac{a+b \csc^{-1}(cx)}{(\sqrt{-d}\sqrt{e}-\frac{d}{x})^2} dx, x, \frac{1}{x}\right) + \frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}-\frac{d}{x})} - \frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}+\frac{d}{x})} - \frac{1}{2} \text{Subst}\left(\int \left(-\frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2d\sqrt{e}(\sqrt{e}-\sqrt{-dx})} - \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2d\sqrt{e}(\sqrt{e}+\sqrt{-dx})}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}-\frac{d}{x})} + \frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}+\frac{d}{x})} - \frac{b \text{Subst}\left(\int \frac{1}{d^2+\frac{de}{c^2}-x^2} dx, x, \frac{-d+\frac{\sqrt{-d}\sqrt{e}}{c^2x}}{\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4cd} + \frac{b \text{Subst}\left(\int \frac{1}{d^2+\frac{de}{c^2}+x^2} dx, x, \frac{-d-\frac{\sqrt{-d}\sqrt{e}}{c^2x}}{\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4cd} \\
&= -\frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}-\frac{d}{x})} + \frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}+\frac{d}{x})} + \frac{b \tanh^{-1}\left(\frac{c^2d-\frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} + \frac{b \tanh^{-1}\left(\frac{c^2d+\frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} \\
&= -\frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}-\frac{d}{x})} + \frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}+\frac{d}{x})} + \frac{b \tanh^{-1}\left(\frac{c^2d-\frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} + \frac{b \tanh^{-1}\left(\frac{c^2d+\frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} \\
&= -\frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}-\frac{d}{x})} + \frac{a+b \csc^{-1}(cx)}{4d(\sqrt{-d}\sqrt{e}+\frac{d}{x})} + \frac{b \tanh^{-1}\left(\frac{c^2d-\frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}} + \frac{b \tanh^{-1}\left(\frac{c^2d+\frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{c^2d+e}\sqrt{1-\frac{1}{c^2x^2}}}\right)}{4d^{3/2}\sqrt{c^2d+e}}
\end{aligned}$$

Mathematica [A] time = 2.55897, size = 1477, normalized size = 1.95

result too large to display

Warning: Unable to verify antiderivative.

[In] $\text{Integrate}[(a + b \text{ArcCsc}[c*x])/(d + e*x^2)^2, x]$

[Out]
$$\begin{aligned} & ((a*x)/(d^2 + d*e*x^2) + (a*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(d^{(3/2)}*\text{Sqrt}[e])) \\ & + (b*((2*\text{Sqrt}[d]*\text{ArcCsc}[c*x])/((-I)*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x) + (2*\text{Sqrt}[d]*\text{ArcCsc}[c*x])/(\text{I}*\text{Sqrt}[d]*\text{Sqrt}[e] + e*x) + (8*\text{ArcSin}[\text{Sqrt}[1 - (\text{I}*\text{Sqrt}[e])/(c*\text{Sqr}t[d])]/\text{Sqrt}[2]]*\text{ArcTan}[(((\text{-I})*c*\text{Sqrt}[d] + \text{Sqrt}[e])*(\text{Cot}[(\text{Pi} + 2*\text{ArcCsc}[c*x])/4])/\text{Sqrt}[c^2*d + e]])/\text{Sqrt}[e] - (8*\text{ArcSin}[\text{Sqrt}[1 + (\text{I}*\text{Sqrt}[e])/(c*\text{Sqr}t[d])]/\text{Sqrt}[2]]*\text{ArcTan}[((\text{I})*c*\text{Sqrt}[d] + \text{Sqrt}[e])*(\text{Cot}[(\text{Pi} + 2*\text{ArcCsc}[c*x])/4])/\text{Sqr}t[c^2*d + e]])/\text{Sqrt}[e] - (\text{I}*\text{Pi}*\text{Log}[1 + (\text{Sqrt}[e] - \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqrt}[e] + ((2*\text{I})*\text{ArcCsc}[c*x]*\text{Log}[1 + (\text{Sqrt}[e] - \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqrt}[e] - ((4*\text{I})*\text{ArcSin}[\text{Sqr}t[1 - (\text{I}*\text{Sqr}t[e])/(c*\text{Sqr}t[d])]/\text{Sqr}t[2]]*\text{Log}[1 + (\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqr}t[e] + (\text{I}*\text{Pi}*\text{Log}[1 + (-\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqr}t[e] - ((2*\text{I})*\text{ArcCsc}[c*x]*\text{Log}[1 + (-\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqr}t[e] + ((4*\text{I})*\text{ArcSin}[\text{Sqr}t[1 + (\text{I}*\text{Sqr}t[e])/(c*\text{Sqr}t[d])]/\text{Sqr}t[2]]*\text{Log}[1 + (-\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqr}t[e] + (\text{I}*\text{Pi}*\text{Log}[1 - (\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqr}t[e] - ((2*\text{I})*\text{ArcCsc}[c*x]*\text{Log}[1 - (\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqr}t[e] + ((4*\text{I})*\text{ArcSin}[\text{Sqr}t[1 + (\text{I}*\text{Sqr}t[e])/(c*\text{Sqr}t[d])]/\text{Sqr}t[2]]*\text{Log}[1 + (-\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})])/\text{Sqr}t[e] + (\text{I}*\text{Pi}*\text{Log}[\text{Sqr}t[e] - (\text{I}*\text{Sqr}t[d])/x])/\text{Sqr}t[e] + (\text{I}*\text{Pi}*\text{Log}[\text{Sqr}t[e] + (\text{I}*\text{Sqr}t[d])/x])/\text{Sqr}t[e] + ((2*\text{I})*\text{Log}[(2*\text{Sqr}t[d]*\text{Sqr}t[e]*(\text{Sqr}t[e] + c*(-\text{I})*c*\text{Sqr}t[d] - \text{Sqr}t[-(c^2*d) - e]*\text{Sqr}t[1 - 1/(c^2*x^2)])*x])/\text{Sqr}t[-(c^2*d) - e]*(\text{Sqr}t[d] + \text{I}*\text{Sqr}t[e]*x))]/\text{Sqr}t[-(c^2*d) - e] - ((2*\text{I})*\text{Log}[(2*\text{Sqr}t[d]*\text{Sqr}t[e]*(-\text{Sqr}t[e] + c*(-\text{I})*c*\text{Sqr}t[d] + \text{Sqr}t[-(c^2*d) - e]*\text{Sqr}t[1 - 1/(c^2*x^2)])*x])/\text{Sqr}t[-(c^2*d) - e]*(\text{Sqr}t[d] - \text{I}*\text{Sqr}t[e]*x))]/\text{Sqr}t[-(c^2*d) - e] + (2*\text{PolyLog}[2, (\text{Sqr}t[e] - \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})]/\text{Sqr}t[e] - (2*\text{PolyLog}[2, (-\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})]/\text{Sqr}t[e] - (2*\text{PolyLog}[2, -(\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})]/\text{Sqr}t[e] + (2*\text{PolyLog}[2, (\text{Sqr}t[e] + \text{Sqr}t[c^2*d + e])/(c*\text{Sqr}t[d]*\text{E}^{(\text{I}*\text{ArcCsc}[c*x])})]/\text{Sqr}t[e]))/(4*d^{(3/2)})/2 \end{aligned}$$

Maple [C] time = 1.395, size = 1716, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arccsc}(c*x))/(e*x^2+d)^2, x)$

[Out]
$$\begin{aligned} & 1/2*c^2*a*x/d/(c^2*e*x^2+c^2*d)+1/2*a/d/(d*e)^{(1/2)}*\text{arctan}(e*x/(d*e)^{(1/2)}) \\ & +1/2*c^2*b*\text{arccsc}(c*x)*x/d/(c^2*e*x^2+c^2*d)-1/4*c*b/d*\text{sum}(1/_R1/(_R1^2*c^2 \\ & *d-c^2*d-2*e)*(I*\text{arccsc}(c*x)*\ln((_R1-I/c/x-(1-1/c^2*x^2)^{(1/2)})/_R1)+\text{dilog}((_R1-I/c/x-(1-1/c^2*x^2)^{(1/2)})/_R1), _R1=\text{RootOf}(c^2*d*_Z^4+(-2*c^2*d-4*e)* \\ & _Z^2+c^2*d))-1/4*c*b/d*\text{sum}(_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*\text{arccsc}(c*x)*\ln((_ \end{aligned}$$

```
R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1), _R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d)+1/2/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/d^3+1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/d^4*(e*(c^2*d+e))^(1/2)+1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/d^4*c-1/2/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/((c^2*d+e)/d^3*(e*(c^2*d+e))^(1/2)-1/c^2*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))*e/(c^2*d+e)/d^3-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/d^4/(c^2*d+e)*(e*(c^2*d+e))^(1/2)*e-1/c^4*b*(-(c^2*d-2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e))^(1/2)-2*e)*d)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/d^3-1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/d^4*(e*(c^2*d+e))^(1/2)+1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/d^3*(e*(c^2*d+e))^(1/2)-1/c^2*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))*e/(c^2*d+e)/d^3+1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/d^4/(c^2*d+e)*(e*(c^2*d+e))^(1/2)*e-1/c^4*b*((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)*arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2))/d^4/(c^2*d+e)*e^2
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x^2 + d)^2, x)`

3.110 $\int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex^2)^2} dx$

Optimal. Leaf size=806

$$\begin{aligned} & -\frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{e(a + b \csc^{-1}(cx))}{4d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{e(a + b \csc^{-1}(cx))}{4d^2 \left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} - \frac{be \tanh^{-1} \left(\frac{c^2 d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{dc^2+e}\sqrt{1-\frac{1}{c^2 x^2}}} \right)}{4d^{5/2}\sqrt{dc^2+e}} - \frac{be \tanh^{-1} \left(\frac{dc^2 + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{dc^2+e}} \right)}{4d^{5/2}\sqrt{dc^2+e}} \\ [0\text{ut}] & -((b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/d^2) - a/(d^2*x) - (b*\text{ArcCsc}[c*x])/(d^2*x) + \\ & (e*(a + b*\text{ArcCsc}[c*x]))/(4*d^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) - (e*(a + b*\text{ArcCsc}[c*x]))/(4*d^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) - (\text{b}*e*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])]*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*d^(5/2)*\text{Sqrt}[c^2*d + e]) - (\text{b}*e*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])]*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*d^(5/2)*\text{Sqrt}[c^2*d + e]) + (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2)) - (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2)) + (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2)) - (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2)) + (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(-d)^(5/2) - (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(-d)^(5/2) + (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(-d)^(5/2) - (((3*I)/4)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(-d)^(5/2)$$

Rubi [A] time = 2.36407, antiderivative size = 806, normalized size of antiderivative = 1., number of steps used = 50, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.619, Rules used = {5241, 4733, 4619, 261, 4667, 4743, 725, 206, 4741, 4519, 2190, 2279, 2391}

$$\begin{aligned} & -\frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{e(a + b \csc^{-1}(cx))}{4d^2 \left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{e(a + b \csc^{-1}(cx))}{4d^2 \left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} - \frac{be \tanh^{-1} \left(\frac{c^2 d - \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{dc^2+e}\sqrt{1-\frac{1}{c^2 x^2}}} \right)}{4d^{5/2}\sqrt{dc^2+e}} - \frac{be \tanh^{-1} \left(\frac{dc^2 + \frac{\sqrt{-d}\sqrt{e}}{x}}{c\sqrt{d}\sqrt{dc^2+e}} \right)}{4d^{5/2}\sqrt{dc^2+e}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(x^2*(d + e*x^2)^2), x]$

$$\begin{aligned} [0\text{ut}] & -((b*c*\text{Sqrt}[1 - 1/(c^2*x^2)])/d^2) - a/(d^2*x) - (b*\text{ArcCsc}[c*x])/(d^2*x) + \\ & (e*(a + b*\text{ArcCsc}[c*x]))/(4*d^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] - d/x)) - (e*(a + b*\text{ArcCsc}[c*x]))/(4*d^2*(\text{Sqrt}[-d]*\text{Sqrt}[e] + d/x)) - (\text{b}*e*\text{ArcTanh}[(c^2*d - (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])]*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*d^(5/2)*\text{Sqrt}[c^2*d + e]) - (\text{b}*e*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])]*\text{Sqrt}[1 - 1/(c^2*x^2)])/(4*d^(5/2)*\text{Sqrt}[c^2*d + e]) + (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2)) - (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2)) + (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2)) - (3*\text{Sqrt}[e]*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (\text{I}*\text{c}*\text{Sqrt}[-d]*\text{E}^(\text{I}*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/(4*(-d)^(5/2))$$

$$\begin{aligned} & c[c*x]*\log[1 + (I*c*\sqrt{-d})*E^{(I*\text{ArcCsc}[c*x])}/(\sqrt{e} + \sqrt{c^2*d + e})]/(4*(-d)^{(5/2)} + ((3*I)/4)*b*\sqrt{e}*\text{PolyLog}[2, ((-I)*c*\sqrt{-d})*E^{(I*\text{ArcCsc}[c*x])}/(\sqrt{e} - \sqrt{c^2*d + e})])/(-d)^{(5/2)} - ((3*I)/4)*b*\sqrt{e}*\text{PolyLog}[2, (I*c*\sqrt{-d})*E^{(I*\text{ArcCsc}[c*x])}/(\sqrt{e} - \sqrt{c^2*d + e})]/(-d)^{(5/2)} + ((3*I)/4)*b*\sqrt{e}*\text{PolyLog}[2, ((-I)*c*\sqrt{-d})*E^{(I*\text{ArcCsc}[c*x])}/(\sqrt{e} + \sqrt{c^2*d + e})])/(-d)^{(5/2)} - ((3*I)/4)*b*\sqrt{e}*\text{PolyLog}[2, (I*c*\sqrt{-d})*E^{(I*\text{ArcCsc}[c*x])}/(\sqrt{e} + \sqrt{c^2*d + e})])/(-d)^{(5/2)} \end{aligned}$$
Rule 5241

$$\text{Int}[(a_.) + \text{ArcCsc}[(c_.)*(x_.)*(b_.)]^n*(x_.)^m*(d_.) + (e_.)*(x_.)^2)^p, x_{\text{Symbol}}] \rightarrow -\text{Subst}[\text{Int}[(e + d*x^2)^p*(a + b*\text{ArcSin}[x/c])^n]/x^{(m + 2*(p + 1))}, x], x, 1/x]; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[m] \&& \text{IntegerQ}[p]$$
Rule 4733

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n*((f_.)*(x_.))^m*(d_.) + (e_.)*(x_.)^2)^p, x_{\text{Symbol}}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p], x]; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[p] \&& \text{IntegerQ}[m]$$
Rule 4619

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n, x_{\text{Symbol}}] \rightarrow \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{n-1})/\sqrt{1 - c^2*x^2}], x]; \text{FreeQ}[\{a, b, c\}, x] \&& \text{GtQ}[n, 0]$$
Rule 261

$$\text{Int}[(x_.)^m*(a_.) + (b_.)*(x_.)^n]^p, x_{\text{Symbol}}] \rightarrow \text{Simp}[(a + b*x^n)^{(p+1)/(b*n*(p+1))}, x]; \text{FreeQ}[\{a, b, m, n, p\}, x] \&& \text{EqQ}[m, n-1] \&& \text{NeQ}[p, -1]$$
Rule 4667

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n*((d_.) + (e_.)*(x_.)^2)^p, x_{\text{Symbol}}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p], x]; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IntegerQ}[p] \&& (\text{GtQ}[p, 0] \&& \text{IGtQ}[n, 0])$$
Rule 4743

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)*(b_.)]^n*((d_.) + (e_.)*(x_.))^m, x_{\text{Symbol}}] \rightarrow \text{Simp}[(d + e*x)^{(m+1)*(a + b*\text{ArcSin}[c*x])^n}/(e*(m+1)), x] - \text{Dist}[(b*c*n)/(e*(m+1)), \text{Int}[(d + e*x)^{(m+1)*(a + b*\text{ArcSin}[c*x])^{n-1}}/\sqrt{1 - c^2*x^2}], x]; \text{FreeQ}[\{a, b, c, d, e, m\}, x] \&& \text{IGtQ}[n, 0] \&& \text{NeQ}[m, -1]$$
Rule 725

$$\text{Int}[1/(((d_.) + (e_.)*(x_.))*\sqrt{(a_.) + (c_.)*(x_.)^2}), x_{\text{Symbol}}] \rightarrow -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\sqrt{a + c*x^2}]; \text{FreeQ}[\{a, c, d, e\}, x]$$
Rule 206

$$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(Rt[-b, 2]*x)/$$

```
Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.)^(n_.))/((d_) + (e_.)*(x_)), x_Symbol]
 :> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x, ArcSin[c*x]] /;
 FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_)))^((m_.))/((a_) + (b_.)*Sin[
 (c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
 ), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
 *(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
 - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
 & PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.)*((e_.) + (f_.)*(x_))))^((n_.)*((c_.) + (d_.)*(x_)))^((m_.))/(
 (a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^((n_.))), x_Symbol] :> Simp[
 (((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
 st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))
 )^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^((n_.))], x_Symbol]
 :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x, (F^(e*(c + d*x))
 )^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^((n_.)))]/(x_), x_Symbol] :> -Simp[PolyLog[2
 , -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^2 (d + ex^2)^2} dx &= -\text{Subst} \left(\int \frac{x^4 (a + b \sin^{-1}(\frac{x}{c}))}{(e + dx^2)^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a + b \sin^{-1}(\frac{x}{c})}{d^2} + \frac{e^2 (a + b \sin^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)^2} - \frac{2e (a + b \sin^{-1}(\frac{x}{c}))}{d^2 (e + dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int (a + b \sin^{-1}(\frac{x}{c})) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{e+dx^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{(e+dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \text{Subst} \left(\int \sin^{-1}(\frac{x}{c}) dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \left(\frac{a+b \sin^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e}-\sqrt{-dx})} + \frac{a+b \sin^{-1}(\frac{x}{c})}{2\sqrt{e}(\sqrt{e}+\sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{b \text{Subst} \left(\int \frac{x}{\sqrt{1-\frac{x^2}{c^2}}} dx, x, \frac{1}{x} \right)}{cd^2} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{d^2} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{a+b \sin^{-1}(\frac{x}{c})}{\sqrt{e}+\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}-\frac{d}{x})} - \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}+\frac{d}{x})} + \frac{\sqrt{e} \text{Subst} \left(\int \frac{(a+b \csc^{-1}(cx))}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{4d^2} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}-\frac{d}{x})} - \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}+\frac{d}{x})} - \frac{\sqrt{e} \text{Subst} \left(\int \frac{a+b \csc^{-1}(cx)}{\sqrt{e}-\sqrt{c^2x^2}} dx, x, \frac{1}{x} \right)}{4d^2} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}-\frac{d}{x})} - \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}+\frac{d}{x})} - \frac{be \tanh^{-1} \left(\frac{c}{c\sqrt{d}\sqrt{e}-\sqrt{c^2x^2}} \right)}{4d^{5/2}\sqrt{c^2x^2}} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}-\frac{d}{x})} - \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}+\frac{d}{x})} - \frac{be \tanh^{-1} \left(\frac{c}{c\sqrt{d}\sqrt{e}-\sqrt{c^2x^2}} \right)}{4d^{5/2}\sqrt{c^2x^2}} \\
&= -\frac{bc\sqrt{1-\frac{1}{c^2x^2}}}{d^2} - \frac{a}{d^2 x} - \frac{b \csc^{-1}(cx)}{d^2 x} + \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}-\frac{d}{x})} - \frac{e(a+b \csc^{-1}(cx))}{4d^2 (\sqrt{-d}\sqrt{e}+\frac{d}{x})} - \frac{be \tanh^{-1} \left(\frac{c}{c\sqrt{d}\sqrt{e}-\sqrt{c^2x^2}} \right)}{4d^{5/2}\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 2.46789, size = 1525, normalized size = 1.89

result too large to display

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/((x^2*(d + e*x^2)^2), x]`

```
[Out] ((-8*a*Sqrt[d])/x - (4*a*Sqrt[d]*e*x)/(d + e*x^2) - 12*a*Sqrt[e]*ArcTan[(Sqr
t[e]*x)/Sqrt[d]] + b*(-8*c*Sqrt[d]*Sqrt[1 - 1/(c^2*x^2)]) - (8*Sqrt[d]*ArcCsc[c*x])/x - (2*Sqrt[d]*e*ArcCsc[c*x])/((-I)*Sqrt[d]*Sqrt[e] + e*x) - (2*Sqr
t[d]*e*ArcCsc[c*x])/((I)*Sqrt[d]*Sqrt[e] + e*x) - 24*Sqrt[e]*ArcSin[Sqrt[1 - (I)*Sqr
t[e])/(c*Sqrt[d])]/Sqrt[2])*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqr
t[c^2*d + e]] + 24*Sqrt[e]*ArcSin[Sqrt[1 + (I)*Sqr
t[e])/(c*Sqrt[d])]/Sqr
t[2])*ArcTan[((I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*Ar
cCsc[c*x])/4])/Sqr
t[c^2*d + e]] + (3*I)*Sqr
t[e]*Pi*Log[1 + (Sqr
t[e] - Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] - (6*I)*Sqr
t[e]*ArcCsc[c*x]*Log[1 + (Sqr
t[e] - Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + (12*I)*Sqr
t[e]*ArcSin[Sqr
t[1 - (I)*Sqr
t[e])/(c*Sqr
t[d])]/Sqr
t[2])*Log[1 + (Sqr
t[e] - Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] - (3*I)*Sqr
t[e]*Pi*Log[1 + (-Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + (6*I)*Sqr
t[e]*ArcCsc[c*x]*Log[1 + (-Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] - (12*I)*Sqr
t[e]*ArcSin[Sqr
t[1 + (I)*Sqr
t[e])/(c*Sqr
t[d])]/Sqr
t[2])*Log[1 + (-Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] - (3*I)*Sqr
t[e]*Pi*Log[1 - (Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + (6*I)*Sqr
t[e]*ArcCsc[c*x]*Log[1 - (Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + (12*I)*Sqr
t[e]*ArcSin[Sqr
t[1 + (I)*Sqr
t[e])/(c*Sqr
t[d])]/Sqr
t[2])*Log[1 - (Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + (3*I)*Sqr
t[e]*Pi*Log[1 + (Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] - (6*I)*Sqr
t[e]*ArcCsc[c*x]*Log[1 + (Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] - (12*I)*Sqr
t[e]*ArcSin[Sqr
t[1 - (I)*Sqr
t[e])/(c*Sqr
t[d])]/Sqr
t[2])*Log[1 + (Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + (3*I)*Sqr
t[e]*Pi*Log[Sqr
t[e] - (I)*Sqr
t[d])/x] - (3*I)*Sqr
t[e]*Pi*Log[Sqr
t[e] + (I)*Sqr
t[d])/x] - ((2*I)*e*Log[(2*Sqr
t[d])*Sqr
t[e]*(Sqr
t[e] + c*(-I)*c*Sqr
t[d] - Sqr
t[-(c^2*d) - e])*Sqr
t[1 - 1/(c^2*x^2)])*x])/(Sqr
t[-(c^2*d) - e]*(Sqr
t[d] + I*Sqr
t[e]*x))]/Sqr
t[-(c^2*d) - e] + ((2*I)*e*Log[(2*Sqr
t[d])*Sqr
t[e]*(-Sqr
t[e] + c*(-I)*c*Sqr
t[d] + Sqr
t[-(c^2*d) - e])*Sqr
t[1 - 1/(c^2*x^2)])*x))/(Sqr
t[-(c^2*d) - e]*(Sqr
t[d] - I*Sqr
t[e]*x))/Sqr
t[-(c^2*d) - e] - 6*Sqr
t[e]*PolyLog[2, (Sqr
t[e] - Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + 6*Sqr
t[e]*PolyLog[2, (-Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] + 6*Sqr
t[e]*PolyLog[2, -(Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))] - 6*Sqr
t[e]*PolyLog[2, (Sqr
t[e] + Sqr
t[c^2*d + e])/((c*Sqr
t[d])*E^(I*ArcCsc[c*x]))])/(8*d^(5/2))]
```

Maple [C] time = 10.007, size = 1784, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int \frac{(a+b\arccsc(cx))/x^2}{(e*x^2+d)^2} dx$

```
[Out] -1/2*a/d^2*e*c^2*x/(c^2*e*x^2+c^2*d)-3/2*a/d^2*e/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))-a/d^2/x-b*arccsc(c*x)/d^2/x-1/2*b/c^2*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)*d)^(1/2)*arctan(d*c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((-c^2*d+2*(e*(c^2*d+e)))^(1/2)-2*e)*d)^(1/2))/d^4*4-e-b/c^4*(-(c^2*d-2*(e*(c^2*d+e)))^(1/2)+2*e)
```

$$\begin{aligned}
& *d)^{(1/2)} * e^2 * \arctan(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((-c^2 * d + 2 * (e * (c^2 * d + e))) \\
&)^{(1/2)} - 2 * e) * d)^{(1/2)}) / d^5 - 1/2 * b / c^2 * ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d) \\
& ^{(1/2)} * \operatorname{arctanh}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} \\
& + 2 * e) * d)^{(1/2)}) / d^4 * e - b / c^4 * ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * e \\
& ^2 * \operatorname{arctanh}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) \\
& * d)^{(1/2)}) / d^5 + 3/4 * c * b / d^2 * e * \operatorname{sum}(_R1 / (_R1^2 * c^2 * d - c^2 * d - 2 * e) * (I * \operatorname{arccsc}(c \\
& * x) * \ln((R1 - I/c/x - (1 - 1/c^2/x^2)^(1/2)) / R1) + \operatorname{dilog}((R1 - I/c/x - (1 - 1/c^2/x^2) \\
&)^{(1/2)} / R1)), _R1 = \operatorname{RootOf}(c^2 * d * Z^4 + (-2 * c^2 * d - 4 * e) * Z^2 + c^2 * d)) + 3/4 * c * b / d^2 * \\
& e * \operatorname{sum}(_R1 / (_R1^2 * c^2 * d - c^2 * d - 2 * e) * (I * \operatorname{arccsc}(c * x) * \ln((R1 - I/c/x - (1 - 1/c^2/x^2) \\
&)^{(1/2)} / R1) + \operatorname{dilog}((R1 - I/c/x - (1 - 1/c^2/x^2)^(1/2)) / R1)), _R1 = \operatorname{RootOf}(c^2 * d * \\
& Z^4 + (-2 * c^2 * d - 4 * e) * Z^2 + c^2 * d)) + 1/2 * b / c^2 * ((-c^2 * d - 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * \\
& e) * d)^{(1/2)} * \operatorname{arctan}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((-c^2 * d + 2 * (e * (c^2 * d + e))) \\
&)^{(1/2)} - 2 * e) * d)^{(1/2)}) / d^4 / (c^2 * d + e) * ((e * (c^2 * d + e))^{(1/2)} * e + b / c^4 * ((-c^2 * d - 2 * \\
& (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * e^2 * \operatorname{arctan}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / \\
& ((-c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} - 2 * e) * d)^{(1/2)}) / d^5 / (c^2 * d + e) * ((e * (c^2 * d + e)) \\
&)^{(1/2)} - 1/2 * b / c^2 * ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * \operatorname{arctanh}(d * c * \\
& (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} / d^4 \\
& / (c^2 * d + e) * ((e * (c^2 * d + e))^{(1/2)} * e - b / c^4 * ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d) \\
&)^{(1/2)} * e^2 * \operatorname{arctanh}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((c^2 * d + 2 * (e * (c^2 * d + e))) \\
&)^{(1/2)} + 2 * e) * d)^{(1/2)}) / d^5 / (c^2 * d + e) * ((e * (c^2 * d + e))^{(1/2)} - b / c^4 * ((-c^2 * d - 2 * (e \\
& * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * e * \operatorname{arctan}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / \\
& ((-c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} - 2 * e) * d)^{(1/2)}) / d^5 * ((e * (c^2 * d + e))^{(1/2)} + b / c^2 * \\
& ((-c^2 * d - 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * \operatorname{arctan}(d * c * (I/c/x + (1 - 1/c^2/x^2) \\
&)^{(1/2)}) / ((-c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)}) / d^5 / (c^2 * d + e) \\
& - c * b / d^2 * ((c^2 * x^2 - 1) / c^2 * x^2)^(1/2) - 1/2 * b * c^2 * x * e * \operatorname{arccsc}(c * x) / (c^2 * e * x^2 + c \\
& ^2 * d) / d^2 * b / c^4 * ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * e * \operatorname{arctanh}(d * c * \\
& (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} / d^5 \\
& * ((e * (c^2 * d + e)))^{(1/2)} + b / c^2 * ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * \operatorname{arct} \\
& \operatorname{anh}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} \\
& / d^4 / (c^2 * d + e) * e^2 * b / c^4 * ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * e) * d)^{(1/2)} * e \\
& ^3 * \operatorname{arctanh}(d * c * (I/c/x + (1 - 1/c^2/x^2)^(1/2))) / ((c^2 * d + 2 * (e * (c^2 * d + e)))^{(1/2)} + 2 * \\
& e) * d)^{(1/2)}) / d^5 / (c^2 * d + e)
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d)^2,x, algorithm="maxima")
```

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{e^2 x^6 + 2 d e x^4 + d^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d)^2,x, algorithm="fricas")
```

[Out] $\text{integral}((b*\text{arccsc}(c*x) + a)/(e^{2*x^6} + 2*d*e*x^4 + d^{2*x^2}), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{acsc}(c*x))/x^{**2}/(e*x^{**2+d})^{**2}, x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arccsc}(c*x))/x^2/(e*x^2+d)^2, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b*\text{arccsc}(c*x) + a)/((e*x^2 + d)^2*x^2), x)$

$$\mathbf{3.111} \quad \int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=727

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 e^3}-\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 e^3}-\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 e^3}-\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 e^3}$$

$$\begin{aligned} [\text{Out}] \quad & (b*c*d*Sqrt[1 - 1/(c^2*x^2)])/(8*e^2*(c^2*d + e)*(e + d/x^2)*x) - (a + b*ArcCsc[c*x])/(4*e*(e + d/x^2)^2) - (a + b*ArcCsc[c*x])/(2*e^2*(e + d/x^2)) + \\ & (b*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]*x])/(2*e^(5/2)*Sqrt[c^2*d + e]) + (b*(c^2*d + 2*e)*ArcTan[Sqrt[c^2*d + e]]/(c*Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]*x)/(8*e^(5/2)*(c^2*d + e)^(3/2)) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*e^3) + ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*e^3) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] + Sqrt[c^2*d + e]))/(2*e^3) + ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] + Sqrt[c^2*d + e]))/(2*e^3) - ((a + b*ArcCsc[c*x])*Log[1 - E^((2*I)*ArcCsc[c*x])])/e^3 - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/e^3 - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/e^3 - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] + Sqrt[c^2*d + e]))/e^3 - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] + Sqrt[c^2*d + e]))/e^3 + ((I/2)*b*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/e^3 \end{aligned}$$

Rubi [A] time = 1.44199, antiderivative size = 727, normalized size of antiderivative = 1., number of steps used = 33, number of rules used = 13, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.619, Rules used = {5241, 4733, 4625, 3717, 2190, 2279, 2391, 4729, 382, 377, 205, 4741, 4519}

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 e^3}-\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 e^3}-\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 e^3}-\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(a + b*ArcCsc[c*x]))/(d + e*x^2)^3, x]

$$\begin{aligned} [\text{Out}] \quad & (b*c*d*Sqrt[1 - 1/(c^2*x^2)])/(8*e^2*(c^2*d + e)*(e + d/x^2)*x) - (a + b*ArcCsc[c*x])/(4*e*(e + d/x^2)^2) - (a + b*ArcCsc[c*x])/(2*e^2*(e + d/x^2)) + \\ & (b*ArcTan[Sqrt[c^2*d + e]/(c*Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]*x])/(2*e^(5/2)*Sqrt[c^2*d + e]) + (b*(c^2*d + 2*e)*ArcTan[Sqrt[c^2*d + e]]/(c*Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]*x)/(8*e^(5/2)*(c^2*d + e)^(3/2)) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*e^3) + ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/(2*e^3) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] + Sqrt[c^2*d + e]))/(2*e^3) + ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] + Sqrt[c^2*d + e]))/(2*e^3) - ((a + b*ArcCsc[c*x])*Log[1 - E^((2*I)*ArcCsc[c*x])])/e^3 - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d])*E^(I*ArcCsc[c*x])]/(Sqrt[e] - Sqrt[c^2*d + e]))/e^3 \end{aligned}$$

$$\frac{e])]/e^3 - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/e^3 - ((I/2)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^3 - ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/e^3 + ((I/2)*b*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/e^3$$
Rule 5241

$$\text{Int}[(a_.) + \text{ArcCsc}[(c_.)*(x_)]*(b_.)^{(n_.)}*(x_)^{(m_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_{\text{Symbol}}] :> -\text{Subst}[\text{Int}[((e + d*x^2)^p*(a + b*\text{ArcSin}[x/c])^n)/x^{(m + 2*(p + 1))}, x], x, 1/x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[m] \&& \text{IntegerQ}[p]$$
Rule 4733

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}*((f_.)*(x_))^m*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_{\text{Symbol}}] :> \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[p] \&& \text{IntegerQ}[m]$$
Rule 4625

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}/(x_), x_{\text{Symbol}}] :> \text{Subst}[\text{Int}[(a + b*x)^n/\text{Tan}[x], x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}[\{a, b, c\}, x] \&& \text{IGtQ}[n, 0]$$
Rule 3717

$$\text{Int}[(c_.) + (d_.)*(x_)^{(m_.)}*\text{tan}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_)], x_{\text{Symbol}}] :> \text{Simp}[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&& \text{IntegerQ}[4*k] \&& \text{IGtQ}[m, 0]$$
Rule 2190

$$\text{Int}[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^{(n_.)}*((c_.) + (d_.)*(x_))^m)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^{(n_.)}), x_{\text{Symbol}}] :> \text{Simp}[((c + d*x)^m*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{m - 1}*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; \text{FreeQ}[\{F, a, b, c, d, e, f, g, n\}, x] \&& \text{IGtQ}[m, 0]$$
Rule 2279

$$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^{(n_.)}], x_{\text{Symbol}}] :> \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \&& \text{GtQ}[a, 0]$$
Rule 2391

$$\text{Int}[\text{Log}[(c_.)*(d_.) + (e_.)*(x_)^{(n_.)})/(x_), x_{\text{Symbol}}] :> -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \&& \text{EqQ}[c*d, 1]$$
Rule 4729

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)*(x_)*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x_{\text{Symbol}}] :> \text{Simp}[(d + e*x^2)^(p + 1)*(a + b*\text{ArcSin}[c*x])/((2*e*(p + 1)), x) - \text{Dist}[(b*c)/(2*e*(p + 1)), \text{Int}[(d + e*x^2)^(p + 1)/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}[\{a, b, c, d, e, p\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{NeQ}[p, -1]$$
Rule 382

```

Int[((a_) + (b_ .)*(x_)^(n_))^(p_)*((c_) + (d_ .)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

```

Rule 377

```

Int[((a_) + (b_ .)*(x_)^(n_))^(p_)/((c_) + (d_ .)*(x_)^(n_)), x_Symbol] :> Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

```

Rule 205

```

Int[((a_) + (b_ .)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

Rule 4741

```

Int[((a_ .) + ArcSin[(c_ .)*(x_)]*(b_ .))^(n_ .)/((d_ .) + (e_ .)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/((c*d + e*Sin[x])), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

```

Rule 4519

```

Int[(Cos[(c_ .) + (d_ .)*(x_)]*((e_ .) + (f_ .)*(x_))^m)/((a_ .) + (b_ .)*Sin[(c_ .) + (d_ .)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(a + b \csc^{-1}(cx))}{(d + ex^2)^3} dx &= -\text{Subst}\left(\int \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{x(e + dx^2)^3} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{e^3 x} - \frac{dx(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e(e + dx^2)^3} - \frac{dx(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e^2(e + dx^2)^2} - \frac{dx(a + b \sin^{-1}\left(\frac{x}{c}\right))}{e^3(e + dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{x} dx, x, \frac{1}{x}\right)}{e^3} + \frac{d \text{Subst}\left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{e+dx^2} dx, x, \frac{1}{x}\right)}{e^3} + \frac{d \text{Subst}\left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^2} dx, x, \frac{1}{x}\right)}{e^3} \\
&= -\frac{a + b \csc^{-1}(cx)}{4e\left(e + \frac{d}{x^2}\right)^2} - \frac{a + b \csc^{-1}(cx)}{2e^2\left(e + \frac{d}{x^2}\right)} - \frac{\text{Subst}\left(\int (a + bx) \cot(x) dx, x, \csc^{-1}(cx)\right)}{e^3} + \frac{d \text{Subst}\left(\int (a + bx) \cot(x) dx, x, \csc^{-1}(cx)\right)}{e^3} \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{8e^2(c^2d + e)\left(e + \frac{d}{x^2}\right)x} - \frac{a + b \csc^{-1}(cx)}{4e\left(e + \frac{d}{x^2}\right)^2} - \frac{a + b \csc^{-1}(cx)}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{i(a + b \csc^{-1}(cx))^2}{2be^3} + \frac{b \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}x}\right)}{2e^{5/2}\sqrt{c^2d+e}} \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{8e^2(c^2d + e)\left(e + \frac{d}{x^2}\right)x} - \frac{a + b \csc^{-1}(cx)}{4e\left(e + \frac{d}{x^2}\right)^2} - \frac{a + b \csc^{-1}(cx)}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{i(a + b \csc^{-1}(cx))^2}{2be^3} + \frac{b \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}x}\right)}{2e^{5/2}\sqrt{c^2d+e}} \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{8e^2(c^2d + e)\left(e + \frac{d}{x^2}\right)x} - \frac{a + b \csc^{-1}(cx)}{4e\left(e + \frac{d}{x^2}\right)^2} - \frac{a + b \csc^{-1}(cx)}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{b \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}x}\right)}{2e^{5/2}\sqrt{c^2d+e}} \\
&= \frac{bcd\sqrt{1 - \frac{1}{c^2x^2}}}{8e^2(c^2d + e)\left(e + \frac{d}{x^2}\right)x} - \frac{a + b \csc^{-1}(cx)}{4e\left(e + \frac{d}{x^2}\right)^2} - \frac{a + b \csc^{-1}(cx)}{2e^2\left(e + \frac{d}{x^2}\right)} + \frac{b \tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}x}\right)}{2e^{5/2}\sqrt{c^2d+e}}
\end{aligned}$$

Mathematica [B] time = 7.56537, size = 2053, normalized size = 2.82

Result too large to show

Warning: Unable to verify antiderivative.

[In] `Integrate[(x^5*(a + b*ArcCsc[c*x]))/(d + e*x^2)^3, x]`

[Out]
$$\begin{aligned} & -\frac{(a*d^2)/(4*e^3*(d + e*x^2)^2) + (a*d)/(e^3*(d + e*x^2)) + (a*\log[d + e*x^2])/(2*e^3) + b*((((7*I)/16)*\sqrt{d}*(-(\text{ArcCsc}[c*x]/((-I)*\sqrt{d})*\sqrt{e}) + e*x)) + (I*(\text{ArcSin}[1/(c*x)]/\sqrt{e} - \log[(2*\sqrt{d})*\sqrt{e}]*(\sqrt{e} + c*(-I)*c*\sqrt{d} - \sqrt{-(c^2*d) - e})*\sqrt{1 - 1/(c^2*x^2)})*x))/(\sqrt{-(c^2*d) - e}*(\sqrt{d} + I*\sqrt{e})*x))/\sqrt{-(c^2*d) - e}))/\sqrt{d}))/e^{(5/2)} - (((7*I)/16)*\sqrt{d}*(-(\text{ArcCsc}[c*x]/(I*\sqrt{d})*\sqrt{e} + e*x)) - (I*(\text{ArcSin}[1/(c*x)]/\sqrt{e} - \log[(2*\sqrt{d})*\sqrt{e}]*(-\sqrt{e} + c*(-I)*c*\sqrt{d} + Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x))/(\sqrt{-(c^2*d) - e}*(\sqrt{d} - I*\sqrt{e})*x))/\sqrt{-(c^2*d) - e}))/\sqrt{d}))/e^{(5/2)} - (d*((I*c*\sqrt{e})*Sqrt[1 - 1/(c^2*x^2)]*x)/(\sqrt{d}*(c^2*d + e)*((-I)*\sqrt{d} + \sqrt{e})*x) - \text{ArcCsc}[c*x]/(\sqrt{e}*((-I)*\sqrt{d} + \sqrt{e})*x^2) - \text{ArcSin}[1/(c*x)]/(d*\sqrt{e}) + (I*(2*c^2*d + e)*\log[(4*d*\sqrt{e})*\sqrt{c^2*d + e}]*(I*\sqrt{e} + c*(c*\sqrt{d} - \sqrt{c^2*d + e})*\sqrt{1 - 1/(c^2*x^2)})*x))/((2*c^2*d + e)*((-I)*\sqrt{d} + \sqrt{e})*x))/((d*(c^2*d + e)^(3/2))))/(16*e^(5/2)) - (d*(((-I)*c*Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]*x)/(\sqrt{d}*(c^2*d + e)*(I*\sqrt{d} + \sqrt{e})*x) - \text{ArcCsc}[c*x]/(\sqrt{e}*(I*\sqrt{d} + \sqrt{e})*x^2) - \text{ArcSin}[1/(c*x)]/(d*\sqrt{e}) + (I*(2*c^2*d + e)*\log[(-4*d*\sqrt{e})*\sqrt{c^2*d + e}]*((-I)*\sqrt{e} + c*(c*\sqrt{d} + \sqrt{c^2*d + e})*\sqrt{1 - 1/(c^2*x^2)})*x))/((2*c^2*d + e)*(I*\sqrt{d} + \sqrt{e})*x))/((d*(c^2*d + e)^(3/2))))/(16*e^(5/2)) + ((I/16)*(Pi^2 - 4*Pi*\text{ArcCsc}[c*x] + 8*\text{ArcCsc}[c*x]^2 - 32*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})}/(c*\sqrt{d})]/\sqrt{2})*\text{ArcTan}[(((-I)*c*\sqrt{d} + \sqrt{e})*\text{Cot}[(Pi + 2*\text{ArcCsc}[c*x])/4])/\sqrt{c^2*d + e}] + (4*I)*Pi*\log[1 + (\sqrt{e} - \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] - (8*I)*\text{ArcCsc}[c*x]*\log[1 + (\sqrt{e} - \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + (16*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})}/(c*\sqrt{d})]/\sqrt{2}]*\log[1 + (\sqrt{e} - \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + (4*I)*Pi*\log[1 + (\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] - (8*I)*\text{ArcCsc}[c*x]*\log[1 + (\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] - (16*I)*\text{ArcSin}[\sqrt{1 - (I*\sqrt{e})}/(c*\sqrt{d})]/\sqrt{2}]*\log[1 + (\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + (8*I)*\text{ArcCsc}[c*x]*\log[1 - \text{E}^((2*I)*\text{ArcCsc}[c*x])] - (4*I)*Pi*\log[\sqrt{e} + (I*\sqrt{d})/x] + 8*\text{PolyLog}[2, (-\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + 8*\text{PolyLog}[2, -(\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + 4*\text{PolyLog}[2, \text{E}^((2*I)*\text{ArcCsc}[c*x]))]/e^3 + ((I/16)*(Pi^2 - 4*Pi*\text{ArcCsc}[c*x] + 8*\text{ArcCsc}[c*x]^2 - 32*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})}/(c*\sqrt{d})]/\sqrt{2})*\text{ArcTan}[(I*c*\sqrt{d} + \sqrt{e})*\text{Cot}[(Pi + 2*\text{ArcCsc}[c*x])/4])/\sqrt{c^2*d + e}] + (4*I)*Pi*\log[1 + (-\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] - (8*I)*\text{ArcCsc}[c*x]*\log[1 + (-\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + (16*I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})}/(c*\sqrt{d})]/\sqrt{2}]*\log[1 + (-\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + (4*I)*Pi*\log[1 - (\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] - (8*I)*\text{ArcCsc}[c*x]*\log[1 - (\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] - (16*I)*\text{ArcSin}[\sqrt{1 + (I*\sqrt{e})}/(c*\sqrt{d})]/\sqrt{2}]*\log[1 - (\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + (8*I)*\text{ArcCsc}[c*x]*\log[1 - \text{E}^((2*I)*\text{ArcCsc}[c*x])] - (4*I)*Pi*\log[\sqrt{e} - (I*\sqrt{d})/x] + 8*\text{PolyLog}[2, (\sqrt{e} - \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + 8*\text{PolyLog}[2, (\sqrt{e} + \sqrt{c^2*d + e})]/(c*\sqrt{d}*\text{E}^(I*\text{ArcCsc}[c*x]))] + 4*\text{PolyLog}[2, \text{E}^((2*I)*\text{ArcCsc}[c*x]))]/e^3 \end{aligned}$$

Maple [C] time = 0.842, size = 1498, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int(x^5 * (a + b*\text{arccsc}(c*x))/(e*x^2 + d)^3, x)$

[Out]
$$\begin{aligned} & \frac{1}{2} \cdot a \cdot e^{-3} \ln(c^2 \cdot e^x \cdot x^2 + c^2 \cdot d) + c^2 \cdot a \cdot e^{-3} \cdot d / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d) - 1/4 \cdot c^4 \cdot a \cdot d^2 / e \\ & \sim (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 - 3/4 \cdot c^6 \cdot b / e / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot \operatorname{arccsc}(c \cdot x) \\ & \cdot d \cdot x^4 - 1/2 \cdot c^6 \cdot b / e^2 / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot \operatorname{arccsc}(c \cdot x) \cdot d^2 \cdot x^2 + 1/8 \\ & \cdot c^5 \cdot b / e / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot ((c^2 \cdot x^2 - 1) / c^2 \cdot x^2)^{(1/2)} \cdot x^3 \cdot d + 1/8 \\ & \cdot c^5 \cdot b / e^2 / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot ((c^2 \cdot x^2 - 1) / c^2 \cdot x^2)^{(1/2)} \cdot x \cdot d^2 \\ & + I \cdot c^2 \cdot b / e^3 / (c^2 \cdot d + e) \cdot d \cdot \operatorname{dilog}(1 + I / c / x + (1 - 1 / c^2 / x^2)^{(1/2)}) - 1/8 \cdot I \cdot c^4 \cdot b / e^2 \\ & / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot d^2 - 1/4 \cdot I \cdot c^4 \cdot b / e^3 / (c^2 \cdot d + e) \cdot d^2 \cdot \operatorname{sum}((_R1^2 \\ & - 1) / (_R1^2 \cdot c^2 \cdot d - c^2 \cdot d - 2 \cdot e) \cdot (I \cdot \operatorname{arccsc}(c \cdot x) \cdot \ln((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / \\ & _R1) + \operatorname{dilog}((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / _R1)), _R1 = \operatorname{RootOf}(c^2 \cdot d \cdot Z^4 + (-2 \cdot c^2 \cdot d - 4 \cdot e) \cdot Z^2 + c^2 \cdot d)) - 3/4 \cdot c^4 \cdot b / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot \operatorname{arccsc}(c \cdot x) \\ & \cdot x^4 - 1/2 \cdot c^4 \cdot b / e / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot \operatorname{arccsc}(c \cdot x) \cdot d \cdot x^2 + I \cdot b / e^2 \\ & / (c^2 \cdot d + e) \cdot \operatorname{dilog}(1 + I / c / x + (1 - 1 / c^2 / x^2)^{(1/2)}) - 1/4 \cdot I \cdot c^4 \cdot b / e / (c^2 \cdot e^x \cdot x^2 + c^2 \cdot d)^2 / (c^2 \cdot d + e) \cdot x^2 - 3/4 \cdot I \cdot b \cdot (e \cdot (c^2 \cdot d + e))^{(1/2)} / e^2 / (c^2 \cdot d + e)^2 \cdot \operatorname{arctanh}(1/4 * (2 \cdot c^2 \cdot d * (I / c / x + (1 - 1 / c^2 / x^2)^{(1/2)})^2 - 2 \cdot c^2 \cdot d - 4 \cdot e) / (c^2 \cdot d * e + e^2)^{(1/2)}) - b / e^2 / (c^2 \cdot d + e) \cdot \operatorname{arccsc}(c \cdot x) \cdot \ln(1 + I / c / x + (1 - 1 / c^2 / x^2)^{(1/2)}) - 1/4 \cdot I \cdot b / e^2 / (c^2 \cdot d + e) \cdot \operatorname{sum}((_R1^2 \cdot c^2 \cdot d - c^2 \cdot d - 4 \cdot e) / (_R1^2 \cdot c^2 \cdot d - c^2 \cdot d - 2 \cdot e) \cdot (I \cdot \operatorname{arccsc}(c \cdot x) \cdot \ln((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / _R1) + \operatorname{dilog}((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / _R1)), _R1 = \operatorname{RootOf}(c^2 \cdot d \cdot Z^4 + (-2 \cdot c^2 \cdot d - 4 \cdot e) \cdot Z^2 + c^2 \cdot d)) - I \cdot c^2 \cdot b / e^3 / (c^2 \cdot d + e) \cdot d \cdot \operatorname{dilog}(I / c / x + (1 - 1 / c^2 / x^2)^{(1/2)}) - 5/8 \cdot I \cdot c^2 \cdot b \cdot (e \cdot (c^2 \cdot d + e))^{(1/2)} / e^3 / (c^2 \cdot d + e)^2 \cdot \operatorname{arctanh}(1/4 * (2 \cdot c^2 \cdot d * (I / c / x + (1 - 1 / c^2 / x^2)^{(1/2)})^2 - 2 \cdot c^2 \cdot d - 4 \cdot e) / (c^2 \cdot d * e + e^2)^{(1/2)}) \cdot d - I \cdot b / e^2 / (c^2 \cdot d + e) \cdot \operatorname{dilog}(I / c / x + (1 - 1 / c^2 / x^2)^{(1/2)}) - 1/4 \cdot I \cdot c^2 \cdot b / e^3 / (c^2 \cdot d + e) \cdot \operatorname{dsum}((_R1^2 \cdot c^2 \cdot d - c^2 \cdot d - 4 \cdot e) / (_R1^2 \cdot c^2 \cdot d - c^2 \cdot d - 2 \cdot e) \cdot (I \cdot \operatorname{arccsc}(c \cdot x) \cdot \ln((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / _R1) + \operatorname{dilog}((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / _R1)), _R1 = \operatorname{RootOf}(c^2 \cdot d \cdot Z^4 + (-2 \cdot c^2 \cdot d - 4 \cdot e) \cdot Z^2 + c^2 \cdot d)) - c^2 \cdot b / e^3 / (c^2 \cdot d + e) \cdot \operatorname{dsum}((_R1^2 \cdot c^2 \cdot d - c^2 \cdot d - 4 \cdot e) / (_R1^2 \cdot c^2 \cdot d - c^2 \cdot d - 2 \cdot e) \cdot (I \cdot \operatorname{arccsc}(c \cdot x) \cdot \ln((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / _R1) + \operatorname{dilog}((_R1 - I / c / x - (1 - 1 / c^2 / x^2)^{(1/2)}) / _R1)), _R1 = \operatorname{RootOf}(c^2 \cdot d \cdot Z^4 + (-2 \cdot c^2 \cdot d - 4 \cdot e) \cdot Z^2 + c^2 \cdot d)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} a \left(\frac{4 d e x^2 + 3 d^2}{e^5 x^4 + 2 d e^4 x^2 + d^2 e^3} + \frac{2 \log(ex^2 + d)}{e^3} \right) + b \int \frac{x^5 \arctan(1, \sqrt{cx+1} \sqrt{cx-1})}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/4 \cdot a \cdot ((4 \cdot d \cdot e \cdot x^2 + 3 \cdot d^2) / (e^5 \cdot x^4 + 2 \cdot d \cdot e^4 \cdot x^2 + d^2 \cdot e^3) + 2 \cdot \log(e \cdot x^2 \\ & + d) / e^3) + b \cdot \operatorname{integrate}(x^5 \cdot \operatorname{arctan2}(1, \sqrt{c \cdot x + 1}) \cdot \sqrt{c \cdot x - 1}) / (e^3 \cdot x^6 + 3 \cdot d \cdot e^2 \cdot x^4 + 3 \cdot d^2 \cdot e \cdot x^2 + d^3), x) \end{aligned}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b x^5 \operatorname{arccsc}(c x) + a x^5}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="fricas")`

[Out] `integral((b*x^5*arccsc(c*x) + a*x^5)/(e^3*x^6 + 3*d*x^4 + 3*d^2*x^2 + d^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*acsc(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^5}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^5/(e*x^2 + d)^3, x)`

3.112 $\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$

Optimal. Leaf size=157

$$\frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{bcx(c^2d + 2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}\sqrt{c^2x^2}(c^2d + e)^{3/2}} - \frac{bcx\sqrt{c^2x^2-1}}{8e\sqrt{c^2x^2}(c^2d + e)(d + ex^2)}$$

[Out] $-(b*c*x* \text{Sqrt}[-1 + c^2*x^2])/(8*e*(c^2*d + e)* \text{Sqrt}[c^2*x^2]*(d + e*x^2)) + (x^4*(a + b*\text{ArcCsc}[c*x]))/(4*d*(d + e*x^2)^2) + (b*c*(c^2*d + 2*e)*x*\text{ArcTan}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/\text{Sqrt}[c^2*d + e]])/(8*d*e^{(3/2)}*(c^2*d + e)^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.182081, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.333, Rules used = {264, 5239, 12, 446, 78, 63, 205}

$$\frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{bcx(c^2d + 2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{\sqrt{c^2d+e}}\right)}{8de^{3/2}\sqrt{c^2x^2}(c^2d + e)^{3/2}} - \frac{bcx\sqrt{c^2x^2-1}}{8e\sqrt{c^2x^2}(c^2d + e)(d + ex^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^3, x]$

[Out] $-(b*c*x* \text{Sqrt}[-1 + c^2*x^2])/(8*e*(c^2*d + e)* \text{Sqrt}[c^2*x^2]*(d + e*x^2)) + (x^4*(a + b*\text{ArcCsc}[c*x]))/(4*d*(d + e*x^2)^2) + (b*c*(c^2*d + 2*e)*x*\text{ArcTan}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/\text{Sqrt}[c^2*d + e]])/(8*d*e^{(3/2)}*(c^2*d + e)^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integrate[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !ILTQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0]) || (GtQ[(m + 1)/2, 0] && !ILTQ[p, 0] && GtQ[m + 2*p + 3, 0]) || (ILTQ[(m + 2)*p + 1]/2, 0) && !ILTQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
```

```

$$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \&& \text{NeQ}[b*c - a*d, 0] \&& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$$

```

Rule 78

```

$$\text{Int}[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_{\text{Symbol}}] :> -\text{Simp}[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \&& \text{LtQ}[p, -1] \&& (\text{!}\text{LtQ}[n, -1] \mid\mid \text{IntegerQ}[p] \mid\mid \text{!(}\text{IntegerQ}[n] \mid\mid \text{!(}\text{EqQ}[e, 0] \mid\mid \text{!(}\text{EqQ}[c, 0] \mid\mid \text{LtQ}[p, n])))$$

```

Rule 63

```

$$\text{Int}[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_{\text{Symbol}}] :> \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{NeQ}[b*c - a*d, 0] \&& \text{LtQ}[-1, m, 0] \&& \text{LeQ}[-1, n, 0] \&& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&& \text{IntLinearQ}[a, b, c, d, m, n, x]$$

```

Rule 205

```

$$\text{Int}[((a_) + (b_)*(x_)^2)^{-1}, x_{\text{Symbol}}] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&& \text{PosQ}[a/b]$$

```

Rubi steps

$$\begin{aligned} \int \frac{x^3(a + b \csc^{-1}(cx))}{(d + ex^2)^3} dx &= \frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{(bcx) \int \frac{x^3}{4d\sqrt{-1+c^2x^2}(d+ex^2)^2} dx}{\sqrt{c^2x^2}} \\ &= \frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{(bcx) \int \frac{x^3}{\sqrt{-1+c^2x^2}(d+ex^2)^2} dx}{4d\sqrt{c^2x^2}} \\ &= \frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{(bcx) \text{Subst} \left(\int \frac{x}{\sqrt{-1+c^2x(d+ex)^2}} dx, x, x^2 \right)}{8d\sqrt{c^2x^2}} \\ &= -\frac{bcx\sqrt{-1+c^2x^2}}{8e(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} + \frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{(bc(c^2d+2e)x) \text{Subst} \left(\int \frac{1}{\sqrt{-1+c^2x(d+ex)^2}} dx, x, x^2 \right)}{16de(c^2d+e)\sqrt{c^2x^2}} \\ &= -\frac{bcx\sqrt{-1+c^2x^2}}{8e(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} + \frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{(b(c^2d+2e)x) \text{Subst} \left(\int \frac{1}{d+\frac{e}{c^2}+\frac{ex^2}{c^2}} dx, x, x^2 \right)}{8cde(c^2d+e)\sqrt{c^2x^2}} \\ &= -\frac{bcx\sqrt{-1+c^2x^2}}{8e(c^2d+e)\sqrt{c^2x^2}(d+ex^2)} + \frac{x^4(a + b \csc^{-1}(cx))}{4d(d + ex^2)^2} + \frac{bc(c^2d+2e)x \tan^{-1} \left(\frac{\sqrt{e}\sqrt{-1+c^2x^2}}{\sqrt{c^2d+e}} \right)}{8de^{3/2}(c^2d+e)^{3/2}\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [C] time = 1.05786, size = 390, normalized size = 2.48

$$\begin{aligned} -\frac{8a}{d+ex^2} + \frac{4ad}{(d+ex^2)^2} + \frac{b\sqrt{e}(c^2d+2e)\log \left(\frac{16de^{3/2}\sqrt{c^2(-d)-e}\left(cx\left(c\sqrt{d}-i\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}\right)+i\sqrt{e}\right)}{b(c^2d+2e)(\sqrt{d}+i\sqrt{ex})} \right)}{d(c^2(-d)-e)^{3/2}} + \frac{b\sqrt{e}(c^2d+2e)\log \left(\frac{-16de^{3/2}\sqrt{c^2(-d)-e}\left(-\sqrt{e}+cx\left(\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}\right)\right)}{b(c^2d+2e)(\sqrt{ex}+i\sqrt{d})} \right)}{d(c^2(-d)-e)^{3/2}} \end{aligned}$$

$$16e^2$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(x^3(a + b \cdot \text{ArcCsc}[c \cdot x]))/(d + e \cdot x^2)^3, x]$

[Out]
$$\begin{aligned} & ((4*a*d)/(d + e*x^2)^2 - (8*a)/(d + e*x^2) - (2*b*c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/((c^2*d + e)*(d + e*x^2)) - (4*b*(d + 2*e*x^2)*\text{ArcCsc}[c*x])/(d + e*x^2)^2 + (4*b*\text{ArcSin}[1/(c*x)])/d + (b*\text{Sqrt}[e]*(c^2*d + 2*e)*\text{Log}[(16*d*\text{Sqrt}[-(c^2*d - e)*e^(3/2)*(\text{I}*\text{Sqrt}[e] + c*(c*\text{Sqrt}[d] - \text{I}*\text{Sqrt}[-(c^2*d - e)*\text{Sqrt}[1 - 1/(c^2*x^2)]])*x)])/(b*(c^2*d + 2*e)*(\text{Sqrt}[d] + \text{I}*\text{Sqrt}[e]*x)))/(d*(-(c^2*d - e))^{(3/2)}) + (b*\text{Sqrt}[e]*(c^2*d + 2*e)*\text{Log}[(-16*d*\text{Sqrt}[-(c^2*d - e)*e^(3/2)*(-\text{Sqrt}[e] + c*((-\text{I})*c*\text{Sqrt}[d] + \text{Sqrt}[-(c^2*d - e)*\text{Sqrt}[1 - 1/(c^2*x^2)]])*x)])/(b*(c^2*d + 2*e)*(\text{I}*\text{Sqrt}[d] + \text{Sqrt}[e]*x)))/(d*(-(c^2*d - e))^{(3/2)})) / (16*e^2) \end{aligned}$$

Maple [B] time = 0.29, size = 1870, normalized size = 11.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3(a+b \cdot \text{arccsc}(c \cdot x))/(e \cdot x^2+d)^3, x)$

[Out]
$$\begin{aligned} & -1/2*c^2*a/e^2/(c^2*e*x^2+c^2*d)+1/4*c^4*a/e^2*d/(c^2*e*x^2+c^2*d)^2-1/2*c^2*b*\text{arccsc}(c*x)/e^2/(c^2*e*x^2+c^2*d)+1/4*c^4*b*\text{arccsc}(c*x)/e^2*d/(c^2*e*x^2+c^2*d)^2-1/4*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\text{arctan}(1/(c^2*x^2-1))^{(1/2)}-1/4*c^3*b*(c^2*x^2-1)^{(1/2)}/e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\text{arctan}(1/(c^2*x^2-1))^{(1/2)}+1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})+1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})+1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(-2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})) + 1/16*c^3*b*(c^2*x^2-1)^{(1/2)}/e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x*d/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(-2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})) - 1/4*c*b*(c^2*x^2-1)^{(1/2)}*e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\arctan(1/(c^2*x^2-1))^{(1/2)} - 1/4*c*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}/x/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(-2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})) - 1/4*c*b*(c^2*x^2-1)^{(1/2)}*e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})) + 1/8*c^3*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)} - 1/8*c*b/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})) + 1/8*c*b*(c^2*x^2-1)^{(1/2)}/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})) + 1/8*c*b*(c^2*x^2-1)^{(1/2)}/e/((c^2*x^2-1)/c^2/x^2)^{(1/2)}*x/d/(-(c^2*d+e)/e)^{(1/2)}/(c^2*d+e)/(e*c*x+(-c^2*e*d))^{(1/2)}/(-e*c*x+(-c^2*e*d))^{(1/2)}*\ln(-2*((-(c^2*d+e)/e)^{(1/2)}*(c^2*x^2-1)^{(1/2)}*e-(-c^2*e*d)^{(1/2)}*c*x-e)/(e*c*x+(-c^2*e*d))^{(1/2)})) \end{aligned}$$

$$\frac{1}{2}) + 1/8*c*b*(c^2*x^2 - 1)^{(1/2)}/((c^2*x^2 - 1)/c^2/x^2)^{(1/2)}/x/(-(c^2*d + e)/e)^{(1/2)}/(c^2*d + e)/(e*c*x + (-c^2*e*d)^{(1/2)})/(-e*c*x + (-c^2*e*d)^{(1/2)})*\ln(-2*((-(c^2*d + e)/e)^{(1/2)}*(c^2*x^2 - 1)^{(1/2)}*e + (-c^2*e*d)^{(1/2)}*c*x - e)/(-e*c*x + (-c^2*e*d)^{(1/2)}))$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{(2ex^2 + d)a}{4(e^4x^4 + 2de^3x^2 + d^2e^2)} - \frac{\left(2ex^2 \arctan\left(1, \sqrt{cx+1}\sqrt{cx-1}\right) + d \arctan\left(1, \sqrt{cx+1}\sqrt{cx-1}\right) + (e^4x^4 + 2de^3x^2 + d^2e^2)\right)}{4(e^4x^4 + 2de^3x^2 + d^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^3, x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/4*(2*e*x^2 + d)*a/(e^4*x^4 + 2*d*e^3*x^2 + d^2*e^2) - 1/4*(2*e*x^2*arcta n2(1, \sqrt{c*x + 1})*sqrt(c*x - 1)) + d*arctan2(1, \sqrt{c*x + 1})*sqrt(c*x - 1) + 4*(e^4*x^4 + 2*d*e^3*x^2 + d^2*e^2)*integrate(1/4*(2*c^2*e*x^3 + c^2*d*x)*e^{(1/2)*log(c*x + 1) + 1/2*log(c*x - 1)})/(c^2*e^4*x^6 + (2*c^2*d*e^3 - e^4)*x^4 - d^2*e^2 + (c^2*d^2*e^2 - 2*d*e^3)*x^2 + (c^2*e^4*x^6 + (2*c^2*d*e^3 - e^4)*x^4 - d^2*e^2 + (c^2*d^2*e^2 - 2*d*e^3)*x^2)*e^{(log(c*x + 1) + log(c*x - 1))}), x))*b/(e^4*x^4 + 2*d*e^3*x^2 + d^2*e^2) \end{aligned}$$

Fricas [B] time = 6.48531, size = 2093, normalized size = 13.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^3, x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [-1/16*(4*a*c^4*d^4 + 8*a*c^2*d^3*e + 4*a*d^2*e^2 + 8*(a*c^4*d^3*e + 2*a*c^2*d^2*e^2 + a*d*e^3)*x^2 + (b*c^2*d^3 + (b*c^2*d^2*e^2 + 2*b*e^3)*x^4 + 2*b*d^2*e^2 + 2*(b*c^2*d^2*e^2 + 2*b*d*e^2)*x^2)*sqrt(-c^2*d*e - e^2)*log((c^2*e*x^2 - c^2*d - 2*sqrt(-c^2*d*e - e^2)*sqrt(c^2*x^2 - 1) - 2*e)/(e*x^2 + d)) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d^2*e^3)*x^2)*arccsc(c*x) + 8*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + (b*c^4*d^2*e^2 + 2*b*c^2*d^2*e^3 + b*e^4)*x^4 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d^2*e^3)*x^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 2*(b*c^2*d^3*e + b*d^2*e^2 + (b*c^2*d^2*e^2 + b*d^2*e^3)*x^2)*sqrt(c^2*x^2 - 1))/(c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4 + (c^4*d^3*e^4 + 2*c^2*d^2*e^5 + d*e^6)*x^4 + 2*(c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^2), -1/8*(2*a*c^4*d^4 + 4*a*c^2*d^3*e + 2*a*d^2*e^2 + 4*(a*c^4*d^3*e + 2*a*c^2*d^2*e^2 + a*d*e^3)*x^2 - (b*c^2*d^3 + (b*c^2*d^2*e^2 + 2*b*e^3)*x^4 + 2*b*d^2*e^2 + 2*(b*c^2*d^2*e^2 + 2*b*d^2*e^3)*x^2)*sqrt(c^2*d*e + e^2)*arctan(sqrt(c^2*d*e + e^2)*sqrt(c^2*x^2 - 1)/(c^2*d + e)) + 2*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d^2*e^3)*x^2)*arccsc(c*x) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + (b*c^4*d^2*e^2 + 2*b*c^2*d^2*e^3 + b*e^4)*x^4 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d^2*e^3)*x^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) + (b*c^2*d^3*e + b*d^2*e^2 + (b*c^2*d^2*e^2 + b*d^2*e^3)*x^2)*sqrt(c^2*x^2 - 1))/(c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4 + (c^4*d^3*e^4 + 2*c^2*d^2*e^5 + d*e^6)*x^4 + 2*(c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^2)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3/(e*x^2 + d)^3, x)`

3.113 $\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$

Optimal. Leaf size=193

$$-\frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} - \frac{bcx \tan^{-1}\left(\sqrt{c^2x^2 - 1}\right)}{4d^2 e \sqrt{c^2x^2}} + \frac{bcx (3c^2d + 2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2 - 1}}{\sqrt{c^2d + e}}\right)}{8d^2 \sqrt{e} \sqrt{c^2x^2} (c^2d + e)^{3/2}} + \frac{bcx \sqrt{c^2x^2 - 1}}{8d \sqrt{c^2x^2} (c^2d + e) (d + ex^2)}$$

[Out] $(b*c*x*Sqrt[-1 + c^2*x^2])/(8*d*(c^2*d + e)*Sqrt[c^2*x^2]*(d + e*x^2)) - (a + b*ArcCsc[c*x])/(4*e*(d + e*x^2)^2) - (b*c*x*ArcTan[Sqrt[-1 + c^2*x^2]])/(4*d^2*e*Sqrt[c^2*x^2]) + (b*c*(3*c^2*d + 2*e)*x*ArcTan[(Sqrt[e])*Sqrt[-1 + c^2*x^2]]/Sqrt[c^2*d + e]])/(8*d^2*Sqrt[e]*(c^2*d + e)^(3/2)*Sqrt[c^2*x^2])$

Rubi [A] time = 0.191103, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.316, Rules used = {5237, 446, 103, 156, 63, 205}

$$-\frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} - \frac{bcx \tan^{-1}\left(\sqrt{c^2x^2 - 1}\right)}{4d^2 e \sqrt{c^2x^2}} + \frac{bcx (3c^2d + 2e) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2 - 1}}{\sqrt{c^2d + e}}\right)}{8d^2 \sqrt{e} \sqrt{c^2x^2} (c^2d + e)^{3/2}} + \frac{bcx \sqrt{c^2x^2 - 1}}{8d \sqrt{c^2x^2} (c^2d + e) (d + ex^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b*ArcCsc[c*x]))/(d + e*x^2)^3, x]$

[Out] $(b*c*x*Sqrt[-1 + c^2*x^2])/(8*d*(c^2*d + e)*Sqrt[c^2*x^2]*(d + e*x^2)) - (a + b*ArcCsc[c*x])/(4*e*(d + e*x^2)^2) - (b*c*x*ArcTan[Sqrt[-1 + c^2*x^2]])/(4*d^2*e*Sqrt[c^2*x^2]) + (b*c*(3*c^2*d + 2*e)*x*ArcTan[(Sqrt[e])*Sqrt[-1 + c^2*x^2]]/Sqrt[c^2*d + e]])/(8*d^2*Sqrt[e]*(c^2*d + e)^(3/2)*Sqrt[c^2*x^2])$

Rule 5237

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x] + Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_)*(a_ + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 103

```
Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_)*((e_.) + (f_)*(x_))^(p_), x_Symbol] :> Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2*n, 2*p])
```

Rule 156

```
Int[((e_.) + (f_._)*(x_._))^(p_._)*((g_._) + (h_._)*(x_._))/(((a_._) + (b_._)*(x_._))*((c_._) + (d_._)*(x_._))), x_Symbol] :> Dist[(b*g - a*h)/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 63

```
Int[((a_._) + (b_._)*(x_._))^m_*((c_._) + (d_._)*(x_._))^n_, x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 205

```
Int[((a_._) + (b_._)*(x_._)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \csc^{-1}(cx))}{(d + ex^2)^3} dx &= -\frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} - \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2(d+ex^2)^2}} dx}{4e\sqrt{c^2x^2}} \\
&= -\frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x(d+ex)^2}} dx, x, x^2\right)}{8e\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2(d+ex^2)}} - \frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bcx) \text{Subst}\left(\int \frac{-c^2d-e+\frac{1}{2}c^2ex}{x\sqrt{-1+c^2x(d+ex)}} dx, x, x^2\right)}{8de(c^2d+e)\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2(d+ex^2)}} - \frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}} dx, x, x^2\right)}{8d^2e\sqrt{c^2x^2}} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{\frac{1}{c^2}+\frac{x^2}{c^2}} dx, x, \sqrt{-1+c^2x^2}\right)}{4cd^2e\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2(d+ex^2)}} - \frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} - \frac{(bx) \text{Subst}\left(\int \frac{1}{\frac{1}{c^2}+\frac{x^2}{c^2}} dx, x, \sqrt{-1+c^2x^2}\right)}{4cd^2e\sqrt{c^2x^2}} \\
&= \frac{bcx\sqrt{-1+c^2x^2}}{8d(c^2d+e)\sqrt{c^2x^2(d+ex^2)}} - \frac{a + b \csc^{-1}(cx)}{4e(d + ex^2)^2} - \frac{bcx \tan^{-1}\left(\sqrt{-1+c^2x^2}\right)}{4d^2e\sqrt{c^2x^2}} + \frac{bc(3c^2d+2e)}{8d^2\sqrt{e}(d+ex^2)^2}
\end{aligned}$$

Mathematica [C] time = 0.877974, size = 385, normalized size = 1.99

$$\frac{1}{16} \left(-\frac{4a}{e(d+ex^2)^2} + \frac{b(3c^2d+2e) \log\left(\frac{16d^2\sqrt{e}\sqrt{c^2(-d)-e}\left(cx\left(c\sqrt{d}-i\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}\right)+i\sqrt{e}\right)}{b(3c^2d+2e)(\sqrt{d}+i\sqrt{e}x)}\right)}{d^2\sqrt{e}(c^2(-d)-e)^{3/2}} + \frac{b(3c^2d+2e) \log\left(-\frac{16d^2\sqrt{e}\sqrt{c^2(-d)-e}\left(cx\left(c\sqrt{d}-i\sqrt{1-\frac{1}{c^2x^2}}\sqrt{c^2(-d)-e}\right)+i\sqrt{e}\right)}{b(3c^2d+2e)(\sqrt{d}+i\sqrt{e}x)}\right)}{d^2\sqrt{e}(c^2(-d)-e)^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcCsc[c*x]))/(d + e*x^2)^3, x]

```
[Out] ((-4*a)/(e*(d + e*x^2)^2) + (2*b*c*Sqrt[1 - 1/(c^2*x^2)]*x)/(d*(c^2*d + e)*(d + e*x^2)) - (4*b*ArcCsc[c*x])/((e*(d + e*x^2)^2) + (4*b*ArcSin[1/(c*x)])/(d^2*e) + (b*(3*c^2*d + 2*e)*Log[(16*d^2*Sqrt[-(c^2*d) - e])*Sqrt[e]*(I*Sqrt[e] + c*(c*Sqrt[d] - I*Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x))/(b*(3*c^2*d + 2*e)*(Sqrt[d] + I*Sqrt[e]*x)))/(d^2*(-(c^2*d) - e)^(3/2)*Sqrt[e]) + (b*(3*c^2*d + 2*e)*Log[(-(16*d^2*Sqrt[-(c^2*d) - e])*Sqrt[e]*(-Sqrt[e] + c*((-I)*c*Sqrt[d] + Sqrt[-(c^2*d) - e])*Sqrt[1 - 1/(c^2*x^2)])*x))/(b*(3*c^2*d + 2*e)*(I*Sqrt[d] + Sqrt[e]*x)))/(d^2*(-(c^2*d) - e)^(3/2)*Sqrt[e]))/16
```

Maple [B] time = 0.283, size = 1840, normalized size = 9.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x \cdot (a + b \cdot \text{arccsc}(c \cdot x)) / (e \cdot x^2 + d)^3 \, dx$

$$(1/2)*c*x - e) / (-e*c*x + (-c^2*e*d)^{(1/2)}))*e$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{\left(c^2e^3x^4 + 2c^2de^2x^2 + c^2d^2e\right) \int \frac{\left(\frac{1}{2}\log(cx+1) + \frac{1}{2}\log(cx-1)\right)}{c^2e^3x^6 + (2c^2de^2 - e^3)x^4 + (c^2e^3x^6 + (2c^2de^2 - e^3)x^4 - d^2e + (c^2d^2e - 2de^2)x^2)(cx+1)(cx-1) - d^2e + (c^2d^2e - 2de^2)x^2} dx}{4(e^3x^4 + 2de^2x^2 + d^2e)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="maxima")
```

```
[Out] -1/4*(4*(c^2*e^3*x^4 + 2*c^2*d*e^2*x^2 + c^2*d^2*e)*integrate(1/4*x*x^(1/2*log(c*x + 1) + 1/2*log(c*x - 1))/(c^2*e^3*x^6 + (2*c^2*d*e^2 - e^3)*x^4 - d^2*x^2 + (c^2*d^2*e - 2*d*e^2)*x^2 + (c^2*e^3*x^6 + (2*c^2*d*e^2 - e^3)*x^4 - d^2*x^2 + (c^2*d^2*e - 2*d*e^2)*x^2)*e^(log(c*x + 1) + log(c*x - 1))), x) + arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*b/(e^3*x^4 + 2*d*e^2*x^2 + d^2*x) - 1/4*a/(e^3*x^4 + 2*d*e^2*x^2 + d^2*x)
```

Fricas [B] time = 6.34089, size = 1839, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="fricas")
```

```
[Out] [-1/16*(4*a*c^4*d^4 + 8*a*c^2*d^3*e + 4*a*d^2*e^2 + (3*b*c^2*d^3 + (3*b*c^2*d*e^2 + 2*b*e^3)*x^4 + 2*b*d^2*e + 2*(3*b*c^2*d^2*e + 2*b*d*e^2)*x^2)*sqrt(-c^2*d*e - e^2)*log((c^2*e*x^2 - c^2*d - 2*sqrt(-c^2*d*e - e^2)*sqrt(c^2*x^2 - 1) - 2*e)/(e*x^2 + d)) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*arc csc(c*x) + 8*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + (b*c^4*d^2*e^2 + 2*b*c^2*d*e^3 + b*e^4)*x^4 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d*e^3)*x^2)*ar ctan(-c*x + sqrt(c^2*x^2 - 1)) - 2*(b*c^2*d^3*e + b*d^2*e^2 + (b*c^2*d^2*e^2 + b*d*e^3)*x^2)*sqrt(c^2*x^2 - 1))/(c^4*d^6*e + 2*c^2*d^5*e^2 + d^4*e^3 + (c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^4 + 2*(c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4)*x^2), -1/8*(2*a*c^4*d^4 + 4*a*c^2*d^3*e + 2*a*d^2*e^2 - (3*b*c^2*d^3 + (3*b*c^2*d*e^2 + 2*b*e^3)*x^4 + 2*b*d^2*e + 2*(3*b*c^2*d^2*e + 2*b*d*e^2)*x^2)*sqrt(c^2*d*e + e^2)*arctan(sqrt(c^2*d*e + e^2)*sqrt(c^2*x^2 - 1)/(c^2*d + e)) + 2*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*arccsc(c*x) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + (b*c^4*d^2*e^2 + 2*b*c^2*d*e^3 + b*e^4)*x^4 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d*e^3)*x^2)*arctan(-c*x + sqrt(c^2*x^2 - 1)) - (b*c^2*d^3*e + b*d^2*e^2 + (b*c^2*d^2*e^2 + b*d*e^3)*x^2)*sqrt(c^2*x^2 - 1))/(c^4*d^6*e + 2*c^2*d^5*e^2 + d^4*e^3 + (c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^4 + 2*(c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4)*x^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/(e*x^2 + d)^3, x)`

$$3.114 \quad \int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^3} dx$$

Optimal. Leaf size=704

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d^3}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d^3}+\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 d^3}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 d^3}$$

$$\begin{aligned} [\text{Out}] \quad & -(b*c*e* \text{Sqrt}[1 - 1/(c^2*x^2)])/(8*d^2*(c^2*d + e)*(e + d/x^2)*x) + (e^2*(a + b*\text{ArcCsc}[c*x]))/(4*d^3*(e + d/x^2)^2) - (e*(a + b*\text{ArcCsc}[c*x]))/(d^3*(e + d/x^2)) + ((I/2)*(a + b*\text{ArcCsc}[c*x])^2)/(b*d^3) + (b*\text{Sqrt}[e]*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(d^3*\text{Sqrt}[c^2*d + e]) - (b*\text{Sqrt}[e]*(c^2*d + 2*e)*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(8*d^3*(c^2*d + e)^(3/2)) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^3) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^3) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^3) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^3) + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/d^3 + ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/d^3 + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/d^3 + ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/d^3$$

Rubi [A] time = 1.31769, antiderivative size = 704, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.524, Rules used = {5241, 4733, 4729, 382, 377, 205, 4741, 4519, 2190, 2279, 2391}

$$\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d^3}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{e}-\sqrt{c^2 d+e}}\right)}{2 d^3}+\frac{i b \text{PolyLog}\left(2,-\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 d^3}+\frac{i b \text{PolyLog}\left(2,\frac{i c \sqrt{-d} e^{i \csc ^{-1}(c x)}}{\sqrt{c^2 d+e}+\sqrt{e}}\right)}{2 d^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(\text{x}*(\text{d} + e*x^2)^3), \text{x}]$

$$\begin{aligned} [\text{Out}] \quad & -(b*c*e* \text{Sqrt}[1 - 1/(c^2*x^2)])/(8*d^2*(c^2*d + e)*(e + d/x^2)*x) + (e^2*(a + b*\text{ArcCsc}[c*x]))/(4*d^3*(e + d/x^2)^2) - (e*(a + b*\text{ArcCsc}[c*x]))/(d^3*(e + d/x^2)) + ((I/2)*(a + b*\text{ArcCsc}[c*x])^2)/(b*d^3) + (b*\text{Sqrt}[e]*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(d^3*\text{Sqrt}[c^2*d + e]) - (b*\text{Sqrt}[e]*(c^2*d + 2*e)*\text{ArcTan}[\text{Sqrt}[c^2*d + e]/(c*\text{Sqrt}[e]*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)])/(8*d^3*(c^2*d + e)^(3/2)) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^3) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])])/(2*d^3) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^3) - ((a + b*\text{ArcCsc}[c*x])* \text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])])/(2*d^3) + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/d^3 + ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])]/d^3 + ((I/2)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/d^3 + ((I/2)*b*\text{PolyLog}[2, (I*c*\text{Sqrt}[-d]*E^(I*\text{ArcCsc}[c*x]))/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])]/d^3$$

```
*x]))/(Sqrt[e] + Sqrt[c^2*d + e]]))/d^3 + ((I/2)*b*PolyLog[2, (I*c*Sqrt[-d]
*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e]]))/d^3
```

Rule 5241

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))^n_)*(x_)^m_)*((d_.) + (e_.)*(x_)
^2)^p_, x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^
(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]
```

Rule 4733

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))^n_)*((f_.)*(x_))^m_)*((d_.) + (e_
.)*(x_)^2)^p_, x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^p_, x_
Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x]
- Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 382

```
Int[((a_) + (b_)*(x_)^n_))^p_*((c_) + (d_)*(x_)^n_)^q_, x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), I
nt[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x]
&& NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ
[q, -1]) && NeQ[p, -1]
```

Rule 377

```
Int[((a_) + (b_)*(x_)^n_))^p_)/((c_) + (d_)*(x_)^n_), x_Symbol] :> Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))^n_)/((d_.) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/((c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_)*(x_)]*(d_)*(x_))*((e_)*(x_)^m_))/((a_) + (b_)*Sin[(c_
.)*(d_)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
- I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((F_)((g_)*(e_)+(f_)*(x_)))^(n_)*((c_)+(d_)*(x_))^(m_))/((a_)+(b_)*((F_)((g_)*(e_)+(f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c+d*x)^m*Log[1+(b*(F^(g*(e+f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c+d*x)^(m-1)*Log[1+(b*(F^(g*(e+f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_)+(b_)*((F_)((e_)*(c_)+(d_)*(x_)))^(n_)]], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a+b*x]/x, x], x, (F^(e*(c+d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*(d_)+(e_)*(x_)^(n_)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^3} dx &= -\text{Subst} \left(\int \frac{x^5(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^3} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{e^2 x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d^2(e+dx^2)^3} - \frac{2ex(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d^2(e+dx^2)^2} + \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d^2(e+dx^2)} \right) dx, x, \frac{1}{x} \right) \\
&= -\frac{\text{Subst} \left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{e+dx^2} dx, x, \frac{1}{x} \right)}{d^2} + \frac{(2e) \text{Subst} \left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^2} dx, x, \frac{1}{x} \right)}{d^2} - \frac{e^2 \text{Subst} \left(\int \frac{x(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)} dx, x, \frac{1}{x} \right)}{d^2} \\
&= \frac{e^2(a+b \csc^{-1}(cx))}{4d^3\left(e+\frac{d}{x^2}\right)^2} - \frac{e(a+b \csc^{-1}(cx))}{d^3\left(e+\frac{d}{x^2}\right)} - \frac{\text{Subst} \left(\int \left(-\frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}-\sqrt{-dx})} + \frac{\sqrt{-d}(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2d(\sqrt{e}+\sqrt{-dx})} \right) dx, x, \frac{1}{x} \right)}{d^2} \\
&= -\frac{bce\sqrt{1-\frac{1}{c^2x^2}}}{8d^2(c^2d+e)\left(e+\frac{d}{x^2}\right)x} + \frac{e^2(a+b \csc^{-1}(cx))}{4d^3\left(e+\frac{d}{x^2}\right)^2} - \frac{e(a+b \csc^{-1}(cx))}{d^3\left(e+\frac{d}{x^2}\right)} - \frac{\text{Subst} \left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\sqrt{e}-\sqrt{-dx}} dx, x, \frac{1}{x} \right)}{2(-d)^{5/2}} \\
&= -\frac{bce\sqrt{1-\frac{1}{c^2x^2}}}{8d^2(c^2d+e)\left(e+\frac{d}{x^2}\right)x} + \frac{e^2(a+b \csc^{-1}(cx))}{4d^3\left(e+\frac{d}{x^2}\right)^2} - \frac{e(a+b \csc^{-1}(cx))}{d^3\left(e+\frac{d}{x^2}\right)} + \frac{b\sqrt{e}\tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{d^3\sqrt{c^2d+e}} \\
&= -\frac{bce\sqrt{1-\frac{1}{c^2x^2}}}{8d^2(c^2d+e)\left(e+\frac{d}{x^2}\right)x} + \frac{e^2(a+b \csc^{-1}(cx))}{4d^3\left(e+\frac{d}{x^2}\right)^2} - \frac{e(a+b \csc^{-1}(cx))}{d^3\left(e+\frac{d}{x^2}\right)} + \frac{i(a+b \csc^{-1}(cx))^2}{2bd^3} + \frac{b\sqrt{e}\tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2bd^3} \\
&= -\frac{bce\sqrt{1-\frac{1}{c^2x^2}}}{8d^2(c^2d+e)\left(e+\frac{d}{x^2}\right)x} + \frac{e^2(a+b \csc^{-1}(cx))}{4d^3\left(e+\frac{d}{x^2}\right)^2} - \frac{e(a+b \csc^{-1}(cx))}{d^3\left(e+\frac{d}{x^2}\right)} + \frac{i(a+b \csc^{-1}(cx))^2}{2bd^3} + \frac{b\sqrt{e}\tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2bd^3} \\
&= -\frac{bce\sqrt{1-\frac{1}{c^2x^2}}}{8d^2(c^2d+e)\left(e+\frac{d}{x^2}\right)x} + \frac{e^2(a+b \csc^{-1}(cx))}{4d^3\left(e+\frac{d}{x^2}\right)^2} - \frac{e(a+b \csc^{-1}(cx))}{d^3\left(e+\frac{d}{x^2}\right)} + \frac{i(a+b \csc^{-1}(cx))^2}{2bd^3} + \frac{b\sqrt{e}\tan^{-1}\left(\frac{\sqrt{c^2d+e}}{c\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}x}}\right)}{2bd^3}
\end{aligned}$$

Mathematica [F] time = 60.225, size = 0, normalized size = 0.

$$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^3} dx$$

Verification is Not applicable to the result.

[In] $\text{Integrate}[(a + b \text{ArcCsc}[c*x])/(x*(d + e*x^2)^3), x]$

[Out] $\text{Integrate}[(a + b \text{ArcCsc}[c*x])/(x*(d + e*x^2)^3), x]$

Maple [C] time = 1.979, size = 5294, normalized size = 7.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arccsc}(c*x))/x/(e*x^2+d)^3, x)$

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} a \left(\frac{2 e x^2 + 3 d}{d^2 e^2 x^4 + 2 d^3 e x^2 + d^4} - \frac{2 \log(ex^2 + d)}{d^3} + \frac{4 \log(x)}{d^3} \right) + b \int \frac{\arctan\left(1, \sqrt{cx+1}\sqrt{cx-1}\right)}{e^3 x^7 + 3 d e^2 x^5 + 3 d^2 e x^3 + d^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arccsc}(c*x))/x/(e*x^2+d)^3, x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{4} a ((2 e x^2 + 3 d) / (d^2 e^2 x^4 + 2 d^3 e x^2 + d^4) - 2 \log(e*x^2 + d) / d^3 + 4 * \log(x) / d^3) + b \text{integrate}(\arctan(1, \sqrt{c*x + 1}) * \sqrt{c*x - 1}) / (e^3 x^7 + 3 d e^2 x^5 + 3 d^2 e x^3 + d^3 x), x$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \text{arccsc}(cx) + a}{e^3 x^7 + 3 d e^2 x^5 + 3 d^2 e x^3 + d^3 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{arccsc}(c*x))/x/(e*x^2+d)^3, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((b*\text{arccsc}(c*x) + a) / (e^3 x^7 + 3 d e^2 x^5 + 3 d^2 e x^3 + d^3 x), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\text{acsc}(c*x))/x/(e*x**2+d)**3, x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x^2 + d)^3*x), x)`

3.115 $\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$

Optimal. Leaf size=1144

result too large to display

```
[Out] -(b*c*.Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqr
t[e] - d/x)) - (b*c*.Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)
*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[-d]*(a + b*ArcCsc[c*x]))/(16*e^(3/2)*(Sqr
t[-d]*Sqrt[e] - d/x)^2) + (3*(a + b*ArcCsc[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e]
- d/x)) - (Sqrt[-d]*(a + b*ArcCsc[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] +
d/x)^2) - (3*(a + b*ArcCsc[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*Ar
cTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/
(c^2*x^2)]])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) - (3*b*ArcTanh[(c^2*d - (Sqr
t[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*S
qrt[d]*e^2*Sqrt[c^2*d + e]) - (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*
Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2))
- (3*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d
+ e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) - (3*(a + b*
ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqr
t[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqr
t[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) -
(3*(a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqr
t[e] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcCsc[c*x])*Log[1 +
(I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*Sqr
t[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqr
t[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, (I*c*Sqr
t[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) -
(((3*I)/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqr
t[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, (I*c*
Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2))
)
```

Rubi [A] time = 1.60013, antiderivative size = 1144, normalized size of antiderivative = 1., number of steps used = 35, number of rules used = 11, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.524, Rules used = {5241, 4667, 4743, 731, 725, 206, 4741, 4519, 2190, 2279, 2391}

$$-\frac{b\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}c}}{16e^{3/2}\left(dc^2+e\right)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)}-\frac{b\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}c}}{16e^{3/2}\left(dc^2+e\right)\left(\frac{d}{x}+\sqrt{-d}\sqrt{e}\right)}+\frac{3\left(a+b\csc^{-1}(cx)\right)}{16e^2\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)}-\frac{3\left(a+b\csc^{-1}(cx)\right)}{16e^2\left(\frac{d}{x}+\sqrt{-d}\sqrt{e}\right)}+\frac{\sqrt{-d}\left(a+b\csc^{-1}(cx)\right)}{16e^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^3, x]

```
[Out] -(b*c*.Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)*(Sqr
t[e] - d/x)) - (b*c*.Sqrt[-d]*Sqrt[1 - 1/(c^2*x^2)])/(16*e^(3/2)*(c^2*d + e)
*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[-d]*(a + b*ArcCsc[c*x]))/(16*e^(3/2)*(Sqr
t[-d]*Sqrt[e] - d/x)^2) + (3*(a + b*ArcCsc[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e]
- d/x)) - (Sqrt[-d]*(a + b*ArcCsc[c*x]))/(16*e^(3/2)*(Sqrt[-d]*Sqrt[e] +
d/x)^2) - (3*(a + b*ArcCsc[c*x]))/(16*e^2*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*Ar
cTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/
(c^2*x^2)]])/(16*Sqrt[d]*e*(c^2*d + e)^(3/2)) - (3*b*ArcTanh[(c^2*d - (Sqr
t[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*Sqr
t[d]*e*(c^2*d + e)^(3/2))
```

$$\begin{aligned}
& t[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)]))/((16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) - (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]]))/((16*Sqrt[d]*e*(c^2*d + e)^(3/2)) - (3*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]]))/((16*Sqrt[d]*e^2*Sqrt[c^2*d + e]) - (3*(a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/((16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/((16*Sqrt[-d]*e^(5/2)) + (3*(a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/((16*Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/((Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/((Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/((Sqrt[-d]*e^(5/2)) + (((3*I)/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/((Sqrt[-d]*e^(5/2)))
\end{aligned}$$
Rule 5241

```

Int[((a_.) + ArcCsc[(c_)*(x_)*(b_.)])^(n_)*(x_)^(m_)*((d_.) + (e_.)*(x_)^2)^(p_), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0]
&& IntegerQ[m] && IntegerQ[p]

```

Rule 4667

```

Int[((a_.) + ArcSin[(c_)*(x_)*(b_.)])^(n_)*((d_.) + (e_.)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

```

Rule 4743

```

Int[((a_.) + ArcSin[(c_)*(x_)*(b_.)])^(n_)*((d_.) + (e_.)*(x_)^2)^(m_), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(e*(m + 1)), x] - Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]

```

Rule 731

```

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

```

Rule 725

```

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (c_.)*(x_)^2]), x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

```

Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

```

Rule 4741

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))^(n_.)/((d_.) + (e_)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_)*(x_)]*((e_.) + (f_)*(x_))^m_.)/((a_.) + (b_)*Sin[(c_.) + (d_)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] & PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.)*(e_.) + (f_)*(x_))))^n_.)*((c_.) + (d_)*(x_))^m_.)/((a_.) + (b_)*(F_)^((g_.)*(e_.) + (f_)*(x_))))^n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F])), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_)*(F_)^((e_.)*(c_.) + (d_)*(x_)))^n_.], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*(d_.) + (e_)*(x_)^n_.)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(a + b \csc^{-1}(cx))}{(d + ex^2)^3} dx &= -\text{Subst}\left(\int \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{\left(e + dx^2\right)^3} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(-\frac{d^3(a + b \sin^{-1}\left(\frac{x}{c}\right))}{8(-d)^{3/2}e^{3/2}(\sqrt{-d}\sqrt{e}-dx)^3} - \frac{3d(a + b \sin^{-1}\left(\frac{x}{c}\right))}{16e^2(\sqrt{-d}\sqrt{e}-dx)^2} - \frac{d^3(a + b \sin^{-1}\left(\frac{x}{c}\right))}{8(-d)^{3/2}e^{3/2}(\sqrt{-d}\sqrt{e}+dx)^3}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{(3d)\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\left(\sqrt{-d}\sqrt{e}-dx\right)^2} dx, x, \frac{1}{x}\right)}{16e^2} + \frac{(3d)\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\left(\sqrt{-d}\sqrt{e}+dx\right)^2} dx, x, \frac{1}{x}\right)}{16e^2} + \frac{(3d)\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{\left(\sqrt{-d}\sqrt{e}+dx\right)^2} dx, x, \frac{1}{x}\right)}{16e^2} \\
&= \frac{\sqrt{-d}(a + b \csc^{-1}(cx))}{16e^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)^2} + \frac{3(a + b \csc^{-1}(cx))}{16e^2\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{\sqrt{-d}(a + b \csc^{-1}(cx))}{16e^{3/2}\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)^2} - \frac{3(a + b \csc^{-1}(cx))}{16e^2\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} + \frac{\sqrt{-d}(a + b \csc^{-1}(cx))}{16e^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)^2} + \\
&= -\frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} + \frac{\sqrt{-d}(a + b \csc^{-1}(cx))}{16e^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)^2} + \\
&= -\frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} + \frac{\sqrt{-d}(a + b \csc^{-1}(cx))}{16e^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)^2} + \\
&= -\frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{bc\sqrt{-d}\sqrt{1-\frac{1}{c^2x^2}}}{16e^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} + \frac{\sqrt{-d}(a + b \csc^{-1}(cx))}{16e^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)^2} +
\end{aligned}$$

Mathematica [A] time = 6.18977, size = 2067, normalized size = 1.81

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^3, x]
```

```
[Out] (a*d*x)/(4*e^2*(d + e*x^2)^2) - (5*a*x)/(8*e^2*(d + e*x^2)) + (3*a*ArcTan[(  
Sqrt[e]*x)/Sqrt[d]]/(8*Sqrt[d]*e^(5/2)) + b*((5*(-ArcCsc[c*x])/((-I)*Sqrt[  
d])*Sqrt[e] + e*x)) + (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d])*Sqrt[e]*  
Sqrt[e] + c*(-I)*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)]*x))/  
(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e]))/Sqrt[d]  
)/(16*e^2) + (5*(-(ArcCsc[c*x]/(I*Sqrt[d])*Sqrt[e] + e*x)) - (I*(ArcSin[1/(  
c*x)]/Sqrt[e] - Log[(2*Sqrt[d])*Sqrt[e]*(-Sqrt[e] + c*(-I)*c*Sqrt[d] + Sqrt  
[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)]*x)))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*  
Sqrt[e]*x))/Sqrt[-(c^2*d) - e]))/Sqrt[d])/(16*e^2) + ((I/16)*Sqrt[d]*((I*  
c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)/(Sqrt[d]*(c^2*d + e)*((-I)*Sqrt[d] + Sqr  
t[e]*x)) - ArcCsc[c*x]/(Sqrt[e]*((-I)*Sqrt[d] + Sqrt[e]*x)^2) - ArcSin[1/(c  
*x)]/(d*Sqrt[e]) + (I*(2*c^2*d + e)*Log[(4*d*Sqrt[e])*Sqrt[c^2*d + e]*(I*Sqr  
t[e] + c*(c*Sqrt[d] - Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]*x))/(2*c^2*d  
+ e)*((-I)*Sqrt[d] + Sqrt[e]*x)))/(d*(c^2*d + e)^(3/2)))/e^2 - ((I/16)*Sqr  
t[d]*(((I/16)*c*Sqrt[e]*Sqrt[1 - 1/(c^2*x^2)]*x)/(Sqrt[d]*(c^2*d + e)*(I*Sqr  
t[d] + Sqrt[e]*x)) - ArcCsc[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) - ArcS  
in[1/(c*x)]/(d*Sqrt[e]) + (I*(2*c^2*d + e)*Log[(-4*d*Sqrt[e])*Sqrt[c^2*d + e  
]*((-I)*Sqrt[e] + c*(c*Sqrt[d] + Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]*x))  
/((2*c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)))/(d*(c^2*d + e)^(3/2)))/e^2 - (3  
*(Pi^2 - 4*Pi*ArcCsc[c*x] + 8*ArcCsc[c*x]^2 - 32*ArcSin[Sqrt[1 - (I*Sqr  
t[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcC  
sc[c*x])/4])/Sqrt[c^2*d + e]] + (4*I)*Pi*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])  
(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - (8*I)*ArcCsc[c*x]*Log[1 + (Sqrt[e] - Sqr  
t[c^2*d + e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] + (16*I)*ArcSin[Sqrt[1 - (I*Sqr  
t[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d]  
*E^(I*ArcCsc[c*x]))] + (4*I)*Pi*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqr  
t[d]*E^(I*ArcCsc[c*x]))] - (8*I)*ArcCsc[c*x]*Log[1 + (Sqrt[e] + Sqrt[c^2*d +  
e])/(c*Sqrt[d]*E^(I*ArcCsc[c*x]))] - (16*I)*ArcSin[Sqrt[1 - (I*Sqr  
t[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqr  
t[d]*E^(I*ArcCsc[c*x]))] + (8*I)*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - (4*I)*Pi*  
Log[Sqrt[e] + (I*Sqrt[d])/x] + 8*PolyLog[2, (-Sqrt[e] + Sqrt[c^2*d + e])/(c*  
Sqrt[d]*E^(I*ArcCsc[c*x]))] + 8*PolyLog[2, -((Sqrt[e] + Sqrt[c^2*d + e])/(c*  
Sqrt[d]*E^(I*ArcCsc[c*x])))] + 4*PolyLog[2, E^((2*I)*ArcCsc[c*x]))]/(128*  
Sqrt[d]*e^(5/2)) + (3*(Pi^2 - 4*Pi*ArcCsc[c*x] + 8*ArcCsc[c*x]^2 - 32*ArcSi  
n[Sqrt[1 + (I*Sqr[e])/(c*Sqr[d])]/Sqrt[2]]*ArcTan[((I*c*Sqr[d] + Sqr[e])  
)*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] + (4*I)*Pi*Log[1 + (-Sqr  
t[e] + Sqrt[c^2*d + e])/(c*Sqr[d]*E^(I*ArcCsc[c*x]))] - (8*I)*ArcCsc[c*x]*Log  
[1 + (-Sqr[e] + Sqrt[c^2*d + e])/(c*Sqr[d]*E^(I*ArcCsc[c*x]))] + (16*I)*A  
rcSin[Sqr[1 + (I*Sqr[e])/(c*Sqr[d])]/Sqr[2]]*Log[1 + (-Sqr[e] + Sqr[c  
^2*d + e])/(c*Sqr[d]*E^(I*ArcCsc[c*x]))] + (4*I)*Pi*Log[1 - (Sqr[e] + Sqr  
t[c^2*d + e])/(c*Sqr[d]*E^(I*ArcCsc[c*x]))] - (8*I)*ArcCsc[c*x]*Log[1 - (S  
qr[e] + Sqr[c^2*d + e])/(c*Sqr[d]*E^(I*ArcCsc[c*x]))] - (16*I)*ArcSin[Sqr  
[1 + (I*Sqr[e])/(c*Sqr[d])]/Sqr[2]]*Log[1 - (Sqr[e] + Sqr[c^2*d + e])  
(c*Sqr[d]*E^(I*ArcCsc[c*x]))] + (8*I)*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcC  
sc[c*x])] - (4*I)*Pi*Log[Sqr[e] - (I*Sqr[d])/x] + 8*PolyLog[2, (Sqr[e] - Sqr  
t[c^2*d + e])/(c*Sqr[d]*E^(I*ArcCsc[c*x]))] + 8*PolyLog[2, (Sqr[e] + Sqr  
t[c^2*d + e])/(c*Sqr[d]*E^(I*ArcCsc[c*x]))] + 4*PolyLog[2, E^((2*I)*ArcC  
sc[c*x]))]/(128*Sqr[d]*e^(5/2)))
```

Maple [C] time = 2.188, size = 3175, normalized size = 2.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^3,x)

$c*(I/c/x+(1-1/c^2/x^2)^(1/2))/((c^2*d+2*(e*(c^2*d+e))^(1/2)+2*e)*d)^(1/2)) / e^2/(c^2*d+e)/d - 3/16*c*b/e/(c^2*d+e)*sum(_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arc csc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1), _R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))-3/16*c*b/e/(c^2*d+e)*sum(1/_R1/(_R1^2*c^2*d-c^2*d-2*e)*(I*arccsc(c*x)*ln(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^(1/2))/_R1)), _R1=RootOf(c^2*d*_Z^4+(-2*c^2*d-4*e)*_Z^2+c^2*d))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^4 \text{arccsc}(cx) + ax^4}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="fricas")`

[Out] `integral((b*x^4*arccsc(c*x) + a*x^4)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*acsc(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \text{arccsc}(cx) + a)x^4}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^4/(e*x^2 + d)^3, x)`

3.116 $\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^3} dx$

Optimal. Leaf size=1144

result too large to display

```
[Out] -(b*c*sqrt[1 - 1/(c^2*x^2)])/(16*sqrt[-d]*sqrt[e]*(c^2*d + e)*(sqrt[-d]*sqrt[e]*sqrt[-d*x]) - (b*c*sqrt[1 - 1/(c^2*x^2)])/(16*sqrt[-d]*sqrt[e]*(c^2*d + e)*(sqrt[-d]*sqrt[e]*sqrt[d/x])) + (a + b*arcCsc[c*x])/(16*sqrt[-d]*sqrt[e]*(sqrt[-d]*sqrt[e] - d/x)^2) + (a + b*arcCsc[c*x])/(16*sqrt[-d]*sqrt[e]*(sqrt[-d]*sqrt[e] + d/x)^2) - (a + b*arcCsc[c*x])/(16*d*e*(sqrt[-d]*sqrt[e] - d/x)) + (b*arcTanh[(c^2*d - (sqrt[-d]*sqrt[e])/x)/(c*sqrt[d]*sqrt[c^2*d + e])*sqrt[1 - 1/(c^2*x^2)]])/(16*d^(3/2)*(c^2*d + e)^(3/2)) - (b*arcTanh[(c^2*d - (sqrt[-d]*sqrt[e])/x)/(c*sqrt[d]*sqrt[c^2*d + e])*sqrt[1 - 1/(c^2*x^2)]])/(16*d^(3/2)*e*sqrt[c^2*d + e]) + (b*arcTanh[(c^2*d + (sqrt[-d]*sqrt[e])/x)/(c*sqrt[d]*sqrt[c^2*d + e]*sqrt[1 - 1/(c^2*x^2)]])/(16*d^(3/2)*(c^2*d + e)^(3/2)) - (b*arcTanh[(c^2*d + (sqrt[-d]*sqrt[e])/x)/(c*sqrt[d]*sqrt[c^2*d + e])*sqrt[1 - 1/(c^2*x^2)]])/(16*d^(3/2)*e*sqrt[c^2*d + e]) + ((a + b*arcCsc[c*x])*log[1 - (I*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] - sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((a + b*arcCsc[c*x])*log[1 + (I*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] - sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((a + b*arcCsc[c*x])*log[1 - (I*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] + sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((a + b*arcCsc[c*x])*log[1 + (I*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] + sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) + ((I/16)*b*polyLog[2, ((-I)*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] - sqrt[c^2*d + e])]/((-d)^(3/2)*e^(3/2)) - ((I/16)*b*polyLog[2, (I*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] - sqrt[c^2*d + e])]/((-d)^(3/2)*e^(3/2)) + ((I/16)*b*polyLog[2, ((-I)*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] + sqrt[c^2*d + e])]/((-d)^(3/2)*e^(3/2)) - ((I/16)*b*polyLog[2, (I*c*sqrt[-d]*E^(I*arcCsc[c*x]))/(sqrt[e] + sqrt[c^2*d + e])]/((-d)^(3/2)*e^(3/2)))
```

Rubi [A] time = 3.06887, antiderivative size = 1144, normalized size of antiderivative = 1., number of steps used = 63, number of rules used = 12, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.571, Rules used = {5241, 4733, 4667, 4743, 731, 725, 206, 4741, 4519, 2190, 2279, 2391}

$$\frac{b\sqrt{1 - \frac{1}{c^2x^2}c}}{16\sqrt{-d}\sqrt{e}(dc^2 + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{b\sqrt{1 - \frac{1}{c^2x^2}c}}{16\sqrt{-d}\sqrt{e}(dc^2 + e)\left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} + \frac{a + b \csc^{-1}(cx)}{16de\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{16de\left(\frac{d}{x} + \sqrt{-d}\sqrt{e}\right)} + \dots$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*arcCsc[c*x]))/(d + e*x^2)^3, x]

```
[Out] -(b*c*sqrt[1 - 1/(c^2*x^2)])/(16*sqrt[-d]*sqrt[e]*(c^2*d + e)*(sqrt[-d]*sqrt[e]*sqrt[-d*x]) - (b*c*sqrt[1 - 1/(c^2*x^2)])/(16*sqrt[-d]*sqrt[e]*(c^2*d + e)*(sqrt[-d]*sqrt[e]*sqrt[d/x])) + (a + b*arcCsc[c*x])/(16*sqrt[-d]*sqrt[e]*(sqrt[-d]*sqrt[e] - d/x)^2) + (a + b*arcCsc[c*x])/(16*sqrt[-d]*sqrt[e]*(sqrt[-d]*sqrt[e] + d/x)^2) - (a + b*arcCsc[c*x])/(16*d*e*(sqrt[-d]*sqrt[e] - d/x)) + (b*arcTanh[(c^2*d - (sqrt[-d]*sqrt[e])/x)/(c*sqrt[d]*sqrt[c^2*d + e])*sqrt[1 - 1/(c^2*x^2)]])/(16*d^(3/2)*(c^2*d + e)^(3/2)) - (b*arcTanh[(c^2*d - (sqrt[-d]*sqrt[e])/x)/(c*sqrt[d]*sqrt[c^2*d + e])*sqrt[1 - 1/(c^2*x^2)]])/(16*d^(3/2)*e*sqrt[c^2*d + e])
```

$$\begin{aligned}
& 2*d + e]) + (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^{(3/2)}*(c^2*d + e)^{(3/2)}) - (b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^{(3/2)}*e*Sqrt[c^2*d + e]) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^{(3/2)}*e^{(3/2)}) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^{(3/2)}*e^{(3/2)}) + ((a + b*ArcCsc[c*x])*Log[1 - (I*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^{(3/2)}*e^{(3/2)}) - ((a + b*ArcCsc[c*x])*Log[1 + (I*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^{(3/2)}*e^{(3/2)}) + ((I/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] - Sqrt[c^2*d + e])])/((-d)^{(3/2)}*e^{(3/2)}) - ((I/16)*b*PolyLog[2, (I*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] - Sqrt[c^2*d + e])])/((-d)^{(3/2)}*e^{(3/2)}) + ((I/16)*b*PolyLog[2, ((-I)*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] + Sqrt[c^2*d + e])])/((-d)^{(3/2)}*e^{(3/2)}) - ((I/16)*b*PolyLog[2, (I*c*Sqrt[-d]*E^{(I*ArcCsc[c*x])})/(Sqrt[e] + Sqrt[c^2*d + e])])/((-d)^{(3/2)}*e^{(3/2)})
\end{aligned}$$
Rule 5241

```

Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Subst[Int[((e + d*x^2)^p*(a + b*ArcSin[x/c])^n)/x^(m + 2*(p + 1)), x], x, 1/x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[n, 0] && IntegerQ[m] && IntegerQ[p]

```

Rule 4733

```

Int[((a_.) + ArcSin[(c_.*(x_)]*(b_.))^(n_.)*((f_.*(x_))^(m_.)*((d_.) + (e_.*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

Rule 4667

```

Int[((a_.) + ArcSin[(c_.*(x_)]*(b_.))^(n_.)*((d_.) + (e_.*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

```

Rule 4743

```

Int[((a_.) + ArcSin[(c_.*(x_)]*(b_.))^(n_.)*((d_.) + (e_.*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(e*(m + 1)), x] - Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

Rule 731

```

Int[((d_) + (e_.*(x_))^(m_)*((a_) + (c_.*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

```

Rule 725

```

Int[1/(((d_) + (e_.*(x_)))*Sqrt[(a_) + (c_.*(x_)^2)], x_Symbol] :> -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]

```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))^n_./((d_.) + (e_)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/((c*d + e*x)*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_)*(x_)]*((e_.) + (f_)*(x_))^(m_.))/((a_) + (b_)*Sin[(c_.) + (d_)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((((F_)^((g_.)*((e_.) + (f_)*(x_))))^n_.)*((c_.) + (d_)*(x_))^(m_.))/((a_) + (b_)*((F_)^((g_.)*((e_.) + (f_)*(x_))))^n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/((b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_.)*((c_.) + (d_)*(x_))))^n_.], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*(d_.) + (e_.)*(x_)^n_.]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \csc^{-1}(cx))}{(d + ex^2)^3} dx &= -\text{Subst}\left(\int \frac{x^2(a + b \sin^{-1}\left(\frac{x}{c}\right))}{(e + dx^2)^3} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(-\frac{e(a + b \sin^{-1}\left(\frac{x}{c}\right))}{d(e + dx^2)^3} + \frac{a + b \sin^{-1}\left(\frac{x}{c}\right)}{d(e + dx^2)^2}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(e+dx^2)^2} dx, x, \frac{1}{x}\right)}{d} + \frac{e \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(e+dx^2)^3} dx, x, \frac{1}{x}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(-\frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}-dx)^2} - \frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}+dx)^2} - \frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2e(-de-d^2x^2)}\right) dx, x, \frac{1}{x}\right)}{d} + \frac{e \text{Subst}\left(\int \left(-\frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}-dx)^2} - \frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}+dx)^2} - \frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{2e(-de-d^2x^2)}\right) dx, x, \frac{1}{x}\right)}{d} \\
&= -\frac{3 \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}-dx)^2} dx, x, \frac{1}{x}\right)}{16e} - \frac{3 \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}+dx)^2} dx, x, \frac{1}{x}\right)}{16e} + \frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}-dx)^3} dx, x, \frac{1}{x}\right)}{4e} \\
&= \frac{a + b \csc^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)^2} + \frac{a + b \csc^{-1}(cx)}{16de\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{a + b \csc^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)^2} - \frac{a + b \csc^{-1}(cx)}{16de\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{a + b \csc^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{a + b \csc^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{a + b \csc^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{a + b \csc^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} - \frac{d}{x}\right)} - \frac{bc\sqrt{1 - \frac{1}{c^2x^2}}}{16\sqrt{-d}\sqrt{e}(c^2d + e)\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)} + \frac{a + b \csc^{-1}(cx)}{16\sqrt{-d}\sqrt{e}\left(\sqrt{-d}\sqrt{e} + \frac{d}{x}\right)}
\end{aligned}$$

Mathematica [A] time = 6.12799, size = 2075, normalized size = 1.81

Result too large to show

Warning: Unable to verify antiderivative.

[In] `Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^3, x]`

[Out]
$$\begin{aligned} & -\frac{(a x)}{(4 e (d + e x^2)^2)} + \frac{(a x)}{(8 d e (d + e x^2))} + \frac{(a \operatorname{ArcTan}(\sqrt{e} x) / \sqrt{d}) / (8 d^{3/2} e^{3/2})}{(d + e x^2)^3} + b \left(\frac{-(-\operatorname{ArcCsc}(c x) / ((-I) \sqrt{d}) \sqrt{e})}{(d + e x^2)^3} \right. \\ & \quad \left. + \frac{(I (\operatorname{ArcSin}(1/(c x)) / \sqrt{e}) - \operatorname{Log}((2 \sqrt{d}) \sqrt{e} (\sqrt{e} + c ((-I) c \sqrt{d} - \sqrt{-(c^2 d) - e}) \sqrt{1 - 1/(c^2 x^2)}) x) / (\sqrt{-(c^2 d) - e} (\sqrt{d} + I \sqrt{e} x))}{(d + e x^2)^3} \right) / (16 d e) \\ & \quad - \frac{(-(\operatorname{ArcCsc}(c x) / (I \sqrt{d}) \sqrt{e}) + e x) / (\operatorname{ArcSin}(1/(c x)) / \sqrt{e}) - (I (\operatorname{ArcSin}(1/(c x)) / \sqrt{e}) - \operatorname{Log}((2 \sqrt{d}) \sqrt{e} (-\sqrt{e} + c ((-I) c \sqrt{d} + \sqrt{-(c^2 d) - e}) \sqrt{1 - 1/(c^2 x^2)}) x) / (\sqrt{-(c^2 d) - e} (\sqrt{d} - I \sqrt{e} x))}{(d + e x^2)^3} / (16 d e) \\ & \quad - \frac{((I/16) ((I c \sqrt{e}) \sqrt{1 - 1/(c^2 x^2)}) x) / (\sqrt{d} (c^2 d + e) ((-I) \sqrt{d} + \sqrt{e} x)) - \operatorname{ArcCsc}(c x) / (\sqrt{e} ((-I) \sqrt{d} + \sqrt{e} x)^2) - \operatorname{ArcSin}(1/(c x)) / (d \sqrt{e}) + (I (2 c^2 d + e) \operatorname{Log}((4 d \sqrt{e}) \sqrt{c^2 d + e} (I \sqrt{e} + c (c \sqrt{d} - \sqrt{c^2 d + e}) \sqrt{1 - 1/(c^2 x^2)}) x) / ((2 c^2 d + e) ((-I) \sqrt{d} + \sqrt{e} x)) / (d (c^2 d + e)^{3/2}) / (\sqrt{d} e) + ((I/16) (((-I) c \sqrt{e}) \sqrt{1 - 1/(c^2 x^2)}) x) / (\sqrt{d} (c^2 d + e) ((-I) \sqrt{d} + \sqrt{e} x)) - A \operatorname{ArcCsc}(c x) / (\sqrt{e} ((I \sqrt{d} + \sqrt{e} x)^2) - \operatorname{ArcSin}(1/(c x)) / (d \sqrt{e}) + (I (2 c^2 d + e) \operatorname{Log}((-4 d \sqrt{e}) \sqrt{c^2 d + e} ((-I) \sqrt{e} + c (c \sqrt{d} + \sqrt{c^2 d + e}) \sqrt{1 - 1/(c^2 x^2)}) x) / ((2 c^2 d + e) ((-I) \sqrt{d} + \sqrt{e} x)) / (d (c^2 d + e)^{3/2}) / (\sqrt{d} e) - (Pi^2 - 4 Pi \operatorname{ArcCsc}(c x) + 8 \operatorname{ArcCsc}(c x)^2 - 32 \operatorname{ArcSin}(\sqrt{1 - (I \sqrt{e}) / (c \sqrt{d})}) / \sqrt{2} * \operatorname{ArcTan}((((-I) c \sqrt{d}) + \sqrt{e}) * \operatorname{Cot}((Pi + 2 \operatorname{ArcCsc}(c x)) / 4)) / \sqrt{c^2 d + e} + (4 I) \operatorname{Pi} \operatorname{Log}(1 + (\sqrt{e} - \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) - (8 I) \operatorname{ArcCsc}(c x) \operatorname{Log}(1 + (\sqrt{e} - \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + (16 I) \operatorname{ArcSin}(\sqrt{1 - (I \sqrt{e}) / (c \sqrt{d})}) / \sqrt{c^2 d + e} / \sqrt{2} * \operatorname{Log}(1 + (\sqrt{e} - \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + (4 I) \operatorname{Pi} \operatorname{Log}(1 + (\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) - (8 I) \operatorname{ArcCsc}(c x) \operatorname{Log}(1 + (\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) - (16 I) \operatorname{ArcSin}(\sqrt{1 - (I \sqrt{e}) / (c \sqrt{d})}) / \sqrt{2} * \operatorname{Log}(1 + (\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) - (16 I) \operatorname{ArcSin}(\sqrt{1 - (I \sqrt{e}) / (c \sqrt{d})}) / \sqrt{2} * \operatorname{Log}(1 + (\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + (8 I) \operatorname{ArcCsc}(c x) \operatorname{Log}(1 - E^{\operatorname{ArcCsc}(c x)}) - (4 I) \operatorname{Pi} \operatorname{Log}(\sqrt{e} + (I \sqrt{d}) / x + 8 \operatorname{PolyLog}(2, (-\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + 8 \operatorname{PolyLog}(2, -(\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)})) + 4 \operatorname{PolyLog}(2, E^{\operatorname{ArcCsc}(c x)}) / (128 d^{3/2} e^{3/2}) + (Pi^2 - 4 Pi \operatorname{ArcCsc}(c x) + 8 \operatorname{ArcCsc}(c x)^2 - 32 \operatorname{ArcSin}(\sqrt{1 + (I \sqrt{e}) / (c \sqrt{d})}) / \sqrt{2} * \operatorname{ArcTan}(((I c \sqrt{d}) + \sqrt{e}) * \operatorname{Cot}((Pi + 2 \operatorname{ArcCsc}(c x)) / 4)) / \sqrt{c^2 d + e} + (4 I) \operatorname{Pi} \operatorname{Log}(1 + (-\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) - (8 I) \operatorname{ArcCsc}(c x) \operatorname{Log}(1 + (-\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + (16 I) \operatorname{ArcSin}(\sqrt{1 + (I \sqrt{e}) / (c \sqrt{d})}) / \sqrt{c^2 d + e} / \sqrt{2} * \operatorname{Log}(1 + (-\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + (4 I) \operatorname{Pi} \operatorname{Log}(1 - (\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) - (8 I) \operatorname{ArcCsc}(c x) \operatorname{Log}(1 - (Sqrt[e] + Sqrt[c^2 d + e]) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) - (16 I) \operatorname{ArcSin}(\sqrt{1 + (I \sqrt{e}) / (c \sqrt{d})}) / (c \sqrt{d}) / \sqrt{2} * \operatorname{Log}(1 - (\sqrt{e} + \sqrt{c^2 d + e}) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + (8 I) \operatorname{ArcCsc}(c x) \operatorname{Log}(1 - E^{\operatorname{ArcCsc}(c x)}) - (4 I) \operatorname{Pi} \operatorname{Log}(\sqrt{e} - (I \sqrt{d}) / x + 8 \operatorname{PolyLog}(2, (Sqrt[e] - Sqrt[c^2 d + e]) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)}) + 8 \operatorname{PolyLog}(2, (Sqrt[e] + Sqrt[c^2 d + e]) / (c \sqrt{d}) e^{\operatorname{ArcCsc}(c x)})) + 4 \operatorname{PolyLog}(2, E^{\operatorname{ArcCsc}(c x)}) / (128 d^{3/2} e^{3/2}) \end{aligned}$$

Maple [C] time = 2.568, size = 2329, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^2(a+b\arccsc(cx))/(e*x^2+d)^3, x)$

[Out]
$$\begin{aligned} & \frac{1}{8}c^5b*x^4/(c^2e*x^2+c^2d)^2e/(c^2d+e)/d*((c^2*x^2-1)/c^2/x^2)^{(1/2)} \\ & -\frac{1}{8}c^6b*x/(c^2e*x^2+c^2d)^2/(c^2d+e)/e*\arccsc(cx)*d-1/4/c^2b*(-(c^2 \\ & *d-2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*\arctan(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})) \\ & /((-c^2d+2*(e*(c^2d+e))^{(1/2)-2e}*d)^{(1/2)}/e/(c^2d+e)/d^3*(e*(c^2d+ \\ & e))^{(1/2)+1/4/c^2b*((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*\arctanh(d*c \\ & *(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)})/e \\ & /(c^2d+e)/d^3*(e*(c^2d+e))^{(1/2)+1/8c^4b*x^3/(c^2e*x^2+c^2d)^2e/(c^2 \\ & *d+e)/d*\arccsc(cx)+1/8c^5b*x^2/(c^2e*x^2+c^2d)^2/(c^2d+e)*((c^2*x^2-1 \\ &)/c^2/x^2)^{(1/2)}-1/8b*(-(c^2d-2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*\arctan \\ & d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((-c^2d+2*(e*(c^2d+e))^{(1/2)-2e}*d)^{(1/2)} \\ & /e/(c^2d+e)/d^2-1/8b*((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*\arctan \\ & h(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/ \\ & 2)})/e/(c^2d+e)/d^2-1/4/c^2b*((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*a \\ & rctanh(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d \\ &)^{(1/2)}/(c^2d+e)/d^3-1/4/c^2b*(-(c^2d-2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/ \\ & 2)}*\arctan(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((-c^2d+2*(e*(c^2d+e))^{(1/2)-2e} \\ & *d)^{(1/2)}/(c^2d+e)/d^3+1/8c^6b*x^3/(c^2e*x^2+c^2d)^2/(c^2d+e)*\arcc \\ & sc(cx)-1/8c^4b*x/(c^2e*x^2+c^2d)^2/(c^2d+e)*\arccsc(cx)+1/8c^4a/(c^ \\ & 2e*x^2+c^2d)^2/d*x^3-1/8c^4a/(c^2e*x^2+c^2d)^2/e*x+1/8*a/d/e/(d*e)^{(1 \\ & /2)}*\arctan(e*x/(d*e)^{(1/2)})+1/4/c^2b*((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d \\ &)^{(1/2)}*\arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((c^2d+2*(e*(c^2d+e))^{(1/2) \\ & +2e}*d)^{(1/2)}/(c^2d+e)^2e/d^3+1/4/c^2b*(-(c^2d-2*(e*(c^2d+e))^{(1/2)} \\ & +2e)*d)^{(1/2)}*\arctan(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((-c^2d+2*(e*(c^2d+ \\ & e))^{(1/2)-2e}*d)^{(1/2)}/(c^2d+e)^2e/d^3+1/4/c^2b*(-(c^2d-2*(e*(c^2d+e))^{(1/2) \\ & +2e}*d)^{(1/2)}*\arctan(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((-c^2d+2*(e*(c^2d+e))^{(1/2) \\ & -2e}*d)^{(1/2)}/(c^2d+e)^2/d^3*(e*(c^2d+e))^{(1/2)-1/4/c^ \\ & 2b*((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*\arctanh(d*c*(I/c/x+(1-1/c^2 \\ & /x^2)^{(1/2)})/((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}/(c^2d+e)^2/d^3*(\\ & e*(c^2d+e))^{(1/2)+1/8b*(-(c^2d-2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*\arcta \\ & n(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((-c^2d+2*(e*(c^2d+e))^{(1/2)-2e}*d)^{(1/ \\ & 2)}/(c^2d+e)^2/e/d^2*(e*(c^2d+e))^{(1/2)-1/8b*((c^2d+2*(e*(c^2d+e))^{(1/2) \\ & +2e)*d)^{(1/2)}*\arctanh(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/2)})/((c^2d+2*(e*(c^2 \\ & *d+e))^{(1/2)+2e}*d)^{(1/2)}/(c^2d+e)^2/e/d^2*(e*(c^2d+e))^{(1/2)+1/4b*(- \\ & c^2d-2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}*\arctan(d*c*(I/c/x+(1-1/c^2/x^2)^{(1/ \\ & 2)})/((c^2d+2*(e*(c^2d+e))^{(1/2)+2e}*d)^{(1/2)}/(c^2d+e)^2/d^2-1/16*c \\ & *b/d/(c^2d+e)*sum(1/_R1/(_R1^2*c^2*d-c^2*d-2e)*(I*\arccsc(cx)*ln(_R1-I/c \\ & /x-(1-1/c^2/x^2)^{(1/2)})/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^{(1/2)}/_R1), _R \\ & 1=Root0f(c^2d*_Z^4+(-2*c^2d-4e)*_Z^2+c^2d))-1/16*c^3*b/e/(c^2d+e)*sum(\\ & _R1/(_R1^2*c^2*d-c^2*d-2e)*(I*\arccsc(cx)*ln(_R1-I/c/x-(1-1/c^2/x^2)^{(1/2)} \\ &)/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^{(1/2)}/_R1), _R1=Root0f(c^2d*_Z^4+ \\ & -2*c^2d-4e)*_Z^2+c^2d))-1/16*c^3*b/e/(c^2d+e)*sum(1/_R1/(_R1^2*c^2*d-c^ \\ & 2*d-2e)*(I*\arccsc(cx)*ln(_R1-I/c/x-(1-1/c^2/x^2)^{(1/2)})/_R1)+dilog(_R1- \\ & I/c/x-(1-1/c^2/x^2)^{(1/2)}/_R1), _R1=Root0f(c^2d*_Z^4+(-2*c^2d-4e)*_Z^2+ \\ & c^2d))-1/16*c*b/d/(c^2d+e)*sum(_R1/(_R1^2*c^2*d-c^2*d-2e)*(I*\arccsc(cx) \\ & *ln(_R1-I/c/x-(1-1/c^2/x^2)^{(1/2)})/_R1)+dilog(_R1-I/c/x-(1-1/c^2/x^2)^{(1/ \\ & 2)})/_R1), _R1=Root0f(c^2d*_Z^4+(-2*c^2d-4e)*_Z^2+c^2d)) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \operatorname{arccsc}(cx) + ax^2}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="fricas")`

[Out] `integral((b*x^2*arccsc(c*x) + a*x^2)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^2}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2/(e*x^2 + d)^3, x)`

$$3.117 \quad \int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^3} dx$$

Optimal. Leaf size=1134

result too large to display

```
[Out] -(b*c*.Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) - (b*c*.Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[e]*(a + b*ArcCsc[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) - (5*(a + b*ArcCsc[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[e]*(a + b*ArcCsc[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) + (5*(a + b*ArcCsc[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*e*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^(5/2)*(c^2*d + e)^(3/2)) + (5*b*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^(5/2)*Sqrt[c^2*d + e]) - (b*e*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^(5/2)*(c^2*d + e)^(3/2)) + (5*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^(5/2)*Sqrt[c^2*d + e]) - (3*(a + b*ArcCsc[c*x])*Log[1 - (I*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*(a + b*ArcCsc[c*x])*Log[1 + (I*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcCsc[c*x])*Log[1 - (I*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) + (3*(a + b*ArcCsc[c*x])*Log[1 + (I*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, ((-I)*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/-((-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, (I*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] - Sqrt[c^2*d + e])])/-((-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*PolyLog[2, ((-I)*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/-((-d)^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, (I*c*.Sqrt[-d]*E^(I*ArcCsc[c*x]))/(Sqrt[e] + Sqrt[c^2*d + e])])/-((-d)^(5/2)*Sqrt[e])
```

Rubi [A] time = 4.04886, antiderivative size = 1134, normalized size of antiderivative = 1., number of steps used = 81, number of rules used = 12, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.667, Rules used = {5231, 4733, 4667, 4743, 731, 725, 206, 4741, 4519, 2190, 2279, 2391}

$$-\frac{b\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}c}{16(-d)^{3/2}(dc^2+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)}-\frac{b\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}c}{16(-d)^{3/2}\left(dc^2+e\right)\left(\frac{d}{x}+\sqrt{-d}\sqrt{e}\right)}-\frac{5\left(a+b\csc^{-1}(cx)\right)}{16d^2\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)}+\frac{5\left(a+b\csc^{-1}(cx)\right)}{16d^2\left(\frac{d}{x}+\sqrt{-d}\sqrt{e}\right)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCsc[c*x])/(d + e*x^2)^3, x]

```
[Out] -(b*c*.Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] - d/x)) - (b*c*.Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)]/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d]*Sqrt[e] + d/x)) + (Sqrt[e]*(a + b*ArcCsc[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] - d/x)^2) - (5*(a + b*ArcCsc[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] - d/x)) - (Sqrt[e]*(a + b*ArcCsc[c*x]))/(16*(-d)^(3/2)*(Sqrt[-d]*Sqrt[e] + d/x)^2) + (5*(a + b*ArcCsc[c*x]))/(16*d^2*(Sqrt[-d]*Sqrt[e] + d/x)) - (b*e*ArcTanh[(c^2*d - (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^(5/2)*(c^2*d + e)^(3/2)) + (5*b*ArcTanh[(c^2*d + (Sqrt[-d]*Sqrt[e])/x)/(c*Sqrt[d]*Sqrt[c^2*d + e])*Sqrt[1 - 1/(c^2*x^2)]])/(16*d^(5/2)*Sqrt[c^2*d + e])
```

$$\begin{aligned}
d - & \frac{(\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - 1/(c^2*x^2)])}{(16*d^{(5/2)}*\text{Sqrt}[c^2*d + e])} - \frac{(b*e*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])* \text{Sqrt}[1 - 1/(c^2*x^2)]])}{(16*d^{(5/2)}*(c^2*d + e)^{(3/2)})} + \frac{(5*b*\text{ArcTanh}[(c^2*d + (\text{Sqrt}[-d]*\text{Sqrt}[e])/x)/(c*\text{Sqrt}[d]*\text{Sqrt}[c^2*d + e])* \text{Sqrt}[1 - 1/(c^2*x^2)]])}{(16*d^{(5/2)}*\text{Sqrt}[c^2*d + e])} - \frac{(3*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])}{(16*(-d)^{(5/2)}*\text{Sqrt}[e])} + \frac{(3*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e])}{(16*(-d)^{(5/2)}*\text{Sqrt}[e])} - \frac{(3*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 - (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])}{(16*(-d)^{(5/2)}*\text{Sqrt}[e])} + \frac{(3*(a + b*\text{ArcCsc}[c*x]))*\text{Log}[1 + (I*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e])}{(16*(-d)^{(5/2)}*\text{Sqrt}[e])} - \frac{(((3*I)/16)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] - \text{Sqrt}[c^2*d + e]))}{(((-d)^{(5/2)}*\text{Sqrt}[e])} + \frac{(((3*I)/16)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))}{(((-d)^{(5/2)}*\text{Sqrt}[e])} + \frac{(((3*I)/16)*b*\text{PolyLog}[2, ((-I)*c*\text{Sqrt}[-d]*E^{(I*\text{ArcCsc}[c*x])})]/(\text{Sqrt}[e] + \text{Sqrt}[c^2*d + e]))}{(((-d)^{(5/2)}*\text{Sqrt}[e])}
\end{aligned}$$
Rule 5231

$$\text{Int}[((a_.) + \text{ArcCsc}[(c_.*(x_))*(b_.)])^n_*((d_.) + (e_.*(x_)^2)^p), x_{\text{Symbol}}] \rightarrow -\text{Subst}[\text{Int}[(e + d*x^2)^p*(a + b*\text{ArcSin}[x/c])^n]/x^{(2*(p + 1))}, x, x, 1/x]; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[p]$$
Rule 4733

$$\text{Int}[((a_.) + \text{ArcSin}[(c_.*(x_))*(b_.)])^n_*((f_.*(x_))^m_*((d_.) + (e_.*(x_)^2)^p), x_{\text{Symbol}}) \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p], x]; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IGtQ}[n, 0] \&& \text{IntegerQ}[p] \&& \text{IntegerQ}[m]$$
Rule 4667

$$\text{Int}[((a_.) + \text{ArcSin}[(c_.*(x_))*(b_.)])^n_*((d_.) + (e_.*(x_)^2)^p), x_{\text{Symbol}}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p], x]; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&& \text{NeQ}[c^2*d + e, 0] \&& \text{IntegerQ}[p] \&& (\text{GtQ}[p, 0] \mid \text{IGtQ}[n, 0])$$
Rule 4743

$$\text{Int}[((a_.) + \text{ArcSin}[(c_.*(x_))*(b_.)])^n_*((d_.) + (e_.*(x_))^m_*((m_.), x_{\text{Symbol}}) \rightarrow \text{Simp}[(d + e*x)^{m + 1}*(a + b*\text{ArcSin}[c*x])^n]/(e*(m + 1)), x] - \text{Dist}[(b*c*n)/(e*(m + 1)), \text{Int}[(d + e*x)^{m + 1}*(a + b*\text{ArcSin}[c*x])^{n - 1}]/\text{Sqrt}[1 - c^2*x^2], x]; \text{FreeQ}[\{a, b, c, d, e, m\}, x] \&& \text{IGtQ}[n, 0] \&& \text{NeQ}[m, -1]$$
Rule 731

$$\text{Int}[(d_.) + (e_.*(x_))^m_*((a_.) + (c_.*(x_)^2)^p), x_{\text{Symbol}}] \rightarrow \text{Simp}[(e*(d + e*x)^{m + 1}*(a + c*x^2)^{p + 1})/((m + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{m + 1}*(a + c*x^2)^p], x]; \text{FreeQ}[\{a, c, d, e, m, p\}, x] \&& \text{NeQ}[c*d^2 + a*e^2, 0] \&& \text{EqQ}[m + 2*p + 3, 0]$$
Rule 725

$$\text{Int}[1/(((d_.) + (e_.*(x_)))*\text{Sqrt}[(a_.) + (c_.*(x_)^2)], x_{\text{Symbol}}) \rightarrow -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]]; \text{FreeQ}[\{a, c, d, e\}, x]$$

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_)*(x_)]*(b_.))^n_./((d_.) + (e_)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/((c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_)*(x_)]*((e_.) + (f_)*(x_))^(m_.))/((a_) + (b_)*Sin[(c_.) + (d_)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[((F_)^((g_.)*((e_.) + (f_)*(x_))))^n_.*((c_.) + (d_)*(x_))^(m_.))/((a_) + (b_)*((F_)^((g_.)*((e_.) + (f_)*(x_))))^n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_.)*((c_.) + (d_)*(x_))))^n_.]], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*(d_.) + (e_)*(x_)^n_.]]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^3} dx &= -\text{Subst}\left(\int \frac{x^4(a+b \sin^{-1}\left(\frac{x}{c}\right))}{(e+dx^2)^3} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{e^2(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d^2(e+dx^2)^3} - \frac{2e(a+b \sin^{-1}\left(\frac{x}{c}\right))}{d^2(e+dx^2)^2} + \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{d^2(e+dx^2)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{e+dx^2} dx, x, \frac{1}{x}\right)}{d^2} + \frac{(2e)\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(e+dx^2)^2} dx, x, \frac{1}{x}\right)}{d^2} - \frac{e^2 \text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(e+dx^2)^3} dx, x, \frac{1}{x}\right)}{d^2} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}-\sqrt{-d}x)} + \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{2\sqrt{e}(\sqrt{e}+\sqrt{-d}x)}\right) dx, x, \frac{1}{x}\right)}{d^2} + \frac{(2e)\text{Subst}\left(\int \left(-\frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}-dx)^2} - \frac{d(a+b \sin^{-1}\left(\frac{x}{c}\right))}{4e(\sqrt{-d}\sqrt{e}+dx)^2}\right) dx, x, \frac{1}{x}\right)}{d^2} \\
&= \frac{3\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}-dx)^2} dx, x, \frac{1}{x}\right)}{16d} + \frac{3\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{(\sqrt{-d}\sqrt{e}+dx)^2} dx, x, \frac{1}{x}\right)}{16d} + \frac{3\text{Subst}\left(\int \frac{a+b \sin^{-1}\left(\frac{x}{c}\right)}{-de-d^2x^2} dx, x, \frac{1}{x}\right)}{8d} \\
&= \frac{\sqrt{e}(a+b \csc^{-1}(cx))}{16(-d)^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)^2} - \frac{5(a+b \csc^{-1}(cx))}{16d^2\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{\sqrt{e}(a+b \csc^{-1}(cx))}{16(-d)^{3/2}\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)^2} + \frac{5(a+b \csc^{-1}(cx))}{16d^2\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}}{16(-d)^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{bc\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}}{16(-d)^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} + \frac{\sqrt{e}(a+b \csc^{-1}(cx))}{16(-d)^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} \\
&= -\frac{bc\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}}{16(-d)^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)} - \frac{bc\sqrt{e}\sqrt{1-\frac{1}{c^2x^2}}}{16(-d)^{3/2}(c^2d+e)\left(\sqrt{-d}\sqrt{e}+\frac{d}{x}\right)} + \frac{\sqrt{e}(a+b \csc^{-1}(cx))}{16(-d)^{3/2}\left(\sqrt{-d}\sqrt{e}-\frac{d}{x}\right)}
\end{aligned}$$

Mathematica [A] time = 6.06086, size = 2060, normalized size = 1.82

Result too large to show

Warning: Unable to verify antiderivative.

[In] `Integrate[(a + b*ArcCsc[c*x])/((d + e*x^2)^3, x)]`

[Out]
$$\begin{aligned} & \frac{(a*x)/(4*d*(d + e*x^2)^2) + (3*a*x)/(8*d^2*(d + e*x^2)) + (3*a*ArcTan[(Sqrt[e]*x)/Sqrt[d]]/(8*d^{(5/2)}*Sqrt[e]) + b*((-3*(-(ArcCsc[c*x])/((-I)*Sqrt[d]*Sqrt[e] + e*x)) + (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(Sqrt[t[e] + c*(-I)*c*Sqrt[d] - Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x]))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] + I*Sqrt[e]*x))/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16*d^2) - (3*(-(ArcCsc[c*x]/(I*Sqrt[d]*Sqrt[e] + e*x)) - (I*(ArcSin[1/(c*x)]/Sqrt[e] - Log[(2*Sqrt[d]*Sqrt[e]*(-Sqrt[e] + c*(-I)*c*Sqrt[d] + Sqrt[-(c^2*d) - e]*Sqrt[1 - 1/(c^2*x^2)])*x]))/(Sqrt[-(c^2*d) - e]*(Sqrt[d] - I*Sqrt[t[e]*x])/Sqrt[-(c^2*d) - e]))/Sqrt[d]))/(16*d^2) + ((I/16)*((I*c*Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)])*x)/(Sqrt[d]*(c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x)) - ArcCsc[c*x]/(Sqrt[e]*((-I)*Sqrt[d] + Sqrt[e]*x)^2) - ArcSin[1/(c*x)]/(d*Sqrt[e]) + (I*(2*c^2*d + e)*Log[(4*d*Sqrt[e]*Sqrt[c^2*d + e]*(I*Sqrt[e] + c*(c*Sqrt[d] - Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*((-I)*Sqrt[d] + Sqrt[e]*x))]/(d*(c^2*d + e)^(3/2)))/d^(3/2) - ((I/16)*(((-I)*c*Sqrt[e])*Sqrt[1 - 1/(c^2*x^2)])*x)/(Sqrt[d]*(c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)) - ArcCsc[c*x]/(Sqrt[e]*(I*Sqrt[d] + Sqrt[e]*x)^2) - ArcSin[1/(c*x)]/(d*Sqrt[e]) + (I*(2*c^2*d + e)*Log[(-4*d*Sqrt[e]*Sqrt[c^2*d + e]*((-I)*Sqrt[e] + c*(c*Sqrt[d] + Sqrt[c^2*d + e]*Sqrt[1 - 1/(c^2*x^2)])*x))/((2*c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x))]/(d*(c^2*d + e)*(I*Sqrt[d] + Sqrt[e]*x)))]/(d*(c^2*d + e)^(3/2)))/d^(3/2) - (3*(Pi^2 - 4*Pi*ArcCsc[c*x] + 8*ArcCsc[c*x]^2 - 32*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[(((-I)*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] + (4*I)*Pi*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) - (8*I)*ArcCsc[c*x]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + (16*I)*ArcSin[Sqrt[1 - (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + (8*I)*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - (4*I)*Pi*Log[Sqrt[e] + (I*Sqrt[d])/x] + 8*PolyLog[2, (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + 8*PolyLog[2, -((Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])))]) + 4*PolyLog[2, E^((2*I)*ArcCsc[c*x])]/(128*d^(5/2)*Sqrt[e]) + (3*(Pi^2 - 4*Pi*ArcCsc[c*x] + 8*ArcCsc[c*x]^2 - 32*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*ArcTan[((I*c*Sqrt[d] + Sqrt[e])*Cot[(Pi + 2*ArcCsc[c*x])/4])/Sqrt[c^2*d + e]] + (4*I)*Pi*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) - (8*I)*ArcCsc[c*x]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + (16*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 + (-Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + (4*I)*Pi*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) - (8*I)*ArcCsc[c*x]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) - (16*I)*ArcSin[Sqrt[1 + (I*Sqrt[e])/(c*Sqrt[d])]/Sqrt[2]]*Log[1 - (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + (8*I)*ArcCsc[c*x]*Log[1 - E^((2*I)*ArcCsc[c*x])] - (4*I)*Pi*Log[Sqrt[e] - (I*Sqrt[d])/x] + 8*PolyLog[2, (Sqrt[e] - Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + 8*PolyLog[2, (Sqrt[e] + Sqrt[c^2*d + e])/(c*Sqrt[d])*E^(I*ArcCsc[c*x])]) + 4*PolyLog[2, E^((2*I)*ArcCsc[c*x])])/(128*d^(5/2)*Sqrt[e])) \end{aligned}$$

Maple [C] time = 2.95, size = 3166, normalized size = 2.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int \frac{a+b\arccsc(cx)}{(ex^2+d)^3} dx$

$$\begin{aligned} & ((1/2+2e)d)^{(1/2)} \cdot e \cdot \operatorname{arctanh}(d \cdot c \cdot (\operatorname{I}/c/x + (1-1/c^2/x^2)^{(1/2)})) / ((c^2d+2e \cdot (c^2d+e))^{(1/2)} + 2e \cdot d)^{(1/2)} / (c^2d+e)^2 \cdot d^4 \cdot (e \cdot (c^2d+e))^{(1/2)} - 1/8 \cdot c^5 \cdot b \cdot x^4 / (c^2e \cdot x^2 + c^2d)^2 \cdot d^2 / (c^2d+e) \cdot ((c^2x^2-1)/c^2/x^2)^{(1/2)} \cdot e^2 + 3/8 \cdot c^4 \cdot b \cdot x^3 / (c^2e \cdot x^2 + c^2d)^2 \cdot d^2 / (c^2d+e) \cdot \operatorname{arccsc}(c \cdot x) \cdot e^2 + 5/8 \cdot c^4 \cdot b \cdot x / (c^2e \cdot x^2 + c^2d)^2 \cdot d / (c^2d+e) \cdot \operatorname{arccsc}(c \cdot x) \cdot e + 1/c^4 \cdot b \cdot (- (c^2d-2e \cdot (c^2d+e))^{(1/2)} + 2e \cdot d)^{(1/2)} \cdot e \cdot \operatorname{arctan}(d \cdot c \cdot (\operatorname{I}/c/x + (1-1/c^2/x^2)^{(1/2)})) / ((-c^2d+2e \cdot (c^2d+e))^{(1/2)} - 2e \cdot d)^{(1/2)} / (c^2d+e) / d^5 \cdot (e \cdot (c^2d+e))^{(1/2)} - 7/4 \cdot / c^2 \cdot b \cdot (- (c^2d-2e \cdot (c^2d+e))^{(1/2)} + 2e \cdot d)^{(1/2)} \cdot e \cdot \operatorname{arctan}(d \cdot c \cdot (\operatorname{I}/c/x + (1-1/c^2/x^2)^{(1/2)})) / ((-c^2d+2e \cdot (c^2d+e))^{(1/2)} - 2e \cdot d)^{(1/2)} / (c^2d+e)^2 \cdot d^4 \cdot (e \cdot (c^2d+e))^{(1/2)} - 1/c^4 \cdot b \cdot (- (c^2d-2e \cdot (c^2d+e))^{(1/2)} + 2e \cdot d)^{(1/2)} / ((-c^2d+2e \cdot (c^2d+e))^{(1/2)} - 2e \cdot d)^{(1/2)} / (c^2d+e)^2 \cdot d^5 \cdot (e \cdot (c^2d+e))^{(1/2)} + 1/c^4 \cdot b \cdot ((c^2d+2e \cdot (c^2d+e))^{(1/2)} + 2e \cdot d)^{(1/2)} \cdot e^2 \cdot \operatorname{arctanh}(d \cdot c \cdot (\operatorname{I}/c/x + (1-1/c^2/x^2)^{(1/2)})) / ((c^2d+2e \cdot (c^2d+e))^{(1/2)} + 2e \cdot d)^{(1/2)} / (c^2d+e)^2 \cdot d^5 \cdot (e \cdot (c^2d+e))^{(1/2)} + 3/8 \cdot c^6 \cdot b \cdot x^3 / (c^2e \cdot x^2 + c^2d)^2 \cdot e / (c^2d+e) / d \cdot \operatorname{arccsc}(c \cdot x) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*x^2 + d^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x**2+d)**3,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^3,x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x^2 + d)^3, x)`

$$\mathbf{3.118} \quad \int x^5 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=403

$$\frac{d^2 (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} - \frac{2d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^3} - \frac{bx \sqrt{c^2 x^2 - 1}}{2}$$

$$\begin{aligned} [\text{Out}] \quad & -(b*(23*c^4*d^2 + 12*c^2*d*e - 75*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(1680*c^5*e^2*Sqrt[c^2*x^2]) - (b*(29*c^2*d - 25*e)*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(840*c^3*e^2*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(42*c*e^2*Sqrt[c^2*x^2]) + (d^2*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(3*e^3) - (2*d*(d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e^3) + ((d + e*x^2)^(7/2)*(a + b*ArcCsc[c*x]))/(7*e^3) - (8*b*c*d^(7/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(105*e^3*Sqrt[c^2*x^2]) + (b*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])]/(c*Sqrt[d + e*x^2]))/(1680*c^6*e^(5/2)*Sqrt[c^2*x^2]) \end{aligned}$$

Rubi [A] time = 1.31223, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {266, 43, 5239, 12, 1615, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d^2 (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} - \frac{2d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^3} - \frac{bx \sqrt{c^2 x^2 - 1}}{2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5 \sqrt{d + e*x^2} * (a + b*\text{ArcCsc}[c*x]), x]$

$$\begin{aligned} [\text{Out}] \quad & -(b*(23*c^4*d^2 + 12*c^2*d*e - 75*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(1680*c^5*e^2*Sqrt[c^2*x^2]) - (b*(29*c^2*d - 25*e)*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(840*c^3*e^2*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(42*c*e^2*Sqrt[c^2*x^2]) + (d^2*(d + e*x^2)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^3) - (2*d*(d + e*x^2)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^3) + ((d + e*x^2)^(7/2)*(a + b*\text{ArcCsc}[c*x]))/(7*e^3) - (8*b*c*d^(7/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(105*e^3*Sqrt[c^2*x^2]) + (b*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])]/(c*Sqrt[d + e*x^2]))/(1680*c^6*e^(5/2)*Sqrt[c^2*x^2]) \end{aligned}$$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
```

```
t[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.*(x_))^(n_.)*((e_.) + (f
_.*(x_))^(p_.), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 154

```
Int[((a_.) + (b_.*(x_))^(m_.)*((c_.) + (d_.*(x_))^(n_.)*((e_.) + (f_.*(x_
))^(p_.)*((g_.) + (h_.*(x_))), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x), x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((((c_.) + (d_.*(x_))^(n_.)*((e_.) + (f_.*(x_))^(p_.)*((g_.) + (h_.*(x_
))))/((a_.) + (b_.*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p
, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.*(x_))^(m_.)*((c_.) + (d_.*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.*(x_))^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.*(x_))^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

$Q[a, 0] \text{ || } LtQ[b, 0])$

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*(c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x}] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int x^5 \sqrt{d+ex^2} (a+b \csc^{-1}(cx)) dx &= \frac{d^2 (d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5e^3} + \frac{(d+ex^2)}{5} \\ &= \frac{d^2 (d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5e^3} + \frac{(d+ex^2)}{5} \\ &= \frac{d^2 (d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5e^3} + \frac{(d+ex^2)}{5} \\ &= \frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{5/2}}{42ce^2 \sqrt{c^2 x^2}} + \frac{d^2 (d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3e^3} - \frac{2d (d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5e^3} \\ &= -\frac{b (29c^2 d - 25e) x \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{840c^3 e^2 \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1+c^2 x^2} (d+ex^2)^{5/2}}{42ce^2 \sqrt{c^2 x^2}} + \frac{d^2 (d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3e^3} \\ &= -\frac{b (23c^4 d^2 + 12c^2 de - 75e^2) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{1680c^5 e^2 \sqrt{c^2 x^2}} - \frac{b (29c^2 d - 25e) x \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{840c^3 e^2 \sqrt{c^2 x^2}} \\ &= -\frac{b (23c^4 d^2 + 12c^2 de - 75e^2) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{1680c^5 e^2 \sqrt{c^2 x^2}} - \frac{b (29c^2 d - 25e) x \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{840c^3 e^2 \sqrt{c^2 x^2}} \\ &= -\frac{b (23c^4 d^2 + 12c^2 de - 75e^2) x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}}{1680c^5 e^2 \sqrt{c^2 x^2}} - \frac{b (29c^2 d - 25e) x \sqrt{-1+c^2 x^2} (d+ex^2)^{3/2}}{840c^3 e^2 \sqrt{c^2 x^2}} \end{aligned}$$

Mathematica [C] time = 0.647866, size = 365, normalized size = 0.91

$$\frac{\sqrt{d+ex^2} \left(16ac^5 \left(-4d^2ex^2 + 8d^3 + 3de^2x^4 + 15e^3x^6\right) + bex\sqrt{1 - \frac{1}{c^2x^2}} \left(c^4 \left(-41d^2 + 22dex^2 + 40e^2x^4\right) + 2c^2e \left(19d + 25ex^2\right)\right)\right)}{1680c^5e^3}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[x^5*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]`

[Out]
$$\frac{(b*(-128*c^4*d^4*Sqrt[1 + d/(e*x^2)])*(-1 + c^2*x^2)*AppellF1[1, 1/2, 1/2, 2, 1/(c^2*x^2), -(d/(e*x^2))]) + e*(105*c^6*d^3 - 35*c^4*d^2*e + 63*c^2*d*e^2 + 75*e^3)*Sqrt[1 - 1/(c^2*x^2)]*x^4*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*AppellF1[1, 1/2, 1/2, 2, c^2*x^2, -((e*x^2)/d))]/(3360*c^5*e^3*x*(-1 + c^2*x^2)*Sqrt[d + e*x^2]) + (Sqrt[d + e*x^2]*(16*a*c^5*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6) + b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(75*e^2 + 2*c^2*e*(19*d + 25*e*x^2) + c^4*(-41*d^2 + 22*d*e*x^2 + 40*e^2*x^4)) + 16*b*c^5*(8*d^3 - 4*d^2*e*x^2 + 3*d*e^2*x^4 + 15*e^3*x^6)*ArcCsc[c*x]))/(1680*c^5*e^3)$$

Maple [F] time = 6.16, size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{arccsc}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)`

[Out] `int(x^5*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 41.4373, size = 3779, normalized size = 9.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x, algorithm="fricas")`

[Out]
$$\frac{1}{6720} (128*b*c^7*\sqrt{-d})*d^3*\log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d}*\sqrt{-d} + 8*d^2)/x^4) + (105*b*c^6*d^3 - 35*b*c^4*d^2*e + 63*b*c^2*d*$$

$$\begin{aligned}
& e^2 + 75*b*e^3)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d^*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(240*a*c^7*e^3*x^6 + 48*a*c^7*d*e^2*x^4 - 64*a*c^7*d^2*x^2 + 128*a*c^7*d^3 + 16*(15*b*c^7*e^3*x^6 + 3*b*c^7*d*e^2*x^4 - 4*b*c^7*d^2*x^2 + 8*b*c^7*d^3)*arccsc(cx) + (40*b*c^5*e^3*x^4 - 41*b*c^5*d^2*x^2 + 38*b*c^3*d*e^2 + 75*b*c^3*x^6 + 2*(11*b*c^5*d*e^2 + 25*b*c^3*x^6)*x^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^7*e^3), -1/6720*(256*b*c^7*d^7/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - (105*b*c^6*d^3 - 35*b*c^4*d^2*x^2 + 63*b*c^2*d*x^2 + 75*b*c^3*x^6)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d^*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) - 4*(240*a*c^7*e^3*x^6 + 48*a*c^7*d^2*x^2 + 128*a*c^7*d^3 + 16*(15*b*c^7*e^3*x^6 + 3*b*c^7*d*x^2 - 4*b*c^7*d^2*x^2 + 8*b*c^7*d^3)*arccsc(cx) + (40*b*c^5*e^3*x^4 - 41*b*c^5*d^2*x^2 + 38*b*c^3*x^6 + 2*(11*b*c^5*d*e^2 + 25*b*c^3*x^6)*x^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^7*e^3), 1/3360*(64*b*c^7*sqrt(-d)*d^3*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (105*b*c^6*d^3 - 35*b*c^4*d^2*x^2 + 63*b*c^2*d*x^2 + 75*b*c^3*x^6)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d - c*e^2)*x^2)) + 2*(240*a*c^7*e^3*x^6 + 48*a*c^7*d*x^2 + 128*a*c^7*d^3 + 16*(15*b*c^7*e^3*x^6 + 3*b*c^7*d*x^2 - 4*b*c^7*d^2*x^2 + 8*b*c^7*d^3)*arccsc(cx) + (40*b*c^5*e^3*x^4 - 41*b*c^5*d^2*x^2 + 38*b*c^3*d*x^2 + 75*b*c^3*x^6 + 2*(11*b*c^5*d*x^2 + 25*b*c^3*x^6)*x^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^7*e^3), -1/3360*(128*b*c^7*d^7/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (105*b*c^6*d^3 - 35*b*c^4*d^2*x^2 + 63*b*c^2*d*x^2 + 75*b*c^3*x^6)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d - c*e^2)*x^2)) - 2*(240*a*c^7*e^3*x^6 + 48*a*c^7*d*x^2 + 128*a*c^7*d^3 + 16*(15*b*c^7*e^3*x^6 + 3*b*c^7*d*x^2 - 4*b*c^7*d^2*x^2 + 8*b*c^7*d^3)*arccsc(cx) + (40*b*c^5*e^3*x^4 - 41*b*c^5*d^2*x^2 + 38*b*c^3*d*x^2 + 75*b*c^3*x^6 + 2*(11*b*c^5*d*x^2 + 25*b*c^3*x^6)*x^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^7*e^3)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*acsc(cx))*(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(cx))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)*x^5, x)

$$\mathbf{3.119} \quad \int x^3 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=294

$$-\frac{d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{2bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{15e^2\sqrt{c^2x^2}} - \frac{bx (15c^4d^2 - 10c^2de - 9e^2)x^2}{120e^4}$$

```
[Out] (b*(c^2*d + 9*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(120*c^3*e*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(3*e^2) + ((d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e^2) + (2*b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(15*e^2*Sqrt[c^2*x^2]) - (b*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(120*c^4*e^(3/2)*Sqrt[c^2*x^2])
```

Rubi [A] time = 0.40881, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {266, 43, 5239, 12, 573, 154, 157, 63, 217, 206, 93, 204}

$$-\frac{d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{2bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{15e^2\sqrt{c^2x^2}} - \frac{bx (15c^4d^2 - 10c^2de - 9e^2)x^2}{120e^4}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]
```

```
[Out] (b*(c^2*d + 9*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(120*c^3*e*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(3*e^2) + ((d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e^2) + (2*b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(15*e^2*Sqrt[c^2*x^2]) - (b*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(120*c^4*e^(3/2)*Sqrt[c^2*x^2])
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LessQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0]) || (I
```

```
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 573

```
Int[(x_)^(m_.)*((a_) + (b_)*(x_)^(n_.))^(p_.)*((c_) + (d_)*(x_)^(n_.))^(q_.)*((e_) + (f_)*(x_)^(n_.))^(r_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]]
```

Rule 154

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_))/((a_) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(q_)/((a_) + (b_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
```

$\& \& \text{LtQ}[-1, m, 0] \& \& \text{SimplerQ}[a + b*x, c + d*x]$

Rule 204

$\text{Int}[(a_1 + (b_1)*(x_1)^2)^{-1}, x_1] := -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b_1, 2]*x)/\text{Rt}[-a_1, 2]]/(\text{Rt}[-a_1, 2]*\text{Rt}[-b_1, 2]), x]/; \text{FreeQ}[\{a_1, b_1\}, x] \& \& \text{PosQ}[a_1/b_1] \& \& (\text{LtQ}[a_1, 0] \& \& \text{LtQ}[b_1, 0])$

Rubi steps

$$\begin{aligned} \int x^3 \sqrt{d + ex^2} (a + b \csc^{-1}(cx)) dx &= -\frac{d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{15e^2} dx}{15e^2} \\ &= -\frac{d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{15e^2} dx}{15e^2} \\ &= -\frac{d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(bcx) \text{Subst}[(d+ex^2)^{3/2} (a + b \csc^{-1}(cx)), ex^2, -1/c^2]}{5e^2} \\ &= \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^2} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} \\ &= \frac{b (c^2 d + 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d (d + ex^2)^{3/2}}{120c^3 e \sqrt{c^2 x^2}} \\ &= \frac{b (c^2 d + 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d (d + ex^2)^{3/2}}{120c^3 e \sqrt{c^2 x^2}} \\ &= \frac{b (c^2 d + 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d (d + ex^2)^{3/2}}{120c^3 e \sqrt{c^2 x^2}} \\ &= \frac{b (c^2 d + 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce \sqrt{c^2 x^2}} - \frac{d (d + ex^2)^{3/2}}{120c^3 e \sqrt{c^2 x^2}} \end{aligned}$$

Mathematica [A] time = 0.72113, size = 326, normalized size = 1.11

$$\frac{\sqrt{d + ex^2} \left(8ac^3 (-2d^2 + dex^2 + 3e^2 x^4) + 8bc^3 \csc^{-1}(cx) (-2d^2 + dex^2 + 3e^2 x^4) + bex \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 (7d + 6ex^2) + 9e)\right)}{120c^3 e^2}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[x^3 \sqrt{d + e*x^2} * (a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(\text{Sqrt}[d + e*x^2] * (8*a*c^3 * (-2*d^2 + d*e*x^2 + 3*e^2*x^4) + b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(9*e + c^2*(7*d + 6*e*x^2)) + 8*b*c^3*(-2*d^2 + d*e*x^2 + 3*e^2*x^4)*\text{ArcCsc}[c*x]))/(120*c^3*e^2) - (b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(\text{Sqrt}[c^2]*S$

$$\text{qrt}[e]*\text{Sqrt}[c^2*d + e]*(15*c^4*d^2 - 10*c^2*d*e - 9*e^2)*\text{Sqrt}[(c^2*(d + e*x^2))/(c^2*d + e)]*\text{ArcSinh}[(c*\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(Sqrt[c^2]*\text{Sqrt}[c^2*d + e])] + 16*c^7*d^{(5/2)}*\text{Sqrt}[d + e*x^2]*\text{ArcTan}[(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])/Sqrt[d + e*x^2]]))/((120*c^6*e^2*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]))$$

Maple [F] time = 5.756, size = 0, normalized size = 0.

$$\int x^3 (a + \text{arccsc}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x)`

[Out] `int(x^3*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 16.4025, size = 3036, normalized size = 10.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/480*(16*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arccsc(c*x) + (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/((c^5*e^2), 1/480*(32*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arccsc(c*x) + (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/((c^5*e^2), 1/240*(8*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4)] \end{aligned}$$

$$\begin{aligned}
& 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(\\
& 24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arccsc(c*x) + (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^5*e^2), 1/240*(16*b*c^5*d^5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (15*b*c^4*d^2 - 10*b*c^2*d*e - 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(24*a*c^5*e^2*x^4 + 8*a*c^5*d*e*x^2 - 16*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 + b*c^5*d*e*x^2 - 2*b*c^5*d^2)*arccsc(c*x) + (6*b*c^3*e^2*x^2 + 7*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^5*e^2)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))*(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)*x^3, x)`

$$\mathbf{3.120} \quad \int x \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=195

$$\frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} - \frac{bcd^{3/2} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d\sqrt{c^2x^2-1}}}\right)}{3e\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{bx(3c^2d+e)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{6c^2\sqrt{e}\sqrt{c^2x^2}}$$

[Out] $(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^{(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e)} - (b*c*d^{(3/2)*x*x}\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e*\text{Sqrt}[c^2*x^2]) + (b*(3*c^2*d + e)*x*x\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.211578, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5237, 446, 102, 157, 63, 217, 206, 93, 204}

$$\frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} - \frac{bcd^{3/2} x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d\sqrt{c^2x^2-1}}}\right)}{3e\sqrt{c^2x^2}} + \frac{bx\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{bx(3c^2d+e)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{6c^2\sqrt{e}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]), x]$

[Out] $(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*\text{Sqrt}[c^2*x^2]) + ((d + e*x^2)^{(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e)} - (b*c*d^{(3/2)*x*x}\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e*\text{Sqrt}[c^2*x^2]) + (b*(3*c^2*d + e)*x*x\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rule 5237

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x] + Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_)*(a_ + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 102

```
Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_)*((e_.) + (f_)*(x_))^(p_), x_Symbol] :> Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_))/((a_.) + (b_.)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int x \sqrt{d+ex^2} (a + b \csc^{-1}(cx)) dx &= \frac{(d+ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x\sqrt{-1+c^2x^2}} dx}{3e\sqrt{c^2x^2}} \\
&= \frac{(d+ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(bcx) \text{Subst} \left(\int \frac{(d+ex^2)^{3/2}}{x\sqrt{-1+c^2x^2}} dx, x, x^2 \right)}{6e\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(bx) \text{Subst} \left(\int \frac{c^2d^2+\frac{1}{2}e(3c^2-1)}{x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx, x, x^2 \right)}{6ce\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(bcd^2x) \text{Subst} \left(\int \frac{1}{x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx, x, x^2 \right)}{6e\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} + \frac{(bcd^2x) \text{Subst} \left(\int \frac{1}{-d-x^2} dx, x, x^2 \right)}{3e\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} - \frac{bcd^3/2x \tan^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}} \right)}{3e\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6c\sqrt{c^2x^2}} + \frac{(d+ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e} - \frac{bcd^3/2x \tan^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}} \right)}{3e\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.46289, size = 265, normalized size = 1.36

$$\frac{\sqrt{d+ex^2} \left(2ac(d+ex^2) + bex\sqrt{1-\frac{1}{c^2x^2}} + 2bc \csc^{-1}(cx)(d+ex^2) \right)}{6ce} + \frac{bx\sqrt{1-\frac{1}{c^2x^2}} \left(2c^5d^{3/2}\sqrt{d+ex^2} \tan^{-1} \left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}} \right) + \right.}{6c^4e\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[x*Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]`

[Out] `(Sqrt[d + e*x^2]*(b*e*Sqrt[1 - 1/(c^2*x^2)])*x + 2*a*c*(d + e*x^2) + 2*b*c*(d + e*x^2)*ArcCsc[c*x])/(6*c*e) + (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*(3*c^2*d + e)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e])*Sqrt[-1 + c^2*x^2]]/(Sqrt[c^2]*Sqrt[c^2*d + e])) + 2*c^5*d^(3/2)*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(6*c^4*e*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])`

Maple [F] time = 3.025, size = 0, normalized size = 0.

$$\int x(a + b \text{arccsc}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)`

[Out] `int(x*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{\left(ex^2 + d\right)^{\frac{3}{2}} a}{3 e} + \frac{\left(e \int \frac{\left(c^2 ex^3 + c^2 dx\right) e^{\left(\frac{1}{2} \log(ex^2 + d) + \frac{1}{2} \log(cx + 1) + \frac{1}{2} \log(cx - 1)\right)}}{c^2 ex^2 + (c^2 ex^2 - e)(cx + 1)(cx - 1) - e} dx + \left(ex^2 \arctan(1, \sqrt{cx + 1} \sqrt{cx - 1}) + d \arctan(1, \sqrt{cx + 1} \sqrt{cx - 1})\right)\right)}{3 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{3} \cdot \frac{(e \cdot x^2 + d)^{3/2} \cdot a}{e} + \frac{1}{3} \cdot \frac{3 \cdot e \cdot \text{integrate}(1/3 \cdot (c^2 \cdot e \cdot x^3 + c^2 \cdot d \cdot x) \cdot e^{(1/2 \cdot \log(e \cdot x^2 + d) + 1/2 \cdot \log(cx + 1) + 1/2 \cdot \log(cx - 1))} / (c^2 \cdot e \cdot x^2 + (c^2 \cdot e \cdot x^2 - e) \cdot (cx + 1) \cdot (cx - 1) - e), x) + (e \cdot x^2 \cdot \arctan(1, \sqrt{c \cdot x + 1} \sqrt{c \cdot x - 1}) + d \cdot \arctan(1, \sqrt{c \cdot x + 1} \sqrt{c \cdot x - 1})) \cdot \sqrt{e \cdot x^2 + d}) \cdot b}{e}$

Fricas [A] time = 6.77768, size = 2427, normalized size = 12.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] $\frac{1}{24} \cdot \frac{(2 \cdot b \cdot c^3 \cdot \sqrt{-d}) \cdot d \cdot \log(((c^4 \cdot d^2 - 6 \cdot c^2 \cdot d \cdot e + e^2) \cdot x^4 - 8 \cdot (c^2 \cdot d^2 - d \cdot e) \cdot x^2 + 4 \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot ((c^2 \cdot d - e) \cdot x^2 - 2 \cdot d) \cdot \sqrt{e \cdot x^2 + d}) \cdot \sqrt{-d} + 8 \cdot d^2) / x^4 + (3 \cdot b \cdot c^2 \cdot d + b \cdot e) \cdot \sqrt{e} \cdot \log(8 \cdot c^4 \cdot e^2 \cdot x^4 + c^4 \cdot d^2 - 6 \cdot c^2 \cdot d \cdot e + 8 \cdot (c^4 \cdot d \cdot e - c^2 \cdot e^2) \cdot x^2 + 4 \cdot (2 \cdot c^3 \cdot e \cdot x^2 + c^3 \cdot d - c \cdot e) \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot \sqrt{e \cdot x^2 + d}) \cdot \sqrt{e} + e^2) + 4 \cdot (2 \cdot a \cdot c^3 \cdot e \cdot x^2 + 2 \cdot a \cdot c^3 \cdot d + \sqrt{c^2 \cdot x^2 - 1}) \cdot b \cdot c \cdot e + 2 \cdot (b \cdot c^3 \cdot e \cdot x^2 + b \cdot c^3 \cdot d) \cdot \text{arccsc}(c \cdot x) \cdot \sqrt{e \cdot x^2 + d}) / (c^3 \cdot e), -\frac{1}{24} \cdot \frac{(4 \cdot b \cdot c^3 \cdot d^{3/2}) \cdot \arctan(-1/2 \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot ((c^2 \cdot d - e) \cdot x^2 - 2 \cdot d) \cdot \sqrt{e \cdot x^2 + d} \cdot \sqrt{d}) / (c^2 \cdot d \cdot e \cdot x^4 + (c^2 \cdot d^2 - d \cdot e) \cdot x^2 - d^2) - (3 \cdot b \cdot c^2 \cdot d + b \cdot e) \cdot \sqrt{e} \cdot \log(8 \cdot c^4 \cdot e^2 \cdot x^4 + c^4 \cdot d^2 - 6 \cdot c^2 \cdot d \cdot e + 8 \cdot (c^4 \cdot d \cdot e - c^2 \cdot e^2) \cdot x^2 + 4 \cdot (2 \cdot c^3 \cdot e \cdot x^2 + c^3 \cdot d - c \cdot e) \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot \sqrt{e \cdot x^2 + d} \cdot \sqrt{e} + e^2) - 4 \cdot (2 \cdot a \cdot c^3 \cdot e \cdot x^2 + 2 \cdot a \cdot c^3 \cdot d + \sqrt{c^2 \cdot x^2 - 1}) \cdot b \cdot c \cdot e + 2 \cdot (b \cdot c^3 \cdot e \cdot x^2 + b \cdot c^3 \cdot d) \cdot \text{arccsc}(c \cdot x) \cdot \sqrt{e \cdot x^2 + d}) / (c^3 \cdot e), \frac{1}{12} \cdot \frac{(b \cdot c^3 \cdot \sqrt{-d}) \cdot d \cdot \log(((c^4 \cdot d^2 - 6 \cdot c^2 \cdot d \cdot e + e^2) \cdot x^4 - 8 \cdot (c^2 \cdot d^2 - d \cdot e) \cdot x^2 + 4 \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot ((c^2 \cdot d - e) \cdot x^2 - 2 \cdot d) \cdot \sqrt{e \cdot x^2 + d} \cdot \sqrt{-d} + 8 \cdot d^2) / x^4 - (3 \cdot b \cdot c^2 \cdot d + b \cdot e) \cdot \sqrt{-e} \cdot \arctan(1/2 \cdot (2 \cdot c^2 \cdot e \cdot x^2 + c^2 \cdot d - e) \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot \sqrt{e \cdot x^2 + d} \cdot \sqrt{-e}) / (c^3 \cdot e^2 \cdot x^4 - c \cdot d \cdot e + (c^3 \cdot d \cdot e - c \cdot e^2) \cdot x^2) + 2 \cdot (2 \cdot a \cdot c^3 \cdot e \cdot x^2 + 2 \cdot a \cdot c^3 \cdot d + \sqrt{c^2 \cdot x^2 - 1}) \cdot b \cdot c \cdot e + 2 \cdot (b \cdot c^3 \cdot e \cdot x^2 + b \cdot c^3 \cdot d) \cdot \text{arccsc}(c \cdot x) \cdot \sqrt{e \cdot x^2 + d}) / (c^3 \cdot e), -\frac{1}{12} \cdot \frac{(2 \cdot b \cdot c^3 \cdot d^{3/2}) \cdot \arctan(-1/2 \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot ((c^2 \cdot d - e) \cdot x^2 - 2 \cdot d) \cdot \sqrt{e \cdot x^2 + d} \cdot \sqrt{d}) / (c^2 \cdot d \cdot e \cdot x^4 + (c^2 \cdot d^2 - d \cdot e) \cdot x^2 - d^2) + (3 \cdot b \cdot c^2 \cdot d + b \cdot e) \cdot \sqrt{-e} \cdot \arctan(1/2 \cdot (2 \cdot c^2 \cdot e \cdot x^2 + c^2 \cdot d - e) \cdot \sqrt{c^2 \cdot x^2 - 1}) \cdot \sqrt{e \cdot x^2 + d} \cdot \sqrt{-e}) / (c^3 \cdot e^2 \cdot x^4 - c \cdot d \cdot e + (c^3 \cdot d \cdot e - c \cdot e^2) \cdot x^2) - 2 \cdot (2 \cdot a \cdot c^3 \cdot e \cdot x^2 + 2 \cdot a \cdot c^3 \cdot d + \sqrt{c^2 \cdot x^2 - 1}) \cdot b \cdot c \cdot e + 2 \cdot (b \cdot c^3 \cdot e \cdot x^2 + b \cdot c^3 \cdot d) \cdot \text{arccsc}(c \cdot x) \cdot \sqrt{e \cdot x^2 + d}) / (c^3 \cdot e)]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x (a + b \operatorname{acsc}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))*(e*x**2+d)**(1/2),x)`

[Out] `Integral(x*(a + b*acsc(c*x))*sqrt(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)*x, x)`

3.121 $\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x, x]

Rubi [A] time = 0.101547, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x, x]

[Out] Defер[Int][(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x} dx = \int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x} dx$$

Mathematica [A] time = 5.34614, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x, x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x, x]

Maple [A] time = 6.236, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x} \sqrt{e x^2+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x,x)

[Out] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x, x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) \sqrt{d + ex^2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x**2+d)**(1/2)/x,x)`

[Out] `Integral((a + b*acsc(c*x))*sqrt(d + e*x**2)/x, x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x,x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x, x)`

3.122 $\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^3} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^3}, x\right)$$

[Out] Unintegrable[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^3, x]

Rubi [A] time = 0.106718, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^3, x]

[Out] Defер[Int][(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^3, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^3} dx = \int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^3} dx$$

Mathematica [A] time = 5.68755, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^3, x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^3, x]

Maple [A] time = 1.717, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x^3} \sqrt{e x^2+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^3, x)

[Out] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^3, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^3, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x**2+d)**(1/2)/x**3,x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^3,x, algorithm="giac")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^3, x)`

$$\mathbf{3.123} \quad \int x^2 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(x^2 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right), x \right)$$

[Out] Unintegrable[x^2*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.096438, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int x^2 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Verification is Not applicable to the result.

[In] Int[x^2*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

[Out] Defер[Int] [x^2*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int x^2 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx = \int x^2 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Mathematica [A] time = 9.03404, size = 0, normalized size = 0.

$$\int x^2 \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

[Out] Integrate[x^2*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Maple [A] time = 5.807, size = 0, normalized size = 0.

$$\int x^2 (a + b \operatorname{arccsc}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)

[Out] int(x^2*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(bx^2 \operatorname{arccsc}(cx) + ax^2\right)\sqrt{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arccsc(c*x) + a*x^2)*sqrt(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))*(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)*x^2, x)`

3.124 $\int \sqrt{d + ex^2} (a + b \csc^{-1}(cx)) dx$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\sqrt{d + ex^2} (a + b \csc^{-1}(cx)), x\right)$$

[Out] Unintegrable[Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.0337974, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \sqrt{d + ex^2} (a + b \csc^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

[Out] Defer[Int][Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int \sqrt{d + ex^2} (a + b \csc^{-1}(cx)) dx = \int \sqrt{d + ex^2} (a + b \csc^{-1}(cx)) dx$$

Mathematica [A] time = 6.10874, size = 0, normalized size = 0.

$$\int \sqrt{d + ex^2} (a + b \csc^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

[Out] Integrate[Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Maple [A] time = 5.31, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arccsc}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)

[Out] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acsc}(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*acsc(c*x))*sqrt(d + e*x**2), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a), x)`

3.125 $\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^2} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^2, x]

Rubi [A] time = 0.0869433, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^2, x]

[Out] Defер[Int][(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^2, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^2} dx = \int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^2} dx$$

Mathematica [A] time = 1.68221, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^2, x]

[Out] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^2, x]

Maple [A] time = 4.628, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x^2} \sqrt{e x^2+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^2, x)

[Out] int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^2, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^2, x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acsc}(cx)) \sqrt{d + ex^2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x**2+d)**(1/2)/x**2,x)`

[Out] `Integral((a + b*acsc(c*x))*sqrt(d + e*x**2)/x**2, x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^2,x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^2, x)`

3.126 $\int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^4} dx$

Optimal. Leaf size=328

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+e)(2c^2d+3e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}(\sin^{-1}(cx),-\frac{e}{c^2d})-(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{9d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}-\frac{2bc\sqrt{c^2x^2}}{3dx^3}$$

[Out] $(-2*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*x^2*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(3*d*x^3) + (2*b*c^2*(c^2*d + 2*e)*x*Sqrt[t[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*(c^2*d + e)*(2*c^2*d + 3*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d])*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])$

Rubi [A] time = 0.431765, antiderivative size = 328, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.478, Rules used = {264, 5239, 12, 474, 583, 524, 427, 426, 424, 421, 419}

$$\frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{3dx^3} - \frac{2bc\sqrt{c^2x^2-1}(c^2d+2e)\sqrt{d+ex^2}}{9d\sqrt{c^2x^2}} - \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{9x^2\sqrt{c^2x^2}} - \frac{bx\sqrt{1-c^2x^2}(c^2d+e)}{9d\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^4, x]$

[Out] $(-2*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*x^2*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(3*d*x^3) + (2*b*c^2*(c^2*d + 2*e)*x*Sqrt[t[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*(c^2*d + e)*(2*c^2*d + 3*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d])*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])$

Rule 264

```
Int[((c_)*(x_))^(m_)*(a_)+(b_)*(x_)^(n_))^(p_), x_Symbol] :> Simpl[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]
```

Rule 5239

```
Int[((a_)+ArcCsc[(c_)*(x_)]*(b_))*(f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d+e*x^2)^p, x]}, Dist[a+b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integrate[u/(x*Sqrt[c^2*x^2-1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !ILtQ[(m-1)/2, 0] && GtQ[m+2*p+3, 0]) || (GtQ[(m+1)/2, 0] && !(ILtQ[p, 0] && GtQ[m+2*p+3, 0])) || (ILtQ[(m+2)*p+1]/2, 0) && !ILtQ[(m-1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 474

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))
)^^(q_), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/((a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1) + a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^
(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/((a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d])]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{x^4} dx &= -\frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3dx^3} + \frac{(bcx) \int -\frac{(d+ex^2)^{3/2}}{3dx^4 \sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3dx^3} - \frac{(bcx) \int \frac{(d+ex^2)^{3/2}}{x^4 \sqrt{-1+c^2x^2}} dx}{3d \sqrt{c^2x^2}} \\
&= -\frac{bc \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9x^2 \sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3dx^3} + \frac{(bcx) \int \frac{-2d(c^2d+2e)-e(c^2)}{x^2 \sqrt{-1+c^2x^2} \sqrt{d+ex^2}} dx}{9d \sqrt{c^2x^2}} \\
&= -\frac{2bc (c^2d+2e) \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9d \sqrt{c^2x^2}} - \frac{bc \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9x^2 \sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3dx^3} \\
&= -\frac{2bc (c^2d+2e) \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9d \sqrt{c^2x^2}} - \frac{bc \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9x^2 \sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3dx^3} \\
&= -\frac{2bc (c^2d+2e) \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9d \sqrt{c^2x^2}} - \frac{bc \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9x^2 \sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3dx^3} \\
&= -\frac{2bc (c^2d+2e) \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9d \sqrt{c^2x^2}} - \frac{bc \sqrt{-1+c^2x^2} \sqrt{d+ex^2}}{9x^2 \sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3dx^3}
\end{aligned}$$

Mathematica [C] time = 0.626642, size = 247, normalized size = 0.75

$$-\frac{\sqrt{d+ex^2} \left(3a(d+ex^2) + bcx \sqrt{1 - \frac{1}{c^2x^2}} (2c^2dx^2 + d + 4ex^2) + 3b \csc^{-1}(cx)(d+ex^2)\right)}{9dx^3} + \frac{ibcx \sqrt{1 - \frac{1}{c^2x^2}} \sqrt{\frac{ex^2}{d} + 1} (2c^2dx^2 + d + 4ex^2)}{9dx^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^4, x]

[Out] $-(\text{Sqrt}[d + e*x^2]*(3*a*(d + e*x^2) + b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + 2*c^2*d*x^2 + 4*e*x^2) + 3*b*(d + e*x^2)*\text{ArcCsc}[c*x]))/(9*d*x^3) + ((I/9)*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[1 + (e*x^2)/d]*(2*c^2*d*(c^2*d + 2*e)*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x], -(e/(c^2*d))] - (2*c^4*d^2 + 5*c^2*d*e + 3*e^2)*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x], -(e/(c^2*d))]))/(\text{Sqrt}[-c^2]*d*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Maple [F] time = 9.214, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^4} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^4,x)`

[Out] `int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^4,x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^4, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x**2+d)**(1/2)/x**4,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^4,x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^4, x)`

$$3.127 \quad \int \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=453

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+e)(24c^4d^2+7c^2de-30e^2)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right) + 2e(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{225d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{15d^2x^3}{15d^2x^3}$$

$$[0\text{ut}] \quad -(b*c*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(225*d^2*Sqrt[c^2*x^2]) - (b*c*(12*c^2*d - e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(225*d*x^2*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(25*d*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(5*d*x^5) + (2*e*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(15*d^2*x^3) + (b*c^2*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*(c^2*d + e)*(24*c^4*d^2 + 7*c^2*d*e - 30*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])$$

Rubi [A] time = 0.620064, antiderivative size = 453, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {271, 264, 5239, 12, 580, 583, 524, 427, 426, 424, 421, 419}

$$\frac{2e(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{15d^2x^3} - \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{5dx^5} - \frac{bc\sqrt{c^2x^2-1}(24c^4d^2+19c^2de-31e^2)\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^6, x]

$$[0\text{ut}] \quad -(b*c*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(225*d^2*Sqrt[c^2*x^2]) - (b*c*(12*c^2*d - e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(225*d*x^2*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(25*d*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(5*d*x^5) + (2*e*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/(15*d^2*x^3) + (b*c^2*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*(c^2*d + e)*(24*c^4*d^2 + 7*c^2*d*e - 30*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(225*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])$$

Rule 271

```
Int[(x_ )^(m_ )*((a_ ) + (b_ .)*(x_ )^(n_ ))^(p_ ), x_Symbol] :> Simplify[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_ .)*(x_ ))^(m_ .)*((a_ ) + (b_ .)*(x_ )^(n_ ))^(p_ ), x_Symbol] :> Simplify[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^p), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 580

```
Int[((g_)*(x_))^(m_)*((a_ + (b_)*(x_)^(n_))^(p_)*((c_ + (d_)*(x_)^(n_))^(q_)*((e_ + (f_)*(x_)^(n_)), x_Symbol) :> Simplify[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*g^(m + 1)), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simplify[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*(b*e - a*f)*(m + 1) + b*e*n*(p + q + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && GtQ[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])]
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_ + (b_)*(x_)^(n_))^(p_)*((c_ + (d_)*(x_)^(n_))^(q_)*((e_ + (f_)*(x_)^(n_)), x_Symbol) :> Simplify[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g^(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simplify[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_ + (f_)*(x_)^n))/(Sqrt[(a_ + (b_)*(x_)^n)]*Sqrt[(c_ + (d_)*(x_)^n)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_ + (b_)*(x_)^2)/Sqrt[(c_ + (d_)*(x_)^2)], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_ + (b_)*(x_)^2)/Sqrt[(c_ + (d_)*(x_)^2)], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c),
2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d+ex^2}(a+b\csc^{-1}(cx))}{x^6} dx &= -\frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{15d^2x^3} + \frac{(bcx)\int \frac{(d+ex^2)^{3/2}}{15d^2x^3}}{\sqrt{d+ex^2}} \\ &= -\frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{15d^2x^3} + \frac{(bcx)\int \frac{(d+ex^2)^{3/2}}{x^5}}{15d^2x^3} \\ &= -\frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{25dx^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{5dx^5} + \frac{2e(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{15d^2x^3} \\ &= -\frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} - \frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{25dx^4\sqrt{c^2x^2}} - \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{5dx^5} \\ &= -\frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} - \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} \\ &= -\frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} - \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} \\ &= -\frac{bc(24c^4d^2+19c^2de-31e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225d^2\sqrt{c^2x^2}} - \frac{bc(12c^2d-e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{225dx^2\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [C] time = 0.698121, size = 325, normalized size = 0.72

$$\frac{\sqrt{d+ex^2}\left(15a(3d^2+dex^2-2e^2x^4)+bcx\sqrt{1-\frac{1}{c^2x^2}}(3d^2(8c^4x^4+4c^2x^2+3)+dex^2(19c^2x^2+8)-31e^2x^4)+15b\csc^{-1}(cx)\right)}{225d^2x^5}$$

Antiderivative was successfully verified.

[In] `Integrate[(Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/x^6, x]`

[Out]
$$-\frac{(-31e^2x^4 + d^2e^2x^2 - 2e^2x^4 + b*c*\sqrt{1 - 1/(c^2*x^2)})*x*(-31e^2x^4 + d^2e^2x^2 - 2e^2x^4 + 3d^2*(3 + 4c^2*x^2 + 8c^4*x^4) + 15b*(3d^2 + d^2e^2x^2 - 2e^2x^4)*\text{ArcCsc}[c*x])}{(225d^2*x^5)} + \frac{((I/225)*b*c*\sqrt{1 - 1/(c^2*x^2)})*x*\sqrt{1 + (e*x^2)/d}*(c^2*d*(24*c^4*d^2 + 19*c^2*d*e - 31*e^2)*\text{EllipticE}[I*\text{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))] + (-24*c^6*d^3 - 31*c^4*d^2*e + 23*c^2*d*e^2 + 30*e^3)*\text{EllipticF}[I*\text{ArcSinh}[\sqrt{-c^2}*x], -(e/(c^2*d))])}{(\sqrt{-c^2}*d^2*\sqrt{1 - c^2*x^2}*\sqrt{d + e*x^2})}$$

Maple [F] time = 7.089, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^6} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^6, x)`

[Out] `int((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^6, x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^6, x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^6, x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^6, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))*(e*x**2+d)**(1/2)/x**6,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))*(e*x^2+d)^(1/2)/x^6,x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/x^6, x)`

$$\mathbf{3.128} \quad \int x^3 (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=374

$$-\frac{d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^2} - \frac{bx \sqrt{c^2 x^2 - 1} (3c^4 d^2 - 38c^2 d e - 25e^2) \sqrt{d + ex^2}}{560c^5 e \sqrt{c^2 x^2}} + \frac{2bc}{\dots}$$

[Out] $-(b*(3*c^4*d^2 - 38*c^2*d*e - 25*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(560*c^5*e*Sqrt[c^2*x^2]) + (b*(13*c^2*d + 25*e)*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(840*c^3*e*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(42*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e^2) + ((d + e*x^2)^(7/2)*(a + b*ArcCsc[c*x]))/(7*e^2) + (2*b*c*d^(7/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(35*e^2*Sqrt[c^2*x^2]) - (b*(35*c^6*d^3 - 35*c^4*d^2*e - 63*c^2*d*e^2 - 25*e^3)*x*ArcTanh[(Sqrt[e])*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(560*c^6*e^(3/2)*Sqrt[c^2*x^2])$

Rubi [A] time = 0.537857, antiderivative size = 374, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {266, 43, 5239, 12, 573, 154, 157, 63, 217, 206, 93, 204}

$$-\frac{d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^2} - \frac{bx \sqrt{c^2 x^2 - 1} (3c^4 d^2 - 38c^2 d e - 25e^2) \sqrt{d + ex^2}}{560c^5 e \sqrt{c^2 x^2}} + \frac{2bc}{\dots}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]$

[Out] $-(b*(3*c^4*d^2 - 38*c^2*d*e - 25*e^2)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(560*c^5*e*Sqrt[c^2*x^2]) + (b*(13*c^2*d + 25*e)*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(840*c^3*e*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(42*c*e*Sqrt[c^2*x^2]) - (d*(d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e^2) + ((d + e*x^2)^(7/2)*(a + b*ArcCsc[c*x]))/(7*e^2) + (2*b*c*d^(7/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(35*e^2*Sqrt[c^2*x^2]) - (b*(35*c^6*d^3 - 35*c^4*d^2*e - 63*c^2*d*e^2 - 25*e^3)*x*ArcTanh[(Sqrt[e])*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(560*c^6*e^(3/2)*Sqrt[c^2*x^2])$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_))*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x]; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x]; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
```

```
t[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 573

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_
.)*((e_) + (f_.)*(x_)^(n_.))^(r_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simpl
ify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /;
FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n
]]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_)^(m_)*((c_.) + (d_.)*(x_)^(n_)*((e_.) + (f_.)*(x_
.)^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simpl[h*(a + b*x)^m*(c + d*x)^
(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n +
p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /;
FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_.) + (d_.)*(x_)^(n_)*((e_.) + (f_.)*(x_)^(p_)*((g_.) + (h_.)*(x_
.)))/(a_.) + (b_.)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^(p
, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_)*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simpl[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_.) + (b_.)*(x_)^(m_)*((c_.) + (d_.)*(x_)^(n_))/((e_.) + (f_.)*(x_
.))^(p_)), x_Symbol] :> Simpl[((a + b*x)^m*(c + d*x)^n*(e + f*x)^p)/(e + f*x)^(p + 1),
x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && GtQ[e + f*x, 0] && NeQ[m + n + p + 1, 0]
```

```

_), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)],
x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

Rule 204

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

Rubi steps

$$\begin{aligned}
\int x^3 (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) dx &= -\frac{d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^2} + \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{35e^2} (a+b\csc^{-1}(cx)) dx}{\sqrt{c^2x^2}} \\
&= -\frac{d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^2} + \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{35e^2} (a+b\csc^{-1}(cx)) dx}{\sqrt{c^2x^2}} \\
&= -\frac{d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^2} + \frac{(bcx) \text{Subst}[x^3 (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)), x, \sqrt{1 + c^2 x^2}]}{\sqrt{c^2x^2}} \\
&= \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{5/2}}{42ce \sqrt{c^2 x^2}} - \frac{d (d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^2} + \frac{(d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{7e^2} \\
&= \frac{b (13c^2 d + 25e) x \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{840c^3 e \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{5/2}}{42ce \sqrt{c^2 x^2}} - \frac{d (d + ex^2)^{7/2} (a + b \csc^{-1}(cx))}{560c^5 e \sqrt{c^2 x^2}} \\
&= -\frac{b (3c^4 d^2 - 38c^2 de - 25e^2) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{560c^5 e \sqrt{c^2 x^2}} + \frac{b (13c^2 d + 25e) x \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{840c^3 e \sqrt{c^2 x^2}} \\
&= -\frac{b (3c^4 d^2 - 38c^2 de - 25e^2) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{560c^5 e \sqrt{c^2 x^2}} + \frac{b (13c^2 d + 25e) x \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{840c^3 e \sqrt{c^2 x^2}} \\
&= -\frac{b (3c^4 d^2 - 38c^2 de - 25e^2) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{560c^5 e \sqrt{c^2 x^2}} + \frac{b (13c^2 d + 25e) x \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{840c^3 e \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [C] time = 0.600757, size = 339, normalized size = 0.91

$$\frac{\sqrt{d + ex^2} \left(-48ac^5 (2d - 5ex^2) (d + ex^2)^2 + bex \sqrt{1 - \frac{1}{c^2 x^2}} (c^4 (57d^2 + 106dex^2 + 40e^2 x^4) + 2c^2 e (82d + 25ex^2) + 75e^2) - 48ac^5 (2d - 5ex^2) (d + ex^2)^2 + bex \sqrt{1 - \frac{1}{c^2 x^2}} (c^4 (57d^2 + 106dex^2 + 40e^2 x^4) + 2c^2 e (82d + 25ex^2) + 75e^2) \right)}{1680c^5 e^2}$$

Warning: Unable to verify antiderivative.

[In] `Integrate[x^3*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]`

[Out]
$$\frac{(b*(32*c^4*d^4*Sqrt[1 + d/(e*x^2)])*(-1 + c^2*x^2)*AppellF1[1, 1/2, 1/2, 2, 1/(c^2*x^2), -(d/(e*x^2))]) + e*(-35*c^6*d^3 + 35*c^4*d^2*e + 63*c^2*d*e^2 + 25*e^3)*Sqrt[1 - 1/(c^2*x^2)]*x^4*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*AppellF1[1, 1/2, 1/2, 2, c^2*x^2, -((e*x^2)/d))]/(1120*c^5*e^2*x*(-1 + c^2*x^2)*Sqrt[d + e*x^2]) + (Sqrt[d + e*x^2]*(-48*a*c^5*(2*d - 5*e*x^2)*(d + e*x^2)^2 + b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(75*e^2 + 2*c^2*e*(82*d + 25*e*x^2) + c^4*(57*d^2 + 106*d*e*x^2 + 40*e^2*x^4)) - 48*b*c^5*(2*d - 5*e*x^2)*(d + e*x^2)^2*ArcCsc[c*x]))/(1680*c^5*e^2)}$$

Maple [F] time = 3.198, size = 0, normalized size = 0.

$$\int x^3 \left(ex^2 + d \right)^{\frac{3}{2}} (a + b \operatorname{arccsc}(cx)) \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)`

[Out] `int(x^3*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 38.9588, size = 3768, normalized size = 10.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/6720*(96*b*c^7*Sqrt(-d)*d^3*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*Sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*Sqrt(e*x^2 + d)*Sqrt(-d) + 8*d^2)/x^4) - 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e - 63*b*c^2*d^2*e^2 - 25*b*e^3)*Sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d^2 - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*Sqrt(c^2*x^2 - 1)*Sqrt(e*x^2 + d)*Sqrt(e) + e^2) + 4*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*e*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d*e^2*x^4 + b*c^7*d^2*e*x^2 - 2*b*c^7*d^3)*arccsc(c*x) + (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*Sqrt(c^2*x^2 - 1)*Sqrt(e*x^2 + d))/(c^7*e^2), 1/6720*(192*b*c^7*d^(7/2)*arctan(-1/2*Sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*Sqrt(e*x^2 + d)*Sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - 3*(35*b*c^6*d^3 - 35*b*c^4*d^2)*Sqrt(c^2*x^2 - 1)*Sqrt(e*x^2 + d))/c^7] \end{aligned}$$

$$\begin{aligned}
& 2e - 63*b*c^2*d*e^2 - 25*b*e^3)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d^2*x^4 + b*c^7*d^2*x^2 - 2*b*c^7*d^3)*arccsc(cx) + (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c^3*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^2), \frac{1}{3360}*(48*b*c^7*sqrt(-d)*d^3*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e - 63*b*c^2*d*e^2 - 25*b*e^3)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d^2*x^4 + b*c^7*d^2*x^2 - 2*b*c^7*d^3)*arccsc(cx) + (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c^3*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^2), \frac{1}{3360}*(96*b*c^7*d^(7/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + 3*(35*b*c^6*d^3 - 35*b*c^4*d^2*e - 63*b*c^2*d*e^2 - 25*b*e^3)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(240*a*c^7*e^3*x^6 + 384*a*c^7*d*e^2*x^4 + 48*a*c^7*d^2*x^2 - 96*a*c^7*d^3 + 48*(5*b*c^7*e^3*x^6 + 8*b*c^7*d^2*x^4 + b*c^7*d^2*x^2 - 2*b*c^7*d^3)*arccsc(cx) + (40*b*c^5*e^3*x^4 + 57*b*c^5*d^2*e + 164*b*c^3*d*e^2 + 75*b*c^3*e^3 + 2*(53*b*c^5*d*e^2 + 25*b*c^3*e^3)*x^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^7*e^2)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)**(3/2)*(a+b*acsc(cx)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}}(b \operatorname{arccsc}(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^(3/2)*(a+b*arccsc(cx)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arccsc(cx) + a)*x^3, x)`

$$\text{3.129} \quad \int x \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=262

$$\frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e} + \frac{bx (15c^4 d^2 + 10c^2 de + 3e^2) \tanh^{-1} \left(\frac{\sqrt{e} \sqrt{c^2 x^2 - 1}}{c \sqrt{d + ex^2}} \right)}{40c^4 \sqrt{e} \sqrt{c^2 x^2}} - \frac{bcd^{5/2} x \tan^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{c^2 x^2 - 1}} \right)}{5e \sqrt{c^2 x^2}} + \frac{bx \sqrt{c^2}}$$

[Out] $(b*(7*c^2*d + 3*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(40*c^3*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*Sqrt[c^2*x^2]) + ((d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e) - (b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(5*e*Sqrt[c^2*x^2]) + (b*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(40*c^4*Sqrt[e]*Sqrt[c^2*x^2])$

Rubi [A] time = 0.288391, antiderivative size = 262, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.476, Rules used = {5237, 446, 102, 154, 157, 63, 217, 206, 93, 204}

$$\frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e} + \frac{bx (15c^4 d^2 + 10c^2 de + 3e^2) \tanh^{-1} \left(\frac{\sqrt{e} \sqrt{c^2 x^2 - 1}}{c \sqrt{d + ex^2}} \right)}{40c^4 \sqrt{e} \sqrt{c^2 x^2}} - \frac{bcd^{5/2} x \tan^{-1} \left(\frac{\sqrt{d + ex^2}}{\sqrt{d} \sqrt{c^2 x^2 - 1}} \right)}{5e \sqrt{c^2 x^2}} + \frac{bx \sqrt{c^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]$

[Out] $(b*(7*c^2*d + 3*e)*x*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(40*c^3*Sqrt[c^2*x^2]) + (b*x*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*Sqrt[c^2*x^2]) + ((d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*e) - (b*c*d^(5/2)*x*ArcTan[Sqrt[d + e*x^2]/(Sqrt[d]*Sqrt[-1 + c^2*x^2])])/(5*e*Sqrt[c^2*x^2]) + (b*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*x*ArcTanh[(Sqrt[e]*Sqrt[-1 + c^2*x^2])/(c*Sqrt[d + e*x^2])])/(40*c^4*Sqrt[e]*Sqrt[c^2*x^2])$

Rule 5237

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x]
+ Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sq
rt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 102

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] :> Simp[(b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*(e + f*x)
^(p + 1))/(d*f*(m + n + p + 1)), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a
+ b*x)^(m - 2)*(c + d*x)^(n)*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}
```

```
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 154

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_))/((a_.) + (b_.)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((c_.) + (d_.)*(x_))^(m_)*((e_.) + (f_.)*(x_))^(n_))/((a_.) + (b_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int x \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx &= \frac{\left(d + ex^2 \right)^{5/2} \left(a + b \csc^{-1}(cx) \right)}{5e} + \frac{(bcx) \int \frac{\left(d + ex^2 \right)^{5/2}}{x\sqrt{-1+c^2x^2}} dx}{5e\sqrt{c^2x^2}} \\
&= \frac{\left(d + ex^2 \right)^{5/2} \left(a + b \csc^{-1}(cx) \right)}{5e} + \frac{(bcx) \text{Subst} \left(\int \frac{\left(d + ex^2 \right)^{5/2}}{x\sqrt{-1+c^2x^2}} dx, x, x^2 \right)}{10e\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2} \left(d + ex^2 \right)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{\left(d + ex^2 \right)^{5/2} \left(a + b \csc^{-1}(cx) \right)}{5e} + \frac{(bx) \text{Subst} \left(\int \frac{\left(d + ex^2 \right)^{5/2}}{x\sqrt{-1+c^2x^2}} dx, x, x^2 \right)}{10e\sqrt{c^2x^2}} \\
&= \frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} + \frac{bx\sqrt{-1+c^2x^2} \left(d + ex^2 \right)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{\left(d + ex^2 \right)^{5/2}}{5e} \\
&= \frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} + \frac{bx\sqrt{-1+c^2x^2} \left(d + ex^2 \right)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{\left(d + ex^2 \right)^{5/2}}{5e} \\
&= \frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} + \frac{bx\sqrt{-1+c^2x^2} \left(d + ex^2 \right)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{\left(d + ex^2 \right)^{5/2}}{5e} \\
&= \frac{b(7c^2d + 3e)x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{40c^3\sqrt{c^2x^2}} + \frac{bx\sqrt{-1+c^2x^2} \left(d + ex^2 \right)^{3/2}}{20c\sqrt{c^2x^2}} + \frac{\left(d + ex^2 \right)^{5/2}}{5e}
\end{aligned}$$

Mathematica [A] time = 0.714831, size = 304, normalized size = 1.16

$$\frac{\sqrt{d+ex^2} \left(8ac^3 \left(d+ex^2 \right)^2 + bex\sqrt{1-\frac{1}{c^2x^2}} \left(c^2 \left(9d+2ex^2 \right) + 3e \right) + 8bc^3 \csc^{-1}(cx) \left(d+ex^2 \right)^2 \right)}{40c^3e} + \frac{bx\sqrt{1-\frac{1}{c^2x^2}} \left(\sqrt{c^2}\sqrt{e}\sqrt{d+ex^2} \right)}{10e\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

[Out] $\left(\text{Sqrt}[d + e*x^2] * (8*a*c^3*(d + e*x^2)^2 + b*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(3*e + c^2*(9*d + 2*e*x^2)) + 8*b*c^3*(d + e*x^2)^2*\text{ArcCsc}[c*x]) \right) / (40*c^3*e) + b*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(\text{Sqrt}[c^2]*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]*(15*c^4*d^2 + 10*c^2*d*e + 3*e^2)*\text{Sqrt}[(c^2*(d + e*x^2))/(c^2*d + e)]*\text{ArcSinh}[(c*\text{Sqrt}[e])* \text{Sqrt}[-1 + c^2*x^2]] / (\text{Sqrt}[c^2]*\text{Sqrt}[c^2*d + e])) + 8*c^7*d^(5/2)*\text{Sqrt}[d + e*x^2]*\text{ArcTan}[(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])/\text{Sqrt}[d + e*x^2]]) / (40*c^6*e*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Maple [F] time = 1.773, size = 0, normalized size = 0.

$$\int x \left(ex^2 + d \right)^{\frac{3}{2}} \left(a + \text{barccsc}(cx) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x(e*x^2+d)^{3/2}*(a+b*arccsc(cx)) dx$

[Out] $\int x(e*x^2+d)^{3/2}*(a+b*arccsc(cx)) dx$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{(ex^2 + d)^{\frac{5}{2}} a}{5 e} + \frac{\left(e \int \frac{(c^2 e^2 x^5 + 2 c^2 d e x^3 + c^2 d^2 x) e^{\left(\frac{1}{2} \log(ex^2+d)+\frac{1}{2} \log(cx+1)+\frac{1}{2} \log(cx-1)\right)}}{c^2 e x^2 + (c^2 e x^2 - e)(cx+1)(cx-1)-e} dx + \left(e^2 x^4 \arctan(1, \sqrt{cx+1}\sqrt{cx-1}) + 2 d e x^2 \arctan(1, \sqrt{cx+1}\sqrt{cx-1}) \right) \right)}{5 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(e*x^2+d)^{3/2}*(a+b*arccsc(cx)), x, \text{algorithm}=\text{"maxima"})$

[Out] $1/5*(e*x^2 + d)^{5/2}*a/e + 1/5*(5*e*\text{integrate}(1/5*(c^2 e^2 x^5 + 2 c^2 d e x^3 + c^2 d^2 x) e^{\left(\frac{1}{2} \log(ex^2+d)+\frac{1}{2} \log(cx+1)+\frac{1}{2} \log(cx-1)\right)}, x) + (c^2 e^2 x^4 * \text{arctan}(1, \sqrt{cx+1}\sqrt{cx-1}) + 2 d e x^2 * \text{arctan}(1, \sqrt{cx+1}\sqrt{cx-1})) * \sqrt{e*x^2 + d}) * b/e$

Fricas [A] time = 16.3016, size = 3006, normalized size = 11.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(e*x^2+d)^{3/2}*(a+b*arccsc(cx)), x, \text{algorithm}=\text{"fricas"})$

[Out] $[1/160*(8*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(8*a*c^5*e^2*x^4 + 16*a*c^5*d*e*x^2 + 8*a*c^5*d^2 + 8*(b*c^5*e^2*x^4 + 2*b*c^5*d*e*x^2 + b*c^5*d^2)*arccsc(cx) + (2*b*c^3*e^2*x^2 + 9*b*c^3*d*e + 3*b*c^2*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^5*e), -1/160*(16*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)*sqrt(e*x^2 + d)*sqrt(e*x^2 + d)*sqrt(e*x^2 + d)*sqrt(e*x^2 + d))/c^5*e), 1/80*(4*b*c^5*sqrt(-d)*d^2*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(8*a*c^5*e^2*x^4 + 16*a*c^5*d*e*x^2 + 8*a*c^5*d^2 + 8*(b*c^5*e^2*x^4 + 2*b*c^5*d*e*x^2 + b*c^5*d^2)*arccsc(cx) + (2*b*c^3*e^2*x^2 + 9*b*c^3*d*e + 3*b*c^2*e^2)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^5*e), -1/80*(8*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (15*b*c^4*d^2 + 10*b*c^2*d*e + 3*b*e^2)$

$$)*\sqrt{-e}*\arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d}*\sqrt{-e}/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*(8*a*c^5*e^2*x^4 + 16*a*c^5*d*e*x^2 + 8*a*c^5*d^2 + 8*(b*c^5*e^2*x^4 + 2*b*c^5*d*e*x^2 + b*c^5*d^2)*\arccsc(cx) + (2*b*c^3*e^2*x^2 + 9*b*c^3*d*e + 3*b*c*e^2)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^5*e)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d)**(3/2)*(a+b*acsc(c*x)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}}(b \arccsc(cx) + a)x \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arccsc(c*x) + a)*x, x)`

$$\mathbf{3.130} \quad \int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x}, x\right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x, x]

Rubi [A] time = 0.116081, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x, x]

[Out] Defер[Int][((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x} dx = \int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x} dx$$

Mathematica [A] time = 5.96237, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x, x]

Maple [A] time = 1.941, size = 0, normalized size = 0.

$$\int \frac{a+b\arccsc(cx)}{x} (ex^2+d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x, x)

[Out] $\int ((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd)\arccsc(cx))\sqrt{ex^2 + d}}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((a*e*x^2 + a*d + (b*e*x^2 + b*d)*\arccsc(cx))*\sqrt{e*x^2 + d}/x, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^{**2+d})^{**3/2}*(a+b*acsc(cx))/x, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b\arccsc(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((e*x^2 + d)^{3/2}*(b*\arccsc(cx) + a)/x, x)$

3.131 $\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^3} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^3}, x\right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^3, x]

Rubi [A] time = 0.122081, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^3, x]

[Out] Defер[Int][((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^3, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^3} dx = \int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^3} dx$$

Mathematica [A] time = 4.79437, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^3, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^3, x]

Maple [A] time = 1.263, size = 0, normalized size = 0.

$$\int \frac{a+b\arccsc(cx)}{x^3} (ex^2+d)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^3, x)

[Out] $\int ((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^3, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^3, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd)\arccsc(cx))\sqrt{ex^2 + d}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^3, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((a*e*x^2 + a*d + (b*e*x^2 + b*d)*\arccsc(cx))*\sqrt{e*x^2 + d}/x^3, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^{**2+d})^{**3/2}*(a+b*acsc(cx))/x^{**3}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b\arccsc(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^3, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((e*x^2 + d)^{3/2}*(b*\arccsc(cx) + a)/x^3, x)$

$$\mathbf{3.132} \quad \int x^2 \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(x^2 \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right), x \right)$$

[Out] Unintegrable[x^2*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.123709, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int x^2 \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx$$

Verification is Not applicable to the result.

[In] Int[x^2*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

[Out] Defer[Int][x^2*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int x^2 \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx = \int x^2 \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx$$

Mathematica [A] time = 9.56484, size = 0, normalized size = 0.

$$\int x^2 \left(d + ex^2 \right)^{3/2} \left(a + b \csc^{-1}(cx) \right) dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

[Out] Integrate[x^2*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Maple [A] time = 3.258, size = 0, normalized size = 0.

$$\int x^2 \left(ex^2 + d \right)^{3/2} \left(a + b \operatorname{arccsc}(cx) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)

[Out] int(x^2*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ax^4 + adx^2 + \left(bex^4 + bdx^2\right)\text{arccsc}(cx)\right)\sqrt{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e*x^4 + a*d*x^2 + (b*e*x^4 + b*d*x^2)*arccsc(c*x))*sqrt(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d)**(3/2)*(a+b*acsc(c*x)),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}}(b \text{arccsc}(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arccsc(c*x) + a)*x^2, x)`

$$\mathbf{3.133} \quad \int (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) \, dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\left(d + ex^2\right)^{3/2} \left(a + b \csc^{-1}(cx)\right), x\right)$$

[Out] Unintegrable[(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.0452941, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) \, dx$$

Verification is Not applicable to the result.

[In] Int[(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

[Out] Defer[Int][(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) \, dx = \int (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) \, dx$$

Mathematica [A] time = 6.67558, size = 0, normalized size = 0.

$$\int (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) \, dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

[Out] Integrate[(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Maple [A] time = 2.795, size = 0, normalized size = 0.

$$\int (ex^2 + d)^{3/2} (a + b \operatorname{arccsc}(cx)) \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)

[Out] int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(aex^2 + ad + \left(bex^2 + bd\right) \text{arccsc}(cx)\right) \sqrt{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arccsc(c*x))*sqrt(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*acs(c*x)),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (b \text{arccsc}(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^{(3/2)}*(b*arccsc(c*x) + a), x)`

3.134 $\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^2} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^2}, x\right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^2, x]

Rubi [A] time = 0.106317, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^2, x]

[Out] Defер[Int][((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^2, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^2} dx = \int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^2} dx$$

Mathematica [A] time = 12.6123, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^2, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^2, x]

Maple [A] time = 3.097, size = 0, normalized size = 0.

$$\int \frac{a+b\arccsc(cx)}{x^2} (ex^2+d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^2, x)

[Out] $\int ((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^2, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^2, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd)\arccsc(cx))\sqrt{ex^2 + d}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^2, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((a*e*x^2 + a*d + (b*e*x^2 + b*d)*\arccsc(cx))*\sqrt{e*x^2 + d}/x^2, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^{**2}+d)^{3/2}*(a+b*acsc(cx))/x^{**2}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b\arccsc(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^2, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((e*x^2 + d)^{3/2}*(b*\arccsc(cx) + a)/x^2, x)$

$$\mathbf{3.135} \quad \int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^4} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^4}, x\right)$$

[Out] Unintegrable[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^4, x]

Rubi [A] time = 0.10664, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^4} dx$$

Verification is Not applicable to the result.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^4, x]

[Out] Defер[Int][((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^4, x]

Rubi steps

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^4} dx = \int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^4} dx$$

Mathematica [A] time = 6.42733, size = 0, normalized size = 0.

$$\int \frac{(d+ex^2)^{3/2}(a+b\csc^{-1}(cx))}{x^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^4, x]

[Out] Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^4, x]

Maple [A] time = 6.571, size = 0, normalized size = 0.

$$\int \frac{a+b\arccsc(cx)}{x^4} (ex^2+d)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^4, x)

[Out] $\int ((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^4, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^4, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd)\arccsc(cx))\sqrt{ex^2 + d}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^4, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((a*e*x^2 + a*d + (b*e*x^2 + b*d)*\arccsc(cx))*\sqrt{e*x^2 + d}/x^4, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^{**2+d})^{**3/2}*(a+b*acsc(cx))/x^{**4}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b\arccsc(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{3/2}*(a+b*arccsc(cx))/x^4, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((e*x^2 + d)^{3/2}*(b*\arccsc(cx) + a)/x^4, x)$

$$3.136 \quad \int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^6} dx$$

Optimal. Leaf size=416

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+e)(8c^4d^2+19c^2de+15e^2)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{75d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{5dx^5} - \frac{bx\sqrt{1-c^2x^2}(c^2d+e)(8c^4d^2+19c^2de+15e^2)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{75d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

$$\begin{aligned} [Out] & - (b*c*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(75*d*Sqrt[c^2*x^2]) - (4*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(75*x^2*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(25*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*d*x^5) + (b*c^2*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*(c^2*d + e)*(8*c^4*d^2 + 19*c^2*d*e + 15*e^2)*x*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) \end{aligned}$$

Rubi [A] time = 0.572568, antiderivative size = 416, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {264, 5239, 12, 474, 580, 583, 524, 427, 426, 424, 421, 419}

$$-\frac{(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{5dx^5} - \frac{bc\sqrt{c^2x^2-1}(8c^4d^2+23c^2de+23e^2)\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}} - \frac{bx\sqrt{1-c^2x^2}(c^2d+e)(8c^4d^2+19c^2de+15e^2)\sqrt{d+ex^2}}{75d\sqrt{c^2x^2}\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^6, x]

$$\begin{aligned} [Out] & - (b*c*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(75*d*Sqrt[c^2*x^2]) - (4*b*c*(c^2*d + 2*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(75*x^2*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(25*x^4*Sqrt[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*ArcCsc[c*x]))/(5*d*x^5) + (b*c^2*(8*c^4*d^2 + 23*c^2*d*e + 23*e^2)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (b*(c^2*d + e)*(8*c^4*d^2 + 19*c^2*d*e + 15*e^2)*x*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(75*d*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) \end{aligned}$$

Rule 264

```
Int[((c_)*(x_))^m_*(a_ + b*x^n_)^(p_), x_Symbol] :> Simplify[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(f_)*(x_)^(m_)*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integrate[u/(x*Sqrt[c^2*x^2 - 1]], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)/2, 0] && !(GtQ[(m + 1)/2, 0] && ILtQ[p, 0])))
```

```
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 474

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1) + a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 580

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*g*(m + 1)), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && GtQ[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c),
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> D
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{x^6} dx &= -\frac{(d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5dx^5} + \frac{(bcx) \int -\frac{(d+ex^2)^{5/2}}{5dx^6 \sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{(d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5dx^5} - \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{x^6 \sqrt{-1+c^2x^2}} dx}{5d \sqrt{c^2x^2}} \\
&= -\frac{bc \sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{25x^4 \sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5dx^5} + \frac{(bcx) \int \frac{\sqrt{d+ex^2}(-4d+4e)}{x^4 \sqrt{c^2x^2}} dx}{25d \sqrt{c^2x^2}} \\
&= -\frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2 \sqrt{c^2x^2}} - \frac{bc \sqrt{-1+c^2x^2} (d+ex^2)^{3/2}}{25x^4 \sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5dx^5} \\
&= -\frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d \sqrt{c^2x^2}} - \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2 \sqrt{c^2x^2}} \\
&= -\frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d \sqrt{c^2x^2}} - \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2 \sqrt{c^2x^2}} \\
&= -\frac{bc(8c^4d^2+23c^2de+23e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75d \sqrt{c^2x^2}} - \frac{4bc(c^2d+2e)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{75x^2 \sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.657712, size = 303, normalized size = 0.73

$$\frac{\sqrt{d+ex^2} \left(15a(d+ex^2)^2 + bcx \sqrt{1-\frac{1}{c^2x^2}} (d^2(8c^4x^4+4c^2x^2+3) + dex^2(23c^2x^2+11) + 23e^2x^4) + 15b \csc^{-1}(cx)(d+ex^2)^2\right)}{75dx^5}$$

Antiderivative was successfully verified.

[In] `Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^6,x]`

[Out] $-\frac{(\sqrt{d+e x^2}) (15 a (d+e x^2)^2+b c \sqrt{1-\frac{1}{(c^2 x^2)}} x^{23 e^2} x^4+d e x^2 (11+23 c^2 x^2)+d^2 (3+4 c^2 x^2+8 c^4 x^4))+15 b (d+e x^2)^2 \text{ArcCsc}[c x])}{(75 d x^5)+((I/75) b c \sqrt{1-\frac{1}{(c^2 x^2)}} x \sqrt{1+(e x^2)/d} (c^2 d (8 c^4 d^2+23 c^2 d e+23 e^2) \text{EllipticE}[I \text{ArcSinh}[\sqrt{-c^2} x],-(e/(c^2 d))]-8 c^6 d^3+27 c^4 d^2 e+34 c^2 d^2 e^2+15 e^3) \text{EllipticF}[I \text{ArcSinh}[\sqrt{-c^2} x],-(e/(c^2 d)))}/(\sqrt{-c^2} d \sqrt{1-c^2 x^2} \sqrt{d+e x^2})$

Maple [F] time = 5.984, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^6} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^6,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^6,x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^6,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(a e x^2+a d+\left(b e x^2+b d\right) \operatorname{arccsc}(c x)) \sqrt{e x^2+d}}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^6,x, algorithm="fricas")`

[Out] `integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arccsc(c*x))*sqrt(e*x^2 + d)/x^6, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*acsc(c*x))/x**6,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arccsc}(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^6,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arccsc(c*x) + a)/x^6, x)`

$$3.137 \quad \int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^8} dx$$

Optimal. Leaf size=554

$$-\frac{2bx\sqrt{1-c^2x^2}(c^2d+e)(204c^4d^2e+120c^6d^3+17c^2de^2-105e^3)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{3675d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{2e(d+ex^2)^5}{35d^2x^5}$$

[Out] $-(b*c*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(3675*d^2*\text{Sqrt}[c^2*x^2]) - (b*c*(120*c^4*d^2 + 159*c^2*d*e - 37*e^2)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(3675*d*x^2*\text{Sqrt}[c^2*x^2]) - (b*c*(30*c^2*d + 11*e)*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(1225*d*x^4*\text{Sqrt}[c^2*x^2]) - (b*c*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(49*d*x^6*\text{Sqrt}[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(7*d*x^7) + (2*e*(d + e*x^2)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(35*d^2*x^5) + (b*c^2*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3675*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]) - (2*b*(c^2*d + e)*(120*c^6*d^3 + 204*c^4*d^2*e + 17*c^2*d*e^2 - 105*e^3)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3675*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rubi [A] time = 0.891112, antiderivative size = 554, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {271, 264, 5239, 12, 580, 583, 524, 427, 426, 424, 421, 419}

$$\frac{2e(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{35d^2x^5} - \frac{(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{7dx^7} - \frac{bc\sqrt{c^2x^2-1}(528c^4d^2e+240c^6d^3+193c^2de^2-247e^3)}{3675d^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/x^8, x]

[Out] $-(b*c*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(3675*d^2*\text{Sqrt}[c^2*x^2]) - (b*c*(120*c^4*d^2 + 159*c^2*d*e - 37*e^2)*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(3675*d*x^2*\text{Sqrt}[c^2*x^2]) - (b*c*(30*c^2*d + 11*e)*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(1225*d*x^4*\text{Sqrt}[c^2*x^2]) - (b*c*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^(5/2))/(49*d*x^6*\text{Sqrt}[c^2*x^2]) - ((d + e*x^2)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(7*d*x^7) + (2*e*(d + e*x^2)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(35*d^2*x^5) + (b*c^2*(240*c^6*d^3 + 528*c^4*d^2*e + 193*c^2*d*e^2 - 247*e^3)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3675*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]) - (2*b*(c^2*d + e)*(120*c^6*d^3 + 204*c^4*d^2*e + 17*c^2*d*e^2 - 105*e^3)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(3675*d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simplify[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_)*(e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 580

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*g*(m + 1)), x] - Dist[1/(a*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
```

```
[], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[  
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> D  
ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d  
*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S  
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt  
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ  
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{x^8} dx &= -\frac{(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{35d^2x^5} + \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{35d^2x^5}}{\sqrt{d+ex^2}} \\
&= -\frac{(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{35d^2x^5} + \frac{(bcx) \int \frac{(d+ex^2)^{5/2}}{x^8}}{35d^2} \\
&= -\frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{5/2}}{49dx^6\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{7dx^7} + \frac{2e(d+ex^2)^{5/2}(a+b \csc^{-1}(cx))}{35d^2x^5} \\
&= -\frac{bc(30c^2d+11e)\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}}{1225dx^4\sqrt{c^2x^2}} - \frac{bc\sqrt{-1+c^2x^2}(d+ex^2)^{5/2}}{49dx^6\sqrt{c^2x^2}} - \frac{(d+ex^2)^{5/2}}{3675dx^2\sqrt{c^2x^2}} \\
&= -\frac{bc(120c^4d^2+159c^2de-37e^2)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675dx^2\sqrt{c^2x^2}} - \frac{bc(30c^2d+11e)\sqrt{-1+c^2x^2}}{1225dx^4\sqrt{c^2x^2}} \\
&= -\frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} - \frac{bc(120c^4d^2)}{3675d^2\sqrt{c^2x^2}} \\
&= -\frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} - \frac{bc(120c^4d^2)}{3675d^2\sqrt{c^2x^2}} \\
&= -\frac{bc(240c^6d^3+528c^4d^2e+193c^2de^2-247e^3)\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{3675d^2\sqrt{c^2x^2}} - \frac{bc(120c^4d^2)}{3675d^2\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.851825, size = 383, normalized size = 0.69

$$-\frac{\sqrt{d+ex^2} \left(105a(5d-2ex^2)(d+ex^2)^2 + bcx\sqrt{1-\frac{1}{c^2x^2}}(3d^2ex^2(176c^4x^4+83c^2x^2+61) + 15d^3(16c^6x^6+8c^4x^4+6c^2x^2))\right)}{3675d^2x^7}$$

Antiderivative was successfully verified.

[In] `Integrate[((d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]))/x^8, x]`

[Out] $-(\text{Sqrt}[d+e*x^2]*(105*a*(5*d-2*e*x^2)*(d+e*x^2)^2 + b*c*\text{Sqrt}[1-1/(c^2*x^2)]*x*(-247*e^3*x^6+d*e^2*x^4*(71+193*c^2*x^2)+3*d^2*x^2*(61+83*c^2*x^2+176*c^4*x^4)+15*d^3*(5+6*c^2*x^2+8*c^4*x^4+16*c^6*x^6))+105*b*(5*d-2*e*x^2)*(d+e*x^2)^2*\text{ArcCsc}[c*x])/(3675*d^2*x^7)+((I/3675)*b*c*\text{Sqrt}[1-1/(c^2*x^2)]*x*\text{Sqrt}[1+(e*x^2)/d]*(c^2*d*(240*c^6*d^3+528*c^4*d^2*e+193*c^2*d*e^2-247*e^3)*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x],-(e/(c^2*d))]-2*(120*c^8*d^4+324*c^6*d^3*e+221*c^4*d^2*e^2-88*c^2*d*e^3-105*e^4)*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x],-(e/(c^2*d))])/(Sqrt[-c^2]*d^2*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Maple [F] time = 5.132, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^8} (ex^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^8,x)`

[Out] `int((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^8,x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^8,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(aex^2 + ad + (bex^2 + bd)\operatorname{arccsc}(cx))\sqrt{ex^2 + d}}{x^8}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^8,x, algorithm="fricas")`

[Out] `integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arccsc(c*x))*sqrt(e*x^2 + d)/x^8, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(3/2)*(a+b*acsc(c*x))/x**8,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}(b \operatorname{arccsc}(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(a+b*arccsc(c*x))/x^8,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arccsc(c*x) + a)/x^8, x)`

3.138 $\int \frac{x^5(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$

Optimal. Leaf size=321

$$\frac{d^2 \sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{e^3} - \frac{2d (d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3e^3} + \frac{(d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5e^3} - \frac{8bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{c}}\right)}{15e^3 \sqrt{c^2x^2}}$$

[Out] $-(b*(19*c^2*d - 9*e)*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(120*c^3*e^2*\text{Sqr}t[c^2*x^2]) + (b*x*\text{Sqrt}[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e^2*\text{Sqr}t[c^2*x^2]) + (d^2*\text{Sqr}t[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^3 - (2*d*(d + e*x^2)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^3) + ((d + e*x^2)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^3) - (8*b*c*d^(5/2)*x*\text{ArcTan}[\text{Sqr}t[d + e*x^2]/(\text{Sqr}t[d]*\text{Sqr}t[-1 + c^2*x^2])])/(15*e^3*\text{Sqr}t[c^2*x^2]) + (b*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*x*\text{ArcTanh}[(\text{Sqr}t[e]*\text{Sqr}t[-1 + c^2*x^2])/(\text{c}*\text{Sqr}t[d + e*x^2])])/(120*c^4*e^(5/2)*\text{Sqr}t[c^2*x^2])$

Rubi [A] time = 1.04819, antiderivative size = 321, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {266, 43, 5239, 12, 1615, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d^2 \sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{e^3} - \frac{2d (d+ex^2)^{3/2} (a+b \csc^{-1}(cx))}{3e^3} + \frac{(d+ex^2)^{5/2} (a+b \csc^{-1}(cx))}{5e^3} - \frac{8bcd^{5/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{c}}\right)}{15e^3 \sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(a + b*\text{ArcCsc}[c*x]))/\text{Sqr}t[d + e*x^2], x]$

[Out] $-(b*(19*c^2*d - 9*e)*x*\text{Sqr}t[-1 + c^2*x^2]*\text{Sqr}t[d + e*x^2])/(120*c^3*e^2*\text{Sqr}t[c^2*x^2]) + (b*x*\text{Sqr}t[-1 + c^2*x^2]*(d + e*x^2)^(3/2))/(20*c*e^2*\text{Sqr}t[c^2*x^2]) + (d^2*\text{Sqr}t[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^3 - (2*d*(d + e*x^2)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*e^3) + ((d + e*x^2)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(5*e^3) - (8*b*c*d^(5/2)*x*\text{ArcTan}[\text{Sqr}t[d + e*x^2]/(\text{Sqr}t[d]*\text{Sqr}t[-1 + c^2*x^2])])/(15*e^3*\text{Sqr}t[c^2*x^2]) + (b*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*x*\text{ArcTanh}[(\text{Sqr}t[e]*\text{Sqr}t[-1 + c^2*x^2])/(\text{c}*\text{Sqr}t[d + e*x^2])])/(120*c^4*e^(5/2)*\text{Sqr}t[c^2*x^2])$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_))*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
```

```
t[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.*(x_))^(n_.)*((e_.) + (f
_.*(x_))^(p_.), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expo
n[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p +
1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p +
q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n
+ p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q -
2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) +
c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m
+ q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c,
d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 154

```
Int[((a_.) + (b_.*(x_))^(m_.)*((c_.) + (d_.*(x_))^(n_.)*((e_.) + (f_.*(x_
))^(p_.)*((g_.) + (h_.*(x_))), x_Symbol] :> Simp[(h*(a + b*x)^m*(c + d*x)^(n
+ 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p
+ 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*g*(m + n +
p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p
+ 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))*x), x], x] /
; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p +
2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((((c_.) + (d_.*(x_))^(n_.)*((e_.) + (f_.*(x_))^(p_.)*((g_.) + (h_.*(x_
))))/((a_.) + (b_.*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p
, x], x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x]
, x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.*(x_))^(m_.)*((c_.) + (d_.*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.*(x_))^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.*(x_))^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
```

$Q[a, 0] \text{ || } LtQ[b, 0])$

Rule 93

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{x^5 (a + b \csc^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} \\ &= \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} \\ &= \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} + \frac{(d + ex^2)^{5/2} (a + b \csc^{-1}(cx))}{5e^3} \\ &= \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} - \frac{2d (d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} \\ &= -\frac{b (19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} \\ &= -\frac{b (19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} \\ &= -\frac{b (19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} \\ &= -\frac{b (19c^2 d - 9e) x \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{120c^3 e^2 \sqrt{c^2 x^2}} + \frac{bx \sqrt{-1 + c^2 x^2} (d + ex^2)^{3/2}}{20ce^2 \sqrt{c^2 x^2}} + \frac{d^2 \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} \end{aligned}$$

Mathematica [A] time = 0.745021, size = 328, normalized size = 1.02

$$\frac{\sqrt{d + ex^2} \left(8ac^3 (8d^2 - 4dex^2 + 3e^2 x^4) + 8bc^3 \csc^{-1}(cx) (8d^2 - 4dex^2 + 3e^2 x^4) + bex \sqrt{1 - \frac{1}{c^2 x^2}} (c^2 (6ex^2 - 13d) + 9e)\right)}{120c^3 e^3}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^5*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]`

[Out]
$$\frac{(Sqrt[d + e*x^2]*(8*a*c^3*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4) + b*e*Sqrt[1 - 1/(c^2*x^2)]*x*(9*e + c^2*(-13*d + 6*e*x^2)) + 8*b*c^3*(8*d^2 - 4*d*e*x^2 + 3*e^2*x^4)*ArcCsc[c*x]))/(120*c^3*e^3) + (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*(45*c^4*d^2 - 10*c^2*d*e + 9*e^2)*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e])*Sqrt[-1 + c^2*x^2]]/(Sqrt[c^2]*Sqr[t[c^2*d + e]])) + 64*c^7*d^(5/2)*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(120*c^6*e^3*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])}{(120*c^6*e^3*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])}$$

Maple [F] time = 6.129, size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{arccsc}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)`

[Out] `int(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 20.0825, size = 3063, normalized size = 9.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x, algorithm="fricas")`

[Out]
$$\frac{1}{480} \left(64*b*c^5*\sqrt{-d}*\sqrt{d^2*x^2 + 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d}*\sqrt{-d} + 8*d^2*x^4} + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*\sqrt{e}\log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*\sqrt{c^2*x^2 - 1}*\sqrt{e*x^2 + d}*\sqrt{e} + e^2) + 4*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*\operatorname{arccsc}(c*x) + (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^5*e^3) \right) - \frac{1}{480} \left(28*b*c^5*d^{5/2}*\operatorname{arctan}(-1/2*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e}) \right)$$

$$\begin{aligned}
& (e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2) - (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d^2 + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) - 4*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*arc\csc(cx) + (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d)/(c^5*e^3), 1/240*(32*b*c^5*sqrt(-d)*d^2*log((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*arccsc(cx) + (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d)/(c^5*e^3), -1/240*(64*b*c^5*d^(5/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (45*b*c^4*d^2 - 10*b*c^2*d*e + 9*b*e^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*(24*a*c^5*e^2*x^4 - 32*a*c^5*d*e*x^2 + 64*a*c^5*d^2 + 8*(3*b*c^5*e^2*x^4 - 4*b*c^5*d*e*x^2 + 8*b*c^5*d^2)*arccsc(cx) + (6*b*c^3*e^2*x^2 - 13*b*c^3*d*e + 9*b*c*e^2)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d)/(c^5*e^3)])
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*acsc(cx))/(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^5}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(cx))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(cx) + a)*x^5/sqrt(e*x^2 + d), x)`

3.139 $\int \frac{x^3(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$

Optimal. Leaf size=225

$$\frac{d\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{3e^2} + \frac{2bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^2\sqrt{c^2x^2}} - \frac{bx(3c^2d-e) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{d+ex^2}}{c\sqrt{d}}\right)}{6c^2e^{3/2}\sqrt{c^2x^2}}$$

[Out] $(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e*\text{Sqrt}[c^2*x^2]) - (d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^2 + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcCsc}[c*x]))/(3*e^2) + (2*b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^2*\text{Sqrt}[c^2*x^2]) - (b*(3*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.327374, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {266, 43, 5239, 12, 573, 154, 157, 63, 217, 206, 93, 204}

$$\frac{d\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e^2} + \frac{(d+ex^2)^{3/2}(a+b \csc^{-1}(cx))}{3e^2} + \frac{2bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^2\sqrt{c^2x^2}} - \frac{bx(3c^2d-e) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{d+ex^2}}{c\sqrt{d}}\right)}{6c^2e^{3/2}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*(a + b*\text{ArcCsc}[c*x]))/\text{Sqrt}[d + e*x^2], x]$

[Out] $(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e*\text{Sqrt}[c^2*x^2]) - (d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^2 + ((d + e*x^2)^{(3/2)}*(a + b*\text{ArcCsc}[c*x]))/(3*e^2) + (2*b*c*d^{(3/2)}*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(3*e^2*\text{Sqrt}[c^2*x^2]) - (b*(3*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(3/2)}*\text{Sqrt}[c^2*x^2])$

Rule 266

```
Int[(x_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x]; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x]; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]]; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 573

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_))^(r_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]]
```

Rule 154

```
Int[((a_) + (b_)*(x_)^m)*(c_) + (d_)*(x_)^n*((e_) + (f_)*(x_)^p)*(g_) + (h_)*(x_), x_Symbol] :> Simplify[(h*(a + b*x)^m*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(m + n + p + 2)), x] + Dist[1/(d*f*(m + n + p + 2)), Int[(a + b*x)^(m - 1)*(c + d*x)^n*(e + f*x)^p*Simplify[a*d*f*g*(m + n + p + 2) - h*(b*c*e*m + a*(d*e*(n + 1) + c*f*(p + 1))) + (b*d*f*g*(m + n + p + 2) + h*(a*d*f*m - b*(d*e*(m + n + 1) + c*f*(m + p + 1))))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && GtQ[m, 0] && NeQ[m + n + p + 2, 0] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_) + (d_)*(x_)^n)*(e_) + (f_)*(x_)^p)*(g_) + (h_)*(x_), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^m)*(c_) + (d_)*(x_)^n, x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x)^p)/b]^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simplify[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((a_) + (b_)*(x_)^m)*(c_) + (d_)*(x_)^n)/((e_) + (f_)*(x_), x_Symbol) :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \csc^{-1}(cx))}{\sqrt{d + ex^2}} dx &= -\frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{(bcx) \int \frac{(-2d+ex^2)\sqrt{d+ex^2}}{3e^2x\sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{(bcx) \int \frac{(-2d+ex^2)\sqrt{d+ex^2}}{x\sqrt{-1+c^2x^2}} dx}{3e^2\sqrt{c^2x^2}} \\
&= -\frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{(bcx) \text{Subst}\left(\int \frac{(-2d+ex)\sqrt{d+ex}}{x\sqrt{-1+c^2x^2}} dx\right)}{6e^2\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{(b)}{6ce\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} - \frac{(b)}{6ce\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} - \frac{(2b)}{6ce\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{2b}{6ce\sqrt{c^2x^2}} \\
&= \frac{bx\sqrt{-1+c^2x^2}\sqrt{d+ex^2}}{6ce\sqrt{c^2x^2}} - \frac{d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^2} + \frac{2b}{6ce\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.515055, size = 271, normalized size = 1.2

$$\frac{\sqrt{d + ex^2} \left(-4acd + 2ace x^2 + bex \sqrt{1 - \frac{1}{c^2 x^2}} + 2bc \csc^{-1}(cx) (ex^2 - 2d) \right)}{6ce^2} - \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} \left(4c^5 d^{3/2} \sqrt{d + ex^2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{c^2 x^2 - 1}}{\sqrt{d + ex^2}} \right) \right)}{6c^4 e^2}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^3*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]`

[Out] `(Sqrt[d + e*x^2]*(-4*a*c*d + b*e*Sqrt[1 - 1/(c^2*x^2)]*x + 2*a*c*e*x^2 + 2*b*c*(-2*d + e*x^2)*ArcCsc[c*x]))/(6*c*e^2) - (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e]*Sqrt[-1 + c^2*x^2])/(Sqrt[c^2]*Sqrt[c^2*d + e])] + 4*c^5*d^(3/2)*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]]))/((6*c^4*e^2*Sqrt[-1 + c^2*x^2])*Sqrt[d + e*x^2])`

Maple [F] time = 6.874, size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{arccsc}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x)`

[Out] `int(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 8.08869, size = 2449, normalized size = 10.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/24 * (4*b*c^3*sqrt(-d)*d*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - (3*b*c^2*d - b*e)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(2*a*c^3*e*x^2 - 4*a*c^3*d + sqrt(c^2*x^2 - 1)*b*c*e + 2*(b*c^3*e*x^2 - 2*b*c^3*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c^3*e^2), 1/24*(8*b*c^3*d^(3/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - (3*b*c^2*d - b*e)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(2*a*c^3*e*x^2 - 4*a*c^3*d + sqrt(c^2*x^2 - 1)*b*c*e + 2*(b*c^3*e*x^2 - 2*b*c^3*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c^3*e^2), 1/12*(2*b*c^3*sqrt(-d)*d*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + (3*b*c^2*d - b*e)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(2*a*c^3*e*x^2 - 4*a*c^3*d + sqrt(c^2*x^2 - 1)*b*c*e + 2*(b*c^3*e*x^2 - 2*b*c^3*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c^3*e^2), 1/12*(4*b*c^3*d^(3/2)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (3*b*c^2*d - b*e)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(2*a*c^3*e*x^2 - 4*a*c^3*d + sqrt(c^2*x^2 - 1)*b*c*e + 2*(b*c^3*e*x^2 - 2*b*c^3*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c^3*e^2))] \end{aligned}$$

$*e^2)]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3/sqrt(e*x^2 + d), x)`

$$\mathbf{3.140} \quad \int \frac{x(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=132

$$\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e} - \frac{bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e\sqrt{c^2x^2}} + \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}}$$

[Out] $(\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e - (b*c*\text{Sqrt}[d]*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(e*\text{Sqrt}[c^2*x^2]) + (b*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(\text{c}*\text{Sqrt}[d + e*x^2])])/(\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.150841, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.381, Rules used = {5237, 446, 105, 63, 217, 206, 93, 204}

$$\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e} - \frac{bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e\sqrt{c^2x^2}} + \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b*\text{ArcCsc}[c*x]))/\text{Sqrt}[d + e*x^2], x]$

[Out] $(\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e - (b*c*\text{Sqrt}[d]*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/(e*\text{Sqrt}[c^2*x^2]) + (b*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(\text{c}*\text{Sqrt}[d + e*x^2])])/(\text{Sqrt}[e]*\text{Sqrt}[c^2*x^2])$

Rule 5237

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x
 _Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x
 ] + Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sq
 rt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_.*((a_) + (b_.*(x_)^(n_))^(p_.*((c_) + (d_.*(x_)^(n_))^(q_.
))), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
 *(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
 b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 105

```
Int[((((a_.) + (b_.*(x_))^(m_.*((c_.) + (d_.*(x_))^(n_))))/((e_.) + (f_.*(x
 _))), x_Symbol] :> Dist[b/f, Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x] - Dis
 t[(b*e - a*f)/f, Int[((a + b*x)^(m - 1)*(c + d*x)^n)/(e + f*x), x], x] /; F
 reeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[Simplify[m + n + 1], 0] && (GtQ[m
 , 0] || (!RationalQ[m] && (SumSimplerQ[m, -1] || !SumSimplerQ[n, -1])))
```

Rule 63

```
Int[((a_.) + (b_.*(x_))^(m_.*((c_.) + (d_.*(x_))^(n_)), x_Symbol] :> With[
 {p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
 (d*x)^p)/b]^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
```

$[b*c - a*d, 0] \&& LtQ[-1, m, 0] \&& LeQ[-1, n, 0] \&& LeQ[Denominator[n], Denominator[m]] \&& IntLinearQ[a, b, c, d, m, n, x]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_*) + (b_*)*(x_*)^2], x_Symbol] :> \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&& !\text{GtQ}[a, 0]$

Rule 206

$\text{Int}[((a_*) + (b_*)*(x_*)^2)^{-1}, x_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&& \text{NegQ}[a/b] \&& (\text{GtQ}[a, 0] \mid\mid \text{LtQ}[b, 0])$

Rule 93

$\text{Int}[(((a_*) + (b_*)*(x_*)^{(m_*)})^{(n_*)}((c_*) + (d_*)*(x_*)^{(n_*)})) / ((e_*) + (f_*)*(x_*)^{(n_*)}), x_Symbol] :> \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q, \text{Subst}[\text{Int}[x^{(q*(m+1) - 1)/(b*e - a*f - (d*e - c*f)*x^q)], x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{EqQ}[m + n + 1, 0] \&& \text{RationalQ}[n] \&& \text{LtQ}[-1, m, 0] \&& \text{SimplerQ}[a + b*x, c + d*x]$

Rule 204

$\text{Int}[((a_*) + (b_*)*(x_*)^2)^{-1}, x_Symbol] :> -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&& \text{PosQ}[a/b] \&& (\text{LtQ}[a, 0] \mid\mid \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \csc^{-1}(cx))}{\sqrt{d + ex^2}} dx &= \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e} + \frac{(bcx) \int \frac{\sqrt{d + ex^2}}{x\sqrt{-1 + c^2x^2}} dx}{e\sqrt{c^2x^2}} \\ &= \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e} + \frac{(bcx) \text{Subst}\left(\int \frac{\sqrt{d + ex^2}}{x\sqrt{-1 + c^2x^2}} dx, x, x^2\right)}{2e\sqrt{c^2x^2}} \\ &= \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e} + \frac{(bcx) \text{Subst}\left(\int \frac{1}{\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}} dx, x, x^2\right)}{2\sqrt{c^2x^2}} + \frac{(bcdx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1 + c^2x^2}} dx, x, x^2\right)}{2e\sqrt{c^2x^2}} \\ &= \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e} + \frac{(bx) \text{Subst}\left(\int \frac{1}{\sqrt{d + \frac{e}{c^2} + \frac{ex^2}{c^2}}} dx, x, \sqrt{-1 + c^2x^2}\right)}{c\sqrt{c^2x^2}} + \frac{(bcdx) \text{Subst}\left(\int \frac{1}{x\sqrt{d + \frac{e}{c^2} + \frac{ex^2}{c^2}}} dx, x, \sqrt{-1 + c^2x^2}\right)}{c\sqrt{c^2x^2}} \\ &= \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e} - \frac{bc\sqrt{d}x \tan^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d}\sqrt{-1 + c^2x^2}}\right)}{e\sqrt{c^2x^2}} + \frac{(bx) \text{Subst}\left(\int \frac{1}{1 - \frac{ex^2}{c^2}} dx, x, \frac{\sqrt{-1 + c^2x^2}}{\sqrt{d + ex^2}}\right)}{c\sqrt{c^2x^2}} \\ &= \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e} - \frac{bc\sqrt{d}x \tan^{-1}\left(\frac{\sqrt{d + ex^2}}{\sqrt{d}\sqrt{-1 + c^2x^2}}\right)}{e\sqrt{c^2x^2}} + \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{-1 + c^2x^2}}{c\sqrt{d + ex^2}}\right)}{\sqrt{e}\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.223011, size = 210, normalized size = 1.59

$$\frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e} + \frac{bx\sqrt{1 - \frac{1}{c^2x^2}} \left(c^3\sqrt{d}\sqrt{d + ex^2} \tan^{-1}\left(\frac{\sqrt{d}\sqrt{c^2x^2 - 1}}{\sqrt{d + ex^2}}\right) + \sqrt{c^2}\sqrt{e}\sqrt{c^2d + e} \sqrt{\frac{c^2(d + ex^2)}{c^2d + e}} \sinh^{-1}\left(\frac{c\sqrt{e}\sqrt{c^2x^2 - 1}}{\sqrt{c^2}\sqrt{c^2x^2 - 1}}\right)\right)}{c^2e\sqrt{c^2x^2 - 1}\sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(x(a + b \cdot \text{ArcCsc}[c \cdot x]))/\sqrt{d + e \cdot x^2}, x]$

[Out]
$$\frac{(a + b \cdot \text{ArcCsc}[c \cdot x])}{e} + \frac{(b \cdot \sqrt{1 - 1/(c^2 \cdot x^2)} \cdot x) \cdot (\sqrt{d + e \cdot x^2} \cdot \sqrt{a + b \cdot \text{ArcCsc}[c \cdot x]})}{\sqrt{c^2} \cdot \sqrt{e} \cdot \sqrt{c^2 \cdot d + e} \cdot \sqrt{(c^2 \cdot (d + e \cdot x^2)) / (c^2 \cdot d + e)}} \cdot \text{ArcSinh}[\frac{(c \cdot \sqrt{e} \cdot \sqrt{-1 + c^2 \cdot x^2})}{(\sqrt{c^2} \cdot \sqrt{c^2 \cdot d + e})}] + \frac{c^3 \cdot \sqrt{d} \cdot \sqrt{t[d + e \cdot x^2]} \cdot \text{ArcTan}[(\sqrt{d} \cdot \sqrt{-1 + c^2 \cdot x^2}) / \sqrt{d + e \cdot x^2}]}{(c^2 \cdot e \cdot \sqrt{-1 + c^2 \cdot x^2} \cdot \sqrt{d + e \cdot x^2})}$$

Maple [F] time = 4.49, size = 0, normalized size = 0.

$$\int x(a + b \cdot \text{arccsc}(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x(a+b \cdot \text{arccsc}(c \cdot x))/(e \cdot x^2 + d)^{(1/2)}, x)$

[Out] $\text{int}(x(a+b \cdot \text{arccsc}(c \cdot x))/(e \cdot x^2 + d)^{(1/2)}, x)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x(a+b \cdot \text{arccsc}(c \cdot x))/(e \cdot x^2 + d)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Timed out

Fricas [A] time = 4.29964, size = 1928, normalized size = 14.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x(a+b \cdot \text{arccsc}(c \cdot x))/(e \cdot x^2 + d)^{(1/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out]
$$\begin{aligned} & [1/4 * (b * c * \sqrt{-d}) * \log((c^4 * d^2 - 6 * c^2 * d * e + e^2) * x^4 - 8 * (c^2 * d^2 - d * e) * x^2 + 4 * \sqrt{c^2 * x^2 - 1} * ((c^2 * d - e) * x^2 - 2 * d) * \sqrt{e * x^2 + d}) * \sqrt{-d} \\ & + 8 * d^2) / x^4] + b * \sqrt{e} * \log(8 * c^4 * e^2 * x^4 + c^4 * d^2 - 6 * c^2 * d * e + 8 * (c^4 * d * e - c^2 * e^2) * x^2 + 4 * (2 * c^3 * e * x^2 + c^3 * d - c * e) * \sqrt{(c^2 * x^2 - 1) * \sqrt{e * x^2 + d}} * \sqrt{e}) + e^2) + 4 * \sqrt{e * x^2 + d} * (b * c * \text{arccsc}(c * x) + a * c) / (c * e), -1/4 * (2 * b * c * \sqrt{d}) * \arctan(-1/2 * \sqrt{c^2 * x^2 - 1}) * ((c^2 * d - e) * x^2 - 2 * d) * \sqrt{e * x^2 + d} * \sqrt{d} / (c^2 * d * e * x^4 + (c^2 * d^2 - d * e) * x^2 - d^2) - b * \sqrt{e} * \log(8 * c^4 * e^2 * x^4 + c^4 * d^2 - 6 * c^2 * d * e + 8 * (c^4 * d * e - c^2 * e^2) * x^2 + 4 * (2 * c^3 * e * x^2 + c^3 * d - c * e) * \sqrt{(c^2 * x^2 - 1) * \sqrt{e * x^2 + d}} * \sqrt{e}) + e^2) - 4 * \sqrt{e * x^2 + d} * (b * c * \text{arccsc}(c * x) + a * c) / (c * e), 1/4 * (b * c * \sqrt{-d}) * \log(((c^4 * d^2 - 6 * c^2 * d * e + e^2) * x^4 - 8 * (c^2 * d^2 - d * e) * x^2 + 4 * \sqrt{c^2 * x^2 - 1} * ((c^2 * d - e) * x^2 - 2 * d) * \sqrt{e * x^2 + d}) * \sqrt{-d} + 8 * d^2) / x^4] - 2 * \end{aligned}$$

b*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 4*sqrt(e*x^2 + d)*(b*c*arccsc(c*x) + a*c))/(c*e), -1/2*(b*c*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + b*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*sqrt(e*x^2 + d)*(b*c*arccsc(c*x) + a*c))/(c*e)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{acsc}(cx))}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x**2+d)**(1/2),x)`

[Out] `Integral(x*(a + b*acsc(c*x))/sqrt(d + e*x**2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/sqrt(e*x^2 + d), x)`

3.141 $\int \frac{a+b \csc^{-1}(cx)}{x \sqrt{d+ex^2}} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex^2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x^2]), x]

Rubi [A] time = 0.096927, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x^2]), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex^2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex^2}} dx$$

Mathematica [A] time = 1.66954, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x*.Sqrt[d + e*x^2]), x]

Maple [A] time = 5.735, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x} \frac{1}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x/(e*x^2+d)^(1/2), x)

[Out] int((a+b*arccsc(c*x))/x/(e*x^2+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{ex^3 + dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/(e*x^3 + d*x), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x/(e*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*acsc(c*x))/(x*sqrt(d + e*x**2)), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex^2 + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(sqrt(e*x^2 + d)*x), x)`

$$\mathbf{3.142} \quad \int \frac{a+b \csc^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{a+b \csc^{-1}(cx)}{x^3 \sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x^3*.Sqrt[d + e*x^2]), x]

Rubi [A] time = 0.110658, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a+b \csc^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x^3*.Sqrt[d + e*x^2]), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x^3*.Sqrt[d + e*x^2]), x]

Rubi steps

$$\int \frac{a+b \csc^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx = \int \frac{a+b \csc^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Mathematica [A] time = 13.0237, size = 0, normalized size = 0.

$$\int \frac{a+b \csc^{-1}(cx)}{x^3 \sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x^3*.Sqrt[d + e*x^2]), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x^3*.Sqrt[d + e*x^2]), x]

Maple [A] time = 1.263, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x^3} \frac{1}{\sqrt{e x^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^3/(e*x^2+d)^(1/2), x)

[Out] int((a+b*arccsc(c*x))/x^3/(e*x^2+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{ex^5 + dx^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/(e*x^5 + d*x^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**3/(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex^2 + dx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^3/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(sqrt(e*x^2 + d)*x^3), x)`

3.143 $\int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable[(x^2*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

Rubi [A] time = 0.092479, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^2*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

[Out] Defer[Int][(x^2*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx = \int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Mathematica [A] time = 12.9801, size = 0, normalized size = 0.

$$\int \frac{x^2(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^2*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

[Out] Integrate[(x^2*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

Maple [A] time = 4.946, size = 0, normalized size = 0.

$$\int x^2(a+b \operatorname{arccsc}(cx)) \frac{1}{\sqrt{ex^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)

[Out] int(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \operatorname{arccsc}(cx) + ax^2}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*x^2*arccsc(c*x) + a*x^2)/sqrt(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^2}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^2/sqrt(e*x^2 + d), x)`

$$\mathbf{3.144} \quad \int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/Sqrt[d + e*x^2], x]

Rubi [A] time = 0.0307962, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/Sqrt[d + e*x^2], x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex^2}} dx = \int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Mathematica [A] time = 0.986144, size = 0, normalized size = 0.

$$\int \frac{a+b \csc^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/Sqrt[d + e*x^2], x]

[Out] Integrate[(a + b*ArcCsc[c*x])/Sqrt[d + e*x^2], x]

Maple [A] time = 4.268, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arccsc}(cx)) \frac{1}{\sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)

[Out] int((a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(b*arccsc(c*x) + a)/sqrt(e*x^2 + d), x`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x**2+d)**(1/2),x)`

[Out] `Integral(a + b*acsc(c*x))/sqrt(d + e*x**2), x`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integral(b*arccsc(c*x) + a)/sqrt(e*x^2 + d), x`

$$\text{3.145} \quad \int \frac{a+b \csc^{-1}(cx)}{x^2 \sqrt{d+ex^2}} dx$$

Optimal. Leaf size=247

$$-\frac{bx\sqrt{1-c^2x^2}(c^2d+e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{dx} - \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d\sqrt{c^2x^2}} + \dots$$

$$[\text{Out}] \quad -((b*c*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(d*\text{Sqrt}[c^2*x^2])) - (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/(d*x) + (b*c^2*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))]/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d])) - (b*(c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))]/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]))$$

Rubi [A] time = 0.2665, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.478, Rules used = {264, 5239, 12, 475, 21, 423, 427, 426, 424, 421, 419}

$$-\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{dx} - \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d\sqrt{c^2x^2}} - \frac{bx\sqrt{1-c^2x^2}(c^2d+e)\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)|-\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{bc^2x\sqrt{1-c^2x^2}}{d\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(x^2*\text{Sqrt}[d + e*x^2]), x]$

$$[\text{Out}] \quad -((b*c*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(d*\text{Sqrt}[c^2*x^2])) - (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/(d*x) + (b*c^2*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x], -(e/(c^2*d))]/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d])) - (b*(c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))]/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2]))$$

Rule 264

```
Int[((c_)*(x_))^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simpl[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)*p + 1]/2, 0) && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_)] /; FreeQ[b, x]]
```

Rule 475

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*e^(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + b*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 21

```
Int[(u_)*(a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 423

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^2 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} - \frac{(bcx) \int \frac{\sqrt{d+ex^2}}{dx^2 \sqrt{-1+c^2x^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} - \frac{(bcx) \int \frac{\sqrt{d+ex^2}}{x^2 \sqrt{-1+c^2x^2}} dx}{d \sqrt{c^2x^2}} \\
&= -\frac{bc \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} + \frac{(bcx) \int \frac{-e+c^2ex^2}{\sqrt{-1+c^2x^2} \sqrt{d+ex^2}} dx}{d \sqrt{c^2x^2}} \\
&= -\frac{bc \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} + \frac{(bcex) \int \frac{\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}} dx}{d \sqrt{c^2x^2}} \\
&= -\frac{bc \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} + \frac{(bc^3x) \int \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2x^2}} dx}{d \sqrt{c^2x^2}} - \frac{(bc(c^2d + e)}{d \sqrt{c^2x^2}} \\
&= -\frac{bc \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} + \frac{(bc^3x \sqrt{1 - c^2x^2}) \int \frac{\sqrt{d+ex^2}}{\sqrt{1-c^2x^2}} dx}{d \sqrt{c^2x^2} \sqrt{-1 + c^2x^2}} - \frac{(bc)}{d \sqrt{c^2x^2} \sqrt{-1 + c^2x^2} \sqrt{1 + \frac{ex^2}{d}}} \\
&= -\frac{bc \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} + \frac{(bc^3x \sqrt{1 - c^2x^2} \sqrt{d + ex^2}) \int \frac{\sqrt{1+\frac{ex^2}{d}}}{\sqrt{1-c^2x^2}} dx}{d \sqrt{c^2x^2} \sqrt{-1 + c^2x^2} \sqrt{1 + \frac{ex^2}{d}}} \\
&= -\frac{bc \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{d \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{dx} + \frac{bc^2x \sqrt{1 - c^2x^2} \sqrt{d + ex^2} E(\sin^{-1}(cx))}{d \sqrt{c^2x^2} \sqrt{-1 + c^2x^2} \sqrt{1 + \frac{ex^2}{d}}}
\end{aligned}$$

Mathematica [A] time = 0.187339, size = 140, normalized size = 0.57

$$\frac{bcex \sqrt{1 - \frac{1}{c^2x^2}} \sqrt{\frac{ex^2}{d} + 1} E\left(\sin^{-1}\left(\sqrt{-\frac{e}{d}}x\right) \mid -\frac{c^2d}{e}\right) - \sqrt{d + ex^2} \left(a + bcx \sqrt{1 - \frac{1}{c^2x^2}} + b \csc^{-1}(cx)\right)}{d \sqrt{1 - c^2x^2} \sqrt{-\frac{e}{d}} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/(x^2*Sqrt[d + e*x^2]), x]`

[Out] $-\left(\left(\frac{\sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{x^2}+\frac{b \text{ArcCsc}[c x]}{x}\right)\right)/\left(d x\right)$
 $+ \left(\frac{b \sqrt{d+ex^2} \left(a+b \csc^{-1}(cx)\right)}{x^3}+\frac{b \sqrt{d+ex^2} \text{EllipticE}\left[\text{ArcSin}\left[\frac{\sqrt{d+ex^2} (a+b \csc^{-1}(cx))}{x^2}\right]\right]}{x^2}\right)$

Maple [F] time = 4.654, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^2} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^2/(e*x^2+d)^(1/2), x)`

[Out] $\int ((a+b\arccsc(cx))/x^2/(e*x^2+d)^{(1/2)}, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x^2/(e*x^2+d)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \arccsc(cx) + a)}{ex^4 + dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x^2/(e*x^2+d)^{(1/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}(\sqrt{e*x^2 + d}*(b*\arccsc(cx) + a)/(e*x^4 + d*x^2), x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(cx)}{x^2 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\operatorname{acsc}(cx))/x^{**2}/(e*x^{**2}+d)^{**(1/2)}, x)$

[Out] $\text{Integral}((a + b*\operatorname{acsc}(cx))/(x^{**2}*\sqrt{d + e*x^{**2}}), x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arccsc(cx) + a}{\sqrt{ex^2 + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x^2/(e*x^2+d)^{(1/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b*\arccsc(cx) + a)/(\sqrt{e*x^2 + d}*x^2), x)$

3.146 $\int \frac{a+b \csc^{-1}(cx)}{x^4 \sqrt{d+ex^2}} dx$

Optimal. Leaf size=362

$$\frac{-\frac{2bx\sqrt{1-c^2x^2}(c^2d-3e)(c^2d+e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{9d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}+\frac{2e\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{3d^2x}-\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{9d^2x}}{3d^2x}$$

$$[Out] -\frac{(b*c*(2*c^2*d - 5*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^2*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*x^2*Sqrt[c^2*x^2]) - (Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/(3*d*x^3) + (2*e*Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/(3*d^2*x) + (b*c^2*(2*c^2*d - 5*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (2*b*(c^2*d - 3*e)*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])}{3d^2x}$$

Rubi [A] time = 0.568787, antiderivative size = 362, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.522, Rules used = {271, 264, 5239, 12, 580, 583, 524, 427, 426, 424, 421, 419}

$$\frac{2e\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{3d^2x} - \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{3dx^3} - \frac{bc\sqrt{c^2x^2-1}(2c^2d-5e)\sqrt{d+ex^2}}{9d^2\sqrt{c^2x^2}} - \frac{2bx\sqrt{1-c^2x^2}(c^2d-5e)\sqrt{d+ex^2}}{9d^2x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*ArcCsc[c*x])/(\text{x}^4*\text{Sqrt}[d + e*x^2]), \text{x}]$

$$[Out] -\frac{(b*c*(2*c^2*d - 5*e)*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d^2*Sqrt[c^2*x^2]) - (b*c*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])/(9*d*x^2*Sqrt[c^2*x^2]) - (Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/(3*d*x^3) + (2*e*Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/(3*d^2*x) + (b*c^2*(2*c^2*d - 5*e)*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) - (2*b*(c^2*d - 3*e)*(c^2*d + e)*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(9*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])}{3d^2x}$$

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simplify[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_)*(x_)^(m_))*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simplify[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_))*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dis
```

```
t[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr
and[u/(x*Sqrt[c^2*x^2 - 1]), x], x]] /; FreeQ[{a, b, c, d, e, f, m, p},
x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 580

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simplify[(e*(g*x)^(m + 1)*(a +
b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*g^(m + 1)), x] - Dist[1/(a*g^n*(m + 1)), I
nt[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f)*(m +
1) + e*n*(b*c*(p + 1) + a*d*q) + d*((b*e - a*f)*(m + 1) + b*e*n*(p + q + 1)
)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && IGtQ[n, 0] && Gt
Q[q, 0] && LtQ[m, -1] && !(EqQ[q, 1] && SimplerQ[e + f*x^n, c + d*x^n])
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] :> Simplify[(e*(g*x)^(m + 1)*(a +
b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g^(m + 1)), x] + Dist[1/(a*c*g^n*(m +
1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0]
] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_*
(x_)^(n_))]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[
Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simplify[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> D
  ist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d
  *x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> S
  imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
  [-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
  [a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \csc^{-1}(cx)}{x^4 \sqrt{d + ex^2}} dx &= -\frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3d^2x} + \frac{(bcx) \int \frac{\sqrt{d + ex^2} (-d + 2ex^2)}{3d^2x^4 \sqrt{-1 + c^2x^2}} dx}{\sqrt{c^2x^2}} \\ &= -\frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3d^2x} + \frac{(bcx) \int \frac{\sqrt{d + ex^2} (-d + 2ex^2)}{x^4 \sqrt{-1 + c^2x^2}} dx}{3d^2 \sqrt{c^2x^2}} \\ &= -\frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3dx^3} + \frac{2e\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3d^2x} - \frac{(bcx) \int \frac{\sqrt{d + ex^2} (-d + 2ex^2)}{9d^2x^2 \sqrt{c^2x^2}} dx}{3d^2x} \\ &= -\frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} - \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3dx^3} \\ &= -\frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} - \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3dx^3} \\ &= -\frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} - \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3dx^3} \\ &= -\frac{bc(2c^2d - 5e) \sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9d^2 \sqrt{c^2x^2}} - \frac{bc\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}}{9dx^2 \sqrt{c^2x^2}} - \frac{\sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{3dx^3} \end{aligned}$$

Mathematica [C] time = 0.658398, size = 249, normalized size = 0.69

$$-\frac{\sqrt{d + ex^2} \left(3a(d - 2ex^2) + bcx \sqrt{1 - \frac{1}{c^2x^2}} (2c^2dx^2 + d - 5ex^2) + 3b \csc^{-1}(cx) (d - 2ex^2)\right)}{9d^2x^3} + \frac{ibcx \sqrt{1 - \frac{1}{c^2x^2}} \sqrt{\frac{ex^2}{d} + 1} (2$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/(x^4*Sqrt[d + e*x^2]), x]`

[Out] $-\left(\frac{\sqrt{d + ex^2} (b c \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{d + ex^2} (2 c^2 d x^2 + d - 5 e x^2) + 3 b \csc^{-1}(c x) (d - 2 e x^2))}{9 d^2 x^3} + \frac{i b c x \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{\frac{e x^2}{d} + 1} (2 c^2 d x^2 + d - 5 e x^2) \operatorname{EllipticF}\left[\frac{d}{c^2 x^2}, -\frac{e}{c}\right]\right)$

`pticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))] + 2*(-(c^4*d^2) + 2*c^2*d*e + 3*e^2)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))])/(Sqrt[-c^2]*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])`

Maple [F] time = 8.776, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^4} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^4/(e*x^2+d)^(1/2),x)`

[Out] `int((a+b*arccsc(c*x))/x^4/(e*x^2+d)^(1/2),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{ex^6 + dx^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/(e*x^6 + d*x^4), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**4/(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{\sqrt{ex^2 + dx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^4/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(sqrt(e*x^2 + d)*x^4), x)`

$$\mathbf{3.147} \quad \int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=252

$$\frac{d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \frac{8bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^3\sqrt{c^2x^2}} + \frac{bx^5}{c^2x^2}$$

[Out] $(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcCsc}[c*x]))/(e^3*\text{Sqrt}[d + e*x^2]) - (2*d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^3 + ((d + e*x^2)^{3/2}*(a + b*\text{ArcCsc}[c*x]))/(3*e^3) + (8*b*c*d^{3/2})*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])]/(3*e^3*\text{Sqrt}[c^2*x^2]) - (b*(9*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 1.07354, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.478, Rules used = {266, 43, 5239, 12, 1615, 157, 63, 217, 206, 93, 204}

$$\frac{d^2(a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2}(a + b \csc^{-1}(cx))}{3e^3} + \frac{8bcd^{3/2}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3e^3\sqrt{c^2x^2}} + \frac{bx^5}{c^2x^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^{3/2}, x]$

[Out] $(b*x*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])/(6*c*e^2*\text{Sqrt}[c^2*x^2]) - (d^2*(a + b*\text{ArcCsc}[c*x]))/(e^3*\text{Sqrt}[d + e*x^2]) - (2*d*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^3 + ((d + e*x^2)^{3/2}*(a + b*\text{ArcCsc}[c*x]))/(3*e^3) + (8*b*c*d^{3/2})*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])]/(3*e^3*\text{Sqrt}[c^2*x^2]) - (b*(9*c^2*d - e)*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/(6*c^2*e^{(5/2)}*\text{Sqrt}[c^2*x^2])$

Rule 266

```
Int[(x_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^p_, x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x, x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0]) || (IGtQ[(m + 1)/2, 0] && !ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)/2, 0] && !GtQ[m + 2*p + 3, 0]))
```

```
*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0])]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1615

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] :> With[{q = Expon[Px, x], k = Coeff[Px, x, Expon[Px, x]]}, Simp[(k*(a + b*x)^(m + q - 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*b^(q - 1)*(m + n + p + q + 1)), x] + Dist[1/(d*f*b^q*(m + n + p + q + 1)), Int[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p*ExpandToSum[d*f*b^q*(m + n + p + q + 1)*Px - d*f*k*(m + n + p + q + 1)*(a + b*x)^q + k*(a + b*x)^(q - 2)*(a^2*d*f*(m + n + p + q + 1) - b*(b*c*e*(m + q - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*(m + q) + n + p) - b*(d*e*(m + q + n) + c*f*(m + q + p)))*x), x], x] /; NeQ[m + n + p + q + 1, 0]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && PolyQ[Px, x] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_)*((g_.) + (h_.)*(x_.)))/((a_.) + (b_.)*(x_.), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x] , x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_.)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((c_.) + (d_.)*(x_.))^(m_)*((e_.) + (f_.)*(x_.))^(n_))/((a_.) + (b_.)*(x_.)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```

$a, 0] \parallel \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} + \frac{(b d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} + \\
&= -\frac{d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} + \frac{(b d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} + \\
&= \frac{bx \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{6ce^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} \\
&= \frac{bx \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{6ce^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} \\
&= \frac{bx \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{6ce^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} \\
&= \frac{bx \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{6ce^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3} \\
&= \frac{bx \sqrt{-1 + c^2 x^2} \sqrt{d + ex^2}}{6ce^2 \sqrt{c^2 x^2}} - \frac{d^2 (a + b \csc^{-1}(cx))}{e^3 \sqrt{d + ex^2}} - \frac{2d \sqrt{d + ex^2} (a + b \csc^{-1}(cx))}{e^3} + \frac{(d + ex^2)^{3/2} (a + b \csc^{-1}(cx))}{3e^3}
\end{aligned}$$

Mathematica [A] time = 0.607621, size = 302, normalized size = 1.2

$$\frac{-2ac(8d^2 + 4dex^2 - e^2x^4) + bex\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2) - 2bc\csc^{-1}(cx)(8d^2 + 4dex^2 - e^2x^4)}{6ce^3\sqrt{d + ex^2}} - \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}\left(16c^5d^{3/2}\sqrt{d + ex^2}\right)}{6ce^2\sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^5*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]`

[Out] $(b e \operatorname{Sqrt}\left[1-\frac{1}{c^2 x^2}\right] x (d+e x^2)-2 a c \left(8 d^2+4 d e x^2-e^2 x^4\right))-2 b c \csc ^{-1}(c x) \left(8 d^2+4 d e x^2-e^2 x^4\right)+16 c^5 d^{3/2} \sqrt{d+e x^2} \operatorname{ArcSinh}\left[\left(c \operatorname{Sqrt}[e]\right) \operatorname{Sqrt}\left[-1+c^2 x^2\right]\right]+16 c^5 d^{3/2} \sqrt{d+e x^2} \operatorname{ArcTan}\left[\left(\operatorname{Sqrt}[d] \operatorname{Sqrt}\left[-1+c^2 x^2\right]\right) /\operatorname{Sqrt}[d+e x^2]\right])/(6 c^4 e^3 \operatorname{Sqrt}\left[-1+c^2 x^2\right] \operatorname{Sqrt}[d+e x^2])$

Maple [F] time = 3.643, size = 0, normalized size = 0.

$$\int x^5 (a + \operatorname{barccsc}(c x)) (e x^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^5(a+b\arccsc(cx))/(e*x^2+d)^{3/2} dx$

[Out] $\int x^5(a+b\arccsc(cx))/(e*x^2+d)^{3/2} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^5(a+b\arccsc(cx))/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 7.19572, size = 3167, normalized size = 12.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^5(a+b\arccsc(cx))/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"fricas"})$

[Out]
$$\begin{aligned} & [-1/24*((9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*sqrt(e)*log(8*c^4 \\ & *e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 \\ & + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) - 16*(b*c^3*d*e*x^2 \\ & + b*c^3*d^2)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 \\ & - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d) + 8*d^2)/x^4) - 4*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^2 + b*c*d*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/((c^3*e^4*x^2 + c^3*d*e^3), \\ & 1/24*(32*(b*c^3*d*e*x^2 + b*c^3*d^2)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - (9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 4*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^4 - 4*b*c^3*d*e*x^2 - 8*b*c^3*d^2)*arccsc(c*x) + (b*c*e^2*x^2 + b*c*d*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/((c^3*e^4*x^2 + c^3*d*e^3), \\ & 1/12*((9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c^2*d*e + (c^3*d*e - c*e^2)*x^2)) + 8*(b*c^3*d*e*x^2 + b*c^3*d^2)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 - 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 2*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^4 - 4*b*c^3*d*e*x^2 - 8*b*c^3*d^2)*arccsc(c*x) + (b*c*e^2*x^2 + b*c*d*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/((c^3*e^4*x^2 + c^3*d*e^3), \\ & 1/12*(16*(b*c^3*d*e*x^2 + b*c^3*d^2)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (9*b*c^2*d^2 - b*d*e + (9*b*c^2*d*e - b*e^2)*x^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c^2*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(2*a*c^3*e^2*x^4 - 8*a*c^3*d*e*x^2 - 16*a*c^3*d^2 + 2*(b*c^3*e^2*x^4 - 4*b*c^3*d*e*x^2 - 8*b*c^3*d^2)*arccsc(c*x) + (b*c*e^2*x^2 + b*c*d*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/((c^3*e^4*x^2 + c^3*d*e^3))) \end{aligned}$$

+ (b*c*e^2*x^2 + b*c*d*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^3*e^4*x^2 + c^3*d*e^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*acsc(c*x))/(e*x**2+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^5}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^5/(e*x^2 + d)^(3/2), x)`

3.148 $\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$

Optimal. Leaf size=156

$$\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e^2} + \frac{d(a+b \csc^{-1}(cx))}{e^2 \sqrt{d+ex^2}} - \frac{2bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e^2 \sqrt{c^2x^2}} + \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{e^{3/2} \sqrt{c^2x^2}}$$

[Out] $(d*(a + b*\text{ArcCsc}[c*x]))/(e^{2*}\text{Sqrt}[d + e*x^2]) + (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^2 - (2*b*c*\text{Sqrt}[d]*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/e^{2*}\text{Sqrt}[c^2*x^2] + (b*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/e^{(3/2)*}\text{Sqrt}[c^2*x^2]$

Rubi [A] time = 0.321309, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.478, Rules used = {266, 43, 5239, 12, 573, 157, 63, 217, 206, 93, 204}

$$\frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e^2} + \frac{d(a+b \csc^{-1}(cx))}{e^2 \sqrt{d+ex^2}} - \frac{2bc\sqrt{dx} \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{e^2 \sqrt{c^2x^2}} + \frac{bx \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{c^2x^2-1}}{c\sqrt{d+ex^2}}\right)}{e^{3/2} \sqrt{c^2x^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^{(3/2)}, x]$

[Out] $(d*(a + b*\text{ArcCsc}[c*x]))/(e^{2*}\text{Sqrt}[d + e*x^2]) + (\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcCsc}[c*x]))/e^2 - (2*b*c*\text{Sqrt}[d]*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])])/e^{2*}\text{Sqrt}[c^2*x^2] + (b*x*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[-1 + c^2*x^2])/(c*\text{Sqrt}[d + e*x^2])])/e^{(3/2)*}\text{Sqrt}[c^2*x^2]$

Rule 266

```
Int[(x_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2)*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 573

```
Int[(x_)^(m_.)*((a_) + (b_)*(x_)^(n_))^(p_.)*((c_) + (d_)*(x_)^(n_))^(q_.)*((e_) + (f_)*(x_)^(n_))^(r_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]]
```

Rule 157

```
Int[((c_.) + (d_)*(x_))^(n_)*((e_.) + (f_)*(x_))^(p_)*((g_.) + (h_)*(x_))/((a_.) + (b_)*(x_)), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_)*(x_))^(m_)*((c_.) + (d_)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((c_.) + (d_)*(x_))^(m_)*((e_.) + (f_)*(x_))^(n_))/((a_.) + (b_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= \frac{d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(bcx) \int \frac{2d+ex^2}{e^2 x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}} dx}{\sqrt{c^2 x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(bcx) \int \frac{2d+ex^2}{x \sqrt{-1+c^2 x^2} \sqrt{d+ex^2}} dx}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(bcx) \text{Subst} \left(\int \frac{2d+ex}{x \sqrt{-1+c^2 x} \sqrt{d+ex}} dx, x, x \right)}{2e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(bcdx) \text{Subst} \left(\int \frac{1}{x \sqrt{-1+c^2 x} \sqrt{d+ex}} dx, x, x \right)}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} + \frac{(2bcdx) \text{Subst} \left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2 x^2}} \right)}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} - \frac{2bc\sqrt{d}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2 x^2}}\right)}{e^2 \sqrt{c^2 x^2}} + \frac{(bx)S}{e^2 \sqrt{c^2 x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^2} - \frac{2bc\sqrt{d}x \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2 x^2}}\right)}{e^2 \sqrt{c^2 x^2}} + \frac{bx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2 x^2}}\right)}{e^2 \sqrt{c^2 x^2}}
\end{aligned}$$

Mathematica [A] time = 0.348843, size = 220, normalized size = 1.41

$$\frac{(2d + ex^2)(a + b \csc^{-1}(cx))}{e^2 \sqrt{d + ex^2}} + \frac{bx \sqrt{1 - \frac{1}{c^2 x^2}} \left(2c^3 \sqrt{d} \sqrt{d + ex^2} \tan^{-1} \left(\frac{\sqrt{d} \sqrt{c^2 x^2 - 1}}{\sqrt{d + ex^2}} \right) + \sqrt{c^2} \sqrt{e} \sqrt{c^2 d + e} \sqrt{\frac{c^2(d+ex^2)}{c^2 d + e}} \sinh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2 x^2}} \right) \right)}{c^2 e^2 \sqrt{c^2 x^2 - 1} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^3*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]`

[Out] $((2*d + e*x^2)*(a + b*ArcCsc[c*x]))/(e^2*Sqrt[d + e*x^2]) + (b*Sqrt[1 - 1/(c^2*x^2)]*x*(Sqrt[c^2]*Sqrt[e]*Sqrt[c^2*d + e]*Sqrt[(c^2*(d + e*x^2))/(c^2*d + e)]*ArcSinh[(c*Sqrt[e])*Sqrt[-1 + c^2*x^2]]/(Sqrt[c^2]*Sqrt[c^2*d + e])) + 2*c^3*Sqrt[d]*Sqrt[d + e*x^2]*ArcTan[(Sqrt[d])*Sqrt[-1 + c^2*x^2]]/Sqrt[d + e*x^2]))/(c^2*e^2*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])$

Maple [F] time = 3.068, size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{arccsc}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)`

[Out] `int(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 4.97111, size = 2364, normalized size = 15.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [1/4*((b*e*x^2 + b*d)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 2*(b*c*e*x^2 + b*c*d)*sqrt(-d)*log((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*(c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 4*(a*c*e*x^2 + 2*a*c*d + (b*c*e*x^2 + 2*b*c*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c*e^3*x^2 + c*d*e^2), -1/4*(4*(b*c*e*x^2 + b*c*d)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*(c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - (b*e*x^2 + b*d)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) - 4*(a*c*e*x^2 + 2*a*c*d + (b*c*e*x^2 + 2*b*c*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c*e^3*x^2 + c*d*e^2), -1/2*((b*e*x^2 + b*d)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - (b*c*e*x^2 + b*c*d)*sqrt(-d)*log((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*(c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - 2*(a*c*e*x^2 + 2*a*c*d + (b*c*e*x^2 + 2*b*c*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c*e^3*x^2 + c*d*e^2), -1/2*(2*(b*c*e*x^2 + b*c*d)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*(c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + (b*e*x^2 + b*d)*sqrt(-e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*(a*c*e*x^2 + 2*a*c*d + (b*c*e*x^2 + 2*b*c*d)*arccsc(c*x))*sqrt(e*x^2 + d)/(c*e^3*x^2 + c*d*e^2)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x**2+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(cx) + a)*x^3/(e*x^2 + d)^(3/2), x)`

3.149 $\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$

Optimal. Leaf size=79

$$\frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d} \sqrt{c^2 x^2 - 1}}\right)}{\sqrt{de} \sqrt{c^2 x^2}} - \frac{a + b \csc^{-1}(cx)}{e \sqrt{d + ex^2}}$$

[Out] $-((a + b \text{ArcCsc}[c*x])/(e \text{Sqrt}[d + e*x^2])) + (b*c*x \text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])]/(\text{Sqrt}[d]*e \text{Sqrt}[c^2*x^2]))$

Rubi [A] time = 0.117238, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.19, Rules used = {5237, 446, 93, 204}

$$\frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d} \sqrt{c^2 x^2 - 1}}\right)}{\sqrt{de} \sqrt{c^2 x^2}} - \frac{a + b \csc^{-1}(cx)}{e \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(a + b \text{ArcCsc}[c*x]))/(d + e*x^2)^{(3/2)}, x]$

[Out] $-((a + b \text{ArcCsc}[c*x])/(e \text{Sqrt}[d + e*x^2])) + (b*c*x \text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])]/(\text{Sqrt}[d]*e \text{Sqrt}[c^2*x^2]))$

Rule 5237

```
Int[((a_.) + ArcCsc[(c_)*(x_)]*(b_.))*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x] + Dist[(b*c*x)/(2*e*(p + 1)*Sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*Sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_)*(a_ + (b_)*(x_)^(n_))^(p_)*(c_ + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p * (c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 93

```
Int[((a_.) + (b_)*(x_)^(m_)*(c_ + (d_)*(x_)^(n_))^(p_))/((e_.) + (f_)*(x_), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x}] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}} dx &= -\frac{a + b \csc^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{e\sqrt{c^2x^2}} \\
&= -\frac{a + b \csc^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{(bcx) \text{Subst} \left(\int \frac{1}{x\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx, x, x^2 \right)}{2e\sqrt{c^2x^2}} \\
&= -\frac{a + b \csc^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{(bcx) \text{Subst} \left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2x^2}} \right)}{e\sqrt{c^2x^2}} \\
&= -\frac{a + b \csc^{-1}(cx)}{e\sqrt{d + ex^2}} + \frac{bcx \tan^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}} \right)}{\sqrt{de}\sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [A] time = 0.145208, size = 96, normalized size = 1.22

$$-\frac{a + b \csc^{-1}(cx)}{e\sqrt{d + ex^2}} - \frac{bcx \sqrt{1 - \frac{1}{c^2x^2}} \tan^{-1} \left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}} \right)}{\sqrt{de}\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

[In] `Integrate[(x*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]`

[Out] `-((a + b*ArcCsc[c*x])/(e*Sqrt[d + e*x^2])) - (b*c*Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(Sqrt[d]*e*Sqrt[-1 + c^2*x^2])`

Maple [F] time = 1.764, size = 0, normalized size = 0.

$$\int x(a + b\text{arccsc}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)`

[Out] `int(x*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 3.67538, size = 625, normalized size = 7.91

$$\left[-\frac{(bex^2 + bd)\sqrt{-d} \log\left(\frac{(c^4d^2 - 6c^2de + e^2)x^4 - 8(c^2d^2 - de)x^2 + 4\sqrt{c^2x^2 - 1}((c^2d - e)x^2 - 2d)\sqrt{ex^2 + d}\sqrt{-d} + 8d^2}{x^4}\right) + 4\sqrt{ex^2 + d}(bd \operatorname{arccsc}(cx) + ad)}{4(de^2x^2 + d^2e)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] $[-1/4*((b*e*x^2 + b*d)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 4*sqrt(e*x^2 + d)*(b*d*arccsc(c*x) + a*d))/(d*e^2*x^2 + d^2*e), 1/2*((b*e*x^2 + b*d)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - 2*sqrt(e*x^2 + d)*(b*d*arccsc(c*x) + a*d))/(d*e^2*x^2 + d^2*e)]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acsc(c*x))/(e*x**2+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x/(e*x^2 + d)^(3/2), x)`

3.150
$$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \csc^{-1}(cx)}{x (d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(3/2)), x]

Rubi [A] time = 0.124985, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x (d + ex^2)^{3/2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x (d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 18.2164, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(3/2)), x]

Maple [A] time = 3.144, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x/(e*x^2+d)^(3/2), x)

[Out] $\int ((a+b\arccsc(cx))/x)/(e*x^2+d)^{3/2} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x)/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \arccsc(cx) + a)}{e^2 x^5 + 2 d e x^3 + d^2 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x)/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}(\sqrt{e*x^2 + d}*(b*\arccsc(cx) + a)/(e^2*x^5 + 2*d*e*x^3 + d^2*x), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x)/(e*x^{2+d})^{3/2}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arccsc(cx) + a}{(e x^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x)/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b*\arccsc(cx) + a)/((e*x^2 + d)^{3/2}*x), x)$

3.151
$$\int \frac{a+b \csc^{-1}(cx)}{x^3(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Rubi [A] time = 0.136165, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 23.7964, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(3/2)), x]

Maple [A] time = 1.072, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^3} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^3/(e*x^2+d)^(3/2), x)

[Out] $\int ((a+b\arccsc(cx))/x^3/(e*x^2+d)^{3/2}) dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x^3/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \arccsc(cx) + a)}{e^2 x^7 + 2 d e x^5 + d^2 x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x^3/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}(\sqrt{e*x^2 + d}*(b*\arccsc(cx) + a)/(e^2*x^7 + 2*d*e*x^5 + d^2*x^3), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x^{**3}/(e*x^{**2+d})^{**3/2}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arccsc(cx) + a}{(e x^2 + d)^{3/2} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\arccsc(cx))/x^3/(e*x^2+d)^{3/2}, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b*\arccsc(cx) + a)/((e*x^2 + d)^{3/2}*x^3), x)$

3.152 $\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}}, x\right)$$

[Out] Unintegrable[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

Rubi [A] time = 0.113119, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int][(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx = \int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Mathematica [A] time = 9.30999, size = 0, normalized size = 0.

$$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A] time = 2.306, size = 0, normalized size = 0.

$$\int x^4(a+b \operatorname{arccsc}(cx))(ex^2+d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)

[Out] $\int x^4(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(bx^4 \arccsc(cx) + ax^4)\sqrt{ex^2 + d}}{e^2 x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((b*x^4*\arccsc(cx) + a*x^4)*\sqrt{e*x^2 + d}/(e^2*x^4 + 2*d*e*x^2 + d^2), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**4}(a+b\acsc(cx))/(e*x^{**2+d})^{**(3/2)}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arccsc(cx) + a)x^4}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b*\arccsc(cx) + a)*x^4/(e*x^2 + d)^{(3/2)}, x)$

3.153 $\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}}, x\right)$$

[Out] Unintegrable[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

Rubi [A] time = 0.101641, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int][(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx = \int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Mathematica [A] time = 4.77435, size = 0, normalized size = 0.

$$\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

Maple [A] time = 2.06, size = 0, normalized size = 0.

$$\int x^2(a+b \operatorname{arccsc}(cx))(ex^2+d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)

[Out] $\int x^2(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(bx^2 \arccsc(cx) + ax^2)\sqrt{ex^2 + d}}{e^2 x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((b*x^2*\arccsc(cx) + a*x^2)*\sqrt{e*x^2 + d}/(e^2*x^4 + 2*d*e*x^2 + d^2), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**2}(a+b\acsc(cx))/(e*x^{**2+d})^{**(3/2)}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arccsc(cx) + a)x^2}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2(a+b\arccsc(cx))/(e*x^2+d)^{(3/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b*\arccsc(cx) + a)*x^2/(e*x^2 + d)^{(3/2)}, x)$

$$3.154 \quad \int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=108

$$\frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{x(a+b \csc^{-1}(cx))}{d\sqrt{d+ex^2}}$$

[Out] $(x*(a + b*\text{ArcCsc}[c*x]))/(d*\text{Sqrt}[d + e*x^2]) + (b*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rubi [A] time = 0.0911184, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.25, Rules used = {191, 5229, 12, 421, 419}

$$\frac{x(a+b \csc^{-1}(cx))}{d\sqrt{d+ex^2}} + \frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)|-\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCsc}[c*x])/(d + e*x^2)^{(3/2)}, x]$

[Out] $(x*(a + b*\text{ArcCsc}[c*x]))/(d*\text{Sqrt}[d + e*x^2]) + (b*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + (e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x], -(e/(c^2*d))])/(d*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]*\text{Sqrt}[d + e*x^2])$

Rule 191

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 5229

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(d_*) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integrand[u/(x*Sqrt[c^2*x^2 - 1]], x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simplify[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
```

$[-(d/c), 2]), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{NegQ}[d/c] \&& \text{GtQ}[c, 0] \&& \text{GtQ}[a, 0] \&& !(\text{NegQ}[b/a] \&& \text{SimplerSqrtQ}[-(b/a), -(d/c)])$

Rubi steps

$$\begin{aligned} \int \frac{a + b \csc^{-1}(cx)}{(d + ex^2)^{3/2}} dx &= \frac{x(a + b \csc^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{(bcx) \int \frac{1}{d\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{\sqrt{c^2x^2}} \\ &= \frac{x(a + b \csc^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{(bcx) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{d\sqrt{c^2x^2}} \\ &= \frac{x(a + b \csc^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{\left(bc\sqrt{1+\frac{ex^2}{d}}\right) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{1+\frac{ex^2}{d}}} dx}{d\sqrt{c^2x^2}\sqrt{d+ex^2}} \\ &= \frac{x(a + b \csc^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{\left(bc\sqrt{1-c^2x^2}\sqrt{1+\frac{ex^2}{d}}\right) \int \frac{1}{\sqrt{1-c^2x^2}\sqrt{1+\frac{ex^2}{d}}} dx}{d\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} \\ &= \frac{x(a + b \csc^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{bx\sqrt{1-c^2x^2}\sqrt{1+\frac{ex^2}{d}} F\left(\sin^{-1}(cx)| -\frac{e}{c^2d}\right)}{d\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} \end{aligned}$$

Mathematica [A] time = 0.192367, size = 112, normalized size = 1.04

$$\frac{bcx\sqrt{1-\frac{1}{c^2x^2}}\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right)}{d(c^3x^2-c)\sqrt{d+ex^2}} + \frac{x(a+b \csc^{-1}(cx))}{d\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/(d + e*x^2)^(3/2), x]`

[Out] $(x(a + b \text{ArcCsc}[c x]))/(d \text{Sqrt}[d + e x^2]) + (b c \text{Sqrt}[1 - 1/(c^2 x^2)] x \text{Sqrt}[1 - c^2 x^2] \text{Sqrt}[1 + (e x^2)/d] \text{EllipticF}[\text{ArcSin}[c x], -(e/(c^2 d))])/(d (-c + c^3 x^2) \text{Sqrt}[d + e x^2])$

Maple [F] time = 1.883, size = 0, normalized size = 0.

$$\int (a + b \text{arccsc}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)`

[Out] `int((a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/(e*x**2+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(e*x^2 + d)^(3/2), x)`

$$\mathbf{3.155} \quad \int \frac{a+b \csc^{-1}(cx)}{x^2(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=275

$$\frac{bx\sqrt{1-c^2x^2}(c^2d+2e)\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} - \frac{2ex(a+b \csc^{-1}(cx))}{d^2\sqrt{d+ex^2}} - \frac{a+b \csc^{-1}(cx)}{dx\sqrt{d+ex^2}} - \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d^2\sqrt{c^2x^2}}$$

[Out] $-\left((b*c*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(d^2*\text{Sqrt}[c^2*x^2])\right) - (a+b*\text{ArcCsc}[c*x])/(d*x*\text{Sqrt}[d+e*x^2]) - (2*e*x*(a+b*\text{ArcCsc}[c*x]))/(d^2*\text{Sqrt}[d+e*x^2]) + (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) - (b*(c^2*d+2*e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rubi [A] time = 0.317526, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.478, Rules used = {271, 191, 5239, 12, 583, 524, 427, 426, 424, 421, 419}

$$\frac{2ex(a+b \csc^{-1}(cx))}{d^2\sqrt{d+ex^2}} - \frac{a+b \csc^{-1}(cx)}{dx\sqrt{d+ex^2}} - \frac{bc\sqrt{c^2x^2-1}\sqrt{d+ex^2}}{d^2\sqrt{c^2x^2}} - \frac{bx\sqrt{1-c^2x^2}(c^2d+2e)\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)|-\frac{e}{c^2d}\right)}{d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a+b*\text{ArcCsc}[c*x])/(x^2*(d+e*x^2)^{(3/2)}), x]$

[Out] $-\left((b*c*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])/(d^2*\text{Sqrt}[c^2*x^2])\right) - (a+b*\text{ArcCsc}[c*x])/(d*x*\text{Sqrt}[d+e*x^2]) - (2*e*x*(a+b*\text{ArcCsc}[c*x]))/(d^2*\text{Sqrt}[d+e*x^2]) + (b*c^2*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[d+e*x^2]*\text{EllipticE}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]) - (b*(c^2*d+2*e)*x*\text{Sqrt}[1-c^2*x^2]*\text{Sqrt}[1+(e*x^2)/d]*\text{EllipticF}[\text{ArcSin}[c*x],-(e/(c^2*d))])/(d^2*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1+c^2*x^2]*\text{Sqrt}[d+e*x^2])$

Rule 271

```
Int[((a_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol) :> Simplify[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]]
```

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol) :> Simplify[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)*(b_.))*((f_.)*(x_.))^(m_.)*(d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integrate[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (I
```

```
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol) :> Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g^(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 524

```
Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol) :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x]] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{x^2(d + ex^2)^{3/2}} dx &= -\frac{a + b \csc^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex(a + b \csc^{-1}(cx))}{d^2\sqrt{d + ex^2}} + \frac{(bcx) \int \frac{-d - 2ex^2}{d^2x^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}} dx}{\sqrt{c^2x^2}} \\
&= -\frac{a + b \csc^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex(a + b \csc^{-1}(cx))}{d^2\sqrt{d + ex^2}} + \frac{(bcx) \int \frac{-d - 2ex^2}{x^2\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}} dx}{d^2\sqrt{c^2x^2}} \\
&= -\frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \csc^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex(a + b \csc^{-1}(cx))}{d^2\sqrt{d + ex^2}} + \frac{(bcx) \int \frac{-2de + c^2dex^2}{\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}} dx}{d^3\sqrt{c^2x^2}} \\
&= -\frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \csc^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex(a + b \csc^{-1}(cx))}{d^2\sqrt{d + ex^2}} + \frac{(bc^3x) \int \frac{\sqrt{d + ex^2}}{\sqrt{-1 + c^2x^2}} dx}{d^2\sqrt{c^2x^2}} - \frac{(bc^3x) \int \frac{\sqrt{d + ex^2}}{\sqrt{1 - c^2x^2}} dx}{d^2\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}} \\
&= -\frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \csc^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex(a + b \csc^{-1}(cx))}{d^2\sqrt{d + ex^2}} + \frac{(bc^3x\sqrt{1 - c^2x^2}) \int \frac{\sqrt{d + ex^2}}{\sqrt{1 - c^2x^2}} dx}{d^2\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}} \\
&= -\frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \csc^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex(a + b \csc^{-1}(cx))}{d^2\sqrt{d + ex^2}} + \frac{(bc^3x\sqrt{1 - c^2x^2}\sqrt{d + ex^2})}{d^2\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}} \\
&= -\frac{bc\sqrt{-1 + c^2x^2}\sqrt{d + ex^2}}{d^2\sqrt{c^2x^2}} - \frac{a + b \csc^{-1}(cx)}{dx\sqrt{d + ex^2}} - \frac{2ex(a + b \csc^{-1}(cx))}{d^2\sqrt{d + ex^2}} + \frac{bc^2x\sqrt{1 - c^2x^2}\sqrt{d + ex^2}E\left(\frac{ex}{\sqrt{d + ex^2}}\right)}{d^2\sqrt{c^2x^2}\sqrt{-1 + c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.477304, size = 213, normalized size = 0.77

$$\frac{-a(d + 2ex^2) - bcx\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2) - b\csc^{-1}(cx)(d + 2ex^2)}{d^2x\sqrt{d + ex^2}} + \frac{ibcx\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{\frac{ex^2}{d} + 1}\left(c^2dE\left(i\sinh^{-1}\left(\sqrt{-c^2}x\right)\right) - \frac{e}{c^2d}\right)}{\sqrt{-c^2}d^2\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/((x^2*(d + e*x^2)^(3/2)), x]`

[Out]
$$\begin{aligned}
&(-(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x^2)) - a*(d + 2*e*x^2) - b*(d + 2*e*x^2)*\text{ArcCsc}[c*x])/(d^2*x*\text{Sqrt}[d + e*x^2]) + (I*b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[1 + (e*x^2)/d]*(c^2*d*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x], -(e/(c^2*d))]) \\
&- (c^2*d + 2*e)*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-c^2]*x], -(e/(c^2*d))])/(Sqrt[-c^2]*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d + e*x^2])
\end{aligned}$$

Maple [F] time = 3.06, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^2} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/x^2/(e*x^2+d)^(3/2), x)`

[Out] `int((a+b*arccsc(c*x))/x^2/(e*x^2+d)^(3/2), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{e^2 x^6 + 2 d e x^4 + d^2 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)/(e^2*x^6 + 2*d*e*x^4 + d^2*x^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**2/(e*x**2+d)**(3/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(e x^2 + d)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^2/(e*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/((e*x^2 + d)^(3/2)*x^2), x)`

3.156 $\int \frac{x^5(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$

Optimal. Leaf size=243

$$-\frac{d^2(a+b \csc^{-1}(cx))}{3e^3(d+ex^2)^{3/2}} + \frac{2d(a+b \csc^{-1}(cx))}{e^3\sqrt{d+ex^2}} + \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e^3} + \frac{bcdx\sqrt{c^2x^2-1}}{3e^2\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}} - \frac{8bc\sqrt{dx}\tan}{3e^3}$$

[Out] $(b*c*d*x*sqrt[-1 + c^2*x^2])/(3*e^2*(c^2*d + e)*sqrt[c^2*x^2]*sqrt[d + e*x^2]) - (d^2*(a + b*ArcCsc[c*x]))/(3*e^3*(d + e*x^2)^(3/2)) + (2*d*(a + b*ArcCsc[c*x]))/(e^3*sqrt[d + e*x^2]) + (sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/e^3 - (8*b*c*sqrt[d]*x*ArcTan[sqrt[d + e*x^2]/(sqrt[d]*sqrt[-1 + c^2*x^2])])/(3*e^3*sqrt[c^2*x^2]) + (b*x*ArcTanh[(sqrt[e]*sqrt[-1 + c^2*x^2])/(c*sqrt[d + e*x^2])])/(e^(5/2)*sqrt[c^2*x^2])$

Rubi [A] time = 1.0566, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.478, Rules used = {266, 43, 5239, 12, 1614, 157, 63, 217, 206, 93, 204}

$$-\frac{d^2(a+b \csc^{-1}(cx))}{3e^3(d+ex^2)^{3/2}} + \frac{2d(a+b \csc^{-1}(cx))}{e^3\sqrt{d+ex^2}} + \frac{\sqrt{d+ex^2}(a+b \csc^{-1}(cx))}{e^3} + \frac{bcdx\sqrt{c^2x^2-1}}{3e^2\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}} - \frac{8bc\sqrt{dx}\tan}{3e^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]$

[Out] $(b*c*d*x*sqrt[-1 + c^2*x^2])/(3*e^2*(c^2*d + e)*sqrt[c^2*x^2]*sqrt[d + e*x^2]) - (d^2*(a + b*ArcCsc[c*x]))/(3*e^3*(d + e*x^2)^(3/2)) + (2*d*(a + b*ArcCsc[c*x]))/(e^3*sqrt[d + e*x^2]) + (sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]))/e^3 - (8*b*c*sqrt[d]*x*ArcTan[sqrt[d + e*x^2]/(sqrt[d]*sqrt[-1 + c^2*x^2])])/(3*e^3*sqrt[c^2*x^2]) + (b*x*ArcTanh[(sqrt[e]*sqrt[-1 + c^2*x^2])/(c*sqrt[d + e*x^2])])/(e^(5/2)*sqrt[c^2*x^2])$

Rule 266

```
Int[((a_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x]; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x]; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(f_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]]]; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0]) || (I
```

```
GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1614

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_.), x_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b*x, x], R = PolynomialRemainder[Px, a + b*x, x]}, Simp[((b*R*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*ExpandToSum[(m + 1)*(b*c - a*d)*(b*e - a*f)*Qx + a*d*f*R*(m + 1) - b*R*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*R*(m + n + p + 3)*x], x], x]] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && PolyQ[Px, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 157

```
Int[((c_.) + (d_.)*(x_.))^(n_)*((e_.) + (f_.)*(x_.))^(p_)*((g_.) + (h_.)*(x_.)))/((a_.) + (b_.)*(x_.), x_Symbol] :> Dist[h/b, Int[(c + d*x)^n*(e + f*x)^p, x] + Dist[(b*g - a*h)/b, Int[((c + d*x)^n*(e + f*x)^p)/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_)*((c_.) + (d_.)*(x_.))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_.)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> Simp[((1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 93

```
Int[((c_.) + (d_.)*(x_.))^(m_)*((e_.) + (f_.)*(x_.))^(n_))/((a_.) + (b_.)*(x_.)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```

a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{x^5(a + b \csc^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} + \frac{(bcx) \int \frac{8d^2 +}{3e^3x\sqrt{-1 + c^2x^2}}}{\sqrt{d + ex^2}} \\
 &= -\frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} + \frac{(bcx) \int \frac{8d^2 + 12dex^2 +}{x\sqrt{-1 + c^2x^2}}}{3e^3\sqrt{d + ex^2}} \\
 &= -\frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} + \frac{(bcx) \text{Subst}\left(\int \frac{8d^2 + 12dex^2 +}{x\sqrt{-1 + c^2x^2}}\right)}{3e^3\sqrt{d + ex^2}} \\
 &= \frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} \\
 &= \frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} \\
 &= \frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} \\
 &= \frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3} \\
 &= \frac{bcdx\sqrt{-1 + c^2x^2}}{3e^2(c^2d + e)\sqrt{c^2x^2}\sqrt{d + ex^2}} - \frac{d^2(a + b \csc^{-1}(cx))}{3e^3(d + ex^2)^{3/2}} + \frac{2d(a + b \csc^{-1}(cx))}{e^3\sqrt{d + ex^2}} + \frac{\sqrt{d + ex^2}(a + b \csc^{-1}(cx))}{e^3}
 \end{aligned}$$

Mathematica [A] time = 0.552179, size = 311, normalized size = 1.28

$$\frac{a(c^2d + e)(8d^2 + 12dex^2 + 3e^2x^4) + b(c^2d + e)\csc^{-1}(cx)(8d^2 + 12dex^2 + 3e^2x^4) + bcdex\sqrt{1 - \frac{1}{c^2x^2}}(d + ex^2)}{3e^3(c^2d + e)(d + ex^2)^{3/2}} + \frac{bx\sqrt{1 - \frac{1}{c^2x^2}}}{(d + ex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

[Out]
$$\begin{aligned}
 &(b*c*d*e* \operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x^2) + a*(c^2*d + e)*(8*d^2 + 12*d*x^2 + 3*e^2*x^4) + b*(c^2*d + e)*(8*d^2 + 12*d*x^2 + 3*e^2*x^4)*\operatorname{ArcCsc}[c*x])/(3*e^3*(c^2*d + e)*(d + e*x^2)^{3/2}) + (b*\operatorname{Sqrt}[1 - 1/(c^2*x^2)]*x*(3*\operatorname{Sqrt}[c^2]*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c^2*d + e]*\operatorname{Sqrt}[(c^2*(d + e*x^2))/(c^2*d + e)]*\operatorname{ArcSinh}[(c*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[-1 + c^2*x^2])/(\operatorname{Sqrt}[c^2]*\operatorname{Sqrt}[c^2*d + e])] + 8*c^3*\operatorname{Sqr}t[d]*\operatorname{Sqr}t[d + e*x^2]*\operatorname{ArcTan}[(\operatorname{Sqr}t[d]*\operatorname{Sqr}t[-1 + c^2*x^2])/\operatorname{Sqr}t[d + e*x^2]]))/(3*c^2*e^3*\operatorname{Sqr}t[-1 + c^2*x^2]*\operatorname{Sqr}t[d + e*x^2])
 \end{aligned}$$

Maple [F] time = 3.697, size = 0, normalized size = 0.

$$\int x^5 (a + b \operatorname{arccsc}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^5(a+b\arccsc(cx))/(e*x^2+d)^{(5/2)} dx$

[Out] $\int x^5(a+b\arccsc(cx))/(e*x^2+d)^{(5/2)} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")
```

[Out] Exception raised: ValueError

Fricas [B] time = 7.85175, size = 4487, normalized size = 18.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/12*(3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) + 8*(b*c^3*d^3 + b*c*d^2*e + (b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(-d)*log((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 4*(8*a*c^3*d^3 + 8*a*c*d^2*e + 3*(a*c^3*d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^2 + (8*b*c^3*d^3 + 8*b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*arccsc(c*x) + (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^4 + 2*(c^3*d^2*e^4 + c*d*e^5)*x^2), -1/12*(16*(b*c^3*d^3 + b*c*d^2*e + (b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - 3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(e) + e^2) - 4*(8*a*c^3*d^3 + 8*a*c*d^2*e + 3*(a*c^3*d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^2 + (8*b*c^3*d^3 + 8*b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*arccsc(c*x) + (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^4 + 2*(c^3*d^2*e^4 + c*d*e^5)*x^2), -1/6*(3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(-e)*arctan(1/2*(2*c^2*e*
```

$$\begin{aligned}
& x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 - \\
& c*d*e + (c^3*d*e - c*e^2)*x^2)) - 4*(b*c^3*d^3 + b*c*d^2*e + (b*c^3*d*e^2 + \\
& b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(-d)*log(((c^4*d^2 - 6 \\
& *c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - \\
& e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) - 2*(8*a*c^3*d^3 + 8* \\
& a*c*d^2*e + 3*(a*c^3*d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^ \\
& 2 + (8*b*c^3*d^3 + 8*b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3* \\
& d^2*e + b*c*d*e^2)*x^2)*arccsc(c*x) + (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2* \\
& x^2 - 1))*sqrt(e*x^2 + d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^ \\
& 4 + 2*(c^3*d^2*e^4 + c*d*e^5)*x^2), -1/6*(8*(b*c^3*d^3 + b*c*d^2*e + (b*c^ \\
& 3*d*e^2 + b*c*e^3)*x^4 + 2*(b*c^3*d^2*e + b*c*d*e^2)*x^2)*sqrt(d)*arctan(-1/ \\
& 2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d \\
& *e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) + 3*(b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3) \\
& *x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(-e)*arctan(1/2*(2*c^2* \\
& e*x^2 + c^2*d - e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d)*sqrt(-e)/(c^3*e^2*x^4 \\
& - c*d*e + (c^3*d*e - c*e^2)*x^2)) - 2*(8*a*c^3*d^3 + 8*a*c*d^2*e + 3*(a*c^3* \\
& d*e^2 + a*c*e^3)*x^4 + 12*(a*c^3*d^2*e + a*c*d*e^2)*x^2 + (8*b*c^3*d^3 + 8* \\
& *b*c*d^2*e + 3*(b*c^3*d*e^2 + b*c*e^3)*x^4 + 12*(b*c^3*d^2*e + b*c*d*e^2)*x^ \\
& 2)*arccsc(c*x) + (b*c*d*e^2*x^2 + b*c*d^2*e)*sqrt(c^2*x^2 - 1))*sqrt(e*x^2 + \\
& d))/(c^3*d^3*e^3 + c*d^2*e^4 + (c^3*d*e^5 + c*e^6)*x^4 + 2*(c^3*d^2*e^5 + c*d*e^5)*x^2]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(a+b*acsc(c*x))/(e*x**2+d)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^5}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^5/(e*x^2 + d)^(5/2), x)`

3.157 $\int \frac{x^3(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$

Optimal. Leaf size=163

$$-\frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{d(a + b \csc^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} + \frac{2bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3\sqrt{d}e^2 \sqrt{c^2x^2}} - \frac{bcx \sqrt{c^2x^2-1}}{3e\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

[Out] $-(b*c*x* \text{Sqrt}[-1 + c^2*x^2])/(3*e*(c^2*d + e)* \text{Sqrt}[c^2*x^2]* \text{Sqrt}[d + e*x^2])$
 $+ (d*(a + b*\text{ArcCsc}[c*x]))/(3*e^2*(d + e*x^2)^(3/2)) - (a + b*\text{ArcCsc}[c*x])/$
 $(e^2*\text{Sqrt}[d + e*x^2]) + (2*b*c*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 +$
 $c^2*x^2])])/(3*\text{Sqrt}[d]*e^2*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.246188, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.348, Rules used = {266, 43, 5239, 12, 573, 152, 93, 204}

$$-\frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{d(a + b \csc^{-1}(cx))}{3e^2 (d + ex^2)^{3/2}} + \frac{2bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3\sqrt{d}e^2 \sqrt{c^2x^2}} - \frac{bcx \sqrt{c^2x^2-1}}{3e\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3(a + b*\text{ArcCsc}[c*x]))/(d + e*x^2)^(5/2), x]$

[Out] $-(b*c*x* \text{Sqrt}[-1 + c^2*x^2])/(3*e*(c^2*d + e)* \text{Sqrt}[c^2*x^2]* \text{Sqrt}[d + e*x^2])$
 $+ (d*(a + b*\text{ArcCsc}[c*x]))/(3*e^2*(d + e*x^2)^(3/2)) - (a + b*\text{ArcCsc}[c*x])/$
 $(e^2*\text{Sqrt}[d + e*x^2]) + (2*b*c*x*\text{ArcTan}[\text{Sqrt}[d + e*x^2]/(\text{Sqrt}[d]*\text{Sqrt}[-1 +$
 $c^2*x^2])])/(3*\text{Sqrt}[d]*e^2*\text{Sqrt}[c^2*x^2])$

Rule 266

$\text{Int}[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 43

$\text{Int}[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&& \text{NeQ}[b*c - a*d, 0] \&& \text{IGtQ}[m, 0] \&& (\text{!IntegerQ}[n] \text{ || } (\text{EqQ}[c, 0] \&& \text{LeQ}[7*m + 4*n + 4, 0]) \text{ || } \text{LtQ}[9*m + 5*(n + 1), 0] \text{ || } \text{GtQ}[m + n + 2, 0])$

Rule 5239

$\text{Int}[((a_) + \text{ArcCsc}[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcCsc}[c*x], u, x] + \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegr} and[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, p\}, x] \&& ((\text{IGtQ}[p, 0] \&& \text{!}(\text{ILtQ}[(m - 1)/2, 0] \&& \text{GtQ}[m + 2*p + 3, 0])) \text{ || } (\text{GtQ}[(m + 1)/2, 0] \&& \text{!}(\text{ILtQ}[p, 0] \&& \text{GtQ}[m + 2*p + 3, 0])) \text{ || } (\text{ILtQ}[(m + 2)*p + 1]/2, 0) \&& \text{!}(\text{ILtQ}[(m - 1)/2, 0]))$

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 573

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_))^(r_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[Simplify[(m + 1)/n]]]
```

Rule 152

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_)*((g_) + (h_)*(x_)), x_Symbol] :> Simplify[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simplify[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 93

```
Int[((((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_))/((e_) + (f_)*(x_))), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x}] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \csc^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{d(a + b \csc^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{-2d-3ex^2}{3e^2x\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{-2d-3ex^2}{x\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{3e^2\sqrt{c^2x^2}} \\
&= \frac{d(a + b \csc^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{(bcx) \text{Subst} \left(\int \frac{-2d-3ex}{x\sqrt{-1+c^2x}(d+ex)^{3/2}} dx, x, x^2 \right)}{6e^2\sqrt{c^2x^2}} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{3e(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{d(a + b \csc^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \text{Subst} \left(\int \frac{-2d-3ex}{x\sqrt{-1+c^2x}(d+ex)^{3/2}} dx, x, x^2 \right)}{3de^2(c^2d+e)} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{3e(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{d(a + b \csc^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(bcx) \text{Subst} \left(\int \frac{-2d-3ex}{x\sqrt{-1+c^2x}(d+ex)^{3/2}} dx, x, x^2 \right)}{3e^2(c^2d+e)} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{3e(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{d(a + b \csc^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} - \frac{(2bcx) \text{Subst} \left(\int \frac{-2d-3ex}{x\sqrt{-1+c^2x}(d+ex)^{3/2}} dx, x, x^2 \right)}{3e^2(c^2d+e)} \\
&= -\frac{bcx\sqrt{-1+c^2x^2}}{3e(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{d(a + b \csc^{-1}(cx))}{3e^2(d + ex^2)^{3/2}} - \frac{a + b \csc^{-1}(cx)}{e^2 \sqrt{d + ex^2}} + \frac{2bcx \tan^{-1} \left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}} \right)}{3\sqrt{de^2}\sqrt{c^2x^2-1}}
\end{aligned}$$

Mathematica [A] time = 0.264813, size = 173, normalized size = 1.06

$$\frac{-a(c^2d+e)(2d+3ex^2)-bcex\sqrt{1-\frac{1}{c^2x^2}}(d+ex^2)-b(c^2d+e)\csc^{-1}(cx)(2d+3ex^2)}{3e^2(c^2d+e)(d+ex^2)^{3/2}} - \frac{2bcx\sqrt{1-\frac{1}{c^2x^2}}\tan^{-1}\left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}}\right)}{3\sqrt{de^2}\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^3*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]`

[Out]
$$\begin{aligned}
&(-(b*c*e*.Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2)) - a*(c^2*d + e)*(2*d + 3*e*x^2) \\
&- b*(c^2*d + e)*(2*d + 3*e*x^2)*ArcCsc[c*x])/((3*e^2*(c^2*d + e)*(d + e*x^2)^{3/2})) - (2*b*c*.Sqrt[1 - 1/(c^2*x^2)]*x*ArcTan[(Sqrt[d]*Sqrt[-1 + c^2*x^2])/Sqrt[d + e*x^2]])/(3*Sqrt[d]*e^2*Sqrt[-1 + c^2*x^2])
\end{aligned}$$

Maple [F] time = 3.102, size = 0, normalized size = 0.

$$\int x^3 (a + b \operatorname{arccsc}(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2), x)`

[Out] `int(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 5.3895, size = 1378, normalized size = 8.45

$$\left[-\frac{\left(bc^2d^3 + (bc^2de^2 + be^3)x^4 + bd^2e + 2(bc^2d^2e + bde^2)x^2 \right) \sqrt{-d} \log \left(\frac{(c^4d^2 - 6c^2de + e^2)x^4 - 8(c^2d^2 - de)x^2 + 4\sqrt{c^2x^2 - 1}((c^2d - e)x^2 - 2d)\sqrt{ex^2 - d}}{x^4} \right)}{6(c^2d^4e^2 + d^3e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out]
$$[-1/6*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(-d)*log(((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(-d) + 8*d^2)/x^4) + 2*(2*a*c^2*d^3 + 2*a*d^2*e + 3*(a*c^2*d^2*e + a*d*e^2)*x^2 + (2*b*c^2*d^3 + 2*b*d^2*e + 3*(b*c^2*d^2*e + b*d*e^2)*x^2)*arccsc(c*x) + (b*d*e^2*x^2 + b*d^2*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^2*d^4*e^2 + d^3*e^4) + d^3*e^3 + (c^2*d^2*e^4 + d*e^5)*x^4 + 2*(c^2*d^3*e^3 + d^2*e^4)*x^2], 1/3*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d*e^2)*x^2)*sqrt(d)*arctan(-1/2*sqrt(c^2*x^2 - 1)*((c^2*d - e)*x^2 - 2*d)*sqrt(e*x^2 + d)*sqrt(d)/(c^2*d*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2)) - (2*a*c^2*d^3 + 2*a*d^2*e + 3*(a*c^2*d^2*e + a*d*e^2)*x^2 + (2*b*c^2*d^3 + 2*b*d^2*e + 3*(b*c^2*d^2*e + b*d*e^2)*x^2)*arccsc(c*x) + (b*d*e^2*x^2 + b*d^2*e)*sqrt(c^2*x^2 - 1)*sqrt(e*x^2 + d))/(c^2*d^4*e^2 + d^3*e^4) + 2*(c^2*d^3*e^3 + d^2*e^4)*x^2]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acsc(c*x))/(e*x**2+d)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^3/(e*x^2 + d)^(5/2), x)`

3.158 $\int \frac{x(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$

Optimal. Leaf size=138

$$-\frac{a + b \csc^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3d^{3/2}e\sqrt{c^2x^2}} + \frac{bcx\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

[Out] $(b*c*x*sqrt[-1 + c^2*x^2])/(3*d*(c^2*d + e)*sqrt[c^2*x^2]*sqrt[d + e*x^2]) - (a + b*ArcCsc[c*x])/((3*e*(d + e*x^2)^(3/2)) + (b*c*x*ArcTan[sqrt[d + e*x^2]/(sqrt[d]*sqrt[-1 + c^2*x^2])])/(3*d^(3/2)*e*sqrt[c^2*x^2]))$

Rubi [A] time = 0.135041, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.238, Rules used = {5237, 446, 96, 93, 204}

$$-\frac{a + b \csc^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{c^2x^2-1}}\right)}{3d^{3/2}e\sqrt{c^2x^2}} + \frac{bcx\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

[Out] $(b*c*x*sqrt[-1 + c^2*x^2])/(3*d*(c^2*d + e)*sqrt[c^2*x^2]*sqrt[d + e*x^2]) - (a + b*ArcCsc[c*x])/((3*e*(d + e*x^2)^(3/2)) + (b*c*x*ArcTan[sqrt[d + e*x^2]/(sqrt[d]*sqrt[-1 + c^2*x^2])])/(3*d^(3/2)*e*sqrt[c^2*x^2]))$

Rule 5237

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*(x_)*(d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCsc[c*x]))/(2*e*(p + 1)), x] + Dist[(b*c*x)/(2*e*(p + 1)*sqrt[c^2*x^2]), Int[(d + e*x^2)^(p + 1)/(x*sqrt[c^2*x^2 - 1]), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 96

```
Int[((a_.) + (b_)*(x_)^m_)*((c_.) + (d_.)*(x_)^n_)*((e_.) + (f_.)*(x_)^p_), x_Symbol] :> Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[(a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m, 1])
```

Rule 93

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_))/((e_) + (f_)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \csc^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= -\frac{a + b \csc^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{(bcx) \int \frac{1}{x\sqrt{-1+c^2x^2(d+ex^2)^{3/2}}} dx}{3e\sqrt{c^2x^2}} \\ &= -\frac{a + b \csc^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x(d+ex)^{3/2}}} dx, x, x^2\right)}{6e\sqrt{c^2x^2}} \\ &= \frac{bcx\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a + b \csc^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{x\sqrt{-1+c^2x}\sqrt{d+ex}} dx, x, x^2\right)}{6de\sqrt{c^2x^2}} \\ &= \frac{bcx\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a + b \csc^{-1}(cx)}{3e(d + ex^2)^{3/2}} - \frac{(bcx) \text{Subst}\left(\int \frac{1}{-d-x^2} dx, x, \frac{\sqrt{d+ex^2}}{\sqrt{-1+c^2x^2}}\right)}{3de\sqrt{c^2x^2}} \\ &= \frac{bcx\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} - \frac{a + b \csc^{-1}(cx)}{3e(d + ex^2)^{3/2}} + \frac{bcx \tan^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}\sqrt{-1+c^2x^2}}\right)}{3d^{3/2}e\sqrt{c^2x^2}} \end{aligned}$$

Mathematica [A] time = 0.206035, size = 157, normalized size = 1.14

$$\frac{-ad(c^2d+e) + bcex\sqrt{1-\frac{1}{c^2x^2}}(d+ex^2) - bd(c^2d+e)\csc^{-1}(cx)}{3de(c^2d+e)(d+ex^2)^{3/2}} - \frac{bcx\sqrt{1-\frac{1}{c^2x^2}}\tan^{-1}\left(\frac{\sqrt{d}\sqrt{c^2x^2-1}}{\sqrt{d+ex^2}}\right)}{3d^{3/2}e\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

[Out] $\frac{(-a*d*(c^2d+e)) + b*c*e*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*(d + e*x^2) - b*d*(c^2*d + e)*\text{ArcCsc}[c*x]}{(3*d*e*(c^2*d + e)*(d + e*x^2)^(3/2))} - \frac{(b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{ArcTan}[(\text{Sqrt}[d]*\text{Sqrt}[-1 + c^2*x^2])/(\text{Sqrt}[d + e*x^2])]/(3*d^(3/2)*e*\text{Sqrt}[-1 + c^2*x^2])}{(3*d^(3/2)*e\sqrt{c^2*x^2-1})}$

Maple [F] time = 1.777, size = 0, normalized size = 0.

$$\int x(a + b\text{arccsc}(cx))(ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x(a+b\arccsc(cx))/(e*x^2+d)^{5/2} dx$

[Out] $\int x(a+b\arccsc(cx))/(e*x^2+d)^{5/2} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(a+b*\arccsc(c*x))/(e*x^2+d)^{5/2}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [B] time = 5.19978, size = 1188, normalized size = 8.61

$$\left[\frac{\left(bc^2d^3 + (bc^2de^2 + be^3)x^4 + bd^2e + 2(bc^2d^2e + bde^2)x^2 \right) \sqrt{-d} \log \left(\frac{(c^4d^2 - 6c^2de + e^2)x^4 - 8(c^2d^2 - de)x^2 + 4\sqrt{c^2x^2 - 1}((c^2d - e)x^2 - 2d)\sqrt{ex^2 - 1}}{x^4} \right)}{12(c^2d^5e + d^4e^2 + (c^2d^3e^3 + d^2e^4)x^4 + 2d^3e^2x^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(a+b*\arccsc(c*x))/(e*x^2+d)^{5/2}, x, \text{algorithm}=\text{"fricas"})$

[Out] $[-1/12*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d^2*e^2)*x^2)*\sqrt{-d}*\log((c^4*d^2 - 6*c^2*d*e + e^2)*x^4 - 8*(c^2*d^2 - d*e)*x^2 + 4*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d})*\sqrt{-d} + 8*d^2)/x^4 + 4*(a*c^2*d^3 + a*d^2*e + (b*c^2*d^3 + b*d^2*e)*\arccsc(c*x) - (b*d^2*e^2*x^2 + b*d^2*e)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^2*d^5 + d^4*e^2 + (c^2*d^3*e^3 + d^2*e^4)*x^4 + 2*d^3*e^2*x^2), 1/6*((b*c^2*d^3 + (b*c^2*d*e^2 + b*e^3)*x^4 + b*d^2*e + 2*(b*c^2*d^2*e + b*d^2*e^2)*x^2)*\sqrt{d}*\arctan(-1/2*\sqrt{c^2*x^2 - 1}*((c^2*d - e)*x^2 - 2*d)*\sqrt{e*x^2 + d}*\sqrt{d})/(c^2*d^2*e*x^4 + (c^2*d^2 - d*e)*x^2 - d^2) - 2*(a*c^2*d^3 + a*d^2*e + (b*c^2*d^3 + b*d^2*e)*\arccsc(c*x) - (b*d^2*e^2*x^2 + b*d^2*e^2)*\sqrt{c^2*x^2 - 1})*\sqrt{e*x^2 + d})/(c^2*d^5 + d^4*e^2 + (c^2*d^3*e^3 + d^2*e^4)*x^4 + 2*(c^2*d^2*e^2 + d^3*e^3)*x^2)]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(a+b*\acsc(c*x))/(e*x**2+d)**(5/2), x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(cx) + a)*x/(e*x^2 + d)^(5/2), x)`

$$\mathbf{3.159} \quad \int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{5/2}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(5/2)), x]

Rubi [A] time = 0.123205, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{5/2}} dx = \int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Mathematica [A] time = 34.1612, size = 0, normalized size = 0.

$$\int \frac{a+b \csc^{-1}(cx)}{x(d+ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x*(d + e*x^2)^(5/2)), x]

Maple [A] time = 1.883, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x} (ex^2+d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x/(e*x^2+d)^(5/2), x)

[Out] $\int ((a+b\operatorname{arccsc}(cx))/x)/(e*x^2+d)^{(5/2)} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))/x)/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2+d}(b\operatorname{arccsc}(cx)+a)}{e^3x^7+3de^2x^5+3d^2ex^3+d^3x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))/x)/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\operatorname{integral}(\sqrt{e*x^2 + d}*(b*\operatorname{arccsc}(c*x) + a)/(e^3*x^7 + 3*d*e^2*x^5 + 3*d^2*x^3 + d^3*x), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{acsc}(cx))/x)/(e*x^{2+d})^{(5/2)}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b\operatorname{arccsc}(cx)+a}{(ex^2+d)^{5/2}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))/x)/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\operatorname{integrate}((b*\operatorname{arccsc}(c*x) + a)/((e*x^2 + d)^{(5/2)}*x), x)$

3.160 $\int \frac{a+b \csc^{-1}(cx)}{x^3(d+ex^2)^{5/2}} dx$

Optimal. Leaf size=25

$$\text{Unintegrable} \left(\frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Rubi [A] time = 0.140413, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx = \int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Mathematica [A] time = 43.1475, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x^3 (d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x^3*(d + e*x^2)^(5/2)), x]

Maple [A] time = 1.093, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x^3 (e x^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^3/(e*x^2+d)^(5/2), x)

[Out] $\int ((a+b\operatorname{arccsc}(cx))/x^3/(e*x^2+d)^{(5/2)}, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))/x^3/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{ex^2 + d}(b \operatorname{arccsc}(cx) + a)}{e^3 x^9 + 3 de^2 x^7 + 3 d^2 e x^5 + d^3 x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))/x^3/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\operatorname{integral}(\sqrt{e*x^2 + d}*(b*\operatorname{arccsc}(c*x) + a)/(e^3*x^9 + 3*d*e^2*x^7 + 3*d^2*x^5 + d^3*x^3), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{acsc}(cx))/x^{**3}/(e*x^{**2+d})^{**(5/2)}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^{5/2} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b\operatorname{arccsc}(cx))/x^3/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\operatorname{integrate}((b*\operatorname{arccsc}(c*x) + a)/((e*x^2 + d)^{(5/2)}*x^3), x)$

3.161 $\int \frac{x^6(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{x^6(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}}, x\right)$$

[Out] Unintegrable[(x^6*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

Rubi [A] time = 0.120836, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{x^6(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^6*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int][(x^6*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^6(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx = \int \frac{x^6(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Mathematica [A] time = 13.4056, size = 0, normalized size = 0.

$$\int \frac{x^6(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^6*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^6*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A] time = 3.532, size = 0, normalized size = 0.

$$\int x^6(a+b \operatorname{arccsc}(cx)) (ex^2+d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2), x)

[Out] $\int x^6(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^6(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(bx^6 \operatorname{arccsc}(cx) + ax^6)\sqrt{ex^2 + d}}{e^3 x^6 + 3 de^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^6(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\operatorname{integral}((b*x^6\operatorname{arccsc}(c*x) + a*x^6)*\sqrt{e*x^2 + d})/(e^{3*x^6} + 3*d*e^{2*x^4} + 3*d^2*x^2 + d^3), x$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^{**6}(a+b\operatorname{acsc}(c*x))/(e*x^{**2+d})^{**(5/2)}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^6}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^6(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\operatorname{integrate}((b*\operatorname{arccsc}(c*x) + a)*x^6/(e*x^2 + d)^{(5/2)}, x)$

3.162 $\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}}, x\right)$$

[Out] Unintegrable[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

Rubi [A] time = 0.109561, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Defer[Int][(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx = \int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Mathematica [A] time = 11.6749, size = 0, normalized size = 0.

$$\int \frac{x^4(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

[Out] Integrate[(x^4*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]

Maple [A] time = 2.412, size = 0, normalized size = 0.

$$\int x^4(a+b \operatorname{arccsc}(cx)) (ex^2+d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2), x)

[Out] $\int x^4(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)} dx$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^4(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(bx^4 \operatorname{arccsc}(cx) + ax^4)\sqrt{ex^2 + d}}{e^3 x^6 + 3 de^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^4(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\operatorname{integral}((b*x^4\operatorname{arccsc}(c*x) + a*x^4)*\sqrt{e*x^2 + d})/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*x^2 + d^3), x$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^{**4}(a+b\operatorname{acsc}(c*x))/(e*x^{**2+d})^{**(5/2)}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^4}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^4(a+b\operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\operatorname{integrate}((b*\operatorname{arccsc}(c*x) + a)*x^4/(e*x^2 + d)^{(5/2)}, x)$

3.163 $\int \frac{x^2(a+b \csc^{-1}(cx))}{(d+ex^2)^{5/2}} dx$

Optimal. Leaf size=276

$$\frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx),-\frac{e}{c^2d}\right)}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}+\frac{x^3(a+b \csc^{-1}(cx))}{3d(d+ex^2)^{3/2}}+\frac{bcx^2\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}-\frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}}$$

$$\begin{aligned} [\text{Out}] \quad & (b*c*x^2*Sqrt[-1 + c^2*x^2])/(3*d*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) \\ & + (x^3*(a + b*ArcCsc[c*x]))/(3*d*(d + e*x^2)^(3/2)) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d*e*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d*e*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) \end{aligned}$$

Rubi [A] time = 0.283373, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.435, Rules used = {264, 5239, 12, 471, 423, 427, 426, 424, 421, 419}

$$\frac{x^3(a+b \csc^{-1}(cx))}{3d(d+ex^2)^{3/2}}+\frac{bcx^2\sqrt{c^2x^2-1}}{3d\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}+\frac{bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)|-\frac{e}{c^2d}\right)}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}}-\frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}}{3de\sqrt{c^2x^2}\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

$$[\text{In}] \quad \text{Int}[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]$$

$$\begin{aligned} [\text{Out}] \quad & (b*c*x^2*Sqrt[-1 + c^2*x^2])/(3*d*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) \\ & + (x^3*(a + b*ArcCsc[c*x]))/(3*d*(d + e*x^2)^(3/2)) - (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d*e*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d*e*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2]) \end{aligned}$$

Rule 264

$$\text{Int}[((c_)*(x_))^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> \text{Simp}[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \&& \text{EqQ}[(m + 1)/n + p + 1, 0] \&& \text{NeQ}[m, -1]$$

Rule 5239

$$\text{Int}[(a_ + \text{ArcCsc}[(c_)*(x_)]*(b_))*(f_)*(x_)^(m_)*(d_)*(e_)*(x_)^2)^(p_), x_Symbol] :> \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcCsc}[c*x], u, x] + \text{Dist}[(b*c*x)/\text{Sqrt}[c^2*x^2], \text{Int}[\text{SimplifyIntegr} and[u/(x*\text{Sqrt}[c^2*x^2 - 1]), x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, p\}, x] \&& ((\text{IGtQ}[p, 0] \&& !(\text{ILtQ}[(m - 1)/2, 0] \&& \text{GtQ}[m + 2*p + 3, 0])) || (\text{GtQ}[(m + 1)/2, 0] \&& !(\text{ILtQ}[p, 0] \&& \text{GtQ}[m + 2*p + 3, 0])) || (\text{ILtQ}[(m + 2*p + 1)/2, 0] \&& !\text{ILtQ}[(m - 1)/2, 0]))$$

Rule 12

$$\text{Int}[(a_)*(u_), x_Symbol] :> \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&& \text{Match} Q[u, (b_)*(v_)] /; \text{FreeQ}[b, x]]$$

Rule 471

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 423

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]
```

Rule 427

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a + b \csc^{-1}(cx))}{(d + ex^2)^{5/2}} dx &= \frac{x^3(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{(bcx) \int \frac{x^2}{3d\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{x^3(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{(bcx) \int \frac{x^2}{\sqrt{-1+c^2x^2}(d+ex^2)^{3/2}} dx}{3d\sqrt{c^2x^2}} \\
&= \frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{(bcx) \int \frac{\sqrt{-1+c^2x^2}}{\sqrt{d+ex^2}} dx}{3d(c^2d+e)\sqrt{c^2x^2}} \\
&= \frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{(bcx) \int \frac{1}{\sqrt{-1+c^2x^2}\sqrt{d+ex^2}} dx}{3de\sqrt{c^2x^2}} - \frac{(bc^3x) \int \frac{1}{\sqrt{d+ex^2}} dx}{3de(c^2d+e)} \\
&= \frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{(bc^3x\sqrt{1-c^2x^2}) \int \frac{\sqrt{d+ex^2}}{\sqrt{1-c^2x^2}} dx}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}} + \frac{(bc^3x\sqrt{1-c^2x^2}) \int \frac{\sqrt{d+ex^2}}{\sqrt{1-c^2x^2}} dx}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}} \\
&= \frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{(bc^3x\sqrt{1-c^2x^2}\sqrt{d+ex^2}) \int \frac{\sqrt{1+\frac{ex^2}{d}}}{\sqrt{1-c^2x^2}} dx}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{1+\frac{e^2}{d}}} \\
&= \frac{bcx^2\sqrt{-1+c^2x^2}}{3d(c^2d+e)\sqrt{c^2x^2}\sqrt{d+ex^2}} + \frac{x^3(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} - \frac{bc^2x\sqrt{1-c^2x^2}\sqrt{d+ex^2}E(\sin^{-1}(cx)|-\frac{c^2d}{e})}{3de(c^2d+e)\sqrt{c^2x^2}\sqrt{-1+c^2x^2}\sqrt{1+\frac{e^2}{d}}}
\end{aligned}$$

Mathematica [A] time = 0.27801, size = 185, normalized size = 0.67

$$\frac{x^2 \left(ax \left(c^2 d+e\right)+bc \sqrt{1-\frac{1}{c^2 x^2}} \left(d+e x^2\right)+bx \left(c^2 d+e\right) \csc ^{-1}(c x)\right)}{3d(c^2d+e)(d+ex^2)^{3/2}}-\frac{bcx \sqrt{1-\frac{1}{c^2 x^2}} \sqrt{\frac{e x^2}{d}+1} E\left(\sin ^{-1}\left(\sqrt{-\frac{e}{d}} x\right)|-\frac{c^2 d}{e}\right)}{3d\sqrt{1-c^2x^2}\sqrt{-\frac{e}{d}}(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^2*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(5/2), x]`

[Out] `(x^2*(a*(c^2*d + e)*x + b*c*.Sqrt[1 - 1/(c^2*x^2)]*(d + e*x^2) + b*(c^2*d + e)*x*ArcCsc[c*x]))/(3*d*(c^2*d + e)*(d + e*x^2)^(3/2)) - (b*c*.Sqrt[1 - 1/(c^2*x^2)]*x*.Sqrt[1 + (e*x^2)/d]*EllipticE[ArcSin[Sqrt[-(e/d)]*x], -((c^2*d)/e)])/(3*d*.Sqrt[-(e/d)]*(c^2*d + e)*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])`

Maple [F] time = 2.079, size = 0, normalized size = 0.

$$\int x^2 (a + \text{barccsc}(cx)) (e x^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2), x)`

[Out] `int(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2), x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{3} a \left(\frac{x}{(ex^2 + d)^{\frac{3}{2}} e} - \frac{x}{\sqrt{ex^2 + d} e} \right) + b \int \frac{x^2 \arctan(1, \sqrt{cx+1} \sqrt{cx-1})}{(e^2 x^4 + 2 d e x^2 + d^2) \sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="maxima")`

[Out]
$$\frac{-1/3 a (x ((e x^2 + d)^{(3/2)} e) - x (\sqrt{e x^2 + d} * d * e)) + b * \text{integrate}(x^2 \arctan(1, \sqrt{c x + 1} * \sqrt{c x - 1}) / ((e^2 x^4 + 2 d e x^2 + d^2) * \sqrt{e x^2 + d}), x)}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(bx^2 \arccsc(cx) + ax^2)\sqrt{ex^2 + d}}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="fricas")`

[Out]
$$\text{integral}((b*x^2*\arccsc(c*x) + a*x^2)*\sqrt{e*x^2 + d}/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acsc(c*x))/(e*x**2+d)**(5/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arccsc(cx) + a)x^2}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccsc(c*x))/(e*x^2+d)^(5/2),x, algorithm="giac")`

[Out]
$$\text{integrate}((b*\arccsc(c*x) + a)*x^2/(e*x^2 + d)^{(5/2)}, x)$$

$$\mathbf{3.164} \quad \int \frac{a+b \csc^{-1}(cx)}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=296

$$\frac{2bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{EllipticF}\left(\sin^{-1}(cx), -\frac{e}{c^2d}\right) + 2x(a+b \csc^{-1}(cx))}{3d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} + \frac{x(a+b \csc^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{bcex^2\sqrt{c^2x^2-1}}{3d^2\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}}$$

[Out] $-(b*c*e*x^2*Sqrt[-1 + c^2*x^2])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) + (x*(a + b*ArcCsc[c*x]))/(3*d*(d + e*x^2)^(3/2)) + (2*x*(a + b*ArcCsc[c*x]))/(3*d^2*Sqrt[d + e*x^2]) + (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (2*b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])$

Rubi [A] time = 0.237614, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.55, Rules used = {192, 191, 5229, 12, 527, 524, 427, 426, 424, 421, 419}

$$\frac{2x(a+b \csc^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{x(a+b \csc^{-1}(cx))}{3d(d+ex^2)^{3/2}} - \frac{bcex^2\sqrt{c^2x^2-1}}{3d^2\sqrt{c^2x^2}(c^2d+e)\sqrt{d+ex^2}} + \frac{2bx\sqrt{1-c^2x^2}\sqrt{\frac{ex^2}{d}+1}\text{F}\left(\sin^{-1}(cx)|-\frac{e}{c^2d}\right)}{3d^2\sqrt{c^2x^2}\sqrt{c^2x^2-1}\sqrt{d+ex^2}} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*ArcCsc[c*x])/((d + e*x^2)^(5/2)), x]$

[Out] $-(b*c*e*x^2*Sqrt[-1 + c^2*x^2])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[d + e*x^2]) + (x*(a + b*ArcCsc[c*x]))/(3*d*(d + e*x^2)^(3/2)) + (2*x*(a + b*ArcCsc[c*x]))/(3*d^2*Sqrt[d + e*x^2]) + (b*c^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2]*EllipticE[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*(c^2*d + e)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[1 + (e*x^2)/d]) + (2*b*x*Sqrt[1 - c^2*x^2]*Sqrt[1 + (e*x^2)/d]*EllipticF[ArcSin[c*x], -(e/(c^2*d))])/(3*d^2*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2]*Sqrt[d + e*x^2])$

Rule 192

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]
```

Rule 191

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 5229

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(d_ + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[Simplify[Integrant[u/(x*Sqrt[c^2*x^2 - 1])], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IGtQ[p, 0] || ILtQ[p + 1/2,
```

0])

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 426

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simpl[Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 421

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Dist[Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[1/(Sqrt[a + b*x^2]*Sqrt[1 + (d*x^2)/c]), x], x] /; FreeQ[{a, b, c, d}, x] && !GtQ[c, 0]
```

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simpl[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \csc^{-1}(cx)}{(d + ex^2)^{5/2}} dx &= \frac{x(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \csc^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{3d + 2ex^2}{3d^2 \sqrt{-1 + c^2x^2} (d + ex^2)^{3/2}} dx}{\sqrt{c^2x^2}} \\
&= \frac{x(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \csc^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{3d + 2ex^2}{\sqrt{-1 + c^2x^2} (d + ex^2)^{3/2}} dx}{3d^2 \sqrt{c^2x^2}} \\
&= -\frac{bcex^2 \sqrt{-1 + c^2x^2}}{3d^2(c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{x(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \csc^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \frac{(bcx) \int \frac{d(3c^2d + 2e)}{\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}} dx}{3d^3(c^2d + e) \sqrt{c^2x^2}} \\
&= -\frac{bcex^2 \sqrt{-1 + c^2x^2}}{3d^2(c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{x(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \csc^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \frac{(2bcx) \int \frac{1}{\sqrt{-1 + c^2x^2} \sqrt{d + ex^2}} dx}{3d^2 \sqrt{c^2x^2}} \\
&= -\frac{bcex^2 \sqrt{-1 + c^2x^2}}{3d^2(c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{x(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \csc^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \frac{(bc^3x \sqrt{1 - c^2x^2})}{3d^2(c^2d + e) \sqrt{c^2x^2}} \\
&= -\frac{bcex^2 \sqrt{-1 + c^2x^2}}{3d^2(c^2d + e) \sqrt{c^2x^2} \sqrt{d + ex^2}} + \frac{x(a + b \csc^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \csc^{-1}(cx))}{3d^2 \sqrt{d + ex^2}} + \frac{(bc^3x \sqrt{1 - c^2x^2} \sqrt{d + ex^2})}{3d^2(c^2d + e) \sqrt{c^2x^2}}
\end{aligned}$$

Mathematica [C] time = 0.554377, size = 249, normalized size = 0.84

$$\frac{x \left(a (c^2 d + e) (3 d + 2 e x^2) - b c e x \sqrt{1 - \frac{1}{c^2 x^2}} (d + e x^2) + b (c^2 d + e) \csc^{-1}(c x) (3 d + 2 e x^2) \right)}{3 d^2 (c^2 d + e) (d + e x^2)^{3/2}} + \frac{i b c x \sqrt{1 - \frac{1}{c^2 x^2}} \sqrt{\frac{e x^2}{d} + 1} (2 (c^2 d + e) (3 d + 2 e x^2) + b c e x^2 (d + e x^2)^{3/2})}{3 d^2 (c^2 d + e) (d + e x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] `Integrate[(a + b*ArcCsc[c*x])/(d + e*x^2)^(5/2), x]`

[Out] `(x*(-(b*c*e*Sqrt[1 - 1/(c^2*x^2)]*x*(d + e*x^2)) + a*(c^2*d + e)*(3*d + 2*e*x^2) + b*(c^2*d + e)*(3*d + 2*e*x^2)*ArcCsc[c*x]))/(3*d^2*(c^2*d + e)*(d + e*x^2)^(3/2)) + ((I/3)*b*c*Sqrt[1 - 1/(c^2*x^2)]*x*Sqrt[1 + (e*x^2)/d]*(c^2*d*EllipticE[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))]) + 2*(c^2*d + e)*EllipticF[I*ArcSinh[Sqrt[-c^2]*x], -(e/(c^2*d))])/(Sqrt[-c^2]*d^2*(c^2*d + e)*Sqrt[1 - c^2*x^2]*Sqrt[d + e*x^2])`

Maple [F] time = 1.879, size = 0, normalized size = 0.

$$\int (a + b \operatorname{arccsc}(c x)) (e x^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccsc(c*x))/(e*x^2+d)^(5/2), x)`

[Out] $\int ((a+b \operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} a \left(\frac{2x}{\sqrt{ex^2 + d^2}} + \frac{x}{(ex^2 + d)^{\frac{3}{2}} d} \right) + b \int \frac{\arctan(1, \sqrt{cx+1}\sqrt{cx-1})}{(e^2 x^4 + 2dex^2 + d^2)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b \operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{3} a (2x / (\sqrt{e*x^2 + d^2} * d^2) + x / ((e*x^2 + d)^{(3/2)} * d)) + b * \operatorname{integrate}(a \operatorname{rctan2}(1, \sqrt{c*x + 1} * \sqrt{c*x - 1}) / ((e^2*x^4 + 2*d*x^2 + d^2) * \sqrt{e*x^2 + d}), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{\sqrt{ex^2 + d} (b \operatorname{arccsc}(cx) + a)}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b \operatorname{arccsc}(cx))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\operatorname{integral}(\sqrt{e*x^2 + d} * (b * \operatorname{arccsc}(c*x) + a) / (e^3 * x^6 + 3 * d * e^2 * x^4 + 3 * d^2 * e * x^2 + d^3), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b * \operatorname{acsc}(c*x))/(e*x**2+d)**(5/2), x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(cx) + a}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((a+b * \operatorname{arccsc}(c*x))/(e*x^2+d)^{(5/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\operatorname{integrate}((b * \operatorname{arccsc}(c*x) + a) / (e*x^2 + d)^{(5/2)}, x)$

$$\mathbf{3.165} \quad \int (fx)^m \left(d + ex^2 \right)^3 \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=585

$$\frac{3d^2e(fx)^{m+3} \left(a + b \csc^{-1}(cx) \right)}{f^3(m+3)} + \frac{d^3(fx)^{m+1} \left(a + b \csc^{-1}(cx) \right)}{f(m+1)} + \frac{3de^2(fx)^{m+5} \left(a + b \csc^{-1}(cx) \right)}{f^5(m+5)} + \frac{e^3(fx)^{m+7} \left(a + b \csc^{-1}(cx) \right)}{f^7(m+7)}$$

[Out]
$$(b*e*(e^{2*(15 + 8*m + m^2)^2} + 3*c^2*d*e*(3 + m)^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4))*x*(f*x)^(1 + m)*\text{Sqrt}[-1 + c^2*x^2]/(c^5*f*(2 + m)*(3 + m)*(4 + m)*(5 + m)*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2]) + (b*e^2*(e*(5 + m)^2 + 3*c^2*d*(42 + 13*m + m^2))*x*(f*x)^(3 + m)*\text{Sqrt}[-1 + c^2*x^2])/((c^3*f^3*(4 + m)*(5 + m)*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2])) + (b*e^3*x*(f*x)^(5 + m)*\text{Sqrt}[-1 + c^2*x^2])/((c*f^5*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2])) + (d^3*(f*x)^(1 + m)*(a + b*\text{ArcCsc}[c*x]))/(f*(1 + m)) + (3*d^2*e*(f*x)^(3 + m)*(a + b*\text{ArcCsc}[c*x]))/(f^3*(3 + m)) + (3*d*e^2*(f*x)^(5 + m)*(a + b*\text{ArcCsc}[c*x]))/(f^5*(5 + m)) + (e^3*(f*x)^(7 + m)*(a + b*\text{ArcCsc}[c*x]))/(f^7*(7 + m)) + (b*((c^6*d^3*(2 + m)*(4 + m)*(6 + m))/(1 + m) + (e*(1 + m)*(e^2*(15 + 8*m + m^2)^2 + 3*c^2*d*e*(3 + m)^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4)))/((3 + m)*(5 + m)*(7 + m)))*x*(f*x)^(1 + m)*\text{Sqrt}[1 - c^2*x^2]*\text{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/((c^5*f*(2 + m)*(4 + m)*(6 + m)*\text{Sqrt}[c^2*x^2])*Sqrt[-1 + c^2*x^2])$$

Rubi [A] time = 2.40489, antiderivative size = 566, normalized size of antiderivative = 0.97, number of steps used = 6, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.304, Rules used = {270, 5239, 1809, 1267, 459, 365, 364}

$$\frac{3d^2e(fx)^{m+3} \left(a + b \csc^{-1}(cx) \right)}{f^3(m+3)} + \frac{d^3(fx)^{m+1} \left(a + b \csc^{-1}(cx) \right)}{f(m+1)} + \frac{3de^2(fx)^{m+5} \left(a + b \csc^{-1}(cx) \right)}{f^5(m+5)} + \frac{e^3(fx)^{m+7} \left(a + b \csc^{-1}(cx) \right)}{f^7(m+7)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(f*x)^m*(d + e*x^2)^3*(a + b*\text{ArcCsc}[c*x]), x]$

[Out]
$$(b*e*(e^{2*(15 + 8*m + m^2)^2} + 3*c^2*d*e*(3 + m)^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4))*x*(f*x)^(1 + m)*\text{Sqrt}[-1 + c^2*x^2]/(c^5*f*(2 + m)*(3 + m)*(4 + m)*(5 + m)*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2]) + (b*e^2*(e*(5 + m)^2 + 3*c^2*d*(42 + 13*m + m^2))*x*(f*x)^(3 + m)*\text{Sqrt}[-1 + c^2*x^2])/((c^3*f^3*(4 + m)*(5 + m)*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2])) + (b*e^3*x*(f*x)^(5 + m)*\text{Sqrt}[-1 + c^2*x^2])/((c*f^5*(6 + m)*(7 + m)*\text{Sqrt}[c^2*x^2])) + (d^3*(f*x)^(1 + m)*(a + b*\text{ArcCsc}[c*x]))/(f*(1 + m)) + (3*d^2*e*(f*x)^(3 + m)*(a + b*\text{ArcCsc}[c*x]))/(f^3*(3 + m)) + (3*d*e^2*(f*x)^(5 + m)*(a + b*\text{ArcCsc}[c*x]))/(f^5*(5 + m)) + (e^3*(f*x)^(7 + m)*(a + b*\text{ArcCsc}[c*x]))/(f^7*(7 + m)) + (b*c*(d^3/(1 + m)^2 + (e*(e^2*(15 + 8*m + m^2)^2 + 3*c^2*d^2*(42 + 13*m + m^2) + 3*c^4*d^2*(840 + 638*m + 179*m^2 + 22*m^3 + m^4)))/((c^6*(2 + m)*(3 + m)*(4 + m)*(5 + m)*(6 + m)*(7 + m)))*x*(f*x)^(1 + m)*\text{Sqrt}[1 - c^2*x^2]*\text{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/((f*Sqrt[c^2*x^2])*Sqrt[-1 + c^2*x^2])$$

Rule 270

$\text{Int}[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \Rightarrow \text{Int}[\text{Exp} \text{andIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \&&$

$\text{IGtQ}[p, 0]$

Rule 5239

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (IGtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q - 1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rule 1267

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^(p*(m + 4*p - 1))*x^(4*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.*((c_) + (d_.)*(x_)^(n_))), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])
```

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2)^3 (a + b \csc^{-1}(cx)) dx &= \frac{d^3(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{3d^2e(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} + \frac{3de^2(fx)^{5+m} (a + b \csc^{-1}(cx))}{f^5(5+m)} \\
&= \frac{be^3x(fx)^{5+m} \sqrt{-1 + c^2x^2}}{cf^5(6+m)(7+m)\sqrt{c^2x^2}} + \frac{d^3(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{3d^2e(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} \\
&= \frac{be^2(e(5+m)^2 + 3c^2d(42 + 13m + m^2))x(fx)^{3+m} \sqrt{-1 + c^2x^2}}{c^3f^3(4+m)(5+m)(6+m)(7+m)\sqrt{c^2x^2}} + \frac{be^3x(fx)^{5+m} (a + b \csc^{-1}(cx))}{cf^5(6+m)(7+m)} \\
&= \frac{be(e^2(15 + 8m + m^2)^2 + 3c^2de(3+m)^2(42 + 13m + m^2) + 3c^4d^2(840 + 638m + 13m^2))}{c^5f(2+m)(3+m)(4+m)(5+m)(6+m)(7+m)} \\
&= \frac{be(e^2(15 + 8m + m^2)^2 + 3c^2de(3+m)^2(42 + 13m + m^2) + 3c^4d^2(840 + 638m + 13m^2))}{c^5f(2+m)(3+m)(4+m)(5+m)(6+m)(7+m)}
\end{aligned}$$

Mathematica [A] time = 1.67206, size = 402, normalized size = 0.69

$$x(fx)^m \left(\frac{3ad^2ex^2}{m+3} + \frac{ad^3}{m+1} + \frac{3ade^2x^4}{m+5} + \frac{ae^3x^6}{m+7} - \frac{3bcd^2ex^3 \sqrt{1 - \frac{1}{c^2x^2}} {}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; c^2x^2\right)}{(m+3)^2\sqrt{1 - c^2x^2}} - \frac{bcd^3x \sqrt{1 - \frac{1}{c^2x^2}} {}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; c^2x^2\right)}{(m+1)^2\sqrt{1 - c^2x^2}} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(f*x)^m*(d + e*x^2)^3*(a + b*ArcCsc[c*x]), x]`

[Out] $x*(f*x)^m*((a*d^3)/(1+m) + (3*a*d^2*e*x^2)/(3+m) + (3*a*d*e^2*x^4)/(5+m) + (a*e^3*x^6)/(7+m) + (b*d^3*ArcCsc[c*x])/(1+m) + (3*b*d^2*e*x^2*ArcCsc[c*x])/(3+m) + (3*b*d*e^2*x^4*ArcCsc[c*x])/(5+m) + (b*e^3*x^6*ArcCsc[c*x])/(7+m) - (b*c*d^3*Sqrt[1 - 1/(c^2*x^2)]*x*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/((1+m)^2*Sqrt[1 - c^2*x^2]) - (3*b*c*d^2*e^2*Sqrt[1 - 1/(c^2*x^2)]*x^3*Hypergeometric2F1[1/2, (3+m)/2, (5+m)/2, c^2*x^2])/((3+m)^2*Sqrt[1 - c^2*x^2]) - (3*b*c*d*e^2*Sqrt[1 - 1/(c^2*x^2)]*x^5*Hypergeometric2F1[1/2, (5+m)/2, (7+m)/2, c^2*x^2])/((5+m)^2*Sqrt[1 - c^2*x^2]) - (b*c*e^3*Sqrt[1 - 1/(c^2*x^2)]*x^7*Hypergeometric2F1[1/2, (7+m)/2, (9+m)/2, c^2*x^2])/((7+m)^2*Sqrt[1 - c^2*x^2]))$

Maple [F] time = 8.362, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^3 (a + b \operatorname{arccsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((f*x)^m * (e*x^2 + d)^3 * (a + b*arccsc(c*x)), x)$

[Out] $\int ((f*x)^m * (e*x^2 + d)^3 * (a + b*arccsc(c*x)), x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (e*x^2 + d)^3 * (a + b*arccsc(c*x)), x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ae^3x^6 + 3ade^2x^4 + 3ad^2ex^2 + ad^3 + (be^3x^6 + 3bde^2x^4 + 3bd^2ex^2 + bd^3)\arccsc(cx)\right)(fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (e*x^2 + d)^3 * (a + b*arccsc(c*x)), x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((a*e^3*x^6 + 3*a*d*e^2*x^4 + 3*a*d^2*x^2 + a*d^3 + (b*e^3*x^6 + 3*b*d*e^2*x^4 + 3*b*d^2*x^2 + b*d^3)*\arccsc(cx))*(f*x)^m, x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^{**m} * (e*x^{**2} + d)^{**3} * (a + b*acsc(c*x)), x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^3 (b \arccsc(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (e*x^2 + d)^3 * (a + b*arccsc(c*x)), x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((e*x^2 + d)^3 * (b*\arccsc(cx) + a)*(f*x)^m, x)$

$$\mathbf{3.166} \quad \int (fx)^m (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=371

$$\frac{d^2(fx)^{m+1} (a + b \csc^{-1}(cx))}{f(m+1)} + \frac{2de(fx)^{m+3} (a + b \csc^{-1}(cx))}{f^3(m+3)} + \frac{e^2(fx)^{m+5} (a + b \csc^{-1}(cx))}{f^5(m+5)} + \frac{bx\sqrt{1 - c^2x^2}(fx)^{m+1} (c^4d^2($$

[Out] $(b*e*(e*(3 + m)^2 + 2*c^2*d*(20 + 9*m + m^2))*x*(f*x)^(1 + m)*Sqrt[-1 + c^2*x^2])/(c^3*f*(2 + m)*(3 + m)*(4 + m)*(5 + m)*Sqrt[c^2*x^2]) + (b*e^2*x*(f*x)^(3 + m)*Sqrt[-1 + c^2*x^2])/(c*f^3*(4 + m)*(5 + m)*Sqrt[c^2*x^2]) + (d^2*(f*x)^(1 + m)*(a + b*ArcCsc[c*x]))/(f*(1 + m)) + (2*d*e*(f*x)^(3 + m)*(a + b*ArcCsc[c*x]))/(f^3*(3 + m)) + (e^2*(f*x)^(5 + m)*(a + b*ArcCsc[c*x]))/(f^5*(5 + m)) + (b*(c^4*d^2*(2 + m)*(3 + m)*(4 + m)*(5 + m) + e*(1 + m)^2*(e*(3 + m)^2 + 2*c^2*d*(20 + 9*m + m^2)))*x*(f*x)^(1 + m)*Sqrt[1 - c^2*x^2])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(c^3*f*(1 + m)^2*(2 + m)*(3 + m)*(4 + m)*(5 + m)*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2])$

Rubi [A] time = 0.432032, antiderivative size = 352, normalized size of antiderivative = 0.95, number of steps used = 6, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.304, Rules used = {270, 5239, 12, 1267, 459, 365, 364}

$$\frac{d^2(fx)^{m+1} (a + b \csc^{-1}(cx))}{f(m+1)} + \frac{2de(fx)^{m+3} (a + b \csc^{-1}(cx))}{f^3(m+3)} + \frac{e^2(fx)^{m+5} (a + b \csc^{-1}(cx))}{f^5(m+5)} + \frac{bcx\sqrt{1 - c^2x^2}(fx)^{m+1} \left(\frac{e(2c^2}{c^4}\right)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(f*x)^m * (d + e*x^2)^2 * (a + b*ArcCsc[c*x]), x]$

[Out] $(b*e*(e*(3 + m)^2 + 2*c^2*d*(20 + 9*m + m^2))*x*(f*x)^(1 + m)*Sqrt[-1 + c^2*x^2])/(c^3*f*(2 + m)*(3 + m)*(4 + m)*(5 + m)*Sqrt[c^2*x^2]) + (b*e^2*x*(f*x)^(3 + m)*Sqrt[-1 + c^2*x^2])/(c*f^3*(4 + m)*(5 + m)*Sqrt[c^2*x^2]) + (d^2*(f*x)^(1 + m)*(a + b*ArcCsc[c*x]))/(f*(1 + m)) + (2*d*e*(f*x)^(3 + m)*(a + b*ArcCsc[c*x]))/(f^3*(3 + m)) + (e^2*(f*x)^(5 + m)*(a + b*ArcCsc[c*x]))/(f^5*(5 + m)) + (b*c*(d^2/(1 + m)^2 + (e*(e*(3 + m)^2 + 2*c^2*d*(20 + 9*m + m^2)))*x*(f*x)^(1 + m)*Sqrt[1 - c^2*x^2])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(f*Sqrt[c^2*x^2]*Sqrt[-1 + c^2*x^2])$

Rule 270

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpAndIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

Rule 5239

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*((f_)*(x_)^(m_))*(d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegrand[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x]] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1267

```
Int[((f_)*(x_))^(m_)*(d_ + (e_)*(x_)^2)^(q_)*(a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 459

```
Int[((e_)*(x_))^(m_)*(a_ + (b_)*(x_)^(n_))^(p_)*(c_ + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 365

```
Int[((c_)*(x_))^(m_)*(a_ + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 364

```
Int[((c_)*(x_))^(m_)*(a_ + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])
```

Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2)^2 (a + b \csc^{-1}(cx)) dx &= \frac{d^2(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} + \frac{e^2(fx)^{5+m} (a + b \csc^{-1}(cx))}{f^5(5+m)} \\
&= \frac{d^2(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} + \frac{e^2(fx)^{5+m} (a + b \csc^{-1}(cx))}{f^5(5+m)} \\
&= \frac{be^2x(fx)^{3+m}\sqrt{-1+c^2x^2}}{cf^3(4+m)(5+m)\sqrt{c^2x^2}} + \frac{d^2(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} \\
&= \frac{be(e(3+m)^2 + 2c^2d(20+9m+m^2))x(fx)^{1+m}\sqrt{-1+c^2x^2}}{c^3f(2+m)(4+m)(15+8m+m^2)\sqrt{c^2x^2}} + \frac{be^2x(fx)^{3+m}\sqrt{-1+c^2x^2}}{cf^3(4+m)(5+m)} \\
&= \frac{be(e(3+m)^2 + 2c^2d(20+9m+m^2))x(fx)^{1+m}\sqrt{-1+c^2x^2}}{c^3f(2+m)(4+m)(15+8m+m^2)\sqrt{c^2x^2}} + \frac{be^2x(fx)^{3+m}\sqrt{-1+c^2x^2}}{cf^3(4+m)(5+m)} \\
&= \frac{be(e(3+m)^2 + 2c^2d(20+9m+m^2))x(fx)^{1+m}\sqrt{-1+c^2x^2}}{c^3f(2+m)(4+m)(15+8m+m^2)\sqrt{c^2x^2}} + \frac{be^2x(fx)^{3+m}\sqrt{-1+c^2x^2}}{cf^3(4+m)(5+m)}
\end{aligned}$$

Mathematica [A] time = 0.845237, size = 293, normalized size = 0.79

$$x(fx)^m \left(\frac{ad^2}{m+1} + \frac{2adex^2}{m+3} + \frac{ae^2x^4}{m+5} - \frac{bcd^2x\sqrt{1-\frac{1}{c^2x^2}}{}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{(m+1)^2\sqrt{1-c^2x^2}} - \frac{2bcdex^3\sqrt{1-\frac{1}{c^2x^2}}{}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; c^2x^2\right)}{(m+3)^2\sqrt{1-c^2x^2}} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(f*x)^m*(d + e*x^2)^2*(a + b*ArcCsc[c*x]), x]`

[Out] $x*(f*x)^m*((a*d^2)/(1+m) + (2*a*d*e*x^2)/(3+m) + (a*e^2*x^4)/(5+m) + (b*d^2*ArcCsc[c*x])/(1+m) + (2*b*d*e*x^2*ArcCsc[c*x])/(3+m) + (b*e^2*x^4*ArcCsc[c*x])/(5+m) - (b*c*d^2*2*sqrt[1 - 1/(c^2*x^2)]*x*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/((1+m)^2*sqrt[1 - c^2*x^2]) - (2*b*c*d*e*sqrt[1 - 1/(c^2*x^2)]*x^3*Hypergeometric2F1[1/2, (3+m)/2, (5+m)/2, c^2*x^2])/((3+m)^2*sqrt[1 - c^2*x^2]) - (b*c*e^2*sqrt[1 - 1/(c^2*x^2)]*x^5*Hypergeometric2F1[1/2, (5+m)/2, (7+m)/2, c^2*x^2])/((5+m)^2*sqrt[1 - c^2*x^2]))$

Maple [F] time = 4.826, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^2 (a + b \operatorname{arccsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)^2*(a+b*arccsc(c*x)), x)`

[Out] `int((f*x)^m*(e*x^2+d)^2*(a+b*arccsc(c*x)), x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ae^2x^4 + 2adex^2 + ad^2 + \left(be^2x^4 + 2bdex^2 + bd^2\right)\text{arccsc}(cx)\right)(fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arccsc(c*x))*(f*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)**2*(a+b*acsc(c*x)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2(b \text{arccsc}(cx) + a)(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^2*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arccsc(c*x) + a)*(f*x)^m, x)`

$$\mathbf{3.167} \quad \int (fx)^m \left(d + ex^2 \right) \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=215

$$\frac{d(fx)^{m+1} \left(a + b \csc^{-1}(cx) \right)}{f(m+1)} + \frac{e(fx)^{m+3} \left(a + b \csc^{-1}(cx) \right)}{f^3(m+3)} + \frac{bx\sqrt{1-c^2x^2}(fx)^{m+1} \left(c^2d(m+2)(m+3) + e(m+1)^2 \right) {}_2F_1 \left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \frac{-c^2x^2}{1-c^2x^2} \right)}{cf(m+1)^2(m+2)(m+3)\sqrt{c^2x^2}\sqrt{c^2x^2-1}}$$

[Out]
$$(b*e*x*(f*x)^(1+m)*Sqrt[-1+c^2*x^2])/(c*f*(6+5*m+m^2)*Sqrt[c^2*x^2]) + (d*(f*x)^(1+m)*(a+b*ArcCsc[c*x]))/(f*(1+m)) + (e*(f*x)^(3+m)*(a+b*ArcCsc[c*x]))/(f^3*(3+m)) + (b*(e*(1+m)^2+c^2*d*(2+m)*(3+m))*x*x*(f*x)^(1+m)*Sqrt[1-c^2*x^2])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2]/(c*f*(1+m)^2*(2+m)*(3+m)*Sqrt[c^2*x^2]*Sqrt[-1+c^2*x^2])$$

Rubi [A] time = 0.193828, antiderivative size = 202, normalized size of antiderivative = 0.94, number of steps used = 5, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.286, Rules used = {14, 5239, 12, 459, 365, 364}

$$\frac{d(fx)^{m+1} \left(a + b \csc^{-1}(cx) \right)}{f(m+1)} + \frac{e(fx)^{m+3} \left(a + b \csc^{-1}(cx) \right)}{f^3(m+3)} + \frac{bcx\sqrt{1-c^2x^2}(fx)^{m+1} \left(\frac{e}{c^2(m+2)(m+3)} + \frac{d}{(m+1)^2} \right) {}_2F_1 \left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \frac{-c^2x^2}{1-c^2x^2} \right)}{f\sqrt{c^2x^2}\sqrt{c^2x^2-1}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(f*x)^m*(d+e*x^2)*(a+b*ArcCsc[c*x]), x]$

[Out]
$$(b*e*x*(f*x)^(1+m)*Sqrt[-1+c^2*x^2])/(c*f*(6+5*m+m^2)*Sqrt[c^2*x^2]) + (d*(f*x)^(1+m)*(a+b*ArcCsc[c*x]))/(f*(1+m)) + (e*(f*x)^(3+m)*(a+b*ArcCsc[c*x]))/(f^3*(3+m)) + (b*c*(d/(1+m)^2+e/(c^2*(2+m)*(3+m)))*x*x*(f*x)^(1+m)*Sqrt[1-c^2*x^2])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2]/(f*Sqrt[c^2*x^2]*Sqrt[-1+c^2*x^2])$$

Rule 14

```
Int[(u_)*((c_.)*(x_.))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 5239

```
Int[((a_.) + ArcCsc[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d+e*x^2)^p, x]}, Dist[a + b*ArcCsc[c*x], u, x] + Dist[(b*c*x)/Sqrt[c^2*x^2], Int[SimplifyIntegr and[u/(x*Sqrt[c^2*x^2 - 1]), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && ((IGtQ[p, 0] && !(ILtQ[(m - 1)/2, 0] && GtQ[m + 2*p + 3, 0])) || (GtQ[(m + 1)/2, 0] && !(ILtQ[p, 0] && GtQ[m + 2*p + 3, 0])) || (ILtQ[(m + 2*p + 1)/2, 0] && !ILtQ[(m - 1)/2, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 459

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simplify[(d*(e*x)^(m+1)*(a + b*x^n)^(p+1))/(b*e*(m+n*(p+1)+1)), x] - Dist[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(b*(m+n*(p+1)+1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p+1)+1, 0]
```

Rule 365

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 364

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simplify[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])
```

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (a + b \csc^{-1}(cx)) dx &= \frac{d(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} + \frac{(bcx) \int \frac{(fx)^m (d(3+ \\ &= \frac{d(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} + \frac{(bcx) \int \frac{(fx)^m (d(3+ \\ &= \frac{bex(fx)^{1+m} \sqrt{-1+c^2x^2}}{cf(6+5m+m^2) \sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} \\ &= \frac{bex(fx)^{1+m} \sqrt{-1+c^2x^2}}{cf(6+5m+m^2) \sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} \\ &= \frac{bex(fx)^{1+m} \sqrt{-1+c^2x^2}}{cf(6+5m+m^2) \sqrt{c^2x^2}} + \frac{d(fx)^{1+m} (a + b \csc^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \csc^{-1}(cx))}{f^3(3+m)} \end{aligned}$$

Mathematica [A] time = 0.511153, size = 171, normalized size = 0.8

$$x(fx)^m \left(\frac{\frac{(m+3)(d(m+3)+e(m+1)x^2)(a+b \csc^{-1}(cx))}{m+1} - \frac{bcex^3 \sqrt{1-\frac{1}{c^2x^2}} {}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; c^2x^2\right)}{\sqrt{1-c^2x^2}} - \frac{bcdx \sqrt{1-\frac{1}{c^2x^2}} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{(m+1)^2 \sqrt{1-c^2x^2}} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(f*x)^m*(d + e*x^2)*(a + b*ArcCsc[c*x]), x]`

[Out] $x*(f*x)^m*(-((b*c*d*Sqrt[1 - 1/(c^2*x^2)])*x*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/((1 + m)^2*Sqrt[1 - c^2*x^2])) + (((3 + m)*(d*(3 + m) + e*(1 + m)*x^2)*(a + b*ArcCsc[c*x]))/(1 + m) - (b*c*e*Sqrt[1 - 1/(c^2*x^2)])*x^3*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, c^2*x^2])/Sqrt[1 - c^2*x^2]$

$2*x^2])/(3 + m)^2)$

Maple [F] time = 3.074, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d) (a + b \operatorname{arccsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)*(a+b*arccsc(c*x)),x)`

[Out] `int((f*x)^m*(e*x^2+d)*(a+b*arccsc(c*x)),x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(aex^2 + ad + (bex^2 + bd) \operatorname{arccsc}(cx)\right) (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arccsc(c*x))*(f*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)*(a+b*acsc(c*x)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \operatorname{arccsc}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(b*arccsc(c*x) + a)*(f*x)^m, x)`

3.168 $\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{d+ex^2} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{(fx)^m(a+b \csc^{-1}(cx))}{d+ex^2}, x\right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2), x]

Rubi [A] time = 0.0751858, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{d+ex^2} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2), x]

[Out] Defer[Int[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2), x]]

Rubi steps

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{d+ex^2} dx = \int \frac{(fx)^m(a+b \csc^{-1}(cx))}{d+ex^2} dx$$

Mathematica [A] time = 1.92326, size = 0, normalized size = 0.

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{d+ex^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2), x]]

Maple [A] time = 2.106, size = 0, normalized size = 0.

$$\int \frac{(fx)^m(a+b \operatorname{arccsc}(cx))}{ex^2+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d), x)

[Out] int((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d), x)]

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a) (fx)^m}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="maxima")`

[Out] `integrate((b*arccsc(c*x) + a)*(f*x)^m/(e*x^2 + d), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(b \operatorname{arccsc}(cx) + a) (fx)^m}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)*(f*x)^m/(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*acsc(c*x))/(e*x**2+d),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a) (fx)^m}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*(f*x)^m/(e*x^2 + d), x)`

3.169 $\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$

Optimal. Leaf size=25

$$\text{Unintegrable}\left(\frac{(fx)^m(a+b \csc^{-1}(cx))}{(d+ex^2)^2}, x\right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]

Rubi [A] time = 0.0741915, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]

[Out] Defer[Int[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]]

Rubi steps

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx = \int \frac{(fx)^m(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$$

Mathematica [A] time = 2.64339, size = 0, normalized size = 0.

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{(d+ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]

[Out] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^2, x]

Maple [A] time = 2.455, size = 0, normalized size = 0.

$$\int \frac{(fx)^m(a+b \operatorname{arccsc}(cx))}{(ex^2+d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^{2+d})^2, x)$

[Out] $\int ((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^{2+d})^2, x)$

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \text{arccsc}(cx) + a) (fx)^m}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^{2+d})^2, x, \text{algorithm}=\text{"maxima"})$

[Out] $\text{integrate}((b * \text{arccsc}(c*x) + a) * (f*x)^m / (e*x^2 + d)^2, x)$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b \text{arccsc}(cx) + a) (fx)^m}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^{2+d})^2, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}((b * \text{arccsc}(c*x) + a) * (f*x)^m / (e^2 x^4 + 2 d e x^2 + d^2), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^{**m} * (a + b * \text{acsc}(c*x)) / (e*x^{**2+d})^{**2}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \text{arccsc}(cx) + a) (fx)^m}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^{2+d})^2, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b * \text{arccsc}(c*x) + a) * (f*x)^m / (e*x^2 + d)^2, x)$

$$\mathbf{3.170} \quad \int (fx)^m (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) dx$$

Optimal. Leaf size=27

$$\text{Unintegrable}\left(\left(d + ex^2\right)^{3/2} (fx)^m (a + b \csc^{-1}(cx)), x\right)$$

[Out] Unintegrable[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.11548, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

[Out] Defer[Int][(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) dx = \int (fx)^m (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) dx$$

Mathematica [A] time = 1.0844, size = 0, normalized size = 0.

$$\int (fx)^m (d + ex^2)^{3/2} (a + b \csc^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

[Out] Integrate[(f*x)^m*(d + e*x^2)^(3/2)*(a + b*ArcCsc[c*x]), x]

Maple [A] time = 3.12, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^{3/2} (a + b \operatorname{arccsc}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)

[Out] int((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (b \operatorname{arccsc}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arccsc(c*x) + a)*(f*x)^m, x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(aex^2 + ad + (bex^2 + bd) \operatorname{arccsc}(cx)\right) \sqrt{ex^2 + d} (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="fricas")`

[Out] `integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arccsc(c*x))*sqrt(e*x^2 + d)*(f*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)**(3/2)*(a+b*acsc(c*x)),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^{\frac{3}{2}} (b \operatorname{arccsc}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)^(3/2)*(a+b*arccsc(c*x)),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^(3/2)*(b*arccsc(c*x) + a)*(f*x)^m, x)`

$$\mathbf{3.171} \quad \int (fx)^m \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Optimal. Leaf size=27

$$\text{Unintegrable}\left(\sqrt{d + ex^2}(fx)^m \left(a + b \csc^{-1}(cx)\right), x\right)$$

[Out] Unintegrable[(f*x)^m*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Rubi [A] time = 0.0972978, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int (fx)^m \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Verification is Not applicable to the result.

[In] Int[(f*x)^m*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

[Out] Defer[Int][(f*x)^m*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Rubi steps

$$\int (fx)^m \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx = \int (fx)^m \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Mathematica [A] time = 0.108481, size = 0, normalized size = 0.

$$\int (fx)^m \sqrt{d + ex^2} \left(a + b \csc^{-1}(cx) \right) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f*x)^m*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

[Out] Integrate[(f*x)^m*.Sqrt[d + e*x^2]*(a + b*ArcCsc[c*x]), x]

Maple [A] time = 5.697, size = 0, normalized size = 0.

$$\int (fx)^m (a + b \operatorname{arccsc}(cx)) \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)

[Out] int((f*x)^m*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d} (b \operatorname{arccsc}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)*(f*x)^m, x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\sqrt{ex^2 + d} (b \operatorname{arccsc}(cx) + a) (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)*(f*x)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*acsc(c*x))*(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d} (b \operatorname{arccsc}(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))*(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(e*x^2 + d)*(b*arccsc(c*x) + a)*(f*x)^m, x)`

$$\mathbf{3.172} \quad \int \frac{(fx)^m(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=27

$$\text{Unintegrable}\left(\frac{(fx)^m(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}}, x\right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

Rubi [A] time = 0.100059, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

[Out] Defер[Int[((f*x)^m*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

Rubi steps

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx = \int \frac{(fx)^m(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Mathematica [A] time = 1.40697, size = 0, normalized size = 0.

$$\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

[Out] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/Sqrt[d + e*x^2], x]

Maple [A] time = 7.631, size = 0, normalized size = 0.

$$\int (fx)^m(a+b \operatorname{arccsc}(cx)) \frac{1}{\sqrt{ex^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)

[Out] int((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a) (fx)^m}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate((b*arccsc(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(b \operatorname{arccsc}(cx) + a) (fx)^m}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral((b*arccsc(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*acsc(c*x))/(e*x**2+d)**(1/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a) (fx)^m}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*(f*x)^m/sqrt(e*x^2 + d), x)`

3.173 $\int \frac{(fx)^m(a+b \csc^{-1}(cx))}{(d+ex^2)^{3/2}} dx$

Optimal. Leaf size=27

$$\text{Unintegrable} \left(\frac{(fx)^m (a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

Rubi [A] time = 0.117209, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{(fx)^m (a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Defer[Int[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]]

Rubi steps

$$\int \frac{(fx)^m (a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}} dx = \int \frac{(fx)^m (a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Mathematica [A] time = 1.63662, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \csc^{-1}(cx))}{(d + ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]

[Out] Integrate[((f*x)^m*(a + b*ArcCsc[c*x]))/(d + e*x^2)^(3/2), x]]

Maple [A] time = 4.121, size = 0, normalized size = 0.

$$\int (fx)^m (a + b \operatorname{arccsc}(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(a+b*arccsc(c*x))/(e*x^2+d)^(3/2), x)

[Out] $\int ((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^2 + d)^{(3/2)}, x)$

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \text{arccsc}(cx) + a) (fx)^m}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^2 + d)^{(3/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] $\text{integrate}((b * \text{arccsc}(c*x) + a) * (f*x)^m / (e*x^2 + d)^{(3/2)}, x)$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d} (b \text{arccsc}(cx) + a) (fx)^m}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^2 + d)^{(3/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] $\text{integral}(\sqrt{e*x^2 + d} * (b * \text{arccsc}(c*x) + a) * (f*x)^m / (e^2*x^4 + 2*d*e*x^2 + d^2), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^{**m} * (a + b * \text{acsc}(c*x)) / (e*x^{**2+d})^{**(3/2)}, x)$

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \text{arccsc}(cx) + a) (fx)^m}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m * (a + b * \text{arccsc}(c*x)) / (e*x^2 + d)^{(3/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\text{integrate}((b * \text{arccsc}(c*x) + a) * (f*x)^m / (e*x^2 + d)^{(3/2)}, x)$

3.174 $\int \frac{x^{11}(a+b \csc^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$

Optimal. Leaf size=401

$$-\frac{(1-c^4x^4)^{5/2}(a+b \csc^{-1}(cx))}{10c^{12}} + \frac{(1-c^4x^4)^{3/2}(a+b \csc^{-1}(cx))}{3c^{12}} - \frac{\sqrt{1-c^4x^4}(a+b \csc^{-1}(cx))}{2c^{12}} - \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^9}{90c^{13}x\sqrt{1-\frac{1}{c^2x^2}}}$$

$$\begin{aligned} [\text{Out}] \quad & (-4*b*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + c^2*x^2])/(15*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) \\ & + (7*b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(90*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (13*b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(150*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (3*b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(7/2))/(70*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(9/2))/(90*c^{13}*\text{Sqr}t[1 - 1/(c^2*x^2)]*x) - (\text{Sqrt}[1 - c^4*x^4]*(a + b*\text{ArcCsc}[c*x]))/(2*c^{12}) + ((1 - c^4*x^4)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*c^{12}) - ((1 - c^4*x^4)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(10*c^{12}) + (4*b*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[\text{Sqrt}[1 + c^2*x^2]])/(15*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) \end{aligned}$$

Rubi [A] time = 2.52723, antiderivative size = 401, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.423, Rules used = {266, 43, 5247, 12, 6721, 6742, 848, 50, 63, 208, 783}

$$-\frac{(1-c^4x^4)^{5/2}(a+b \csc^{-1}(cx))}{10c^{12}} + \frac{(1-c^4x^4)^{3/2}(a+b \csc^{-1}(cx))}{3c^{12}} - \frac{\sqrt{1-c^4x^4}(a+b \csc^{-1}(cx))}{2c^{12}} - \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^9}{90c^{13}x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^{11}*(a + b*\text{ArcCsc}[c*x]))/\text{Sqrt}[1 - c^4*x^4], x]$

$$\begin{aligned} [\text{Out}] \quad & (-4*b*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + c^2*x^2])/(15*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) \\ & + (7*b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(90*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (13*b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(150*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) + (3*b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(7/2))/(70*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (b*\text{Sqrt}[1 - c^2*x^2]*(1 + c^2*x^2)^(9/2))/(90*c^{13}*\text{Sqr}t[1 - 1/(c^2*x^2)]*x) - (\text{Sqrt}[1 - c^4*x^4]*(a + b*\text{ArcCsc}[c*x]))/(2*c^{12}) + ((1 - c^4*x^4)^(3/2)*(a + b*\text{ArcCsc}[c*x]))/(3*c^{12}) - ((1 - c^4*x^4)^(5/2)*(a + b*\text{ArcCsc}[c*x]))/(10*c^{12}) + (4*b*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[\text{Sqrt}[1 + c^2*x^2]])/(15*c^{13}*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) \end{aligned}$$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x]; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x]; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_.) + ArcCsc[(c_.)*(x_)]*(b_.))*(u_), x_Symbol] :> With[{v = IntHide
[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[SimplifyIntegrand[v/
(x^2*.Sqrt[1 - 1/(c^2*x^2))], x], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[(u_)*(a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a +
b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), In
t[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[
p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 848

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (c_.)*(x_)^2
)^p., x_Symbol] :> Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c*x)/e)^p,
x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(
b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 783

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^p.,
x_Symbol] :> Int[(d + e*x)^(m + p)*(f + g*x)*(a/d + (c*x)/e)^p, x] /; F
reeQ[{a, c, d, e, f, g, m}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] ||
(GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{11} (a + b \csc^{-1}(cx))}{\sqrt{1 - c^4 x^4}} dx &= -\frac{\sqrt{1 - c^4 x^4} (a + b \csc^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \csc^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \csc^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \csc^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \csc^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \csc^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \csc^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \csc^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \csc^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \csc^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \csc^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \csc^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \csc^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \csc^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \csc^{-1}(cx))}{10c^{12}} \\
&= -\frac{\sqrt{1 - c^4 x^4} (a + b \csc^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \csc^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \csc^{-1}(cx))}{10c^{12}} \\
&= -\frac{4b\sqrt{1 - c^2 x^2}\sqrt{1 + c^2 x^2}}{15c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} - \frac{\sqrt{1 - c^4 x^4} (a + b \csc^{-1}(cx))}{2c^{12}} + \frac{(1 - c^4 x^4)^{3/2} (a + b \csc^{-1}(cx))}{3c^{12}} - \frac{(1 - c^4 x^4)^{5/2} (a + b \csc^{-1}(cx))}{10c^{12}} \\
&= -\frac{4b\sqrt{1 - c^2 x^2}\sqrt{1 + c^2 x^2}}{15c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} + \frac{7b\sqrt{1 - c^2 x^2}(1 + c^2 x^2)^{3/2}}{90c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} - \frac{13b\sqrt{1 - c^2 x^2}(1 + c^2 x^2)^{5/2}}{150c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} + \frac{3b\sqrt{1 - c^2 x^2}\sqrt{1 + c^2 x^2}}{75c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} \\
&= -\frac{4b\sqrt{1 - c^2 x^2}\sqrt{1 + c^2 x^2}}{15c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} + \frac{7b\sqrt{1 - c^2 x^2}(1 + c^2 x^2)^{3/2}}{90c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} - \frac{13b\sqrt{1 - c^2 x^2}(1 + c^2 x^2)^{5/2}}{150c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}} + \frac{3b\sqrt{1 - c^2 x^2}\sqrt{1 + c^2 x^2}}{75c^{13}\sqrt{1 - \frac{1}{c^2 x^2}x}}
\end{aligned}$$

Mathematica [A] time = 0.290755, size = 194, normalized size = 0.48

$$\frac{105a\sqrt{1 - c^4 x^4} (3c^8 x^8 + 4c^4 x^4 + 8) + \frac{bcx\sqrt{1 - \frac{1}{c^2 x^2}}\sqrt{1 - c^4 x^4}(35c^8 x^8 + 5c^6 x^6 + 78c^4 x^4 + 36c^2 x^2 + 768)}{c^2 x^2 - 1} + 840b\tan^{-1}\left(\frac{cx\sqrt{1 - \frac{1}{c^2 x^2}}}{\sqrt{1 - c^4 x^4}}\right) + 105b\sqrt{1 - c^2 x^2}\sqrt{1 + c^2 x^2}}{3150c^{12}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(a + b*ArcCsc[c*x]))/Sqrt[1 - c^4*x^4], x]

[Out] $-(105a\sqrt{1 - c^4 x^4} * (8 + 4c^4 x^4 + 3c^8 x^8) + (b*c\sqrt{1 - 1/(c^2 x^2)} * x * \sqrt{1 - c^4 x^4} * (768 + 36c^2 x^2 + 78c^4 x^4 + 5c^6 x^6 + 35c^8 x^8)) / (-1 + c^2 x^2) + 105b\sqrt{1 - c^4 x^4} * (8 + 4c^4 x^4 + 3c^8 x^8) * \text{ArcCsc}[c*x] + 840b\sqrt{1 - 1/(c^2 x^2)} * x / \sqrt{1 - c^4 x^4}$

4]])/(3150*c^12)

Maple [F] time = 22.796, size = 0, normalized size = 0.

$$\int x^{11} (a + b \operatorname{arccsc}(cx)) \frac{1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^11*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x)`

[Out] `int(x^11*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{30} a \left(\frac{3 (-c^4 x^4 + 1)^{\frac{5}{2}}}{c^{12}} - \frac{10 (-c^4 x^4 + 1)^{\frac{3}{2}}}{c^{12}} + \frac{15 \sqrt{-c^4 x^4 + 1}}{c^{12}} \right) + \frac{c^{12} \int \frac{(3 c^{10} x^{11} + 3 c^8 x^9 + 4 c^6 x^7 + 4 c^4 x^5 + 8 c^2 x^3 + 8 x) e^{\left(-\frac{1}{2} \log(c^2 x^2 + 1) + \frac{1}{2} \log(c x + 1) - \frac{1}{2} \log(c x - 1)\right)}}{(c x + 1)(c x - 1) \sqrt{-c x + 1} c^{10} + \sqrt{-c x + 1} c^{10}} dx}{c^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^11*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -\frac{1}{30} a (3(-c^4 x^4 + 1)^{5/2})/c^{12} - \frac{10(-c^4 x^4 + 1)^{3/2}}{c^{12}} + \frac{15 \sqrt{-c^4 x^4 + 1}}{c^{12}} \\ & + \frac{c^{12} \int (3 c^{10} x^{11} + 3 c^8 x^9 + 4 c^6 x^7 + 4 c^4 x^5 + 8 c^2 x^3 + 8 x) e^{\left(-\frac{1}{2} \log(c^2 x^2 + 1) + \frac{1}{2} \log(c x + 1) - \frac{1}{2} \log(c x - 1)\right)}}{(c x + 1)(c x - 1) \sqrt{-c x + 1} c^{10} + \sqrt{-c x + 1} c^{10}} dx \end{aligned}$$

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^11*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**11*(a+b*acsc(c*x))/(-c**4*x**4+1)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^{11}}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^11*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^11/sqrt(-c^4*x^4 + 1), x)`

3.175 $\int \frac{x^7(a+b \csc^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$

Optimal. Leaf size=268

$$\frac{(1-c^4x^4)^{3/2}(a+b \csc^{-1}(cx))}{6c^8} - \frac{\sqrt{1-c^4x^4}(a+b \csc^{-1}(cx))}{2c^8} - \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{5/2}}{30c^9x\sqrt{1-\frac{1}{c^2x^2}}} + \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{3/2}}{18c^9x\sqrt{1-\frac{1}{c^2x^2}}}$$

```
[Out] -(b*.Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) +
(b*.Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(18*c^9*Sqrt[1 - 1/(c^2*x^2)]*x)
- (b*.Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(30*c^9*Sqrt[1 - 1/(c^2*x^2)]*x
) - (Sqrt[1 - c^4*x^4]*(a + b*ArcCsc[c*x]))/(2*c^8) + ((1 - c^4*x^4)^(3/2)*
(a + b*ArcCsc[c*x]))/(6*c^8) + (b*.Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^
2]])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x)
```

Rubi [A] time = 2.0272, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.423, Rules used = {266, 43, 5247, 12, 6721, 6742, 848, 50, 63, 208, 783}

$$\frac{(1-c^4x^4)^{3/2}(a+b \csc^{-1}(cx))}{6c^8} - \frac{\sqrt{1-c^4x^4}(a+b \csc^{-1}(cx))}{2c^8} - \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{5/2}}{30c^9x\sqrt{1-\frac{1}{c^2x^2}}} + \frac{b\sqrt{1-c^2x^2}(c^2x^2+1)^{3/2}}{18c^9x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^7*(a + b*\text{ArcCsc}[c*x]))/\text{Sqrt}[1 - c^4*x^4], x]$

```
[Out] -(b*.Sqrt[1 - c^2*x^2]*Sqrt[1 + c^2*x^2])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x) +
(b*.Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(3/2))/(18*c^9*Sqrt[1 - 1/(c^2*x^2)]*x)
- (b*.Sqrt[1 - c^2*x^2]*(1 + c^2*x^2)^(5/2))/(30*c^9*Sqrt[1 - 1/(c^2*x^2)]*x
) - (Sqrt[1 - c^4*x^4]*(a + b*ArcCsc[c*x]))/(2*c^8) + ((1 - c^4*x^4)^(3/2)*
(a + b*ArcCsc[c*x]))/(6*c^8) + (b*.Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 + c^2*x^
2]])/(3*c^9*Sqrt[1 - 1/(c^2*x^2)]*x)
```

Rule 266

```
Int[(x_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5247

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(u_), x_Symbol] :> With[{v = IntHide
[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[Simplify[Integrand[v/
(x^2*Sqrt[1 - 1/(c^2*x^2))], x], x], x] /; InverseFunctionFreeQ[v, x]] /; F
reeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 6721

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(b^IntPart[p]*(a + b*x^n)^FracPart[p])/(x^(n*FracPart[p]))*(1 + a/(x^n*b))^FracPart[p]), Int[u*x^(n*p)*(1 + a/(x^n*b))^p, x], x] /; FreeQ[{a, b, p}, x] && !IntegerQ[p] && ILtQ[n, 0] && !RationalFunctionQ[u, x] && IntegerQ[p + 1/2]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 848

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d))/b + (d*x^p)/b]^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 783

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Int[(d + e*x)^(m + p)*(f + g*x)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7(a + b \csc^{-1}(cx))}{\sqrt{1 - c^4x^4}} dx &= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \csc^{-1}(cx))}{6c^8} + \frac{b \int \frac{(-2 - c^4x^4)\sqrt{1 - c^4x^4}}{6c^8 \sqrt{1 - \frac{1}{c^2x^2}x^2}} dx}{c} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \csc^{-1}(cx))}{6c^8} + \frac{b \int \frac{(-2 - c^4x^4)\sqrt{1 - c^4x^4}}{\sqrt{1 - \frac{1}{c^2x^2}x^2}} dx}{6c^9} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \csc^{-1}(cx))}{6c^8} + \frac{(b\sqrt{1 - c^2x^2}) \int \frac{(-2 - c^4x^4)}{x\sqrt{1 - \frac{1}{c^2x^2}x^2}} dx}{6c^9 \sqrt{1 - \frac{1}{c^2x^2}}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \csc^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^2x^2}) \text{Subst} \left(\int \frac{(-2 - c^4x^4)}{x\sqrt{1 - \frac{1}{c^2x^2}x^2}} dx \right)}{12c^9 \sqrt{1 - \frac{1}{c^2x^2}}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \csc^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^2x^2}) \text{Subst} \left(\int \frac{(-2 - c^4x^4)}{x\sqrt{1 - \frac{1}{c^2x^2}x^2}} dx \right)}{12c^9 \sqrt{1 - \frac{1}{c^2x^2}}} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \csc^{-1}(cx))}{6c^8} - \frac{(b\sqrt{1 - c^2x^2}) \text{Subst} \left(\int \frac{(-2 - c^4x^4)}{x\sqrt{1 - \frac{1}{c^2x^2}x^2}} dx \right)}{6c^9 \sqrt{1 - \frac{1}{c^2x^2}}} \\
&= -\frac{b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2x^2}x}} - \frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^8} + \frac{(1 - c^4x^4)^{3/2}(a + b \csc^{-1}(cx))}{6c^8} \\
&= -\frac{b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2x^2}x}} + \frac{b\sqrt{1 - c^2x^2}(1 + c^2x^2)^{3/2}}{18c^9 \sqrt{1 - \frac{1}{c^2x^2}x}} - \frac{b\sqrt{1 - c^2x^2}(1 + c^2x^2)^{5/2}}{30c^9 \sqrt{1 - \frac{1}{c^2x^2}x}} - \frac{\sqrt{1 - c^4x^4}}{90c^8} \\
&= -\frac{b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{3c^9 \sqrt{1 - \frac{1}{c^2x^2}x}} + \frac{b\sqrt{1 - c^2x^2}(1 + c^2x^2)^{3/2}}{18c^9 \sqrt{1 - \frac{1}{c^2x^2}x}} - \frac{b\sqrt{1 - c^2x^2}(1 + c^2x^2)^{5/2}}{30c^9 \sqrt{1 - \frac{1}{c^2x^2}x}} - \frac{\sqrt{1 - c^4x^4}}{90c^8}
\end{aligned}$$

Mathematica [A] time = 0.401217, size = 159, normalized size = 0.59

$$\frac{15a\sqrt{1 - c^4x^4}(c^4x^4 + 2) + \frac{bcx\sqrt{1 - \frac{1}{c^2x^2}}\sqrt{1 - c^4x^4}(3c^4x^4 + c^2x^2 + 28)}{c^2x^2 - 1} + 30b\tan^{-1}\left(\frac{cx\sqrt{1 - \frac{1}{c^2x^2}}}{\sqrt{1 - c^4x^4}}\right) + 15b\sqrt{1 - c^4x^4}(c^4x^4 + 2)\csc^{-1}(c^2x^2)}{90c^8}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^7*(a + b*ArcCsc[c*x]))/Sqrt[1 - c^4*x^4], x]`

[Out] $-(15*a*\text{Sqrt}[1 - c^4*x^4]*(2 + c^4*x^4) + (b*c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x*\text{Sqrt}[1 - c^4*x^4]*(28 + c^2*x^2 + 3*c^4*x^4))/(-1 + c^2*x^2) + 15*b*\text{Sqrt}[1 - c^4*x^4]*(2 + c^4*x^4)*\text{ArcCsc}[c*x] + 30*b*\text{ArcTan}[(c*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)/\text{Sqrt}[1 - c^4*x^4]])/(90*c^8)$

Maple [F] time = 7.663, size = 0, normalized size = 0.

$$\int x^7 (a + b \operatorname{arccsc}(cx)) \frac{1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x)`

[Out] `int(x^7*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{6} a \left(\frac{(-c^4 x^4 + 1)^{\frac{3}{2}}}{c^8} - \frac{3 \sqrt{-c^4 x^4 + 1}}{c^8} \right) + \frac{c^8 x^8 \arctan(1, \sqrt{c x + 1} \sqrt{c x - 1}) + \sqrt{c^2 x^2 + 1} \sqrt{c x + 1} \sqrt{-c x + 1} c^8 \int \frac{(c^6 x^7 + c^4 x^5 + 2 c^2 x^3) \sqrt{(c x + 1)(c x - 1)}}{6 \sqrt{c^2 x^2 + 1}} dx}{6 \sqrt{c^2 x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] `1/6*a*((-c^4*x^4 + 1)^(3/2)/c^8 - 3*sqrt(-c^4*x^4 + 1)/c^8) + 1/6*(c^8*x^8*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) + 6*sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*c^8*integrate(1/6*(c^6*x^7 + c^4*x^5 + 2*c^2*x^3 + 2*x)*e^(-1/2*log(c^2*x^2 + 1) + 1/2*log(c*x - 1))/(c^6*e^(log(c*x + 1) + log(c*x - 1) + 1/2*log(-c*x + 1)) + sqrt(-c*x + 1)*c^6), x) + c^4*x^4*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)) - 2*arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1)))*b/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*c^8)`

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**7*(a+b*acsc(c*x))/(-c**4*x**4+1)**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^7}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(a+b*arccsc(c*x))/(-c^4*x^4+1)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)*x^7/sqrt(-c^4*x^4 + 1), x)`

3.176 $\int \frac{x^3(a+b \csc^{-1}(cx))}{\sqrt{1-c^4x^4}} dx$

Optimal. Leaf size=126

$$-\frac{\sqrt{1-c^4x^4}(a+b \csc^{-1}(cx))}{2c^4} - \frac{bx\sqrt{1-c^4x^4}}{2c^3\sqrt{c^2x^2}\sqrt{c^2x^2-1}} + \frac{bx \tan^{-1}\left(\frac{\sqrt{1-c^4x^4}}{\sqrt{c^2x^2-1}}\right)}{2c^3\sqrt{c^2x^2}}$$

[Out] $-(b*x*\text{Sqrt}[1 - c^4*x^4])/(2*c^3*\text{Sqrt}[c^2*x^2]*\text{Sqrt}[-1 + c^2*x^2]) - (\text{Sqrt}[1 - c^4*x^4]*(a + b*\text{ArcCsc}[c*x]))/(2*c^4) + (b*x*\text{ArcTan}[\text{Sqrt}[1 - c^4*x^4]/\text{Sqrt}[-1 + c^2*x^2]])/(2*c^3*\text{Sqrt}[c^2*x^2])$

Rubi [A] time = 0.212074, antiderivative size = 135, normalized size of antiderivative = 1.07, number of steps used = 8, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.346, Rules used = {261, 5247, 12, 1572, 1252, 848, 50, 63, 208}

$$-\frac{\sqrt{1-c^4x^4}(a+b \csc^{-1}(cx))}{2c^4} - \frac{b\sqrt{1-c^2x^2}\sqrt{c^2x^2+1}}{2c^5x\sqrt{1-\frac{1}{c^2x^2}}} + \frac{b\sqrt{1-c^2x^2}\tanh^{-1}\left(\sqrt{c^2x^2+1}\right)}{2c^5x\sqrt{1-\frac{1}{c^2x^2}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*(a + b*\text{ArcCsc}[c*x]))/\text{Sqrt}[1 - c^4*x^4], x]$

[Out] $-(b*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[1 + c^2*x^2])/(2*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)]*x) - (\text{Sqrt}[1 - c^4*x^4]*(a + b*\text{ArcCsc}[c*x]))/(2*c^4) + (b*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[\text{Sqrt}[1 + c^2*x^2]])/(2*c^5*\text{Sqrt}[1 - 1/(c^2*x^2)]*x)$

Rule 261

```
Int[(x_)^(m_)*(a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 5247

```
Int[((a_) + ArcCsc[(c_)*(x_)]*(b_))*(u_), x_Symbol] :> With[{v = IntHide[u, x]}, Dist[a + b*ArcCsc[c*x], v, x] + Dist[b/c, Int[Simplify[Integrand[v/(x^2*Sqrt[1 - 1/(c^2*x^2)])], x], x, x] /; InverseFunctionFreeQ[v, x]] /; FreeQ[{a, b, c}, x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1572

```
Int[(x_)^(m_)*(d_) + (e_)*(x_)^(mn_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] :> Dist[(e^IntPart[q]*(d + e*x^mn)^FracPart[q])/((x^(mn*FracPart[q]))*(1 + d/(x^mn*e))^FracPart[q]), Int[x^(m + mn*q)*(1 + d/(x^mn*e))^q*(a + c*x^n2)^p, x], x] /; FreeQ[{a, c, d, e, m, mn, p, q}, x] && EqQ[n2, -2*mn] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n2]
```

Rule 1252

```
Int[(x_.)^(m_.)*(d_) + (e_.)*(x_)^2)^(q_.)*(a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 848

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*(a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[(d + e*x)^(m + p)*(f + g*x)^n*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(a + b \csc^{-1}(cx))}{\sqrt{1 - c^4x^4}} dx &= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} + \frac{b \int -\frac{\sqrt{1 - c^4x^4}}{2c^4 \sqrt{1 - \frac{1}{c^2x^2}} x^2} dx}{c} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} - \frac{b \int \frac{\sqrt{1 - c^4x^4}}{\sqrt{1 - \frac{1}{c^2x^2}} x^2} dx}{2c^5} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \int \frac{\sqrt{1 - c^4x^4}}{x\sqrt{1 - c^2x^2}} dx}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \text{Subst} \left(\int \frac{\sqrt{1 - c^4x^2}}{x\sqrt{1 - c^2x^2}} dx, x, x^2 \right)}{4c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= -\frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \text{Subst} \left(\int \frac{\sqrt{1 + c^2x^2}}{x} dx, x, x^2 \right)}{4c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= -\frac{b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \text{Subst} \left(\int \frac{1}{x\sqrt{1 + c^2x^2}} dx, x, x^2 \right)}{4c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= -\frac{b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} - \frac{(b\sqrt{1 - c^2x^2}) \text{Subst} \left(\int \frac{1}{-\frac{1}{c^2} + \frac{x^2}{c^2}} dx, x, x^2 \right)}{2c^7 \sqrt{1 - \frac{1}{c^2x^2}} x} \\
&= -\frac{b\sqrt{1 - c^2x^2}\sqrt{1 + c^2x^2}}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x} - \frac{\sqrt{1 - c^4x^4}(a + b \csc^{-1}(cx))}{2c^4} + \frac{b\sqrt{1 - c^2x^2} \tanh^{-1}(\sqrt{1 + c^2x^2})}{2c^5 \sqrt{1 - \frac{1}{c^2x^2}} x}
\end{aligned}$$

Mathematica [A] time = 0.175771, size = 138, normalized size = 1.1

$$\frac{\sqrt{1 - c^4x^4} \left(-ac^2x^2 + a - bcx\sqrt{1 - \frac{1}{c^2x^2}} \right) + (b - bc^2x^2) \tan^{-1} \left(\frac{cx\sqrt{1 - \frac{1}{c^2x^2}}}{\sqrt{1 - c^4x^4}} \right) - b(c^2x^2 - 1)\sqrt{1 - c^4x^4} \csc^{-1}(cx)}{2c^4(c^2x^2 - 1)}$$

Antiderivative was successfully verified.

[In] `Integrate[(x^3*(a + b*ArcCsc[c*x]))/Sqrt[1 - c^4*x^4], x]`

[Out] `((a - b*c*Sqrt[1 - 1/(c^2*x^2)]*x - a*c^2*x^2)*Sqrt[1 - c^4*x^4] - b*(-1 + c^2*x^2)*Sqrt[1 - c^4*x^4]*ArcCsc[c*x] + (b - b*c^2*x^2)*ArcTan[(c*Sqrt[1 - 1/(c^2*x^2)]*x)/Sqrt[1 - c^4*x^4]])/(2*c^4*(-1 + c^2*x^2))`

Maple [F] time = 3.027, size = 0, normalized size = 0.

$$\int x^3(a + \text{barccsc}(cx)) \frac{1}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^3(a+b\operatorname{arccsc}(cx))/(-c^4x^4+1)^{(1/2)} dx$

[Out] $\int x^3(a+b\operatorname{arccsc}(cx))/(-c^4x^4+1)^{(1/2)} dx$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{\left(c^4 \int \frac{(c^2 x^3 + x)^{\left(-\frac{1}{2} \log(c^2 x^2 + 1) + \frac{1}{2} \log(cx - 1)\right)}}{(cx + 1)(cx - 1)\sqrt{-cx + 1}c^2 + \sqrt{-cx + 1}c^2} dx - \sqrt{c^2 x^2 + 1}\sqrt{cx + 1}\sqrt{-cx + 1}\arctan(1, \sqrt{cx + 1}\sqrt{cx - 1})\right)b}{2 c^4} - \frac{\sqrt{-c^4 x^4 + 1}a}{2 c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^3(a+b\operatorname{arccsc}(cx))/(-c^4x^4+1)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{2} \cdot \frac{2 \cdot c^4 \cdot \operatorname{integrate}(1/2 \cdot (c^2 x^3 + x) \cdot e^{-1/2 \cdot \log(c^2 x^2 + 1)} + 1/2 \cdot \log(cx - 1)) / (c^2 e^{\log(cx + 1) + \log(cx - 1) + 1/2 \cdot \log(-cx + 1)} + \sqrt{-cx + 1} \cdot c^2), x) - \sqrt{c^2 x^2 + 1} \cdot \sqrt{cx + 1} \cdot \sqrt{-cx + 1} \cdot \arctan(1, \sqrt{cx + 1} \cdot \sqrt{cx - 1}) \cdot b/c^4 - 1/2 \cdot \sqrt{-c^4 x^4 + 1} \cdot a/c^4}{c^4}$

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^3(a+b\operatorname{arccsc}(cx))/(-c^4x^4+1)^{(1/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^{**3}(a+b\operatorname{acsc}(cx))/(-c^{**4}x^{**4+1})^{**(1/2)}, x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccsc}(cx) + a)x^3}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^3(a+b\operatorname{arccsc}(cx))/(-c^4x^4+1)^{(1/2)}, x, \text{algorithm}=\text{"giac"})$

[Out] $\operatorname{integrate}((b \operatorname{arccsc}(cx) + a)x^3 / \sqrt{-c^4 x^4 + 1}, x)$

3.177 $\int \frac{a+b \csc^{-1}(cx)}{x \sqrt{1-c^4 x^4}} dx$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{a + b \csc^{-1}(cx)}{x \sqrt{1 - c^4 x^4}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x*.Sqrt[1 - c^4*x^4]), x]

Rubi [A] time = 0.0890698, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x*.Sqrt[1 - c^4*x^4]), x]

[Out] Defer[Int][(a + b*ArcCsc[c*x])/(x*.Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx = \int \frac{a + b \csc^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx$$

Mathematica [A] time = 0.398408, size = 0, normalized size = 0.

$$\int \frac{a + b \csc^{-1}(cx)}{x \sqrt{1 - c^4 x^4}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x*.Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x*.Sqrt[1 - c^4*x^4]), x]

Maple [A] time = 6.214, size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{arccsc}(cx)}{x} \frac{1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x/(-c^4*x^4+1)^(1/2), x)

[Out] int((a+b*arccsc(c*x))/x/(-c^4*x^4+1)^(1/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4} a \left(\log \left(\sqrt{-c^4 x^4 + 1} + 1 \right) - \log \left(\sqrt{-c^4 x^4 + 1} - 1 \right) \right) + b \int \frac{\arctan \left(1, \sqrt{c x + 1} \sqrt{c x - 1} \right)}{\sqrt{c^2 x^2 + 1} \sqrt{c x + 1} \sqrt{-c x + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")

[Out] -1/4*a*(log(sqrt(-c^4*x^4 + 1) + 1) - log(sqrt(-c^4*x^4 + 1) - 1)) + b*integrate(arctan2(1, sqrt(c*x + 1)*sqrt(c*x - 1))/(sqrt(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*x), x)
```

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\sqrt{-c^4 x^4 + 1} (b \operatorname{arccsc}(c x) + a)}{c^4 x^5 - x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^4*x^4 + 1)*(b*arccsc(c*x) + a)/(c^4*x^5 - x), x)
```

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acsc}(c x)}{x \sqrt{-(c x - 1)(c x + 1)(c^2 x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acsc(c*x))/x/(-c**4*x**4+1)**(1/2),x)

[Out] Integral((a + b*acsc(c*x))/(x*sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1))), x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(c x) + a}{\sqrt{-c^4 x^4 + 1} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccsc(c*x))/x/(-c^4*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*arccsc(c*x) + a)/(sqrt(-c^4*x^4 + 1)*x), x)
```

3.178 $\int \frac{a+b \csc^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{a+b \csc^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}}, x\right)$$

[Out] Unintegrable[(a + b*ArcCsc[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Rubi [A] time = 0.100555, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0., Rules used = {}

$$\int \frac{a+b \csc^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCsc[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Defe_r[Int][(a + b*ArcCsc[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Rubi steps

$$\int \frac{a+b \csc^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx = \int \frac{a+b \csc^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Mathematica [A] time = 3.43584, size = 0, normalized size = 0.

$$\int \frac{a+b \csc^{-1}(cx)}{x^5 \sqrt{1-c^4 x^4}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCsc[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

[Out] Integrate[(a + b*ArcCsc[c*x])/(x^5*Sqrt[1 - c^4*x^4]), x]

Maple [A] time = 1.84, size = 0, normalized size = 0.

$$\int \frac{a+b \operatorname{arccsc}(cx)}{x^5} \frac{1}{\sqrt{-c^4 x^4+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccsc(c*x))/x^5/(-c^4*x^4+1)^(1/2), x)

[Out] int((a+b*arccsc(c*x))/x^5/(-c^4*x^4+1)^(1/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{8} \left(c^4 \log \left(\sqrt{-c^4 x^4 + 1} + 1 \right) - c^4 \log \left(\sqrt{-c^4 x^4 + 1} - 1 \right) + \frac{2 \sqrt{-c^4 x^4 + 1}}{x^4} \right) a + b \int \frac{\arctan \left(1, \sqrt{c x + 1} \sqrt{c x - 1} \right)}{\sqrt{c^2 x^2 + 1} \sqrt{c x + 1} \sqrt{-c x + 1} x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")`

[Out] $-1/8*(c^4*\log(\sqrt{-c^4*x^4 + 1} + 1) - c^4*\log(\sqrt{-c^4*x^4 + 1} - 1) + 2*\sqrt{-c^4*x^4 + 1}/x^4)*a + b*integrate(arctan2(1, \sqrt{c*x + 1})*sqrt(c*x - 1))/(\sqrt{c^2*x^2 + 1}*\sqrt{c*x + 1}*\sqrt{-c*x + 1})*x^5, x)$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\sqrt{-c^4 x^4 + 1} (b \operatorname{arccsc}(c x) + a)}{c^4 x^9 - x^5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^4*x^4 + 1)*(b*arccsc(c*x) + a)/(c^4*x^9 - x^5), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acsc(c*x))/x**5/(-c**4*x**4+1)**(1/2),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccsc}(c x) + a}{\sqrt{-c^4 x^4 + 1} x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccsc(c*x))/x^5/(-c^4*x^4+1)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arccsc(c*x) + a)/(\sqrt{-c^4*x^4 + 1})*x^5, x)`

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3 
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6 
7 
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17 
18 
19 GradeAntiderivative[result_,optimal_] :=
20 If[ExpnType[result]<=ExpnType[optimal],
21 If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22 If[LeafCount[result]<=2*LeafCount[optimal],
23 "A",
24 "B"],
25 "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27 "C",
28 "F"]]
29 
30 
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
```

```

38 (*5 = hypergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)

43
44
45 ExpnType[expn_] :=
46   If[AtomQ[expn],
47     1,
48     If[ListQ[expn],
49       Max[Map[ExpnType, expn]],
50       If[Head[expn] === Power,
51         If[IntegerQ[expn[[2]]],
52           ExpnType[expn[[1]]],
53           If[Head[expn[[2]]] === Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]] === Rational,
55               1,
56               Max[ExpnType[expn[[1]]], 2]],
57               Max[ExpnType[expn[[1]]], ExpnType[expn[[2]], 3]]],
58             If[Head[expn] === Plus || Head[expn] === Times,
59               Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
60               If[ElementaryFunctionQ[Head[expn]],
61                 Max[3, ExpnType[expn[[1]]]],
62                 If[SpecialFunctionQ[Head[expn]],
63                   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
64                   If[HypergeometricFunctionQ[Head[expn]],
65                     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
66                     If[AppellFunctionQ[Head[expn]],
67                       Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
68                       If[Head[expn] === RootSum,
69                         Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70                         If[Head[expn] === Integrate || Head[expn] === Int,
71                           Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72                           9]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{  

77     Exp, Log,  

78     Sin, Cos, Tan, Cot, Sec, Csc,  

79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,  

80     Sinh, Cosh, Tanh, Coth, Sech, Csch,  

81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82 }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{  

87     Erf, Erfc, Erfi,  

88     FresnelS, FresnelC,  

89     ExpIntegralE, ExpIntegralEi, LogIntegral,  

90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,  

91     Gamma, LogGamma, PolyGamma,  

92     Zeta, PolyLog, ProductLog,  

93     EllipticF, EllipticE, EllipticPi
94 }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100

```

```

101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #           if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #           see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
14   debug:=false;
15
16   leaf_count_result:=leafcount(result);
17   #do NOT call ExpnType() if leaf size is too large. Recursion problem
18   if leaf_count_result > 500000 then
19     return "B";
20   fi;
21
22   leaf_count_optimal:=leafcount(optimal);
23
24   ExpnType_result:=ExpnType(result);
25   ExpnType_optimal:=ExpnType(optimal);
26
27   if debug then
28     print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
29   fi;
30
31 # If result and optimal are mathematical expressions,
32 # GradeAntiderivative[result,optimal] returns
33 #   "F" if the result fails to integrate an expression that
34 #       is integrable
35 #   "C" if result involves higher level functions than necessary
36 #   "B" if result is more than twice the size of the optimal
37 #       antiderivative
38 #   "A" if result can be considered optimal
39
40 #This check below actually is not needed, since I only
41 #call this grading only for passed integrals. i.e. I check
42 #for "F" before calling this. But no harm of keeping it here.
43 #just in case.
44
45 if not type(result,freeof('int')) then
46   return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51   if debug then
52     print("ExpnType_result<=ExpnType_optimal");
53   fi;
54   if is_contains_complex(result) then
55     if is_contains_complex(optimal) then
56       if debug then

```

```

57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65     else #result contains complex but optimal is not
66     if debug then
67         print("result contains complex but optimal is not");
68     fi;
69     return "C";
70     end if
71     else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do
not as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87     end if
88     else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hypergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)

```

```

119 if type(expn,'atomic') then
120   1
121 elif type(expn,'list') then
122   apply(max,map(ExpnType,expn))
123 elif type(expn,'sqrt') then
124   if type(op(1,expn),'rational') then
125     1
126   else
127     max(2,ExpnType(op(1,expn)))
128   end if
129 elif type(expn,'`^') then
130   if type(op(2,expn),'integer') then
131     ExpnType(op(1,expn))
132   elif type(op(2,expn),'rational') then
133     if type(op(1,expn),'rational') then
134       1
135     else
136       max(2,ExpnType(op(1,expn)))
137     end if
138   else
139     max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140   end if
141 elif type(expn,'`+`') or type(expn,'`*`) then
142   max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143 elif ElementaryFunctionQ(op(0,expn)) then
144   max(3,ExpnType(op(1,expn)))
145 elif SpecialFunctionQ(op(0,expn)) then
146   max(4,apply(max,map(ExpnType,[op(expn)])))
147 elif HypergeometricFunctionQ(op(0,expn)) then
148   max(5,apply(max,map(ExpnType,[op(expn)])))
149 elif AppellFunctionQ(op(0,expn)) then
150   max(6,apply(max,map(ExpnType,[op(expn)])))
151 elif op(0,expn)='int' then
152   max(8,apply(max,map(ExpnType,[op(expn)]))) else
153   9
154 end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159   member(func,[
160     exp,log,ln,
161     sin,cos,tan,cot,sec,csc,
162     arcsin,arccos,arctan,arccot,arcsec,arccsc,
163     sinh,cosh,tanh,coth,sech,csch,
164     arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168   member(func,[
169     erf,erfc,erfi,
170     FresnelS,FresnelC,
171     Ei,Ei,Li,Si,Ci,Shi,Chi,
172     GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173     EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177   member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181   member(func,[AppellF1])

```

```

182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187   if nops(u)=2 then
188     op(2,u)
189   else
190     apply(op(0,u),op(2..nops(u),u))
191   end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197   MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #          Port of original Maple grading function by
3 #          Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #          added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                     asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                     asinh,acosh,atanh,acoth,asech,acsch
25                 ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                     fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                     gamma,loggamma,digamma,zeta,polylog,LambertW,
31                     elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                 ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True

```

```

44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'``')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
72     else:
73         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
74 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
75     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+``') or
76     type(expn,'`*``')
77         m1 = expnType(expn.args[0])
78         m2 = expnType(list(expn.args[1:]))
79         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
80     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
81         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
82     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
83         m1 = max(map(expnType, list(expn.args)))
84         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
85     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
86 expn))
87         m1 = max(map(expnType, list(expn.args)))
88         return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
89     elif is_appell_function(expn.func):
90         m1 = max(map(expnType, list(expn.args)))
91         return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
92     elif isinstance(expn,RootSum):
93         m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
94 ,Apply[List,expn]],7]],
95         return max(7,m1)
96     elif str(expn).find("Integral") != -1:
97         m1 = max(map(expnType, list(expn.args)))
98         return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
99     else:
100        return 9
101
102 #main function
103 def grade_antiderivative(result,optimal):
104
105     leaf_count_result = leaf_count(result)

```

```

102 leaf_count_optimal = leaf_count(optimal)
103
104 expnType_result = expnType(result)
105 expnType_optimal = expnType(optimal)
106
107 if str(result).find("Integral") != -1:
108     return "F"
109
110 if expnType_result <= expnType_optimal:
111     if result.has(I):
112         if optimal.has(I): #both result and optimal complex
113             if leaf_count_result <= 2*leaf_count_optimal:
114                 return "A"
115             else:
116                 return "B"
117         else: #result contains complex but optimal is not
118             return "C"
119     else: # result do not contain complex, this assumes optimal do not as
120         well
121         if leaf_count_result <= 2*leaf_count_optimal:
122             return "A"
123         else:
124             return "B"
125     else:
126         return "C"

```

4.0.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #          Albert Rich to use with Sagemath. This is used to
3 #          grade Fricas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #          'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands())=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()]+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33             flatten(tree(anti)))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35                         #since this estimate of leaf count is bit lower than

```

```

35             #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow:    #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52                         'sin','cos','tan','cot','sec','csc',
53                         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54                         'sinh','cosh','tanh','coth','sech','csch',
55                         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56                         'arctan2','floor','abs'
57                         ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73                         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi',''
74                         sinh_integral'
75                         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76                         'polylog','lambert_w','elliptic_f','elliptic_e',
77                         'elliptic_pi','exp_integral_e','log_integral']
78
78     if debug:
79         print ("m=",m)
80         if m:
81             print ("func ", func , " is special_function")
82         else:
83             print ("func ", func , " is NOT special_function")
84
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M',''
91                           'hypergeometric_U']
92
92 def is_appell_function(func):
93     return func.name() in ['hypergeometric']  #[appellf1] can't find this in
94                           sagemath

```

```

95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
98     #sagemath-equivalent-to-atomic-type-in-maple/
99     try:
100         if expn.parent() is SR:
101             return expn.operator() is None
102         if expn.parent() in (ZZ, QQ, AA, QQbar):
103             return expn in expn.parent() # Should always return True
104         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
105             :
106             return expn in expn.parent().base_ring() or expn in expn.parent().
107             gens()
108             return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print (">>>>Enter expnType, expn=", expn)
116         print (">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:  #isinstance(expn,list):
121         return max(map(expnType, expn))  #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
124 Rational):
125             return 1
126         else:
127             return max(2,expnType(expn.operands()[0]))  #max(2,expnType(expn.
128 args[0]))
129     elif expn.operator() == operator.pow:  #isinstance(expn,Pow)
130         if type(expn.operands()[1])==Integer:  #isinstance(expn.args[1],Integer
131             )
132             return expnType(expn.operands()[0])  #expnType(expn.args[0])
133         elif type(expn.operands()[1])==Rational:  #isinstance(expn.args[1],
134 Rational)
135             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
136 Rational)
137                 return 1
138             else:
139                 return max(2,expnType(expn.operands()[0]))  #max(2,expnType(
140 expn.args[0]))
141             else:
142                 return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
143 [1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
144     elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
145     isinstance(expn,Add) or isinstance(expn,Mul)
146         m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
147         m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
148         return max(m1,m2)  #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
149     elif is_elementary_function(expn.operator()):  #is_elementary_function(expn
150 .func)
151         return max(3,expnType(expn.operands()[0]))
152     elif is_special_function(expn.operator()): #is_special_function(expn.func)
153         m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
154 expn.args)))

```

```

145     return max(4,m1)    #max(4,m1)
146 elif is_hypergeometric_function(expn.operator()): #
147     is_hypergeometric_function(expn.func)
148     m1 = max(map(expnType, expn.operands()))           #max(map(expnType, list(
149     expn.args)))
150     return max(5,m1)    #max(5,m1)
151 elif is_appell_function(expn.operator()):
152     m1 = max(map(expnType, expn.operands()))           #max(map(expnType, list(
153     expn.args)))
154     return max(6,m1)    #max(6,m1)
155 elif str(expn).find("Integral") != -1: #this will never happen, since it
156         #is checked before calling the grading function that is passed.
157         #but kept it here.
158     m1 = max(map(expnType, expn.operands()))           #max(map(expnType, list(
159     expn.args)))
160     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
161 else:
162     return 9
163
164 #main function
165 def grade_antiderivative(result,optimal):
166     debug = False;
167
168     if debug: print ("Enter grade_antiderivative for sageMath")
169
170     leaf_count_result  = leaf_count(result)
171     leaf_count_optimal = leaf_count(optimal)
172
173     if debug: print ("leaf_count_result=", leaf_count_result, "
174     leaf_count_optimal=",leaf_count_optimal)
175
176     expnType_result  = expnType(result)
177     expnType_optimal = expnType(optimal)
178
179     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=", ,
180     expnType_optimal)
181
182     if expnType_result <= expnType_optimal:
183         if result.has(I):
184             if optimal.has(I): #both result and optimal complex
185                 if leaf_count_result <= 2*leaf_count_optimal:
186                     return "A"
187                 else:
188                     return "B"
189             else: #result contains complex but optimal is not
190                 return "C"
191         else: # result do not contain complex, this assumes optimal do not as
192             well
193                 if leaf_count_result <= 2*leaf_count_optimal:
194                     return "A"
195                 else:
196                     return "B"
197             else:
198                 return "C"

```