

Computer algebra independent integration tests

7-Inverse-hyperbolic-functions/7.3-Inverse-hyperbolic-tangent/7.3.3-d+e-x^m-a+b-arctanh-c-x^n^p

Nasser M. Abbasi

May 24, 2020

Compiled on May 24, 2020 at 6:40pm

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	5
1.4	list of integrals that has no closed form antiderivative	6
1.5	list of integrals solved by CAS but has no known antiderivative	6
1.6	list of integrals solved by CAS but failed verification	6
1.7	Timing	7
1.8	Verification	7
1.9	Important notes about some of the results	7
1.10	Design of the test system	8
2	detailed summary tables of results	11
2.1	List of integrals sorted by grade for each CAS	11
2.2	Detailed conclusion table per each integral for all CAS systems	12
2.3	Detailed conclusion table specific for Rubi results	19
3	Listing of integrals	23
3.1	$\int (d + ex)^4 (a + b \tanh^{-1}(cx)) dx$	23
3.2	$\int (d + ex)^3 (a + b \tanh^{-1}(cx)) dx$	27
3.3	$\int (d + ex)^2 (a + b \tanh^{-1}(cx)) dx$	31
3.4	$\int (d + ex) (a + b \tanh^{-1}(cx)) dx$	34
3.5	$\int \frac{a+b \tanh^{-1}(cx)}{d+ex} dx$	37
3.6	$\int \frac{a+b \tanh^{-1}(cx)}{(d+ex)^2} dx$	40
3.7	$\int \frac{a+b \tanh^{-1}(cx)}{(d+ex)^3} dx$	44
3.8	$\int \frac{a+b \tanh^{-1}(cx)}{(d+ex)^4} dx$	48
3.9	$\int (d + ex)^3 (a + b \tanh^{-1}(cx))^2 dx$	52
3.10	$\int (d + ex)^2 (a + b \tanh^{-1}(cx))^2 dx$	58
3.11	$\int (d + ex) (a + b \tanh^{-1}(cx))^2 dx$	63
3.12	$\int \frac{(a+b \tanh^{-1}(cx))^2}{d+ex} dx$	67

3.13	$\int \frac{(a+b \tanh^{-1}(cx))^2}{(d+ex)^2} dx$	70
3.14	$\int \frac{(a+b \tanh^{-1}(cx))^2}{(d+ex)^3} dx$	74
3.15	$\int (d+ex)^3 (a+b \tanh^{-1}(cx))^3 dx$	79
3.16	$\int (d+ex)^2 (a+b \tanh^{-1}(cx))^3 dx$	85
3.17	$\int (d+ex) (a+b \tanh^{-1}(cx))^3 dx$	92
3.18	$\int \frac{(a+b \tanh^{-1}(cx))^3}{d+ex} dx$	97
3.19	$\int \frac{(a+b \tanh^{-1}(cx))^3}{(d+ex)^2} dx$	101
3.20	$\int \frac{(a+b \tanh^{-1}(cx))^3}{(d+ex)^3} dx$	107
3.21	$\int \frac{a+b \tanh^{-1}(cx)}{1+2cx} dx$	113
3.22	$\int \frac{\tanh^{-1}(x)}{1-\sqrt{2}x} dx$	116
3.23	$\int (d+ex)^3 (a+b \tanh^{-1}(cx^2)) dx$	119
3.24	$\int (d+ex)^2 (a+b \tanh^{-1}(cx^2)) dx$	124
3.25	$\int (d+ex) (a+b \tanh^{-1}(cx^2)) dx$	129
3.26	$\int \frac{a+b \tanh^{-1}(cx^2)}{d+ex} dx$	133
3.27	$\int \frac{a+b \tanh^{-1}(cx^2)}{(d+ex)^2} dx$	136
3.28	$\int \frac{a+b \tanh^{-1}(cx^2)}{(d+ex)^3} dx$	140
3.29	$\int (d+ex) (a+b \tanh^{-1}(cx^2))^2 dx$	143
3.30	$\int \frac{(a+b \tanh^{-1}(cx^2))^2}{d+ex} dx$	152
3.31	$\int \frac{(a+b \tanh^{-1}(cx^2))^2}{(d+ex)^2} dx$	154
3.32	$\int (d+ex)^2 (a+b \tanh^{-1}(cx^3)) dx$	157
3.33	$\int (d+ex) (a+b \tanh^{-1}(cx^3)) dx$	165
3.34	$\int \frac{a+b \tanh^{-1}(cx^3)}{d+ex} dx$	171
3.35	$\int \frac{a+b \tanh^{-1}(cx^3)}{(d+ex)^2} dx$	174
3.36	$\int \frac{x^3(a+b \tanh^{-1}(c\sqrt{x}))}{1-c^2x} dx$	179
3.37	$\int \frac{x^2(a+b \tanh^{-1}(c\sqrt{x}))}{1-c^2x} dx$	184
3.38	$\int \frac{x(a+b \tanh^{-1}(c\sqrt{x}))}{1-c^2x} dx$	188
3.39	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{1-c^2x} dx$	192
3.40	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x(1-c^2x)} dx$	195
3.41	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^2(1-c^2x)} dx$	199
3.42	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^3(1-c^2x)} dx$	203
3.43	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^4(1-c^2x)} dx$	208
3.44	$\int \frac{x^2(a+b \tanh^{-1}(c\sqrt{x}))}{d+ex} dx$	213
3.45	$\int \frac{x(a+b \tanh^{-1}(c\sqrt{x}))}{d+ex} dx$	218
3.46	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{d+ex} dx$	223
3.47	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x(d+ex)} dx$	227

3.48	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^2(d+ex)} dx$	232
3.49	$\int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^3(d+ex)} dx$	237

4 Listing of Grading functions **243**

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [49]. This is test number [193].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 93.88 (46)	% 6.12 (3)
Mathematica	% 95.92 (47)	% 4.08 (2)
Maple	% 97.96 (48)	% 2.04 (1)
Maxima	% 40.82 (20)	% 59.18 (29)
Fricas	% 30.61 (15)	% 69.39 (34)
Sympy	% 16.33 (8)	% 83.67 (41)
Giac	% 32.65 (16)	% 67.35 (33)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	93.88	0.	0.	6.12
Mathematica	73.47	0.	22.45	4.08
Maple	53.06	28.57	16.33	2.04
Maxima	22.45	18.37	0.	59.18
Fricas	14.29	12.24	4.08	69.39
Sympy	16.33	0.	0.	83.67
Giac	20.41	12.24	0.	67.35

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.43	268.2	0.98	190.	1.
Mathematica	5.78	314.53	1.3	272.	1.04
Maple	0.29	2060.08	4.59	355.	1.63
Maxima	1.4	326.95	2.12	281.5	2.23
Fricas	5.4	2540.87	10.26	697.	5.26
Sympy	15.02	615.	4.57	427.	3.3
Giac	7.11	419.12	2.61	381.5	2.05

1.4 list of integrals that has no closed form antiderivative

{30, 31}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {29}

Mathematica {5, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 29, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AboluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This pecentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in->

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())
```

```
try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Nasser M. Abbasi
June 22, 2018

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 29, 30, 31, 32, 33, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49 }

B grade: { }

C grade: { }

F grade: { 26, 28, 34 }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 6, 7, 8, 9, 10, 11, 15, 16, 17, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 35, 36, 37, 38, 39, 40, 41, 42, 43, 45, 47, 48, 49 }

B grade: { }

C grade: { 5, 12, 13, 14, 19, 21, 22, 26, 34, 44, 46 }

F grade: { 18, 20 }

2.1.3 Maple

A grade: { 4, 5, 6, 7, 8, 13, 14, 22, 23, 24, 25, 26, 27, 28, 30, 31, 32, 33, 35, 36, 44, 45, 46, 47, 48, 49 }

B grade: { 1, 2, 3, 9, 10, 11, 21, 37, 38, 39, 40, 41, 42, 43 }

C grade: { 12, 15, 16, 17, 18, 19, 20, 34 }

F grade: { 29 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 6, 7, 30, 36, 37, 38, 39 }

B grade: { 8, 9, 10, 11, 22, 40, 41, 42, 43 }

C grade: { }

F grade: { 5, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 44, 45, 46, 47, 48, 49 }

2.1.5 FriCAS

A grade: { 3, 4, 23, 24, 25, 30, 31 }

B grade: { 1, 2, 6, 7, 8, 27 }

C grade: { 32, 33 }

F grade: { 5, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 26, 28, 29, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 6, 23, 24, 25 }

B grade: { }

C grade: { }

F grade: { 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49 }

2.1.7 Giac

A grade: { 4, 6, 23, 24, 25, 27, 30, 31, 32, 33 }

B grade: { 1, 2, 3, 7, 8, 28 }

C grade: { }

F grade: { 5, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 26, 29, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	274	395	369	697	381	524
normalized size	1	1.	1.84	2.65	2.48	4.68	2.56	3.52
time (sec)	N/A	0.141	0.18	0.031	0.977	1.733	5.246	1.333

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	205	308	282	527	279	397
normalized size	1	1.	1.64	2.46	2.26	4.22	2.23	3.18
time (sec)	N/A	0.141	0.132	0.03	0.966	1.794	3.35	1.331

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	129	218	185	358	178	263
normalized size	1	1.	1.34	2.27	1.93	3.73	1.85	2.74
time (sec)	N/A	0.122	0.095	0.029	0.99	1.666	2.037	1.152

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	96	92	112	228	92	157
normalized size	1	1.	1.14	1.1	1.33	2.71	1.1	1.87
time (sec)	N/A	0.076	0.01	0.029	0.973	1.649	1.184	1.163

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	114	114	257	148	0	0	0	0
normalized size	1	1.	2.25	1.3	0.	0.	0.	0.
time (sec)	N/A	0.081	0.245	0.132	0.	0.	0.	0.

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	102	114	134	387	782	176
normalized size	1	1.	1.1	1.23	1.44	4.16	8.41	1.89
time (sec)	N/A	0.067	0.119	0.031	0.967	1.911	8.629	1.173

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	133	154	257	933	0	791
normalized size	1	1.	1.02	1.18	1.98	7.18	0.	6.08
time (sec)	N/A	0.129	0.15	0.039	0.971	2.371	0.	1.742

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	173	223	458	1713	0	1511
normalized size	1	1.	0.99	1.27	2.62	9.79	0.	8.63
time (sec)	N/A	0.188	0.263	0.046	1.012	4.121	0.	3.094

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	359	359	506	1430	1056	0	0	0
normalized size	1	1.	1.41	3.98	2.94	0.	0.	0.
time (sec)	N/A	0.534	0.887	0.058	1.799	0.	0.	0.

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	257	257	319	1050	707	0	0	0
normalized size	1	1.	1.24	4.09	2.75	0.	0.	0.
time (sec)	N/A	0.409	0.636	0.049	1.795	0.	0.	0.

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	160	160	174	462	423	0	0	0
normalized size	1	1.	1.09	2.89	2.64	0.	0.	0.
time (sec)	N/A	0.33	0.423	0.052	1.762	0.	0.	0.

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	188	188	938	1170	0	0	0	0
normalized size	1	1.	4.99	6.22	0.	0.	0.	0.
time (sec)	N/A	0.05	12.51	0.549	0.	0.	0.	0.

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	321	321	317	605	0	0	0	0
normalized size	1	1.	0.99	1.88	0.	0.	0.	0.
time (sec)	N/A	0.313	4.383	0.117	0.	0.	0.	0.

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	480	480	470	824	0	0	0	0
normalized size	1	1.	0.98	1.72	0.	0.	0.	0.
time (sec)	N/A	0.499	7.508	0.069	0.	0.	0.	0.

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	614	614	830	6104	0	0	0	0
normalized size	1	1.	1.35	9.94	0.	0.	0.	0.
time (sec)	N/A	1.183	2.008	2.605	0.	0.	0.	0.

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	387	387	591	4600	0	0	0	0
normalized size	1	1.	1.53	11.89	0.	0.	0.	0.
time (sec)	N/A	0.804	1.296	2.211	0.	0.	0.	0.

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	244	244	331	12404	0	0	0	0
normalized size	1	1.	1.36	50.84	0.	0.	0.	0.
time (sec)	N/A	0.602	0.763	0.954	0.	0.	0.	0.

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	272	272	0	2367	0	0	0	0
normalized size	1	1.	0.	8.7	0.	0.	0.	0.
time (sec)	N/A	0.057	109.64	0.43	0.	0.	0.	0.

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	517	517	1110	3497	0	0	0	0
normalized size	1	1.	2.15	6.76	0.	0.	0.	0.
time (sec)	N/A	0.525	15.401	0.613	0.	0.	0.	0.

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	C	F	F	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	953	953	0	53538	0	0	0	0
normalized size	1	1.	0.	56.18	0.	0.	0.	0.
time (sec)	N/A	1.027	87.225	3.486	0.	0.	0.	0.

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	67	109	240	118	0	0	0	0
normalized size	1	1.63	3.58	1.76	0.	0.	0.	0.
time (sec)	N/A	0.07	0.276	0.04	0.	0.	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	88	108	272	127	194	0	0	0
normalized size	1	1.23	3.09	1.44	2.2	0.	0.	0.
time (sec)	N/A	0.066	0.099	0.036	1.45	0.	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	220	254	306	0	1145	1083	423
normalized size	1	1.21	1.4	1.68	0.	6.29	5.95	2.32
time (sec)	N/A	0.223	0.284	0.031	0.	2.339	45.228	2.399

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	170	223	0	918	1652	289
normalized size	1	1.	1.08	1.41	0.	5.81	10.46	1.83
time (sec)	N/A	0.21	0.167	0.032	0.	1.809	34.135	1.915

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	94	104	91	0	616	473	166
normalized size	1	0.8	0.89	0.78	0.	5.26	4.04	1.42
time (sec)	N/A	0.093	0.058	0.043	0.	1.806	20.337	1.316

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	F	C	A	F	F	F(-1)	F
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD
size	325	0	285	362	0	0	0	0
normalized size	1	0.	0.88	1.11	0.	0.	0.	0.
time (sec)	N/A	0.063	17.47	0.07	0.	0.	0.	0.

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	166	166	261	181	0	1350	0	366
normalized size	1	1.	1.57	1.09	0.	8.13	0.	2.2
time (sec)	N/A	0.279	0.356	0.034	0.	26.882	0.	1.174

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	F	A	A	F(-2)	F(-1)	F(-1)	B
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD
size	226	0	379	310	0	0	0	684
normalized size	1	0.	1.68	1.37	0.	0.	0.	3.03
time (sec)	N/A	0.066	0.712	0.04	0.	0.	0.	89.474

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	F	F	F
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD
size	1085	1216	684	0	0	0	0	0
normalized size	1	1.12	0.63	0.	0.	0.	0.	0.
time (sec)	N/A	2.438	3.184	0.269	0.	0.	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.119	45.243	0.33	0.	0.	0.	0.

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.369	42.476	0.457	0.	0.	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	C	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	336	332	299	500	0	20131	0	527
normalized size	1	0.99	0.89	1.49	0.	59.91	0.	1.57
time (sec)	N/A	0.511	0.279	0.032	0.	18.189	0.	4.292

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	C	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	285	285	333	362	0	9110	0	432
normalized size	1	1.	1.17	1.27	0.	31.96	0.	1.52
time (sec)	N/A	0.452	0.102	0.031	0.	14.72	0.	2.18

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	F	C	C	F	F	F(-1)	F
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD
size	523	0	515	182	0	0	0	0
normalized size	1	0.	0.98	0.35	0.	0.	0.	0.
time (sec)	N/A	0.062	99.21	0.171	0.	0.	0.	0.

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	414	414	534	591	0	0	0	0
normalized size	1	1.	1.29	1.43	0.	0.	0.	0.
time (sec)	N/A	0.773	0.558	0.039	0.	0.	0.	0.

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	195	195	160	309	332	0	0	0
normalized size	1	1.	0.82	1.58	1.7	0.	0.	0.
time (sec)	N/A	0.601	0.552	0.053	1.796	0.	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	160	160	130	276	281	0	0	0
normalized size	1	1.	0.81	1.72	1.76	0.	0.	0.
time (sec)	N/A	0.429	0.38	0.05	1.751	0.	0.	0.

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	120	120	96	243	224	0	0	0
normalized size	1	1.	0.8	2.02	1.87	0.	0.	0.
time (sec)	N/A	0.26	0.22	0.051	1.752	0.	0.	0.

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	78	78	75	186	136	0	0	0
normalized size	1	1.	0.96	2.38	1.74	0.	0.	0.
time (sec)	N/A	0.125	0.097	0.046	2.075	0.	0.	0.

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	69	69	72	217	215	0	0	0
normalized size	1	1.	1.04	3.14	3.12	0.	0.	0.
time (sec)	N/A	0.244	0.125	0.053	1.624	0.	0.	0.

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	117	117	118	315	335	0	0	0
normalized size	1	1.	1.01	2.69	2.86	0.	0.	0.
time (sec)	N/A	0.363	0.324	0.057	1.784	0.	0.	0.

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	157	157	158	348	393	0	0	0
normalized size	1	1.	1.01	2.22	2.5	0.	0.	0.
time (sec)	N/A	0.456	0.537	0.066	1.785	0.	0.	0.

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	192	192	187	381	446	0	0	0
normalized size	1	1.	0.97	1.98	2.32	0.	0.	0.
time (sec)	N/A	0.571	0.753	0.062	1.796	0.	0.	0.

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	460	460	558	651	0	0	0	0
normalized size	1	1.	1.21	1.42	0.	0.	0.	0.
time (sec)	N/A	0.783	2.97	0.06	0.	0.	0.	0.

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	374	374	337	539	0	0	0	0
normalized size	1	1.	0.9	1.44	0.	0.	0.	0.
time (sec)	N/A	0.485	1.447	0.057	0.	0.	0.	0.

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	318	318	551	462	0	0	0	0
normalized size	1	1.	1.73	1.45	0.	0.	0.	0.
time (sec)	N/A	0.322	1.534	0.053	0.	0.	0.	0.

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	358	358	302	540	0	0	0	0
normalized size	1	1.	0.84	1.51	0.	0.	0.	0.
time (sec)	N/A	0.587	1.124	0.062	0.	0.	0.	0.

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	413	413	360	620	0	0	0	0
normalized size	1	1.	0.87	1.5	0.	0.	0.	0.
time (sec)	N/A	0.72	1.624	0.068	0.	0.	0.	0.

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	506	506	394	741	0	0	0	0
normalized size	1	1.	0.78	1.46	0.	0.	0.	0.
time (sec)	N/A	0.872	2.673	0.072	0.	0.	0.	0.

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [29] had the largest ratio of [2.167]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	4	1.	16	0.25
2	A	6	4	1.	16	0.25
3	A	6	4	1.	16	0.25
4	A	6	4	1.	14	0.286
5	A	4	4	1.	16	0.25
6	A	6	4	1.	16	0.25
7	A	4	3	1.	16	0.188
8	A	4	3	1.	16	0.188
9	A	19	14	1.	18	0.778
10	A	15	12	1.	18	0.667
11	A	12	9	1.	16	0.562
12	A	1	1	1.	18	0.056
13	A	12	6	1.	18	0.333
14	A	18	10	1.	18	0.556
15	A	29	15	1.	18	0.833
16	A	20	13	1.	18	0.722
17	A	14	10	1.	16	0.625
18	A	1	1	1.	18	0.056
19	A	9	7	1.	18	0.389
20	A	21	11	1.	18	0.611
21	A	4	4	1.63	17	0.235
22	A	4	4	1.23	15	0.267
23	A	19	10	1.21	18	0.556
24	A	12	10	1.	18	0.556
25	A	10	7	0.8	16	0.438
26	F	0	0	N/A	0	N/A
27	A	10	7	1.	18	0.389
28	F	0	0	N/A	0	N/A
29	A	104	39	1.12	18	2.167
30	A	0	0	0.	0	0.
31	A	0	0	0.	0	0.
32	A	25	14	0.99	18	0.778
33	A	23	13	1.	16	0.812
34	F	0	0	N/A	0	N/A
35	A	20	12	1.	18	0.667
36	A	19	10	1.	26	0.385
37	A	14	10	1.	26	0.385
38	A	9	9	1.	24	0.375
39	A	5	4	1.	23	0.174
40	A	5	7	1.	26	0.269
41	A	9	9	1.	26	0.346
42	A	14	9	1.	26	0.346
43	A	20	9	1.	26	0.346

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
44	A	20	11	1.	23	0.478
45	A	15	10	1.	21	0.476
46	A	11	5	1.	20	0.25
47	A	15	11	1.	23	0.478
48	A	19	13	1.	23	0.565
49	A	24	13	1.	23	0.565

Chapter 3

Listing of integrals

3.1 $\int (d + ex)^4 (a + b \tanh^{-1}(cx)) dx$

Optimal. Leaf size=149

$$\frac{(d + ex)^5 (a + b \tanh^{-1}(cx))}{5e} + \frac{be^2 x^2 (10c^2 d^2 + e^2)}{10c^3} + \frac{bdex (2c^2 d^2 + e^2)}{c^3} - \frac{b(cd - e)^5 \log(cx + 1)}{10c^5 e} + \frac{b(cd + e)^5 \log(1 - cx)}{10c^5 e}$$

```
[Out] (b*d*e*(2*c^2*d^2 + e^2)*x)/c^3 + (b*e^2*(10*c^2*d^2 + e^2)*x^2)/(10*c^3) +
(b*d*e^3*x^3)/(3*c) + (b*e^4*x^4)/(20*c) + ((d + e*x)^5*(a + b*ArcTanh[c*x
]))/(5*e) + (b*(c*d + e)^5*Log[1 - c*x])/(10*c^5*e) - (b*(c*d - e)^5*Log[1
+ c*x])/(10*c^5*e)
```

Rubi [A] time = 0.140575, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5926, 702, 633, 31}

$$\frac{(d + ex)^5 (a + b \tanh^{-1}(cx))}{5e} + \frac{be^2 x^2 (10c^2 d^2 + e^2)}{10c^3} + \frac{bdex (2c^2 d^2 + e^2)}{c^3} - \frac{b(cd - e)^5 \log(cx + 1)}{10c^5 e} + \frac{b(cd + e)^5 \log(1 - cx)}{10c^5 e}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)^4*(a + b*ArcTanh[c*x]), x]
```

```
[Out] (b*d*e*(2*c^2*d^2 + e^2)*x)/c^3 + (b*e^2*(10*c^2*d^2 + e^2)*x^2)/(10*c^3) +
(b*d*e^3*x^3)/(3*c) + (b*e^4*x^4)/(20*c) + ((d + e*x)^5*(a + b*ArcTanh[c*x
]))/(5*e) + (b*(c*d + e)^5*Log[1 - c*x])/(10*c^5*e) - (b*(c*d - e)^5*Log[1
+ c*x])/(10*c^5*e)
```

Rule 5926

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_))^(q_.), x_Symbol]
:> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(
b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a,
b, c, d, e, q}, x] && NeQ[q, -1]
```

Rule 702

```
Int[((d_) + (e_.)*(x_))^(m_)/((a_) + (c_.)*(x_)^2), x_Symbol] := Int[Polyno
mialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])
```

Rule 633

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]
```

Rule 31

```
Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int (d+ex)^4 (a+b \tanh^{-1}(cx)) dx &= \frac{(d+ex)^5 (a+b \tanh^{-1}(cx))}{5e} - \frac{(bc) \int \frac{(d+ex)^5 dx}{1-c^2x^2}}{5e} \\ &= \frac{(d+ex)^5 (a+b \tanh^{-1}(cx))}{5e} - \frac{(bc) \int \left(-\frac{5de^2(2c^2d^2+e^2)}{c^4} - \frac{e^3(10c^2d^2+e^2)x}{c^4} - \frac{5de^4x^2}{c^2} - \frac{e^5x^3}{c^2} + \dots \right) dx}{5e} \\ &= \frac{bde(2c^2d^2+e^2)x}{c^3} + \frac{be^2(10c^2d^2+e^2)x^2}{10c^3} + \frac{bde^3x^3}{3c} + \frac{be^4x^4}{20c} + \frac{(d+ex)^5 (a+b \tanh^{-1}(cx))}{5e} \\ &= \frac{bde(2c^2d^2+e^2)x}{c^3} + \frac{be^2(10c^2d^2+e^2)x^2}{10c^3} + \frac{bde^3x^3}{3c} + \frac{be^4x^4}{20c} + \frac{(d+ex)^5 (a+b \tanh^{-1}(cx))}{5e} \\ &= \frac{bde(2c^2d^2+e^2)x}{c^3} + \frac{be^2(10c^2d^2+e^2)x^2}{10c^3} + \frac{bde^3x^3}{3c} + \frac{be^4x^4}{20c} + \frac{(d+ex)^5 (a+b \tanh^{-1}(cx))}{5e} \end{aligned}$$

Mathematica [A] time = 0.179837, size = 274, normalized size = 1.84

$$\frac{6c^2ex^2(20ac^3d^3 + be(10c^2d^2 + e^2)) + 60c^2dx(ac^3d^3 + be(2c^2d^2 + e^2)) + 3c^4e^3x^4(20acd + be) + 20c^4de^2x^3(6acd + be) + \dots}{(60c^5)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)^4*(a + b*ArcTanh[c*x]), x]
```

```
[Out] (60*c^2*d*(a*c^3*d^3 + b*e*(2*c^2*d^2 + e^2))*x + 6*c^2*e*(20*a*c^3*d^3 + b*e*(10*c^2*d^2 + e^2))*x^2 + 20*c^4*d*e^2*(6*a*c*d + b*e)*x^3 + 3*c^4*e^3*(20*a*c*d + b*e)*x^4 + 12*a*c^5*e^4*x^5 + 12*b*c^5*x*(5*d^4 + 10*d^3*e*x + 10*d^2*e^2*x^2 + 5*d*e^3*x^3 + e^4*x^4)*ArcTanh[c*x] + 6*b*(5*c^4*d^4 + 10*c^3*d^3*e + 10*c^2*d^2*e^2 + 5*c*d*e^3 + e^4)*Log[1 - c*x] + 6*b*(5*c^4*d^4 - 10*c^3*d^3*e + 10*c^2*d^2*e^2 - 5*c*d*e^3 + e^4)*Log[1 + c*x])/(60*c^5)
```

Maple [B] time = 0.031, size = 395, normalized size = 2.7

$$2be^2 \operatorname{Artanh}(cx) x^3 d^2 + \frac{ad^5}{5e} + \frac{ae^4x^5}{5} + axd^4 + \frac{be^3dx}{c^3} + \frac{be^4x^2}{10c^3} + \frac{be^4 \ln(cx-1)}{10c^5} + \frac{be^4 \ln(cx+1)}{10c^5} - \frac{b \ln(cx+1) d^5}{10e} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^4*(a+b*arctanh(c*x)), x)
```

```
[Out] 1/5*a/e*d^5+1/5*a*e^4*x^5+a*x*d^4+b/c^3*e^3*d*x+1/10/c^3*b*e^4*x^2+1/10/c^5*b*e^4*ln(c*x-1)+1/10/c^5*b*e^4*ln(c*x+1)-1/10*b/e*ln(c*x+1)*d^5+1/10*b/e*1
```

$$n(c*x-1)*d^5+1/5*b/e*arctanh(c*x)*d^5+1/5*b*e^4*arctanh(c*x)*x^5+b*arctanh(c*x)*x*d^4+1/2/c*b*ln(c*x+1)*d^4+1/2/c*b*ln(c*x-1)*d^4+a*e^3*x^4*d+2*a*e^2*x^3*d^2+2*a*e*x^2*d^3+2*b*e^2*arctanh(c*x)*x^3*d^2+2*b/c*e*d^3*x+1/c*b*e^2*x^2*d^2+2*b*e*arctanh(c*x)*x^2*d^3+b*e^3*arctanh(c*x)*x^4*d-1/c^2*b*e*ln(c*x+1)*d^3+1/c^3*b*e^2*ln(c*x-1)*d^2+1/c^3*b*e^2*ln(c*x+1)*d^2+1/c^2*b*e*ln(c*x-1)*d^3+1/2/c^4*b*e^3*ln(c*x-1)*d-1/2/c^4*b*e^3*ln(c*x+1)*d+1/20*b*e^4*x^4/c+1/3*b*d*e^3*x^3/c$$

Maxima [A] time = 0.977438, size = 369, normalized size = 2.48

$$\frac{1}{5}ae^4x^5 + ade^3x^4 + 2ad^2e^2x^3 + 2ad^3ex^2 + \left(2x^2 \operatorname{artanh}(cx) + c\left(\frac{2x}{c^2} - \frac{\log(cx+1)}{c^3} + \frac{\log(cx-1)}{c^3}\right)\right)bd^3e + \left(2x^3 \operatorname{arta}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^4*(a+b*arctanh(c*x)),x, algorithm="maxima")

[Out] $1/5*a*e^4*x^5 + a*d*e^3*x^4 + 2*a*d^2*e^2*x^3 + 2*a*d^3*e*x^2 + (2*x^2*arctanh(c*x) + c*(2*x/c^2 - \log(c*x + 1)/c^3 + \log(c*x - 1)/c^3))*b*d^3*e + (2*x^3*arctanh(c*x) + c*(x^2/c^2 + \log(c^2*x^2 - 1)/c^4))*b*d^2*e^2 + 1/6*(6*x^4*arctanh(c*x) + c*(2*(c^2*x^3 + 3*x)/c^4 - 3*\log(c*x + 1)/c^5 + 3*\log(c*x - 1)/c^5))*b*d*e^3 + 1/20*(4*x^5*arctanh(c*x) + c*((c^2*x^4 + 2*x^2)/c^4 + 2*\log(c^2*x^2 - 1)/c^6))*b*e^4 + a*d^4*x + 1/2*(2*c*x*arctanh(c*x) + \log(-c^2*x^2 + 1))*b*d^4/c$

Fricas [B] time = 1.7327, size = 697, normalized size = 4.68

$$12ac^5e^4x^5 + 3(20ac^5de^3 + bc^4e^4)x^4 + 20(6ac^5d^2e^2 + bc^4de^3)x^3 + 6(20ac^5d^3e + 10bc^4d^2e^2 + bc^2e^4)x^2 + 60(ac^5d^4 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^4*(a+b*arctanh(c*x)),x, algorithm="fricas")

[Out] $1/60*(12*a*c^5*e^4*x^5 + 3*(20*a*c^5*d*e^3 + b*c^4*e^4)*x^4 + 20*(6*a*c^5*d^2*e^2 + b*c^4*d*e^3)*x^3 + 6*(20*a*c^5*d^3*e + 10*b*c^4*d^2*e^2 + b*c^2*e^4)*x^2 + 60*(a*c^5*d^4 + 2*b*c^4*d^3*e + b*c^2*d*e^3)*x + 6*(5*b*c^4*d^4 - 10*b*c^3*d^3*e + 10*b*c^2*d^2*e^2 - 5*b*c*d*e^3 + b*e^4)*\log(c*x + 1) + 6*(5*b*c^4*d^4 + 10*b*c^3*d^3*e + 10*b*c^2*d^2*e^2 + 5*b*c*d*e^3 + b*e^4)*\log(c*x - 1) + 6*(b*c^5*e^4*x^5 + 5*b*c^5*d*e^3*x^4 + 10*b*c^5*d^2*e^2*x^3 + 10*b*c^5*d^3*e*x^2 + 5*b*c^5*d^4*x)*\log(-(c*x + 1)/(c*x - 1)))/c^5$

Sympy [A] time = 5.24591, size = 381, normalized size = 2.56

$$\left\{ \begin{array}{l} ad^4x + 2ad^3ex^2 + 2ad^2e^2x^3 + ade^3x^4 + \frac{ae^4x^5}{5} + bd^4x \operatorname{atanh}(cx) + 2bd^3ex^2 \operatorname{atanh}(cx) + 2bd^2e^2x^3 \operatorname{atanh}(cx) + bde^3x^4 \\ a\left(d^4x + 2d^3ex^2 + 2d^2e^2x^3 + de^3x^4 + \frac{e^4x^5}{5}\right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**4*(a+b*atanh(c*x)),x)

```
[Out] Piecewise((a*d**4*x + 2*a*d**3*e**x**2 + 2*a*d**2*e**2*x**3 + a*d*e**3*x**4
+ a*e**4*x**5/5 + b*d**4*x*atanh(c*x) + 2*b*d**3*e**x**2*atanh(c*x) + 2*b*d*
*2*e**2*x**3*atanh(c*x) + b*d*e**3*x**4*atanh(c*x) + b*e**4*x**5*atanh(c*x)
/5 + b*d**4*log(x - 1/c)/c + b*d**4*atanh(c*x)/c + 2*b*d**3*e*x/c + b*d**2*
e**2*x**2/c + b*d*e**3*x**3/(3*c) + b*e**4*x**4/(20*c) - 2*b*d**3*e*atanh(c
*x)/c**2 + 2*b*d**2*e**2*log(x - 1/c)/c**3 + 2*b*d**2*e**2*atanh(c*x)/c**3
+ b*d*e**3*x/c**3 + b*e**4*x**2/(10*c**3) - b*d*e**3*atanh(c*x)/c**4 + b*e
**4*log(x - 1/c)/(5*c**5) + b*e**4*atanh(c*x)/(5*c**5), Ne(c, 0)), (a*(d**4*
x + 2*d**3*e**x**2 + 2*d**2*e**2*x**3 + d*e**3*x**4 + e**4*x**5/5), True))
```

Giac [B] time = 1.33342, size = 524, normalized size = 3.52

$$6bc^5x^5e^4 \log\left(-\frac{cx+1}{cx-1}\right) + 30bc^5dx^4e^3 \log\left(-\frac{cx+1}{cx-1}\right) + 60bc^5d^2x^3e^2 \log\left(-\frac{cx+1}{cx-1}\right) + 60bc^5d^3x^2e \log\left(-\frac{cx+1}{cx-1}\right) + 12ac^5x^5e^4 + 60$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^4*(a+b*arctanh(c*x)),x, algorithm="giac")
```

```
[Out] 1/60*(6*b*c^5*x^5*e^4*log(-(c*x + 1)/(c*x - 1)) + 30*b*c^5*d*x^4*e^3*log(-(
c*x + 1)/(c*x - 1)) + 60*b*c^5*d^2*x^3*e^2*log(-(c*x + 1)/(c*x - 1)) + 60*b
*c^5*d^3*x^2*e*log(-(c*x + 1)/(c*x - 1)) + 12*a*c^5*x^5*e^4 + 60*a*c^5*d*x^
4*e^3 + 120*a*c^5*d^2*x^3*e^2 + 120*a*c^5*d^3*x^2*e + 30*b*c^5*d^4*x*log(-(
c*x + 1)/(c*x - 1)) + 60*a*c^5*d^4*x + 3*b*c^4*x^4*e^4 + 20*b*c^4*d*x^3*e^3
+ 60*b*c^4*d^2*x^2*e^2 + 120*b*c^4*d^3*x*e + 30*b*c^4*d^4*log(c^2*x^2 - 1)
- 60*b*c^3*d^3*e*log(c*x + 1) + 60*b*c^3*d^3*e*log(c*x - 1) + 60*b*c^2*d^2
*e^2*log(c^2*x^2 - 1) + 6*b*c^2*x^2*e^4 + 60*b*c^2*d*x*e^3 - 30*b*c*d*e^3*log(c*x + 1) + 30*b*c*d*e^3*log(c*x - 1) + 6*b*e^4*log(c^2*x^2 - 1))/c^5
```

3.2 $\int (d + ex)^3 (a + b \tanh^{-1}(cx)) dx$

Optimal. Leaf size=125

$$\frac{(d + ex)^4 (a + b \tanh^{-1}(cx))}{4e} + \frac{bex(6c^2d^2 + e^2)}{4c^3} - \frac{b(cd - e)^4 \log(cx + 1)}{8c^4e} + \frac{b(cd + e)^4 \log(1 - cx)}{8c^4e} + \frac{bde^2x^2}{2c} + \frac{be^3x^3}{12c}$$

```
[Out] (b*e*(6*c^2*d^2 + e^2)*x)/(4*c^3) + (b*d*e^2*x^2)/(2*c) + (b*e^3*x^3)/(12*c)
+ ((d + e*x)^4*(a + b*ArcTanh[c*x]))/(4*e) + (b*(c*d + e)^4*Log[1 - c*x])
/(8*c^4*e) - (b*(c*d - e)^4*Log[1 + c*x])/(8*c^4*e)
```

Rubi [A] time = 0.141063, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5926, 702, 633, 31}

$$\frac{(d + ex)^4 (a + b \tanh^{-1}(cx))}{4e} + \frac{bex(6c^2d^2 + e^2)}{4c^3} - \frac{b(cd - e)^4 \log(cx + 1)}{8c^4e} + \frac{b(cd + e)^4 \log(1 - cx)}{8c^4e} + \frac{bde^2x^2}{2c} + \frac{be^3x^3}{12c}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)^3*(a + b*ArcTanh[c*x]), x]
```

```
[Out] (b*e*(6*c^2*d^2 + e^2)*x)/(4*c^3) + (b*d*e^2*x^2)/(2*c) + (b*e^3*x^3)/(12*c)
+ ((d + e*x)^4*(a + b*ArcTanh[c*x]))/(4*e) + (b*(c*d + e)^4*Log[1 - c*x])
/(8*c^4*e) - (b*(c*d - e)^4*Log[1 + c*x])/(8*c^4*e)
```

Rule 5926

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))*((d_) + (e_.)*(x_.))^(q_.), x_Symbol]
:> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]
```

Rule 702

```
Int[((d_) + (e_.)*(x_.))^(m_)/((a_) + (c_.)*(x_.)^2), x_Symbol]
:> Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])
```

Rule 633

```
Int[((d_) + (e_.)*(x_.))/((a_) + (c_.)*(x_.)^2), x_Symbol]
:> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]
```

Rule 31

```
Int[((a_) + (b_.)*(x_.))^(-1), x_Symbol]
:> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^3 (a+b \tanh^{-1}(cx)) dx &= \frac{(d+ex)^4 (a+b \tanh^{-1}(cx))}{4e} - \frac{(bc) \int \frac{(d+ex)^4}{1-c^2x^2} dx}{4e} \\
&= \frac{(d+ex)^4 (a+b \tanh^{-1}(cx))}{4e} - \frac{(bc) \int \left(-\frac{e^2(6c^2d^2+e^2)}{c^4} - \frac{4de^3x}{c^2} - \frac{e^4x^2}{c^2} + \frac{c^4d^4+6c^2d^2e^2+e^4+4c^2de^2}{c^4(1-c^2x^2)} \right) dx}{4e} \\
&= \frac{be(6c^2d^2+e^2)x}{4c^3} + \frac{bde^2x^2}{2c} + \frac{be^3x^3}{12c} + \frac{(d+ex)^4 (a+b \tanh^{-1}(cx))}{4e} - \frac{b \int \frac{c^4d^4+6c^2d^2e^2+e^4+4c^2de^2}{c^4(1-c^2x^2)} dx}{4e} \\
&= \frac{be(6c^2d^2+e^2)x}{4c^3} + \frac{bde^2x^2}{2c} + \frac{be^3x^3}{12c} + \frac{(d+ex)^4 (a+b \tanh^{-1}(cx))}{4e} + \frac{(b(cd-e)^4) \int \frac{1}{1-c^2x^2} dx}{8c^2e} \\
&= \frac{be(6c^2d^2+e^2)x}{4c^3} + \frac{bde^2x^2}{2c} + \frac{be^3x^3}{12c} + \frac{(d+ex)^4 (a+b \tanh^{-1}(cx))}{4e} + \frac{b(cd+e)^4 \log\left(\frac{1-cx}{1+cx}\right)}{8c^4e}
\end{aligned}$$

Mathematica [A] time = 0.131718, size = 205, normalized size = 1.64

$$\frac{6cx(4ac^3d^3 + be(6c^2d^2 + e^2)) + 2c^3e^2x^3(12acd + be) + 12c^3dex^2(3acd + be) + 6ac^4e^3x^4 + 6bc^4x \tanh^{-1}(cx)(6d^2ex + 4d^3e)}{24c^4}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^3*(a + b*ArcTanh[c*x]), x]

[Out] (6*c*(4*a*c^3*d^3 + b*e*(6*c^2*d^2 + e^2))*x + 12*c^3*d*e*(3*a*c*d + b*e)*x^2 + 2*c^3*e^2*(12*a*c*d + b*e)*x^3 + 6*a*c^4*e^3*x^4 + 6*b*c^4*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3)*ArcTanh[c*x] + 3*b*(4*c^3*d^3 + 6*c^2*d^2*e + 4*c*d*e^2 + e^3)*Log[1 - c*x] + 3*b*(4*c^3*d^3 - 6*c^2*d^2*e + 4*c*d*e^2 - e^3)*Log[1 + c*x])/(24*c^4)

Maple [B] time = 0.03, size = 308, normalized size = 2.5

$$\frac{ae^3x^4}{4} + ae^2x^3d + \frac{3ae^2d^2}{2} + axd^3 + \frac{ad^4}{4e} + \frac{be^3 \operatorname{Artanh}(cx)x^4}{4} + be^2 \operatorname{Artanh}(cx)x^3d + \frac{3be \operatorname{Artanh}(cx)x^2d^2}{2} + b \operatorname{Artanh}(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^3*(a+b*arctanh(c*x)), x)

[Out] 1/4*a*e^3*x^4+a*e^2*x^3*d+3/2*a*e*x^2*d^2+a*x*d^3+1/4*a/e*d^4+1/4*b*e^3*arctanh(c*x)*x^4+b*e^2*arctanh(c*x)*x^3*d+3/2*b*e*arctanh(c*x)*x^2*d^2+b*arctanh(c*x)*x*d^3+1/4*b/e*arctanh(c*x)*d^4+1/12*b*e^3*x^3/c+1/2*b*d*e^2*x^2/c+3/2*b/c*e*x*d^2+1/4*b/c^3*x*e^3+1/8*b/e*ln(c*x-1)*d^4+1/2/c*b*ln(c*x-1)*d^3+3/4/c^2*b*e*ln(c*x-1)*d^2+1/2/c^3*b*e^2*ln(c*x-1)*d+1/8/c^4*b*e^3*ln(c*x-1)-1/8*b/e*ln(c*x+1)*d^4+1/2/c*b*ln(c*x+1)*d^3-3/4/c^2*b*e*ln(c*x+1)*d^2+1/2/c^3*b*e^2*ln(c*x+1)*d-1/8/c^4*b*e^3*ln(c*x+1)

Maxima [A] time = 0.966265, size = 282, normalized size = 2.26

$$\frac{1}{4}ae^3x^4 + ade^2x^3 + \frac{3}{2}ad^2ex^2 + \frac{3}{4}\left(2x^2 \operatorname{artanh}(cx) + c\left(\frac{2x}{c^2} - \frac{\log(cx+1)}{c^3} + \frac{\log(cx-1)}{c^3}\right)\right)bd^2e + \frac{1}{2}\left(2x^3 \operatorname{artanh}(cx) + c\left(\frac{2x}{c^2} - \frac{\log(cx+1)}{c^3} + \frac{\log(cx-1)}{c^3}\right)\right)bd^2e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{4}ae^3x^4 + ad^2e^2x^3 + \frac{3}{2}ad^2e^2x^2 + \frac{3}{4}(2x^2\operatorname{arctanh}(cx) + c(2x/c^2 - \log(cx+1)/c^3 + \log(cx-1)/c^3))bd^2e + \frac{1}{2}(2x^3\operatorname{arctanh}(cx) + c(x^2/c^2 + \log(c^2x^2-1)/c^4))bd^2e + \frac{1}{24}(6x^4\operatorname{arctanh}(cx) + c(2(c^2x^3+3x)/c^4 - 3\log(cx+1)/c^5 + 3\log(cx-1)/c^5))b^2e^3 + ad^3x + \frac{1}{2}(2cx\operatorname{arctanh}(cx) + \log(-c^2x^2+1))bd^3/c$

Fricas [B] time = 1.79442, size = 527, normalized size = 4.22

$6ac^4e^3x^4 + 2(12ac^4de^2 + bc^3e^3)x^3 + 12(3ac^4d^2e + bc^3de^2)x^2 + 6(4ac^4d^3 + 6bc^3d^2e + bce^3)x + 3(4bc^3d^3 - 6bc^2d^2e$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x)),x, algorithm="fricas")

[Out] $\frac{1}{24}(6ac^4e^3x^4 + 2(12ac^4d^2e^2 + bc^3e^3)x^3 + 12(3ac^4d^2e + bc^3de^2)x^2 + 6(4ac^4d^3 + 6bc^3d^2e + bce^3)x + 3(4bc^3d^3 - 6bc^2d^2e + 4bc^2d^2e + bc^3e^3)\log(cx+1) + 3(4bc^3d^3 + 6bc^2d^2e + 4bc^2d^2e + bc^3e^3)\log(cx-1) + 3(bc^4e^3x^4 + 4bc^4d^2e^2x^3 + 6bc^4d^2e^2x^2 + 4bc^4d^3x)\log(-(cx+1)/(cx-1)))/c^4$

Sympy [A] time = 3.34995, size = 279, normalized size = 2.23

$\left\{ \begin{array}{l} ad^3x + \frac{3ad^2ex^2}{2} + ade^2x^3 + \frac{ae^3x^4}{4} + bd^3x \operatorname{atanh}(cx) + \frac{3bd^2ex^2 \operatorname{atanh}(cx)}{2} + bde^2x^3 \operatorname{atanh}(cx) + \frac{be^3x^4 \operatorname{atanh}(cx)}{4} + \frac{bd^3 \log\left(\frac{x-1}{cx-1}\right)}{c} \\ a\left(d^3x + \frac{3d^2ex^2}{2} + de^2x^3 + \frac{e^3x^4}{4}\right) \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**3*(a+b*atanh(c*x)),x)

[Out] Piecewise((a*d**3*x + 3*a*d**2*e*x**2/2 + a*d*e**2*x**3 + a*e**3*x**4/4 + b*d**3*x*atanh(c*x) + 3*b*d**2*e*x**2*atanh(c*x)/2 + b*d*e**2*x**3*atanh(c*x) + b*e**3*x**4*atanh(c*x)/4 + b*d**3*log(x-1/c)/c + b*d**3*atanh(c*x)/c + 3*b*d**2*e*x/(2*c) + b*d*e**2*x**2/(2*c) + b*e**3*x**3/(12*c) - 3*b*d**2*e*atanh(c*x)/(2*c**2) + b*d*e**2*log(x-1/c)/c**3 + b*d*e**2*atanh(c*x)/c**3 + b*e**3*x/(4*c**3) - b*e**3*atanh(c*x)/(4*c**4), Ne(c, 0)), (a*(d**3*x + 3*d**2*e*x**2/2 + d*e**2*x**3 + e**3*x**4/4), True))

Giac [B] time = 1.33147, size = 397, normalized size = 3.18

$3bc^4x^4e^3 \log\left(-\frac{cx+1}{cx-1}\right) + 12bc^4dx^3e^2 \log\left(-\frac{cx+1}{cx-1}\right) + 18bc^4d^2x^2e \log\left(-\frac{cx+1}{cx-1}\right) + 6ac^4x^4e^3 + 24ac^4dx^3e^2 + 36ac^4d^2x^2e +$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x)),x, algorithm="giac")

```
[Out] 1/24*(3*b*c^4*x^4*e^3*log(-(c*x + 1)/(c*x - 1)) + 12*b*c^4*d*x^3*e^2*log(-(c*x + 1)/(c*x - 1)) + 18*b*c^4*d^2*x^2*e*log(-(c*x + 1)/(c*x - 1)) + 6*a*c^4*x^4*e^3 + 24*a*c^4*d*x^3*e^2 + 36*a*c^4*d^2*x^2*e + 12*b*c^4*d^3*x*log(-(c*x + 1)/(c*x - 1)) + 24*a*c^4*d^3*x + 2*b*c^3*x^3*e^3 + 12*b*c^3*d*x^2*e^2 + 36*b*c^3*d^2*x*e + 12*b*c^3*d^3*log(c^2*x^2 - 1) - 18*b*c^2*d^2*e*log(c*x + 1) + 18*b*c^2*d^2*e*log(c*x - 1) + 12*b*c*d*e^2*log(c^2*x^2 - 1) + 6*b*c*x*e^3 - 3*b*e^3*log(c*x + 1) + 3*b*e^3*log(c*x - 1))/c^4
```


3.3 $\int (d + ex)^2 (a + b \tanh^{-1}(cx)) dx$

Optimal. Leaf size=96

$$\frac{(d + ex)^3 (a + b \tanh^{-1}(cx))}{3e} - \frac{b(cd - e)^3 \log(cx + 1)}{6c^3e} + \frac{b(cd + e)^3 \log(1 - cx)}{6c^3e} + \frac{bdex}{c} + \frac{be^2x^2}{6c}$$

[Out] (b*d*e*x)/c + (b*e^2*x^2)/(6*c) + ((d + e*x)^3*(a + b*ArcTanh[c*x]))/(3*e) + (b*(c*d + e)^3*Log[1 - c*x])/(6*c^3*e) - (b*(c*d - e)^3*Log[1 + c*x])/(6*c^3*e)

Rubi [A] time = 0.121853, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5926, 702, 633, 31}

$$\frac{(d + ex)^3 (a + b \tanh^{-1}(cx))}{3e} - \frac{b(cd - e)^3 \log(cx + 1)}{6c^3e} + \frac{b(cd + e)^3 \log(1 - cx)}{6c^3e} + \frac{bdex}{c} + \frac{be^2x^2}{6c}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)^2*(a + b*ArcTanh[c*x]), x]

[Out] (b*d*e*x)/c + (b*e^2*x^2)/(6*c) + ((d + e*x)^3*(a + b*ArcTanh[c*x]))/(3*e) + (b*(c*d + e)^3*Log[1 - c*x])/(6*c^3*e) - (b*(c*d - e)^3*Log[1 + c*x])/(6*c^3*e)

Rule 5926

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))*((d_) + (e_.)*(x_.))^(q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 702

Int[((d_) + (e_.)*(x_.))^(m_)/((a_) + (c_.)*(x_.)^2), x_Symbol] :> Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])

Rule 633

Int[((d_) + (e_.)*(x_.))/((a_) + (c_.)*(x_.)^2), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]

Rule 31

Int[((a_) + (b_.)*(x_.))^(-1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int (d+ex)^2 (a+b \tanh^{-1}(cx)) dx &= \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))}{3e} - \frac{(bc) \int \frac{(d+ex)^3}{1-c^2x^2} dx}{3e} \\
&= \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))}{3e} - \frac{(bc) \int \left(-\frac{3de^2}{c^2} - \frac{e^3x}{c^2} + \frac{c^2d^3+3de^2+e(3c^2d^2+e^2)x}{c^2(1-c^2x^2)} \right) dx}{3e} \\
&= \frac{bdex}{c} + \frac{be^2x^2}{6c} + \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))}{3e} - \frac{b \int \frac{c^2d^3+3de^2+e(3c^2d^2+e^2)x}{1-c^2x^2} dx}{3ce} \\
&= \frac{bdex}{c} + \frac{be^2x^2}{6c} + \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))}{3e} + \frac{(b(cd-e)^3) \int \frac{1}{-c-c^2x} dx}{6ce} - \frac{(b(cd+e)^3) \int \frac{1}{c-c^2x} dx}{6ce} \\
&= \frac{bdex}{c} + \frac{be^2x^2}{6c} + \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))}{3e} + \frac{b(cd+e)^3 \log(1-cx)}{6c^3e} - \frac{b(cd-e)^3 \log(cx+1)}{6c^3e}
\end{aligned}$$

Mathematica [A] time = 0.0953217, size = 129, normalized size = 1.34

$$\frac{1}{6} \left(\frac{ex^2(6acd+be)}{c} + \frac{6dx(acd+be)}{c} + 2ae^2x^3 + \frac{b(3c^2d^2+3cde+e^2)\log(1-cx)}{c^3} + \frac{b(3c^2d^2-3cde+e^2)\log(cx+1)}{c^3} + 2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^2*(a + b*ArcTanh[c*x]), x]

[Out] ((6*d*(a*c*d + b*e)*x)/c + (e*(6*a*c*d + b*e)*x^2)/c + 2*a*e^2*x^3 + 2*b*x*(3*d^2 + 3*d*e*x + e^2*x^2)*ArcTanh[c*x] + (b*(3*c^2*d^2 + 3*c*d*e + e^2)*Log[1 - c*x])/c^3 + (b*(3*c^2*d^2 - 3*c*d*e + e^2)*Log[1 + c*x])/c^3)/6

Maple [B] time = 0.029, size = 218, normalized size = 2.3

$$\frac{ax^3e^2}{3} + ax^2de + axd^2 + \frac{ad^3}{3e} + \frac{be^2 \operatorname{Artanh}(cx) x^3}{3} + be \operatorname{Artanh}(cx) x^2d + b \operatorname{Artanh}(cx) xd^2 + \frac{b \operatorname{Artanh}(cx) d^3}{3e} + \frac{be^2x^2}{6c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^2*(a+b*arctanh(c*x)), x)

[Out] 1/3*a*x^3*e^2+a*x^2*d*e+a*x*d^2+1/3*a/e*d^3+1/3*b*e^2*arctanh(c*x)*x^3+b*e*arctanh(c*x)*x^2*d+b*arctanh(c*x)*x*d^2+1/3*b/e*arctanh(c*x)*d^3+1/6*b*e^2*x^2/c+b*d*e*x/c+1/6*b/e*ln(c*x-1)*d^3+1/2/c*b*ln(c*x-1)*d^2+1/2/c^2*b*e*ln(c*x-1)*d+1/6/c^3*b*e^2*ln(c*x-1)-1/6*b/e*ln(c*x+1)*d^3+1/2/c*b*ln(c*x+1)*d^2-1/2/c^2*b*e*ln(c*x+1)*d+1/6/c^3*b*e^2*ln(c*x+1)

Maxima [A] time = 0.989791, size = 185, normalized size = 1.93

$$\frac{1}{3} ae^2x^3 + adex^2 + \frac{1}{2} \left(2x^2 \operatorname{artanh}(cx) + c \left(\frac{2x}{c^2} - \frac{\log(cx+1)}{c^3} + \frac{\log(cx-1)}{c^3} \right) \right) bde + \frac{1}{6} \left(2x^3 \operatorname{artanh}(cx) + c \left(\frac{x^2}{c^2} + \frac{\log(c^2x^2+1)}{c^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arctanh(c*x)), x, algorithm="maxima")

3.4 $\int (d + ex) \left(a + b \tanh^{-1}(cx) \right) dx$

Optimal. Leaf size=84

$$\frac{(d + ex)^2 (a + b \tanh^{-1}(cx))}{2e} - \frac{b(cd - e)^2 \log(cx + 1)}{4c^2e} + \frac{b(cd + e)^2 \log(1 - cx)}{4c^2e} + \frac{bex}{2c}$$

[Out] (b*e*x)/(2*c) + ((d + e*x)^2*(a + b*ArcTanh[c*x]))/(2*e) + (b*(c*d + e)^2*Log[1 - c*x])/(4*c^2*e) - (b*(c*d - e)^2*Log[1 + c*x])/(4*c^2*e)

Rubi [A] time = 0.0762702, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {5926, 702, 633, 31}

$$\frac{(d + ex)^2 (a + b \tanh^{-1}(cx))}{2e} - \frac{b(cd - e)^2 \log(cx + 1)}{4c^2e} + \frac{b(cd + e)^2 \log(1 - cx)}{4c^2e} + \frac{bex}{2c}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)*(a + b*ArcTanh[c*x]),x]

[Out] (b*e*x)/(2*c) + ((d + e*x)^2*(a + b*ArcTanh[c*x]))/(2*e) + (b*(c*d + e)^2*Log[1 - c*x])/(4*c^2*e) - (b*(c*d - e)^2*Log[1 + c*x])/(4*c^2*e)

Rule 5926

Int[((a_) + ArcTanh[(c_)*(x_)])*(b_.)*((d_) + (e_.)*(x_)^(q_.)), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 702

Int[((d_) + (e_.)*(x_)^(m_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])

Rule 633

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int (d+ex)(a+b \tanh^{-1}(cx)) dx &= \frac{(d+ex)^2(a+b \tanh^{-1}(cx))}{2e} - \frac{(bc) \int \frac{(d+ex)^2}{1-c^2x^2} dx}{2e} \\
&= \frac{(d+ex)^2(a+b \tanh^{-1}(cx))}{2e} - \frac{(bc) \int \left(-\frac{e^2}{c^2} + \frac{c^2d^2+e^2+2c^2dex}{c^2(1-c^2x^2)} \right) dx}{2e} \\
&= \frac{bex}{2c} + \frac{(d+ex)^2(a+b \tanh^{-1}(cx))}{2e} - \frac{b \int \frac{c^2d^2+e^2+2c^2dex}{1-c^2x^2} dx}{2ce} \\
&= \frac{bex}{2c} + \frac{(d+ex)^2(a+b \tanh^{-1}(cx))}{2e} + \frac{(b(cd-e)^2) \int \frac{1}{-c-c^2x} dx}{4e} - \frac{(b(cd+e)^2) \int \frac{1}{-c+c^2x} dx}{4e} \\
&= \frac{bex}{2c} + \frac{(d+ex)^2(a+b \tanh^{-1}(cx))}{2e} + \frac{b(cd+e)^2 \log(1-cx)}{4c^2e} - \frac{b(cd-e)^2 \log(1+cx)}{4c^2e}
\end{aligned}$$

Mathematica [A] time = 0.0096586, size = 96, normalized size = 1.14

$$adx + \frac{1}{2}aex^2 + \frac{bd \log(1-c^2x^2)}{2c} + \frac{be \log(1-cx)}{4c^2} - \frac{be \log(cx+1)}{4c^2} + bdx \tanh^{-1}(cx) + \frac{1}{2}bex^2 \tanh^{-1}(cx) + \frac{bex}{2c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)*(a + b*ArcTanh[c*x]), x]

[Out] a*d*x + (b*e*x)/(2*c) + (a*e*x^2)/2 + b*d*x*ArcTanh[c*x] + (b*e*x^2*ArcTanh[c*x])/2 + (b*e*Log[1 - c*x])/(4*c^2) - (b*e*Log[1 + c*x])/(4*c^2) + (b*d*Log[1 - c^2*x^2])/(2*c)

Maple [A] time = 0.029, size = 92, normalized size = 1.1

$$\frac{ax^2e}{2} + adx + \frac{b \operatorname{Artanh}(cx)x^2e}{2} + b \operatorname{Artanh}(cx)xd + \frac{bex}{2c} + \frac{b \ln(cx-1)d}{2c} + \frac{b \ln(cx-1)e}{4c^2} + \frac{b \ln(cx+1)d}{2c} - \frac{b \ln(cx+1)e}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)*(a+b*arctanh(c*x)), x)

[Out] 1/2*a*x^2*e+a*d*x+1/2*b*arctanh(c*x)*x^2*e+b*arctanh(c*x)*x*d+1/2*b*e*x/c+1/2/c*b*ln(c*x-1)*d+1/4/c^2*b*ln(c*x-1)*e+1/2/c*b*ln(c*x+1)*d-1/4/c^2*b*ln(c*x+1)*e

Maxima [A] time = 0.972936, size = 112, normalized size = 1.33

$$\frac{1}{2}aex^2 + \frac{1}{4} \left(2x^2 \operatorname{artanh}(cx) + c \left(\frac{2x}{c^2} - \frac{\log(cx+1)}{c^3} + \frac{\log(cx-1)}{c^3} \right) \right) be + adx + \frac{(2cx \operatorname{artanh}(cx) + \log(-c^2x^2 + 1))}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x)), x, algorithm="maxima")

[Out] 1/2*a*e*x^2 + 1/4*(2*x^2*arctanh(c*x) + c*(2*x/c^2 - log(c*x + 1)/c^3 + log(c*x - 1)/c^3))*b*e + a*d*x + 1/2*(2*c*x*arctanh(c*x) + log(-c^2*x^2 + 1))*

$b*d/c$

Fricas [A] time = 1.64868, size = 228, normalized size = 2.71

$$\frac{2ac^2ex^2 + 2(2ac^2d + bce)x + (2bcd - be)\log(cx + 1) + (2bcd + be)\log(cx - 1) + (bc^2ex^2 + 2bc^2dx)\log\left(-\frac{cx+1}{cx-1}\right)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x)),x, algorithm="fricas")

[Out] 1/4*(2*a*c^2*e*x^2 + 2*(2*a*c^2*d + b*c*e)*x + (2*b*c*d - b*e)*log(c*x + 1) + (2*b*c*d + b*e)*log(c*x - 1) + (b*c^2*e*x^2 + 2*b*c^2*d*x)*log(-(c*x + 1)/(c*x - 1)))/c^2

Sympy [A] time = 1.18385, size = 92, normalized size = 1.1

$$\begin{cases} adx + \frac{aex^2}{2} + bdx \operatorname{atanh}(cx) + \frac{bex^2 \operatorname{atanh}(cx)}{2} + \frac{bd \log\left(x - \frac{1}{c}\right)}{c} + \frac{bd \operatorname{atanh}(cx)}{c} + \frac{bex}{2c} - \frac{be \operatorname{atanh}(cx)}{2c^2} & \text{for } c \neq 0 \\ a\left(dx + \frac{ex^2}{2}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*atanh(c*x)),x)

[Out] Piecewise((a*d*x + a*e*x**2/2 + b*d*x*atanh(c*x) + b*e*x**2*atanh(c*x)/2 + b*d*log(x - 1/c)/c + b*d*atanh(c*x)/c + b*e*x/(2*c) - b*e*atanh(c*x)/(2*c**2), Ne(c, 0)), (a*(d*x + e*x**2/2), True))

Giac [A] time = 1.16253, size = 157, normalized size = 1.87

$$\frac{bc^2x^2e \log\left(-\frac{cx+1}{cx-1}\right) + 2ac^2x^2e + 2bc^2dx \log\left(-\frac{cx+1}{cx-1}\right) + 4ac^2dx + 2bcxe + 2bcd \log(c^2x^2 - 1) - be \log(cx + 1) + be \log(cx - 1)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x)),x, algorithm="giac")

[Out] 1/4*(b*c^2*x^2*e*log(-(c*x + 1)/(c*x - 1)) + 2*a*c^2*x^2*e + 2*b*c^2*d*x*log(-(c*x + 1)/(c*x - 1)) + 4*a*c^2*d*x + 2*b*c*x*e + 2*b*c*d*log(c^2*x^2 - 1) - b*e*log(c*x + 1) + b*e*log(c*x - 1))/c^2

3.5 $\int \frac{a+b \tanh^{-1}(cx)}{d+ex} dx$

Optimal. Leaf size=114

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{2e} + \frac{(a+b \tanh^{-1}(cx)) \log\left(\frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{e} - \frac{\log\left(\frac{2}{cx+1}\right)(a+b \tanh^{-1}(cx))}{e}$$

[Out] -(((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e) + ((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e + (b*PolyLog[2, 1 - 2/(1 + c*x)])/(2*e) - (b*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(2*e)

Rubi [A] time = 0.0807015, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5920, 2402, 2315, 2447}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{2e} + \frac{(a+b \tanh^{-1}(cx)) \log\left(\frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{e} - \frac{\log\left(\frac{2}{cx+1}\right)(a+b \tanh^{-1}(cx))}{e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*x])/(d + e*x), x]

[Out] -(((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e) + ((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e + (b*PolyLog[2, 1 - 2/(1 + c*x)])/(2*e) - (b*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(2*e)

Rule 5920

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned} \int \frac{a + b \tanh^{-1}(cx)}{d + ex} dx &= -\frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1+cx}\right)}{e} + \frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{e} + \frac{(bc) \int \frac{\log\left(\frac{2}{1+cx}\right)}{1-c^2x^2} dx}{e} - \dots \\ &= -\frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1+cx}\right)}{e} + \frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{e} - \frac{b \operatorname{Li}_2\left(1 - \frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{2e} \\ &= -\frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1+cx}\right)}{e} + \frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{e} + \frac{b \operatorname{Li}_2\left(1 - \frac{2}{1+cx}\right)}{2e} - \dots \end{aligned}$$

Mathematica [C] time = 0.245294, size = 257, normalized size = 2.25

$$-\frac{1}{2}ib \left(-i \operatorname{PolyLog}\left(2, e^{-2\left(\tanh^{-1}\left(\frac{cd}{e}\right) + \tanh^{-1}(cx)\right)}\right) - i \operatorname{PolyLog}\left(2, -e^{2 \tanh^{-1}(cx)}\right) - \log\left(\frac{2}{\sqrt{1-c^2x^2}}\right) (\pi - 2i \tanh^{-1}(cx)) + i \left(\tan\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*x])/(d + e*x), x]

[Out] (a*Log[d + e*x] + b*ArcTanh[c*x]*(Log[1 - c^2*x^2]/2 + Log[I*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]]]) - (I/2)*b*((-I/4)*(Pi - (2*I)*ArcTanh[c*x])^2 + I*(ArcTanh[(c*d)/e] + ArcTanh[c*x])^2 + (Pi - (2*I)*ArcTanh[c*x])*Log[1 + E^(2*ArcTanh[c*x])] + (2*I)*(ArcTanh[(c*d)/e] + ArcTanh[c*x])*Log[1 - E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x]))] - (Pi - (2*I)*ArcTanh[c*x])*Log[2/Sqrt[1 - c^2*x^2]] - (2*I)*(ArcTanh[(c*d)/e] + ArcTanh[c*x])*Log[(2*I)*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]]) - I*PolyLog[2, -E^(2*ArcTanh[c*x])] - I*PolyLog[2, E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x]))])/e

Maple [A] time = 0.132, size = 148, normalized size = 1.3

$$\frac{a \ln(cx + cd)}{e} + \frac{b \ln(cx + cd) \operatorname{Arctanh}(cx)}{e} - \frac{b \ln(cx + cd)}{2e} \ln\left(\frac{cx + e}{-cd + e}\right) - \frac{b}{2e} \operatorname{dilog}\left(\frac{cx + e}{-cd + e}\right) + \frac{b \ln(cx + cd)}{2e} \ln\left(\frac{cx + e}{-cd + e}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))/(e*x+d), x)

[Out] a*ln(c*e*x+c*d)/e+b*ln(c*e*x+c*d)/e*arctanh(c*x)-1/2*b/e*ln(c*e*x+c*d)*ln((c*e*x+e)/(-c*d+e))-1/2*b/e*dilog((c*e*x+e)/(-c*d+e))+1/2*b/e*ln(c*e*x+c*d)*ln((c*e*x-e)/(-c*d-e))+1/2*b/e*dilog((c*e*x-e)/(-c*d-e))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}b \int \frac{\log(cx + 1) - \log(-cx + 1)}{ex + d} dx + \frac{a \log(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d), x, algorithm="maxima")

[Out] $1/2*b*\integrate((\log(c*x + 1) - \log(-c*x + 1))/(e*x + d), x) + a*\log(e*x + d)/e$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(cx) + a}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x))/(e*x+d),x, algorithm="fricas")`

[Out] `integral((b*arctanh(c*x) + a)/(e*x + d), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{atanh}(cx)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*atanh(c*x))/(e*x+d),x)`

[Out] `Integral((a + b*atanh(c*x))/(d + e*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(cx) + a}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x))/(e*x+d),x, algorithm="giac")`

[Out] `integrate((b*arctanh(c*x) + a)/(e*x + d), x)`

3.6 $\int \frac{a+b \tanh^{-1}(cx)}{(d+ex)^2} dx$

Optimal. Leaf size=93

$$-\frac{a+b \tanh^{-1}(cx)}{e(d+ex)} - \frac{bc \log(d+ex)}{c^2 d^2 - e^2} - \frac{bc \log(1-cx)}{2e(cd+e)} + \frac{bc \log(cx+1)}{2e(cd-e)}$$

[Out] $-\left(\frac{a+b \operatorname{ArcTanh}[c*x]}{e*(d+e*x)}\right) - \frac{b*c*\operatorname{Log}[1-c*x]}{2*e*(c*d+e)}$
 $+ \frac{b*c*\operatorname{Log}[1+c*x]}{2*(c*d-e)*e} - \frac{b*c*\operatorname{Log}[d+e*x]}{c^2*d^2-e^2}$

Rubi [A] time = 0.0670172, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5926, 706, 31, 633}

$$-\frac{a+b \tanh^{-1}(cx)}{e(d+ex)} - \frac{bc \log(d+ex)}{c^2 d^2 - e^2} - \frac{bc \log(1-cx)}{2e(cd+e)} + \frac{bc \log(cx+1)}{2e(cd-e)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*x])/(d + e*x)^2, x]

[Out] $-\left(\frac{a+b \operatorname{ArcTanh}[c*x]}{e*(d+e*x)}\right) - \frac{b*c*\operatorname{Log}[1-c*x]}{2*e*(c*d+e)}$
 $+ \frac{b*c*\operatorname{Log}[1+c*x]}{2*(c*d-e)*e} - \frac{b*c*\operatorname{Log}[d+e*x]}{c^2*d^2-e^2}$

Rule 5926

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 706

Int[1/(((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)), x_Symbol] := Dist[e^2/(c*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d - c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 633

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(cx)}{(d + ex)^2} dx &= -\frac{a + b \tanh^{-1}(cx)}{e(d + ex)} + \frac{(bc) \int \frac{1}{(d+ex)(1-c^2x^2)} dx}{e} \\
&= -\frac{a + b \tanh^{-1}(cx)}{e(d + ex)} - \frac{(bc) \int \frac{-c^2d+c^2ex}{1-c^2x^2} dx}{e(c^2d^2 - e^2)} - \frac{(bce) \int \frac{1}{d+ex} dx}{c^2d^2 - e^2} \\
&= -\frac{a + b \tanh^{-1}(cx)}{e(d + ex)} - \frac{bc \log(d + ex)}{c^2d^2 - e^2} - \frac{(bc^3) \int \frac{1}{-c-c^2x} dx}{2(cd - e)e} + \frac{(bc^3) \int \frac{1}{c-c^2x} dx}{2e(cd + e)} \\
&= -\frac{a + b \tanh^{-1}(cx)}{e(d + ex)} - \frac{bc \log(1 - cx)}{2e(cd + e)} + \frac{bc \log(1 + cx)}{2(cd - e)e} - \frac{bc \log(d + ex)}{c^2d^2 - e^2}
\end{aligned}$$

Mathematica [A] time = 0.119348, size = 102, normalized size = 1.1

$$-\frac{a}{e(d + ex)} - \frac{bc \log(d + ex)}{c^2d^2 - e^2} - \frac{bc \log(1 - cx)}{2e(cd + e)} - \frac{bc \log(cx + 1)}{2e(e - cd)} - \frac{b \tanh^{-1}(cx)}{e(d + ex)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x])/(d + e*x)^2,x]

[Out] -(a/(e*(d + e*x))) - (b*ArcTanh[c*x])/(e*(d + e*x)) - (b*c*Log[1 - c*x])/(2*e*(c*d + e)) - (b*c*Log[1 + c*x])/(2*e*(-(c*d) + e)) - (b*c*Log[d + e*x])/(c^2*d^2 - e^2)

Maple [A] time = 0.031, size = 114, normalized size = 1.2

$$-\frac{ac}{(cxe + cd)e} - \frac{bc \operatorname{Artanh}(cx)}{(cxe + cd)e} - \frac{bc \ln(cxe + cd)}{(cd + e)(cd - e)} - \frac{bc \ln(cx - 1)}{e(2cd + 2e)} + \frac{bc \ln(cx + 1)}{e(2cd - 2e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))/(e*x+d)^2,x)

[Out] -c*a/(c*e*x+c*d)/e-c*b/(c*e*x+c*d)/e*arctanh(c*x)-c*b/(c*d+e)/(c*d-e)*ln(c*e*x+c*d)-c*b/e/(2*c*d+2*e)*ln(c*x-1)+c*b/e/(2*c*d-2*e)*ln(c*x+1)

Maxima [A] time = 0.967194, size = 134, normalized size = 1.44

$$\frac{1}{2} \left(c \left(\frac{\log(cx + 1)}{cde - e^2} - \frac{\log(cx - 1)}{cde + e^2} - \frac{2 \log(ex + d)}{c^2d^2 - e^2} \right) - \frac{2 \operatorname{artanh}(cx)}{e^2x + de} \right) b - \frac{a}{e^2x + de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d)^2,x, algorithm="maxima")

[Out] 1/2*(c*(log(c*x + 1)/(c*d*e - e^2) - log(c*x - 1)/(c*d*e + e^2) - 2*log(e*x + d)/(c^2*d^2 - e^2)) - 2*arctanh(c*x)/(e^2*x + d*e))*b - a/(e^2*x + d*e)

Fricas [B] time = 1.91065, size = 387, normalized size = 4.16

$$\frac{2ac^2d^2 - 2ae^2 - (bc^2d^2 + bcde + (bc^2de + bce^2)x) \log(cx + 1) + (bc^2d^2 - bcde + (bc^2de - bce^2)x) \log(cx - 1) + 2(bce^2 - bce^2x) \log(e^2x + d) + 2(bce^2 - bce^2x) \log(-cx + 1)}{2(c^2d^3e - de^3 + (c^2d^2e^2 - e^4)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d)^2,x, algorithm="fricas")

[Out] -1/2*(2*a*c^2*d^2 - 2*a*e^2 - (b*c^2*d^2 + b*c*d*e + (b*c^2*d*e + b*c*e^2)*x)*log(c*x + 1) + (b*c^2*d^2 - b*c*d*e + (b*c^2*d*e - b*c*e^2)*x)*log(c*x - 1) + 2*(b*c*e^2*x + b*c*d*e)*log(e*x + d) + (b*c^2*d^2 - b*e^2)*log(-(c*x + 1)/(c*x - 1)))/(c^2*d^3*e - d*e^3 + (c^2*d^2*e^2 - e^4)*x)

Sympy [A] time = 8.62908, size = 782, normalized size = 8.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x))/(e*x+d)**2,x)

[Out] Piecewise((a*x/(d**2 + d*e*x), Eq(c, 0)), ((a*x + b*x*atanh(c*x) + b*log(x - 1/c)/c + b*atanh(c*x)/c)/d**2, Eq(e, 0)), (-2*a*d/(4*d**2*e + 4*d*e**2*x) + 2*a*e*x/(4*d**2*e + 4*d*e**2*x) + 2*b*d*atanh(e*x/d)/(4*d**2*e + 4*d*e**2*x) + b*d/(4*d**2*e + 4*d*e**2*x) - 2*b*e*x*atanh(e*x/d)/(4*d**2*e + 4*d*e**2*x) - b*e*x/(4*d**2*e + 4*d*e**2*x), Eq(c, -e/d)), (-2*a*d/(4*d**2*e + 4*d*e**2*x) + 2*a*e*x/(4*d**2*e + 4*d*e**2*x) - 2*b*d*atanh(e*x/d)/(4*d**2*e + 4*d*e**2*x) - b*d/(4*d**2*e + 4*d*e**2*x) + 2*b*e*x*atanh(e*x/d)/(4*d**2*e + 4*d*e**2*x) + b*e*x/(4*d**2*e + 4*d*e**2*x), Eq(c, e/d)), (zoo*(a*x + b*x*atanh(c*x) + b*log(x - 1/c)/c + b*atanh(c*x)/c), Eq(d, -e*x)), (-a*c**2*d**2/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) + a*e**2/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) + b*c**2*d*e*x*atanh(c*x)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) + b*c*d*e*log(x - 1/c)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) - b*c*d*e*log(d/e + x)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) + b*c*d*e*atanh(c*x)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) + b*c*e**2*x*log(x - 1/c)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) - b*c*e**2*x*log(d/e + x)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) + b*c*e**2*x*atanh(c*x)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x) + b*e**2*atanh(c*x)/(c**2*d**3*e + c**2*d**2*e**2*x - d*e**3 - e**4*x), True))

Giac [A] time = 1.1734, size = 176, normalized size = 1.89

$$\frac{1}{2} \left(c \left(\frac{\log \left(\left| c - \frac{cd}{xe+d} + \frac{e}{xe+d} \right| \right)}{cde^3 - e^4} - \frac{\log \left(\left| c - \frac{cd}{xe+d} - \frac{e}{xe+d} \right| \right)}{cde^3 + e^4} \right) e^2 - \frac{e^{(-1)} \log \left(\frac{-cx+1}{cx-1} \right)}{xe+d} \right) b - \frac{ae^{(-1)}}{xe+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d)^2,x, algorithm="giac")

```
[Out] 1/2*(c*(log(abs(c - c*d/(x*e + d) + e/(x*e + d)))/(c*d*e^3 - e^4) - log(abs(c - c*d/(x*e + d) - e/(x*e + d)))/(c*d*e^3 + e^4))*e^2 - e^(-1)*log(-(c*x + 1)/(c*x - 1))/(x*e + d))*b - a*e^(-1)/(x*e + d)
```

3.7 $\int \frac{a+b \tanh^{-1}(cx)}{(d+ex)^3} dx$

Optimal. Leaf size=130

$$-\frac{a+b \tanh^{-1}(cx)}{2e(d+ex)^2} + \frac{bc}{2(c^2d^2 - e^2)(d+ex)} - \frac{bc^3d \log(d+ex)}{(c^2d^2 - e^2)^2} - \frac{bc^2 \log(1-cx)}{4e(cd+e)^2} + \frac{bc^2 \log(cx+1)}{4e(cd-e)^2}$$

[Out] (b*c)/(2*(c^2*d^2 - e^2)*(d + e*x)) - (a + b*ArcTanh[c*x])/(2*e*(d + e*x)^2) - (b*c^2*Log[1 - c*x])/(4*e*(c*d + e)^2) + (b*c^2*Log[1 + c*x])/(4*(c*d - e)^2*e) - (b*c^3*d*Log[d + e*x])/(c^2*d^2 - e^2)^2

Rubi [A] time = 0.12943, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {5926, 710, 801}

$$-\frac{a+b \tanh^{-1}(cx)}{2e(d+ex)^2} + \frac{bc}{2(c^2d^2 - e^2)(d+ex)} - \frac{bc^3d \log(d+ex)}{(c^2d^2 - e^2)^2} - \frac{bc^2 \log(1-cx)}{4e(cd+e)^2} + \frac{bc^2 \log(cx+1)}{4e(cd-e)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*x])/(d + e*x)^3, x]

[Out] (b*c)/(2*(c^2*d^2 - e^2)*(d + e*x)) - (a + b*ArcTanh[c*x])/(2*e*(d + e*x)^2) - (b*c^2*Log[1 - c*x])/(4*e*(c*d + e)^2) + (b*c^2*Log[1 + c*x])/(4*(c*d - e)^2*e) - (b*c^3*d*Log[d + e*x])/(c^2*d^2 - e^2)^2

Rule 5926

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 710

Int[((d_.) + (e_.)*(x_.))^(m_.)/((a_.) + (c_.)*(x_.)^2), x_Symbol] := Simp[(e*(d + e*x)^(m + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(d - e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]

Rule 801

Int[(((d_.) + (e_.)*(x_.))^(m_.)*((f_.) + (g_.)*(x_.)))/((a_.) + (c_.)*(x_.)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(cx)}{(d + ex)^3} dx &= -\frac{a + b \tanh^{-1}(cx)}{2e(d + ex)^2} + \frac{(bc) \int \frac{1}{(d+ex)^2(1-c^2x^2)} dx}{2e} \\
&= \frac{bc}{2(c^2d^2 - e^2)(d + ex)} - \frac{a + b \tanh^{-1}(cx)}{2e(d + ex)^2} + \frac{(bc^3) \int \frac{d-ex}{(d+ex)(1-c^2x^2)} dx}{2e(c^2d^2 - e^2)} \\
&= \frac{bc}{2(c^2d^2 - e^2)(d + ex)} - \frac{a + b \tanh^{-1}(cx)}{2e(d + ex)^2} + \frac{(bc^3) \int \left(\frac{-cd+e}{2(cd+e)(-1+cx)} + \frac{cd+e}{2(cd-e)(1+cx)} + \frac{2de^2}{(-cd+e)(cd+e)} \right) dx}{2e(c^2d^2 - e^2)} \\
&= \frac{bc}{2(c^2d^2 - e^2)(d + ex)} - \frac{a + b \tanh^{-1}(cx)}{2e(d + ex)^2} - \frac{bc^2 \log(1 - cx)}{4e(cd + e)^2} + \frac{bc^2 \log(1 + cx)}{4(cd - e)^2e} - \frac{bc^3d \log(d - ex)}{(c^2d^2 - e^2)e}
\end{aligned}$$

Mathematica [A] time = 0.149741, size = 133, normalized size = 1.02

$$\frac{1}{4} \left(-\frac{2a}{e(d + ex)^2} + \frac{2bc}{(c^2d^2 - e^2)(d + ex)} - \frac{4bc^3d \log(d + ex)}{(e^2 - c^2d^2)^2} - \frac{bc^2 \log(1 - cx)}{e(cd + e)^2} + \frac{bc^2 \log(cx + 1)}{e(e - cd)^2} - \frac{2b \tanh^{-1}(cx)}{e(d + ex)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x])/(d + e*x)^3,x]

[Out] ((-2*a)/(e*(d + e*x)^2) + (2*b*c)/((c^2*d^2 - e^2)*(d + e*x)) - (2*b*ArcTanh[c*x])/(e*(d + e*x)^2) - (b*c^2*Log[1 - c*x])/(e*(c*d + e)^2) + (b*c^2*Log[1 + c*x])/(e*(-(c*d) + e)^2) - (4*b*c^3*d*Log[d + e*x])/(-(c^2*d^2) + e^2)^2)/4

Maple [A] time = 0.039, size = 154, normalized size = 1.2

$$-\frac{ac^2}{2(cxe + cd)^2e} - \frac{c^2b \operatorname{Artanh}(cx)}{2(cxe + cd)^2e} + \frac{c^2b}{(2cd + 2e)(cd - e)(cxe + cd)} - \frac{bc^3d \ln(cxe + cd)}{(cd + e)^2(cd - e)^2} - \frac{c^2b \ln(cx - 1)}{4e(cd + e)^2} + \frac{c^2b \ln(cx + 1)}{4e(cd - e)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))/(e*x+d)^3,x)

[Out] -1/2*c^2*a/(c*e*x+c*d)^2/e-1/2*c^2*b/(c*e*x+c*d)^2/e*arctanh(c*x)+1/2*c^2*b/(c*d+e)/(c*d-e)/(c*e*x+c*d)-c^3*b*d/(c*d+e)^2/(c*d-e)^2*ln(c*e*x+c*d)-1/4*c^2*b/e/(c*d+e)^2*ln(c*x-1)+1/4*b*c^2*ln(c*x+1)/(c*d-e)^2/e

Maxima [A] time = 0.970935, size = 257, normalized size = 1.98

$$-\frac{1}{4} \left(\left(\frac{4c^2d \log(ex + d)}{c^4d^4 - 2c^2d^2e^2 + e^4} - \frac{c \log(cx + 1)}{c^2d^2e - 2cde^2 + e^3} + \frac{c \log(cx - 1)}{c^2d^2e + 2cde^2 + e^3} - \frac{2}{c^2d^3 - de^2 + (c^2d^2e - e^3)x} \right)^c + \frac{2 \operatorname{artanh}(cx)}{e^3x^2 + 2de^2x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d)^3,x, algorithm="maxima")

$$\begin{aligned}
& + d) - 8*b*c^3*d^2*x*e^2*\log(x*e + d) - 4*b*c^3*d^3*e*\log(x*e + d) + 2*b*c \\
& ^3*d^2*x*e^2 + 2*b*c^3*d^3*e + b*c^2*x^2*e^4*\log(c*x + 1) + 2*b*c^2*d*x*e^3 \\
& *\log(c*x + 1) + b*c^2*d^2*e^2*\log(c*x + 1) - b*c^2*x^2*e^4*\log(c*x - 1) - 2 \\
& *b*c^2*d*x*e^3*\log(c*x - 1) - b*c^2*d^2*e^2*\log(c*x - 1) + 2*b*c^2*d^2*e^2* \\
& \log(-(c*x + 1)/(c*x - 1)) + 4*a*c^2*d^2*e^2 - 2*b*c*x*e^4 - 2*b*c*d*e^3 - b \\
& *e^4*\log(-(c*x + 1)/(c*x - 1)) - 2*a*e^4)/(c^4*d^4*x^2*e^3 + 2*c^4*d^5*x*e^ \\
& ^2 + c^4*d^6*e - 2*c^2*d^2*x^2*e^5 - 4*c^2*d^3*x*e^4 - 2*c^2*d^4*e^3 + x^2*e \\
& ^7 + 2*d*x*e^6 + d^2*e^5)
\end{aligned}$$

3.8 $\int \frac{a+b \tanh^{-1}(cx)}{(d+ex)^4} dx$

Optimal. Leaf size=175

$$-\frac{a+b \tanh^{-1}(cx)}{3e(d+ex)^3} + \frac{2bc^3d}{3(c^2d^2-e^2)^2(d+ex)} + \frac{bc}{6(c^2d^2-e^2)(d+ex)^2} - \frac{bc^3(3c^2d^2+e^2)\log(d+ex)}{3(cd-e)^3(cd+e)^3} - \frac{bc^3\log(1-cx)}{6e(cd+e)^3} + \dots$$

[Out] (b*c)/(6*(c^2*d^2 - e^2)*(d + e*x)^2) + (2*b*c^3*d)/(3*(c^2*d^2 - e^2)^2*(d + e*x)) - (a + b*ArcTanh[c*x])/(3*e*(d + e*x)^3) - (b*c^3*Log[1 - c*x])/(6*e*(c*d + e)^3) + (b*c^3*Log[1 + c*x])/(6*(c*d - e)^3*e) - (b*c^3*(3*c^2*d^2 + e^2)*Log[d + e*x])/(3*(c*d - e)^3*(c*d + e)^3)

Rubi [A] time = 0.188482, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {5926, 710, 801}

$$-\frac{a+b \tanh^{-1}(cx)}{3e(d+ex)^3} + \frac{2bc^3d}{3(c^2d^2-e^2)^2(d+ex)} + \frac{bc}{6(c^2d^2-e^2)(d+ex)^2} - \frac{bc^3(3c^2d^2+e^2)\log(d+ex)}{3(cd-e)^3(cd+e)^3} - \frac{bc^3\log(1-cx)}{6e(cd+e)^3} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*x])/(d + e*x)^4,x]

[Out] (b*c)/(6*(c^2*d^2 - e^2)*(d + e*x)^2) + (2*b*c^3*d)/(3*(c^2*d^2 - e^2)^2*(d + e*x)) - (a + b*ArcTanh[c*x])/(3*e*(d + e*x)^3) - (b*c^3*Log[1 - c*x])/(6*e*(c*d + e)^3) + (b*c^3*Log[1 + c*x])/(6*(c*d - e)^3*e) - (b*c^3*(3*c^2*d^2 + e^2)*Log[d + e*x])/(3*(c*d - e)^3*(c*d + e)^3)

Rule 5926

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 710

Int[((d_) + (e_.)*(x_))^(m_)/((a_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(e*(d + e*x)^(m + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(d - e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]

Rule 801

Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(cx)}{(d + ex)^4} dx &= -\frac{a + b \tanh^{-1}(cx)}{3e(d + ex)^3} + \frac{(bc) \int \frac{1}{(d+ex)^3(1-c^2x^2)} dx}{3e} \\
&= \frac{bc}{6(c^2d^2 - e^2)(d + ex)^2} - \frac{a + b \tanh^{-1}(cx)}{3e(d + ex)^3} + \frac{(bc^3) \int \frac{d-ex}{(d+ex)^2(1-c^2x^2)} dx}{3e(c^2d^2 - e^2)} \\
&= \frac{bc}{6(c^2d^2 - e^2)(d + ex)^2} - \frac{a + b \tanh^{-1}(cx)}{3e(d + ex)^3} + \frac{(bc^3) \int \left(-\frac{c(cd-e)}{2(cd+e)^2(-1+cx)} + \frac{c(cd+e)}{2(cd-e)^2(1+cx)} + \frac{1}{(-cd+e)} \right) dx}{3e(c^2d^2 - e^2)} \\
&= \frac{bc}{6(c^2d^2 - e^2)(d + ex)^2} + \frac{2bc^3d}{3(c^2d^2 - e^2)^2(d + ex)} - \frac{a + b \tanh^{-1}(cx)}{3e(d + ex)^3} - \frac{bc^3 \log(1 - cx)}{6e(cd + e)^3} + \frac{bc^3}{6e}
\end{aligned}$$

Mathematica [A] time = 0.263068, size = 173, normalized size = 0.99

$$\frac{1}{6} \left(-\frac{2a}{e(d + ex)^3} + \frac{4bc^3d}{(e^2 - c^2d^2)^2(d + ex)} + \frac{bc}{(c^2d^2 - e^2)(d + ex)^2} - \frac{2bc^3(3c^2d^2 + e^2) \log(d + ex)}{(c^2d^2 - e^2)^3} - \frac{bc^3 \log(1 - cx)}{e(cd + e)^3} + \frac{bc^3}{6e} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x])/(d + e*x)^4, x]

[Out] ((-2*a)/(e*(d + e*x)^3) + (b*c)/((c^2*d^2 - e^2)*(d + e*x)^2) + (4*b*c^3*d)/((-(c^2*d^2) + e^2)^2*(d + e*x)) - (2*b*ArcTanh[c*x])/(e*(d + e*x)^3) - (b*c^3*Log[1 - c*x])/(e*(c*d + e)^3) + (b*c^3*Log[1 + c*x])/((c*d - e)^3*e) - (2*b*c^3*(3*c^2*d^2 + e^2)*Log[d + e*x])/((c^2*d^2 - e^2)^3)/6

Maple [A] time = 0.046, size = 223, normalized size = 1.3

$$-\frac{c^3 a}{3 (cxe + cd)^3 e} - \frac{c^3 b \operatorname{Artanh}(cx)}{3 (cxe + cd)^3 e} + \frac{c^3 b}{(6cd + 6e)(cd - e)(cxe + cd)^2} - \frac{c^5 b \ln(cxe + cd) d^2}{(cd + e)^3 (cd - e)^3} - \frac{c^3 b e^2 \ln(cxe + cd)}{3 (cd + e)^3 (cd - e)^3} + \frac{bc^3}{6e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))/(e*x+d)^4, x)

[Out] -1/3*c^3*a/(c*e*x+c*d)^3/e-1/3*c^3*b/(c*e*x+c*d)^3/e*arctanh(c*x)+1/6*c^3*b/(c*d+e)/(c*d-e)/(c*e*x+c*d)^2-c^5*b/(c*d+e)^3/(c*d-e)^3*ln(c*e*x+c*d)*d^2-1/3*c^3*b*e^2/(c*d+e)^3/(c*d-e)^3*ln(c*e*x+c*d)+2/3*c^4*b*d/(c*d+e)^2/(c*d-e)^2/(c*e*x+c*d)-1/6*c^3*b/e/(c*d+e)^3*ln(c*x-1)+1/6*b*c^3*ln(c*x+1)/(c*d-e)^3/e

Maxima [B] time = 1.0115, size = 458, normalized size = 2.62

$$\frac{1}{6} \left(\left(\frac{c^2 \log(cx + 1)}{c^3 d^3 e - 3 c^2 d^2 e^2 + 3 c d e^3 - e^4} - \frac{c^2 \log(cx - 1)}{c^3 d^3 e + 3 c^2 d^2 e^2 + 3 c d e^3 + e^4} - \frac{2(3 c^4 d^2 + c^2 e^2) \log(ex + d)}{c^6 d^6 - 3 c^4 d^4 e^2 + 3 c^2 d^2 e^4 - e^6} + \frac{bc^3}{c^4 d^6 - 2 c^2 d^4 e^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d)^4,x, algorithm="maxima")

[Out] $\frac{1}{6} \left(\frac{c^2 \log(cx + 1)}{c^3 d^3 e - 3c^2 d^2 e^2 + 3c d e^3 - e^4} - c^2 \log(cx - 1) \frac{1}{c^3 d^3 e + 3c^2 d^2 e^2 + 3c d e^3 + e^4} - 2 \frac{(3c^4 d^2 + c^2 e^2) \log(e x + d)}{c^6 d^6 - 3c^4 d^4 e^2 + 3c^2 d^2 e^4 - e^6} + (4c^2 d e x + 5c^2 d^2 - e^2) \frac{1}{c^4 d^6 - 2c^2 d^4 e^2 + d^2 e^4 + (c^4 d^4 e^2 - 2c^2 d^2 e^4 + e^6) x^2} + 2 \frac{(c^4 d^5 e - 2c^2 d^3 e^3 + d e^5) x}{(e^4 x^3 + 3d e^3 x^2 + 3d^2 e^2 x + d^3 e)} \right) b - \frac{1}{3} \frac{a}{(e^4 x^3 + 3d e^3 x^2 + 3d^2 e^2 x + d^3 e)}$

Fricas [B] time = 4.12074, size = 1713, normalized size = 9.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d)^4,x, algorithm="fricas")

[Out] $-\frac{1}{6} (2a c^6 d^6 - 5b c^5 d^5 e - 6a c^4 d^4 e^2 + 6b c^3 d^3 e^3 + 6a c^2 d^2 e^4 - b c d e^5 - 2a e^6 - 4(b c^5 d^3 e^3 - b c^3 d e^5) x^2 - (9b c^5 d^4 e^2 - 10b c^3 d^2 e^4 + b c e^6) x - (b c^6 d^6 + 3b c^5 d^5 e + 3b c^4 d^4 e^2 + b c^3 d^3 e^3 + (b c^6 d^3 e^3 + 3b c^5 d^2 e^4 + 3b c^4 d e^5 + b c^3 e^6) x^3 + 3(b c^6 d^4 e^2 + 3b c^5 d^3 e^3 + 3b c^4 d^2 e^4 + b c^3 d e^5) x^2 + 3(b c^6 d^5 e + 3b c^5 d^4 e^2 + 3b c^4 d^3 e^3 + b c^3 d^2 e^4) x) \log(cx + 1) + (b c^6 d^6 - 3b c^5 d^5 e + 3b c^4 d^4 e^2 - b c^3 d^3 e^3 + (b c^6 d^3 e^3 - 3b c^5 d^2 e^4 + 3b c^4 d e^5 - b c^3 e^6) x^3 + 3(b c^6 d^4 e^2 - 3b c^5 d^3 e^3 + 3b c^4 d^2 e^4 - b c^3 d e^5) x^2 + 3(b c^6 d^5 e - 3b c^5 d^4 e^2 + 3b c^4 d^3 e^3 - b c^3 d^2 e^4) x) \log(cx - 1) + 2(3b c^5 d^5 e + b c^3 d^3 e^3 + (3b c^5 d^2 e^4 + b c^3 e^6) x^3 + 3(3b c^5 d^3 e^3 + b c^3 d e^5) x^2 + 3(3b c^5 d^4 e^2 + b c^3 d^2 e^4) x) \log(e x + d) + (b c^6 d^6 - 3b c^4 d^4 e^2 + 3b c^2 d^2 e^4 - b e^6) \log(-(c x + 1)/(c x - 1))) \frac{1}{c^6 d^9 e - 3c^4 d^7 e^3 + 3c^2 d^5 e^5 - d^3 e^7 + (c^6 d^6 e^4 - 3c^4 d^4 e^6 + 3c^2 d^2 e^8 - e^{10}) x^3 + 3(c^6 d^7 e^3 - 3c^4 d^5 e^5 + 3c^2 d^3 e^7 - d e^9) x^2 + 3(c^6 d^8 e^2 - 3c^4 d^6 e^4 + 3c^2 d^4 e^6 - d^2 e^8) x}$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x))/(e*x+d)**4,x)

[Out] Timed out

Giac [B] time = 3.09371, size = 1511, normalized size = 8.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(e*x+d)^4,x, algorithm="giac")

[Out] $\frac{1}{6}(b^6d^3x^3e^3\log(cx+1) + 3b^6d^4x^2e^2\log(cx+1) + 3b^6d^5xe\log(cx+1) - b^6d^3x^3e^3\log(cx-1) - 3b^6d^4x^2e^2\log(cx-1) - 3b^6d^5xe\log(cx-1) + b^6d^6\log(cx+1) - b^6d^6\log(cx-1) - b^6d^6\log(-\frac{cx+1}{cx-1})) - 2ac^6d^6 + 3b^6d^5d^2x^3e^4\log(cx+1) + 9b^6d^3x^2e^3\log(cx+1) + 9b^6d^4xe^2\log(cx+1) + 3b^6d^5e\log(cx+1) + 3b^6d^2x^3e^4\log(cx-1) + 9b^6d^3x^2e^3\log(cx-1) + 9b^6d^4xe^2\log(cx-1) + 3b^6d^5e\log(cx-1) - 6b^6d^2x^3e^4\log(xe+d) - 18b^6d^3x^2e^3\log(xe+d) - 18b^6d^4xe^2\log(xe+d) - 6b^6d^5e\log(xe+d) + 4b^6d^3x^2e^3 + 9b^6d^4xe^2 + 5b^6d^5e + 3b^6d^4d^2x^3e^5\log(cx+1) + 9b^6d^4d^2x^2e^4\log(cx+1) + 9b^6d^4d^3xe^3\log(cx+1) + 3b^6d^4d^4e^2\log(cx+1) - 3b^6d^4d^2x^3e^5\log(cx-1) - 9b^6d^4d^2x^2e^4\log(cx-1) - 9b^6d^4d^3xe^3\log(cx-1) - 3b^6d^4d^4e^2\log(cx-1) + 3b^6d^4d^4e^2\log(-\frac{cx+1}{cx-1})) + 6ac^4d^4e^2 + b^6d^3x^3e^6\log(cx+1) + 3b^6d^3d^2x^2e^5\log(cx+1) + 3b^6d^3d^2xe^4\log(cx+1) + b^6d^3d^3e^3\log(cx+1) + b^6d^3x^3e^6\log(cx-1) + 3b^6d^3d^2x^2e^5\log(cx-1) + 3b^6d^3d^2xe^4\log(cx-1) + b^6d^3d^3e^3\log(cx-1) - 2b^6d^3x^3e^6\log(xe+d) - 6b^6d^3d^2x^2e^5\log(xe+d) - 6b^6d^3d^2xe^4\log(xe+d) - 2b^6d^3d^3e^3\log(xe+d) - 4b^6d^3d^2x^2e^5 - 10b^6d^3d^2xe^4 - 6b^6d^3d^3e^3 - 3b^6d^2d^2e^4\log(-\frac{cx+1}{cx-1})) - 6ac^2d^2e^4 + b^6d^6x^3e^4 + 3c^6d^7x^2e^3 + 3c^6d^8xe^2 + c^6d^9e - 3c^4d^4x^3e^6 - 9c^4d^5x^2e^5 - 9c^4d^6xe^4 - 3c^4d^7e^3 + 3c^2d^2x^3e^8 + 9c^2d^3x^2e^7 + 9c^2d^4xe^6 + 3c^2d^5e^5 - x^3e^10 - 3d^2x^2e^9 - 3d^2xe^8 - d^3e^7)$

3.9 $\int (d + ex)^3 (a + b \tanh^{-1}(cx))^2 dx$

Optimal. Leaf size=359

$$\frac{b^2 d (c^2 d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{c^3} + \frac{abex (6c^2 d^2 + e^2)}{2c^3} + \frac{d (c^2 d^2 + e^2) (a + b \tanh^{-1}(cx))^2}{c^3} - \frac{(6c^2 d^2 e^2 + c^4 d^4 + e^4)}{4c^4}$$

[Out] $(b^2 d e^{2x})/c^2 + (a b e (6 c^2 d^2 + e^2) x)/(2 c^3) + (b^2 e^3 x^2)/(12 c^2) - (b^2 d e^2 \operatorname{ArcTanh}[c x])/c^3 + (b^2 e (6 c^2 d^2 + e^2) x \operatorname{ArcTanh}[c x])/(2 c^3) + (b d e^2 x^2 (a + b \operatorname{ArcTanh}[c x]))/c + (b e^3 x^3 (a + b \operatorname{ArcTanh}[c x]))/(6 c) + (d (c^2 d^2 + e^2) (a + b \operatorname{ArcTanh}[c x])^2)/c^3 - ((c^4 d^4 + 6 c^2 d^2 e^2 + e^4) (a + b \operatorname{ArcTanh}[c x])^2)/(4 c^4 e) + ((d + e x)^4 (a + b \operatorname{ArcTanh}[c x])^2)/(4 e) - (2 b d (c^2 d^2 + e^2) (a + b \operatorname{ArcTanh}[c x]) \operatorname{Log}[2/(1 - c x)])/c^3 + (b^2 e^3 \operatorname{Log}[1 - c^2 x^2])/(12 c^4) + (b^2 e (6 c^2 d^2 + e^2) \operatorname{Log}[1 - c^2 x^2])/(4 c^4) - (b^2 d (c^2 d^2 + e^2) \operatorname{PolyLog}[2, 1 - 2/(1 - c x)])/c^3$

Rubi [A] time = 0.533985, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 14, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$, Rules used = {5928, 5910, 260, 5916, 321, 206, 266, 43, 6048, 5948, 5984, 5918, 2402, 2315}

$$\frac{b^2 d (c^2 d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{c^3} + \frac{abex (6c^2 d^2 + e^2)}{2c^3} + \frac{d (c^2 d^2 + e^2) (a + b \tanh^{-1}(cx))^2}{c^3} - \frac{(6c^2 d^2 e^2 + c^4 d^4 + e^4)}{4c^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e x)^3 (a + b \operatorname{ArcTanh}[c x])^2, x]$

[Out] $(b^2 d e^{2x})/c^2 + (a b e (6 c^2 d^2 + e^2) x)/(2 c^3) + (b^2 e^3 x^2)/(12 c^2) - (b^2 d e^2 \operatorname{ArcTanh}[c x])/c^3 + (b^2 e (6 c^2 d^2 + e^2) x \operatorname{ArcTanh}[c x])/(2 c^3) + (b d e^2 x^2 (a + b \operatorname{ArcTanh}[c x]))/c + (b e^3 x^3 (a + b \operatorname{ArcTanh}[c x]))/(6 c) + (d (c^2 d^2 + e^2) (a + b \operatorname{ArcTanh}[c x])^2)/c^3 - ((c^4 d^4 + 6 c^2 d^2 e^2 + e^4) (a + b \operatorname{ArcTanh}[c x])^2)/(4 c^4 e) + ((d + e x)^4 (a + b \operatorname{ArcTanh}[c x])^2)/(4 e) - (2 b d (c^2 d^2 + e^2) (a + b \operatorname{ArcTanh}[c x]) \operatorname{Log}[2/(1 - c x)])/c^3 + (b^2 e^3 \operatorname{Log}[1 - c^2 x^2])/(12 c^4) + (b^2 e (6 c^2 d^2 + e^2) \operatorname{Log}[1 - c^2 x^2])/(4 c^4) - (b^2 d (c^2 d^2 + e^2) \operatorname{PolyLog}[2, 1 - 2/(1 - c x)])/c^3$

Rule 5928

$\operatorname{Int}[(a_.) + \operatorname{ArcTanh}[c_.] * (x_.)] * (b_.)^{(p_.)} * ((d_.) + (e_.) * (x_.))^{(q_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(d + e x)^{(q + 1)} (a + b \operatorname{ArcTanh}[c x])^p / (e (q + 1)), x] - \operatorname{Dist}[(b c^p) / (e (q + 1)), \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b \operatorname{ArcTanh}[c x])^p - 1], (d + e x)^{(q + 1)} / (1 - c^2 x^2), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{IGtQ}[p, 1] \&\& \operatorname{IntegerQ}[q] \&\& \operatorname{NeQ}[q, -1]$

Rule 5910

$\operatorname{Int}[(a_.) + \operatorname{ArcTanh}[c_.] * (x_.)] * (b_.)^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[x (a + b \operatorname{ArcTanh}[c x])^p, x] - \operatorname{Dist}[b c^p, \operatorname{Int}[(x (a + b \operatorname{ArcTanh}[c x])^p - 1) / (1 - c^2 x^2), x], x] /;$ $\operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{IGtQ}[p, 0]$

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 5916

Int[((a_) + ArcTanh[(c_)*(x_)])*(b_)^(p_)*((d_)*(x_)^(m_)), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 321

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 6048

Int((((a_) + ArcTanh[(c_)*(x_)])*(b_)^(p_))*((f_) + (g_)*(x_)^(m_))/((d_) + (e_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && IGtQ[m, 0]

Rule 5948

Int[((a_) + ArcTanh[(c_)*(x_)])*(b_)^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 5984

Int((((a_) + ArcTanh[(c_)*(x_)])*(b_)^(p_)*(x_))/((d_) + (e_)*(x_)^2), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*e*(p + 1)), x] + Dist[1/(c*d), Int[(a + b*ArcTanh[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]

Rule 5918

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)), x_Symbol]
:= -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c^p)/e, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 - c^2*x^2), x), x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rubi steps

$$\begin{aligned} \int (d + ex)^3 (a + b \tanh^{-1}(cx))^2 dx &= \frac{(d + ex)^4 (a + b \tanh^{-1}(cx))^2}{4e} - \frac{(bc) \int \left(-\frac{e^2(6c^2d^2 + e^2)(a + b \tanh^{-1}(cx))}{c^4} - \frac{4de^3x(a + b \tanh^{-1}(cx))}{c^2} \right) dx}{2c^3e} \\ &= \frac{(d + ex)^4 (a + b \tanh^{-1}(cx))^2}{4e} - \frac{b \int \frac{(c^4d^4 + 6c^2d^2e^2 + e^4 + 4c^2de(c^2d^2 + e^2)x)(a + b \tanh^{-1}(cx))}{1 - c^2x^2} dx}{2c^3e} \\ &= \frac{abe(6c^2d^2 + e^2)x}{2c^3} + \frac{bde^2x^2(a + b \tanh^{-1}(cx))}{c} + \frac{be^3x^3(a + b \tanh^{-1}(cx))}{6c} + \frac{(d + ex)^4 (a + b \tanh^{-1}(cx))^2}{4e} \\ &= \frac{b^2de^2x}{c^2} + \frac{abe(6c^2d^2 + e^2)x}{2c^3} + \frac{b^2e(6c^2d^2 + e^2)x \tanh^{-1}(cx)}{2c^3} + \frac{bde^2x^2(a + b \tanh^{-1}(cx))}{c} \\ &= \frac{b^2de^2x}{c^2} + \frac{abe(6c^2d^2 + e^2)x}{2c^3} - \frac{b^2de^2 \tanh^{-1}(cx)}{c^3} + \frac{b^2e(6c^2d^2 + e^2)x \tanh^{-1}(cx)}{2c^3} + \frac{(d + ex)^4 (a + b \tanh^{-1}(cx))^2}{4e} \\ &= \frac{b^2de^2x}{c^2} + \frac{abe(6c^2d^2 + e^2)x}{2c^3} + \frac{b^2e^3x^2}{12c^2} - \frac{b^2de^2 \tanh^{-1}(cx)}{c^3} + \frac{b^2e(6c^2d^2 + e^2)x \tanh^{-1}(cx)}{2c^3} \\ &= \frac{b^2de^2x}{c^2} + \frac{abe(6c^2d^2 + e^2)x}{2c^3} + \frac{b^2e^3x^2}{12c^2} - \frac{b^2de^2 \tanh^{-1}(cx)}{c^3} + \frac{b^2e(6c^2d^2 + e^2)x \tanh^{-1}(cx)}{2c^3} \\ &= \frac{b^2de^2x}{c^2} + \frac{abe(6c^2d^2 + e^2)x}{2c^3} + \frac{b^2e^3x^2}{12c^2} - \frac{b^2de^2 \tanh^{-1}(cx)}{c^3} + \frac{b^2e(6c^2d^2 + e^2)x \tanh^{-1}(cx)}{2c^3} \end{aligned}$$

Mathematica [A] time = 0.886709, size = 506, normalized size = 1.41

$$\frac{12b^2cd(c^2d^2 + e^2) \text{PolyLog}\left(2, -e^{-2 \tanh^{-1}(cx)}\right) + 18a^2c^4d^2ex^2 + 12a^2c^4d^3x + 12a^2c^4de^2x^3 + 3a^2c^4e^3x^4 + 2bc \tanh^{-1}(cx)}{12c^3e}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d + e*x)^3*(a + b*ArcTanh[c*x])^2,x]
```

```
[Out] -(b^2*e^3) + 12*a^2*c^4*d^3*x + 36*a*b*c^3*d^2*e*x + 12*b^2*c^2*d*e^2*x + 6*a*b*c*e^3*x + 18*a^2*c^4*d^2*e*x^2 + 12*a*b*c^3*d*e^2*x^2 + b^2*c^2*e^3*x
```


$$\begin{aligned} &^2 + 12*a^2*c^4*d*e^2*x^3 + 2*a*b*c^3*e^3*x^3 + 3*a^2*c^4*e^3*x^4 + 3*b^2*(\\ &-4*c^3*d^3 - 6*c^2*d^2*e - 4*c*d*e^2 - e^3 + c^4*x*(4*d^3 + 6*d^2*e*x + 4*d \\ &*e^2*x^2 + e^3*x^3))*ArcTanh[c*x]^2 + 2*b*c*ArcTanh[c*x]*(3*a*c^3*x*(4*d^3 \\ &+ 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3) + b*e*(18*c^2*d^2*x + 6*d*e*(-1 + c^2* \\ &x^2) + e^2*x*(3 + c^2*x^2)) - 12*b*d*(c^2*d^2 + e^2)*Log[1 + E^(-2*ArcTanh[\\ &c*x])) + 18*a*b*c^2*d^2*e*Log[1 - c*x] + 3*a*b*e^3*Log[1 - c*x] - 18*a*b*c \\ &^2*d^2*e*Log[1 + c*x] - 3*a*b*e^3*Log[1 + c*x] + 12*a*b*c^3*d^3*Log[1 - c^2 \\ &*x^2] + 18*b^2*c^2*d^2*e*Log[1 - c^2*x^2] + 4*b^2*e^3*Log[1 - c^2*x^2] + 12 \\ &*a*b*c*d*e^2*Log[-1 + c^2*x^2] + 12*b^2*c*d*(c^2*d^2 + e^2)*PolyLog[2, -E^(- \\ &-2*ArcTanh[c*x]))/(12*c^4) \end{aligned}$$

Maple [B] time = 0.058, size = 1430, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^3*(a+b*arctanh(c*x))^2,x)

[Out] $a^2*e^2*x^3*d+3/2*a^2*e*x^2*d^2+1/2*a*b/c^3*x*e^3+1/4*a^2/e*d^4+3/c*b^2*e*a$
 $rctanh(c*x)*x*d^2+1/c^3*b^2*e^2*arctanh(c*x)*ln(c*x+1)*d-1/2/c^3*b^2*e^2*ln$
 $(1/2+1/2*c*x)*ln(c*x-1)*d+1/c^3*b^2*e^2*arctanh(c*x)*ln(c*x-1)*d+1/c*b^2*e^$
 $2*arctanh(c*x)*x^2*d+3/2/c^2*b^2*e*arctanh(c*x)*ln(c*x-1)*d^2+3/4/c^2*b^2*e$
 $*ln(1/2+1/2*c*x)*ln(-1/2*c*x+1/2)*d^2-3/2/c^2*b^2*e*arctanh(c*x)*ln(c*x+1)*$
 $d^2+1/c^3*a*b*e^2*ln(c*x+1)*d-3/2/c^2*a*b*e*ln(c*x+1)*d^2+3/2/c^2*a*b*e*ln($
 $c*x-1)*d^2+1/c^3*a*b*e^2*ln(c*x-1)*d+1/4*a^2*e^3*x^4+a^2*x*d^3+1/16/c^4*b^2$
 $*e^3*ln(c*x+1)^2+1/3/c^4*b^2*e^3*ln(c*x-1)+1/3/c^4*b^2*e^3*ln(c*x+1)-1/4/c*$
 $b^2*ln(c*x+1)^2*d^3-1/c*b^2*dilog(1/2+1/2*c*x)*d^3+1/4/c*b^2*ln(c*x-1)^2*d^$
 $3+1/16/c^4*b^2*e^3*ln(c*x-1)^2+1/4*b^2*e^3*arctanh(c*x)^2*x^4+1/16*b^2/e*ln$
 $(c*x+1)^2*d^4+1/16*b^2/e*ln(c*x-1)^2*d^4+1/4*b^2/e*arctanh(c*x)^2*d^4+3*a*b$
 $/c*x*d^2*e-3/4/c^2*b^2*e*ln(1/2+1/2*c*x)*ln(c*x-1)*d^2+2*a*b*e^2*arctanh(c*$
 $x)*x^3*d+3*a*b*e*arctanh(c*x)*x^2*d^2+1/c*a*b*x^2*d*e^2-1/2/c^3*b^2*e^2*ln($
 $1/2+1/2*c*x)*ln(-1/2*c*x+1/2)*d-3/4/c^2*b^2*e*ln(-1/2*c*x+1/2)*ln(c*x+1)*d^$
 $2+1/2/c^3*b^2*e^2*ln(-1/2*c*x+1/2)*ln(c*x+1)*d-1/2/c*b^2*ln(1/2+1/2*c*x)*ln$
 $(c*x-1)*d^3+1/6/c*b^2*e^3*arctanh(c*x)*x^3-1/2/c*b^2*ln(1/2+1/2*c*x)*ln(-1/$
 $2*c*x+1/2)*d^3+1/2/c*b^2*ln(-1/2*c*x+1/2)*ln(c*x+1)*d^3+1/c*b^2*arctanh(c*x$
 $)*ln(c*x-1)*d^3-1/2/c^3*b^2*e^2*ln(c*x+1)*d-1/c^3*b^2*e^2*dilog(1/2+1/2*c*x$
 $)*d+3/8/c^2*b^2*e*ln(c*x+1)^2*d^2+1/6/c*a*b*x^3*e^3+1/4*b^2/e*arctanh(c*x)*$
 $ln(c*x-1)*d^4-1/4*b^2/e*arctanh(c*x)*ln(c*x+1)*d^4+1/8*b^2/e*ln(1/2+1/2*c*x$
 $)*ln(-1/2*c*x+1/2)*d^4+b^2*e^2*arctanh(c*x)^2*x^3*d-1/8*b^2/e*ln(-1/2*c*x+1$
 $/2)*ln(c*x+1)*d^4-1/8*b^2/e*ln(1/2+1/2*c*x)*ln(c*x-1)*d^4+2*a*b*arctanh(c*x$
 $)*x*d^3+3/2*b^2*e*arctanh(c*x)^2*x^2*d^2+1/2*a*b*e^3*arctanh(c*x)*x^4+1/2*a$
 $*b/e*arctanh(c*x)*d^4+1/2/c^3*b^2*e^2*ln(c*x-1)*d+1/2/c^3*b^2*e^3*arctanh(c$
 $*x)*x-1/8/c^4*b^2*e^3*ln(-1/2*c*x+1/2)*ln(c*x+1)-1/8/c^4*b^2*e^3*ln(1/2+1/2$
 $*c*x)*ln(c*x-1)+1/4*a*b/e*ln(c*x-1)*d^4-1/4*a*b/e*ln(c*x+1)*d^4+1/c*a*b*ln($
 $c*x+1)*d^3+1/c*a*b*ln(c*x-1)*d^3+1/c*b^2*arctanh(c*x)*ln(c*x+1)*d^3+1/4/c^4$
 $*b^2*e^3*arctanh(c*x)*ln(c*x-1)-1/4/c^4*b^2*e^3*arctanh(c*x)*ln(c*x+1)+1/8/$
 $c^4*b^2*e^3*ln(1/2+1/2*c*x)*ln(-1/2*c*x+1/2)-1/4/c^3*b^2*e^2*ln(c*x+1)^2*d+$
 $1/4/c^4*a*b*e^3*ln(c*x-1)-1/4/c^4*a*b*e^3*ln(c*x+1)+3/8/c^2*b^2*e*ln(c*x-1)$
 $^2*d^2+1/4/c^3*b^2*e^2*ln(c*x-1)^2*d+3/2/c^2*b^2*e*ln(c*x-1)*d^2+3/2/c^2*b^$
 $2*e*ln(c*x+1)*d^2+b^2*arctanh(c*x)^2*x*d^3+1/12*b^2*e^3*x^2/c^2+b^2*d*e^2*x$
 $/c^2$

Maxima [B] time = 1.79891, size = 1056, normalized size = 2.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(a+b*arctanh(c*x))^2,x, algorithm="maxima")
```

```
[Out] 1/4*a^2*e^3*x^4 + a^2*d*e^2*x^3 + 3/2*a^2*d^2*e*x^2 + 3/2*(2*x^2*arctanh(c*x) + c*(2*x/c^2 - log(c*x + 1)/c^3 + log(c*x - 1)/c^3))*a*b*d^2*e + (2*x^3*arctanh(c*x) + c*(x^2/c^2 + log(c^2*x^2 - 1)/c^4))*a*b*d*e^2 + 1/12*(6*x^4*arctanh(c*x) + c*(2*(c^2*x^3 + 3*x)/c^4 - 3*log(c*x + 1)/c^5 + 3*log(c*x - 1)/c^5))*a*b*e^3 + a^2*d^3*x + (2*c*x*arctanh(c*x) + log(-c^2*x^2 + 1))*a*b*d^3/c + (c^2*d^3 + d*e^2)*(log(c*x + 1)*log(-1/2*c*x + 1/2) + dilog(1/2*c*x + 1/2))*b^2/c^3 + 1/6*(9*c^2*d^2*e - 3*c*d*e^2 + 2*e^3)*b^2*log(c*x + 1)/c^4 + 1/6*(9*c^2*d^2*e + 3*c*d*e^2 + 2*e^3)*b^2*log(c*x - 1)/c^4 + 1/48*(4*b^2*c^2*e^3*x^2 + 48*b^2*c^2*d*e^2*x + 3*(b^2*c^4*e^3*x^4 + 4*b^2*c^4*d*e^2*x^3 + 6*b^2*c^4*d^2*e*x^2 + 4*b^2*c^4*d^3*x + (4*c^3*d^3 - 6*c^2*d^2*e + 4*c*d*e^2 - e^3)*b^2)*log(c*x + 1)^2 + 3*(b^2*c^4*e^3*x^4 + 4*b^2*c^4*d*e^2*x^3 + 6*b^2*c^4*d^2*e*x^2 + 4*b^2*c^4*d^3*x - (4*c^3*d^3 + 6*c^2*d^2*e + 4*c*d*e^2 + e^3)*b^2)*log(-c*x + 1)^2 + 4*(b^2*c^3*e^3*x^3 + 6*b^2*c^3*d*e^2*x^2 + 3*(6*c^3*d^2*e + c*e^3)*b^2*x)*log(c*x + 1) - 2*(2*b^2*c^3*e^3*x^3 + 12*b^2*c^3*d*e^2*x^2 + 6*(6*c^3*d^2*e + c*e^3)*b^2*x + 3*(b^2*c^4*e^3*x^4 + 4*b^2*c^4*d*e^2*x^3 + 6*b^2*c^4*d^2*e*x^2 + 4*b^2*c^4*d^3*x + (4*c^3*d^3 - 6*c^2*d^2*e + 4*c*d*e^2 - e^3)*b^2)*log(c*x + 1))*log(-c*x + 1))/c^4
```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral($a^2e^3x^3 + 3a^2de^2x^2 + 3a^2d^2ex + a^2d^3 + (b^2e^3x^3 + 3b^2de^2x^2 + 3b^2d^2ex + b^2d^3) \operatorname{artanh}(cx)^2 + 2(abe^3x^3 + 3ab$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(a+b*arctanh(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(a^2*e^3*x^3 + 3*a^2*d*e^2*x^2 + 3*a^2*d^2*e*x + a^2*d^3 + (b^2*e^3*x^3 + 3*b^2*d*e^2*x^2 + 3*b^2*d^2*e*x + b^2*d^3)*arctanh(c*x)^2 + 2*(a*b*e^3*x^3 + 3*a*b*d*e^2*x^2 + 3*a*b*d^2*e*x + a*b*d^3)*arctanh(c*x), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{atanh}(cx))^2 (d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(a+b*atanh(c*x))**2,x)
```

```
[Out] Integral((a + b*atanh(c*x))**2*(d + e*x)**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^3 (b \operatorname{artanh}(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(a+b*arctanh(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^3*(b*arctanh(c*x) + a)^2, x)
```

3.10 $\int (d + ex)^2 (a + b \tanh^{-1}(cx))^2 dx$

Optimal. Leaf size=257

$$\frac{b^2(3c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{3c^3} + \frac{(3c^2d^2 + e^2)(a + b \tanh^{-1}(cx))^2}{3c^3} - \frac{d\left(\frac{3e^2}{c^2} + d^2\right)(a + b \tanh^{-1}(cx))^2}{3e} - \frac{2b(3c^2d^2 + e^2)}{3c^3}$$

[Out] $(2abde^2x)/c + (b^2e^2x)/(3c^2) - (b^2e^2 \operatorname{ArcTanh}[cx])/(3c^3) + (2b^2de^2x \operatorname{ArcTanh}[cx])/c + (be^2x^2(a + b \operatorname{ArcTanh}[cx]))/(3c) + ((3c^2d^2 + e^2)(a + b \operatorname{ArcTanh}[cx])^2)/(3c^3) - (d(d^2 + (3e^2)/c^2)(a + b \operatorname{ArcTanh}[cx])^2)/(3e) + ((d + ex)^3(a + b \operatorname{ArcTanh}[cx])^2)/(3e) - (2b(3c^2d^2 + e^2)(a + b \operatorname{ArcTanh}[cx]) \operatorname{Log}[2/(1 - cx)])/(3c^3) + (b^2de^2 \operatorname{Log}[1 - c^2x^2])/c^2 - (b^2(3c^2d^2 + e^2) \operatorname{PolyLog}[2, 1 - 2/(1 - cx)])/(3c^3)$

Rubi [A] time = 0.408535, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 12, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5928, 5910, 260, 5916, 321, 206, 6048, 5948, 5984, 5918, 2402, 2315}

$$\frac{b^2(3c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{3c^3} + \frac{(3c^2d^2 + e^2)(a + b \tanh^{-1}(cx))^2}{3c^3} - \frac{d\left(\frac{3e^2}{c^2} + d^2\right)(a + b \tanh^{-1}(cx))^2}{3e} - \frac{2b(3c^2d^2 + e^2)}{3c^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + ex)^2(a + b \operatorname{ArcTanh}[cx])^2, x]$

[Out] $(2abde^2x)/c + (b^2e^2x)/(3c^2) - (b^2e^2 \operatorname{ArcTanh}[cx])/(3c^3) + (2b^2de^2x \operatorname{ArcTanh}[cx])/c + (be^2x^2(a + b \operatorname{ArcTanh}[cx]))/(3c) + ((3c^2d^2 + e^2)(a + b \operatorname{ArcTanh}[cx])^2)/(3c^3) - (d(d^2 + (3e^2)/c^2)(a + b \operatorname{ArcTanh}[cx])^2)/(3e) + ((d + ex)^3(a + b \operatorname{ArcTanh}[cx])^2)/(3e) - (2b(3c^2d^2 + e^2)(a + b \operatorname{ArcTanh}[cx]) \operatorname{Log}[2/(1 - cx)])/(3c^3) + (b^2de^2 \operatorname{Log}[1 - c^2x^2])/c^2 - (b^2(3c^2d^2 + e^2) \operatorname{PolyLog}[2, 1 - 2/(1 - cx)])/(3c^3)$

Rule 5928

$\operatorname{Int}[(a_.) + \operatorname{ArcTanh}[c_.(x_)]*(b_.)]^{(p_)}*((d_.) + (e_.)*(x_))^{(q_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(d + ex)^{(q+1)}(a + b \operatorname{ArcTanh}[cx])^p/(e^{(q+1)}), x] - \operatorname{Dist}[b*c*p/(e^{(q+1)}), \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b \operatorname{ArcTanh}[cx])^{(p-1)}], (d + ex)^{(q+1)}/(1 - c^2x^2), x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{IGtQ}[p, 1] \&\& \operatorname{IntegerQ}[q] \&\& \operatorname{NeQ}[q, -1]$

Rule 5910

$\operatorname{Int}[(a_.) + \operatorname{ArcTanh}[c_.(x_)]*(b_.)]^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[x*(a + b \operatorname{ArcTanh}[cx])^p, x] - \operatorname{Dist}[b*c*p, \operatorname{Int}[(x*(a + b \operatorname{ArcTanh}[cx])^{(p-1)})/(1 - c^2x^2), x], x] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{IGtQ}[p, 0]$

Rule 260

$\operatorname{Int}[(x_.)^{(m_.)}/((a_.) + (b_.)*(x_.)^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \operatorname{FreeQ}\{a, b, m, n\}, x] \&\& \operatorname{EqQ}[m, n - 1]$

Rule 5916

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.)*(x_.))^(m_.), x_Symbol]
  := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c
*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*
x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || In
tegerQ[m]) && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^n)^(p_.), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 6048

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.) + (g_.)*(x_.))^(m_.)/
((d_.) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTanh[c*x])
^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && I
GtQ[p, 0] && EqQ[c^2*d + e, 0] && IGtQ[m, 0]
```

Rule 5948

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symb
ol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b
, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 5984

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*(x_.)/((d_.) + (e_.)*(x_)^2),
x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*e*(p + 1)), x] + Dist[1/
(c*d), Int[(a + b*ArcTanh[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e
}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 5918

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)), x_Symbol
] := -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c*
p)/e, Int[(a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 - c^2*x^2)
, x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0
]
```

Rule 2402

```
Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c
, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rubi steps

$$\begin{aligned}
\int (d+ex)^2 (a+b \tanh^{-1}(cx))^2 dx &= \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))^2}{3e} - \frac{(2bc) \int \left(-\frac{3de^2(a+b \tanh^{-1}(cx))}{c^2} - \frac{e^3x(a+b \tanh^{-1}(cx))}{c^2} + \frac{(c^2d^3+3de^2+e(3c^2d^2+e^2)x)(a+b \tanh^{-1}(cx))}{1-c^2x^2} \right) dx}{3e} \\
&= \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))^2}{3e} - \frac{(2b) \int \frac{(c^2d^3+3de^2+e(3c^2d^2+e^2)x)(a+b \tanh^{-1}(cx))}{1-c^2x^2} dx}{3ce} + \frac{(2bd^3) \int \frac{(a+b \tanh^{-1}(cx))^2}{1-c^2x^2} dx}{3e} \\
&= \frac{2abdex}{c} + \frac{be^2x^2 (a+b \tanh^{-1}(cx))}{3c} + \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))^2}{3e} - \frac{(2bd^3) \int \frac{(a+b \tanh^{-1}(cx))^2}{1-c^2x^2} dx}{3e} \\
&= \frac{2abdex}{c} + \frac{b^2e^2x}{3c^2} + \frac{2b^2dex \tanh^{-1}(cx)}{c} + \frac{be^2x^2 (a+b \tanh^{-1}(cx))}{3c} + \frac{(d+ex)^3 (a+b \tanh^{-1}(cx))^2}{3e} \\
&= \frac{2abdex}{c} + \frac{b^2e^2x}{3c^2} - \frac{b^2e^2 \tanh^{-1}(cx)}{3c^3} + \frac{2b^2dex \tanh^{-1}(cx)}{c} + \frac{be^2x^2 (a+b \tanh^{-1}(cx))}{3c} \\
&= \frac{2abdex}{c} + \frac{b^2e^2x}{3c^2} - \frac{b^2e^2 \tanh^{-1}(cx)}{3c^3} + \frac{2b^2dex \tanh^{-1}(cx)}{c} + \frac{be^2x^2 (a+b \tanh^{-1}(cx))}{3c} \\
&= \frac{2abdex}{c} + \frac{b^2e^2x}{3c^2} - \frac{b^2e^2 \tanh^{-1}(cx)}{3c^3} + \frac{2b^2dex \tanh^{-1}(cx)}{c} + \frac{be^2x^2 (a+b \tanh^{-1}(cx))}{3c} \\
&= \frac{2abdex}{c} + \frac{b^2e^2x}{3c^2} - \frac{b^2e^2 \tanh^{-1}(cx)}{3c^3} + \frac{2b^2dex \tanh^{-1}(cx)}{c} + \frac{be^2x^2 (a+b \tanh^{-1}(cx))}{3c}
\end{aligned}$$

Mathematica [A] time = 0.635976, size = 319, normalized size = 1.24

$$b^2(3c^2d^2 + e^2) \text{PolyLog}\left(2, -e^{-2 \tanh^{-1}(cx)}\right) + 3a^2c^3d^2x + 3a^2c^3dex^2 + a^2c^3e^2x^3 + b \tanh^{-1}(cx) \left(2ac^3x(3d^2 + 3dex + e^2x^2) + \dots\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x)^2*(a + b*ArcTanh[c*x])^2,x]

[Out] (3*a^2*c^3*d^2*x + 6*a*b*c^2*d*e*x + b^2*c*e^2*x + 3*a^2*c^3*d*e*x^2 + a*b*c^2*e^2*x^2 + a^2*c^3*e^2*x^3 + b^2*(-1 + c*x)*(e^2 + c*e*(3*d + e*x) + c^2*(3*d^2 + 3*d*e*x + e^2*x^2))*ArcTanh[c*x]^2 + b*ArcTanh[c*x]*(b*e*(-e + 6*c^2*d*x + c^2*e*x^2) + 2*a*c^3*x*(3*d^2 + 3*d*e*x + e^2*x^2) - 2*b*(3*c^2*d^2 + e^2)*Log[1 + E^(-2*ArcTanh[c*x])]) + 3*a*b*c*d*e*Log[1 - c*x] - 3*a*b*c*d*e*Log[1 + c*x] + 3*a*b*c^2*d^2*Log[1 - c^2*x^2] + 3*b^2*c*d*e*Log[1 - c^2*x^2] + a*b*e^2*Log[-1 + c^2*x^2] + b^2*(3*c^2*d^2 + e^2)*PolyLog[2, -E^(-2*ArcTanh[c*x])])/(3*c^3)

Maple [B] time = 0.049, size = 1050, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^2*(a+b*arctanh(c*x))^2,x)

```
[Out] 1/3/c^3*b^2*e^2*arctanh(c*x)*ln(c*x-1)+1/6/c^3*b^2*e^2*ln(-1/2*c*x+1/2)*ln(c*x+1)+1/3/c^3*a*b*e^2*ln(c*x-1)+b^2*e*arctanh(c*x)^2*x^2*d+2/3*a*b*e^2*arctanh(c*x)*x^3-1/6*b^2/e*ln(-1/2*c*x+1/2)*ln(c*x+1)*d^3-1/6*b^2/e*ln(1/2+1/2*c*x)*ln(c*x-1)*d^3+1/3/c^3*b^2*e^2*arctanh(c*x)*ln(c*x+1)-1/6/c^3*b^2*e^2*ln(1/2+1/2*c*x)*ln(c*x-1)-1/6/c^3*b^2*e^2*ln(-1/2*c*x+1/2)*ln(1/2+1/2*c*x)+1/2/c*b^2*ln(-1/2*c*x+1/2)*ln(c*x+1)*d^2+1/c*a*b*ln(c*x-1)*d^2+1/c*a*b*ln(c*x+1)*d^2+1/3*a^2/e*d^3+1/4/c*b^2*ln(c*x-1)^2*d^2-1/c*b^2*dilog(1/2+1/2*c*x)*d^2-1/4/c*b^2*ln(c*x+1)^2*d^2-1/12/c^3*b^2*e^2*ln(c*x+1)^2+1/6/c^3*b^2*e^2*ln(c*x-1)-1/6/c^3*b^2*e^2*ln(c*x+1)-1/3/c^3*b^2*e^2*dilog(1/2+1/2*c*x)+1/12/c^3*b^2*e^2*ln(c*x-1)^2+1/3*b^2/e*arctanh(c*x)^2*d^3+1/3*b^2*e^2*arctanh(c*x)^2*x^3+a^2*e*x^2*d-1/3*b^2/e*arctanh(c*x)*ln(c*x+1)*d^3+1/3*a^2*e^2*x^3+a^2*x*d^2-1/c^2*b^2*e*arctanh(c*x)*ln(c*x+1)*d-1/2/c^2*b^2*e*ln(1/2+1/2*c*x)*ln(c*x-1)*d+1/2/c^2*b^2*e*ln(-1/2*c*x+1/2)*ln(1/2+1/2*c*x)*d+1/c^2*b^2*e*arctanh(c*x)*ln(c*x-1)*d+2*a*b*e*arctanh(c*x)*x^2*d-1/c^2*a*b*e*ln(c*x+1)*d+1/c^2*a*b*e*ln(c*x-1)*d-1/2/c^2*b^2*e*ln(-1/2*c*x+1/2)*ln(c*x+1)*d+1/3/c^3*a*b*e^2*ln(c*x+1)+1/4/c^2*b^2*e*ln(c*x+1)^2*d+1/c^2*b^2*e*ln(c*x+1)*d-1/3*a*b/e*ln(c*x+1)*d^3+2/3*a*b/e*arctanh(c*x)*d^3+1/3*a*b/e*ln(c*x-1)*d^3+1/6*b^2/e*ln(-1/2*c*x+1/2)*ln(1/2+1/2*c*x)*d^3+2*a*b*arctanh(c*x)*x*d^2+1/3*b^2/e*arctanh(c*x)*ln(c*x-1)*d^3+1/3/c*a*b*x^2*e^2+1/c^2*b^2*e*ln(c*x-1)*d+1/4/c^2*b^2*e*ln(c*x-1)^2*d+1/3/c*b^2*e^2*arctanh(c*x)*x^2+1/c*b^2*arctanh(c*x)*ln(c*x-1)*d^2+1/c*b^2*arctanh(c*x)*ln(c*x+1)*d^2-1/2/c*b^2*ln(1/2+1/2*c*x)*ln(c*x-1)*d^2-1/2/c*b^2*ln(-1/2*c*x+1/2)*ln(1/2+1/2*c*x)*d^2+b^2*arctanh(c*x)^2*x*d^2+1/12*b^2/e*ln(c*x+1)^2*d^3+1/12*b^2/e*ln(c*x-1)^2*d^3+1/3*b^2*e^2*x/c^2+2*a*b*d*e*x/c+2*b^2*d*e*x*arctanh(c*x)/c
```

Maxima [B] time = 1.79474, size = 707, normalized size = 2.75

$$\frac{1}{3} a^2 e^2 x^3 + a^2 d e x^2 + \left(2 x^2 \operatorname{artanh}(c x) + c \left(\frac{2 x}{c^2} - \frac{\log(c x + 1)}{c^3} + \frac{\log(c x - 1)}{c^3} \right) \right) a b d e + \frac{1}{3} \left(2 x^3 \operatorname{artanh}(c x) + c \left(\frac{x^2}{c^2} + \log(c x - 1) / c^3 \right) \right) a b d e^2 + a^2 d^2 x + (2 c x \operatorname{artanh}(c x) + \log(-c^2 x^2 + 1)) a b d^2 / c + 1/3 * (3 c^2 d^2 + e^2) * (\log(c x + 1) * \log(-1/2 c x + 1/2) + \operatorname{dilog}(1/2 c x + 1/2)) * b^2 / c^3 + 1/6 * (6 c d e - e^2) * b^2 * \log(c x + 1) / c^3 + 1/6 * (6 c d e + e^2) * b^2 * \log(c x - 1) / c^3 + 1/12 * (4 b^2 c e^2 x + (b^2 c^3 e^2 x^3 + 3 b^2 c^3 d e x^2 + 3 b^2 c^3 d^2 x + (3 c^2 d^2 - 3 c d e + e^2) b^2) * \log(c x + 1)^2 + (b^2 c^3 e^2 x^3 + 3 b^2 c^3 d e x^2 + 3 b^2 c^3 d^2 x - (3 c^2 d^2 + 3 c d e + e^2) b^2) * \log(-c x + 1)^2 + 2 * (b^2 c^2 e^2 x^2 + 6 b^2 c^2 d e x) * \log(c x + 1) - 2 * (b^2 c^2 e^2 x^2 + 6 b^2 c^2 d e x + (b^2 c^3 e^2 x^3 + 3 b^2 c^3 d e x^2 + 3 b^2 c^3 d^2 x + (3 c^2 d^2 - 3 c d e + e^2) b^2) * \log(c x + 1)) * \log(-c x + 1)) / c^3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arctanh(c*x))^2,x, algorithm="maxima")
```

```
[Out] 1/3*a^2*e^2*x^3 + a^2*d*e*x^2 + (2*x^2*arctanh(c*x) + c*(2*x/c^2 - log(c*x + 1)/c^3 + log(c*x - 1)/c^3))*a*b*d*e + 1/3*(2*x^3*arctanh(c*x) + c*(x^2/c^2 + log(c^2*x^2 - 1)/c^4))*a*b*e^2 + a^2*d^2*x + (2*c*x*arctanh(c*x) + log(-c^2*x^2 + 1))*a*b*d^2/c + 1/3*(3*c^2*d^2 + e^2)*(log(c*x + 1)*log(-1/2*c*x + 1/2) + dilog(1/2*c*x + 1/2))*b^2/c^3 + 1/6*(6*c*d*e - e^2)*b^2*log(c*x + 1)/c^3 + 1/6*(6*c*d*e + e^2)*b^2*log(c*x - 1)/c^3 + 1/12*(4*b^2*c*e^2*x + (b^2*c^3*e^2*x^3 + 3*b^2*c^3*d*e*x^2 + 3*b^2*c^3*d^2*x + (3*c^2*d^2 - 3*c*d*e + e^2)*b^2)*log(c*x + 1)^2 + (b^2*c^3*e^2*x^3 + 3*b^2*c^3*d*e*x^2 + 3*b^2*c^3*d^2*x - (3*c^2*d^2 + 3*c*d*e + e^2)*b^2)*log(-c*x + 1)^2 + 2*(b^2*c^2*e^2*x^2 + 6*b^2*c^2*d*e*x)*log(c*x + 1) - 2*(b^2*c^2*e^2*x^2 + 6*b^2*c^2*d*e*x + (b^2*c^3*e^2*x^3 + 3*b^2*c^3*d*e*x^2 + 3*b^2*c^3*d^2*x + (3*c^2*d^2 - 3*c*d*e + e^2)*b^2)*log(c*x + 1))*log(-c*x + 1))/c^3
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(a^2 e^2 x^2 + 2 a^2 d e x + a^2 d^2 + (b^2 e^2 x^2 + 2 b^2 d e x + b^2 d^2) \operatorname{artanh}(c x)^2 + 2 (a b e^2 x^2 + 2 a b d e x + a b d^2) \operatorname{artanh}(c x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arctanh(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(a^2*e^2*x^2 + 2*a^2*d*e*x + a^2*d^2 + (b^2*e^2*x^2 + 2*b^2*d*e*x +
b^2*d^2)*arctanh(c*x)^2 + 2*(a*b*e^2*x^2 + 2*a*b*d*e*x + a*b*d^2)*arctanh(
c*x), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{atanh}(cx))^2 (d + ex)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**2*(a+b*atanh(c*x))**2,x)
```

```
[Out] Integral((a + b*atanh(c*x))**2*(d + e*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^2 (b \operatorname{artanh}(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arctanh(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^2*(b*arctanh(c*x) + a)^2, x)
```


3.11 $\int (d + ex) \left(a + b \tanh^{-1}(cx) \right)^2 dx$

Optimal. Leaf size=160

$$\frac{b^2 d \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{c} - \frac{\left(\frac{e^2}{c^2} + d^2\right) \left(a + b \tanh^{-1}(cx)\right)^2}{2e} + \frac{(d + ex)^2 \left(a + b \tanh^{-1}(cx)\right)^2}{2e} + \frac{d \left(a + b \tanh^{-1}(cx)\right)^2}{c}$$

[Out] (a*b*e*x)/c + (b^2*e*x*ArcTanh[c*x])/c + (d*(a + b*ArcTanh[c*x])^2)/c - ((d^2 + e^2/c^2)*(a + b*ArcTanh[c*x])^2)/(2*e) + ((d + e*x)^2*(a + b*ArcTanh[c*x])^2)/(2*e) - (2*b*d*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/c + (b^2*e*Log[1 - c^2*x^2])/(2*c^2) - (b^2*d*PolyLog[2, 1 - 2/(1 - c*x)])/c

Rubi [A] time = 0.329908, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5928, 5910, 260, 6048, 5948, 5984, 5918, 2402, 2315}

$$\frac{b^2 d \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{c} - \frac{\left(\frac{e^2}{c^2} + d^2\right) \left(a + b \tanh^{-1}(cx)\right)^2}{2e} + \frac{(d + ex)^2 \left(a + b \tanh^{-1}(cx)\right)^2}{2e} + \frac{d \left(a + b \tanh^{-1}(cx)\right)^2}{c}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)*(a + b*ArcTanh[c*x])^2, x]

[Out] (a*b*e*x)/c + (b^2*e*x*ArcTanh[c*x])/c + (d*(a + b*ArcTanh[c*x])^2)/c - ((d^2 + e^2/c^2)*(a + b*ArcTanh[c*x])^2)/(2*e) + ((d + e*x)^2*(a + b*ArcTanh[c*x])^2)/(2*e) - (2*b*d*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/c + (b^2*e*Log[1 - c^2*x^2])/(2*c^2) - (b^2*d*PolyLog[2, 1 - 2/(1 - c*x)])/c

Rule 5928

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*((d_.) + (e_.)*(x_))^(q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x])^p)/(e*(q + 1)), x] - Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

Rule 5910

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b*ArcTanh[c*x])^p, x] - Dist[b*c*p, Int[(x*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 6048

Int((((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.))/(d_.) + (e_.)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && IGtQ[m, 0]

Rule 5948

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol]
:= Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x]
&& EqQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 5984

```
Int[(((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*(x_.))/((d_.) + (e_.)*(x_)^2), x_Symbol]
:= Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*e*(p + 1)), x] + Dist[1/(c*d), Int[(a + b*ArcTanh[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 5918

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:= -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c*p)/e, Int[(a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x]
&& IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_.) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x]
&& EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x]
&& EqQ[e + c*d, 0]
```

Rubi steps

$$\begin{aligned}
\int (d + ex)(a + b \tanh^{-1}(cx))^2 dx &= \frac{(d + ex)^2 (a + b \tanh^{-1}(cx))^2}{2e} - \frac{(bc) \int \left(-\frac{e^2(a + b \tanh^{-1}(cx))}{c^2} + \frac{(c^2 d^2 + e^2 + 2c^2 dex)(a + b \tanh^{-1}(cx))}{c^2(1 - c^2 x^2)} \right) dx}{e} \\
&= \frac{(d + ex)^2 (a + b \tanh^{-1}(cx))^2}{2e} - \frac{b \int \frac{(c^2 d^2 + e^2 + 2c^2 dex)(a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx}{ce} + \frac{(be) \int (a + b \tanh^{-1}(cx))^2 dx}{e} \\
&= \frac{abex}{c} + \frac{(d + ex)^2 (a + b \tanh^{-1}(cx))^2}{2e} - \frac{b \int \left(\frac{c^2 d^2 \left(1 + \frac{e^2}{c^2 d^2}\right) (a + b \tanh^{-1}(cx))}{1 - c^2 x^2} + \frac{2c^2 dex(a + b \tanh^{-1}(cx))}{1 - c^2 x^2} \right) dx}{ce} \\
&= \frac{abex}{c} + \frac{b^2 ex \tanh^{-1}(cx)}{c} + \frac{(d + ex)^2 (a + b \tanh^{-1}(cx))^2}{2e} - (2bcd) \int \frac{x(a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx \\
&= \frac{abex}{c} + \frac{b^2 ex \tanh^{-1}(cx)}{c} + \frac{d(a + b \tanh^{-1}(cx))^2}{c} - \frac{\left(d^2 + \frac{e^2}{c^2}\right)(a + b \tanh^{-1}(cx))^2}{2e} + \dots \\
&= \frac{abex}{c} + \frac{b^2 ex \tanh^{-1}(cx)}{c} + \frac{d(a + b \tanh^{-1}(cx))^2}{c} - \frac{\left(d^2 + \frac{e^2}{c^2}\right)(a + b \tanh^{-1}(cx))^2}{2e} + \dots \\
&= \frac{abex}{c} + \frac{b^2 ex \tanh^{-1}(cx)}{c} + \frac{d(a + b \tanh^{-1}(cx))^2}{c} - \frac{\left(d^2 + \frac{e^2}{c^2}\right)(a + b \tanh^{-1}(cx))^2}{2e} + \dots \\
&= \frac{abex}{c} + \frac{b^2 ex \tanh^{-1}(cx)}{c} + \frac{d(a + b \tanh^{-1}(cx))^2}{c} - \frac{\left(d^2 + \frac{e^2}{c^2}\right)(a + b \tanh^{-1}(cx))^2}{2e} + \dots
\end{aligned}$$

Mathematica [A] time = 0.423255, size = 174, normalized size = 1.09

$$2b^2cd \operatorname{PolyLog}\left(2, -e^{-2 \operatorname{tanh}^{-1}(cx)}\right) + 2a^2c^2dx + a^2c^2ex^2 + 2abcd \log(1 - c^2x^2) + 2bc \operatorname{tanh}^{-1}(cx) \left(acx(2d + ex) - 2bd \log(1 - c^2x^2) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x)*(a + b*ArcTanh[c*x])^2, x]

[Out] $(2a^2c^2dx + 2abce + a^2c^2ex^2 + b^2(-1 + cx)(2cd + e + ce)x) \operatorname{ArcTanh}[cx]^2 + 2bce \operatorname{ArcTanh}[cx](be + acx(2d + ex) - 2bd \log[1 + E^{-2 \operatorname{ArcTanh}[cx]}]) + abe \log[1 - cx] - abe \log[1 + cx] + 2abc d \log[1 - c^2x^2] + b^2e \log[1 - c^2x^2] + 2b^2cd \operatorname{PolyLog}[2, -E^{-2 \operatorname{ArcTanh}[cx]}]) / (2c^2)$

Maple [B] time = 0.052, size = 462, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)*(a+b*arctanh(c*x))^2, x)

[Out] $\frac{1}{2}a^2x^2e + a^2dx - \frac{1}{4}c^2b^2 \ln(-\frac{1}{2}cx + \frac{1}{2}) \ln(cx + 1) e - \frac{1}{4}c^2b^2 \ln(\frac{1}{2} + \frac{1}{2}cx) \ln(cx - 1) e - \frac{1}{2}cb^2 \ln(\frac{1}{2} + \frac{1}{2}cx) \ln(-\frac{1}{2}cx + \frac{1}{2}) d + \frac{1}{2}cb^2 \ln(-\frac{1}{2}cx + \frac{1}{2}) \ln(cx + 1) d - \frac{1}{2}cb^2 \ln(\frac{1}{2} + \frac{1}{2}cx) \ln(cx - 1) d + \frac{1}{c}b^2 \operatorname{arctanh}(cx) \ln(cx - 1) d + \frac{1}{c}ab \ln(cx + 1) d + \frac{1}{c}ab \ln(cx - 1) d + \frac{1}{c}b^2 \operatorname{arctanh}(cx) \ln(cx + 1) d + 2ab \operatorname{arctanh}(cx) x d + ab \operatorname{arctanh}(cx) x^2 e + \frac{1}{2}c^2ab \ln(cx - 1) e - \frac{1}{2}c^2ab \ln(cx + 1) e + \frac{1}{2}c^2b^2 \operatorname{arctanh}(cx) \ln(cx - 1) e + \frac{1}{4}c^2b^2 \ln(\frac{1}{2} + \frac{1}{2}cx) \ln(-\frac{1}{2}cx + \frac{1}{2}) e - \frac{1}{c}b^2 \operatorname{dilog}(\frac{1}{2} + \frac{1}{2}cx) d + \frac{1}{2}c^2b^2 \ln(cx + 1) e + \frac{1}{8}c^2b^2 \ln(cx - 1)^2 e + \frac{1}{2}c^2b^2 \ln(cx - 1) e + \frac{1}{8}c^2b^2 \ln(cx + 1)^2 e - \frac{1}{4}cb^2 \ln(cx + 1)^2 d + \frac{1}{4}cb^2 \ln(cx - 1)^2 d + \frac{1}{2}b^2 \operatorname{arctanh}(cx)^2 x^2 e + b^2 \operatorname{arctanh}(cx)^2 x d - \frac{1}{2}c^2b^2 \operatorname{arctanh}(cx) \ln(cx + 1) e + abe x / c + b^2e x \operatorname{arctanh}(cx) / c$

Maxima [B] time = 1.76164, size = 423, normalized size = 2.64

$$\frac{1}{2}a^2ex^2 + \frac{1}{2} \left(2x^2 \operatorname{artanh}(cx) + c \left(\frac{2x}{c^2} - \frac{\log(cx + 1)}{c^3} + \frac{\log(cx - 1)}{c^3} \right) \right) abe + a^2dx + \frac{(2cx \operatorname{artanh}(cx) + \log(-c^2x^2 + 1))}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x))^2, x, algorithm="maxima")

[Out] $\frac{1}{2}a^2ex^2 + \frac{1}{2}(2x^2 \operatorname{arctanh}(cx) + c(2x/c^2 - \log(cx + 1)/c^3 + \log(cx - 1)/c^3)) abe + a^2dx + (2cx \operatorname{arctanh}(cx) + \log(-c^2x^2 + 1)) abe / c + (\log(cx + 1) \log(-\frac{1}{2}cx + \frac{1}{2}) + \operatorname{dilog}(\frac{1}{2}cx + \frac{1}{2})) b^2d / c + \frac{1}{2}b^2e \log(cx + 1) / c^2 + \frac{1}{2}b^2e \log(cx - 1) / c^2 + \frac{1}{8}(4b^2ce x \log(cx + 1) + (b^2c^2ex^2 + 2b^2c^2dx + (2cd - e)b^2) \log(cx + 1)^2 + (b^2c^2ex^2 + 2b^2c^2dx - (2cd + e)b^2) \log(-cx + 1)^2 - 2(2b^2ce x + (b^2c^2ex^2 + 2b^2c^2dx + (2cd - e)b^2) \log(cx + 1)) \log(-cx + 1)) / c^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(a^2ex + a^2d + (b^2ex + b^2d)\text{artanh}(cx)^2 + 2(abex + abd)\text{artanh}(cx), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x))^2,x, algorithm="fricas")

[Out] integral(a^2*e*x + a^2*d + (b^2*e*x + b^2*d)*arctanh(c*x)^2 + 2*(a*b*e*x + a*b*d)*arctanh(c*x), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{atanh}(cx))^2 (d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*atanh(c*x))**2,x)

[Out] Integral((a + b*atanh(c*x))**2*(d + e*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)(b \operatorname{artanh}(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x))^2,x, algorithm="giac")

[Out] integrate((e*x + d)*(b*arctanh(c*x) + a)^2, x)

$$3.12 \quad \int \frac{(a+b \tanh^{-1}(cx))^2}{d+ex} dx$$

Optimal. Leaf size=188

$$\frac{b(a+b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{e} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)(a+b \tanh^{-1}(cx))}{e} - \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{cx+1}\right)}{2e}$$

[Out] -(((a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)]/e) + ((a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e) + (b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/e) - (b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e) + (b^2*PolyLog[3, 1 - 2/(1 + c*x)]/(2*e) - (b^2*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e))

Rubi [A] time = 0.0499903, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {5922}

$$\frac{b(a+b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{e} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)(a+b \tanh^{-1}(cx))}{e} - \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{cx+1}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*x])^2/(d + e*x), x]

[Out] -(((a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)]/e) + ((a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e) + (b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/e) - (b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e) + (b^2*PolyLog[3, 1 - 2/(1 + c*x)]/(2*e) - (b^2*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e))

Rule 5922

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^2/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)]/e, x] + (Simp[(a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e, x] + Simp[(b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/e, x] - Simp[(b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e, x] + Simp[(b^2*PolyLog[3, 1 - 2/(1 + c*x)]/(2*e), x] - Simp[(b^2*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e), x)] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rubi steps

$$\int \frac{(a+b \tanh^{-1}(cx))^2}{d+ex} dx = -\frac{(a+b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1+cx}\right)}{e} + \frac{(a+b \tanh^{-1}(cx))^2 \log\left(\frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{e} + \frac{b(a+b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+cx}\right)}{e} - \frac{b(a+b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{e} + \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{1+cx}\right)}{2e} - \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{2e}$$

Mathematica [C] time = 12.5105, size = 938, normalized size = 4.99

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcTanh[c*x])^2/(d + e*x),x]
```

```
[Out] (6*a^2*Log[d + e*x] + 6*a*b*ArcTanh[c*x]*(Log[1 - c^2*x^2] + 2*Log[I*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]]]) - (6*I)*a*b*((-I/4)*(Pi - (2*I)*ArcTanh[c*x])^2 + I*(ArcTanh[(c*d)/e] + ArcTanh[c*x])^2 + (Pi - (2*I)*ArcTanh[c*x])*Log[1 + E^(2*ArcTanh[c*x])]) + (2*I)*(ArcTanh[(c*d)/e] + ArcTanh[c*x])*Log[1 - E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x]))] - (Pi - (2*I)*ArcTanh[c*x])*Log[2/Sqrt[1 - c^2*x^2]] - (2*I)*(ArcTanh[(c*d)/e] + ArcTanh[c*x])*Log[(2*I)*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]]] - I*PolyLog[2, -E^(2*ArcTanh[c*x])] - I*PolyLog[2, E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x]))] + (b^2*(-8*c*d*ArcTanh[c*x]^3 + 4*e*ArcTanh[c*x]^3 - (4*Sqrt[1 - (c^2*d^2)/e^2]*e*ArcTanh[c*x]^3)/E^ArcTanh[(c*d)/e] - 6*c*d*ArcTanh[c*x]^2*Log[1 + E^(-2*ArcTanh[c*x])]) - (6*I)*c*d*Pi*ArcTanh[c*x]*Log[(E^(-ArcTanh[c*x]) + E^ArcTanh[c*x])/2] - 6*c*d*ArcTanh[c*x]^2*Log[1 + ((c*d + e)*E^(2*ArcTanh[c*x]))/(c*d - e)] + 6*c*d*ArcTanh[c*x]^2*Log[1 - E^(ArcTanh[(c*d)/e] + ArcTanh[c*x])] + 6*c*d*ArcTanh[c*x]^2*Log[1 + E^(ArcTanh[(c*d)/e] + ArcTanh[c*x])] + 6*c*d*ArcTanh[c*x]^2*Log[1 - E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x]))] + 12*c*d*ArcTanh[(c*d)/e]*ArcTanh[c*x]*Log[(I/2)*E^(-ArcTanh[(c*d)/e] - ArcTanh[c*x])*(-1 + E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])))] + 6*c*d*ArcTanh[c*x]^2*Log[(e*(-1 + E^(2*ArcTanh[c*x])) + c*d*(1 + E^(2*ArcTanh[c*x])))/(2*E^ArcTanh[c*x])] - 6*c*d*ArcTanh[c*x]^2*Log[(c*(d + e*x))/Sqrt[1 - c^2*x^2]] - (3*I)*c*d*Pi*ArcTanh[c*x]*Log[1 - c^2*x^2] - 12*c*d*ArcTanh[(c*d)/e]*ArcTanh[c*x]*Log[I*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]]] + 6*c*d*ArcTanh[c*x]*PolyLog[2, -E^(-2*ArcTanh[c*x])] - 6*c*d*ArcTanh[c*x]*PolyLog[2, -(((c*d + e)*E^(2*ArcTanh[c*x]))/(c*d - e))] + 12*c*d*ArcTanh[c*x]*PolyLog[2, -E^(ArcTanh[(c*d)/e] + ArcTanh[c*x])] + 12*c*d*ArcTanh[c*x]*PolyLog[2, E^(ArcTanh[(c*d)/e] + ArcTanh[c*x])] + 6*c*d*ArcTanh[c*x]*PolyLog[2, E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x]))] + 3*c*d*PolyLog[3, -E^(-2*ArcTanh[c*x])] + 3*c*d*PolyLog[3, -(((c*d + e)*E^(2*ArcTanh[c*x]))/(c*d - e))] - 12*c*d*PolyLog[3, -E^(ArcTanh[(c*d)/e] + ArcTanh[c*x])] - 12*c*d*PolyLog[3, E^(ArcTanh[(c*d)/e] + ArcTanh[c*x])] - 3*c*d*PolyLog[3, E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x]))]/(c*d))/(6*e)
```

Maple [C] time = 0.549, size = 1170, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arctanh(c*x))^2/(e*x+d),x)
```

```
[Out] a^2*ln(c*e*x+c*d)/e+b^2*ln(c*e*x+c*d)/e*arctanh(c*x)^2-b^2/e*arctanh(c*x)^2*ln(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))+1/2*I*b^2/e*arctanh(c*x)^2*Pi*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))-1/2*I*b^2/e*arctanh(c*x)^2*Pi*csgn(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))/((c*x+1)^2/(-c^2*x^2+1)+1))^2*csgn(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))+1/2*I*b^2/e*arctanh(c*x)^2*Pi*csgn(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))/((c*x+1)^2/(-c^2*x^2+1)+1))^3-1/2*I*b^2/e*arctanh(c*x)^2*Pi*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))/((c*x+1)^2/(-c^2*x^2+1)+1))^2-b^2/e*arctanh(c*x)*polylog(2, -(c*x+1)^2/(-c^2*x^2+1))+1/2*b^2/e*polylog(3, -(c*x+1)^2/(-c^2*x^2+1))+b^2/(c*d+e)*arctanh(c*x)^2*ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+b^2/(c*d+e)*arctanh(c*x)*polylog(2, (c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-1/2*b^2/(c*d+e)*polylog(3, (c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+c*b^2/e*d/(c*d+e)*arctanh(c*x)^2*ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+c*b^2/e*d/(c*d+e)
```

*arctanh(c*x)*polylog(2, (c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-1/2*c*b^2/e*d/(c*d+e)*polylog(3, (c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+2*a*b*ln(c*e*x+c*d)/e*arctanh(c*x)-a*b/e*ln(c*e*x+c*d)*ln((c*e*x+e)/(-c*d+e))-a*b/e*dilog((c*e*x+e)/(-c*d+e))+a*b/e*ln(c*e*x+c*d)*ln((c*e*x-e)/(-c*d-e))+a*b/e*dilog((c*e*x-e)/(-c*d-e))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{a^2 \log(ex + d)}{e} + \int \frac{b^2(\log(cx + 1) - \log(-cx + 1))^2}{4(ex + d)} + \frac{ab(\log(cx + 1) - \log(-cx + 1))}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^2/(e*x+d),x, algorithm="maxima")

[Out] a^2*log(e*x + d)/e + integrate(1/4*b^2*(log(c*x + 1) - log(-c*x + 1))^2/(e*x + d) + a*b*(log(c*x + 1) - log(-c*x + 1))/(e*x + d), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2 \operatorname{artanh}(cx)^2 + 2ab \operatorname{artanh}(cx) + a^2}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^2/(e*x+d),x, algorithm="fricas")

[Out] integral((b^2*arctanh(c*x)^2 + 2*a*b*arctanh(c*x) + a^2)/(e*x + d), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{atanh}(cx))^2}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x))**2/(e*x+d),x)

[Out] Integral((a + b*atanh(c*x))**2/(d + e*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx) + a)^2}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^2/(e*x+d),x, algorithm="giac")

[Out] integrate((b*arctanh(c*x) + a)^2/(e*x + d), x)

$$3.13 \quad \int \frac{(a+b \tanh^{-1}(cx))^2}{(d+ex)^2} dx$$

Optimal. Leaf size=321

$$-\frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{c^2d^2 - e^2} + \frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{c^2d^2 - e^2} + \frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{2e(cd+e)} + \frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{2e(cd-e)}$$

[Out] $-\left(\frac{(a + b \operatorname{ArcTanh}[c*x])^2}{e*(d + e*x)}\right) + (b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2}{1 - c*x}\right]) / (e*(c*d + e)) - (b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2}{1 + c*x}\right]) / ((c*d - e)*e) + (2*b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2}{1 + c*x}\right]) / (c^2*d^2 - e^2) - (2*b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2*c*(d + e*x)}{(c*d + e)*(1 + c*x)}\right]) / (c^2*d^2 - e^2) + (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2}{1 - c*x}\right]) / (2*e*(c*d + e)) + (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2}{1 + c*x}\right]) / (2*(c*d - e)*e) - (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2}{1 + c*x}\right]) / (c^2*d^2 - e^2) + (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2*c*(d + e*x)}{(c*d + e)*(1 + c*x)}\right]) / (c^2*d^2 - e^2)$

Rubi [A] time = 0.312857, antiderivative size = 321, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5928, 5918, 2402, 2315, 5920, 2447}

$$-\frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{c^2d^2 - e^2} + \frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{c^2d^2 - e^2} + \frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{2e(cd+e)} + \frac{b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{2e(cd-e)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \operatorname{ArcTanh}[c*x])^2 / (d + e*x)^2, x]$

[Out] $-\left(\frac{(a + b \operatorname{ArcTanh}[c*x])^2}{e*(d + e*x)}\right) + (b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2}{1 - c*x}\right]) / (e*(c*d + e)) - (b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2}{1 + c*x}\right]) / ((c*d - e)*e) + (2*b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2}{1 + c*x}\right]) / (c^2*d^2 - e^2) - (2*b*c*(a + b \operatorname{ArcTanh}[c*x])* \operatorname{Log}\left[\frac{2*c*(d + e*x)}{(c*d + e)*(1 + c*x)}\right]) / (c^2*d^2 - e^2) + (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2}{1 - c*x}\right]) / (2*e*(c*d + e)) + (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2}{1 + c*x}\right]) / (2*(c*d - e)*e) - (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2}{1 + c*x}\right]) / (c^2*d^2 - e^2) + (b^2*c* \operatorname{PolyLog}\left[2, 1 - \frac{2*c*(d + e*x)}{(c*d + e)*(1 + c*x)}\right]) / (c^2*d^2 - e^2)$

Rule 5928

$\operatorname{Int}[(a + \operatorname{ArcTanh}[c*x])^p / (d + e*x)^q, x] \rightarrow \operatorname{Simp}[(d + e*x)^{q+1} * (a + b \operatorname{ArcTanh}[c*x])^p / (e*(q+1)), x] - \operatorname{Dist}[(b*c*p) / (e*(q+1)), \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b \operatorname{ArcTanh}[c*x])^{p-1}, (d + e*x)^{q+1} / (1 - c^2*x^2), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, x\} \&\amp; \operatorname{IGtQ}[p, 1] \&\amp; \operatorname{IntegerQ}[q] \&\amp; \operatorname{NeQ}[q, -1]$

Rule 5918

$\operatorname{Int}[(a + \operatorname{ArcTanh}[c*x])^p / (d + e*x), x] \rightarrow -\operatorname{Simp}[(a + b \operatorname{ArcTanh}[c*x])^p * \operatorname{Log}\left[\frac{2}{1 + (e*x)/d}\right] / e, x] + \operatorname{Dist}[(b*c*p) / e, \operatorname{Int}[(a + b \operatorname{ArcTanh}[c*x])^{p-1} * \operatorname{Log}\left[\frac{2}{1 + (e*x)/d}\right] / (1 - c^2*x^2), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, x\} \&\amp; \operatorname{IGtQ}[p, 0] \&\amp; \operatorname{EqQ}[c^2*d^2 - e^2, 0]$

Rule 2402


```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 5920

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/(c*d + e*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/(c*d + e*(1 + c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \tanh^{-1}(cx))^2}{(d + ex)^2} dx &= -\frac{(a + b \tanh^{-1}(cx))^2}{e(d + ex)} + \frac{(2bc) \int \left(-\frac{c(a + b \tanh^{-1}(cx))}{2(cd + e)(-1 + cx)} + \frac{c(a + b \tanh^{-1}(cx))}{2(cd - e)(1 + cx)} + \frac{e^2(a + b \tanh^{-1}(cx))}{(-cd + e)(cd + e)(d + ex)} \right) dx}{e} \\ &= -\frac{(a + b \tanh^{-1}(cx))^2}{e(d + ex)} + \frac{(bc^2) \int \frac{a + b \tanh^{-1}(cx)}{1 + cx} dx}{(cd - e)e} - \frac{(bc^2) \int \frac{a + b \tanh^{-1}(cx)}{-1 + cx} dx}{e(cd + e)} + \frac{(2bce) \int \frac{a + b \tanh^{-1}(cx)}{(-cd + e)(cd + e)(d + ex)} dx}{(-cd + e)(cd + e)} \\ &= -\frac{(a + b \tanh^{-1}(cx))^2}{e(d + ex)} + \frac{bc(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1 - cx}\right)}{e(cd + e)} - \frac{bc(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1 + cx}\right)}{(cd - e)e} \\ &= -\frac{(a + b \tanh^{-1}(cx))^2}{e(d + ex)} + \frac{bc(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1 - cx}\right)}{e(cd + e)} - \frac{bc(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1 + cx}\right)}{(cd - e)e} \\ &= -\frac{(a + b \tanh^{-1}(cx))^2}{e(d + ex)} + \frac{bc(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1 - cx}\right)}{e(cd + e)} - \frac{bc(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1 + cx}\right)}{(cd - e)e} \end{aligned}$$

Mathematica [C] time = 4.38318, size = 317, normalized size = 0.99

$$b^2 \frac{\left(cd \left(\text{PolyLog}\left[2, e^{-2\left(\tanh^{-1}\left(\frac{cd}{e}\right) + \tanh^{-1}(cx)\right)} \right] - i\pi \left(\tanh^{-1}(cx) - \frac{1}{2} \log(1 - c^2 x^2) \right) \right) - 2 \tanh^{-1}(cx) \log\left(1 - e^{-2\left(\tanh^{-1}\left(\frac{cd}{e}\right) + \tanh^{-1}(cx)\right)} \right) - 2 \tanh^{-1}\left(\frac{cd}{e}\right) \left(\log\left(1 - e^{-2\left(\tanh^{-1}\left(\frac{cd}{e}\right) + \tanh^{-1}(cx)\right)} \right) \right) \right)}{c^2 d^2 - e^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcTanh[c*x])^2/(d + e*x)^2, x]
```

```
[Out] -(a^2/(e*(d + e*x))) + (a*b*c*((-2*ArcTanh[c*x]))/(c*d + c*e*x) + ((-(c*d) + e)*Log[1 - c*x] + (c*d + e)*Log[1 + c*x] - 2*e*Log[c*(d + e*x)])/(c*d - e
```

)*(c*d + e))))/e + (b^2*(-(ArcTanh[c*x]^2/(Sqrt[1 - (c^2*d^2)/e^2]*e*E^ArcTanh[(c*d)/e])) + (x*ArcTanh[c*x]^2)/(d + e*x) + (c*d*(I*Pi*Log[1 + E^(2*ArcTanh[c*x])]) - 2*ArcTanh[c*x]*Log[1 - E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]) - I*Pi*(ArcTanh[c*x] - Log[1 - c^2*x^2]/2) - 2*ArcTanh[(c*d)/e]*(ArcTanh[c*x] + Log[1 - E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]) - Log[I*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]])] + PolyLog[2, E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])])))))/(c^2*d^2 - e^2))/d

Maple [A] time = 0.117, size = 605, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))^2/(e*x+d)^2,x)

[Out] -c*a^2/(c*e*x+c*d)/e-c*b^2/(c*e*x+c*d)/e*arctanh(c*x)^2-2*c*b^2*arctanh(c*x)/(c*d+e)/(c*d-e)*ln(c*e*x+c*d)-2*c*b^2/e*arctanh(c*x)/(2*c*d+2*e)*ln(c*x-1)+2*c*b^2/e*arctanh(c*x)/(2*c*d-2*e)*ln(c*x+1)+c*b^2/(c*d+e)/(c*d-e)*ln((c*e*x+e)/(-c*d+e))*ln(c*e*x+c*d)+c*b^2/(c*d+e)/(c*d-e)*dilog((c*e*x+e)/(-c*d+e))-c*b^2/(c*d+e)/(c*d-e)*ln((c*e*x-e)/(-c*d-e))*ln(c*e*x+c*d)-c*b^2/(c*d+e)/(c*d-e)*dilog((c*e*x-e)/(-c*d-e))-1/2*c*b^2/e/(c*d-e)*ln(-1/2*c*x+1/2)*ln(1/2+1/2*c*x)+1/2*c*b^2/e/(c*d-e)*ln(-1/2*c*x+1/2)*ln(c*x+1)-1/2*c*b^2/e/(c*d-e)*dilog(1/2+1/2*c*x)-1/4*c*b^2/e/(c*d-e)*ln(c*x+1)^2+1/2*c*b^2/e/(c*d+e)*dilog(1/2+1/2*c*x)+1/2*c*b^2/e/(c*d+e)*ln(c*x-1)*ln(1/2+1/2*c*x)-1/4*c*b^2/e/(c*d+e)*ln(c*x-1)^2-2*c*b*a/(c*e*x+c*d)/e*arctanh(c*x)-2*c*b*a/(c*d+e)/(c*d-e)*ln(c*e*x+c*d)-2*c*b*a/e/(2*c*d+2*e)*ln(c*x-1)+2*c*b*a/e/(2*c*d-2*e)*ln(c*x+1)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\left(c \left(\frac{\log(cx+1)}{cde-e^2} - \frac{\log(cx-1)}{cde+e^2} - \frac{2\log(ex+d)}{c^2d^2-e^2} \right) - \frac{2\operatorname{artanh}(cx)}{e^2x+de} \right)_{ab} - \frac{1}{4} b^2 \left(\frac{\log(-cx+1)^2}{e^2x+de} + \int -\frac{(cex-e)\log(cx+1)^2}{ce^3x^3-d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^2/(e*x+d)^2,x, algorithm="maxima")

[Out] (c*(log(c*x + 1)/(c*d*e - e^2) - log(c*x - 1)/(c*d*e + e^2) - 2*log(e*x + d)/(c^2*d^2 - e^2)) - 2*arctanh(c*x)/(e^2*x + d*e))*a*b - 1/4*b^2*(log(-c*x + 1)^2/(e^2*x + d*e) + integrate(-(c*e*x - e)*log(c*x + 1)^2 + 2*(c*e*x + c*d - (c*e*x - e)*log(c*x + 1))*log(-c*x + 1))/(c*e^3*x^3 - d^2*e + (2*c*d*e^2 - e^3)*x^2 + (c*d^2*e - 2*d*e^2)*x), x) - a^2/(e^2*x + d*e)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{b^2 \operatorname{artanh}(cx)^2 + 2ab \operatorname{artanh}(cx) + a^2}{e^2x^2 + 2dex + d^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^2/(e*x+d)^2,x, algorithm="fricas")

[Out] `integral((b^2*arctanh(c*x)^2 + 2*a*b*arctanh(c*x) + a^2)/(e^2*x^2 + 2*d*e*x + d^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{atanh}(cx))^2}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*atanh(c*x))**2/(e*x+d)**2,x)`

[Out] `Integral((a + b*atanh(c*x))**2/(d + e*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx) + a)^2}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x))^2/(e*x+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arctanh(c*x) + a)^2/(e*x + d)^2, x)`

$$3.14 \quad \int \frac{(a+b \tanh^{-1}(cx))^2}{(d+ex)^3} dx$$

Optimal. Leaf size=480

$$-\frac{b^2c^3d \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{(cd-e)^2(cd+e)^2} + \frac{b^2c^3d \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{(cd-e)^2(cd+e)^2} + \frac{b^2c^2 \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{4e(cd+e)^2} + \frac{b^2c^2 \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+cx}\right)}{4e(cd-e)^2}$$

```
[Out] (b*c*(a + b*ArcTanh[c*x]))/((c^2*d^2 - e^2)*(d + e*x)) - (a + b*ArcTanh[c*x])^2/(2*e*(d + e*x)^2) + (b*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*e*(c*d + e)^2) + (b^2*c^2*Log[1 - c*x])/(2*(c*d - e)*(c*d + e)^2) - (b*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/(2*(c*d - e)^2*e) + (2*b*c^3*d*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) - (b^2*c^2*Log[1 + c*x])/(2*(c*d - e)^2*(c*d + e)) + (b^2*c^2*e*Log[d + e*x])/((c*d - e)^2*(c*d + e)^2) - (2*b*c^3*d*(a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/(c*d + e)*(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (b^2*c^2*PolyLog[2, 1 - 2/(1 - c*x)])/(4*e*(c*d + e)^2) + (b^2*c^2*PolyLog[2, 1 - 2/(1 + c*x)])/(4*(c*d - e)^2*e) - (b^2*c^3*d*PolyLog[2, 1 - 2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (b^2*c^3*d*PolyLog[2, 1 - (2*c*(d + e*x))/(c*d + e)*(1 + c*x)])/((c*d - e)^2*(c*d + e)^2)
```

Rubi [A] time = 0.498787, antiderivative size = 480, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {5928, 5918, 2402, 2315, 5926, 706, 31, 633, 5920, 2447}

$$-\frac{b^2c^3d \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{(cd-e)^2(cd+e)^2} + \frac{b^2c^3d \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{(cd-e)^2(cd+e)^2} + \frac{b^2c^2 \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{4e(cd+e)^2} + \frac{b^2c^2 \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+cx}\right)}{4e(cd-e)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*x])^2/(d + e*x)^3, x]
```

```
[Out] (b*c*(a + b*ArcTanh[c*x]))/((c^2*d^2 - e^2)*(d + e*x)) - (a + b*ArcTanh[c*x])^2/(2*e*(d + e*x)^2) + (b*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*e*(c*d + e)^2) + (b^2*c^2*Log[1 - c*x])/(2*(c*d - e)*(c*d + e)^2) - (b*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/(2*(c*d - e)^2*e) + (2*b*c^3*d*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) - (b^2*c^2*Log[1 + c*x])/(2*(c*d - e)^2*(c*d + e)) + (b^2*c^2*e*Log[d + e*x])/((c*d - e)^2*(c*d + e)^2) - (2*b*c^3*d*(a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/(c*d + e)*(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (b^2*c^2*PolyLog[2, 1 - 2/(1 - c*x)])/(4*e*(c*d + e)^2) + (b^2*c^2*PolyLog[2, 1 - 2/(1 + c*x)])/(4*(c*d - e)^2*e) - (b^2*c^3*d*PolyLog[2, 1 - 2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (b^2*c^3*d*PolyLog[2, 1 - (2*c*(d + e*x))/(c*d + e)*(1 + c*x)])/((c*d - e)^2*(c*d + e)^2)
```

Rule 5928

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^p*((d_.) + (e_.)*(x_.))^q, x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x])^p)/(e*(q + 1)), x] - Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]
```

Rule 5918

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)), x_Symbol]
]:> -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c*p)/e, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 - c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 5926

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol]
]:> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x]))/(e*(q + 1)), x] - Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]
```

Rule 706

```
Int[1/(((d_.) + (e_.)*(x_.))*((a_.) + (c_.)*(x_.)^2)), x_Symbol] :> Dist[e^2/(c*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d - c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 31

```
Int[((a_.) + (b_.)*(x_.))^(-1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 633

```
Int[((d_.) + (e_.)*(x_.))/((a_.) + (c_.)*(x_.)^2), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]
```

Rule 5920

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] :> With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tanh^{-1}(cx))^2}{(d + ex)^3} dx &= -\frac{(a + b \tanh^{-1}(cx))^2}{2e(d + ex)^2} + \frac{(bc) \int \left(-\frac{c^2(a + b \tanh^{-1}(cx))}{2(cd+e)^2(-1+cx)} + \frac{c^2(a + b \tanh^{-1}(cx))}{2(cd-e)^2(1+cx)} + \frac{e^2(a + b \tanh^{-1}(cx))}{(-cd+e)(cd+e)(d+ex)^2} - \frac{2c}{(cd-e)^2} \right) dx}{e} \\
&= -\frac{(a + b \tanh^{-1}(cx))^2}{2e(d + ex)^2} + \frac{(bc^3) \int \frac{a + b \tanh^{-1}(cx)}{1+cx} dx}{2(cd - e)^2 e} - \frac{(bc^3) \int \frac{a + b \tanh^{-1}(cx)}{-1+cx} dx}{2e(cd + e)^2} - \frac{(2bc^3 de) \int \frac{a + b \tanh^{-1}(cx)}{(cd - e)^2} dx}{(cd - e)^2} \\
&= \frac{bc(a + b \tanh^{-1}(cx))}{(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^2}{2e(d + ex)^2} + \frac{bc^2(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1-cx}\right)}{2e(cd + e)^2} - \frac{bc^2(a + b \tanh^{-1}(cx))}{(cd - e)(cd + e)(d + ex)} \\
&= \frac{bc(a + b \tanh^{-1}(cx))}{(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^2}{2e(d + ex)^2} + \frac{bc^2(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1-cx}\right)}{2e(cd + e)^2} - \frac{bc^2(a + b \tanh^{-1}(cx))}{(cd - e)(cd + e)(d + ex)} \\
&= \frac{bc(a + b \tanh^{-1}(cx))}{(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^2}{2e(d + ex)^2} + \frac{bc^2(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1-cx}\right)}{2e(cd + e)^2} - \frac{bc^2(a + b \tanh^{-1}(cx))}{(cd - e)(cd + e)(d + ex)} \\
&= \frac{bc(a + b \tanh^{-1}(cx))}{(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^2}{2e(d + ex)^2} + \frac{bc^2(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1-cx}\right)}{2e(cd + e)^2} + \frac{b^2 c^2}{2(cd - e)(cd + e)(d + ex)}
\end{aligned}$$

Mathematica [C] time = 7.50752, size = 470, normalized size = 0.98

$$b^2 c^2 \frac{\left(2cd \left(\text{PolyLog}\left[2, e^{-2\left(\tanh^{-1}\left(\frac{cd}{e}\right) + \tanh^{-1}(cx)\right)} \right] - i\pi \left(\tanh^{-1}(cx) - \frac{1}{2} \log(1 - c^2 x^2) \right) - 2 \tanh^{-1}(cx) \log\left(1 - e^{-2\left(\tanh^{-1}\left(\frac{cd}{e}\right) + \tanh^{-1}(cx)\right)} \right) - 2 \tanh^{-1}\left(\frac{cd}{e}\right) \left(\log\left(1 - e^{-2\left(\tanh^{-1}\left(\frac{cd}{e}\right) + \tanh^{-1}(cx)\right)} \right) \right) \right)}{c^2 d^2 - e^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*x])^2/(d + e*x)^3,x]

[Out] $-a^2/(2*e*(d + e*x)^2) - (a*b*c^2*((2*ArcTanh[c*x])/(c*d + c*e*x)^2 + \text{Log}[1 - c*x]/(c*d + e)^2 + (-\text{Log}[1 + c*x] + (2*e*(-(c^2*d^2) + e^2 + 2*c^2*d*(d + e*x)*\text{Log}[c*(d + e*x)])))/(c*(c*d + e)^2*(d + e*x)))/(-(c*d) + e)^2)/(2*e) + (b^2*c^2*((-2*ArcTanh[c*x]^2)/(\text{Sqrt}[1 - (c^2*d^2)/e^2]*e*E^{\text{ArcTanh}[(c*d)/e]})) - (e*(-1 + c^2*x^2)*\text{ArcTanh}[c*x]^2)/(c^2*(d + e*x)^2) + (2*x*\text{ArcTanh}[c*x]*(-e + c*d*\text{ArcTanh}[c*x]))/(c*d*(d + e*x)) + (2*e*(-(e*\text{ArcTanh}[c*x]) + c*d*\text{Log}[(c*(d + e*x))/\text{Sqrt}[1 - c^2*x^2]]))/(c^3*d^3 - c*d*e^2) + (2*c*d*(I*\text{Pi}*\text{Log}[1 + E^{(2*\text{ArcTanh}[c*x])}] - 2*\text{ArcTanh}[c*x]*\text{Log}[1 - E^{(-2*(\text{ArcTanh}[(c*d)/e] + \text{ArcTanh}[c*x])}] - I*\text{Pi}*(\text{ArcTanh}[c*x] - \text{Log}[1 - c^2*x^2]/2) - 2*\text{ArcTanh}[(c*d)/e]*(\text{ArcTanh}[c*x] + \text{Log}[1 - E^{(-2*(\text{ArcTanh}[(c*d)/e] + \text{ArcTanh}[c*x])}] - \text{Log}[I*\text{Sinh}[\text{ArcTanh}[(c*d)/e] + \text{ArcTanh}[c*x]]]) + \text{PolyLog}[2, E^{(-2*(\text{ArcTanh}[(c*d)/e] + \text{ArcTanh}[c*x])}]]))/(c^2*d^2 - e^2))/(2*(c*d - e)*(c*d + e))$

Maple [A] time = 0.069, size = 824, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))^2/(e*x+d)^3,x)

```
[Out] c^2*a*b/(c*d+e)/(c*d-e)/(c*e*x+c*d)-c^3*b^2*d/(c*d+e)^2/(c*d-e)^2*dilog((c*
e*x-e)/(-c*d-e))+1/4*c^2*b^2/e/(c*d-e)^2*ln(-1/2*c*x+1/2)*ln(c*x+1)+c^2*b^2
*arctanh(c*x)/(c*d+e)/(c*d-e)/(c*e*x+c*d)-1/2*c^2*b^2/e*arctanh(c*x)/(c*d+e
)^2*ln(c*x-1)+1/2*c^2*b^2/e*arctanh(c*x)/(c*d-e)^2*ln(c*x+1)+1/4*c^2*b^2/e/
(c*d+e)^2*ln(c*x-1)*ln(1/2+1/2*c*x)-1/4*c^2*b^2/e/(c*d-e)^2*ln(-1/2*c*x+1/2
)*ln(1/2+1/2*c*x)-1/2*c^2*a*b/e/(c*d+e)^2*ln(c*x-1)+c^2*b^2*e/(c*d+e)^2/(c*
d-e)^2*ln(c*e*x+c*d)-1/2*c^2*a^2/(c*e*x+c*d)^2/e-1/8*c^2*b^2/e/(c*d+e)^2*ln
(c*x-1)^2-1/4*c^2*b^2/e/(c*d-e)^2*dilog(1/2+1/2*c*x)-1/8*c^2*b^2/e/(c*d-e)^
2*ln(c*x+1)^2-1/2*c^2*b^2/(c*e*x+c*d)^2/e*arctanh(c*x)^2+1/4*c^2*b^2/e/(c*d
+e)^2*dilog(1/2+1/2*c*x)-2*c^3*b^2*arctanh(c*x)*d/(c*d+e)^2/(c*d-e)^2*ln(c*
e*x+c*d)+c^3*b^2*d/(c*d+e)^2/(c*d-e)^2*ln((c*e*x+e)/(-c*d+e))*ln(c*e*x+c*d)
-c^3*b^2*d/(c*d+e)^2/(c*d-e)^2*ln((c*e*x-e)/(-c*d-e))*ln(c*e*x+c*d)-2*c^3*a
*b*d/(c*d+e)^2/(c*d-e)^2*ln(c*e*x+c*d)+1/2*c^2*a*b/e/(c*d-e)^2*ln(c*x+1)-c^
2*a*b/(c*e*x+c*d)^2/e*arctanh(c*x)+c^2*b^2/(c*d+e)/(c*d-e)/(2*c*d+2*e)*ln(c
*x-1)-c^2*b^2/(c*d+e)/(c*d-e)/(2*c*d-2*e)*ln(c*x+1)+c^3*b^2*d/(c*d+e)^2/(c*
d-e)^2*dilog((c*e*x+e)/(-c*d+e))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} \left(\frac{4c^2d \log(ex+d)}{c^4d^4 - 2c^2d^2e^2 + e^4} - \frac{c \log(cx+1)}{c^2d^2e - 2cde^2 + e^3} + \frac{c \log(cx-1)}{c^2d^2e + 2cde^2 + e^3} - \frac{2}{c^2d^3 - de^2 + (c^2d^2e - e^3)x} \right) c + \frac{2 \operatorname{artanh}(cx)}{e^3x^2 + 2de^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x))^2/(e*x+d)^3,x, algorithm="maxima")
```

```
[Out] -1/2*((4*c^2*d*log(e*x + d)/(c^4*d^4 - 2*c^2*d^2*e^2 + e^4) - c*log(c*x + 1)
)/(c^2*d^2*e - 2*c*d*e^2 + e^3) + c*log(c*x - 1)/(c^2*d^2*e + 2*c*d*e^2 + e
^3) - 2/(c^2*d^3 - d*e^2 + (c^2*d^2*e - e^3)*x))*c + 2*arctanh(c*x)/(e^3*x^
2 + 2*d*e^2*x + d^2*e))*a*b - 1/8*b^2*(log(-c*x + 1)^2/(e^3*x^2 + 2*d*e^2*x
+ d^2*e) + 2*integrate(-((c*e*x - e)*log(c*x + 1)^2 + (c*e*x + c*d - 2*(c*
e*x - e)*log(c*x + 1))*log(-c*x + 1))/(c*e^4*x^4 - d^3*e + (3*c*d*e^3 - e^4
)*x^3 + 3*(c*d^2*e^2 - d*e^3)*x^2 + (c*d^3*e - 3*d^2*e^2)*x), x)) - 1/2*a^2
/(e^3*x^2 + 2*d*e^2*x + d^2*e)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{b^2 \operatorname{artanh}(cx)^2 + 2ab \operatorname{artanh}(cx) + a^2}{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x))^2/(e*x+d)^3,x, algorithm="fricas")
```

```
[Out] integral((b^2*arctanh(c*x)^2 + 2*a*b*arctanh(c*x) + a^2)/(e^3*x^3 + 3*d*e^2
*x^2 + 3*d^2*e*x + d^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*atanh(c*x))**2/(e*x+d)**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx) + a)^2}{(ex + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x))^2/(e*x+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arctanh(c*x) + a)^2/(e*x + d)^3, x)
```


3.15 $\int (d + ex)^3 \left(a + b \tanh^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=614

$$\frac{3b^2d(c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)(a + b \tanh^{-1}(cx))}{c^3} - \frac{3b^3e(6c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{4c^4} + \frac{3b^3d(c^2d^2 + e^2) \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-cx}\right)}{(2c)^3}$$

```
[Out] (3*a*b^2*d*e^2*x)/c^2 + (b^3*e^3*x)/(4*c^3) - (b^3*e^3*ArcTanh[c*x])/(4*c^4)
+ (3*b^3*d*e^2*x*ArcTanh[c*x])/c^2 + (b^2*e^3*x^2*(a + b*ArcTanh[c*x]))/(4*c^2)
- (3*b*d*e^2*(a + b*ArcTanh[c*x])^2)/(2*c^3) + (b*e^3*(a + b*ArcTanh[c*x])^2)/(4*c^4)
+ (3*b*e*(6*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^2)/(4*c^4)
+ (3*b*e*(6*c^2*d^2 + e^2)*x*(a + b*ArcTanh[c*x])^2)/(4*c^3) + (3*b*d*e^2*x^2*(a + b*ArcTanh[c*x])^2)/(2*c)
+ (b*e^3*x^3*(a + b*ArcTanh[c*x])^2)/(4*c) + (d*(c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^3)/c^3
- ((c^4*d^4 + 6*c^2*d^2*e^2 + e^4)*(a + b*ArcTanh[c*x])^3)/(4*c^4*e) + ((d + e*x)^4*(a + b*ArcTanh[c*x])^3)/(4*e)
- (b^2*e^3*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*c^4) - (3*b^2*e*(6*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*c^4)
- (3*b*d*(c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)])/c^3 + (3*b^3*d*e^2*Log[1 - c^2*x^2])/(2*c^3)
- (b^3*e^3*PolyLog[2, 1 - 2/(1 - c*x)])/(4*c^4) - (3*b^3*e*(6*c^2*d^2 + e^2)*PolyLog[2, 1 - 2/(1 - c*x)])/(4*c^4)
- (3*b^2*d*(c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)])/c^3 + (3*b^3*d*(c^2*d^2 + e^2)*PolyLog[3, 1 - 2/(1 - c*x)])/(2*c^3)
```

Rubi [A] time = 1.18289, antiderivative size = 614, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 15, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules used = {5928, 5910, 5984, 5918, 2402, 2315, 5916, 5980, 260, 5948, 321, 206, 6048, 6058, 6610}

$$\frac{3b^2d(c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)(a + b \tanh^{-1}(cx))}{c^3} - \frac{3b^3e(6c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{4c^4} + \frac{3b^3d(c^2d^2 + e^2) \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-cx}\right)}{(2c)^3}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)^3*(a + b*ArcTanh[c*x])^3, x]
```

```
[Out] (3*a*b^2*d*e^2*x)/c^2 + (b^3*e^3*x)/(4*c^3) - (b^3*e^3*ArcTanh[c*x])/(4*c^4)
+ (3*b^3*d*e^2*x*ArcTanh[c*x])/c^2 + (b^2*e^3*x^2*(a + b*ArcTanh[c*x]))/(4*c^2)
- (3*b*d*e^2*(a + b*ArcTanh[c*x])^2)/(2*c^3) + (b*e^3*(a + b*ArcTanh[c*x])^2)/(4*c^4)
+ (3*b*e*(6*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^2)/(4*c^4)
+ (3*b*e*(6*c^2*d^2 + e^2)*x*(a + b*ArcTanh[c*x])^2)/(4*c^3) + (3*b*d*e^2*x^2*(a + b*ArcTanh[c*x])^2)/(2*c)
+ (b*e^3*x^3*(a + b*ArcTanh[c*x])^2)/(4*c) + (d*(c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^3)/c^3
- ((c^4*d^4 + 6*c^2*d^2*e^2 + e^4)*(a + b*ArcTanh[c*x])^3)/(4*c^4*e) + ((d + e*x)^4*(a + b*ArcTanh[c*x])^3)/(4*e)
- (b^2*e^3*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*c^4) - (3*b^2*e*(6*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*c^4)
- (3*b*d*(c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)])/c^3 + (3*b^3*d*e^2*Log[1 - c^2*x^2])/(2*c^3)
- (b^3*e^3*PolyLog[2, 1 - 2/(1 - c*x)])/(4*c^4) - (3*b^3*e*(6*c^2*d^2 + e^2)*PolyLog[2, 1 - 2/(1 - c*x)])/(4*c^4)
- (3*b^2*d*(c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)])/c^3 + (3*b^3*d*(c^2*d^2 + e^2)*PolyLog[3, 1 - 2/(1 - c*x)])/(2*c^3)
```

Rule 5928

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^ (p_.)*((d_.) + (e_.)*(x_))^(q_.), x_Symbol]
:> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x])^p)/(e*(q + 1)), x] -
```

Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

Rule 5910

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcTanh[c*x])^p, x] - Dist[b*c*p, Int[(x*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 5984

Int[(((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*(x_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*e*(p + 1)), x] + Dist[1/(c*d), Int[(a + b*ArcTanh[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]

Rule 5918

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)), x_Symbol] := -Simp[(a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)]/e, x] + Dist[(b*c*p)/e, Int[(a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 5916

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 5980

Int[(((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcTanh[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcTanh[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 5948

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 321

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 6048

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(m_.))/((d_.) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && IGtQ[m, 0]

Rule 6058

Int[(Log[u_]*((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.))/((d_.) + (e_.)*(x_)^2), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] + Dist[(b*p)/2, Int[((a + b*ArcTanh[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && EqQ[(1 - u)^2 - (1 - 2/(1 - c*x))^2, 0]

Rule 6610

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

+ 6*ArcTanh[c*x]*PolyLog[2, -E^(-2*ArcTanh[c*x])] + 3*PolyLog[3, -E^(-2*ArcTanh[c*x])])/(8*c^4)

Maple [C] time = 2.605, size = 6104, normalized size = 9.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^3*(a+b*arctanh(c*x))^3,x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x))^3,x, algorithm="maxima")

[Out] $\frac{1}{4}a^3e^3x^4 + a^3de^2x^3 + \frac{3}{2}a^3d^2ex^2 + \frac{9}{4}(2x^2\operatorname{arctanh}(cx) + c(2x/c^2 - \log(cx+1)/c^3 + \log(cx-1)/c^3))a^2bd^2e + \frac{3}{2}(2x^3\operatorname{arctanh}(cx) + c(x^2/c^2 + \log(c^2x^2-1)/c^4))a^2bd^2e^2 + \frac{1}{8}(6x^4\operatorname{arctanh}(cx) + c(2(c^2x^3+3x)/c^4 - 3\log(cx+1)/c^5 + 3\log(cx-1)/c^5))a^2bd^3e^3 + a^3d^3x + \frac{3}{2}(2cx\operatorname{arctanh}(cx) + \log(-c^2x^2+1))a^2bd^3/c - \frac{1}{32}((b^3c^4e^3x^4 + 4b^3c^4d^2e^2x^3 + 6b^3c^4d^2e^2ex^2 + 4b^3c^4d^3x - (4c^3d^3 + 6c^2d^2e + 4cd^2e^2 + e^3)b^3)\log(-cx+1)^3 - (6ab^2c^4e^3x^4 + 2(12ab^2c^4d^2e^2 + b^3c^3e^3)x^3 + 12(3ab^2c^4d^2e + b^3c^3d^2e)x^2 + 6(4ab^2c^4d^3 + (6c^3d^2e + ce^3)b^3)x + 3(b^3c^4e^3x^4 + 4b^3c^4d^2e^2x^3 + 6b^3c^4d^2e^2ex^2 + 4b^3c^4d^3x + (4c^3d^3 - 6c^2d^2e + 4cd^2e^2 - e^3)b^3)\log(cx+1))\log(-cx+1)^2)/c^4 - \int \frac{-1}{16} (2(b^3c^4e^3x^4 - b^3c^3d^3 + (3c^4d^2e^2 - c^3e^3)b^3x^3 + 3(c^4d^2e - c^3d^2e)b^3x^2 + (c^4d^3 - 3c^3d^2e)b^3x)\log(cx+1)^3 + 12(ab^2c^4e^3x^4 - ab^2c^3d^3 + (3c^4d^2e^2 - c^3e^3)ab^2x^3 + 3(c^4d^2e - c^3d^2e)ab^2x^2 + (c^4d^3 - 3c^3d^2e)ab^2x)\log(cx+1)^2 - (6ab^2c^4e^3x^4 + 2(12ab^2c^4d^2e^2 + b^3c^3e^3)x^3 + 12(3ab^2c^4d^2e + b^3c^3d^2e)x^2 + 6(b^3c^4e^3x^4 - b^3c^3d^3 + (3c^4d^2e^2 - c^3e^3)b^3x^3 + 3(c^4d^2e - c^3d^2e)b^3x^2 + (c^4d^3 - 3c^3d^2e)b^3x)\log(cx+1)^2 + 6(4ab^2c^4d^3 + (6c^3d^2e + ce^3)b^3)x - 3(8ab^2c^3d^3 - (8ab^2c^4e^3 + b^3c^4e^3)x^4 - (4c^3d^3 - 6c^2d^2e + 4cd^2e^2 - e^3)b^3 - 4(b^3c^4d^2e^2 + 2(3c^4d^2e^2 - c^3e^3)ab^2)x^3 - 6(b^3c^4d^2e + 4(c^4d^2e - c^3d^2e)ab^2)x^2 - 4(b^3c^4d^3 + 2(c^4d^3 - 3c^3d^2e)ab^2)x)\log(cx+1))\log(-cx+1))/(c^4x - c^3), x$

Fricas [F] time = 0., size = 0, normalized size = 0.

integral($a^3e^3x^3 + 3a^3de^2x^2 + 3a^3d^2ex + a^3d^3 + (b^3e^3x^3 + 3b^3de^2x^2 + 3b^3d^2ex + b^3d^3)$ artanh(cx)³ + 3(ab²e³x³ +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x))^3,x, algorithm="fricas")

[Out] integral(a^3*e^3*x^3 + 3*a^3*d*e^2*x^2 + 3*a^3*d^2*e*x + a^3*d^3 + (b^3*e^3*x^3 + 3*b^3*d*e^2*x^2 + 3*b^3*d^2*e*x + b^3*d^3)*arctanh(c*x)^3 + 3*(a*b^2*e^3*x^3 + 3*a*b^2*d*e^2*x^2 + 3*a*b^2*d^2*e*x + a*b^2*d^3)*arctanh(c*x)^2 + 3*(a^2*b*e^3*x^3 + 3*a^2*b*d*e^2*x^2 + 3*a^2*b*d^2*e*x + a^2*b*d^3)*arctanh(c*x), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{atanh}(cx))^3 (d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**3*(a+b*atanh(c*x))**3,x)

[Out] Integral((a + b*atanh(c*x))**3*(d + e*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^3 (b \operatorname{artanh}(cx) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x))^3,x, algorithm="giac")

[Out] integrate((e*x + d)^3*(b*arctanh(c*x) + a)^3, x)

3.16 $\int (d + ex)^2 \left(a + b \tanh^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=387

$$\frac{b^2 (3c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right) (a + b \tanh^{-1}(cx))}{c^3} + \frac{b^3 (3c^2d^2 + e^2) \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-cx}\right)}{2c^3} - \frac{3b^3de \operatorname{PolyLog}}{c^2}$$

[Out] (a*b^2*e^2*x)/c^2 + (b^3*e^2*x*ArcTanh[c*x])/c^2 + (3*b*d*e*(a + b*ArcTanh[c*x])^2)/c^2 - (b*e^2*(a + b*ArcTanh[c*x])^2)/(2*c^3) + (3*b*d*e*x*(a + b*ArcTanh[c*x])^2)/c + (b*e^2*x^2*(a + b*ArcTanh[c*x])^2)/(2*c) + ((3*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^3)/(3*c^3) - (d*(d^2 + (3*e^2)/c^2)*(a + b*ArcTanh[c*x])^3)/(3*e) + ((d + e*x)^3*(a + b*ArcTanh[c*x])^3)/(3*e) - (6*b^2*d*e*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)]/c^2 - (b*(3*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)]/c^3 + (b^3*e^2*Log[1 - c^2*x^2])/(2*c^3) - (3*b^3*d*e*PolyLog[2, 1 - 2/(1 - c*x)]/c^2 - (b^2*(3*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)]/c^3 + (b^3*(3*c^2*d^2 + e^2)*PolyLog[3, 1 - 2/(1 - c*x)]/(2*c^3)

Rubi [A] time = 0.803702, antiderivative size = 387, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 13, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.722$, Rules used = {5928, 5910, 5984, 5918, 2402, 2315, 5916, 5980, 260, 5948, 6048, 6058, 6610}

$$\frac{b^2 (3c^2d^2 + e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right) (a + b \tanh^{-1}(cx))}{c^3} + \frac{b^3 (3c^2d^2 + e^2) \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-cx}\right)}{2c^3} - \frac{3b^3de \operatorname{PolyLog}}{c^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)^2*(a + b*ArcTanh[c*x])^3,x]

[Out] (a*b^2*e^2*x)/c^2 + (b^3*e^2*x*ArcTanh[c*x])/c^2 + (3*b*d*e*(a + b*ArcTanh[c*x])^2)/c^2 - (b*e^2*(a + b*ArcTanh[c*x])^2)/(2*c^3) + (3*b*d*e*x*(a + b*ArcTanh[c*x])^2)/c + (b*e^2*x^2*(a + b*ArcTanh[c*x])^2)/(2*c) + ((3*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^3)/(3*c^3) - (d*(d^2 + (3*e^2)/c^2)*(a + b*ArcTanh[c*x])^3)/(3*e) + ((d + e*x)^3*(a + b*ArcTanh[c*x])^3)/(3*e) - (6*b^2*d*e*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)]/c^2 - (b*(3*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)]/c^3 + (b^3*e^2*Log[1 - c^2*x^2])/(2*c^3) - (3*b^3*d*e*PolyLog[2, 1 - 2/(1 - c*x)]/c^2 - (b^2*(3*c^2*d^2 + e^2)*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)]/c^3 + (b^3*(3*c^2*d^2 + e^2)*PolyLog[3, 1 - 2/(1 - c*x)]/(2*c^3)

Rule 5928

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x])^p)/(e*(q + 1)), x] - Dist[(b*c^p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

Rule 5910

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b*ArcTanh[c*x])^p, x] - Dist[b*c^p, Int[(x*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 5984

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*(x_))/((d_) + (e_.)*(x_)^2),
 x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*e*(p + 1)), x] + Dist[1/
 (c*d), Int[(a + b*ArcTanh[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e
 }, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 5918

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)), x_Symbol
] := -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c*
p)/e, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 - c^2*x^2)
, x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0
]
```

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 5916

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((d_.)*(x_)^(m_.)), x_Symbol]
 := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c
*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*
x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || In
tegerQ[m]) && NeQ[m, -1]
```

Rule 5980

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_)^(m_.))/((d_) + (
e_.)*(x_)^2), x_Symbol] := Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcTanh[c*x
])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcTanh[c*x])^p)/(
d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1
]
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 5948

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)^2), x_Symb
ol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b
, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 6048

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(m_.))/((
d_) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTanh[c*x])
^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && I
GtQ[p, 0] && EqQ[c^2*d + e, 0] && IGtQ[m, 0]
```


Rule 6058

```
Int[(Log[u_]*((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)]/((d_.) + (e_.)*(x_)^2), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] + Dist[(b*p)/2, Int[((a + b*ArcTanh[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && EqQ[(1 - u)^2 - (1 - 2/(1 - c*x))^2, 0]
```

Rule 6610

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Rubi steps

$$\begin{aligned} \int (d + ex)^2 (a + b \tanh^{-1}(cx))^3 dx &= \frac{(d + ex)^3 (a + b \tanh^{-1}(cx))^3}{3e} - \frac{(bc) \int \left(-\frac{3de^2(a + b \tanh^{-1}(cx))^2}{c^2} - \frac{e^3 x(a + b \tanh^{-1}(cx))^2}{c^2} \right) dx}{e} \\ &= \frac{(d + ex)^3 (a + b \tanh^{-1}(cx))^3}{3e} - \frac{b \int \frac{(c^2 d^3 + 3de^2 + e(3c^2 d^2 + e^2)x)(a + b \tanh^{-1}(cx))^2}{1 - c^2 x^2} dx}{ce} + \frac{3bdex(a + b \tanh^{-1}(cx))^2}{c} \\ &= \frac{3bdex(a + b \tanh^{-1}(cx))^2}{c} + \frac{be^2 x^2 (a + b \tanh^{-1}(cx))^2}{2c} + \frac{(d + ex)^3 (a + b \tanh^{-1}(cx))^3}{3e} \\ &= \frac{3bde(a + b \tanh^{-1}(cx))^2}{c^2} + \frac{3bdex(a + b \tanh^{-1}(cx))^2}{c} + \frac{be^2 x^2 (a + b \tanh^{-1}(cx))^2}{2c} \\ &= \frac{ab^2 e^2 x}{c^2} + \frac{3bde(a + b \tanh^{-1}(cx))^2}{c^2} - \frac{be^2 (a + b \tanh^{-1}(cx))^2}{2c^3} + \frac{3bdex(a + b \tanh^{-1}(cx))^2}{c} \\ &= \frac{ab^2 e^2 x}{c^2} + \frac{b^3 e^2 x \tanh^{-1}(cx)}{c^2} + \frac{3bde(a + b \tanh^{-1}(cx))^2}{c^2} - \frac{be^2 (a + b \tanh^{-1}(cx))^2}{2c^3} \\ &= \frac{ab^2 e^2 x}{c^2} + \frac{b^3 e^2 x \tanh^{-1}(cx)}{c^2} + \frac{3bde(a + b \tanh^{-1}(cx))^2}{c^2} - \frac{be^2 (a + b \tanh^{-1}(cx))^2}{2c^3} \\ &= \frac{ab^2 e^2 x}{c^2} + \frac{b^3 e^2 x \tanh^{-1}(cx)}{c^2} + \frac{3bde(a + b \tanh^{-1}(cx))^2}{c^2} - \frac{be^2 (a + b \tanh^{-1}(cx))^2}{2c^3} \end{aligned}$$

Mathematica [A] time = 1.29567, size = 591, normalized size = 1.53

$$18ab^2c^2d^2 \left(\text{PolyLog} \left(2, -e^{-2 \tanh^{-1}(cx)} \right) + \tanh^{-1}(cx) \left((cx - 1) \tanh^{-1}(cx) - 2 \log \left(e^{-2 \tanh^{-1}(cx)} + 1 \right) \right) \right) + 6ab^2e^2 \left(\text{PolyLog} \left(2, e^{-2 \tanh^{-1}(cx)} \right) + \tanh^{-1}(cx) \left((cx + 1) \tanh^{-1}(cx) - 2 \log \left(e^{-2 \tanh^{-1}(cx)} + 1 \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x)^2*(a + b*ArcTanh[c*x])^3,x]

```
[Out] (6*a^2*c^2*d*(a*c*d + 3*b*e)*x + 3*a^2*c^2*e*(2*a*c*d + b*e)*x^2 + 2*a^3*c^2*
3*e^2*x^3 + 6*a^2*b*c^3*x*(3*d^2 + 3*d*e*x + e^2*x^2)*ArcTanh[c*x] + 3*a^2*
b*(3*c^2*d^2 + 3*c*d*e + e^2)*Log[1 - c*x] + 3*a^2*b*(3*c^2*d^2 - 3*c*d*e +
e^2)*Log[1 + c*x] + 18*a*b^2*c*d*e*(2*c*x*ArcTanh[c*x] + (-1 + c^2*x^2)*Ar
cTanh[c*x]^2 + Log[1 - c^2*x^2]) - 6*b^3*c*d*e*(ArcTanh[c*x]*((3 - 3*c*x)*A
rcTanh[c*x] + (1 - c^2*x^2)*ArcTanh[c*x]^2 + 6*Log[1 + E^(-2*ArcTanh[c*x])])
```

$$\begin{aligned} &) - 3\text{PolyLog}[2, -E^{(-2\text{ArcTanh}[c*x])}] + 6*a*b^2*e^2*(c*x + (-1 + c^3*x^3) \\ & * \text{ArcTanh}[c*x]^2 + \text{ArcTanh}[c*x]*(-1 + c^2*x^2 - 2*\text{Log}[1 + E^{(-2\text{ArcTanh}[c*x] \\ &)}]) + \text{PolyLog}[2, -E^{(-2\text{ArcTanh}[c*x])}] + 18*a*b^2*c^2*d^2*(\text{ArcTanh}[c*x]*((\\ & -1 + c*x)*\text{ArcTanh}[c*x] - 2*\text{Log}[1 + E^{(-2\text{ArcTanh}[c*x])}]) + \text{PolyLog}[2, -E^{(- \\ & 2*\text{ArcTanh}[c*x])}]) + 6*b^3*c^2*d^2*(\text{ArcTanh}[c*x]^2*((-1 + c*x)*\text{ArcTanh}[c*x] \\ & - 3*\text{Log}[1 + E^{(-2\text{ArcTanh}[c*x])}]) + 3*\text{ArcTanh}[c*x]*\text{PolyLog}[2, -E^{(-2*\text{ArcTan} \\ & h[c*x])}] + (3*\text{PolyLog}[3, -E^{(-2\text{ArcTanh}[c*x])}])/2) + b^3*e^2*(6*c*x*\text{ArcTanh} \\ & [c*x] - 3*\text{ArcTanh}[c*x]^2 + 3*c^2*x^2*\text{ArcTanh}[c*x]^2 - 2*\text{ArcTanh}[c*x]^3 + 2* \\ & c^3*x^3*\text{ArcTanh}[c*x]^3 - 6*\text{ArcTanh}[c*x]^2*\text{Log}[1 + E^{(-2\text{ArcTanh}[c*x])}] + 3* \\ & \text{Log}[1 - c^2*x^2] + 6*\text{ArcTanh}[c*x]*\text{PolyLog}[2, -E^{(-2\text{ArcTanh}[c*x])}] + 3*\text{Poly} \\ & \text{Log}[3, -E^{(-2\text{ArcTanh}[c*x])}]))/(6*c^3) \end{aligned}$$

Maple [C] time = 2.211, size = 4600, normalized size = 11.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^2*(a+b*arctanh(c*x))^3,x)

[Out] $d*x^2*a^3*e^{-3/4}*I/c^2*b^3*e*Pi*d*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(c*x+1)^2/(c^2*x^2-1))*csgn(I*(c*x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))*arctanh(c*x)^2+a*b^2*e^2*x/c^2+b^3*e^2*x*arctanh(c*x)/c^2-6/c^2*b^3*e*d*arctanh(c*x)*\ln(1+I*(c*x+1)/(-c^2*x^2+1)^{(1/2)})-6/c^2*b^3*e*d*arctanh(c*x)*\ln(1-I*(c*x+1)/(-c^2*x^2+1)^{(1/2)})+3/c^2*a*b^2*e*\ln(c*x-1)*d+3/c^2*a*b^2*e*\ln(c*x+1)*d+3/4/c^2*a*b^2*e*\ln(c*x+1)^2*d+3/4/c^2*a*b^2*e*\ln(c*x-1)^2*d+1/c*a*b^2*e^2*arctanh(c*x)*x^2+3/c*b^3*e*arctanh(c*x)^2*x*d+3/c*a*b^2*arctanh(c*x)*\ln(c*x-1)*d^2+3/c*a*b^2*arctanh(c*x)*\ln(c*x+1)*d^2-3/2/c*a*b^2*\ln(c*x-1)*\ln(1/2+1/2*c*x)*d^2+a*b^2/e*arctanh(c*x)*\ln(c*x-1)*d^3-a*b^2/e*arctanh(c*x)*\ln(c*x+1)*d^3-1/2*a*b^2/e*\ln(c*x+1)*\ln(-1/2*c*x+1/2)*d^3+1/2*a*b^2/e*\ln(-1/2*c*x+1/2)*\ln(1/2+1/2*c*x)*d^3-1/2*a*b^2/e*\ln(c*x-1)*\ln(1/2+1/2*c*x)*d^3+3*a*b^2*e*arctanh(c*x)^2*x^2*d+3*a^2*b*e*arctanh(c*x)*x^2*d-3/2*I/c*b^3*Pi*d^2*arctanh(c*x)^2-1/2*I/c^3*b^3*e^2*Pi*arctanh(c*x)^2-1/2*I*b^3/e*Pi*d^3*arctanh(c*x)^2-1/4*I*b^3/e*Pi*d^3*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(c*x+1)^2/(c^2*x^2-1))*csgn(I*(c*x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))*arctanh(c*x)^2-3/4*I/c^2*b^3*e*Pi*d*csgn(I*(c*x+1)^2/(c^2*x^2-1))*csgn(I*(c*x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))^2*arctanh(c*x)^2+3/4*I/c^2*b^3*e*Pi*d*csgn(I*(c*x+1)/(-c^2*x^2+1)^{(1/2)})^2*csgn(I*(c*x+1)^2/(c^2*x^2-1))*arctanh(c*x)^2+3/2*I/c^2*b^3*e*Pi*d*csgn(I*(c*x+1)/(-c^2*x^2+1)^{(1/2))*csgn(I*(c*x+1)^2/(c^2*x^2-1))^2*arctanh(c*x)^2+3/4*I/c^2*b^3*e*Pi*d*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(c*x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))^2*arctanh(c*x)^2+a^3*x*d^2+1/3*a^3*e^2*x^3+3*a^2*b/c*x*d*e+3/2/c*a*b^2*\ln(c*x+1)*\ln(-1/2*c*x+1/2)*d^2-3/2/c*a*b^2*\ln(-1/2*c*x+1/2)*\ln(1/2+1/2*c*x)*d^2+3/2/c^2*a^2*b*e*\ln(c*x-1)*d-3/2/c^2*a^2*b*e*\ln(c*x+1)*d+1/2/c^3*a*b^2*e^2*\ln(c*x+1)*\ln(-1/2*c*x+1/2)-3/2/c^2*b^3*e*arctanh(c*x)^2*\ln(c*x+1)*d-1/2/c^3*a*b^2*e^2*\ln(-1/2*c*x+1/2)*\ln(1/2+1/2*c*x)+1/c^3*a*b^2*e^2*arctanh(c*x)*\ln(c*x-1)+1/c^3*a*b^2*e^2*arctanh(c*x)*\ln(c*x+1)-1/2/c^3*a*b^2*e^2*\ln(c*x-1)*\ln(1/2+1/2*c*x)+3/2/c^2*b^3*e*arctanh(c*x)^2*\ln(c*x-1)*d+3/c^2*b^3*e*\ln((c*x+1)/(-c^2*x^2+1)^{(1/2)})*arctanh(c*x)^2*d+1/4*I/c^3*b^3*e^2*Pi*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(c*x+1)^2/(c^2*x^2-1))*csgn(I*(c*x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))*arctanh(c*x)^2+3/4*I/c*b^3*Pi*d^2*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(c*x+1)^2/(c^2*x^2-1))*csgn(I*(c*x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))*arctanh(c*x)^2-1/4*I/c^3*b^3*e^2*Pi*csgn(I*(c*x+1)^2/(c^2*x^2-1))^3*arctanh(c*x)^2-1/4*I/c^3*b^3*e^2*Pi*csgn(I*(c*x+1)^2/(c^2*x^2-1))^3*arctanh(c*x)^2-3/2*I/c^2*b^3*e*Pi*d*arctanh(c*x)^2+1/2*I*b^3/e*Pi*d^3*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))^2*arctanh(c*x)^2-1/2*I*b^3/e*Pi*d^3*csgn(I/((c*x$

$$\begin{aligned}
& +1)^2/(-c^2x^2+1)+1)^3\operatorname{arctanh}(cx)^2+1/4Ib^3/e\pi d^3\operatorname{csgn}(I(c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^3\operatorname{arctanh}(cx)^2+1/4Ib^3/e\pi d^3 \\
& \operatorname{csgn}(I(c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^3\operatorname{arctanh}(cx)^2+6/c^2ab^2e\operatorname{arctanh}(cx) \\
& *x^d+3/c^2ab^2e\operatorname{arctanh}(cx)\ln(cx-1)d-3/c^2ab^2e\operatorname{arctanh}(cx)\ln(cx+1)d-3/2/c^2ab^2e \\
& \ln(cx-1)\ln(1/2+1/2cx)d-3/2/c^2ab^2e\ln(cx+1)\ln(-1/2cx+1/2)d+3/2/c^2ab^2e \\
& \ln(-1/2cx+1/2)\ln(1/2+1/2cx)d-3/2I/c^3b^3\pi d^2\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^3 \\
& \operatorname{arctanh}(cx)^2-3/4I/c^3b^3\pi d^2\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^3\operatorname{arctanh}(cx)^2-3/4I/c^3b^3\pi d^2 \\
& \operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^3\operatorname{arctanh}(cx)^2+3/2I/c^3b^3\pi d^2\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^2 \\
& \operatorname{arctanh}(cx)^2-1/2I/c^3b^3e^2\pi\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^3\operatorname{arctanh}(cx)^2+1/2I/c^3b^3e^2\pi \\
& \operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^2\operatorname{arctanh}(cx)^2+1/2/c^2b^3e^2a^2b/e\operatorname{arctanh}(cx) \\
& *d^3+1/2a^2b/e\ln(cx-1)d^3-1/2a^2b/e\ln(cx+1)d^3+a^2b^2/e\operatorname{arctanh}(cx)^2d^3+b^3/e \\
& \ln((c^2x^2-1)^{1/2})\operatorname{arctanh}(cx)^2d^3+1/2b^3/e\operatorname{arctanh}(cx)^2\ln(cx-1)d^3-1/2b^3/e\operatorname{arctanh}(cx)^2 \\
& \ln(cx+1)d^3+3a^2b\operatorname{arctanh}(cx)*x^d+2+3ab^2\operatorname{arctanh}(cx)^2*x^d+2+a^2b^2e^2\operatorname{arctanh}(cx) \\
& *x^3+a^2b^2e^2\operatorname{arctanh}(cx)^2*x^3+b^3e\operatorname{arctanh}(cx)^3*x^2d+1/4ab^2/e\ln(cx+1)^2d^3+1/4ab^2/e \\
& \ln(cx-1)^2d^3-1/c^3b^3e^2\operatorname{polylog}(2,-(c^2x^2-1)/(-c^2x^2+1))\operatorname{arctanh}(cx)-1/c^3b^3e^2\ln((c^2x^2-1)^{1/2}) \\
& \operatorname{arctanh}(cx)^2+1/2/c^3b^3e^2\operatorname{arctanh}(cx)^2\ln(cx-1)+1/2/c^3b^3e^2\operatorname{arctanh}(cx)^2\ln(cx+1) \\
& -1/4/c^3ab^2e^2\ln(cx+1)^2-1/c^2b^3e\operatorname{arctanh}(cx)^3d+3/c^2b^3e\operatorname{arctanh}(cx)^2d-6/c^2b^3e \\
& d\operatorname{dilog}(1+I(c^2x^2-1)/(-c^2x^2+1)^{1/2})-6/c^2b^3e\operatorname{dilog}(1-I(c^2x^2-1)/(-c^2x^2+1)^{1/2}) \\
& +1/2/c^3a^2b^2e^2\ln(cx-1)+1/2/c^3a^2b^2e^2\ln(cx+1)-1/c^3b^3e^2\ln(2)\operatorname{arctanh}(cx)^2-1/2/c^3ab^2e^2 \\
& \ln(cx+1)+1/2/c^3ab^2e^2\ln(cx-1)-1/c^3ab^2e^2\operatorname{dilog}(1/2+1/2cx)+1/4/c^3ab^2e^2\ln(cx-1)^2 \\
& +3/2/c^2ab^2\ln(cx-1)d^2+3/2/c^2ab^2\ln(cx+1)d^2-3/4/c^2ab^2\ln(cx+1)^2d^2-3/c^2ab^2 \\
& \operatorname{dilog}(1/2+1/2cx)d^2+3/4/c^2ab^2\ln(cx-1)^2d^2+1/2/c^2b^3e^2\operatorname{arctanh}(cx)^2*x^2+3/2/c^2b^3 \\
& \operatorname{arctanh}(cx)^2\ln(cx+1)d^2-3/c^2b^3\operatorname{polylog}(2,-(c^2x^2-1)/(-c^2x^2+1))\operatorname{arctanh}(cx) \\
& *d^2-3/c^2b^3\ln((c^2x^2-1)/(-c^2x^2+1)^{1/2})\operatorname{arctanh}(cx)^2d^2-3/c^2b^3\ln(2)d^2\operatorname{arctanh}(cx)^2 \\
& +3/2/c^2b^3\operatorname{polylog}(3,-(c^2x^2-1)/(-c^2x^2+1))*d^2+1/c^2b^3\operatorname{arctanh}(cx)^3d^2+1/c^3b^3e^2 \\
& \operatorname{arctanh}(cx)+1/3/c^3b^3e^2\operatorname{arctanh}(cx)^3+1/2/c^3b^3e^2\operatorname{polylog}(3,-(c^2x^2-1)/(-c^2x^2+1))-1/2/c^3b^3e^2 \\
& \operatorname{arctanh}(cx)^2-1/c^3b^3e^2\ln((c^2x^2-1)/(-c^2x^2+1)+1)+b^3\operatorname{arctanh}(cx)^3*x^d+1/3b^3e^2 \\
& \operatorname{arctanh}(cx)^3*x^3+1/3a^3/e^2d^3+1/2Ib^3/e\pi d^3\operatorname{csgn}(I(c^2x^2-1)/(-c^2x^2+1)^{1/2}) \\
& *csgn(I(c^2x^2-1)/(-c^2x^2+1))^2\operatorname{arctanh}(cx)^2-1/4Ib^3/e\pi d^3\operatorname{csgn}(I(c^2x^2-1)/(-c^2x^2-1)) \\
& *csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2\operatorname{arctanh}(cx)^2+1/4Ib^3/e\pi d^3 \\
& \operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))*csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2 \\
& \operatorname{arctanh}(cx)^2+1/4Ib^3/e\pi d^3\operatorname{csgn}(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2 \\
& \operatorname{arctanh}(cx)^2-3/4I/c^3b^3\pi d^2\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))*csgn(I(c^2x^2-1)/(-c^2x^2-1)) \\
& *csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2\operatorname{arctanh}(cx)^2+3/4I/c^3b^3\pi d^2 \\
& \operatorname{csgn}(I(c^2x^2-1)/(-c^2x^2-1))*csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2 \\
& \operatorname{arctanh}(cx)^2-3/2I/c^3b^3\pi d^2\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))*csgn(I(c^2x^2-1)/(-c^2x^2-1)) \\
& *csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2\operatorname{arctanh}(cx)^2-1/2I/c^3b^3e^2\pi \\
& \operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)^{1/2}))*csgn(I(c^2x^2-1)/(-c^2x^2-1))^2\operatorname{arctanh}(cx)^2+1/4I/c^3b^3e^2\pi \\
& \operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))*csgn(I(c^2x^2-1)/(-c^2x^2-1))*csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2 \\
& \operatorname{arctanh}(cx)^2-1/4I/c^3b^3e^2\pi\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))*csgn(I(c^2x^2-1)/(-c^2x^2-1)) \\
& *csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2\operatorname{arctanh}(cx)^2-1/4I/c^3b^3e^2\pi \\
& \operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)^{1/2}))*csgn(I(c^2x^2-1)/(-c^2x^2-1))*csgn(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^2 \\
& \operatorname{arctanh}(cx)^2+3/4I/c^2b^3e\pi d\operatorname{csgn}(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^3 \\
& \operatorname{arctanh}(cx)^2+3/4I/c^2b^3e\pi d\operatorname{csgn}(I(c^2x^2-1)/(-c^2x^2-1)/((c^2x^2-1)/(-c^2x^2+1)+1))^3 \\
& \operatorname{arctanh}(cx)^2-3/2I/c^2b^3e\pi d\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^3\operatorname{arctanh}(cx)^2+3/2I/c^2b^3e \\
& \pi d\operatorname{csgn}(I((c^2x^2-1)/(-c^2x^2+1)+1))^2\operatorname{arctanh}(cx)^2
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arctanh(c*x))^3,x, algorithm="maxima")

[Out] $\frac{1}{3}a^3e^{2x^3} + a^3d^2e^{2x^2} + \frac{3}{2}(2x^2\operatorname{arctanh}(cx) + c(2x/c^2 - \log(cx+1)/c^3 + \log(cx-1)/c^3))a^2b^2d^2e + \frac{1}{2}(2x^3\operatorname{arctanh}(cx) + c(x^2/c^2 + \log(c^2x^2-1)/c^4))a^2b^2e^2 + a^3d^2x + \frac{3}{2}(2cx\operatorname{arctanh}(cx) + \log(-c^2x^2+1))a^2b^2d^2/c - \frac{1}{24}((b^3c^3e^{2x^3} + 3b^3c^3d^2e^{2x^2} + 3b^3c^3d^2x - (3c^2d^2 + 3cd^2 + e^2)b^3)\log(-cx+1)^3 - 3(2ab^2c^3e^{2x^3} + (6ab^2c^3d^2 + b^3c^2e^2)x^2 + 6(ab^2c^3d^2 + b^3c^2d^2e)x + (b^3c^3e^{2x^3} + 3b^3c^3d^2e^{2x^2} + 3b^3c^3d^2x + (3c^2d^2 - 3cd^2 + e^2)b^3)\log(cx+1))\log(-cx+1)^2)/c^3 - \int (-1/8((b^3c^3e^{2x^3} - b^3c^2d^2 + (2c^3d^2e - c^2e^2)b^3x^2 + (c^3d^2 - 2c^2d^2e)b^3x)\log(cx+1)^3 + 6(ab^2c^3e^{2x^3} - ab^2c^2d^2 + (2c^3d^2e - c^2e^2)ab^2x^2 + (c^3d^2 - 2c^2d^2e)ab^2x)\log(cx+1)^2 - (4ab^2c^3e^{2x^3} + 2(6ab^2c^3d^2 + b^3c^2e^2)x^2 + 3(b^3c^3e^{2x^3} - b^3c^2d^2 + (2c^3d^2e - c^2e^2)b^3x^2 + (c^3d^2 - 2c^2d^2e)b^3x)\log(cx+1)^2 + 12(ab^2c^3d^2 + b^3c^2d^2e)x - 2(6ab^2c^2d^2 - (3c^2d^2 - 3cd^2 + e^2)b^3 - (6ab^2c^3e^2 + b^3c^3e^2)x^3 - 3(b^3c^3d^2 + 2(2c^3d^2e - c^2e^2)ab^2)x^2 - 3(b^3c^3d^2 + 2(c^3d^2 - 2c^2d^2e)ab^2)x)\log(cx+1))\log(-cx+1))/(c^3x - c^2), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

integral($a^3e^2x^2 + 2a^3dex + a^3d^2 + (b^3e^2x^2 + 2b^3dex + b^3d^2)$ artanh(cx)³ + 3($ab^2e^2x^2 + 2ab^2dex + ab^2d^2$) artanh(cx)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arctanh(c*x))^3,x, algorithm="fricas")

[Out] integral($a^3e^{2x^2} + 2a^3d^2e^{2x} + a^3d^2 + (b^3e^{2x^2} + 2b^3d^2e^{2x} + b^3d^2)$ arctanh(cx)³ + 3($a^2b^2e^{2x^2} + 2a^2b^2d^2e^{2x} + a^2b^2d^2$) arctanh(cx)² + 3($a^2b^2e^{2x^2} + 2a^2b^2d^2e^{2x} + a^2b^2d^2$) arctanh(cx), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{atanh}(cx))^3 (d + ex)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**2*(a+b*atanh(c*x))**3,x)

[Out] Integral((a + b*atanh(c*x))**3*(d + e*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)^2 (b \operatorname{artanh}(cx) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*(a+b*arctanh(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^2*(b*arctanh(c*x) + a)^3, x)
```

3.17 $\int (d + ex) \left(a + b \tanh^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=244

$$\frac{3b^2d \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right) \left(a + b \tanh^{-1}(cx)\right)}{c} - \frac{3b^3e \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{2c^2} + \frac{3b^3d \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-cx}\right)}{2c} - \frac{3b^2e \log\left(\frac{1-cx}{1-c}\right)}{c}$$

[Out] (3*b*e*(a + b*ArcTanh[c*x])^2)/(2*c^2) + (3*b*e*x*(a + b*ArcTanh[c*x])^2)/(2*c) + (d*(a + b*ArcTanh[c*x])^3)/c - ((d^2 + e^2/c^2)*(a + b*ArcTanh[c*x])^3)/(2*e) + ((d + e*x)^2*(a + b*ArcTanh[c*x])^3)/(2*e) - (3*b^2*e*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)]/c^2 - (3*b*d*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)]/c - (3*b^3*e*PolyLog[2, 1 - 2/(1 - c*x)])/(2*c^2) - (3*b^2*d*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)]/c + (3*b^3*d*PolyLog[3, 1 - 2/(1 - c*x)])/(2*c))

Rubi [A] time = 0.601792, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5928, 5910, 5984, 5918, 2402, 2315, 6048, 5948, 6058, 6610}

$$\frac{3b^2d \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right) \left(a + b \tanh^{-1}(cx)\right)}{c} - \frac{3b^3e \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right)}{2c^2} + \frac{3b^3d \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-cx}\right)}{2c} - \frac{3b^2e \log\left(\frac{1-cx}{1-c}\right)}{c}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)*(a + b*ArcTanh[c*x])^3, x]

[Out] (3*b*e*(a + b*ArcTanh[c*x])^2)/(2*c^2) + (3*b*e*x*(a + b*ArcTanh[c*x])^2)/(2*c) + (d*(a + b*ArcTanh[c*x])^3)/c - ((d^2 + e^2/c^2)*(a + b*ArcTanh[c*x])^3)/(2*e) + ((d + e*x)^2*(a + b*ArcTanh[c*x])^3)/(2*e) - (3*b^2*e*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)]/c^2 - (3*b*d*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)]/c - (3*b^3*e*PolyLog[2, 1 - 2/(1 - c*x)])/(2*c^2) - (3*b^2*d*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)]/c + (3*b^3*d*PolyLog[3, 1 - 2/(1 - c*x)])/(2*c))

Rule 5928

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.) + (e_.)*(x_.))^ (q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x])^p)/(e*(q + 1)), x] - Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

Rule 5910

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^ (p_.), x_Symbol] :> Simp[x*(a + b*ArcTanh[c*x])^p, x] - Dist[b*c*p, Int[(x*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 5984

Int[(((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^ (p_.)*(x_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] :> Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*e*(p + 1)), x] + Dist[1/(c*d), Int[(a + b*ArcTanh[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]

Rule 5918

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c*p)/e, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 6048

Int((((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(m_.))/((d_) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && IGtQ[m, 0]

Rule 5948

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 6058

Int[(Log[u_] * ((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p * PolyLog[2, 1 - u])/(2*c*d), x] + Dist[(b*p)/2, Int[((a + b*ArcTanh[c*x])^(p - 1) * PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && EqQ[(1 - u)^2 - (1 - 2/(1 - c*x))^2, 0]

Rule 6610

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\begin{aligned}
\int (d+ex)(a+b \tanh^{-1}(cx))^3 dx &= \frac{(d+ex)^2 (a+b \tanh^{-1}(cx))^3}{2e} - \frac{(3bc) \int \left(-\frac{e^2(a+b \tanh^{-1}(cx))^2}{c^2} + \frac{(c^2d^2+e^2+2c^2dex)(a+b \tanh^{-1}(cx))}{c^2(1-c^2x^2)} \right) dx}{2e} \\
&= \frac{(d+ex)^2 (a+b \tanh^{-1}(cx))^3}{2e} - \frac{(3b) \int \frac{(c^2d^2+e^2+2c^2dex)(a+b \tanh^{-1}(cx))^2}{1-c^2x^2} dx}{2ce} + \frac{(3be) \int (a+b \tanh^{-1}(cx))^2 dx}{2c} \\
&= \frac{3bex(a+b \tanh^{-1}(cx))^2}{2c} + \frac{(d+ex)^2 (a+b \tanh^{-1}(cx))^3}{2e} - \frac{(3b) \int \frac{c^2d^2(1+\frac{e^2}{c^2d^2})(a+b \tanh^{-1}(cx))^2}{1-c^2x^2} dx}{2c} \\
&= \frac{3be(a+b \tanh^{-1}(cx))^2}{2c^2} + \frac{3bex(a+b \tanh^{-1}(cx))^2}{2c} + \frac{(d+ex)^2 (a+b \tanh^{-1}(cx))^3}{2e} \\
&= \frac{3be(a+b \tanh^{-1}(cx))^2}{2c^2} + \frac{3bex(a+b \tanh^{-1}(cx))^2}{2c} + \frac{d(a+b \tanh^{-1}(cx))^3}{c} - \frac{(d^2)}{c} \\
&= \frac{3be(a+b \tanh^{-1}(cx))^2}{2c^2} + \frac{3bex(a+b \tanh^{-1}(cx))^2}{2c} + \frac{d(a+b \tanh^{-1}(cx))^3}{c} - \frac{(d^2)}{c} \\
&= \frac{3be(a+b \tanh^{-1}(cx))^2}{2c^2} + \frac{3bex(a+b \tanh^{-1}(cx))^2}{2c} + \frac{d(a+b \tanh^{-1}(cx))^3}{c} - \frac{(d^2)}{c} \\
&= \frac{3be(a+b \tanh^{-1}(cx))^2}{2c^2} + \frac{3bex(a+b \tanh^{-1}(cx))^2}{2c} + \frac{d(a+b \tanh^{-1}(cx))^3}{c} - \frac{(d^2)}{c}
\end{aligned}$$

Mathematica [A] time = 0.762874, size = 331, normalized size = 1.36

$$12ab^2cd \left(\text{PolyLog} \left(2, -e^{-2 \tanh^{-1}(cx)} \right) + \tanh^{-1}(cx) \left((cx-1) \tanh^{-1}(cx) - 2 \log \left(e^{-2 \tanh^{-1}(cx)} + 1 \right) \right) \right) - 2b^3e \left(\tanh^{-1}(cx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x)*(a + b*ArcTanh[c*x])^3,x]

[Out] (2*a^2*c*(2*a*c*d + 3*b*e)*x + 2*a^3*c^2*e*x^2 + 6*a^2*b*c^2*x*(2*d + e*x)*ArcTanh[c*x] + 3*a^2*b*(2*c*d + e)*Log[1 - c*x] + 3*a^2*b*(2*c*d - e)*Log[1 + c*x] + 6*a*b^2*e*(2*c*x*ArcTanh[c*x] + (-1 + c^2*x^2)*ArcTanh[c*x]^2 + Log[1 - c^2*x^2]) - 2*b^3*e*(ArcTanh[c*x]*((3 - 3*c*x)*ArcTanh[c*x] + (1 - c^2*x^2)*ArcTanh[c*x]^2 + 6*Log[1 + E^(-2*ArcTanh[c*x])]) - 3*PolyLog[2, -E^(-2*ArcTanh[c*x])]) + 12*a*b^2*c*d*(ArcTanh[c*x]*((-1 + c*x)*ArcTanh[c*x] - 2*Log[1 + E^(-2*ArcTanh[c*x])]) + PolyLog[2, -E^(-2*ArcTanh[c*x])]) + 4*b^3*c*d*(ArcTanh[c*x]^2*(-1 + c*x)*ArcTanh[c*x] - 3*Log[1 + E^(-2*ArcTanh[c*x])]) + 3*ArcTanh[c*x]*PolyLog[2, -E^(-2*ArcTanh[c*x])]) + (3*PolyLog[3, -E^(-2*ArcTanh[c*x])])/(2))/(4*c^2)

Maple [C] time = 0.954, size = 12404, normalized size = 50.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)*(a+b*arctanh(c*x))^3,x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a^3 e x^2 + \frac{3}{4} \left(2 x^2 \operatorname{artanh}(c x) + c \left(\frac{2 x}{c^2} - \frac{\log(c x + 1)}{c^3} + \frac{\log(c x - 1)}{c^3} \right) \right) a^2 b e + a^3 d x + \frac{3 \left(2 c x \operatorname{artanh}(c x) + \log(-c^2 x^2) \right)}{2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x))^3,x, algorithm="maxima")

[Out] $\frac{1}{2} a^3 e x^2 + \frac{3}{4} (2 x^2 \operatorname{arctanh}(c x) + c (2 x / c^2 - \log(c x + 1) / c^3 + \log(c x - 1) / c^3)) a^2 b e + a^3 d x + \frac{3}{2} (2 c x \operatorname{arctanh}(c x) + \log(-c^2 x^2 + 1)) a^2 b d / c - \frac{1}{16} ((b^3 c^2 e x^2 + 2 b^3 c^2 d x - (2 c d + e) b^3) \log(-c x + 1)^3 - 3 (2 a b^2 c^2 e x^2 + 2 (2 a b^2 c^2 d + b^3 c e) x + (b^3 c^2 e x^2 + 2 b^3 c^2 d x + (2 c d - e) b^3) \log(c x + 1)) \log(-c x + 1)^2) / c^2 - \operatorname{integrate}(-1/8 * ((b^3 c^2 e x^2 - b^3 c d + (c^2 d - c e) b^3 x) \log(c x + 1)^3 + 6 (a b^2 c^2 e x^2 - a b^2 c d + (c^2 d - c e) a b^2 x) \log(c x + 1)^2 - 3 (2 a b^2 c^2 e x^2 + (b^3 c^2 e x^2 - b^3 c d + (c^2 d - c e) b^3 x) \log(c x + 1)^2 + 2 (2 a b^2 c^2 d + b^3 c e) x - (4 a b^2 c d - (2 c d - e) b^3 - (4 a b^2 c^2 e + b^3 c^2 e) x^2 - 2 (b^3 c^2 d + 2 (c^2 d - c e) a b^2) x) \log(c x + 1)) \log(-c x + 1)) / (c^2 x - c), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}(a^3 e x + a^3 d + (b^3 e x + b^3 d) \operatorname{artanh}(c x)^3 + 3 (a b^2 e x + a b^2 d) \operatorname{artanh}(c x)^2 + 3 (a^2 b e x + a^2 b d) \operatorname{artanh}(c x), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x))^3,x, algorithm="fricas")

[Out] $\operatorname{integral}(a^3 e x + a^3 d + (b^3 e x + b^3 d) \operatorname{arctanh}(c x)^3 + 3 (a b^2 e x + a b^2 d) \operatorname{arctanh}(c x)^2 + 3 (a^2 b e x + a^2 b d) \operatorname{arctanh}(c x), x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{atanh}(c x))^3 (d + e x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*atanh(c*x))**3,x)

[Out] Integral((a + b*atanh(c*x))**3*(d + e*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (e x + d) (b \operatorname{artanh}(c x) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(a+b*arctanh(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate((e*x + d)*(b*arctanh(c*x) + a)^3, x)
```

$$3.18 \quad \int \frac{(a+b \tanh^{-1}(cx))^3}{d+ex} dx$$

Optimal. Leaf size=272

$$\frac{3b^2 (a + b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(3, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{2e} + \frac{3b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{cx+1}\right) (a + b \tanh^{-1}(cx))}{2e} - \frac{3b (a + b \tanh^{-1}(cx))}{2e}$$

[Out] -(((a + b*ArcTanh[c*x])^3*Log[2/(1 + c*x)]/e) + ((a + b*ArcTanh[c*x])^3*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e) + (3*b*(a + b*ArcTanh[c*x])^2*PolyLog[2, 1 - 2/(1 + c*x)]/(2*e) - (3*b*(a + b*ArcTanh[c*x])^2*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e) + (3*b^2*(a + b*ArcTanh[c*x])*PolyLog[3, 1 - 2/(1 + c*x)]/(2*e) - (3*b^2*(a + b*ArcTanh[c*x])*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e) + (3*b^3*PolyLog[4, 1 - 2/(1 + c*x)]/(4*e) - (3*b^3*PolyLog[4, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(4*e))))/(4*e)

Rubi [A] time = 0.0566941, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {5924}

$$\frac{3b^2 (a + b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(3, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{2e} + \frac{3b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{cx+1}\right) (a + b \tanh^{-1}(cx))}{2e} - \frac{3b (a + b \tanh^{-1}(cx))}{2e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*x])^3/(d + e*x), x]

[Out] -(((a + b*ArcTanh[c*x])^3*Log[2/(1 + c*x)]/e) + ((a + b*ArcTanh[c*x])^3*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e) + (3*b*(a + b*ArcTanh[c*x])^2*PolyLog[2, 1 - 2/(1 + c*x)]/(2*e) - (3*b*(a + b*ArcTanh[c*x])^2*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e) + (3*b^2*(a + b*ArcTanh[c*x])*PolyLog[3, 1 - 2/(1 + c*x)]/(2*e) - (3*b^2*(a + b*ArcTanh[c*x])*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e) + (3*b^3*PolyLog[4, 1 - 2/(1 + c*x)]/(4*e) - (3*b^3*PolyLog[4, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(4*e))))/(4*e)

Rule 5924

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^3/((d_.) + (e_.)*(x_.)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^3*Log[2/(1 + c*x)]/e, x] + (Simp[(a + b*ArcTanh[c*x])^3*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e, x] + Simp[(3*b*(a + b*ArcTanh[c*x])^2*PolyLog[2, 1 - 2/(1 + c*x)]/(2*e), x] - Simp[(3*b*(a + b*ArcTanh[c*x])^2*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e), x] + Simp[(3*b^2*(a + b*ArcTanh[c*x])*PolyLog[3, 1 - 2/(1 + c*x)]/(2*e), x] - Simp[(3*b^2*(a + b*ArcTanh[c*x])*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(2*e), x] + Simp[(3*b^3*PolyLog[4, 1 - 2/(1 + c*x)]/(4*e), x] - Simp[(3*b^3*PolyLog[4, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(4*e), x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rubi steps

$$\int \frac{(a + b \tanh^{-1}(cx))^3}{d + ex} dx = -\frac{(a + b \tanh^{-1}(cx))^3 \log\left(\frac{2}{1+cx}\right)}{e} + \frac{(a + b \tanh^{-1}(cx))^3 \log\left(\frac{2c(d+ex)}{(cd+e)(1+cx)}\right)}{e} + \frac{3b (a + b \tanh^{-1}(cx))}{2e}$$

Mathematica [F] time = 109.64, size = 0, normalized size = 0.

$$\int \frac{(a + b \tanh^{-1}(cx))^3}{d + ex} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcTanh[c*x])^3/(d + e*x),x]

[Out] Integrate[(a + b*ArcTanh[c*x])^3/(d + e*x), x]

Maple [C] time = 0.43, size = 2367, normalized size = 8.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))^3/(e*x+d),x)

[Out] $3*c*a*b^2/e*d/(c*d+e)*\operatorname{arctanh}(c*x)^2*\ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+3*c*a*b^2/e*d/(c*d+e)*\operatorname{arctanh}(c*x)*\operatorname{polylog}(2,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3/2*I*a*b^2/e*\operatorname{arctanh}(c*x)^2*\operatorname{Pi}*c\operatorname{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2-3/2*I*a*b^2/e*\operatorname{arctanh}(c*x)^2*\operatorname{Pi}*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))) + 1/2*I*b^3/e*\operatorname{arctanh}(c*x)^3*\operatorname{Pi}*c\operatorname{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2-3/4*b^3/e*\operatorname{polylog}(4,-(c*x+1)^2/(-c^2*x^2+1))+3/4*b^3/(c*d+e)*\operatorname{polylog}(4,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+a^3*\ln(c*e*x+c*d)/e+3/2*I*a*b^2/e*\operatorname{arctanh}(c*x)^2*\operatorname{Pi}*c\operatorname{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))) + 3/2*a*b^2/e*\operatorname{polylog}(3,-(c*x+1)^2/(-c^2*x^2+1))-3/2*a*b^2/(c*d+e)*\operatorname{polylog}(3,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+3/2*a^2*b/e*d*\operatorname{dilog}((c*e*x-e)/(-c*d-e))-3/2*a^2*b/e*d*\operatorname{dilog}((c*e*x+e)/(-c*d+e))-b^3/e*\operatorname{arctanh}(c*x)^3*\ln((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))-3/2*b^3/e*\operatorname{arctanh}(c*x)^2*\operatorname{polylog}(2,-(c*x+1)^2/(-c^2*x^2+1))+3/2*b^3/e*\operatorname{arctanh}(c*x)*\operatorname{polylog}(3,-(c*x+1)^2/(-c^2*x^2+1))+b^3/(c*d+e)*\operatorname{arctanh}(c*x)^3*\ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+3/2*b^3/(c*d+e)*\operatorname{arctanh}(c*x)^2*\operatorname{polylog}(2,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3/2*b^3/(c*d+e)*\operatorname{arctanh}(c*x)*\operatorname{polylog}(3,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+b^3*\ln(c*e*x+c*d)/e*\operatorname{arctanh}(c*x)^3-3/2*c*a*b^2/e*d/(c*d+e)*\operatorname{polylog}(3,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+c*b^3/e*d/(c*d+e)*\operatorname{arctanh}(c*x)^3*\ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+3/2*c*b^3/e*d/(c*d+e)*\operatorname{arctanh}(c*x)^2*\operatorname{polylog}(2,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3/2*c*b^3/e*d/(c*d+e)*\operatorname{arctanh}(c*x)*\operatorname{polylog}(3,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-1/2*I*b^3/e*\operatorname{arctanh}(c*x)^3*\operatorname{Pi}*c\operatorname{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2-1/2*I*b^3/e*\operatorname{arctanh}(c*x)^3*\operatorname{Pi}*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))) + 3/2*I*a*b^2/e*\operatorname{arctanh}(c*x)^2*\operatorname{Pi}*c\operatorname{sgn}(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^3-3*a*b^2/e*\operatorname{arctanh}(c*x)^2*\ln((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))-3*a*b^2/e*\operatorname{arctanh}(c*x)*\operatorname{polylog}(2,-(c*x+1)^2/(-c^2*x^2+1))+3*a*b^2$

$$\begin{aligned} & /((c*d+e)*\operatorname{arctanh}(c*x)^2*\ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+3*a*b \\ & ^2/(c*d+e)*\operatorname{arctanh}(c*x)*\operatorname{polylog}(2,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))+ \\ & 3*a^2*b*\ln(c*e*x+c*d)/e*\operatorname{arctanh}(c*x)+3/2*a^2*b/e*\ln(c*e*x+c*d)*\ln((c*e*x-e) \\ & /(-c*d-e))-3/2*a^2*b/e*\ln(c*e*x+c*d)*\ln((c*e*x+e)/(-c*d+e))+3*a*b^2*\ln(c*e* \\ & x+c*d)/e*\operatorname{arctanh}(c*x)^2+3/4*c*b^3/e*d/(c*d+e)*\operatorname{polylog}(4,(c*d+e)*(c*x+1)^2/(\\ & -c^2*x^2+1)/(-c*d+e))+1/2*I*b^3/e*\operatorname{arctanh}(c*x)^3*\operatorname{csgn}(I*((c*x+1)^2/(-c^ \\ & 2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{a^3 \log(ex + d)}{e} + \int \frac{b^3(\log(cx + 1) - \log(-cx + 1))^3}{8(ex + d)} + \frac{3ab^2(\log(cx + 1) - \log(-cx + 1))^2}{4(ex + d)} + \frac{3a^2b(\log(cx + 1) - \log(-cx + 1))}{2(ex + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^3/(e*x+d),x, algorithm="maxima")

[Out] a^3*log(e*x + d)/e + integrate(1/8*b^3*(log(c*x + 1) - log(-c*x + 1))^3/(e*x + d) + 3/4*a*b^2*(log(c*x + 1) - log(-c*x + 1))^2/(e*x + d) + 3/2*a^2*b*(log(c*x + 1) - log(-c*x + 1))/(e*x + d), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b^3 \operatorname{artanh}(cx)^3 + 3ab^2 \operatorname{artanh}(cx)^2 + 3a^2b \operatorname{artanh}(cx) + a^3}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^3/(e*x+d),x, algorithm="fricas")

[Out] integral((b^3*arctanh(c*x)^3 + 3*a*b^2*arctanh(c*x)^2 + 3*a^2*b*arctanh(c*x) + a^3)/(e*x + d), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{atanh}(cx))^3}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x))**3/(e*x+d),x)

[Out] Integral((a + b*atanh(c*x))**3/(d + e*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx) + a)^3}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x))^3/(e*x+d),x, algorithm="giac")
```

```
[Out] integrate((b*arctanh(c*x) + a)^3/(e*x + d), x)
```

$$3.19 \quad \int \frac{(a+b \tanh^{-1}(cx))^3}{(d+ex)^2} dx$$

Optimal. Leaf size=517

$$\frac{3b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)(a+b \tanh^{-1}(cx))}{c^2d^2 - e^2} + \frac{3b^2c(a+b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{c^2d^2 - e^2} + \frac{3b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+cx}\right)}{c^2d^2 - e^2}$$

```
[Out] -((a + b*ArcTanh[c*x])^3/(e*(d + e*x))) + (3*b*c*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)]/(2*e*(c*d + e)) - (3*b*c*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)]/(2*(c*d - e)*e) + (3*b*c*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)]/(c^2*d^2 - e^2) - (3*b*c*(a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(c^2*d^2 - e^2) + (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)]/(2*e*(c*d + e)) + (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/(2*(c*d - e)*e) - (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/(c^2*d^2 - e^2) + (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(c^2*d^2 - e^2) - (3*b^3*c*PolyLog[3, 1 - 2/(1 - c*x)]/(4*e*(c*d + e)) + (3*b^3*c*PolyLog[3, 1 - 2/(1 + c*x)]/(4*(c*d - e)*e) - (3*b^3*c*PolyLog[3, 1 - 2/(1 + c*x)]/(2*(c^2*d^2 - e^2)) + (3*b^3*c*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(2*(c^2*d^2 - e^2))
```

Rubi [A] time = 0.52483, antiderivative size = 517, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {5928, 5918, 5948, 6058, 6610, 6056, 5922}

$$\frac{3b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)(a+b \tanh^{-1}(cx))}{c^2d^2 - e^2} + \frac{3b^2c(a+b \tanh^{-1}(cx)) \operatorname{PolyLog}\left(2, 1 - \frac{2c(d+ex)}{(cx+1)(cd+e)}\right)}{c^2d^2 - e^2} + \frac{3b^2c \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+cx}\right)}{c^2d^2 - e^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*x])^3/(d + e*x)^2, x]
```

```
[Out] -((a + b*ArcTanh[c*x])^3/(e*(d + e*x))) + (3*b*c*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)]/(2*e*(c*d + e)) - (3*b*c*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)]/(2*(c*d - e)*e) + (3*b*c*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)]/(c^2*d^2 - e^2) - (3*b*c*(a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(c^2*d^2 - e^2) + (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)]/(2*e*(c*d + e)) + (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/(2*(c*d - e)*e) - (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/(c^2*d^2 - e^2) + (3*b^2*c*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(c^2*d^2 - e^2) - (3*b^3*c*PolyLog[3, 1 - 2/(1 - c*x)]/(4*e*(c*d + e)) + (3*b^3*c*PolyLog[3, 1 - 2/(1 + c*x)]/(4*(c*d - e)*e) - (3*b^3*c*PolyLog[3, 1 - 2/(1 + c*x)]/(2*(c^2*d^2 - e^2)) + (3*b^3*c*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(2*(c^2*d^2 - e^2))
```

Rule 5928

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.) + (e_.)*(x_.))^ (q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x])^p)/(e*(q + 1)), x] - Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x]
```

&& IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

Rule 5918

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_.)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c*p)/e, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]

Rule 5948

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]

Rule 6058

Int[(Log[u_]*((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] + Dist[(b*p)/2, Int[((a + b*ArcTanh[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && EqQ[(1 - u)^2 - (1 - 2/(1 - c*x))^2, 0]

Rule 6610

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rule 6056

Int[(Log[u_]*((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[((a + b*ArcTanh[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] - Dist[(b*p)/2, Int[((a + b*ArcTanh[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d + e, 0] && EqQ[(1 - u)^2 - (1 - 2/(1 + c*x))^2, 0]

Rule 5922

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^2/((d_) + (e_.)*(x_.)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)])/e, x] + (Simp[((a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e, x] + Simp[(b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)])/e, x] - Simp[(b*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e, x] + Simp[(b^2*PolyLog[3, 1 - 2/(1 + c*x)])/(2*e), x] - Simp[(b^2*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(2*e), x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tanh^{-1}(cx))^3}{(d + ex)^2} dx &= -\frac{(a + b \tanh^{-1}(cx))^3}{e(d + ex)} + \frac{(3bc) \int \left(-\frac{c(a+b \tanh^{-1}(cx))^2}{2(cd+e)(-1+cx)} + \frac{c(a+b \tanh^{-1}(cx))^2}{2(cd-e)(1+cx)} + \frac{e^2(a+b \tanh^{-1}(cx))^2}{(-cd+e)(cd+e)(d+ex)} \right) dx}{e} \\
&= -\frac{(a + b \tanh^{-1}(cx))^3}{e(d + ex)} + \frac{(3bc^2) \int \frac{(a+b \tanh^{-1}(cx))^2}{1+cx} dx}{2(cd - e)e} - \frac{(3bc^2) \int \frac{(a+b \tanh^{-1}(cx))^2}{-1+cx} dx}{2e(cd + e)} + \frac{(3bc^2) \int \frac{(a+b \tanh^{-1}(cx))^2}{d+ex} dx}{2e(cd + e)} \\
&= -\frac{(a + b \tanh^{-1}(cx))^3}{e(d + ex)} + \frac{3bc(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1-cx}\right)}{2e(cd + e)} - \frac{3bc(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1+cx}\right)}{2(cd - e)e} \\
&= -\frac{(a + b \tanh^{-1}(cx))^3}{e(d + ex)} + \frac{3bc(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1-cx}\right)}{2e(cd + e)} - \frac{3bc(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1+cx}\right)}{2(cd - e)e} \\
&= -\frac{(a + b \tanh^{-1}(cx))^3}{e(d + ex)} + \frac{3bc(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1-cx}\right)}{2e(cd + e)} - \frac{3bc(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1+cx}\right)}{2(cd - e)e}
\end{aligned}$$

Mathematica [C] time = 15.4007, size = 1110, normalized size = 2.15

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*x])^3/(d + e*x)^2,x]

[Out] $-(a^3/(e*(d + e*x))) - (3*a^2*b*ArcTanh[c*x])/(e*(d + e*x)) - (3*a^2*b*c*Log[1 - c*x])/(2*e*(c*d + e)) - (3*a^2*b*c*Log[1 + c*x])/(2*e*(-(c*d) + e)) - (3*a^2*b*c*Log[d + e*x])/(c^2*d^2 - e^2) + (3*a*b^2*(-(ArcTanh[c*x])^2/(Sqrt[1 - (c^2*d^2)/e^2]*e*E^ArcTanh[(c*d)/e])) + (c*x*ArcTanh[c*x]^2)/(Sqrt[1 - c^2*x^2]*((c*d)/Sqrt[1 - c^2*x^2] + (c*e*x)/Sqrt[1 - c^2*x^2])) + (c*d*(I*Pi*Log[1 + E^(2*ArcTanh[c*x])]) - 2*ArcTanh[c*x]*Log[1 - E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]) - I*Pi*(ArcTanh[c*x] + Log[1/Sqrt[1 - c^2*x^2]]) - 2*ArcTanh[(c*d)/e]*(ArcTanh[c*x] + Log[1 - E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]) - Log[I*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]])] + PolyLog[2, E^(-2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]))/(c^2*d^2 - e^2))/d + b^3*c*((x*ArcTanh[c*x]^3)/(d*Sqrt[1 - c^2*x^2]*((c*d)/Sqrt[1 - c^2*x^2] + (c*e*x)/Sqrt[1 - c^2*x^2])) - (3*(-6*c*d*ArcTanh[c*x]^3 + 2*e*ArcTanh[c*x]^3 - (4*Sqrt[1 - (c^2*d^2)/e^2]*e*ArcTanh[c*x]^3)/E^ArcTanh[(c*d)/e] - (6*I)*c*d*Pi*ArcTanh[c*x]*Log[(1 + E^(2*ArcTanh[c*x])])/(2*E^ArcTanh[c*x])]) - 6*c*d*ArcTanh[c*x]^2*Log[1 + ((c*d + e)*E^(2*ArcTanh[c*x])]/(c*d - e)] + 6*c*d*ArcTanh[c*x]^2*Log[1 - E^ArcTanh[(c*d)/e] + ArcTanh[c*x]]) + 6*c*d*ArcTanh[c*x]^2*Log[1 + E^ArcTanh[(c*d)/e] + ArcTanh[c*x]]) + 6*c*d*ArcTanh[c*x]^2*Log[1 - E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]) + 12*c*d*ArcTanh[(c*d)/e]*ArcTanh[c*x]*Log[(I/2)*E^(-ArcTanh[(c*d)/e] - ArcTanh[c*x])*(-1 + E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]))] + 6*c*d*ArcTanh[c*x]^2*Log[(e*(-1 + E^(2*ArcTanh[c*x])) + c*d*(1 + E^(2*ArcTanh[c*x]))) / (2*E^ArcTanh[c*x])] + (6*I)*c*d*Pi*ArcTanh[c*x]*Log[1/Sqrt[1 - c^2*x^2]] - 6*c*d*ArcTanh[c*x]^2*Log[(c*d)/Sqrt[1 - c^2*x^2] + (c*e*x)/Sqrt[1 - c^2*x^2]] - 12*c*d*ArcTanh[(c*d)/e]*ArcTanh[c*x]*Log[I*Sinh[ArcTanh[(c*d)/e] + ArcTanh[c*x]]) - 6*c*d*ArcTanh[c*x]*PolyLog[2, -(((c*d + e)*E^(2*ArcTanh[c*x])]/(c*d - e))] + 12*c*d*ArcTanh[c*x]*PolyLog[2, -E^ArcTanh[(c*d)/e] + ArcTanh[c*x]]) + 12*c*d*ArcTanh[c*x]*PolyLog[2, E^ArcTanh[(c*d)/e] + ArcTanh[c*x]]) + 6*c*d*ArcTanh[c*x]*PolyLog[2, E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]) + 3*c*d*PolyLog[3, -(((c*d + e)*E^(2*ArcTanh[c*x])]/(c*d - e))] - 12*c*d*PolyLog[3, -E^ArcTanh[(c*d)/e] + ArcTanh[c*x]]) - 12*c*d*PolyLog[3, E^ArcTanh[(c*d)/e] + ArcTanh[c*x]]) - 3*c*d*PolyLog[3, E^(2*(ArcTanh[(c*d)/e] + ArcTanh[c*x])]))/(c*d*(6*c^2*d^2 - 6*e^2))$

2)))

Maple [C] time = 0.613, size = 3497, normalized size = 6.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{arctanh}(c*x))^3/(e*x+d)^2, x)$

[Out]
$$-c*a^3/(c*e*x+c*d)/e-3/2*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))^3-3/2*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))/((c*x+1)^2/(-c^2*x^2+1)+1))^3+3/2*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))^2-3/4*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))^3-3/4*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))/((c*x+1)^2/(-c^2*x^2+1)+1))^3-3*c*b^2*a/(c*d+e)/(c*d-e)*\text{dilog}((c*e*x-e)/(-c*d-e))+3*c*b^2*a/(c*d+e)/(c*d-e)*\text{dilog}((c*e*x+e)/(-c*d+e))-3*c*b^3*\text{arctanh}(c*x)^2/(c*d+e)/(c*d-e)*\ln(c*e*x+c*d)+3*c*b^3*\text{arctanh}(c*x)^2/(c*d+e)/(c*d-e)*\ln(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))-3*c*a^2*b/(c*e*x+c*d)/e*\text{arctanh}(c*x)-3*c*b^3/e*\text{arctanh}(c*x)^2/(2*c*d+2*e)*\ln(c*x-1)+3*c*b^3/e*\text{arctanh}(c*x)^2/(2*c*d-2*e)*\ln(c*x+1)-3/4*c*b^2*a/e/(c*d-e)*\ln(c*x+1)^2-3/2*c*b^2*a/e/(c*d-e)*\text{dilog}(1/2+1/2*c*x)+3/2*c*b^2*a/e/(c*d+e)*\text{dilog}(1/2+1/2*c*x)-3/4*c*b^2*a/e/(c*d+e)*\ln(c*x-1)^2+3/2*c^2*b^3/(c*d+e)^2/(c*d-e)*\text{d*polylog}(3,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\ln(2)-3*c*a^2*b/(c*d+e)/(c*d-e)*\ln(c*e*x+c*d)-3*c*a^2*b/e/(2*c*d+2*e)*\ln(c*x-1)+3*c*a^2*b/e/(2*c*d-2*e)*\ln(c*x+1)+3/2*c*b^3*e/(c*d+e)^2/(c*d-e)*\text{polylog}(3,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3*c*b^3/e*\text{arctanh}(c*x)^2/(c*d-e)*\ln((c*x+1)/(-c^2*x^2+1))^(1/2))-3*c*b^2*a/(c*e*x+c*d)/e*\text{arctanh}(c*x)^2-3/2*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}+3/2*c*b^2*a/e/(c*d+e)*\ln(c*x-1)*\ln(1/2+1/2*c*x)-3*c*b^3*e/(c*d+e)^2/(c*d-e)*\text{arctanh}(c*x)^2*\ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3*c*b^3*e/(c*d+e)^2/(c*d-e)*\text{arctanh}(c*x)*\text{polylog}(2,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3*c^2*b^3/(c*d+e)^2/(c*d-e)*\text{d*arctanh}(c*x)^2*\ln(1-(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-3*c^2*b^3/(c*d+e)^2/(c*d-e)*\text{d*arctanh}(c*x)*\text{polylog}(2,(c*d+e)*(c*x+1)^2/(-c^2*x^2+1)/(-c*d+e))-6*c*b^2*a*\text{arctanh}(c*x)/(c*d+e)/(c*d-e)*\ln(c*e*x+c*d)-6*c*b^2*a/e*\text{arctanh}(c*x)/(2*c*d+2*e)*\ln(c*x-1)+6*c*b^2*a/e*\text{arctanh}(c*x)/(2*c*d-2*e)*\ln(c*x+1)-3*c*b^2*a/(c*d+e)/(c*d-e)*\ln(c*e*x+c*d)*\ln((c*e*x-e)/(-c*d-e))+3*c*b^2*a/(c*d+e)/(c*d-e)*\ln(c*e*x+c*d)*\ln((c*e*x+e)/(-c*d+e))+3/2*c*b^2*a/e/(c*d+e)*\ln(-1/2*c*x+1/2)*\ln(c*x+1)-3/2*c*b^2*a/e/(c*d+e)*\ln(-1/2*c*x+1/2)*\ln(1/2+1/2*c*x)-c*b^3/(c*e*x+c*d)/e*\text{arctanh}(c*x)^3+c*b^3/e*\text{arctanh}(c*x)^3/(c*d+e)-3/2*I*c^2*b^3/e/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))^2-3/4*I*c^2*b^3/e/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))^3-3/4*I*c^2*b^3/e/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))/((c*x+1)^2/(-c^2*x^2+1)+1))^3-3/2*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))*c\text{sgn}(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))*c\text{sgn}(I*(((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1)))/((c*x+1)^2/(-c^2*x^2+1)+1))+3/4*I*c*b^3/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))/((c*x+1)^2/(-c^2*x^2+1)+1))+3/2*I*c^2*b^3/e/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))^3-3/2*I*c^2*b^3/e/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I*(c*x+1)/(-c^2*x^2+1))^(1/2))*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))^2+3/4*I*c^2*b^3/e/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))*c\text{sgn}(I*(c*x+1)^2/(c^2*x^2-1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2-3/4*I*c^2*b^3/e/(c*d+e)/(c*d-e)*\text{arctanh}(c*x)^2*\text{Pi}*c\text{sgn}(I/((c*x+1)^2/(-c^2*x^2+1)+1))*c\text{sgn}(I*(c$$

$$\begin{aligned}
& x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))^2+3/4*I*c^2*b^3/e/(c*d+e)/(c \\
& *d-e)*\operatorname{arctanh}(c*x)^2*Pi*d*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(c*x+1) \\
& ^2/(c^2*x^2-1))*csgn(I*(c*x+1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))+3/ \\
& 2*I*c*b^3/(c*d+e)/(c*d-e)*\operatorname{arctanh}(c*x)^2*Pi*csgn(I*((c*x+1)^2/(-c^2*x^2+1) \\
& -1)*e+c*d*((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e \\
& +c*d*((c*x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2+3/4*I*c*b^3/ \\
& (c*d+e)/(c*d-e)*\operatorname{arctanh}(c*x)^2*Pi*csgn(I*(c*x+1)^2/(c^2*x^2-1))*csgn(I*(c*x \\
& +1)^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))^2+3/2*I*c^2*b^3/e/(c*d+e)/(c* \\
& d-e)*\operatorname{arctanh}(c*x)^2*Pi*d+3/2*I*c*b^3/(c*d+e)/(c*d-e)*\operatorname{arctanh}(c*x)^2*Pi*csgn \\
& (I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*((c*x+1)^2/(-c^2*x^2+1)-1)*e+c*d*((c \\
& *x+1)^2/(-c^2*x^2+1)+1))/((c*x+1)^2/(-c^2*x^2+1)+1))^2-3/2*I*c*b^3/(c*d+e)/ \\
& (c*d-e)*\operatorname{arctanh}(c*x)^2*Pi*csgn(I*(c*x+1)/(-c^2*x^2+1)^(1/2))*csgn(I*(c*x+1) \\
& ^2/(c^2*x^2-1))^2-3/4*I*c*b^3/(c*d+e)/(c*d-e)*\operatorname{arctanh}(c*x)^2*Pi*csgn(I*(c*x \\
& +1)/(-c^2*x^2+1)^(1/2))^2*csgn(I*(c*x+1)^2/(c^2*x^2-1))-3/4*I*c*b^3/(c*d+e) \\
& /(c*d-e)*\operatorname{arctanh}(c*x)^2*Pi*csgn(I/((c*x+1)^2/(-c^2*x^2+1)+1))*csgn(I*(c*x+1) \\
& ^2/(c^2*x^2-1)/((c*x+1)^2/(-c^2*x^2+1)+1))^2-3/4*I*c^2*b^3/e/(c*d+e)/(c*d- \\
& e)*\operatorname{arctanh}(c*x)^2*Pi*d*csgn(I*(c*x+1)/(-c^2*x^2+1)^(1/2))^2*csgn(I*(c*x+1)^ \\
& 2/(c^2*x^2-1))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{3}{2} \left(c \left(\frac{\log(cx+1)}{cde-e^2} - \frac{\log(cx-1)}{cde+e^2} - \frac{2 \log(ex+d)}{c^2d^2-e^2} \right) - \frac{2 \operatorname{artanh}(cx)}{e^2x+de} \right) a^2b - \frac{a^3}{e^2x+de} - \frac{((c^2de-ce^2)b^3x - (cde-e^2)b^3)}{e^2x+de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^3/(e*x+d)^2,x, algorithm="maxima")

[Out] $3/2*(c*(\log(cx+1)/(c*d*e - e^2) - \log(cx-1)/(c*d*e + e^2) - 2*\log(ex+d)/(c^2*d^2 - e^2)) - 2*\operatorname{arctanh}(c*x)/(e^2*x + d*e))*a^2*b - a^3/(e^2*x + d*e) - 1/8*((c^2*d*e - c*e^2)*b^3*x - (c*d*e - e^2)*b^3)*\log(-c*x + 1)^3 + 3*(2*(c^2*d^2 - e^2)*a*b^2 - ((c^2*d*e + c*e^2)*b^3*x + (c*d*e + e^2)*b^3)*\log(c*x + 1))*\log(-c*x + 1)^2/(c^2*d^3*e - d*e^3 + (c^2*d^2*e^2 - e^4)*x) - \operatorname{integrate}(1/8*((c^2*d*e - c*e^2)*b^3*x - (c*d*e - e^2)*b^3)*\log(c*x + 1)^3 + 6*((c^2*d*e - c*e^2)*a*b^2*x - (c*d*e - e^2)*a*b^2)*\log(c*x + 1)^2 + 3*(4*(c^2*d*e - c*e^2)*a*b^2*x + 4*(c^2*d^2 - c*d*e)*a*b^2 - ((c^2*d*e - c*e^2)*b^3*x - (c*d*e - e^2)*b^3)*\log(c*x + 1)^2 - 2*(b^3*c^2*e^2*x^2 + b^3*c*d*e - 2*(c*d*e - e^2)*a*b^2 + (2*(c^2*d*e - c*e^2)*a*b^2 + (c^2*d*e + c*e^2)*b^3)*x)*\log(c*x + 1))*\log(-c*x + 1)/(c*d^3*e - d^2*e^2 - (c^2*d*e^3 - c*e^4)*x^3 - (2*c^2*d^2*e^2 - 3*c*d*e^3 + e^4)*x^2 - (c^2*d^3*e - 3*c*d^2*e^2 + 2*d*e^3)*x), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b^3 \operatorname{artanh}(cx)^3 + 3ab^2 \operatorname{artanh}(cx)^2 + 3a^2b \operatorname{artanh}(cx) + a^3}{e^2x^2 + 2dex + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^3/(e*x+d)^2,x, algorithm="fricas")

[Out] $\operatorname{integral}((b^3*\operatorname{arctanh}(c*x))^3 + 3*a*b^2*\operatorname{arctanh}(c*x)^2 + 3*a^2*b*\operatorname{arctanh}(c*x) + a^3)/(e^2*x^2 + 2*d*e*x + d^2), x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{atanh}(cx))^3}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x))**3/(e*x+d)**2,x)

[Out] Integral((a + b*atanh(c*x))**3/(d + e*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx) + a)^3}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^3/(e*x+d)^2,x, algorithm="giac")

[Out] integrate((b*arctanh(c*x) + a)^3/(e*x + d)^2, x)

$$3.20 \quad \int \frac{(a+b \tanh^{-1}(cx))^3}{(d+ex)^3} dx$$

Optimal. Leaf size=953

result too large to display

```
[Out] (3*b*c*(a + b*ArcTanh[c*x])^2)/(2*(c^2*d^2 - e^2)*(d + e*x)) - (a + b*ArcTanh[c*x])^3/(2*e*(d + e*x)^2) - (3*b^2*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*(c*d - e)*(c*d + e)^2) + (3*b*c^2*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)])/(4*e*(c*d + e)^2) - (3*b^2*c^2*e*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (3*b^2*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/(2*(c*d - e)^2*(c*d + e)) - (3*b*c^2*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)])/(4*(c*d - e)^2*e) + (3*b*c^3*d*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (3*b^2*c^2*e*(a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2) - (3*b*c^3*d*(a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[2, 1 - 2/(1 - c*x)])/(4*(c*d - e)*(c*d + e)^2) + (3*b^2*c^2*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)])/(4*e*(c*d + e)^2) + (3*b^3*c^2*e*PolyLog[2, 1 - 2/(1 + c*x)])/(2*(c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[2, 1 - 2/(1 + c*x)])/(4*(c*d - e)^2*(c*d + e)) + (3*b^2*c^2*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)])/(4*(c*d - e)^2*e) - (3*b^2*c^3*d*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*e*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[3, 1 - 2/(1 - c*x)])/(8*e*(c*d + e)^2) + (3*b^3*c^2*PolyLog[3, 1 - 2/(1 + c*x)])/(8*(c*d - e)^2*e) - (3*b^3*c^3*d*PolyLog[3, 1 - 2/(1 + c*x)])/(2*(c*d - e)^2*(c*d + e)^2) + (3*b^3*c^3*d*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2)
```

Rubi [A] time = 1.02713, antiderivative size = 953, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5928, 5918, 5948, 6058, 6610, 6056, 2402, 2315, 5920, 2447, 5922}

$$\frac{3c^2 \text{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right) b^3}{4(cd - e)(cd + e)^2} - \frac{3c^2 \text{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right) b^3}{4(cd - e)^2(cd + e)} + \frac{3c^2 e \text{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right) b^3}{2(cd - e)^2(cd + e)^2} - \frac{3c^2 e \text{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right) b^3}{2(cd - e)^2(cd + e)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*x])^3/(d + e*x)^3, x]
```

```
[Out] (3*b*c*(a + b*ArcTanh[c*x])^2)/(2*(c^2*d^2 - e^2)*(d + e*x)) - (a + b*ArcTanh[c*x])^3/(2*e*(d + e*x)^2) - (3*b^2*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 - c*x)])/(2*(c*d - e)*(c*d + e)^2) + (3*b*c^2*(a + b*ArcTanh[c*x])^2*Log[2/(1 - c*x)])/(4*e*(c*d + e)^2) - (3*b^2*c^2*e*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (3*b^2*c^2*(a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/(2*(c*d - e)^2*(c*d + e)) - (3*b*c^2*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)])/(4*(c*d - e)^2*e) + (3*b*c^3*d*(a + b*ArcTanh[c*x])^2*Log[2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) + (3*b^2*c^2*e*(a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2) - (3*b*c^3*d*(a + b*ArcTanh[c*x])^2*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[2, 1 - 2/(1 - c*x)])/(4*(c*d - e)*(c*d + e)^2) + (3*b^2*c^2*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 - c*x)])/(4*e*(c*d + e)^2) + (3*b^3*c^2*e*PolyLog[2, 1 - 2/(1 + c*x)])/(2*(c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[2, 1 - 2/(1 + c*x)])/(4*(c*d - e)^2*(c*d + e)) + (3*b^2*c^2*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)])/(4*(c*d - e)^2*e) - (3*b^2*c^3*d*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)])/((c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*e*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[3, 1 - 2/(1 - c*x)])/(8*e*(c*d + e)^2) + (3*b^3*c^2*PolyLog[3, 1 - 2/(1 + c*x)])/(8*(c*d - e)^2*e) - (3*b^3*c^3*d*PolyLog[3, 1 - 2/(1 + c*x)])/(2*(c*d - e)^2*(c*d + e)^2) + (3*b^3*c^3*d*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/((c*d - e)^2*(c*d + e)^2)
```

```

])/((4*e*(c*d + e)^2) + (3*b^3*c^2*e*PolyLog[2, 1 - 2/(1 + c*x)])/(2*(c*d -
e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[2, 1 - 2/(1 + c*x)])/(4*(c*d - e)^2*
(c*d + e)) + (3*b^2*c^2*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 + c*x)])/(
4*(c*d - e)^2*e) - (3*b^2*c^3*d*(a + b*ArcTanh[c*x])*PolyLog[2, 1 - 2/(1 +
c*x)])/((c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*e*PolyLog[2, 1 - (2*c*(d + e*
x))/((c*d + e)*(1 + c*x))])/(2*(c*d - e)^2*(c*d + e)^2) + (3*b^2*c^3*d*(a +
b*ArcTanh[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(8*
(c*d - e)^2*(c*d + e)^2) - (3*b^3*c^2*PolyLog[3, 1 - 2/(1 - c*x)])/(8*e*(c*d
+ e)^2) + (3*b^3*c^2*PolyLog[3, 1 - 2/(1 + c*x)])/(8*(c*d - e)^2*e) - (3*b^
3*c^3*d*PolyLog[3, 1 - 2/(1 + c*x)])/(2*(c*d - e)^2*(c*d + e)^2) + (3*b^3*c
^3*d*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/(2*(c*d - e)^2*
(c*d + e)^2)

```

Rule 5928

```

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.) + (e_.)*(x_.))^(q_.), x_S
ymbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcTanh[c*x])^p)/(e*(q + 1)), x] -
Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcTanh[c*x])^(p - 1)
, (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x]
&& IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

```

Rule 5918

```

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)), x_Symbol
] := -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c*
p)/e, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 - c^2*x^2)
, x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]
]

```

Rule 5948

```

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)^2), x_Symb
ol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b
, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]

```

Rule 6058

```

Int[(Log[u_]*((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.))/((d_.) + (e_.)*(x_.)^
2), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p*PolyLog[2, 1 - u])/(2*c*d),
x] + Dist[(b*p)/2, Int[((a + b*ArcTanh[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d
+ e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d +
e, 0] && EqQ[(1 - u)^2 - (1 - 2/(1 - c*x))^2, 0]

```

Rule 6610

```

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w] /; FreeQ[n, x]

```

Rule 6056

```

Int[(Log[u_]*((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.))/((d_.) + (e_.)*(x_.)^
2), x_Symbol] := Simp[((a + b*ArcTanh[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x]
- Dist[(b*p)/2, Int[((a + b*ArcTanh[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d +
e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d + e
, 0] && EqQ[(1 - u)^2 - (1 - 2/(1 + c*x))^2, 0]

```

Rule 2402

```

Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] := -Dis

```

$t[e/g, \text{Subst}[\text{Int}[\text{Log}[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; \text{FreeQ}\{c, d, e, f, g\}, x \ \&\& \ \text{EqQ}[c, 2*d] \ \&\& \ \text{EqQ}[e^2*f + d^2*g, 0]$

Rule 2315

$\text{Int}[\text{Log}[(c_.)*(x_)]/((d_) + (e_)*(x_)), x_Symbol] \ :> \ -\text{Simp}[\text{PolyLog}[2, 1 - c*x]/e, x] /; \text{FreeQ}\{c, d, e\}, x \ \&\& \ \text{EqQ}[e + c*d, 0]$

Rule 5920

$\text{Int}[(a_.) + \text{ArcTanh}[(c_.)*(x_)]*(b_.)]/((d_) + (e_)*(x_)), x_Symbol] \ :> \ -\text{Simp}[(a + b*\text{ArcTanh}[c*x])*\text{Log}[2/(1 + c*x)]/e, x] + (\text{Dist}[(b*c)/e, \text{Int}[\text{Log}[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - \text{Dist}[(b*c)/e, \text{Int}[\text{Log}[(2*c*(d + e*x))/(c*d + e)*(1 + c*x)]/(1 - c^2*x^2), x], x] + \text{Simp}[(a + b*\text{ArcTanh}[c*x])*\text{Log}[(2*c*(d + e*x))/(c*d + e)*(1 + c*x)]/e, x]) /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[c^2*d^2 - e^2, 0]$

Rule 2447

$\text{Int}[\text{Log}[u_]*(Pq_)^m, x_Symbol] \ :> \ \text{With}\{C = \text{FullSimplify}[(Pq^m*(1 - u))/D[u, x]]\}, \text{Simp}[C*\text{PolyLog}[2, 1 - u], x] /; \text{FreeQ}[C, x] /; \text{IntegerQ}[m] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{RationalFunctionQ}[u, x] \ \&\& \ \text{LeQ}[\text{RationalFunctionExponents}[u, x][[2]], \text{Expon}[Pq, x]]$

Rule 5922

$\text{Int}[(a_.) + \text{ArcTanh}[(c_.)*(x_)]*(b_.)^2/((d_) + (e_)*(x_)), x_Symbol] \ :> \ -\text{Simp}[(a + b*\text{ArcTanh}[c*x])^2*\text{Log}[2/(1 + c*x)]/e, x] + (\text{Simp}[(a + b*\text{ArcTanh}[c*x])^2*\text{Log}[(2*c*(d + e*x))/(c*d + e)*(1 + c*x)]/e, x] + \text{Simp}[(b*(a + b*\text{ArcTanh}[c*x])*\text{PolyLog}[2, 1 - 2/(1 + c*x)]/e, x] - \text{Simp}[(b*(a + b*\text{ArcTanh}[c*x])*\text{PolyLog}[2, 1 - (2*c*(d + e*x))/(c*d + e)*(1 + c*x)]/e, x] + \text{Simp}[(b^2*\text{PolyLog}[3, 1 - 2/(1 + c*x)]/(2*e), x] - \text{Simp}[(b^2*\text{PolyLog}[3, 1 - (2*c*(d + e*x))/(c*d + e)*(1 + c*x)]/(2*e), x]) /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[c^2*d^2 - e^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \tanh^{-1}(cx))^3}{(d + ex)^3} dx &= -\frac{(a + b \tanh^{-1}(cx))^3}{2e(d + ex)^2} + \frac{(3bc) \int \left(-\frac{c^2(a+b \tanh^{-1}(cx))^2}{2(cd+e)^2(-1+cx)} + \frac{c^2(a+b \tanh^{-1}(cx))^2}{2(cd-e)^2(1+cx)} + \frac{e^2(a+b \tanh^{-1}(cx))^2}{(-cd+e)(cd+e)(d+ex)^2} \right) dx}{2e} \\
&= -\frac{(a + b \tanh^{-1}(cx))^3}{2e(d + ex)^2} + \frac{(3bc^3) \int \frac{(a+b \tanh^{-1}(cx))^2}{1+cx} dx}{4(cd - e)^2e} - \frac{(3bc^3) \int \frac{(a+b \tanh^{-1}(cx))^2}{-1+cx} dx}{4e(cd + e)^2} - \frac{(3bc^3 de)}{(cd + e)(d + ex)^2} \\
&= \frac{3bc(a + b \tanh^{-1}(cx))^2}{2(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^3}{2e(d + ex)^2} + \frac{3bc^2(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1-cx}\right)}{4e(cd + e)^2} - \frac{3bc^2 de}{(cd + e)(d + ex)^2} \\
&= \frac{3bc(a + b \tanh^{-1}(cx))^2}{2(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^3}{2e(d + ex)^2} + \frac{3bc^2(a + b \tanh^{-1}(cx))^2 \log\left(\frac{2}{1-cx}\right)}{4e(cd + e)^2} - \frac{3bc^2 de}{(cd + e)(d + ex)^2} \\
&= \frac{3bc(a + b \tanh^{-1}(cx))^2}{2(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^3}{2e(d + ex)^2} - \frac{3b^2c^2(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1-cx}\right)}{2(cd - e)(cd + e)^2} + \frac{3bc^2 de}{(cd + e)(d + ex)^2} \\
&= \frac{3bc(a + b \tanh^{-1}(cx))^2}{2(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^3}{2e(d + ex)^2} - \frac{3b^2c^2(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1-cx}\right)}{2(cd - e)(cd + e)^2} + \frac{3bc^2 de}{(cd + e)(d + ex)^2} \\
&= \frac{3bc(a + b \tanh^{-1}(cx))^2}{2(cd - e)(cd + e)(d + ex)} - \frac{(a + b \tanh^{-1}(cx))^3}{2e(d + ex)^2} - \frac{3b^2c^2(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1-cx}\right)}{2(cd - e)(cd + e)^2} + \frac{3bc^2 de}{(cd + e)(d + ex)^2}
\end{aligned}$$

Mathematica [F] time = 87.2254, size = 0, normalized size = 0.

$$\int \frac{(a + b \tanh^{-1}(cx))^3}{(d + ex)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcTanh[c*x])^3/(d + e*x)^3,x]

[Out] Integrate[(a + b*ArcTanh[c*x])^3/(d + e*x)^3, x]

Maple [C] time = 3.486, size = 53538, normalized size = 56.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))^3/(e*x+d)^3,x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))^3/(e*x+d)^3,x, algorithm="maxima")


```
[Out] -3/4*((4*c^2*d*log(e*x + d)/(c^4*d^4 - 2*c^2*d^2*e^2 + e^4) - c*log(c*x + 1)
)/(c^2*d^2*e - 2*c*d*e^2 + e^3) + c*log(c*x - 1)/(c^2*d^2*e + 2*c*d*e^2 + e
^3) - 2/(c^2*d^3 - d*e^2 + (c^2*d^2*e - e^3)*x))*c + 2*arctanh(c*x)/(e^3*x^
2 + 2*d*e^2*x + d^2*e))*a^2*b - 1/2*a^3/(e^3*x^2 + 2*d*e^2*x + d^2*e) - 1/1
6*(((c^4*d^2*e^2 - 2*c^3*d*e^3 + c^2*e^4)*b^3*x^2 + 2*(c^4*d^3*e - 2*c^3*d^
2*e^2 + c^2*d*e^3)*b^3*x - (2*c^3*d^3*e - 3*c^2*d^2*e^2 + e^4)*b^3)*log(-c*
x + 1)^3 - 3*(2*(c^3*d^2*e^2 - c*e^4)*b^3*x - 2*(c^4*d^4 - 2*c^2*d^2*e^2 +
e^4)*a*b^2 + 2*(c^3*d^3*e - c*d*e^3)*b^3 + ((c^4*d^2*e^2 + 2*c^3*d*e^3 + c^
2*e^4)*b^3*x^2 + 2*(c^4*d^3*e + 2*c^3*d^2*e^2 + c^2*d*e^3)*b^3*x + (2*c^3*d
^3*e + 3*c^2*d^2*e^2 - e^4)*b^3)*log(c*x + 1))*log(-c*x + 1)^2)/(c^4*d^6*e
- 2*c^2*d^4*e^3 + d^2*e^5 + (c^4*d^4*e^3 - 2*c^2*d^2*e^5 + e^7)*x^2 + 2*(c^
4*d^5*e^2 - 2*c^2*d^3*e^4 + d*e^6)*x) - integrate(1/8*(((c^4*d^3*e - c^3*d^
2*e^2 - c^2*d*e^3 + c*e^4)*b^3*x - (c^3*d^3*e - c^2*d^2*e^2 - c*d*e^3 + e^4
)*b^3)*log(c*x + 1)^3 + 6*((c^4*d^3*e - c^3*d^2*e^2 - c^2*d*e^3 + c*e^4)*a*
b^2*x - (c^3*d^3*e - c^2*d^2*e^2 - c*d*e^3 + e^4)*a*b^2)*log(c*x + 1)^2 - 3
*(2*(c^3*d*e^3 - c^2*e^4)*b^3*x^2 - 2*(c^4*d^4 - c^3*d^3*e - c^2*d^2*e^2 +
c*d*e^3)*a*b^2 + 2*(c^3*d^3*e - c^2*d^2*e^2)*b^3 + ((c^4*d^3*e - c^3*d^2*e^
2 - c^2*d*e^3 + c*e^4)*b^3*x - (c^3*d^3*e - c^2*d^2*e^2 - c*d*e^3 + e^4)*b^
3)*log(c*x + 1)^2 - 2*((c^4*d^3*e - c^3*d^2*e^2 - c^2*d*e^3 + c*e^4)*a*b^2
- 2*(c^3*d^2*e^2 - c^2*d*e^3)*b^3)*x + ((c^4*d*e^3 + c^3*e^4)*b^3*x^3 + 3*(
c^4*d^2*e^2 + c^3*d*e^3)*b^3*x^2 - 4*(c^3*d^3*e - c^2*d^2*e^2 - c*d*e^3 + e
^4)*a*b^2 + (2*c^3*d^3*e + c^2*d^2*e^2 - c*d*e^3)*b^3 + (4*(c^4*d^3*e - c^3
*d^2*e^2 - c^2*d*e^3 + c*e^4)*a*b^2 + (2*c^4*d^3*e + 4*c^3*d^2*e^2 + c^2*d*
e^3 - c*e^4)*b^3)*x)*log(c*x + 1))*log(-c*x + 1))/(c^3*d^6*e - c^2*d^5*e^2
- c*d^4*e^3 + d^3*e^4 - (c^4*d^3*e^4 - c^3*d^2*e^5 - c^2*d*e^6 + c*e^7)*x^4
- (3*c^4*d^4*e^3 - 4*c^3*d^3*e^4 - 2*c^2*d^2*e^5 + 4*c*d*e^6 - e^7)*x^3 -
3*(c^4*d^5*e^2 - 2*c^3*d^4*e^3 + 2*c^2*d^2*e^5 - d*e^6)*x^2 - (c^4*d^6*e - 4*
c^3*d^5*e^2 + 2*c^2*d^4*e^3 + 4*c*d^3*e^4 - 3*d^2*e^5)*x), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^3 \operatorname{artanh}(cx)^3 + 3ab^2 \operatorname{artanh}(cx)^2 + 3a^2b \operatorname{artanh}(cx) + a^3}{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x))^3/(e*x+d)^3,x, algorithm="fricas")
```

```
[Out] integral((b^3*arctanh(c*x)^3 + 3*a*b^2*arctanh(c*x)^2 + 3*a^2*b*arctanh(c*x
) + a^3)/(e^3*x^3 + 3*d*e^2*x^2 + 3*d^2*e*x + d^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*atanh(c*x))**3/(e*x+d)**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx) + a)^3}{(ex + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x))^3/(e*x+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arctanh(c*x) + a)^3/(e*x + d)^3, x)
```

$$3.21 \quad \int \frac{a+b \tanh^{-1}(cx)}{1+2cx} dx$$

Optimal. Leaf size=67

$$-\frac{b \operatorname{PolyLog}(2, -2cx - 1)}{4c} + \frac{b \operatorname{PolyLog}\left(2, \frac{1}{3}(2cx + 1)\right)}{4c} + \frac{\left(a - b \tanh^{-1}\left(\frac{1}{2}\right)\right) \log\left(-\frac{2cx+1}{2d}\right)}{2c}$$

[Out] ((a - b*ArcTanh[1/2])*Log[-(1 + 2*c*x)/(2*d)]/(2*c) - (b*PolyLog[2, -1 - 2*c*x])/(4*c) + (b*PolyLog[2, (1 + 2*c*x)/3])/(4*c)

Rubi [A] time = 0.0697833, antiderivative size = 109, normalized size of antiderivative = 1.63, number of steps used = 4, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {5920, 2402, 2315, 2447}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{cx+1}\right)}{4c} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2(2cx+1)}{3(cx+1)}\right)}{4c} - \frac{\log\left(\frac{2}{cx+1}\right) (a + b \tanh^{-1}(cx))}{2c} + \frac{\log\left(\frac{2(2cx+1)}{3(cx+1)}\right) (a + b \tanh^{-1}(cx))}{2c}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*x])/(1 + 2*c*x), x]

[Out] -((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)]/(2*c) + ((a + b*ArcTanh[c*x])*Log[(2*(1 + 2*c*x))/(3*(1 + c*x))])/(2*c) + (b*PolyLog[2, 1 - 2/(1 + c*x)]/(4*c) - (b*PolyLog[2, 1 - (2*(1 + 2*c*x))/(3*(1 + c*x))])/(4*c)

Rule 5920

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.)/((d_.) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)]/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/(c*d + e)*(1 + c*x)]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/(c*d + e)*(1 + c*x)]/e, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_.) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(cx)}{1 + 2cx} dx &= -\frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1+cx}\right)}{2c} + \frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2(1+2cx)}{3(1+cx)}\right)}{2c} + \frac{1}{2}b \int \frac{\log\left(\frac{2}{1+cx}\right)}{1 - c^2x^2} dx - \frac{1}{2}b \int \frac{\log\left(\frac{2(1+2cx)}{3(1+cx)}\right)}{1 - c^2x^2} dx \\
&= -\frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1+cx}\right)}{2c} + \frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2(1+2cx)}{3(1+cx)}\right)}{2c} - \frac{b \operatorname{Li}_2\left(1 - \frac{2(1+2cx)}{3(1+cx)}\right)}{4c} + \frac{b \operatorname{Li}_2\left(\frac{2}{1+cx}\right)}{4c} \\
&= -\frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2}{1+cx}\right)}{2c} + \frac{(a + b \tanh^{-1}(cx)) \log\left(\frac{2(1+2cx)}{3(1+cx)}\right)}{2c} + \frac{b \operatorname{Li}_2\left(1 - \frac{2}{1+cx}\right)}{4c} - \frac{b \operatorname{Li}_2\left(\frac{2}{1+cx}\right)}{4c}
\end{aligned}$$

Mathematica [C] time = 0.275756, size = 240, normalized size = 3.58

$$-\frac{1}{2}ib \left(-i \operatorname{PolyLog}\left(2, -e^{2 \tanh^{-1}(cx)}\right) - i \operatorname{PolyLog}\left(2, e^{-2\left(\tanh^{-1}(cx) + \tanh^{-1}\left(\frac{1}{2}\right)\right)}\right) - \log\left(\frac{2}{\sqrt{1-c^2x^2}}\right) \left(\pi - 2i \tanh^{-1}(cx)\right) - \frac{1}{4}i \left(\pi - 2i \tanh^{-1}(cx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*x])/(1 + 2*c*x), x]

[Out] (a*Log[1 + 2*c*x] + b*ArcTanh[c*x]*(Log[1 - c^2*x^2]/2 + Log[I*Sinh[ArcTanh[1/2] + ArcTanh[c*x]]]) - (I/2)*b*((-I/4)*(Pi - (2*I)*ArcTanh[c*x])^2 + I*(ArcTanh[1/2] + ArcTanh[c*x])^2 + (Pi - (2*I)*ArcTanh[c*x])*Log[1 + E^(2*ArcTanh[c*x])] + (2*I)*(ArcTanh[1/2] + ArcTanh[c*x])*Log[1 - E^(-2*(ArcTanh[1/2] + ArcTanh[c*x]))]) - (Pi - (2*I)*ArcTanh[c*x])*Log[2/Sqrt[1 - c^2*x^2]] - (2*I)*(ArcTanh[1/2] + ArcTanh[c*x])*Log[(2*I)*Sinh[ArcTanh[1/2] + ArcTanh[c*x]]) - I*PolyLog[2, -E^(2*ArcTanh[c*x])] - I*PolyLog[2, E^(-2*(ArcTanh[1/2] + ArcTanh[c*x]))]))/(2*c)

Maple [B] time = 0.04, size = 118, normalized size = 1.8

$$\frac{a \ln(2cx + 1)}{2c} + \frac{b \ln(2cx + 1) \operatorname{Arctanh}(cx)}{2c} + \frac{b \ln(2cx + 1)}{4c} \ln\left(\frac{2}{3} - \frac{2cx}{3}\right) - \frac{b}{4c} \ln\left(\frac{2}{3} - \frac{2cx}{3}\right) \ln\left(\frac{2cx}{3} + \frac{1}{3}\right) - \frac{b}{4c} \operatorname{dilog}\left(\frac{2cx}{3} + \frac{1}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x))/(2*c*x+1), x)

[Out] 1/2/c*a*ln(2*c*x+1)+1/2/c*b*ln(2*c*x+1)*arctanh(c*x)+1/4/c*b*ln(2/3-2/3*c*x)*ln(2*c*x+1)-1/4/c*b*ln(2/3-2/3*c*x)*ln(2/3*c*x+1/3)-1/4/c*b*dilog(2/3*c*x+1/3)-1/4/c*b*dilog(2*c*x+2)-1/4/c*b*ln(2*c*x+1)*ln(2*c*x+2)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}b \int \frac{\log(cx + 1) - \log(-cx + 1)}{2cx + 1} dx + \frac{a \log(2cx + 1)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(2*c*x+1), x, algorithm="maxima")

[Out] 1/2*b*integrate((log(c*x + 1) - log(-c*x + 1))/(2*c*x + 1), x) + 1/2*a*log(2*c*x + 1)/c

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{artanh}(cx) + a}{2cx + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(2*c*x+1),x, algorithm="fricas")

[Out] integral((b*arctanh(c*x) + a)/(2*c*x + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{atanh}(cx)}{2cx + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x))/(2*c*x+1),x)

[Out] Integral((a + b*atanh(c*x))/(2*c*x + 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(cx) + a}{2cx + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x))/(2*c*x+1),x, algorithm="giac")

[Out] integrate((b*arctanh(c*x) + a)/(2*c*x + 1), x)

$$3.22 \quad \int \frac{\tanh^{-1}(x)}{1-\sqrt{2}x} dx$$

Optimal. Leaf size=88

$$\frac{\text{PolyLog}\left(2, -\frac{\sqrt{2}-2x}{2-\sqrt{2}}\right)}{2\sqrt{2}} + \frac{\text{PolyLog}\left(2, \frac{\sqrt{2}-2x}{2+\sqrt{2}}\right)}{2\sqrt{2}} - \frac{\tanh^{-1}\left(\frac{1}{\sqrt{2}}\right)\log(1-\sqrt{2}x)}{\sqrt{2}}$$

[Out] -((ArcTanh[1/Sqrt[2]]*Log[1 - Sqrt[2]*x])/Sqrt[2]) - PolyLog[2, -((Sqrt[2] - 2*x)/(2 - Sqrt[2]))]/(2*Sqrt[2]) + PolyLog[2, (Sqrt[2] - 2*x)/(2 + Sqrt[2])]/(2*Sqrt[2])

Rubi [A] time = 0.0660324, antiderivative size = 108, normalized size of antiderivative = 1.23, number of steps used = 4, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {5920, 2402, 2315, 2447}

$$\frac{\text{PolyLog}\left(2, 1 - \frac{2}{x+1}\right)}{2\sqrt{2}} + \frac{\text{PolyLog}\left(2, \frac{2^{(1+\sqrt{2})(1-\sqrt{2}x)}}{x+1} + 1\right)}{2\sqrt{2}} + \frac{\log\left(\frac{2}{x+1}\right)\tanh^{-1}(x)}{\sqrt{2}} - \frac{\log\left(-\frac{2^{(1+\sqrt{2})(1-\sqrt{2}x)}}{x+1}\right)\tanh^{-1}(x)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[ArcTanh[x]/(1 - Sqrt[2]*x), x]

[Out] (ArcTanh[x]*Log[2/(1 + x)])/Sqrt[2] - (ArcTanh[x]*Log[(-2*(1 + Sqrt[2])*(1 - Sqrt[2]*x))/(1 + x)])/Sqrt[2] - PolyLog[2, 1 - 2/(1 + x)]/(2*Sqrt[2]) + PolyLog[2, 1 + (2*(1 + Sqrt[2])*(1 - Sqrt[2]*x))/(1 + x)]/(2*Sqrt[2])

Rule 5920

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] :> With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{\tanh^{-1}(x)}{1-\sqrt{2}x} dx &= \frac{\tanh^{-1}(x) \log\left(\frac{2}{1+x}\right)}{\sqrt{2}} - \frac{\tanh^{-1}(x) \log\left(-\frac{2(1+\sqrt{2})(1-\sqrt{2}x)}{1+x}\right)}{\sqrt{2}} - \frac{\int \frac{\log\left(\frac{2}{1+x}\right)}{1-x^2} dx}{\sqrt{2}} + \frac{\int \frac{\log\left(\frac{2(1-\sqrt{2}x)}{(1-\sqrt{2})(1+x)}\right)}{1-x^2} dx}{\sqrt{2}} \\ &= \frac{\tanh^{-1}(x) \log\left(\frac{2}{1+x}\right)}{\sqrt{2}} - \frac{\tanh^{-1}(x) \log\left(-\frac{2(1+\sqrt{2})(1-\sqrt{2}x)}{1+x}\right)}{\sqrt{2}} + \frac{\text{Li}_2\left(1 + \frac{2(1+\sqrt{2})(1-\sqrt{2}x)}{1+x}\right)}{2\sqrt{2}} - \frac{\text{Subst}\left(\int \frac{\log\left(\frac{2}{1+x}\right)}{1-x^2} dx\right)}{2\sqrt{2}} \\ &= \frac{\tanh^{-1}(x) \log\left(\frac{2}{1+x}\right)}{\sqrt{2}} - \frac{\tanh^{-1}(x) \log\left(-\frac{2(1+\sqrt{2})(1-\sqrt{2}x)}{1+x}\right)}{\sqrt{2}} - \frac{\text{Li}_2\left(1 - \frac{2}{1+x}\right)}{2\sqrt{2}} + \frac{\text{Li}_2\left(1 + \frac{2(1+\sqrt{2})(1-\sqrt{2}x)}{1+x}\right)}{2\sqrt{2}} \end{aligned}$$

Mathematica [C] time = 0.0989687, size = 272, normalized size = 3.09

$$4\text{PolyLog}\left(2, e^{2\tanh^{-1}\left(\frac{1}{\sqrt{2}}\right)-2\tanh^{-1}(x)}\right) + 4\text{PolyLog}\left(2, -e^{2\tanh^{-1}(x)}\right) - 4i\pi \log\left(\frac{2}{\sqrt{1-x^2}}\right) - 8 \log\left(\frac{2}{\sqrt{1-x^2}}\right) \tanh^{-1}(x) - 4 \log\left(\frac{2}{\sqrt{1-x^2}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcTanh[x]/(1 - Sqrt[2]*x), x]

[Out] (Pi^2 - 4*ArcTanh[1/Sqrt[2]]^2 - (4*I)*Pi*ArcTanh[x] + 8*ArcTanh[1/Sqrt[2]]*ArcTanh[x] - 8*ArcTanh[x]^2 + 8*ArcTanh[1/Sqrt[2]]*Log[1 - E^(2*ArcTanh[1/Sqrt[2]] - 2*ArcTanh[x])] - 8*ArcTanh[x]*Log[1 - E^(2*ArcTanh[1/Sqrt[2]] - 2*ArcTanh[x])] + (4*I)*Pi*Log[1 + E^(2*ArcTanh[x])] + 8*ArcTanh[x]*Log[1 + E^(2*ArcTanh[x])] - (4*I)*Pi*Log[2/Sqrt[1 - x^2]] - 8*ArcTanh[x]*Log[2/Sqrt[1 - x^2]] - 4*ArcTanh[x]*Log[1 - x^2] - 8*ArcTanh[x]*Log[(-I)*Sinh[ArcTanh[1/Sqrt[2]] - ArcTanh[x]]] - 8*ArcTanh[1/Sqrt[2]]*Log[(-2*I)*Sinh[ArcTanh[1/Sqrt[2]] - ArcTanh[x]]] + 8*ArcTanh[x]*Log[(-2*I)*Sinh[ArcTanh[1/Sqrt[2]] - ArcTanh[x]]] + 4*PolyLog[2, E^(2*ArcTanh[1/Sqrt[2]] - 2*ArcTanh[x])] + 4*PolyLog[2, -E^(2*ArcTanh[x])])/(8*Sqrt[2])

Maple [A] time = 0.036, size = 127, normalized size = 1.4

$$-\frac{\ln(x\sqrt{2}-1)\sqrt{2}\text{Artanh}(x)}{2} - \frac{\ln(x\sqrt{2}-1)\sqrt{2}}{4} \ln\left(\frac{\sqrt{2}-x\sqrt{2}}{\sqrt{2}-1}\right) + \frac{\ln(x\sqrt{2}-1)\sqrt{2}}{4} \ln\left(\frac{\sqrt{2}+x\sqrt{2}}{1+\sqrt{2}}\right) - \frac{\sqrt{2}}{4} \text{dilog}\left(\frac{\sqrt{2}}{\sqrt{2}+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arctanh(x)/(1-x*2^(1/2)), x)

[Out] -1/2*ln(x*2^(1/2)-1)*2^(1/2)*arctanh(x)-1/4*2^(1/2)*ln(x*2^(1/2)-1)*ln((2^(1/2)-x*2^(1/2))/(2^(1/2)-1))+1/4*2^(1/2)*ln(x*2^(1/2)-1)*ln((2^(1/2)+x*2^(1/2))/(1+2^(1/2)))-1/4*2^(1/2)*dilog((2^(1/2)-x*2^(1/2))/(2^(1/2)-1))+1/4*2^(1/2)*dilog((2^(1/2)+x*2^(1/2))/(1+2^(1/2)))

Maxima [B] time = 1.44954, size = 194, normalized size = 2.2

$$\frac{1}{4}\sqrt{2}(\log(x+1)-\log(x-1))\log(\sqrt{2}x-1)-\frac{1}{2}\sqrt{2}\text{artanh}(x)\log(\sqrt{2}x-1)-\frac{1}{4}\sqrt{2}\left(\log(x+1)\log\left(-\frac{\sqrt{2}x+\sqrt{2}}{\sqrt{2}+1}\right)+\log(x-1)\log\left(\frac{\sqrt{2}x-\sqrt{2}}{\sqrt{2}-1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arctanh(x)/(1-x*2^(1/2)),x, algorithm="maxima")

[Out] 1/4*sqrt(2)*(log(x + 1) - log(x - 1))*log(sqrt(2)*x - 1) - 1/2*sqrt(2)*arctanh(x)*log(sqrt(2)*x - 1) - 1/4*sqrt(2)*(log(x + 1)*log(-(sqrt(2)*x + sqrt(2))/(sqrt(2) + 1) + 1) + dilog((sqrt(2)*x + sqrt(2))/(sqrt(2) + 1))) + 1/4*sqrt(2)*(log(x - 1)*log((sqrt(2)*x - sqrt(2))/(sqrt(2) - 1) + 1) + dilog(-(sqrt(2)*x - sqrt(2))/(sqrt(2) - 1)))

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\sqrt{2}x+1)\operatorname{artanh}(x)}{2x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arctanh(x)/(1-x*2^(1/2)),x, algorithm="fricas")

[Out] integral(-(sqrt(2)*x + 1)*arctanh(x)/(2*x^2 - 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{\operatorname{atanh}(x)}{\sqrt{2}x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(atanh(x)/(1-x*2**(1/2)),x)

[Out] -Integral(atanh(x)/(sqrt(2)*x - 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{\operatorname{artanh}(x)}{\sqrt{2}x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arctanh(x)/(1-x*2^(1/2)),x, algorithm="giac")

[Out] integrate(-arctanh(x)/(sqrt(2)*x - 1), x)

3.23 $\int (d + ex)^3 \left(a + b \tanh^{-1}(cx^2) \right) dx$

Optimal. Leaf size=182

$$\frac{(d + ex)^4 (a + b \tanh^{-1}(cx^2))}{4e} + \frac{b(c^2 d^4 + 6cd^2 e^2 + e^4) \log(1 - cx^2)}{8c^2 e} - \frac{b(c^2 d^4 - 6cd^2 e^2 + e^4) \log(cx^2 + 1)}{8c^2 e} + \frac{bd(cd^2}{$$

```
[Out] (2*b*d*e^2*x)/c + (b*e^3*x^2)/(4*c) + (b*d*(c*d^2 - e^2)*ArcTan[Sqrt[c]*x])/c^(3/2) - (b*d*(c*d^2 + e^2)*ArcTanh[Sqrt[c]*x])/c^(3/2) + ((d + e*x)^4*(a + b*ArcTanh[c*x^2]))/(4*e) + (b*(c^2*d^4 + 6*c*d^2*e^2 + e^4)*Log[1 - c*x^2])/(8*c^2*e) - (b*(c^2*d^4 - 6*c*d^2*e^2 + e^4)*Log[1 + c*x^2])/(8*c^2*e)
```

Rubi [A] time = 0.222603, antiderivative size = 220, normalized size of antiderivative = 1.21, number of steps used = 19, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {6742, 6091, 298, 203, 206, 6097, 260, 321, 212, 275}

$$\frac{a(d + ex)^4}{4e} + \frac{3bd^2e \log(1 - c^2x^4)}{4c} - \frac{bde^2 \tan^{-1}(\sqrt{cx})}{c^{3/2}} - \frac{bde^2 \tanh^{-1}(\sqrt{cx})}{c^{3/2}} - \frac{be^3 \tanh^{-1}(cx^2)}{4c^2} + \frac{3}{2}bd^2ex^2 \tanh^{-1}(cx^2)$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)^3*(a + b*ArcTanh[c*x^2]),x]
```

```
[Out] (2*b*d*e^2*x)/c + (b*e^3*x^2)/(4*c) + (a*(d + e*x)^4)/(4*e) + (b*d^3*ArcTan[Sqrt[c]*x])/Sqrt[c] - (b*d*e^2*ArcTan[Sqrt[c]*x])/c^(3/2) - (b*d^3*ArcTanh[Sqrt[c]*x])/Sqrt[c] - (b*d*e^2*ArcTanh[Sqrt[c]*x])/c^(3/2) - (b*e^3*ArcTanh[c*x^2])/(4*c^2) + b*d^3*x*ArcTanh[c*x^2] + (3*b*d^2*e*x^2*ArcTanh[c*x^2])/2 + b*d*e^2*x^3*ArcTanh[c*x^2] + (b*e^3*x^4*ArcTanh[c*x^2])/4 + (3*b*d^2*e*Log[1 - c^2*x^4])/(4*c)
```

Rule 6742

```
Int[u_, x_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 6091

```
Int[ArcTanh[(c_.)*(x_)^(n_)], x_Symbol] :=> Simp[x*ArcTanh[c*x^n], x] - Dist[c*n, Int[x^n/(1 - c^2*x^(2*n)), x], x] /; FreeQ[{c, n}, x]
```

Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] :=> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Q[a, 0] || LtQ[b, 0])

Rule 6097

Int[((a_.) + ArcTanh[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x^n]))/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 - c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 321

Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int (d + ex)^3 (a + b \tanh^{-1}(cx^2)) dx &= \int (a(d + ex)^3 + b(d + ex)^3 \tanh^{-1}(cx^2)) dx \\
 &= \frac{a(d + ex)^4}{4e} + b \int (d + ex)^3 \tanh^{-1}(cx^2) dx \\
 &= \frac{a(d + ex)^4}{4e} + b \int (d^3 \tanh^{-1}(cx^2) + 3d^2ex \tanh^{-1}(cx^2) + 3de^2x^2 \tanh^{-1}(cx^2) + \dots) dx \\
 &= \frac{a(d + ex)^4}{4e} + (bd^3) \int \tanh^{-1}(cx^2) dx + (3bd^2e) \int x \tanh^{-1}(cx^2) dx + (3bde^2) \int x^2 \tanh^{-1}(cx^2) dx + \dots \\
 &= \frac{a(d + ex)^4}{4e} + bd^3x \tanh^{-1}(cx^2) + \frac{3}{2}bd^2ex^2 \tanh^{-1}(cx^2) + bde^2x^3 \tanh^{-1}(cx^2) + \dots \\
 &= \frac{2bde^2x}{c} + \frac{a(d + ex)^4}{4e} + bd^3x \tanh^{-1}(cx^2) + \frac{3}{2}bd^2ex^2 \tanh^{-1}(cx^2) + bde^2x^3 \tanh^{-1}(cx^2) + \dots \\
 &= \frac{2bde^2x}{c} + \frac{be^3x^2}{4c} + \frac{a(d + ex)^4}{4e} + \frac{bd^3 \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{bd^3 \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + bd^3x \tanh^{-1}(cx^2) \\
 &= \frac{2bde^2x}{c} + \frac{be^3x^2}{4c} + \frac{a(d + ex)^4}{4e} + \frac{bd^3 \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{bde^2 \tan^{-1}(\sqrt{cx})}{c^{3/2}} - \frac{bd^3 \tanh^{-1}(cx^2)}{\sqrt{c}}
 \end{aligned}$$

Mathematica [A] time = 0.283916, size = 254, normalized size = 1.4

$$\frac{1}{8} \left(\frac{2ex^2(6acd^2 + be^2)}{c} + \frac{8dx(acd^2 + 2be^2)}{c} + 8ade^2x^3 + 2ae^3x^4 + \frac{b(4c^{3/2}d^3 + 4\sqrt{c}de^2 + e^3)\log(1 - \sqrt{cx})}{c^2} + \frac{b(-4c^2d^3 + 4\sqrt{c}de^2 + e^3)\log(1 + \sqrt{cx})}{c^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^3*(a + b*ArcTanh[c*x^2]), x]

[Out] ((8*d*(a*c*d^2 + 2*b*e^2)*x)/c + (2*e*(6*a*c*d^2 + b*e^2)*x^2)/c + 8*a*d*e^2*x^3 + 2*a*e^3*x^4 + (8*b*d*(c*d^2 - e^2)*ArcTan[Sqrt[c]*x])/c^(3/2) + 2*b*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3)*ArcTanh[c*x^2] + (b*(4*c^(3/2)*d^3 + 4*Sqrt[c]*d*e^2 + e^3)*Log[1 - Sqrt[c]*x])/c^2 + (b*(-4*c^2*d^3 - 4*c*d*e^2 + Sqrt[c]*e^3)*Log[1 + Sqrt[c]*x])/c^(5/2) - (b*e^3*Log[1 + c*x^2])/c^2 + (6*b*d^2*e*Log[1 - c^2*x^4])/c/8

Maple [A] time = 0.031, size = 306, normalized size = 1.7

$$\frac{ae^3x^4}{4} + ae^2x^3d + \frac{3aex^2d^2}{2} + axd^3 + \frac{ad^4}{4e} + \frac{be^3\text{Artanh}(cx^2)x^4}{4} + be^2\text{Artanh}(cx^2)x^3d + \frac{3be\text{Artanh}(cx^2)x^2d^2}{2} + b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^3*(a+b*arctanh(c*x^2)), x)

[Out] 1/4*a*e^3*x^4+a*e^2*x^3*d+3/2*a*e*x^2*d^2+a*x*d^3+1/4*a/e*d^4+1/4*b*e^3*arctanh(c*x^2)*x^4+b*e^2*arctanh(c*x^2)*x^3*d+3/2*b*e*arctanh(c*x^2)*x^2*d^2+b*arctanh(c*x^2)*x*d^3+1/4*b/e*arctanh(c*x^2)*d^4+1/4*b*e^3*x^2/c+2*b*d*e^2*x/c-1/8*b/e*ln(c*x^2+1)*d^4+3/4*b*e/c*ln(c*x^2+1)*d^2-1/8*b*e^3/c^2*ln(c*x^2+1)+b/c^(1/2)*arctan(x*c^(1/2))*d^3-b*e^2/c^(3/2)*arctan(x*c^(1/2))*d+1/8*b/e*ln(c*x^2-1)*d^4+3/4*b*e/c*ln(c*x^2-1)*d^2+1/8*b*e^3/c^2*ln(c*x^2-1)-b/c^(1/2)*arctanh(x*c^(1/2))*d^3-b*e^2/c^(3/2)*arctanh(x*c^(1/2))*d

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x^2)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.33936, size = 1145, normalized size = 6.29

$$\frac{2ac^2e^3x^4 + 8ac^2de^2x^3 + 2(6ac^2d^2e + bce^3)x^2 + 8(bcd^3 - bde^2)\sqrt{c}\arctan(\sqrt{cx}) + 4(bcd^3 + bde^2)\sqrt{c}\log\left(\frac{cx^2 - 2\sqrt{cx} + 1}{cx^2 - 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^3*(a+b*arctanh(c*x^2)),x, algorithm="fricas")

[Out] [1/8*(2*a*c^2*e^3*x^4 + 8*a*c^2*d*e^2*x^3 + 2*(6*a*c^2*d^2*e + b*c*e^3)*x^2 + 8*(b*c*d^3 - b*d*e^2)*sqrt(c)*arctan(sqrt(c)*x) + 4*(b*c*d^3 + b*d*e^2)*sqrt(c)*log((c*x^2 - 2*sqrt(c)*x + 1)/(c*x^2 - 1)) + 8*(a*c^2*d^3 + 2*b*c*d*e^2)*x + (6*b*c*d^2*e - b*e^3)*log(c*x^2 + 1) + (6*b*c*d^2*e + b*e^3)*log(c*x^2 - 1) + (b*c^2*e^3*x^4 + 4*b*c^2*d*e^2*x^3 + 6*b*c^2*d^2*e*x^2 + 4*b*c^2*d^3*x)*log(-(c*x^2 + 1)/(c*x^2 - 1)))/c^2, 1/8*(2*a*c^2*e^3*x^4 + 8*a*c^2*d*e^2*x^3 + 2*(6*a*c^2*d^2*e + b*c*e^3)*x^2 + 8*(b*c*d^3 + b*d*e^2)*sqrt(-c)*arctan(sqrt(-c)*x) + 4*(b*c*d^3 - b*d*e^2)*sqrt(-c)*log((c*x^2 + 2*sqrt(-c)*x - 1)/(c*x^2 + 1)) + 8*(a*c^2*d^3 + 2*b*c*d*e^2)*x + (6*b*c*d^2*e - b*e^3)*log(c*x^2 + 1) + (6*b*c*d^2*e + b*e^3)*log(c*x^2 - 1) + (b*c^2*e^3*x^4 + 4*b*c^2*d*e^2*x^3 + 6*b*c^2*d^2*e*x^2 + 4*b*c^2*d^3*x)*log(-(c*x^2 + 1)/(c*x^2 - 1)))/c^2]

Sympy [A] time = 45.2278, size = 1083, normalized size = 5.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**3*(a+b*atanh(c*x**2)),x)

[Out] Piecewise((a*d**3*x + 3*a*d**2*e*x**2/2 + a*d*e**2*x**3 + a*e**3*x**4/4 - b*c**2*d**3*(1/c)**(3/2)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + I*b*c**2*d**3*(1/c)**(3/2)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) - 2*I*b*c**2*d**3*(1/c)**(3/2)*log(x - sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + 4*b*c*d**3*sqrt(1/c)*log(x - I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) - 4*I*b*c*d**3*sqrt(1/c)*log(x - I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) - 3*b*c*d**3*sqrt(1/c)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) - 5*I*b*c*d**3*sqrt(1/c)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + 10*I*b*c*d**3*sqrt(1/c)*log(x - sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + 8*I*b*c*d**3*sqrt(1/c)*atanh(c*x**2)/(-2*I*c**3/c**2 + 10*I*c**2/c) - b*c*d*e**2*(1/c)**(3/2)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + I*b*c*d*e**2*(1/c)**(3/2)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) - 2*I*b*c*d*e**2*(1/c)**(3/2)*log(x - sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + b*d**3*x*atanh(c*x**2) + 3*b*d**2*e*x**2*atanh(c*x**2)/2 + b*d*e**2*x**3*atanh(c*x**2) - 4*b*d*e**2*sqrt(1/c)*log(x - I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) - 4*I*b*d*e**2*sqrt(1/c)*log(x - I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + 5*b*d*e**2*sqrt(1/c)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) - 5*I*b*d*e**2*sqrt(1/c)*log(x + I*sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + 10*I*b*d*e**2*sqrt(1/c)*log(x - sqrt(1/c))/(-2*I*c**3/c**2 + 10*I*c**2/c) + 8*I*b*d*e**2*sqrt(1/c)*atanh(c*x**2)/(-2*I*c**3/c**2 + 10*I*c**2/c) + b*e**3*x**4*atanh(c*x**2)/4 + 3*b*d**2*e*log(x - I*sqrt(1/c))/(2*c) + 3*b*d**2*e*log(x + I*sqrt(1/c))/(2*c) - 3*b*d**2*e*atanh(c*x**2)/(2*c) + 2*b*d*e**2*x/c + b*e**3*x**2/(4*c) - b*e**3*atanh(c*x**2)/(4*c**2), Ne(c, 0)), (a*(d**3*x + 3*d**2*e*x**2/2 + d*e**2*x**3 + e**3*x**4/4), True))

Giac [A] time = 2.39938, size = 423, normalized size = 2.32

$$-bc^5d \left(\frac{\arctan(\sqrt{cx})}{c^{\frac{13}{2}}} - \frac{\arctan\left(\frac{cx}{\sqrt{-c}}\right)}{\sqrt{-cc^6}} \right) e^2 + bc^3d^3 \left(\frac{\arctan(\sqrt{cx})}{c^{\frac{7}{2}}} + \frac{\arctan\left(\frac{cx}{\sqrt{-c}}\right)}{\sqrt{-cc^3}} \right) + \frac{bc^2x^4e^3 \log\left(\frac{-cx^2+1}{cx^2-1}\right) + 4bc^2dx^3e^2 \log\left(\frac{-cx^2+1}{cx^2-1}\right)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(a+b*arctanh(c*x^2)),x, algorithm="giac")
```

```
[Out] -b*c^5*d*(arctan(sqrt(c)*x)/c^(13/2) - arctan(c*x/sqrt(-c))/(sqrt(-c)*c^6))
*e^2 + b*c^3*d^3*(arctan(sqrt(c)*x)/c^(7/2) + arctan(c*x/sqrt(-c))/(sqrt(-c)
)*c^3) + 1/8*(b*c^2*x^4*e^3*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 4*b*c^2*d*x^3*
e^2*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 6*b*c^2*d^2*x^2*e*log(-(c*x^2 + 1)/(c*x
^2 - 1)) + 2*a*c^2*x^4*e^3 + 8*a*c^2*d*x^3*e^2 + 12*a*c^2*d^2*x^2*e + 4*b*c
^2*d^3*x*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 8*a*c^2*d^3*x + 6*b*c*d^2*e*log(c^
2*x^4 - 1) + 2*b*c*x^2*e^3 + 16*b*c*d*x*e^2 - b*e^3*log(c*x^2 + 1) + b*e^3*
log(c*x^2 - 1))/c^2
```

3.24 $\int (d + ex)^2 (a + b \tanh^{-1}(cx^2)) dx$

Optimal. Leaf size=158

$$\frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} + \frac{b(3cd^2 - e^2) \tan^{-1}(\sqrt{cx})}{3c^{3/2}} - \frac{b(3cd^2 + e^2) \tanh^{-1}(\sqrt{cx})}{3c^{3/2}} + \frac{bd(cd^2 + 3e^2) \log(1 - cx^2)}{6ce}$$

[Out] $(2*b*e^2*x)/(3*c) + (b*(3*c*d^2 - e^2)*ArcTan[Sqrt[c]*x])/(3*c^(3/2)) - (b*(3*c*d^2 + e^2)*ArcTanh[Sqrt[c]*x])/(3*c^(3/2)) + ((d + e*x)^3*(a + b*ArcTanh[c*x^2]))/(3*e) + (b*d*(c*d^2 + 3*e^2)*Log[1 - c*x^2])/(6*c*e) - (b*d*(c*d^2 - 3*e^2)*Log[1 + c*x^2])/(6*c*e)$

Rubi [A] time = 0.210324, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {6273, 12, 1831, 1248, 633, 31, 1280, 1167, 205, 208}

$$\frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} + \frac{b(3cd^2 - e^2) \tan^{-1}(\sqrt{cx})}{3c^{3/2}} - \frac{b(3cd^2 + e^2) \tanh^{-1}(\sqrt{cx})}{3c^{3/2}} + \frac{bd(cd^2 + 3e^2) \log(1 - cx^2)}{6ce}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)^2*(a + b*ArcTanh[c*x^2]),x]

[Out] $(2*b*e^2*x)/(3*c) + (b*(3*c*d^2 - e^2)*ArcTan[Sqrt[c]*x])/(3*c^(3/2)) - (b*(3*c*d^2 + e^2)*ArcTanh[Sqrt[c]*x])/(3*c^(3/2)) + ((d + e*x)^3*(a + b*ArcTanh[c*x^2]))/(3*e) + (b*d*(c*d^2 + 3*e^2)*Log[1 - c*x^2])/(6*c*e) - (b*d*(c*d^2 - 3*e^2)*Log[1 + c*x^2])/(6*c*e)$

Rule 6273

```
Int[((a_.) + ArcTanh[u_]*(b_.))*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(((c + d*x)^(m + 1)*(a + b*ArcTanh[u]))/(d*(m + 1)), x) - Dist[b/(d*(m + 1)), Int[SimplifyIntegrand[((c + d*x)^(m + 1)*D[u, x])/(1 - u^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1] && InverseFunctionFreeQ[u, x] && !FunctionOfQ[(c + d*x)^(m + 1), u, x] && FalseQ[PowerVariableExpn[u, m + 1, x]]]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1831

```
Int[((Pq_)*((c_.)*(x_))^(m_.))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]
```

Rule 633

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (c_)*(x_)^2), x_Symbol] := \text{With}[\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NiceSqrtQ}[-(a*c)]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_)^(-1), x_Symbol] := \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 1280

$\text{Int}[(f_)*(x_)^(m_)*((d_ + (e_)*(x_)^2)*((a_ + (c_)*(x_)^4)^(p_)), x_Symbol] := \text{Simp}[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - \text{Dist}[f^2/(c*(m + 4*p + 3)), \text{Int}[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e, f, p\}, x] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m + 4*p + 3, 0] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] || \text{IntegerQ}[m])$

Rule 1167

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] := \text{With}[\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[-(a*c)]$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned} \int (d + ex)^2 (a + b \tanh^{-1}(cx^2)) dx &= \frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} - \frac{b \int \frac{2cx(d+ex)^3 dx}{1-c^2x^4}}{3e} \\ &= \frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} - \frac{(2bc) \int \frac{x(d+ex)^3 dx}{1-c^2x^4}}{3e} \\ &= \frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} - \frac{(2bc) \int \left(\frac{x(d^3+3de^2x^2)}{1-c^2x^4} + \frac{x^2(3d^2e+e^3x^2)}{1-c^2x^4} \right) dx}{3e} \\ &= \frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} - \frac{(2bc) \int \frac{x(d^3+3de^2x^2)}{1-c^2x^4} dx}{3e} - \frac{(2bc) \int \frac{x^2(3d^2e+e^3x^2)}{1-c^2x^4} dx}{3e} \\ &= \frac{2be^2x}{3c} + \frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} - \frac{(2b) \int \frac{e^3+3c^2d^2ex^2}{1-c^2x^4} dx}{3ce} - \frac{(bc) \text{Subst} \left(\int \frac{1}{-c-c^2x} dx \right)}{3e} \\ &= \frac{2be^2x}{3c} + \frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} + \frac{(bcd(c d^2 - 3e^2)) \text{Subst} \left(\int \frac{1}{-c-c^2x} dx \right)}{6e} \\ &= \frac{2be^2x}{3c} + \frac{b(3cd^2 - e^2) \tan^{-1}(\sqrt{cx})}{3c^{3/2}} - \frac{b(3cd^2 + e^2) \tanh^{-1}(\sqrt{cx})}{3c^{3/2}} + \frac{(d + ex)^3 (a + b \tanh^{-1}(cx^2))}{3e} \end{aligned}$$

Mathematica [A] time = 0.167183, size = 170, normalized size = 1.08

$$\frac{1}{6} \left(6ad^2x + 6adex^2 + 2ae^2x^3 + \frac{b(3cd^2 + e^2)\log(1 - \sqrt{cx})}{c^{3/2}} - \frac{b(3cd^2 + e^2)\log(\sqrt{cx} + 1)}{c^{3/2}} + \frac{2b(3cd^2 - e^2)\tan^{-1}(\sqrt{cx})}{c^{3/2}} \right) +$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^2*(a + b*ArcTanh[c*x^2]), x]

[Out] (6*a*d^2*x + (4*b*e^2*x)/c + 6*a*d*e*x^2 + 2*a*e^2*x^3 + (2*b*(3*c*d^2 - e^2)*ArcTan[Sqrt[c]*x])/c^(3/2) + 2*b*x*(3*d^2 + 3*d*e*x + e^2*x^2)*ArcTanh[c*x^2] + (b*(3*c*d^2 + e^2)*Log[1 - Sqrt[c]*x])/c^(3/2) - (b*(3*c*d^2 + e^2)*Log[1 + Sqrt[c]*x])/c^(3/2) + (3*b*d*e*Log[1 - c^2*x^4])/c)/6

Maple [A] time = 0.032, size = 223, normalized size = 1.4

$$\frac{ax^3e^2}{3} + ax^2de + axd^2 + \frac{ad^3}{3e} + \frac{be^2\text{Artanh}(cx^2)x^3}{3} + be\text{Artanh}(cx^2)x^2d + b\text{Artanh}(cx^2)xd^2 + \frac{b\text{Artanh}(cx^2)d^3}{3e} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x+d)^2*(a+b*arctanh(c*x^2)), x)

[Out] 1/3*a*x^3*e^2+a*x^2*d*e+a*x*d^2+1/3*a/e*d^3+1/3*b*e^2*arctanh(c*x^2)*x^3+b*e*arctanh(c*x^2)*x^2*d+b*arctanh(c*x^2)*x*d^2+1/3*b/e*arctanh(c*x^2)*d^3+2/3*b*e^2*x/c-1/6*b/e*ln(c*x^2+1)*d^3+1/2*b*e/c*ln(c*x^2+1)*d+b/c^(1/2)*arctan(x*c^(1/2))*d^2-1/3*b*e^2/c^(3/2)*arctan(x*c^(1/2))+1/6*b/e*ln(c*x^2-1)*d^3+1/2*b*e/c*ln(c*x^2-1)*d-b/c^(1/2)*arctanh(x*c^(1/2))*d^2-1/3*b*e^2/c^(3/2)*arctanh(x*c^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arctanh(c*x^2)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.80859, size = 918, normalized size = 5.81

$$\left[\frac{2ac^2e^2x^3 + 6ac^2dex^2 + 3bcde \log(cx^2 + 1) + 3bcde \log(cx^2 - 1) + 2(3bcd^2 - be^2)\sqrt{c} \arctan(\sqrt{cx}) + (3bcd^2 + be^2)\sqrt{c}}{6c^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arctanh(c*x^2)), x, algorithm="fricas")


```
[Out] [1/6*(2*a*c^2*e^2*x^3 + 6*a*c^2*d*e*x^2 + 3*b*c*d*e*log(c*x^2 + 1) + 3*b*c*d*e*log(c*x^2 - 1) + 2*(3*b*c*d^2 - b*e^2)*sqrt(c)*arctan(sqrt(c)*x) + (3*b*c*d^2 + b*e^2)*sqrt(c)*log((c*x^2 - 2*sqrt(c)*x + 1)/(c*x^2 - 1)) + 2*(3*a*c^2*d^2 + 2*b*c*e^2)*x + (b*c^2*e^2*x^3 + 3*b*c^2*d*e*x^2 + 3*b*c^2*d^2*x)*log(-(c*x^2 + 1)/(c*x^2 - 1)))/c^2, 1/6*(2*a*c^2*e^2*x^3 + 6*a*c^2*d*e*x^2 + 3*b*c*d*e*log(c*x^2 + 1) + 3*b*c*d*e*log(c*x^2 - 1) + 2*(3*b*c*d^2 + b*e^2)*sqrt(-c)*arctan(sqrt(-c)*x) + (3*b*c*d^2 - b*e^2)*sqrt(-c)*log((c*x^2 + 2*sqrt(-c)*x - 1)/(c*x^2 + 1)) + 2*(3*a*c^2*d^2 + 2*b*c*e^2)*x + (b*c^2*e^2*x^3 + 3*b*c^2*d*e*x^2 + 3*b*c^2*d^2*x)*log(-(c*x^2 + 1)/(c*x^2 - 1)))/c^2]
```

Sympy [A] time = 34.1347, size = 1652, normalized size = 10.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**2*(a+b*atanh(c*x**2)),x)
```

```
[Out] Piecewise((-12*a*c**2*d**2*x*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*I*a*c**2*d**2*x*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*a*c**2*d*e*x**2*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*I*a*c**2*d*e*x**2*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 4*a*c**2*e**2*x**3*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 4*I*a*c**2*e**2*x**3*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*b*c**2*d**2*x*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*I*b*c**2*d**2*x*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) + 12*I*b*c**2*d**2*log(x - I*sqrt(1/c))/(-12*c**3*sqrt(1/c) - 12*I*c**3*sqrt(1/c)) - 12*I*b*c**2*d**2*log(x - sqrt(1/c))/(-12*c**3*sqrt(1/c) - 12*I*c**3*sqrt(1/c)) - 12*I*b*c**2*d**2*atanh(c*x**2)/(-12*c**3*sqrt(1/c) - 12*I*c**3*sqrt(1/c)) - 12*b*c**2*d*e*x**2*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*I*b*c**2*d*e*x**2*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 4*b*c**2*e**2*x**3*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 4*I*b*c**2*e**2*x**3*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 2*I*b*c**2*e**2*log(x + I*sqrt(1/c))/(-12*c**4*sqrt(1/c) - 12*I*c**4*sqrt(1/c)) + 12*b*c*d**2*log(x + I*sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*b*c*d**2*log(x - sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*b*c*d**2*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*b*c*d*e*sqrt(1/c)*log(x - I*sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*I*b*c*d*e*sqrt(1/c)*log(x - I*sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*b*c*d*e*sqrt(1/c)*log(x + I*sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 12*I*b*c*d*e*sqrt(1/c)*log(x + I*sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) + 12*b*c*d*e*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) + 12*I*b*c*d*e*sqrt(1/c)*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 8*b*c*e**2*x*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 8*I*b*c*e**2*x*sqrt(1/c)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) + 6*I*b*c*e**2*log(x + I*sqrt(1/c))/(-12*c**3*sqrt(1/c) - 12*I*c**3*sqrt(1/c)) - 4*I*b*c*e**2*log(x - sqrt(1/c))/(-12*c**3*sqrt(1/c) - 12*I*c**3*sqrt(1/c)) - 4*I*b*c*e**2*atanh(c*x**2)/(-12*c**3*sqrt(1/c) - 12*I*c**3*sqrt(1/c)) + 4*b*e**2*log(x - I*sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 4*b*e**2*log(x - sqrt(1/c))/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)) - 4*b*e**2*atanh(c*x**2)/(-12*c**2*sqrt(1/c) - 12*I*c**2*sqrt(1/c)), Ne(c, 0)), (a*(d**2*x + d*e*x**2 + e**2*x**3/3), True))
```

Giac [A] time = 1.91503, size = 289, normalized size = 1.83

$$-\frac{1}{3}bc^5\left(\frac{\arctan(\sqrt{cx})}{c^{\frac{13}{2}}} - \frac{\arctan\left(\frac{cx}{\sqrt{-c}}\right)}{\sqrt{-c}c^6}\right)e^2 + bc^3d^2\left(\frac{\arctan(\sqrt{cx})}{c^{\frac{7}{2}}} + \frac{\arctan\left(\frac{cx}{\sqrt{-c}}\right)}{\sqrt{-c}c^3}\right) + \frac{bcx^3e^2 \log\left(-\frac{cx^2+1}{cx^2-1}\right) + 3bcdx^2e \log\left(-\frac{cx^2+1}{cx^2-1}\right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arctanh(c*x^2)),x, algorithm="giac")

[Out] -1/3*b*c^5*(arctan(sqrt(c)*x)/c^(13/2) - arctan(c*x/sqrt(-c))/(sqrt(-c)*c^6)) * e^2 + b*c^3*d^2*(arctan(sqrt(c)*x)/c^(7/2) + arctan(c*x/sqrt(-c))/(sqrt(-c)*c^3)) + 1/6*(b*c*x^3*e^2*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 3*b*c*d*x^2*e*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 2*a*c*x^3*e^2 + 6*a*c*d*x^2*e + 3*b*c*d^2*x*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 6*a*c*d^2*x + 3*b*d*e*log(c^2*x^4 - 1) + 4*b*x*e^2)/c

3.25 $\int (d + ex) \left(a + b \tanh^{-1}(cx^2) \right) dx$

Optimal. Leaf size=117

$$\frac{(d + ex)^2 (a + b \tanh^{-1}(cx^2))}{2e} + \frac{b(cd^2 + e^2) \log(1 - cx^2)}{4ce} - \frac{b(cd^2 - e^2) \log(cx^2 + 1)}{4ce} + \frac{bd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{bd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}}$$

[Out] (b*d*ArcTan[Sqrt[c]*x])/Sqrt[c] - (b*d*ArcTanh[Sqrt[c]*x])/Sqrt[c] + ((d + e*x)^2*(a + b*ArcTanh[c*x^2]))/(2*e) + (b*(c*d^2 + e^2)*Log[1 - c*x^2])/(4*c*e) - (b*(c*d^2 - e^2)*Log[1 + c*x^2])/(4*c*e)

Rubi [A] time = 0.0930256, antiderivative size = 94, normalized size of antiderivative = 0.8, number of steps used = 10, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {6742, 6091, 298, 203, 206, 6097, 260}

$$\frac{a(d + ex)^2}{2e} + \frac{be \log(1 - c^2x^4)}{4c} + bdx \tanh^{-1}(cx^2) + \frac{bd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{bd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + \frac{1}{2} bex^2 \tanh^{-1}(cx^2)$$

Antiderivative was successfully verified.

[In] Int[(d + e*x)*(a + b*ArcTanh[c*x^2]), x]

[Out] (a*(d + e*x)^2)/(2*e) + (b*d*ArcTan[Sqrt[c]*x])/Sqrt[c] - (b*d*ArcTanh[Sqrt[c]*x])/Sqrt[c] + b*d*x*ArcTanh[c*x^2] + (b*e*x^2*ArcTanh[c*x^2])/2 + (b*e*Log[1 - c^2*x^4])/(4*c)

Rule 6742

Int[u_, x_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rule 6091

Int[ArcTanh[(c_.)*(x_)^(n_)], x_Symbol] :=> Simp[x*ArcTanh[c*x^n], x] - Dist[c*n, Int[x^n/(1 - c^2*x^(2*n)), x], x] /; FreeQ[{c, n}, x]

Rule 298

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] :=> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 6097

```
Int[((a_.) + ArcTanh[(c_.)*(x_)^(n_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x^n]))/(d*(m + 1)), x] - Dist[(b*c*
n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 - c^2*x^(2*n)), x], x] /;
FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rubi steps

$$\begin{aligned}
\int (d + ex)(a + b \tanh^{-1}(cx^2)) dx &= \int (a(d + ex) + b(d + ex) \tanh^{-1}(cx^2)) dx \\
&= \frac{a(d + ex)^2}{2e} + b \int (d + ex) \tanh^{-1}(cx^2) dx \\
&= \frac{a(d + ex)^2}{2e} + b \int (d \tanh^{-1}(cx^2) + ex \tanh^{-1}(cx^2)) dx \\
&= \frac{a(d + ex)^2}{2e} + (bd) \int \tanh^{-1}(cx^2) dx + (be) \int x \tanh^{-1}(cx^2) dx \\
&= \frac{a(d + ex)^2}{2e} + bdx \tanh^{-1}(cx^2) + \frac{1}{2}bex^2 \tanh^{-1}(cx^2) - (2bcd) \int \frac{x^2}{1 - c^2x^4} dx - (bce) \int \frac{x^2}{1 - c^2x^4} dx \\
&= \frac{a(d + ex)^2}{2e} + bdx \tanh^{-1}(cx^2) + \frac{1}{2}bex^2 \tanh^{-1}(cx^2) + \frac{be \log(1 - c^2x^4)}{4c} - (bd) \int \frac{x^2}{1 - c^2x^4} dx \\
&= \frac{a(d + ex)^2}{2e} + \frac{bd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{bd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + bdx \tanh^{-1}(cx^2) + \frac{1}{2}bex^2 \tanh^{-1}(cx^2)
\end{aligned}$$

Mathematica [A] time = 0.0576063, size = 104, normalized size = 0.89

$$adx + \frac{1}{2}aex^2 + \frac{be \log(1 - c^2x^4)}{4c} + bdx \tanh^{-1}(cx^2) + \frac{bd(\log(1 - \sqrt{cx}) - \log(\sqrt{cx} + 1) + 2 \tan^{-1}(\sqrt{cx}))}{2\sqrt{c}} + \frac{1}{2}bex^2 \tanh^{-1}(cx^2)$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)*(a + b*ArcTanh[c*x^2]),x]
```

```
[Out] a*d*x + (a*e*x^2)/2 + b*d*x*ArcTanh[c*x^2] + (b*e*x^2*ArcTanh[c*x^2])/2 + (
b*d*(2*ArcTan[Sqrt[c]*x] + Log[1 - Sqrt[c]*x] - Log[1 + Sqrt[c]*x]))/(2*Sqr
t[c]) + (b*e*Log[1 - c^2*x^4])/(4*c)
```

Maple [A] time = 0.043, size = 91, normalized size = 0.8

$$\frac{ax^2e}{2} + adx + \frac{b \operatorname{Artanh}(cx^2)x^2e}{2} + b \operatorname{Artanh}(cx^2) dx + \frac{be \ln(cx^2 + 1)}{4c} + bd \arctan(x\sqrt{c}) \frac{1}{\sqrt{c}} + \frac{be \ln(cx^2 - 1)}{4c} - bd \operatorname{Arctanh}(cx^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)*(a+b*arctanh(c*x^2)),x)
```

```
[Out] 1/2*a*x^2*e+a*d*x+1/2*b*arctanh(c*x^2)*x^2*e+b*arctanh(c*x^2)*d*x+1/4*b*e/c
*ln(c*x^2+1)+b*d*arctan(x*c^(1/2))/c^(1/2)+1/4*b*e/c*ln(c*x^2-1)-b*d*arctan
h(x*c^(1/2))/c^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x^2)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.80601, size = 616, normalized size = 5.26

$$\frac{2acex^2 + 4acdx + 4b\sqrt{cd} \arctan(\sqrt{cx}) + 2b\sqrt{cd} \log\left(\frac{cx^2 - 2\sqrt{cx} + 1}{cx^2 - 1}\right) + be \log(cx^2 + 1) + be \log(cx^2 - 1) + (bcex^2 + 2}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x^2)),x, algorithm="fricas")

[Out] $\left[\frac{1}{4} * (2 * a * c * e * x^2 + 4 * a * c * d * x + 4 * b * \sqrt{c} * d * \arctan(\sqrt{c} * x) + 2 * b * \sqrt{c} * d * \log((c * x^2 - 2 * \sqrt{c} * x + 1) / (c * x^2 - 1)) + b * e * \log(c * x^2 + 1) + b * e * \log(c * x^2 - 1) + (b * c * e * x^2 + 2 * b * c * d * x) * \log(-c * x^2 + 1) / (c * x^2 - 1)) / c, \right.$
 $\left. \frac{1}{4} * (2 * a * c * e * x^2 + 4 * a * c * d * x + 4 * b * \sqrt{-c} * d * \arctan(\sqrt{-c} * x) - 2 * b * \sqrt{-c} * d * \log((c * x^2 - 2 * \sqrt{-c} * x - 1) / (c * x^2 + 1)) + b * e * \log(c * x^2 + 1) + b * e * \log(c * x^2 - 1) + (b * c * e * x^2 + 2 * b * c * d * x) * \log(-c * x^2 + 1) / (c * x^2 - 1)) / c \right]$

Sympy [A] time = 20.3369, size = 473, normalized size = 4.04

$$\left\{ \begin{array}{l} adx + \frac{aex^2}{2} - \frac{bcd\left(\frac{1}{c}\right)^{\frac{3}{2}} \log\left(x+i\sqrt{\frac{1}{c}}\right)}{-\frac{2ic^2}{c^2} + \frac{10ic}{c}} + \frac{ibcd\left(\frac{1}{c}\right)^{\frac{3}{2}} \log\left(x+i\sqrt{\frac{1}{c}}\right)}{-\frac{2ic^2}{c^2} + \frac{10ic}{c}} - \frac{2ibcd\left(\frac{1}{c}\right)^{\frac{3}{2}} \log\left(x-\sqrt{\frac{1}{c}}\right)}{-\frac{2ic^2}{c^2} + \frac{10ic}{c}} + bdx \operatorname{atanh}(cx^2) + \frac{4bd\sqrt{\frac{1}{c}} \log\left(x-i\sqrt{\frac{1}{c}}\right)}{-\frac{2ic^2}{c^2} + \frac{10ic}{c}} - \frac{4ibd\sqrt{\frac{1}{c}} \log\left(x-i\sqrt{\frac{1}{c}}\right)}{-\frac{2ic^2}{c^2} + \frac{10ic}{c}} \\ a\left(dx + \frac{ex^2}{2}\right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*atanh(c*x**2)),x)

[Out] Piecewise((a*d*x + a*e*x**2/2 - b*c*d*(1/c)**(3/2)*log(x + I*sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) + I*b*c*d*(1/c)**(3/2)*log(x + I*sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) - 2*I*b*c*d*(1/c)**(3/2)*log(x - sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) + b*d*x*atanh(c*x**2) + 4*b*d*sqrt(1/c)*log(x - I*sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) - 4*I*b*d*sqrt(1/c)*log(x - I*sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) - 3*b*d*sqrt(1/c)*log(x + I*sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) - 5*I*b*d*sqrt(1/c)*log(x + I*sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) + 10*I*b*d*sqrt(1/c)*log(x - sqrt(1/c))/(-2*I*c**2/c**2 + 10*I*c/c) + 8*I*b*d*sqrt(1/c)*atanh(c*x**2)/(-2*I*c**2/c**2 + 10*I*c/c) + b*e*x**2*atanh(c*x**2)/2 + b*e*log(x - I*sqrt(1/c))/(2*c) + b*e*log(x + I*sqrt(1/c))/(2*c) - b*e*atanh(c*x**2)/(2*c), Ne(c, 0)), (a*(d*x + e*x**2/2), True))

Giac [A] time = 1.31647, size = 166, normalized size = 1.42

$$bc^3d \left(\frac{\arctan(\sqrt{cx})}{c^{\frac{7}{2}}} + \frac{\arctan\left(\frac{cx}{\sqrt{-c}}\right)}{\sqrt{-c}c^3} \right) + \frac{bcx^2e \log\left(-\frac{cx^2+1}{cx^2-1}\right) + 2acx^2e + 2bcdx \log\left(-\frac{cx^2+1}{cx^2-1}\right) + 4acdx + be \log(c^2x^4 - 1)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x^2)),x, algorithm="giac")

[Out] b*c^3*d*(arctan(sqrt(c)*x)/c^(7/2) + arctan(c*x/sqrt(-c))/(sqrt(-c)*c^3)) + 1/4*(b*c*x^2*e*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 2*a*c*x^2*e + 2*b*c*d*x*log(-(c*x^2 + 1)/(c*x^2 - 1)) + 4*a*c*d*x + b*e*log(c^2*x^4 - 1))/c

$$3.26 \quad \int \frac{a+b \tanh^{-1}(cx^2)}{d+ex} dx$$

Optimal. Leaf size=325

$$-\frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt{-c}(d+ex)}{\sqrt{-cd-e}}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt{c}(d+ex)}{\sqrt{cd-e}}\right)}{2e} - \frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt{-c}(d+ex)}{\sqrt{-cd+e}}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt{c}(d+ex)}{\sqrt{cd+e}}\right)}{2e} + \frac{\log(d+ex)}{e}$$

[Out] ((a + b*ArcTanh[c*x^2])*Log[d + e*x])/e - (b*Log[(e*(1 - Sqrt[-c]*x))/(Sqrt[-c]*d + e)]*Log[d + e*x])/(2*e) - (b*Log[-((e*(1 + Sqrt[-c]*x))/(Sqrt[-c]*d - e))]*Log[d + e*x])/(2*e) + (b*Log[(e*(1 - Sqrt[c]*x))/(Sqrt[c]*d + e)]*Log[d + e*x])/(2*e) + (b*Log[-((e*(1 + Sqrt[c]*x))/(Sqrt[c]*d - e))]*Log[d + e*x])/(2*e) - (b*PolyLog[2, (Sqrt[-c]*(d + e*x))/(Sqrt[-c]*d - e)])/(2*e) + (b*PolyLog[2, (Sqrt[c]*(d + e*x))/(Sqrt[c]*d - e)])/(2*e) - (b*PolyLog[2, (Sqrt[-c]*(d + e*x))/(Sqrt[-c]*d + e)])/(2*e) + (b*PolyLog[2, (Sqrt[c]*(d + e*x))/(Sqrt[c]*d + e)])/(2*e)

Rubi [F] time = 0.0626453, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \tanh^{-1}(cx^2)}{d + ex} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcTanh[c*x^2])/(d + e*x), x]

[Out] (a*Log[d + e*x])/e + b*Defer[Int][ArcTanh[c*x^2]/(d + e*x), x]

Rubi steps

$$\begin{aligned} \int \frac{a + b \tanh^{-1}(cx^2)}{d + ex} dx &= \int \left(\frac{a}{d + ex} + \frac{b \tanh^{-1}(cx^2)}{d + ex} \right) dx \\ &= \frac{a \log(d + ex)}{e} + b \int \frac{\tanh^{-1}(cx^2)}{d + ex} dx \end{aligned}$$

Mathematica [C] time = 17.4703, size = 285, normalized size = 0.88

$$\frac{a \log(d + ex)}{e} + \frac{b \left(\operatorname{PolyLog}\left(2, \frac{\sqrt{c}(d+ex)}{\sqrt{cd-e}}\right) - \operatorname{PolyLog}\left(2, \frac{\sqrt{c}(d+ex)}{\sqrt{cd-ie}}\right) - \operatorname{PolyLog}\left(2, \frac{\sqrt{c}(d+ex)}{\sqrt{cd+ie}}\right) + \operatorname{PolyLog}\left(2, \frac{\sqrt{c}(d+ex)}{\sqrt{cd+e}}\right) \right)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x^2])/(d + e*x), x]

[Out] (a*Log[d + e*x])/e + (b*(2*ArcTanh[c*x^2]*Log[d + e*x] - Log[(e*(1 - Sqrt[c]*x))/(Sqrt[c]*d + I*e)]*Log[d + e*x] - Log[-((e*(1 + Sqrt[c]*x))/(Sqrt[c]*d - I*e))]*Log[d + e*x] + Log[-((e*(1 + Sqrt[c]*x))/(Sqrt[c]*d - e))]*Log[d + e*x] + Log[d + e*x]*Log[(e - Sqrt[c]*e*x)/(Sqrt[c]*d + e)] + PolyLog[2, (Sqrt[c]*(d + e*x))/(Sqrt[c]*d - e)] - PolyLog[2, (Sqrt[c]*(d + e*x))/(Sqrt[c]*d + e)])/(2*e)

$[c]*d - I*e]] - \text{PolyLog}[2, (\text{Sqrt}[c]*(d + e*x))/(\text{Sqrt}[c]*d + I*e)] + \text{PolyLog}[2, (\text{Sqrt}[c]*(d + e*x))/(\text{Sqrt}[c]*d + e))]/(2*e)$

Maple [A] time = 0.07, size = 362, normalized size = 1.1

$$\frac{a \ln(ex + d)}{e} + \frac{b \ln(ex + d) \text{Artanh}(cx^2)}{e} - \frac{b \ln(ex + d)}{2e} \ln\left(\left(e\sqrt{-c} - (ex + d)c + cd\right)\left(e\sqrt{-c} + cd\right)^{-1}\right) - \frac{b \ln(ex + d)}{2e} \ln\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^2))/(e*x+d),x)

[Out] $a*\ln(e*x+d)/e+b*\ln(e*x+d)/e*\arctanh(c*x^2)-1/2*b/e*\ln(e*x+d)*\ln((e*(-c)^{(1/2)}-(e*x+d)*c+c*d)/(e*(-c)^{(1/2)}+c*d))-1/2*b/e*\ln(e*x+d)*\ln((e*(-c)^{(1/2)}+(e*x+d)*c-c*d)/(e*(-c)^{(1/2)}-c*d))-1/2*b/e*\text{dilog}((e*(-c)^{(1/2)}-(e*x+d)*c+c*d)/(e*(-c)^{(1/2)}+c*d))-1/2*b/e*\text{dilog}((e*(-c)^{(1/2)}+(e*x+d)*c-c*d)/(e*(-c)^{(1/2)}-c*d))+1/2*b/e*\ln(e*x+d)*\ln((e*c^{(1/2)}-(e*x+d)*c+c*d)/(e*c^{(1/2)}+c*d))+1/2*b/e*\ln(e*x+d)*\ln((e*c^{(1/2)}+(e*x+d)*c-c*d)/(e*c^{(1/2)}-c*d))+1/2*b/e*\text{dilog}((e*c^{(1/2)}-(e*x+d)*c+c*d)/(e*c^{(1/2)}+c*d))+1/2*b/e*\text{dilog}((e*c^{(1/2)}+(e*x+d)*c-c*d)/(e*c^{(1/2)}-c*d))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}b \int \frac{\log(cx^2 + 1) - \log(-cx^2 + 1)}{ex + d} dx + \frac{a \log(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d),x, algorithm="maxima")

[Out] $1/2*b*\text{integrate}((\log(c*x^2 + 1) - \log(-c*x^2 + 1))/(e*x + d), x) + a*\log(e*x + d)/e$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \text{artanh}(cx^2) + a}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d),x, algorithm="fricas")

[Out] integral((b*arctanh(c*x^2) + a)/(e*x + d), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*atanh(c*x**2))/(e*x+d),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(cx^2) + a}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x^2))/(e*x+d),x, algorithm="giac")
```

```
[Out] integrate((b*arctanh(c*x^2) + a)/(e*x + d), x)
```

$$3.27 \quad \int \frac{a+b \tanh^{-1}(cx^2)}{(d+ex)^2} dx$$

Optimal. Leaf size=166

$$-\frac{a+b \tanh^{-1}(cx^2)}{e(d+ex)} + \frac{2bcde \log(d+ex)}{c^2d^4-e^4} - \frac{bcd \log(1-cx^2)}{2e(cd^2-e^2)} + \frac{bcd \log(cx^2+1)}{2e(cd^2+e^2)} + \frac{b\sqrt{c} \tan^{-1}(\sqrt{cx})}{cd^2+e^2} - \frac{b\sqrt{c} \tanh^{-1}(\sqrt{cx})}{cd^2-e^2}$$

```
[Out] (b*Sqrt[c]*ArcTan[Sqrt[c]*x])/(c*d^2 + e^2) - (b*Sqrt[c]*ArcTanh[Sqrt[c]*x])/(c*d^2 - e^2) - (a + b*ArcTanh[c*x^2])/(e*(d + e*x)) + (2*b*c*d*e*Log[d + e*x])/(c^2*d^4 - e^4) - (b*c*d*Log[1 - c*x^2])/(2*e*(c*d^2 - e^2)) + (b*c*d*Log[1 + c*x^2])/(2*e*(c*d^2 + e^2))
```

Rubi [A] time = 0.278595, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {6273, 12, 6725, 635, 207, 260, 203}

$$-\frac{a+b \tanh^{-1}(cx^2)}{e(d+ex)} + \frac{2bcde \log(d+ex)}{c^2d^4-e^4} - \frac{bcd \log(1-cx^2)}{2e(cd^2-e^2)} + \frac{bcd \log(cx^2+1)}{2e(cd^2+e^2)} + \frac{b\sqrt{c} \tan^{-1}(\sqrt{cx})}{cd^2+e^2} - \frac{b\sqrt{c} \tanh^{-1}(\sqrt{cx})}{cd^2-e^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*x^2])/(d + e*x)^2, x]
```

```
[Out] (b*Sqrt[c]*ArcTan[Sqrt[c]*x])/(c*d^2 + e^2) - (b*Sqrt[c]*ArcTanh[Sqrt[c]*x])/(c*d^2 - e^2) - (a + b*ArcTanh[c*x^2])/(e*(d + e*x)) + (2*b*c*d*e*Log[d + e*x])/(c^2*d^4 - e^4) - (b*c*d*Log[1 - c*x^2])/(2*e*(c*d^2 - e^2)) + (b*c*d*Log[1 + c*x^2])/(2*e*(c*d^2 + e^2))
```

Rule 6273

```
Int[((a_.) + ArcTanh[u_]*(b_.))*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[((c + d*x)^(m + 1)*(a + b*ArcTanh[u]))/(d*(m + 1)), x] - Dist[b/(d*(m + 1)), Int[SimplifyIntegrand[((c + d*x)^(m + 1)*D[u, x])/(1 - u^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1] && InverseFunctionFreeQ[u, x] && !FunctionOfQ[(c + d*x)^(m + 1), u, x] && FalseQ[PowerVariableExpn[u, m + 1, x]]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

Rule 635

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{a + b \tanh^{-1}(cx^2)}{(d + ex)^2} dx &= -\frac{a + b \tanh^{-1}(cx^2)}{e(d + ex)} + \frac{b \int \frac{2cx}{(d+ex)(1-c^2x^4)} dx}{e} \\ &= -\frac{a + b \tanh^{-1}(cx^2)}{e(d + ex)} + \frac{(2bc) \int \frac{x}{(d+ex)(1-c^2x^4)} dx}{e} \\ &= -\frac{a + b \tanh^{-1}(cx^2)}{e(d + ex)} + \frac{(2bc) \int \left(-\frac{de^3}{(-c^2d^4+e^4)(d+ex)} + \frac{e-cdx}{2(cd^2-e^2)(-1+cx^2)} + \frac{e+cdx}{2(cd^2+e^2)(1+cx^2)} \right) dx}{e} \\ &= -\frac{a + b \tanh^{-1}(cx^2)}{e(d + ex)} + \frac{2bcde \log(d + ex)}{c^2d^4 - e^4} + \frac{(bc) \int \frac{e-cdx}{-1+cx^2} dx}{e(cd^2 - e^2)} + \frac{(bc) \int \frac{e+cdx}{1+cx^2} dx}{e(cd^2 + e^2)} \\ &= -\frac{a + b \tanh^{-1}(cx^2)}{e(d + ex)} + \frac{2bcde \log(d + ex)}{c^2d^4 - e^4} + \frac{(bc) \int \frac{1}{-1+cx^2} dx}{cd^2 - e^2} - \frac{(bc^2d) \int \frac{x}{-1+cx^2} dx}{e(cd^2 - e^2)} + \frac{(bc) \int \frac{x}{1+cx^2} dx}{cd^2 + e^2} \\ &= \frac{b\sqrt{c} \tan^{-1}(\sqrt{cx})}{cd^2 + e^2} - \frac{b\sqrt{c} \tanh^{-1}(\sqrt{cx})}{cd^2 - e^2} - \frac{a + b \tanh^{-1}(cx^2)}{e(d + ex)} + \frac{2bcde \log(d + ex)}{c^2d^4 - e^4} - \frac{bcd \log(1 - \sqrt{cx})}{2e} \end{aligned}$$

Mathematica [A] time = 0.356395, size = 261, normalized size = 1.57

$$\frac{1}{2} \left(-\frac{2a}{e(d + ex)} + \frac{bc^2d^3 \log(cx^2 + 1)}{c^2d^4e - e^5} - \frac{bcde \log(1 - c^2x^4)}{c^2d^4 - e^4} + \frac{4bcde \log(d + ex)}{c^2d^4 - e^4} + \frac{b\sqrt{c}(c^{3/2}d^3 - cd^2e - e^3) \log(1 - \sqrt{cx})}{e^5 - c^2d^4e} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x^2])/(d + e*x)^2,x]

[Out] ((-2*a)/(e*(d + e*x)) + (2*b*Sqrt[c]*ArcTan[Sqrt[c]*x])/(c*d^2 + e^2) - (2*b*ArcTanh[c*x^2])/(e*(d + e*x)) + (b*Sqrt[c]*(c^(3/2)*d^3 - c*d^2*e - e^3)*Log[1 - Sqrt[c]*x])/(-(c^2*d^4*e) + e^5) + (b*Sqrt[c]*(c^(3/2)*d^3 + c*d^2*e + e^3)*Log[1 + Sqrt[c]*x])/(-(c^2*d^4*e) + e^5) + (4*b*c*d*e*Log[d + e*x])/(c^2*d^4 - e^4) + (b*c^2*d^3*Log[1 + c*x^2])/(c^2*d^4*e - e^5) - (b*c*d*e*Log[1 - c^2*x^4])/(c^2*d^4 - e^4))/2

Maple [A] time = 0.034, size = 181, normalized size = 1.1

$$-\frac{a}{(ex+d)e} - \frac{b \operatorname{Arctanh}(cx^2)}{(ex+d)e} + \frac{bcd \ln(cx^2+1)}{e(2cd^2+2e^2)} + 2 \frac{b\sqrt{c} \arctan(x\sqrt{c})}{2cd^2+2e^2} - \frac{bcd \ln(cx^2-1)}{e(2cd^2-2e^2)} - 2 \frac{b\sqrt{c} \operatorname{Arctanh}(x\sqrt{c})}{2cd^2-2e^2} + 2 \frac{b\sqrt{c} \operatorname{Arctanh}(x\sqrt{c})}{2cd^2-2e^2} + 2 \frac{b\sqrt{c} \operatorname{Arctanh}(x\sqrt{c})}{2cd^2-2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^2))/(e*x+d)^2,x)

[Out] -a/(e*x+d)/e-b/(e*x+d)/e*arctanh(c*x^2)+b/e*c/(2*c*d^2+2*e^2)*d*ln(c*x^2+1)+2*b*c^(1/2)/(2*c*d^2+2*e^2)*arctan(x*c^(1/2))-b/e*c/(2*c*d^2-2*e^2)*d*ln(c*x^2-1)-2*b*c^(1/2)/(2*c*d^2-2*e^2)*arctanh(x*c^(1/2))+2*b*e*c*d/(c*d^2-e^2)/(c*d^2+e^2)*ln(e*x+d)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 26.8824, size = 1350, normalized size = 8.13

$$\left[\frac{2ac^2d^4 - 2ae^4 - 2(bcd^3e - bde^3 + (bcd^2e^2 - be^4)x)\sqrt{c} \arctan(\sqrt{c}x) + (bcd^3e + bde^3 + (bcd^2e^2 + be^4)x)\sqrt{c} \log\left(\frac{cx^2+2\sqrt{c}x+1}{cx^2-1}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d)^2,x, algorithm="fricas")

[Out] [-1/2*(2*a*c^2*d^4 - 2*a*e^4 - 2*(b*c*d^3*e - b*d*e^3 + (b*c*d^2*e^2 - b*e^4)*x)*sqrt(c)*arctan(sqrt(c)*x) + (b*c*d^3*e + b*d*e^3 + (b*c*d^2*e^2 + b*e^4)*x)*sqrt(c)*log((c*x^2 + 2*sqrt(c)*x + 1)/(c*x^2 - 1)) - (b*c^2*d^4 - b*c*d^2*e^2 + (b*c^2*d^3*e - b*c*d*e^3)*x)*log(c*x^2 + 1) + (b*c^2*d^4 + b*c*d^2*e^2 + (b*c^2*d^3*e + b*c*d*e^3)*x)*log(c*x^2 - 1) - 4*(b*c*d*e^3*x + b*c*d^2*e^2)*log(e*x + d) + (b*c^2*d^4 - b*e^4)*log(-(c*x^2 + 1)/(c*x^2 - 1)))/(c^2*d^5*e - d*e^5 + (c^2*d^4*e^2 - e^6)*x), -1/2*(2*a*c^2*d^4 - 2*a*e^4 - 2*(b*c*d^3*e + b*d*e^3 + (b*c*d^2*e^2 + b*e^4)*x)*sqrt(-c)*arctan(sqrt(-c)*x) - (b*c*d^3*e - b*d*e^3 + (b*c*d^2*e^2 - b*e^4)*x)*sqrt(-c)*log((c*x^2 + 2*sqrt(-c)*x - 1)/(c*x^2 + 1)) - (b*c^2*d^4 - b*c*d^2*e^2 + (b*c^2*d^3*e - b*c*d*e^3)*x)*log(c*x^2 + 1) + (b*c^2*d^4 + b*c*d^2*e^2 + (b*c^2*d^3*e + b*c*d*e^3)*x)*log(c*x^2 - 1) - 4*(b*c*d*e^3*x + b*c*d^2*e^2)*log(e*x + d) + (b*c^2*d^4 - b*e^4)*log(-(c*x^2 + 1)/(c*x^2 - 1)))/(c^2*d^5*e - d*e^5 + (c^2*d^4*e^2 - e^6)*x)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**2))/(e*x+d)**2,x)

[Out] Timed out

Giac [A] time = 1.17415, size = 366, normalized size = 2.2

$$\frac{1}{2} \left(\frac{cd \log\left(c - \frac{2cd}{xe+d} + \frac{cd^2}{(xe+d)^2} + \frac{e^2}{(xe+d)^2}\right)}{cd^2e + e^3} - \frac{cd \log\left(c - \frac{2cd}{xe+d} + \frac{cd^2}{(xe+d)^2} - \frac{e^2}{(xe+d)^2}\right)}{cd^2e - e^3} - \frac{e^{(-1)} \log\left(\frac{-cx^2+1}{cx^2-1}\right)}{xe+d} + \frac{2c \arctan\left(\frac{cd - \frac{cd^2}{xe+d}}{cd^2 - e^2}\right)}{(cd^2 - e^2)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d)^2,x, algorithm="giac")

[Out] 1/2*(c*d*log(c - 2*c*d/(x*e + d) + c*d^2/(x*e + d)^2 + e^2/(x*e + d)^2)/(c*d^2*e + e^3) - c*d*log(c - 2*c*d/(x*e + d) + c*d^2/(x*e + d)^2 - e^2/(x*e + d)^2)/(c*d^2*e - e^3) - e^(-1)*log(-(c*x^2 + 1)/(c*x^2 - 1))/(x*e + d) + 2*c*arctan((c*d - c*d^2/(x*e + d) + e^2/(x*e + d))*e^(-1)/sqrt(-c))/((c*d^2 - e^2)*sqrt(-c)) + 2*sqrt(c)*arctan((c*d - c*d^2/(x*e + d) - e^2/(x*e + d))*e^(-1)/sqrt(c))/(c*d^2 + e^2))*b - a*e^(-1)/(x*e + d)

$$3.28 \quad \int \frac{a+b \tanh^{-1}(cx^2)}{(d+ex)^3} dx$$

Optimal. Leaf size=226

$$-\frac{a+b \tanh^{-1}(cx^2)}{2e(d+ex)^2} - \frac{bcde}{(c^2d^4 - e^4)(d+ex)} + \frac{bce(3c^2d^4 + e^4) \log(d+ex)}{(c^2d^4 - e^4)^2} + \frac{bc^{3/2}d \tan^{-1}(\sqrt{cx})}{(cd^2 + e^2)^2} - \frac{bc^{3/2}d \tanh^{-1}(\sqrt{cx})}{(cd^2 - e^2)^2}$$

[Out] $-\left(\frac{b*c*d*e}{(c^2*d^4 - e^4)*(d + e*x)}\right) + \left(\frac{b*c^{(3/2)*d*ArcTan[Sqrt[c]*x]}{(c*d^2 + e^2)^2} - \frac{b*c^{(3/2)*d*ArcTanh[Sqrt[c]*x]}{(c*d^2 - e^2)^2} - (a + b*ArcTanh[c*x^2])}{(2*e*(d + e*x)^2)} + \frac{b*c*e*(3*c^2*d^4 + e^4)*Log[d + e*x]}{(c^2*d^4 - e^4)^2} - \frac{b*c*(c*d^2 + e^2)*Log[1 - c*x^2]}{(4*e*(c*d^2 - e^2)^2)} + \frac{b*c*(c*d^2 - e^2)*Log[1 + c*x^2]}{(4*e*(c*d^2 + e^2)^2)}\right)$

Rubi [F] time = 0.0664324, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \tanh^{-1}(cx^2)}{(d + ex)^3} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcTanh[c*x^2])/(d + e*x)^3, x]

[Out] -a/(2*e*(d + e*x)^2) + b*Defer[Int][ArcTanh[c*x^2]/(d + e*x)^3, x]

Rubi steps

$$\begin{aligned} \int \frac{a + b \tanh^{-1}(cx^2)}{(d + ex)^3} dx &= \int \left(\frac{a}{(d + ex)^3} + \frac{b \tanh^{-1}(cx^2)}{(d + ex)^3} \right) dx \\ &= -\frac{a}{2e(d + ex)^2} + b \int \frac{\tanh^{-1}(cx^2)}{(d + ex)^3} dx \end{aligned}$$

Mathematica [A] time = 0.712337, size = 379, normalized size = 1.68

$$\frac{1}{4} \left(-\frac{2a}{e(d+ex)^2} + \frac{bc^2(c^2d^6 + 3d^2e^4) \log(cx^2 + 1)}{e(e^4 - c^2d^4)^2} - \frac{bce(3c^2d^4 + e^4) \log(1 - c^2x^4)}{(e^4 - c^2d^4)^2} - \frac{4bcde}{(c^2d^4 - e^4)(d + ex)} - \frac{bc^{3/2}d(-2c^2d^2 + e^2) \tan^{-1}(\sqrt{cx})}{(cd^2 + e^2)^2} + \frac{bc^{3/2}d(2c^2d^2 - e^2) \tanh^{-1}(\sqrt{cx})}{(cd^2 - e^2)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x^2])/(d + e*x)^3, x]

[Out] $\left(\frac{-2*a}{e*(d + e*x)^2} - \frac{4*b*c*d*e}{(c^2*d^4 - e^4)*(d + e*x)} + \frac{4*b*c^{(3/2)*d*ArcTan[Sqrt[c]*x]}{(c*d^2 + e^2)^2} - \frac{2*b*ArcTanh[c*x^2]}{e*(d + e*x)^2} - \frac{b*c^{(3/2)*d*(c^{(5/2)*d^5 - 2*c^2*d^4*e - 4*c*d^2*e^3 + 3*sqrt[c]*d*e^4 - 2*e^5)*Log[1 - Sqrt[c]*x]}{e*(-(c^2*d^4) + e^4)^2} - \frac{b*c^{(3/2)*d*(c^{(5/2)*d^5 + 2*c^2*d^4*e + 4*c*d^2*e^3 + 3*sqrt[c]*d*e^4 + 2*e^5)*Log[1 + Sqrt[c]*x]}{e*(-(c^2*d^4) + e^4)^2} + \frac{4*b*c*e*(3*c^2*d^4 + e^4)*Log[d + e*x]}{-(c^2*d^4) + e^4} + \frac{b*c^2*(c^2*d^6 + 3*d^2*e^4)*Log[1 + c*x^2]}{(e^4 - c^2*d^4)^2}\right)$

$$e^{-(c^2 d^4 + e^4)^2} - (b c e^{(3 c^2 d^4 + e^4) \operatorname{Log}[1 - c^2 x^4]}) / (-(c^2 d^4 + e^4)^2) / 4$$

Maple [A] time = 0.04, size = 310, normalized size = 1.4

$$-\frac{a}{2(e x+d)^2 e} - \frac{b \operatorname{Arctanh}(c x^2)}{2(e x+d)^2 e} + \frac{b c^2 \ln(c x^2+1) d^2}{4 e(c d^2+e^2)^2} - \frac{b e c \ln(c x^2+1)}{4(c d^2+e^2)^2} + \frac{b d}{(c d^2+e^2)^2} c^{\frac{3}{2}} \arctan(x \sqrt{c}) - \frac{b c^2 \ln(c x^2+1)}{4 e(c d^2+e^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^2))/(e*x+d)^3,x)

[Out] $-\frac{1}{2} \frac{a}{(e x+d)^2 e} - \frac{1}{2} \frac{b}{(e x+d)^2 e} \operatorname{arctanh}(c x^2) + \frac{1}{4} \frac{b}{e} \frac{c^2}{(c d^2+e^2)^2} \ln(c x^2+1) d^2 - \frac{1}{4} \frac{b}{e} \frac{c^2}{(c d^2+e^2)^2} \ln(c x^2+1) + \frac{b}{e} \frac{c^{\frac{3}{2}}}{(c d^2+e^2)^2} d \operatorname{arctan}(x \sqrt{c}) - \frac{1}{4} \frac{b}{e} \frac{c^2}{(c d^2+e^2)^2} \ln(c x^2-1) d^2 - \frac{1}{4} \frac{b}{e} \frac{c^2}{(c d^2+e^2)^2} \ln(c x^2-1) - \frac{b}{e} \frac{c^{\frac{3}{2}}}{(c d^2+e^2)^2} d \operatorname{arctanh}(x \sqrt{c}) - \frac{b}{e} \frac{c^{\frac{3}{2}}}{(c d^2+e^2)^2} d \operatorname{arctanh}(x \sqrt{c}) + \frac{3}{4} \frac{b}{e} \frac{c^2}{(c d^2+e^2)^2} \ln(e x+d) d^4 + \frac{b}{e} \frac{c^5}{(c d^2+e^2)^2} \ln(e x+d)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d)^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**2))/(e*x+d)**3,x)

[Out] Timed out

Giac [B] time = 89.4739, size = 684, normalized size = 3.03

$$\frac{bc^2 d \arctan(\sqrt{cx})}{c^2 d^4 + 2 cd^2 e^2 + e^4} + \frac{bc^2 d \arctan\left(\frac{cx}{\sqrt{-c}}\right)}{(c^2 d^4 - 2 cd^2 e^2 + e^4)\sqrt{-c}} - \frac{(bc^2 d^2 + bce^2) \log(cx^2 - 1)}{4(c^2 d^4 e - 2 cd^2 e^3 + e^5)} + \frac{(bc^2 d^2 - bce^2) \log(-cx^2 - 1)}{4(c^2 d^4 e + 2 cd^2 e^3 + e^5)} - \frac{bc^4 d^8 \log(-cx^2 - 1)}{4(c^2 d^4 e + 2 cd^2 e^3 + e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))/(e*x+d)^3,x, algorithm="giac")

[Out] $b*c^{3/2}*d*\arctan(\sqrt{c}*x)/(c^2*d^4 + 2*c*d^2*e^2 + e^4) + b*c^2*d*\arctan(c*x/\sqrt{-c})/((c^2*d^4 - 2*c*d^2*e^2 + e^4)*\sqrt{-c}) - 1/4*(b*c^2*d^2 + b*c*e^2)*\log(c*x^2 - 1)/(c^2*d^4*e - 2*c*d^2*e^3 + e^5) + 1/4*(b*c^2*d^2 - b*c*e^2)*\log(-c*x^2 - 1)/(c^2*d^4*e + 2*c*d^2*e^3 + e^5) - 1/4*(b*c^4*d^8*\log(-(c*x^2 + 1)/(c*x^2 - 1)) + 2*a*c^4*d^8 - 12*b*c^3*d^4*x^2*e^4*\log(x*e + d) - 24*b*c^3*d^5*x*e^3*\log(x*e + d) - 12*b*c^3*d^6*e^2*\log(x*e + d) + 4*b*c^3*d^5*x*e^3 + 4*b*c^3*d^6*e^2 - 2*b*c^2*d^4*e^4*\log(-(c*x^2 + 1)/(c*x^2 - 1)) - 4*a*c^2*d^4*e^4 - 4*b*c*x^2*e^8*\log(x*e + d) - 8*b*c*d*x*e^7*\log(x*e + d) - 4*b*c*d^2*e^6*\log(x*e + d) - 4*b*c*d*x*e^7 - 4*b*c*d^2*e^6 + b*e^8*\log(-(c*x^2 + 1)/(c*x^2 - 1)) + 2*a*e^8)/(c^4*d^8*x^2*e^3 + 2*c^4*d^9*x*e^2 + c^4*d^10*e - 2*c^2*d^4*x^2*e^7 - 4*c^2*d^5*x*e^6 - 2*c^2*d^6*e^5 + x^2*e^11 + 2*d*x*e^10 + d^2*e^9)$

$$3.29 \quad \int (d + ex) \left(a + b \tanh^{-1}(cx^2) \right)^2 dx$$

Optimal. Leaf size=1085

result too large to display

```
[Out] a^2*d*x + (2*a*b*d*ArcTan[Sqrt[c]*x])/Sqrt[c] + (I*b^2*d*ArcTan[Sqrt[c]*x]^2)/Sqrt[c] - (2*a*b*d*ArcTanh[Sqrt[c]*x])/Sqrt[c] - (b^2*d*ArcTanh[Sqrt[c]*x]^2)/Sqrt[c] + (e*(a + b*ArcTanh[c*x^2])^2)/(2*c) + (e*x^2*(a + b*ArcTanh[c*x^2])^2)/2 + (2*b^2*d*ArcTanh[Sqrt[c]*x]*Log[2/(1 - Sqrt[c]*x)])/Sqrt[c] - (2*b^2*d*ArcTan[Sqrt[c]*x]*Log[2/(1 - I*Sqrt[c]*x)])/Sqrt[c] + (b^2*d*ArcTan[Sqrt[c]*x]*Log[((1 + I)*(1 - Sqrt[c]*x))/(1 - I*Sqrt[c]*x)])/Sqrt[c] + (2*b^2*d*ArcTan[Sqrt[c]*x]*Log[2/(1 + I*Sqrt[c]*x)])/Sqrt[c] - (2*b^2*d*ArcTanh[Sqrt[c]*x]*Log[2/(1 + Sqrt[c]*x)])/Sqrt[c] + (b^2*d*ArcTanh[Sqrt[c]*x]*Log[(-2*Sqrt[c]*(1 - Sqrt[-c]*x))/((Sqrt[-c] - Sqrt[c])*(1 + Sqrt[c]*x))])/Sqrt[c] + (b^2*d*ArcTanh[Sqrt[c]*x]*Log[(2*Sqrt[c]*(1 + Sqrt[-c]*x))/((Sqrt[-c] + Sqrt[c])*(1 + Sqrt[c]*x))])/Sqrt[c] + (b^2*d*ArcTan[Sqrt[c]*x]*Log[((1 - I)*(1 + Sqrt[c]*x))/(1 - I*Sqrt[c]*x)])/Sqrt[c] - (b*e*(a + b*ArcTanh[c*x^2])*Log[2/(1 - c*x^2)])/c - a*b*d*x*Log[1 - c*x^2] - (b^2*d*ArcTan[Sqrt[c]*x]*Log[1 - c*x^2])/Sqrt[c] + (b^2*d*ArcTanh[Sqrt[c]*x]*Log[1 - c*x^2])/Sqrt[c] + (b^2*d*x*Log[1 - c*x^2]^2)/4 + a*b*d*x*Log[1 + c*x^2] + (b^2*d*ArcTan[Sqrt[c]*x]*Log[1 + c*x^2])/Sqrt[c] - (b^2*d*ArcTanh[Sqrt[c]*x]*Log[1 + c*x^2])/Sqrt[c] - (b^2*d*x*Log[1 - c*x^2]*Log[1 + c*x^2])/2 + (b^2*d*x*Log[1 + c*x^2]^2)/4 + (b^2*d*PolyLog[2, 1 - 2/(1 - Sqrt[c]*x)])/Sqrt[c] + (I*b^2*d*PolyLog[2, 1 - 2/(1 - I*Sqrt[c]*x)])/Sqrt[c] - ((I/2)*b^2*d*PolyLog[2, 1 - ((1 + I)*(1 - Sqrt[c]*x))/(1 - I*Sqrt[c]*x)])/Sqrt[c] + (I*b^2*d*PolyLog[2, 1 - 2/(1 + I*Sqrt[c]*x)])/Sqrt[c] + (b^2*d*PolyLog[2, 1 - 2/(1 + Sqrt[c]*x)])/Sqrt[c] - (b^2*d*PolyLog[2, 1 + (2*Sqrt[c]*(1 - Sqrt[-c]*x))/((Sqrt[-c] - Sqrt[c])*(1 + Sqrt[c]*x))])/((2*Sqrt[c]) - (b^2*d*PolyLog[2, 1 - (2*Sqrt[c]*(1 + Sqrt[-c]*x))/((Sqrt[-c] + Sqrt[c])*(1 + Sqrt[c]*x))])/((2*Sqrt[c]) - ((I/2)*b^2*d*PolyLog[2, 1 - ((1 - I)*(1 + Sqrt[c]*x))/(1 - I*Sqrt[c]*x)])/Sqrt[c] - (b^2*e*PolyLog[2, 1 - 2/(1 - c*x^2)])/(2*c)
```

Rubi [A] time = 2.43804, antiderivative size = 1216, normalized size of antiderivative = 1.12, number of steps used = 104, number of rules used = 39, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 2.167$, Rules used = {6742, 6091, 298, 203, 206, 6097, 260, 6093, 2450, 2476, 2448, 321, 2470, 12, 5984, 5918, 2402, 2315, 2556, 5992, 5920, 2447, 4928, 4856, 4920, 4854, 6099, 2454, 2389, 2296, 2295, 30, 2557, 2475, 43, 2416, 2394, 2393, 2391}

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Int[(d + e*x)*(a + b*ArcTanh[c*x^2])^2, x]
```

```
[Out] (a^2*(d + e*x)^2)/(2*e) + (2*a*b*d*ArcTan[Sqrt[c]*x])/Sqrt[c] + (I*b^2*d*ArcTan[Sqrt[c]*x]^2)/Sqrt[c] - (2*a*b*d*ArcTanh[Sqrt[c]*x])/Sqrt[c] - (b^2*d*ArcTanh[Sqrt[c]*x]^2)/Sqrt[c] + 2*a*b*d*x*ArcTanh[c*x^2] + a*b*e*x^2*ArcTanh[c*x^2] + (2*b^2*d*ArcTanh[Sqrt[c]*x]*Log[2/(1 - Sqrt[c]*x)])/Sqrt[c] - (2*b^2*d*ArcTan[Sqrt[c]*x]*Log[2/(1 - I*Sqrt[c]*x)])/Sqrt[c] + (b^2*d*ArcTan[Sqrt[c]*x]*Log[((1 + I)*(1 - Sqrt[c]*x))/(1 - I*Sqrt[c]*x)])/Sqrt[c] + (2*b^2*d*ArcTan[Sqrt[c]*x]*Log[2/(1 + I*Sqrt[c]*x)])/Sqrt[c] - (2*b^2*d*ArcTanh[Sqrt[c]*x]*Log[2/(1 + Sqrt[c]*x)])/Sqrt[c] + (b^2*d*ArcTanh[Sqrt[c]*x]*Log[(-2*Sqrt[c]*(1 - Sqrt[-c]*x))/((Sqrt[-c] - Sqrt[c])*(1 + Sqrt[c]*x))])/Sqrt[c] + (b^2*d*ArcTanh[Sqrt[c]*x]*Log[(2*Sqrt[c]*(1 + Sqrt[-c]*x))/((Sqrt[-c] + Sqrt[c])*(1 + Sqrt[c]*x))])/Sqrt[c] + (b^2*d*ArcTan[Sqrt[c]*x]*Log[((1
```


Rule 6093

Int[((a_.) + ArcTanh[(c_.)*(x_)^(n_)])*(b_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + (b*Log[1 + c*x^n])/2 - (b*Log[1 - c*x^n])/2)^p, x], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0] && IntegerQ[n]

Rule 2450

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)])*(b_.))^(q_), x_Symbol] := Simp[x*(a + b*Log[c*(d + e*x^n)^p])^q, x] - Dist[b*e*n*p*q, Int[(x^n*(a + b*Log[c*(d + e*x^n)^p])^(q - 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, n, p}, x] && IGtQ[q, 0] && (EqQ[q, 1] || IntegerQ[n])

Rule 2476

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)])*(b_.))^(q_.)*(x_)^(m_.)*((f_) + (g_.)*(x_)^(s_))^(r_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x^n)^p])^q, x^m*(f + g*x^s)^r, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p, q, r, s}, x] && IGtQ[q, 0] && IntegerQ[m] && IntegerQ[r] && IntegerQ[s]

Rule 2448

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)], x_Symbol] := Simp[x*Log[c*(d + e*x^n)^p], x] - Dist[e*n*p, Int[x^n/(d + e*x^n), x], x] /; FreeQ[{c, d, e, n, p}, x]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2470

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)])*(b_.))/((f_) + (g_.)*(x_)^2), x_Symbol] := With[{u = IntHide[1/(f + g*x^2), x]}, Simp[u*(a + b*Log[c*(d + e*x^n)^p]), x] - Dist[b*e*n*p, Int[(u*x^(n - 1))/(d + e*x^n), x], x]] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && IntegerQ[n]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 5984

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p + 1)/(b*e*(p + 1)), x] + Dist[1/(c*d), Int[(a + b*ArcTanh[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]

Rule 5918

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] + Dist[(b*c

p)/e, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2556

Int[Log[v_] * Log[w_], x_Symbol] := Simp[x*Log[v]*Log[w], x] + (-Int[SimplifyIntegrand[(x*Log[w]*D[v, x])/v, x], x] - Int[SimplifyIntegrand[(x*Log[v]*D[w, x])/w, x], x]) /; InverseFunctionFreeQ[v, x] && InverseFunctionFreeQ[w, x]

Rule 5992

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))*(x_)^(m_.))/((d_) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[a + b*ArcTanh[c*x], x^m/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0])

Rule 5920

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_))), x_Symbol] := -Simp[(((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/(c*d + e*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[(((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/(c*d + e*(1 + c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rule 2447

Int[Log[u_] * (Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rule 4928

Int[(((a_.) + ArcTan[(c_.)*(x_)]*(b_.))*(x_)^(m_.))/((d_) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[a + b*ArcTan[c*x], x^m/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0])

Rule 4856

Int[(((a_.) + ArcTan[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_))), x_Symbol] := -Simp[(((a + b*ArcTan[c*x])*Log[2/(1 - I*c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/(c*d + I*e*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[(((a + b*ArcTan[c*x])*Log[(2*c*(d + e*x))/(c*d + I*e*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b,

c, d, e, x && $\text{NeQ}[c^2*d^2 + e^2, 0]$

Rule 4920

$\text{Int}[\frac{((a_.) + \text{ArcTan}[(c_.)*(x_)]*(b_.)^{(p_.)*(x_)}))}{((d_.) + (e_.)*(x_)^2)}, x_Symbol] :> -\text{Simp}[\frac{I*(a + b*\text{ArcTan}[c*x])^{(p + 1)}}{(b*e*(p + 1))}, x] - \text{Dist}[1/(c*d), \text{Int}[(a + b*\text{ArcTan}[c*x])^p/(I - c*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{EqQ}[e, c^2*d] \&\& \text{IGtQ}[p, 0]$

Rule 4854

$\text{Int}[\frac{((a_.) + \text{ArcTan}[(c_.)*(x_)]*(b_.)^{(p_.)})}{((d_.) + (e_.)*(x_))}, x_Symbol] :> -\text{Simp}[\frac{((a + b*\text{ArcTan}[c*x])^p*\text{Log}[2/(1 + (e*x)/d)])}{e}, x] + \text{Dist}[\frac{(b*c*p)}{e}, \text{Int}[\frac{((a + b*\text{ArcTan}[c*x])^{(p - 1)}*\text{Log}[2/(1 + (e*x)/d)])}{(1 + c^2*x^2)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[c^2*d^2 + e^2, 0]$

Rule 6099

$\text{Int}[\frac{((a_.) + \text{ArcTanh}[(c_.)*(x_)^{(n_)}]*(b_.)^{(p_.)*((d_.)*(x_))^{(m_.)})}{x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[\frac{(d*x)^m*(a + (b*\text{Log}[1 + c*x^n]))}{2} - \frac{(b*\text{Log}[1 - c*x^n])}{2})^p, x], x] /; \text{FreeQ}\{a, b, c, d, m, n, x\} \&\& \text{IGtQ}[p, 0] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 2454

$\text{Int}[\frac{((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_)^{(n_)}])^{(p_.)})*(b_.)^{(q_.)*(x_)^{(m_.)})}{x_Symbol] :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Log}[c*(d + e*x)^p])^q}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p, q, x\} \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]] \&\& (\text{GtQ}[(m + 1)/n, 0] \|\ \text{IGtQ}[q, 0]) \&\& !(\text{EqQ}[q, 1] \&\& \text{ILtQ}[n, 0] \&\& \text{IGtQ}[m, 0])$

Rule 2389

$\text{Int}[\frac{((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_))^{(n_.)}])*(b_.)^{(p_.)})}{x_Symbol] :> \text{Dist}[1/e, \text{Subst}[\text{Int}[(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, n, p, x\}$

Rule 2296

$\text{Int}[\frac{((a_.) + \text{Log}[(c_.)*(x_)^{(n_.)}])*(b_.)^{(p_.)})}{x_Symbol] :> \text{Simp}[x*(a + b*\text{Log}[c*x^n])^p, x] - \text{Dist}[b*n*p, \text{Int}[(a + b*\text{Log}[c*x^n])^{(p - 1)}, x], x] /; \text{FreeQ}\{a, b, c, n, x\} \&\& \text{GtQ}[p, 0] \&\& \text{IntegerQ}[2*p]$

Rule 2295

$\text{Int}[\text{Log}[(c_.)*(x_)^{(n_.)}], x_Symbol] :> \text{Simp}[x*\text{Log}[c*x^n], x] - \text{Simp}[n*x, x] /; \text{FreeQ}\{c, n, x\}$

Rule 30

$\text{Int}[(x_)^{(m_.)}, x_Symbol] :> \text{Simp}[x^{(m + 1)}/(m + 1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

Rule 2557

$\text{Int}[\text{Log}[v_*]\text{Log}[w_*](u_), x_Symbol] :> \text{With}\{z = \text{IntHide}[u, x]\}, \text{Dist}[\text{Log}[v_*]\text{Log}[w_*], z, x] + (-\text{Int}[\text{SimplifyIntegrand}[(z*\text{Log}[w_*]*D[v, x])/v, x], x] - \text{Int}[\text{SimplifyIntegrand}[(z*\text{Log}[v_*]*D[w, x])/w, x], x]) /; \text{InverseFunctionFreeQ}[z$

, x]] /; InverseFunctionFreeQ[v, x] && InverseFunctionFreeQ[w, x]

Rule 2475

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))]^(p_.)]*(b_.))^(q_.)*(x_)^(m_.)*((f_) + (g_.)*(x_)^(s_))^(r_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(f + g*x^(s/n))^r*(a + b*Log[c*(d + e*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p, q, r, s}, x] && IntegerQ[r] && IntegerQ[s/n] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0])

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 2416

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((h_.)*(x_))^(m_.)*((f_) + (g_.)*(x_))^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

Rule 2394

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]

Rule 2393

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int (d+ex)(a+b \tanh^{-1}(cx^2))^2 dx &= \int \left(a^2(d+ex) + 2ab(d+ex) \tanh^{-1}(cx^2) + b^2(d+ex) \tanh^{-1}(cx^2)^2 \right) dx \\
&= \frac{a^2(d+ex)^2}{2e} + (2ab) \int (d+ex) \tanh^{-1}(cx^2) dx + b^2 \int (d+ex) \tanh^{-1}(cx^2)^2 dx \\
&= \frac{a^2(d+ex)^2}{2e} + (2ab) \int (d \tanh^{-1}(cx^2) + ex \tanh^{-1}(cx^2)) dx + b^2 \int (d \tanh^{-1}(cx^2)^2 + ex \tanh^{-1}(cx^2)^2) dx \\
&= \frac{a^2(d+ex)^2}{2e} + (2abd) \int \tanh^{-1}(cx^2) dx + (b^2d) \int \tanh^{-1}(cx^2)^2 dx + (2abe) \int ex \tanh^{-1}(cx^2)^2 dx \\
&= \frac{a^2(d+ex)^2}{2e} + 2abdx \tanh^{-1}(cx^2) + abex^2 \tanh^{-1}(cx^2) + (b^2d) \int \left(\frac{1}{4} \log^2(1-cx^2) - \frac{1}{2} \log(1-cx^2) \right) dx \\
&= \frac{a^2(d+ex)^2}{2e} + 2abdx \tanh^{-1}(cx^2) + abex^2 \tanh^{-1}(cx^2) + \frac{abe \log(1-c^2x^4)}{2c} - \frac{abe \log^2(1-cx^2)}{2c} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + 2abdx \tanh^{-1}(cx^2) + \frac{abex^2}{2} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + 2abdx \tanh^{-1}(cx^2) + \frac{abex^2}{2} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + 2abdx \tanh^{-1}(cx^2) + \frac{abex^2}{2} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + 2abdx \tanh^{-1}(cx^2) + \frac{abex^2}{2} \\
&= \frac{1}{2} b^2 ex^2 + \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + 2abdx \tanh^{-1}(cx^2) + \frac{abex^2}{2} \\
&= 4b^2 dx + \frac{1}{2} b^2 ex^2 + \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} + 2abdx \tanh^{-1}(cx^2) + \frac{abex^2}{2} \\
&= \frac{1}{2} b^2 ex^2 + \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} - \frac{2b^2 d \tan^{-1}(\sqrt{cx})}{\sqrt{c}} + \frac{ib^2 d \tan^{-1}(\sqrt{cx})}{\sqrt{c}} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} + \frac{ib^2 d \tan^{-1}(\sqrt{cx})^2}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} + \frac{ib^2 d \tan^{-1}(\sqrt{cx})^2}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} + \frac{ib^2 d \tan^{-1}(\sqrt{cx})^2}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} + \frac{ib^2 d \tan^{-1}(\sqrt{cx})^2}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}} \\
&= \frac{a^2(d+ex)^2}{2e} + \frac{2abd \tan^{-1}(\sqrt{cx})}{\sqrt{c}} + \frac{ib^2 d \tan^{-1}(\sqrt{cx})^2}{\sqrt{c}} - \frac{2abd \tanh^{-1}(\sqrt{cx})}{\sqrt{c}}
\end{aligned}$$

Mathematica [A] time = 3.18411, size = 684, normalized size = 0.63

$$-b^2 d \sqrt{cx^2} \left(-\text{PolyLog} \left(2, \frac{1}{2} (1 - \sqrt{cx^2}) \right) \right) + \text{PolyLog} \left(2, \left(-\frac{1}{2} - \frac{i}{2} \right) (\sqrt{cx^2} - 1) \right) + \text{PolyLog} \left(2, \left(-\frac{1}{2} + \frac{i}{2} \right) (\sqrt{cx^2} - 1) \right) +$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x)*(a + b*ArcTanh[c*x^2])^2,x]

```
[Out] (2*a^2*c*d*x^2 + a^2*c*e*x^3 + 4*a*b*c*d*x^2*ArcTanh[c*x^2] + 4*a*b*d*Sqrt[
c*x^2]*(ArcTan[Sqrt[c*x^2]] - ArcTanh[Sqrt[c*x^2]]) + b^2*e*x*ArcTanh[c*x^2
]*((-1 + c*x^2)*ArcTanh[c*x^2] - 2*Log[1 + E^(-2*ArcTanh[c*x^2])]) + a*b*e*
x*(2*c*x^2*ArcTanh[c*x^2] + Log[1 - c^2*x^4]) + b^2*e*x*PolyLog[2, -E^(-2*A
rcTanh[c*x^2])] - b^2*d*Sqrt[c*x^2]*((2*I)*ArcTan[Sqrt[c*x^2]]^2 - 4*ArcTan
[Sqrt[c*x^2]]*ArcTanh[c*x^2] - 2*Sqrt[c*x^2]*ArcTanh[c*x^2]^2 - 2*ArcTan[Sq
rt[c*x^2]]*Log[1 + E^((4*I)*ArcTan[Sqrt[c*x^2]])] - 2*ArcTanh[c*x^2]*Log[1
- Sqrt[c*x^2]] + Log[2]*Log[1 - Sqrt[c*x^2]] - Log[1 - Sqrt[c*x^2]]^2/2 + L
og[1 - Sqrt[c*x^2]]*Log[(1/2 + I/2)*(-I + Sqrt[c*x^2])]) + 2*ArcTanh[c*x^2]*
Log[1 + Sqrt[c*x^2]] - Log[2]*Log[1 + Sqrt[c*x^2]] - Log[((1 + I) - (1 - I)
*Sqrt[c*x^2])/2]*Log[1 + Sqrt[c*x^2]] - Log[(-1/2 - I/2)*(I + Sqrt[c*x^2])]
*Log[1 + Sqrt[c*x^2]] + Log[1 + Sqrt[c*x^2]]^2/2 + Log[1 - Sqrt[c*x^2]]*Log
[((1 + I) + (1 - I)*Sqrt[c*x^2])/2] + (I/2)*PolyLog[2, -E^((4*I)*ArcTan[Sqr
t[c*x^2])]) - PolyLog[2, (1 - Sqrt[c*x^2])/2] + PolyLog[2, (-1/2 - I/2)*(-1
+ Sqrt[c*x^2])] + PolyLog[2, (-1/2 + I/2)*(-1 + Sqrt[c*x^2])] + PolyLog[2,
(1 + Sqrt[c*x^2])/2] - PolyLog[2, (1/2 - I/2)*(1 + Sqrt[c*x^2])] - PolyLog
[2, (1/2 + I/2)*(1 + Sqrt[c*x^2])])]/(2*c*x)
```

Maple [F] time = 0.269, size = 0, normalized size = 0.

$$\int (ex + d)(a + b \operatorname{Arctanh}(cx^2))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)*(a+b*arctanh(c*x^2))^2,x)
```

```
[Out] int((e*x+d)*(a+b*arctanh(c*x^2))^2,x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(a+b*arctanh(c*x^2))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(a^2ex + a^2d + (b^2ex + b^2d) \operatorname{artanh}(cx^2)^2 + 2(abex + abd) \operatorname{artanh}(cx^2), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(a+b*arctanh(c*x^2))^2,x, algorithm="fricas")
```

```
[Out] integral(a^2*e*x + a^2*d + (b^2*e*x + b^2*d)*arctanh(c*x^2)^2 + 2*(a*b*e*x
+ a*b*d)*arctanh(c*x^2), x)
```


Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{atanh}(cx^2))^2 (d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*atanh(c*x**2))**2,x)

[Out] Integral((a + b*atanh(c*x**2))**2*(d + e*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (ex + d)(b \operatorname{artanh}(cx^2) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x^2))^2,x, algorithm="giac")

[Out] integrate((e*x + d)*(b*arctanh(c*x^2) + a)^2, x)

$$3.30 \quad \int \frac{(a+b \tanh^{-1}(cx^2))^2}{d+ex} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(a+b \tanh^{-1}(cx^2))^2}{d+ex}, x\right)$$

[Out] Unintegrable[(a + b*ArcTanh[c*x^2])^2/(d + e*x), x]

Rubi [A] time = 0.118826, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(a+b \tanh^{-1}(cx^2))^2}{d+ex} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcTanh[c*x^2])^2/(d + e*x), x]

[Out] (a^2*Log[d + e*x])/e + 2*a*b*Defer[Int][ArcTanh[c*x^2]/(d + e*x), x] + b^2*Defer[Int][ArcTanh[c*x^2]^2/(d + e*x), x]

Rubi steps

$$\begin{aligned} \int \frac{(a+b \tanh^{-1}(cx^2))^2}{d+ex} dx &= \int \left(\frac{a^2}{d+ex} + \frac{2ab \tanh^{-1}(cx^2)}{d+ex} + \frac{b^2 \tanh^{-1}(cx^2)^2}{d+ex} \right) dx \\ &= \frac{a^2 \log(d+ex)}{e} + (2ab) \int \frac{\tanh^{-1}(cx^2)}{d+ex} dx + b^2 \int \frac{\tanh^{-1}(cx^2)^2}{d+ex} dx \end{aligned}$$

Mathematica [A] time = 45.2428, size = 0, normalized size = 0.

$$\int \frac{(a+b \tanh^{-1}(cx^2))^2}{d+ex} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcTanh[c*x^2])^2/(d + e*x), x]

[Out] Integrate[(a + b*ArcTanh[c*x^2])^2/(d + e*x), x]

Maple [A] time = 0.33, size = 0, normalized size = 0.

$$\int \frac{(a+b \text{Artanh}(cx^2))^2}{ex+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arctanh(c*x^2))^2/(e*x+d),x)`

[Out] `int((a+b*arctanh(c*x^2))^2/(e*x+d),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{a^2 \log(ex + d)}{e} + \int \frac{b^2 (\log(cx^2 + 1) - \log(-cx^2 + 1))^2}{4(ex + d)} + \frac{ab(\log(cx^2 + 1) - \log(-cx^2 + 1))}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^2))^2/(e*x+d),x, algorithm="maxima")`

[Out] `a^2*log(e*x + d)/e + integrate(1/4*b^2*(log(c*x^2 + 1) - log(-c*x^2 + 1))^2/(e*x + d) + a*b*(log(c*x^2 + 1) - log(-c*x^2 + 1))/(e*x + d), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{b^2 \operatorname{artanh}(cx^2)^2 + 2ab \operatorname{artanh}(cx^2) + a^2}{ex + d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^2))^2/(e*x+d),x, algorithm="fricas")`

[Out] `integral((b^2*arctanh(c*x^2))^2 + 2*a*b*arctanh(c*x^2) + a^2)/(e*x + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*atanh(c*x**2))**2/(e*x+d),x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx^2) + a)^2}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^2))^2/(e*x+d),x, algorithm="giac")`

[Out] `integrate((b*arctanh(c*x^2) + a)^2/(e*x + d), x)`

$$3.31 \quad \int \frac{\left(a + b \tanh^{-1}(cx^2)\right)^2}{(d+ex)^2} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{\left(a + b \tanh^{-1}(cx^2)\right)^2}{(d+ex)^2}, x\right)$$

[Out] Unintegrable[(a + b*ArcTanh[c*x^2])^2/(d + e*x)^2, x]

Rubi [A] time = 0.368842, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\left(a + b \tanh^{-1}(cx^2)\right)^2}{(d+ex)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcTanh[c*x^2])^2/(d + e*x)^2, x]

[Out] $-(a^2/(e*(d + e*x))) + (2*a*b*\text{Sqrt}[c]*\text{ArcTan}[\text{Sqrt}[c]*x])/(c*d^2 + e^2) - (2*a*b*\text{Sqrt}[c]*\text{ArcTanh}[\text{Sqrt}[c]*x])/(c*d^2 - e^2) - (2*a*b*\text{ArcTanh}[c*x^2])/(e*(d + e*x)) + (4*a*b*c*d*e*\text{Log}[d + e*x])/(c^2*d^4 - e^4) - (a*b*c*d*\text{Log}[1 - c*x^2])/(e*(c*d^2 - e^2)) + (a*b*c*d*\text{Log}[1 + c*x^2])/(e*(c*d^2 + e^2)) + b^2*\text{Defer}[\text{Int}[\text{ArcTanh}[c*x^2]^2/(d + e*x)^2, x]$

Rubi steps

$$\begin{aligned} \int \frac{\left(a + b \tanh^{-1}(cx^2)\right)^2}{(d+ex)^2} dx &= \int \left(\frac{a^2}{(d+ex)^2} + \frac{2ab \tanh^{-1}(cx^2)}{(d+ex)^2} + \frac{b^2 \tanh^{-1}(cx^2)^2}{(d+ex)^2} \right) dx \\ &= -\frac{a^2}{e(d+ex)} + (2ab) \int \frac{\tanh^{-1}(cx^2)}{(d+ex)^2} dx + b^2 \int \frac{\tanh^{-1}(cx^2)^2}{(d+ex)^2} dx \\ &= -\frac{a^2}{e(d+ex)} - \frac{2ab \tanh^{-1}(cx^2)}{e(d+ex)} + b^2 \int \frac{\tanh^{-1}(cx^2)^2}{(d+ex)^2} dx + \frac{(2ab) \int \frac{2cx}{(d+ex)(1-c^2x^4)} dx}{e} \\ &= -\frac{a^2}{e(d+ex)} - \frac{2ab \tanh^{-1}(cx^2)}{e(d+ex)} + b^2 \int \frac{\tanh^{-1}(cx^2)^2}{(d+ex)^2} dx + \frac{(4abc) \int \frac{x}{(d+ex)(1-c^2x^4)} dx}{e} \\ &= -\frac{a^2}{e(d+ex)} - \frac{2ab \tanh^{-1}(cx^2)}{e(d+ex)} + b^2 \int \frac{\tanh^{-1}(cx^2)^2}{(d+ex)^2} dx + \frac{(4abc) \int \left(-\frac{de^3}{(-c^2d^4+e^4)(d+ex)} + \frac{2cx}{(d+ex)(1-c^2x^4)} \right) dx}{e} \\ &= -\frac{a^2}{e(d+ex)} - \frac{2ab \tanh^{-1}(cx^2)}{e(d+ex)} + \frac{4abcde \log(d+ex)}{c^2d^4 - e^4} + b^2 \int \frac{\tanh^{-1}(cx^2)^2}{(d+ex)^2} dx + \frac{(2abc) \int \frac{x}{(d+ex)(1-c^2x^4)} dx}{e} \\ &= -\frac{a^2}{e(d+ex)} - \frac{2ab \tanh^{-1}(cx^2)}{e(d+ex)} + \frac{4abcde \log(d+ex)}{c^2d^4 - e^4} + b^2 \int \frac{\tanh^{-1}(cx^2)^2}{(d+ex)^2} dx + \frac{(2abc) \int \frac{x}{(d+ex)(1-c^2x^4)} dx}{cd^2} \\ &= -\frac{a^2}{e(d+ex)} + \frac{2ab\sqrt{c} \tan^{-1}(\sqrt{cx})}{cd^2 + e^2} - \frac{2ab\sqrt{c} \tanh^{-1}(\sqrt{cx})}{cd^2 - e^2} - \frac{2ab \tanh^{-1}(cx^2)}{e(d+ex)} + \frac{4abcde \log(d+ex)}{c^2d^4 - e^4} \end{aligned}$$

Mathematica [A] time = 42.4755, size = 0, normalized size = 0.

$$\int \frac{(a + b \tanh^{-1}(cx^2))^2}{(d + ex)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcTanh[c*x^2])^2/(d + e*x)^2,x]

[Out] Integrate[(a + b*ArcTanh[c*x^2])^2/(d + e*x)^2, x]

Maple [A] time = 0.457, size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{Arctanh}(cx^2))^2}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^2))^2/(e*x+d)^2,x)

[Out] int((a+b*arctanh(c*x^2))^2/(e*x+d)^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))^2/(e*x+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b^2 \operatorname{artanh}(cx^2)^2 + 2ab \operatorname{artanh}(cx^2) + a^2}{e^2x^2 + 2dex + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))^2/(e*x+d)^2,x, algorithm="fricas")

[Out] integral((b^2*arctanh(c*x^2)^2 + 2*a*b*arctanh(c*x^2) + a^2)/(e^2*x^2 + 2*d*e*x + d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**2))**2/(e*x+d)**2,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(cx^2) + a)^2}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^2))^2/(e*x+d)^2,x, algorithm="giac")

[Out] integrate((b*arctanh(c*x^2) + a)^2/(e*x + d)^2, x)

3.32 $\int (d + ex)^2 (a + b \tanh^{-1}(cx^3)) dx$

Optimal. Leaf size=336

$$\frac{(d + ex)^3 (a + b \tanh^{-1}(cx^3))}{3e} + \frac{bd^2 \log(1 - c^{2/3}x^2)}{2\sqrt[3]{c}} - \frac{bd^2 \log(c^{4/3}x^4 + c^{2/3}x^2 + 1)}{4\sqrt[3]{c}} + \frac{\sqrt{3}bd^2 \tan^{-1}\left(\frac{2c^{2/3}x^2+1}{\sqrt{3}}\right)}{2\sqrt[3]{c}} + \frac{bde \log(c^{2/3}x^2 - \sqrt[3]{c}x + 1)}{4c^{2/3}}$$

```
[Out] -(Sqrt[3]*b*d*e*ArcTan[1/Sqrt[3] - (2*c^(1/3)*x)/Sqrt[3]]/(2*c^(2/3)) + (Sqrt[3]*b*d*e*ArcTan[1/Sqrt[3] + (2*c^(1/3)*x)/Sqrt[3]]/(2*c^(2/3)) + (Sqrt[3]*b*d^2*ArcTan[(1 + 2*c^(2/3)*x^2)/Sqrt[3]]/(2*c^(1/3)) - (b*d*e*ArcTanh[c^(1/3)*x])/c^(2/3) + ((d + e*x)^3*(a + b*ArcTanh[c*x^3]))/(3*e) + (b*d^2*Log[1 - c^(2/3)*x^2])/(2*c^(1/3)) + (b*d*e*Log[1 - c^(1/3)*x + c^(2/3)*x^2])/(4*c^(2/3)) - (b*d*e*Log[1 + c^(1/3)*x + c^(2/3)*x^2])/(4*c^(2/3)) + (b*(c*d^3 + e^3)*Log[1 - c*x^3])/(6*c*e) - (b*(c*d^3 - e^3)*Log[1 + c*x^3])/(6*c*e) - (b*d^2*Log[1 + c^(2/3)*x^2 + c^(4/3)*x^4])/(4*c^(1/3))
```

Rubi [A] time = 0.510885, antiderivative size = 332, normalized size of antiderivative = 0.99, number of steps used = 25, number of rules used = 14, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$, Rules used = {6742, 6091, 275, 292, 31, 634, 617, 204, 628, 6097, 296, 618, 206, 260}

$$\frac{a(d + ex)^3}{3e} + \frac{bd^2 \log(1 - c^{2/3}x^2)}{2\sqrt[3]{c}} - \frac{bd^2 \log(c^{4/3}x^4 + c^{2/3}x^2 + 1)}{4\sqrt[3]{c}} + \frac{\sqrt{3}bd^2 \tan^{-1}\left(\frac{2c^{2/3}x^2+1}{\sqrt{3}}\right)}{2\sqrt[3]{c}} + \frac{bde \log(c^{2/3}x^2 - \sqrt[3]{c}x + 1)}{4c^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)^2*(a + b*ArcTanh[c*x^3]), x]
```

```
[Out] (a*(d + e*x)^3)/(3*e) - (Sqrt[3]*b*d*e*ArcTan[1/Sqrt[3] - (2*c^(1/3)*x)/Sqrt[3]]/(2*c^(2/3)) + (Sqrt[3]*b*d*e*ArcTan[1/Sqrt[3] + (2*c^(1/3)*x)/Sqrt[3]]/(2*c^(2/3)) + (Sqrt[3]*b*d^2*ArcTan[(1 + 2*c^(2/3)*x^2)/Sqrt[3]]/(2*c^(1/3)) - (b*d*e*ArcTanh[c^(1/3)*x])/c^(2/3) + b*d^2*x*ArcTanh[c*x^3] + b*d*e*x^2*ArcTanh[c*x^3] + (b*e^2*x^3*ArcTanh[c*x^3])/3 + (b*d^2*Log[1 - c^(2/3)*x^2])/(2*c^(1/3)) + (b*d*e*Log[1 - c^(1/3)*x + c^(2/3)*x^2])/(4*c^(2/3)) - (b*d*e*Log[1 + c^(1/3)*x + c^(2/3)*x^2])/(4*c^(2/3)) - (b*d^2*Log[1 + c^(2/3)*x^2 + c^(4/3)*x^4])/(4*c^(1/3)) + (b*e^2*Log[1 - c^2*x^6])/(6*c)
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 6091

```
Int[ArcTanh[(c_.)*(x_)^(n_)], x_Symbol] := Simp[x*ArcTanh[c*x^n], x] - Dist[c*n, Int[x^n/(1 - c^2*x^(2*n)), x], x] /; FreeQ[{c, n}, x]
```

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 31

```
Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 6097

```
Int[((a_) + ArcTanh[(c_)*(x_)^(n_)])*(b_)*((d_)*(x_)^(m_)), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x^n]))/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 - c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

Rule 296

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Module[{r = Numerator[Rt[-(a/b), n]], s = Denominator[Rt[-(a/b), n]], k, u}, Simp[u = Int[(r*Cos[(2*k*m*Pi)/n] - s*Cos[(2*k*(m + 1)*Pi)/n]*x)/(r^2 - 2*r*s*Cos[(2*k*Pi)/n]*x + s^2*x^2), x] + Int[(r*Cos[(2*k*m*Pi)/n] + s*Cos[(2*k*(m + 1)*Pi)/n]*x)/(r^2 + 2*r*s*Cos[(2*k*Pi)/n]*x + s^2*x^2), x]; (2*r^(m + 2)*Int[1/(r^2 - s^2*x^2), x])/(a*n*s^m) + Dist[(2*r^(m + 1))/(a*n*s^m), Sum[u, {k, 1, (n - 2)/4}], x], x] /; FreeQ[{a, b}, x] && IGtQ[(n - 2)/4, 0] && IGtQ[m, 0] && LtQ[m, n - 1] && NegQ[a/b]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
```


$x]$ && NeQ[$b^2 - 4*a*c$, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
 \int (d+ex)^2 (a+b \tanh^{-1}(cx^3)) dx &= \int (a(d+ex)^2 + b(d+ex)^2 \tanh^{-1}(cx^3)) dx \\
 &= \frac{a(d+ex)^3}{3e} + b \int (d+ex)^2 \tanh^{-1}(cx^3) dx \\
 &= \frac{a(d+ex)^3}{3e} + b \int (d^2 \tanh^{-1}(cx^3) + 2dex \tanh^{-1}(cx^3) + e^2x^2 \tanh^{-1}(cx^3)) dx \\
 &= \frac{a(d+ex)^3}{3e} + (bd^2) \int \tanh^{-1}(cx^3) dx + (2bde) \int x \tanh^{-1}(cx^3) dx + (be^2) \int x^2 \tanh^{-1}(cx^3) dx \\
 &= \frac{a(d+ex)^3}{3e} + bd^2x \tanh^{-1}(cx^3) + bdex^2 \tanh^{-1}(cx^3) + \frac{1}{3}be^2x^3 \tanh^{-1}(cx^3) - \frac{bd^2}{3} \int \frac{1}{1-cx^3} dx \\
 &= \frac{a(d+ex)^3}{3e} + bd^2x \tanh^{-1}(cx^3) + bdex^2 \tanh^{-1}(cx^3) + \frac{1}{3}be^2x^3 \tanh^{-1}(cx^3) - \frac{bd^2}{3} \int \frac{1}{1-cx^3} dx \\
 &= \frac{a(d+ex)^3}{3e} - \frac{bde \tanh^{-1}(\sqrt[3]{cx})}{c^{2/3}} + bd^2x \tanh^{-1}(cx^3) + bdex^2 \tanh^{-1}(cx^3) + \frac{1}{3}be^2x^3 \tanh^{-1}(cx^3) - \frac{bd^2}{3} \int \frac{1}{1-cx^3} dx \\
 &= \frac{a(d+ex)^3}{3e} - \frac{bde \tanh^{-1}(\sqrt[3]{cx})}{c^{2/3}} + bd^2x \tanh^{-1}(cx^3) + bdex^2 \tanh^{-1}(cx^3) + \frac{1}{3}be^2x^3 \tanh^{-1}(cx^3) - \frac{bd^2}{3} \int \frac{1}{1-cx^3} dx \\
 &= \frac{a(d+ex)^3}{3e} - \frac{\sqrt{3}bde \tan^{-1}\left(\frac{1-2\sqrt[3]{cx}}{\sqrt{3}}\right)}{2c^{2/3}} + \frac{\sqrt{3}bde \tan^{-1}\left(\frac{1+2\sqrt[3]{cx}}{\sqrt{3}}\right)}{2c^{2/3}} - \frac{bde \tanh^{-1}(\sqrt[3]{cx})}{c^{2/3}} + \frac{bd^2}{3} \int \frac{1}{1-cx^3} dx \\
 &= \frac{a(d+ex)^3}{3e} - \frac{\sqrt{3}bde \tan^{-1}\left(\frac{1-2\sqrt[3]{cx}}{\sqrt{3}}\right)}{2c^{2/3}} + \frac{\sqrt{3}bde \tan^{-1}\left(\frac{1+2\sqrt[3]{cx}}{\sqrt{3}}\right)}{2c^{2/3}} + \frac{\sqrt{3}bd^2 \tan^{-1}\left(\frac{1-2\sqrt[3]{cx}}{\sqrt{3}}\right)}{2\sqrt[3]{c}} - \frac{bd^2}{3} \int \frac{1}{1-cx^3} dx
 \end{aligned}$$

Mathematica [A] time = 0.279358, size = 299, normalized size = 0.89

$$12acd^2x + 12acdex^2 + 4ace^2x^3 - 3b\sqrt[3]{cd}(\sqrt[3]{cd} - e) \log(c^{2/3}x^2 - \sqrt[3]{cx} + 1) - 3b\sqrt[3]{cd}(\sqrt[3]{cd} + e) \log(c^{2/3}x^2 + \sqrt[3]{cx} + 1) +$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)^2*(a + b*ArcTanh[c*x^3]), x]

[Out] (12*a*c*d^2*x + 12*a*c*d*e*x^2 + 4*a*c*e^2*x^3 + 6*Sqrt[3]*b*c^(1/3)*d*(c^(1/3)*d + e)*ArcTan[(-1 + 2*c^(1/3)*x)/Sqrt[3]] - 6*Sqrt[3]*b*c^(1/3)*d*(c^(1/3)*d - e)*ArcTan[(1 + 2*c^(1/3)*x)/Sqrt[3]] + 4*b*c*x*(3*d^2 + 3*d*e*x + e^2*x^2)*ArcTanh[c*x^3] + 6*b*c^(1/3)*d*(c^(1/3)*d + e)*Log[1 - c^(1/3)*x] + 6*b*c^(1/3)*d*(c^(1/3)*d - e)*Log[1 + c^(1/3)*x] - 3*b*c^(1/3)*d*(c^(1/3)

$*d - e) \cdot \text{Log}[1 - c^{(1/3)}x + c^{(2/3)}x^2] - 3*b*c^{(1/3)}*d*(c^{(1/3)}*d + e) \cdot \text{Log}[1 + c^{(1/3)}x + c^{(2/3)}x^2] + 2*b*e^2 \cdot \text{Log}[1 - c^2*x^6]/(12*c)$

Maple [A] time = 0.032, size = 500, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2*(a+b*arctanh(c*x^3)),x)`

[Out] $\frac{1}{3}ax^3e^2 + ax^2d^2e + axd^2 + \frac{1}{3}a/e*d^3 + \frac{1}{3}b*e^2 \cdot \text{arctanh}(c*x^3) \cdot x^3 + b \cdot \text{arctanh}(c*x^3) \cdot x^2 \cdot d + b \cdot \text{arctanh}(c*x^3) \cdot x \cdot d^2 + \frac{1}{3}b/e \cdot \text{arctanh}(c*x^3) \cdot d^3 + \frac{1}{2}b/c \cdot d^2 / (1/c)^{(2/3)} \cdot \ln(x - (1/c)^{(1/3)}) - \frac{1}{4}b/c \cdot d^2 / (1/c)^{(2/3)} \cdot \ln(x^2 + (1/c)^{(1/3)}x + (1/c)^{(2/3)}) - \frac{1}{2}b/c \cdot d^2 / (1/c)^{(2/3)} \cdot 3^{(1/2)} \cdot \text{arctan}(1/3 \cdot 3^{(1/2)} \cdot (2/(1/c)^{(1/3)}x + 1)) + \frac{1}{2}b \cdot e/c \cdot d / (1/c)^{(1/3)} \cdot \ln(x - (1/c)^{(1/3)}) - \frac{1}{4}b \cdot e/c \cdot d / (1/c)^{(1/3)} \cdot \ln(x^2 + (1/c)^{(1/3)}x + (1/c)^{(2/3)}) + \frac{1}{2}b \cdot e/c \cdot d \cdot 3^{(1/2)} / (1/c)^{(1/3)} \cdot \text{arctan}(1/3 \cdot 3^{(1/2)} \cdot (2/(1/c)^{(1/3)}x + 1)) + \frac{1}{6}b/e \cdot \ln(c*x^3 - 1) \cdot d^3 + \frac{1}{6}b \cdot e^2/c \cdot \ln(c*x^3 - 1) + \frac{1}{2}b/c \cdot d^2 / (1/c)^{(2/3)} \cdot \ln(x + (1/c)^{(1/3)}) - \frac{1}{4}b/c \cdot d^2 / (1/c)^{(2/3)} \cdot \ln(x^2 - (1/c)^{(1/3)}x + (1/c)^{(2/3)}) + \frac{1}{2}b/c \cdot d^2 / (1/c)^{(2/3)} \cdot 3^{(1/2)} \cdot \text{arctan}(1/3 \cdot 3^{(1/2)} \cdot (2/(1/c)^{(1/3)}x - 1)) - \frac{1}{2}b \cdot e/c \cdot d / (1/c)^{(1/3)} \cdot \ln(x + (1/c)^{(1/3)}) + \frac{1}{4}b \cdot e/c \cdot d / (1/c)^{(1/3)} \cdot \ln(x^2 - (1/c)^{(1/3)}x + (1/c)^{(2/3)}) + \frac{1}{2}b \cdot e/c \cdot d \cdot 3^{(1/2)} / (1/c)^{(1/3)} \cdot \text{arctan}(1/3 \cdot 3^{(1/2)} \cdot (2/(1/c)^{(1/3)}x - 1)) - \frac{1}{6}b/e \cdot \ln(c*x^3 + 1) \cdot d^3 + \frac{1}{6}b \cdot e^2/c \cdot \ln(c*x^3 + 1)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2*(a+b*arctanh(c*x^3)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [C] time = 18.1893, size = 20131, normalized size = 59.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2*(a+b*arctanh(c*x^3)),x, algorithm="fricas")`

[Out] $\frac{1}{24} \cdot (8*a*c*e^2*x^3 + 24*a*c*d*e*x^2 + 24*a*c*d^2*x - 2 \cdot (2 \cdot (1/2)^{(2/3)}) \cdot (b^2 \cdot e^4/c^2 - (9*c*d^3*e + e^4) \cdot b^2/c^2) \cdot (-I \cdot \text{sqrt}(3) + 1) / (2 \cdot b^3 \cdot e^6/c^3 + 27 \cdot (c*d^3 + e^3) \cdot b^3 \cdot d^3/c^2 - 3 \cdot (9*c*d^3*e + e^4) \cdot b^3 \cdot e^2/c^3 + (27 \cdot c^2 \cdot d^6 + e^6) \cdot b^3/c^3)^{(1/3)} - 2 \cdot b \cdot e^2/c + (1/2)^{(1/3)} \cdot (2 \cdot b^3 \cdot e^6/c^3 + 27 \cdot (c*d^3 + e^3) \cdot b^3 \cdot d^3/c^2 - 3 \cdot (9*c*d^3*e + e^4) \cdot b^3 \cdot e^2/c^3 + (27 \cdot c^2 \cdot d^6 + e^6) \cdot b^3/c^3)^{(1/3)} \cdot (I \cdot \text{sqrt}(3) + 1)) \cdot c \cdot \log(15 \cdot b^2 \cdot c \cdot d^3 \cdot e^2 + b^2 \cdot e^5 + 1/4 \cdot (2 \cdot (1/2)^{(2/3)}) \cdot (b^2 \cdot e^4/c^2 - (9*c*d^3*e + e^4) \cdot b^2/c^2) \cdot (-I \cdot \text{sqrt}(3) + 1) / (2 \cdot b^3 \cdot e^6/c^3 + 27 \cdot (c*d^3 + e^3) \cdot b^3 \cdot d^3/c^2 - 3 \cdot (9*c*d^3*e + e^4) \cdot b^3 \cdot e^2/c^3 + (27 \cdot c^2 \cdot d^6 + e^6) \cdot b^3/c^3)^{(1/3)} - 2 \cdot b \cdot e^2/c + (1/2)^{(1/3)} \cdot (2 \cdot b^3 \cdot e^6/c^3$

$$\begin{aligned}
& *b^3e^2/c^3 + (27c^2d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}* \\
& (2*b^3e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2 \\
& /c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + 1))^2*c^2/c^2))*\log(\\
& -15*b^2*c*d^3*e^2 - b^2*e^5 - 1/4*(2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e \\
& + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/ \\
& c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - \\
& 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3* \\
& (9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) \\
&) + 1))^2*c^2*e + 1/2*(3*b*c^2*d^3 - 2*b*c*e^3)*(2*(1/2)^{(2/3)}*(b^2*e^4/c^2 \\
& - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + \\
& e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3 \\
& /c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3 \\
& *d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + 1)) \\
& + 18*(b^2*c^2*d^5 + b^2*c*d^2*e^3)*x + 3/4*\text{sqrt}(1/3)* \\
& (6*b*c^2*d^3 + 2*b*c*e^3 + (2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)* \\
& b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3 \\
& *(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2 \\
& /c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3 \\
& *e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + 1)) \\
& *c^2*e)*\text{sqrt}(- (144*b^2*c*d^3*e + 4*b^2*e^4 + 4*(2*(1/2)^{(2/3)}*(b^2*e^4/c^2 \\
& - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + \\
& e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3 \\
& /c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3 \\
& *d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + 1)) \\
& *b*c*e^2 + (2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 \\
& - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2* \\
& b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9* \\
& c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + \\
& 1))^2*c^2/c^2)) + (6*b*e^2 + (2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4) \\
& *b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 \\
& - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2* \\
& b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9* \\
& c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + \\
& 1))*c - 3*\text{sqrt}(1/3)*c*\text{sqrt}(- (144*b^2*c*d^3*e + 4*b^2*e^4 + 4*(2*(1/2)^{(2/3)} \\
&)*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 \\
& + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2 \\
& *d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c \\
& *d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e \\
& ^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + 1))*b*c*e^2 + (2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - \\
& (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e \\
& ^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/ \\
& c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3* \\
& d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} \\
& *(I*\text{sqrt}(3) + 1))^2*c^2/c^2))*\log(-15*b^2*c*d^3*e^2 - b^2*e^5 - 1/4*(2*(\\
& 1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3 \\
& *e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 \\
& + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^ \\
& 3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^ \\
& 2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + 1))^2*c^2*e + 1/2*(3*b*c^2*d^3 - 2 \\
& *b*c*e^3)*(2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt} \\
& (3) + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4) \\
&)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)} \\
& *(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^ \\
& 2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\text{sqrt}(3) + 1)) + 18*(b^2*c^2*d^ \\
& 5 + b^2*c*d^2*e^3)*x - 3/4*\text{sqrt}(1/3)*(6*b*c^2*d^3 + 2*b*c*e^3 + (2*(1/2)^{(2 \\
& /3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\text{sqrt}(3) + 1)/(2*b^3*e^6/c \\
& ^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c \\
& ^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*
\end{aligned}$$

$$(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\sqrt{3} + 1))*c^2*e)*\sqrt{-(144*b^2*c*d^3*e + 4*b^2*e^4 + 4*(2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\sqrt{3} + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\sqrt{3} + 1))*b*c*e^2 + (2*(1/2)^{(2/3)}*(b^2*e^4/c^2 - (9*c*d^3*e + e^4)*b^2/c^2))*(-I*\sqrt{3} + 1)/(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)} - 2*b*e^2/c + (1/2)^{(1/3)}*(2*b^3*e^6/c^3 + 27*(c*d^3 + e^3)*b^3*d^3/c^2 - 3*(9*c*d^3*e + e^4)*b^3*e^2/c^3 + (27*c^2*d^6 + e^6)*b^3/c^3)^{(1/3)}*(I*\sqrt{3} + 1))^2*c^2)/c^2)) + 4*(b*c*e^2*x^3 + 3*b*c*d*e*x^2 + 3*b*c*d^2*x)*\log(-(c*x^3 + 1)/(c*x^3 - 1)))/c$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)**2*(a+b*atanh(c*x**3)),x)

[Out] Timed out

Giac [A] time = 4.29223, size = 527, normalized size = 1.57

$$-\frac{1}{4}bc^5d \left(\frac{2 \left(-\frac{1}{c}\right)^{\frac{2}{3}} \log\left(x - \left(-\frac{1}{c}\right)^{\frac{1}{3}}\right)}{c^5} - \frac{2\sqrt{3}|c|^{\frac{4}{3}} \arctan\left(\frac{1}{3}\sqrt{3}c^{\frac{1}{3}}\left(2x + \frac{1}{c^{\frac{1}{3}}}\right)\right)}{c^7} + \frac{|c|^{\frac{4}{3}} \log\left(x^2 + \frac{x}{c^{\frac{1}{3}}} + \frac{1}{c^{\frac{2}{3}}}\right)}{c^7} - \frac{2 \log\left(x - \frac{1}{c^{\frac{1}{3}}}\right)}{c^{\frac{17}{3}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)^2*(a+b*arctanh(c*x^3)),x, algorithm="giac")

[Out] $-1/4*b*c^5*d*(2*(-1/c)^{(2/3)}*\log(\text{abs}(x - (-1/c)^{(1/3)}))/c^5 - 2*\sqrt{3}*abs(c)^{(4/3)}*\arctan(1/3*\sqrt{3}*c^{(1/3)}*(2*x + 1/c^{(1/3)}))/c^7 + abs(c)^{(4/3)}*\log(x^2 + x/c^{(1/3)} + 1/c^{(2/3)})/c^7 - 2*\log(\text{abs}(x - 1/c^{(1/3)}))/c^{(17/3)} + 2*\sqrt{3}*(-c^2)^{(2/3)}*\arctan(1/3*\sqrt{3}*(2*x + (-1/c)^{(1/3)})/(-1/c)^{(1/3)})/c^7 - (-c^2)^{(2/3)}*\log(x^2 + x*(-1/c)^{(1/3)} + (-1/c)^{(2/3)})/c^7)*e + 1/4*b*c^3*d^2*(2*\sqrt{3}*abs(c)^{(2/3)}*\arctan(1/3*\sqrt{3}*(2*x^2 + 1/abs(c)^{(2/3)}))*abs(c)^{(2/3)})/c^4 - abs(c)^{(2/3)}*\log(x^4 + x^2/abs(c)^{(2/3)} + 1/abs(c)^{(4/3)})/c^4 + 2*\log(\text{abs}(x^2 - 1/abs(c)^{(2/3)}))/c^2*abs(c)^{(4/3)}) + 1/6*(b*c*x^3*e^2*\log(-(c*x^3 + 1)/(c*x^3 - 1)) + 3*b*c*d*x^2*e*\log(-(c*x^3 + 1)/(c*x^3 - 1)) + 2*a*c*x^3*e^2 + 6*a*c*d*x^2*e + 3*b*c*d^2*x*\log(-(c*x^3 + 1)/(c*x^3 - 1)) + 6*a*c*d^2*x + b*e^2*\log(c^2*x^6 - 1))/c$

3.33 $\int (d + ex) \left(a + b \tanh^{-1}(cx^3) \right) dx$

Optimal. Leaf size=285

$$\frac{(d + ex)^2 \left(a + b \tanh^{-1}(cx^3) \right)}{2e} + \frac{bd \log(1 - c^{2/3}x^2)}{2\sqrt[3]{c}} - \frac{bd \log(c^{4/3}x^4 + c^{2/3}x^2 + 1)}{4\sqrt[3]{c}} + \frac{\sqrt{3}bd \tan^{-1}\left(\frac{2c^{2/3}x^2+1}{\sqrt{3}}\right)}{2\sqrt[3]{c}} + \frac{be \log(\dots)}{\dots}$$

```
[Out] -(Sqrt[3]*b*e*ArcTan[1/Sqrt[3] - (2*c^(1/3)*x)/Sqrt[3]]/(4*c^(2/3)) + (Sqrt[3]*b*e*ArcTan[1/Sqrt[3] + (2*c^(1/3)*x)/Sqrt[3]]/(4*c^(2/3)) + (Sqrt[3]*b*d*ArcTan[(1 + 2*c^(2/3)*x^2)/Sqrt[3]]/(2*c^(1/3)) - (b*e*ArcTanh[c^(1/3)*x])/(2*c^(2/3)) - (b*d^2*ArcTanh[c*x^3])/(2*e) + ((d + e*x)^2*(a + b*ArcTanh[c*x^3]))/(2*e) + (b*d*Log[1 - c^(2/3)*x^2])/(2*c^(1/3)) + (b*e*Log[1 - c^(1/3)*x + c^(2/3)*x^2])/(8*c^(2/3)) - (b*e*Log[1 + c^(1/3)*x + c^(2/3)*x^2])/(8*c^(2/3)) - (b*d*Log[1 + c^(2/3)*x^2 + c^(4/3)*x^4])/(4*c^(1/3))
```

Rubi [A] time = 0.451595, antiderivative size = 285, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 13, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.812$, Rules used = {6273, 12, 1831, 275, 206, 292, 31, 634, 617, 204, 628, 296, 618}

$$\frac{(d + ex)^2 \left(a + b \tanh^{-1}(cx^3) \right)}{2e} + \frac{bd \log(1 - c^{2/3}x^2)}{2\sqrt[3]{c}} - \frac{bd \log(c^{4/3}x^4 + c^{2/3}x^2 + 1)}{4\sqrt[3]{c}} + \frac{\sqrt{3}bd \tan^{-1}\left(\frac{2c^{2/3}x^2+1}{\sqrt{3}}\right)}{2\sqrt[3]{c}} + \frac{be \log(\dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)*(a + b*ArcTanh[c*x^3]), x]
```

```
[Out] -(Sqrt[3]*b*e*ArcTan[1/Sqrt[3] - (2*c^(1/3)*x)/Sqrt[3]]/(4*c^(2/3)) + (Sqrt[3]*b*e*ArcTan[1/Sqrt[3] + (2*c^(1/3)*x)/Sqrt[3]]/(4*c^(2/3)) + (Sqrt[3]*b*d*ArcTan[(1 + 2*c^(2/3)*x^2)/Sqrt[3]]/(2*c^(1/3)) - (b*e*ArcTanh[c^(1/3)*x])/(2*c^(2/3)) - (b*d^2*ArcTanh[c*x^3])/(2*e) + ((d + e*x)^2*(a + b*ArcTanh[c*x^3]))/(2*e) + (b*d*Log[1 - c^(2/3)*x^2])/(2*c^(1/3)) + (b*e*Log[1 - c^(1/3)*x + c^(2/3)*x^2])/(8*c^(2/3)) - (b*e*Log[1 + c^(1/3)*x + c^(2/3)*x^2])/(8*c^(2/3)) - (b*d*Log[1 + c^(2/3)*x^2 + c^(4/3)*x^4])/(4*c^(1/3))
```

Rule 6273

```
Int[((a_.) + ArcTanh[u_]*(b_.))*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[((c + d*x)^(m + 1)*(a + b*ArcTanh[u]))/(d*(m + 1)), x] - Dist[b/(d*(m + 1)), Int[SimplifyIntegrand[((c + d*x)^(m + 1)*D[u, x])/(1 - u^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1] && InverseFunctionFreeQ[u, x] && !FunctionOfQ[(c + d*x)^(m + 1), u, x] && FalseQ[PowerVariableExpn[u, m + 1, x]]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1831

```
Int[((Pq_)*((c_.)*(x_))^(m_.))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2))]/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 31

Int[((a_) + (b_)*(x_))^(p_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 296

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Module[{r = Numerator[Rt[-(a/b), n]], s = Denominator[Rt[-(a/b), n]], k, u}, Simp[u = Int[(r*Cos[(2*k*m*Pi)/n] - s*Cos[(2*k*(m + 1)*Pi)/n]*x)/(r^2 - 2*r*s*Cos[(2*k*Pi)/n]*x + s^2*x^2), x] + Int[(r*Cos[(2*k*m*Pi)/n] + s*Cos[(2*k*(m + 1)*Pi)/n]*x)/(r^2 + 2*r*s*Cos[(2*k*Pi)/n]*x + s^2*x^2), x]; (2*r^(m + 2)*Int[1/(r^2 - s^2*x^2), x])/(a*n*s^m) + Dist[(2*r^(m + 1))/(a*n*s^m), Sum[u, {k, 1, (n - 2)/4}], x], x] /; FreeQ[{a, b}, x] && IGtQ[(n - 2)/4, 0] && IGtQ[m, 0] && Lt

Q[m, n - 1] && NegQ[a/b]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned}
 \int (d+ex)(a+b \tanh^{-1}(cx^3)) dx &= \frac{(d+ex)^2(a+b \tanh^{-1}(cx^3))}{2e} - \frac{b \int \frac{3cx^2(d+ex)^2}{1-c^2x^6} dx}{2e} \\
 &= \frac{(d+ex)^2(a+b \tanh^{-1}(cx^3))}{2e} - \frac{(3bc) \int \frac{x^2(d+ex)^2}{1-c^2x^6} dx}{2e} \\
 &= \frac{(d+ex)^2(a+b \tanh^{-1}(cx^3))}{2e} - \frac{(3bc) \int \left(\frac{d^2x^2}{1-c^2x^6} + \frac{2dex^3}{1-c^2x^6} + \frac{e^2x^4}{1-c^2x^6} \right) dx}{2e} \\
 &= \frac{(d+ex)^2(a+b \tanh^{-1}(cx^3))}{2e} - (3bcd) \int \frac{x^3}{1-c^2x^6} dx - \frac{(3bcd^2) \int \frac{x^2}{1-c^2x^6} dx}{2e} - \frac{1}{2} (bcd^2) \int \frac{x^2}{1-c^2x^6} dx \\
 &= \frac{(d+ex)^2(a+b \tanh^{-1}(cx^3))}{2e} - \frac{1}{2}(3bcd) \text{Subst} \left(\int \frac{x}{1-c^2x^3} dx, x, x^2 \right) - \frac{(bcd^2)}{2} \int \frac{x^2}{1-c^2x^6} dx \\
 &= -\frac{be \tanh^{-1}(\sqrt[3]{cx})}{2c^{2/3}} - \frac{bd^2 \tanh^{-1}(cx^3)}{2e} + \frac{(d+ex)^2(a+b \tanh^{-1}(cx^3))}{2e} - \frac{1}{2} (bcd^2) \int \frac{x^2}{1-c^2x^6} dx \\
 &= -\frac{be \tanh^{-1}(\sqrt[3]{cx})}{2c^{2/3}} - \frac{bd^2 \tanh^{-1}(cx^3)}{2e} + \frac{(d+ex)^2(a+b \tanh^{-1}(cx^3))}{2e} + \frac{bd^2}{2e} \int \frac{x^2}{1-c^2x^6} dx \\
 &= -\frac{\sqrt{3}be \tan^{-1}\left(\frac{1-2\sqrt[3]{cx}}{\sqrt{3}}\right)}{4c^{2/3}} + \frac{\sqrt{3}be \tan^{-1}\left(\frac{1+2\sqrt[3]{cx}}{\sqrt{3}}\right)}{4c^{2/3}} - \frac{be \tanh^{-1}(\sqrt[3]{cx})}{2c^{2/3}} - \frac{bd^2 \tanh^{-1}(cx^3)}{2e} \\
 &= -\frac{\sqrt{3}be \tan^{-1}\left(\frac{1-2\sqrt[3]{cx}}{\sqrt{3}}\right)}{4c^{2/3}} + \frac{\sqrt{3}be \tan^{-1}\left(\frac{1+2\sqrt[3]{cx}}{\sqrt{3}}\right)}{4c^{2/3}} + \frac{\sqrt{3}bd \tan^{-1}\left(\frac{1+2c^{2/3}x^2}{\sqrt{3}}\right)}{2\sqrt[3]{c}} - \frac{bd^2 \tanh^{-1}(cx^3)}{2e}
 \end{aligned}$$

Mathematica [A] time = 0.102132, size = 333, normalized size = 1.17

$$adx + \frac{1}{2} aex^2 - \frac{bd \left(\log(c^{2/3}x^2 - \sqrt[3]{cx} + 1) + \log(c^{2/3}x^2 + \sqrt[3]{cx} + 1) - 2 \log(1 - \sqrt[3]{cx}) - 2 \log(\sqrt[3]{cx} + 1) - 2\sqrt{3} \tan^{-1}\left(\frac{1-2\sqrt[3]{cx}}{\sqrt{3}}\right) \right)}{4\sqrt[3]{c}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x)*(a + b*ArcTanh[c*x^3]), x]

[Out] a*d*x + (a*e*x^2)/2 + (Sqrt[3]*b*e*ArcTan[(-1 + 2*c^(1/3)*x)/Sqrt[3]])/(4*c^(2/3)) + (Sqrt[3]*b*e*ArcTan[(1 + 2*c^(1/3)*x)/Sqrt[3]])/(4*c^(2/3)) + b*d*x*ArcTanh[c*x^3] + (b*e*x^2*ArcTanh[c*x^3])/2 + (b*e*Log[1 - c^(1/3)*x])/(4*c^(2/3)) - (b*e*Log[1 + c^(1/3)*x])/(4*c^(2/3)) + (b*e*Log[1 - c^(1/3)*x + c^(2/3)*x^2])/(8*c^(2/3)) - (b*e*Log[1 + c^(1/3)*x + c^(2/3)*x^2])/(8*c^(2/3)) - (b*d*(-2*Sqrt[3]*ArcTan[(-1 + 2*c^(1/3)*x)/Sqrt[3]] + 2*Sqrt[3]*ArcTan[(1 + 2*c^(1/3)*x)/Sqrt[3]] - 2*Log[1 - c^(1/3)*x] - 2*Log[1 + c^(1/3)*x] + Log[1 - c^(1/3)*x + c^(2/3)*x^2] + Log[1 + c^(1/3)*x + c^(2/3)*x^2])/(4*c^(1/3))

$$\begin{aligned} & /3)*((8*c*d^3 + e^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*(I*\sqrt{3} + \\ & 1))^2*c*e - 1/4*\sqrt{3/2}*\sqrt{1/2}*(8*b*c*d^2 - (4*(1/2)^{(2/3)}*b^2*d*e*(-I \\ & *\sqrt{3} + 1)/(((8*c*d^3 + e^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*c) \\ & + (1/2)^{(1/3)}*((8*c*d^3 + e^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*(I \\ & *\sqrt{3} + 1))*c*e)*\sqrt{((32*b^2*d*e - (4*(1/2)^{(2/3)}*b^2*d*e*(-I*\sqrt{3} + \\ & 1)/(((8*c*d^3 + e^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*c) + (1/2)^{(1/3)} \\ & /3)*((8*c*d^3 + e^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*(I*\sqrt{3} + \\ & 1))^2*c)/c) - (8*b^2*c*d^3 - b^2*e^3)*x) - 1/8*(4*(1/2)^{(2/3)}*b^2*d*e*(-I* \\ & \sqrt{3} + 1)/(((8*c*d^3 + e^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*c) \\ & + (1/2)^{(1/3)}*((8*c*d^3 + e^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*(I* \\ & \sqrt{3} + 1))*\log(-2*(4*(1/2)^{(2/3)}*b^2*d*e*(-I*\sqrt{3} + 1)/(((8*c*d^3 + e \\ & ^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*c) + (1/2)^{(1/3)}*((8*c*d^3 + e \\ & ^3)*b^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*(I*\sqrt{3} + 1))*b*c*d^2 + 4*b \\ & ^2*d*e^2 - 1/4*(4*(1/2)^{(2/3)}*b^2*d*e*(-I*\sqrt{3} + 1)/(((8*c*d^3 + e^3)*b^ \\ & ^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*c) + (1/2)^{(1/3)}*((8*c*d^3 + e^3)*b^ \\ & ^3/c^2 - (8*c*d^3 - e^3)*b^3/c^2)^{(1/3)}*(I*\sqrt{3} + 1))^2*c*e - (8*b^2*c*d^ \\ & 3 - b^2*e^3)*x) + 1/4*(b*e*x^2 + 2*b*d*x)*\log(-(c*x^3 + 1)/(c*x^3 - 1)) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*atanh(c*x**3)),x)

[Out] Timed out

Giac [A] time = 2.17951, size = 432, normalized size = 1.52

$$-\frac{1}{8}bc^5 \left(\frac{2 \left(-\frac{1}{c} \right)^{\frac{2}{3}} \log \left(\left| x - \left(-\frac{1}{c} \right)^{\frac{1}{3}} \right| \right)}{c^5} - \frac{2\sqrt{3}|c|^{\frac{4}{3}} \arctan \left(\frac{1}{3} \sqrt{3}c^{\frac{1}{3}} \left(2x + \frac{1}{c^{\frac{1}{3}}} \right) \right)}{c^7} + \frac{|c|^{\frac{4}{3}} \log \left(x^2 + \frac{x}{c^{\frac{1}{3}}} + \frac{1}{c^{\frac{2}{3}}} \right)}{c^7} - \frac{2 \log \left(\left| x - \frac{1}{c^{\frac{1}{3}}} \right| \right)}{c^{\frac{17}{3}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x+d)*(a+b*arctanh(c*x^3)),x, algorithm="giac")

[Out] $-1/8*b*c^5*(2*(-1/c)^{(2/3)}*\log(\text{abs}(x - (-1/c)^{(1/3)}))/c^5 - 2*\sqrt{3}*abs(c)^{(4/3)}*\arctan(1/3*\sqrt{3}*c^{(1/3)}*(2*x + 1/c^{(1/3)}))/c^7 + abs(c)^{(4/3)}*\log(x^2 + x/c^{(1/3)} + 1/c^{(2/3)})/c^7 - 2*\log(\text{abs}(x - 1/c^{(1/3)}))/c^{(17/3)} + 2*\sqrt{3}*(-c^2)^{(2/3)}*\arctan(1/3*\sqrt{3}*(2*x + (-1/c)^{(1/3)})/(-1/c)^{(1/3)})/c^7 - (-c^2)^{(2/3)}*\log(x^2 + x*(-1/c)^{(1/3)} + (-1/c)^{(2/3)})/c^7)*e + 1/4*b*c^3*d*(2*\sqrt{3}*abs(c)^{(2/3)}*\arctan(1/3*\sqrt{3}*(2*x^2 + 1/abs(c)^{(2/3)})*abs(c)^{(2/3)})/c^4 - abs(c)^{(2/3)}*\log(x^4 + x^2/abs(c)^{(2/3)} + 1/abs(c)^{(4/3)})/c^4 + 2*\log(\text{abs}(x^2 - 1/abs(c)^{(2/3)}))/c^2*abs(c)^{(4/3)}) + 1/4*b*x^2*e*\log(-(c*x^3 + 1)/(c*x^3 - 1)) + 1/2*a*x^2*e + 1/2*b*d*x*\log(-(c*x^3 + 1)/(c*x^3 - 1)) + a*d*x$

$$3.34 \quad \int \frac{a+b \tanh^{-1}(cx^3)}{d+ex} dx$$

Optimal. Leaf size=523

$$\frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt[3]{c(d+ex)}}{\sqrt[3]{cd-e}}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt[3]{c(d+ex)}}{\sqrt[3]{cd+e}}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt[3]{c(d+ex)}}{\sqrt[3]{cd-\sqrt[3]{-1}e}}\right)}{2e} - \frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt[3]{c(d+ex)}}{\sqrt[3]{cd+\sqrt[3]{-1}e}}\right)}{2e} - \frac{b \operatorname{PolyLog}\left(2, \frac{\sqrt[3]{c(d+ex)}}{\sqrt[3]{cd-e}}\right)}{2e}$$

[Out] ((a + b*ArcTanh[c*x^3])*Log[d + e*x])/e + (b*Log[(e*(1 - c^(1/3)*x))/(c^(1/3)*d + e)]*Log[d + e*x])/(2*e) - (b*Log[-((e*(1 + c^(1/3)*x))/(c^(1/3)*d - e))]*Log[d + e*x])/(2*e) + (b*Log[-((e*((-1)^(1/3) + c^(1/3)*x))/(c^(1/3)*d - (-1)^(1/3)*e))]*Log[d + e*x])/(2*e) - (b*Log[-((e*((-1)^(2/3) + c^(1/3)*x))/(c^(1/3)*d - (-1)^(2/3)*e))]*Log[d + e*x])/(2*e) + (b*Log[((-1)^(2/3)*e*(1 + (-1)^(1/3)*c^(1/3)*x))/(c^(1/3)*d + (-1)^(2/3)*e])*Log[d + e*x])/(2*e) - (b*Log[((-1)^(1/3)*e*(1 + (-1)^(2/3)*c^(1/3)*x))/(c^(1/3)*d + (-1)^(1/3)*e])*Log[d + e*x])/(2*e) - (b*PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d - e)]/(2*e) + (b*PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d + e)]/(2*e) + (b*PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d - (-1)^(1/3)*e)]/(2*e) - (b*PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d + (-1)^(1/3)*e)]/(2*e) - (b*PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d - (-1)^(2/3)*e)]/(2*e) + (b*PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d + (-1)^(2/3)*e)]/(2*e)

Rubi [F] time = 0.0615003, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{a + b \tanh^{-1}(cx^3)}{d + ex} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcTanh[c*x^3])/(d + e*x), x]

[Out] (a*Log[d + e*x])/e + b*Defer[Int][ArcTanh[c*x^3]/(d + e*x), x]

Rubi steps

$$\begin{aligned} \int \frac{a + b \tanh^{-1}(cx^3)}{d + ex} dx &= \int \left(\frac{a}{d + ex} + \frac{b \tanh^{-1}(cx^3)}{d + ex} \right) dx \\ &= \frac{a \log(d + ex)}{e} + b \int \frac{\tanh^{-1}(cx^3)}{d + ex} dx \end{aligned}$$

Mathematica [C] time = 99.2102, size = 515, normalized size = 0.98

$$\frac{a \log(d + ex)}{e} + \frac{b \left(-\operatorname{PolyLog}\left(2, \frac{\sqrt[3]{c(d+ex)}}{\sqrt[3]{cd-e}}\right) + \operatorname{PolyLog}\left(2, \frac{\sqrt[3]{c(d+ex)}}{\sqrt[3]{cd+e}}\right) + \operatorname{PolyLog}\left(2, \frac{2\sqrt[3]{c(d+ex)}}{2\sqrt[3]{cd-i\sqrt[3]{3}e-e}}\right) - \operatorname{PolyLog}\left(2, \frac{2\sqrt[3]{c(d+ex)}}{2\sqrt[3]{cd+i\sqrt[3]{3}e-e}}\right) \right)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x^3])/(d + e*x), x]

```
[Out] (a*Log[d + e*x])/e + (b*(2*ArcTanh[c*x^3]*Log[d + e*x] - Log[(e*(1 - I*Sqrt[3] - 2*c^(1/3)*x))/(2*c^(1/3)*d + e - I*Sqrt[3]*e)]*Log[d + e*x] + Log[(e*(-I + Sqrt[3] - (2*I)*c^(1/3)*x))/((2*I)*c^(1/3)*d + (-I + Sqrt[3])*e)]*Log[d + e*x] + Log[(e*(I + Sqrt[3] + (2*I)*c^(1/3)*x))/((-2*I)*c^(1/3)*d + (I + Sqrt[3])*e)]*Log[d + e*x] - Log[-((e*(1 + c^(1/3)*x))/(c^(1/3)*d - e))]*Log[d + e*x] - Log[-((e*(-1 - I*Sqrt[3] + 2*c^(1/3)*x))/(2*c^(1/3)*d + e + I*Sqrt[3]*e))]*Log[d + e*x] + Log[d + e*x]*Log[(e - c^(1/3)*e*x)/(c^(1/3)*d + e]) - PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d - e)] + PolyLog[2, (c^(1/3)*(d + e*x))/(c^(1/3)*d + e)] + PolyLog[2, (2*c^(1/3)*(d + e*x))/(2*c^(1/3)*d - e - I*Sqrt[3]*e)] - PolyLog[2, (2*c^(1/3)*(d + e*x))/(2*c^(1/3)*d + e - I*Sqrt[3]*e)] + PolyLog[2, (2*c^(1/3)*(d + e*x))/(2*c^(1/3)*d - e + I*Sqrt[3]*e)] - PolyLog[2, (2*c^(1/3)*(d + e*x))/(2*c^(1/3)*d + e + I*Sqrt[3]*e)]))/(2*e)
```

Maple [C] time = 0.171, size = 182, normalized size = 0.4

$$\frac{a \ln(ex + d)}{e} + \frac{b \ln(ex + d) \operatorname{Artanh}(cx^3)}{e} + \frac{b}{2e} \sum_{\substack{R1=\text{RootOf}(c_Z^3-3cd_Z^2+3cd^2_Z-cd^3-e^3)}} \ln(ex + d) \ln\left(\frac{-ex + R1 - d}{R1}\right) + d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arctanh(c*x^3))/(e*x+d),x)
```

```
[Out] a*ln(e*x+d)/e+b*ln(e*x+d)/e*arctanh(c*x^3)+1/2*b/e*sum(ln(e*x+d)*ln((-e*x+_R1-d)/_R1)+dilog((-e*x+_R1-d)/_R1),_R1=RootOf(_Z^3*c-3*_Z^2*c*d+3*_Z*c*d^2-c*d^3-e^3))-1/2*b/e*sum(ln(e*x+d)*ln((-e*x+_R1-d)/_R1)+dilog((-e*x+_R1-d)/_R1),_R1=RootOf(_Z^3*c-3*_Z^2*c*d+3*_Z*c*d^2-c*d^3+e^3))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} b \int \frac{\log(cx^3 + 1) - \log(-cx^3 + 1)}{ex + d} dx + \frac{a \log(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x^3))/(e*x+d),x, algorithm="maxima")
```

```
[Out] 1/2*b*integrate((log(c*x^3 + 1) - log(-c*x^3 + 1))/(e*x + d), x) + a*log(e*x + d)/e
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{artanh}(cx^3) + a}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x^3))/(e*x+d),x, algorithm="fricas")
```

```
[Out] integral((b*arctanh(c*x^3) + a)/(e*x + d), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**3))/(e*x+d), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(cx^3) + a}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^3))/(e*x+d), x, algorithm="giac")

[Out] integrate((b*arctanh(c*x^3) + a)/(e*x + d), x)

$$3.35 \quad \int \frac{a+b \tanh^{-1}(cx^3)}{(d+ex)^2} dx$$

Optimal. Leaf size=414

$$\frac{a+b \tanh^{-1}(cx^3)}{e(d+ex)} - \frac{b\sqrt[3]{c}(\sqrt[3]{cd}+e) \log(c^{2/3}x^2 - \sqrt[3]{cx}+1)}{4(cd^3 - e^3)} - \frac{b\sqrt[3]{c}(\sqrt[3]{cd}-e) \log(c^{2/3}x^2 + \sqrt[3]{cx}+1)}{4(cd^3 + e^3)} - \frac{3bcd^2e^2 \log(d+ex)}{c^2d^6 - e^6}$$

[Out] $-(\text{Sqrt}[3]*b*c^{(1/3)}*\text{ArcTan}[(1 - 2*c^{(1/3)}*x)/\text{Sqrt}[3]])/(2*(c^{(2/3)}*d^2 + c^{(1/3)}*d*e + e^2)) - (\text{Sqrt}[3]*b*c^{(1/3)}*(c^{(1/3)}*d + e)*\text{ArcTan}[(1 + 2*c^{(1/3)}*x)/\text{Sqrt}[3]])/(2*(c*d^3 + e^3)) - (a + b*\text{ArcTanh}[c*x^3])/(e*(d + e*x)) + (b*c^{(1/3)}*(c^{(1/3)}*d - e)*\text{Log}[1 - c^{(1/3)}*x])/(2*(c*d^3 + e^3)) + (b*c^{(1/3)}*(c^{(1/3)}*d + e)*\text{Log}[1 + c^{(1/3)}*x])/(2*(c*d^3 - e^3)) - (3*b*c*d^2*e^2*\text{Log}[d + e*x])/(c^2*d^6 - e^6) - (b*c^{(1/3)}*(c^{(1/3)}*d + e)*\text{Log}[1 - c^{(1/3)}*x + c^{(2/3)}*x^2])/(4*(c*d^3 - e^3)) - (b*c^{(1/3)}*(c^{(1/3)}*d - e)*\text{Log}[1 + c^{(1/3)}*x + c^{(2/3)}*x^2])/(4*(c*d^3 + e^3)) - (b*c*d^2*\text{Log}[1 - c*x^3])/(2*e*(c*d^3 + e^3)) + (b*c*d^2*\text{Log}[1 + c*x^3])/(2*e*(c*d^3 - e^3))$

Rubi [A] time = 0.772685, antiderivative size = 414, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 12, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {6273, 12, 6725, 1871, 1861, 31, 634, 617, 204, 628, 260, 1860}

$$\frac{a+b \tanh^{-1}(cx^3)}{e(d+ex)} - \frac{b\sqrt[3]{c}(\sqrt[3]{cd}+e) \log(c^{2/3}x^2 - \sqrt[3]{cx}+1)}{4(cd^3 - e^3)} - \frac{b\sqrt[3]{c}(\sqrt[3]{cd}-e) \log(c^{2/3}x^2 + \sqrt[3]{cx}+1)}{4(cd^3 + e^3)} - \frac{3bcd^2e^2 \log(d+ex)}{c^2d^6 - e^6}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcTanh}[c*x^3])/(d + e*x)^2, x]$

[Out] $-(\text{Sqrt}[3]*b*c^{(1/3)}*\text{ArcTan}[(1 - 2*c^{(1/3)}*x)/\text{Sqrt}[3]])/(2*(c^{(2/3)}*d^2 + c^{(1/3)}*d*e + e^2)) - (\text{Sqrt}[3]*b*c^{(1/3)}*(c^{(1/3)}*d + e)*\text{ArcTan}[(1 + 2*c^{(1/3)}*x)/\text{Sqrt}[3]])/(2*(c*d^3 + e^3)) - (a + b*\text{ArcTanh}[c*x^3])/(e*(d + e*x)) + (b*c^{(1/3)}*(c^{(1/3)}*d - e)*\text{Log}[1 - c^{(1/3)}*x])/(2*(c*d^3 + e^3)) + (b*c^{(1/3)}*(c^{(1/3)}*d + e)*\text{Log}[1 + c^{(1/3)}*x])/(2*(c*d^3 - e^3)) - (3*b*c*d^2*e^2*\text{Log}[d + e*x])/(c^2*d^6 - e^6) - (b*c^{(1/3)}*(c^{(1/3)}*d + e)*\text{Log}[1 - c^{(1/3)}*x + c^{(2/3)}*x^2])/(4*(c*d^3 - e^3)) - (b*c^{(1/3)}*(c^{(1/3)}*d - e)*\text{Log}[1 + c^{(1/3)}*x + c^{(2/3)}*x^2])/(4*(c*d^3 + e^3)) - (b*c*d^2*\text{Log}[1 - c*x^3])/(2*e*(c*d^3 + e^3)) + (b*c*d^2*\text{Log}[1 + c*x^3])/(2*e*(c*d^3 - e^3))$

Rule 6273

$\text{Int}[(a + b*\text{ArcTanh}[u])*(c + d*x)^m, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{m+1}*(a + b*\text{ArcTanh}[u])/(d*(m+1)), x] - \text{Dist}[b/(d*(m+1)), \text{Int}[\text{SimplifyIntegrand}[(c + d*x)^m*D[u, x]/(1 - u^2), x], x] /;$ FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1] && InverseFunctionFreeQ[u, x] && !FunctionOfQ[(c + d*x)^m, u, x] && FalseQ[PowerVariableExpn[u, m + 1, x]]

Rule 12

$\text{Int}[a*(u), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b)*(v_)] /; FreeQ[b, x]

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1861

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*

s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \tanh^{-1}(cx^3)}{(d + ex)^2} dx &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} + \frac{b \int \frac{3cx^2}{(d+ex)(1-c^2x^6)} dx}{e} \\
 &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} + \frac{(3bc) \int \frac{x^2}{(d+ex)(1-c^2x^6)} dx}{e} \\
 &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} + \frac{(3bc) \int \left(\frac{d^2e^4}{(-cd^3+e^3)(cd^3+e^3)(d+ex)} + \frac{de-e^2x-cd^2x^2}{2(cd^3+e^3)(-1+cx^3)} + \frac{de-e^2x+cd^2x^2}{2(cd^3-e^3)(1+cx^3)} \right) dx}{e} \\
 &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} - \frac{3bcd^2e^2 \log(d + ex)}{c^2d^6 - e^6} + \frac{(3bc) \int \frac{de-e^2x+cd^2x^2}{1+cx^3} dx}{2e(cd^3 - e^3)} + \frac{(3bc) \int \frac{de-e^2x-cd^2x^2}{-1+cx^3} dx}{2e(cd^3 + e^3)} \\
 &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} - \frac{3bcd^2e^2 \log(d + ex)}{c^2d^6 - e^6} + \frac{(3bc) \int \frac{de-e^2x}{1+cx^3} dx}{2e(cd^3 - e^3)} + \frac{(3bc^2d^2) \int \frac{x^2}{1+cx^3} dx}{2e(cd^3 - e^3)} + \frac{(3bc)}{2e} \\
 &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} - \frac{3bcd^2e^2 \log(d + ex)}{c^2d^6 - e^6} - \frac{bcd^2 \log(1 - cx^3)}{2e(cd^3 + e^3)} + \frac{bcd^2 \log(1 + cx^3)}{2e(cd^3 - e^3)} + \frac{(bc^2)}{2e} \\
 &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} + \frac{b\sqrt[3]{c}(\sqrt[3]{cd} - e) \log(1 - \sqrt[3]{cx})}{2(cd^3 + e^3)} + \frac{b\sqrt[3]{c}(\sqrt[3]{cd} + e) \log(1 + \sqrt[3]{cx})}{2(cd^3 - e^3)} - \frac{3bcd^2}{2e} \\
 &= -\frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} + \frac{b\sqrt[3]{c}(\sqrt[3]{cd} - e) \log(1 - \sqrt[3]{cx})}{2(cd^3 + e^3)} + \frac{b\sqrt[3]{c}(\sqrt[3]{cd} + e) \log(1 + \sqrt[3]{cx})}{2(cd^3 - e^3)} - \frac{3bcd^2}{2e} \\
 &= -\frac{\sqrt{3}b\sqrt[3]{c} \tan^{-1}\left(\frac{1-2\sqrt[3]{cx}}{\sqrt{3}}\right)}{2(c^{2/3}d^2 + \sqrt[3]{cde} + e^2)} - \frac{\sqrt{3}b\sqrt[3]{c}(\sqrt[3]{cd} + e) \tan^{-1}\left(\frac{1+2\sqrt[3]{cx}}{\sqrt{3}}\right)}{2(cd^3 + e^3)} - \frac{a + b \tanh^{-1}(cx^3)}{e(d + ex)} + \frac{b\sqrt[3]{c}}{2e}
 \end{aligned}$$

Mathematica [A] time = 0.558207, size = 534, normalized size = 1.29

$$\frac{1}{4} \left(-\frac{4a}{e(d + ex)} + \frac{2bcd^2e^2 \log(1 - c^2x^6)}{c^2d^6 - e^6} + \frac{b\sqrt[3]{c}(-c^{4/3}d^4e + 2c^{5/3}d^5 - cd^3e^2 - \sqrt[3]{cde^4} - e^5) \log(c^{2/3}x^2 - \sqrt[3]{cx} + 1)}{c^2d^6e - e^7} + \frac{b\sqrt[3]{c}}{2e} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcTanh[c*x^3])/(d + e*x)^2, x]

[Out] ((-4*a)/(e*(d + e*x)) + (2*sqrt[3]*b*c^(1/3)*ArcTan[(-1 + 2*c^(1/3)*x)/sqrt[3]])/(c^(2/3)*d^2 + c^(1/3)*d*e + e^2) - (2*sqrt[3]*b*c^(1/3)*(c^(1/3)*d + e)*ArcTan[(1 + 2*c^(1/3)*x)/sqrt[3]])/(c*d^3 + e^3) - (4*b*ArcTanh[c*x^3])/(e*(d + e*x)) + (2*b*c^(1/3)*(c^(5/3)*d^5 - c^(4/3)*d^4*e + c*d^3*e^2 + c^(1/3)*d*e^4 - e^5)*Log[1 - c^(1/3)*x]/(-(c^2*d^6*e) + e^7) - (2*b*c^(1/3)*(c^(5/3)*d^5 + c^(4/3)*d^4*e + c*d^3*e^2 + c^(1/3)*d*e^4 + e^5)*Log[1 + c^(1/3)*x])/(-(c^2*d^6*e) + e^7) - (12*b*c*d^2*e^2*Log[d + e*x])/(c^2*d^6 - e^6) + (b*c^(1/3)*(2*c^(5/3)*d^5 - c^(4/3)*d^4*e - c*d^3*e^2 - c^(1/3)*d*e^4 - e^5)*Log[1 - c^(1/3)*x + c^(2/3)*x^2])/(c^2*d^6*e - e^7) + (b*c^(1/3)*(2*c^(5/3)*d^5 + c^(4/3)*d^4*e - c*d^3*e^2 - c^(1/3)*d*e^4 + e^5)*Log[1 + c^(1/3)*x])/(c^2*d^6*e - e^7)

$$\frac{1}{3}x + c^{2/3}x^2] / (-c^2d^6e + e^7) + (2bc^2d^2e^2 \text{Log}[1 - c^2x^6]) / (c^2d^6 - e^6) / 4$$

Maple [A] time = 0.039, size = 591, normalized size = 1.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^3))/(e*x+d)^2,x)

[Out]
$$\begin{aligned} & -a/(e*x+d)/e - b/(e*x+d)/e * \text{arctanh}(c*x^3) - 3*b*e^2*c*d^2/(c*d^3+e^3)/(c*d^3-e^3) * \ln(e*x+d) + b/(2*c*d^3+2*e^3)*d/(1/c)^{2/3} * \ln(x-(1/c)^{1/3}) - 1/2*b/(2*c*d^3+2*e^3)*d/(1/c)^{2/3} * \ln(x^2+(1/c)^{1/3}*x+(1/c)^{2/3}) - b/(2*c*d^3+2*e^3) * d/(1/c)^{2/3} * 3^{1/2} * \arctan(1/3*3^{1/2}*(2/(1/c)^{1/3}*x+1)) - b*e/(2*c*d^3+2*e^3)/(1/c)^{1/3} * \ln(x-(1/c)^{1/3}) + 1/2*b*e/(2*c*d^3+2*e^3)/(1/c)^{1/3} * \ln(x^2+(1/c)^{1/3}*x+(1/c)^{2/3}) - b*e/(2*c*d^3+2*e^3)*3^{1/2}/(1/c)^{1/3} * \arctan(1/3*3^{1/2}*(2/(1/c)^{1/3}*x+1)) - b/e*c/(2*c*d^3+2*e^3)*d^2*\ln(c*x^3-1) + b/(2*c*d^3-2*e^3)*d/(1/c)^{2/3} * \ln(x+(1/c)^{1/3}) - 1/2*b/(2*c*d^3-2*e^3)*d/(1/c)^{2/3} * \ln(x^2-(1/c)^{1/3}*x+(1/c)^{2/3}) + b/(2*c*d^3-2*e^3)*d/(1/c)^{2/3} * 3^{1/2} * \arctan(1/3*3^{1/2}*(2/(1/c)^{1/3}*x-1)) + b*e/(2*c*d^3-2*e^3)/(1/c)^{1/3} * \ln(x+(1/c)^{1/3}) - 1/2*b*e/(2*c*d^3-2*e^3)/(1/c)^{1/3} * \ln(x^2-(1/c)^{1/3}*x+(1/c)^{2/3}) - b*e/(2*c*d^3-2*e^3)*3^{1/2}/(1/c)^{1/3} * \arctan(1/3*3^{1/2}*(2/(1/c)^{1/3}*x-1)) + b/e*c/(2*c*d^3-2*e^3)*d^2*\ln(c*x^3+1) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^3))/(e*x+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^3))/(e*x+d)^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*atanh(c*x**3))/(e*x+d)**2,x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x^3))/(e*x+d)^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.36 \quad \int \frac{x^3 (a + b \tanh^{-1}(c\sqrt{x}))}{1 - c^2 x} dx$$

Optimal. Leaf size=195

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1 - c\sqrt{x}}\right)}{c^8} - \frac{x^3 (a + b \tanh^{-1}(c\sqrt{x}))}{3c^2} - \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^4} - \frac{x (a + b \tanh^{-1}(c\sqrt{x}))}{c^6} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))}{c^8}$$

[Out] $(-11*b*\sqrt{x})/(6*c^7) - (5*b*x^{(3/2)})/(18*c^5) - (b*x^{(5/2)})/(15*c^3) + (11*b*\operatorname{ArcTanh}[c*\sqrt{x}])/(6*c^8) - (x*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))/c^6 - (x^2*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))/(2*c^4) - (x^3*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))/(3*c^2) - (a + b*\operatorname{ArcTanh}[c*\sqrt{x}])^2/(b*c^8) + (2*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))*\operatorname{Log}[2/(1 - c*\sqrt{x})])/c^8 + (b*\operatorname{PolyLog}[2, 1 - 2/(1 - c*\sqrt{x})])/c^8$

Rubi [A] time = 0.600731, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {43, 5980, 5916, 302, 206, 321, 5984, 5918, 2402, 2315}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1 - c\sqrt{x}}\right)}{c^8} - \frac{x^3 (a + b \tanh^{-1}(c\sqrt{x}))}{3c^2} - \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^4} - \frac{x (a + b \tanh^{-1}(c\sqrt{x}))}{c^6} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))}{c^8}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))/(1 - c^2*x), x]$

[Out] $(-11*b*\sqrt{x})/(6*c^7) - (5*b*x^{(3/2)})/(18*c^5) - (b*x^{(5/2)})/(15*c^3) + (11*b*\operatorname{ArcTanh}[c*\sqrt{x}])/(6*c^8) - (x*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))/c^6 - (x^2*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))/(2*c^4) - (x^3*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))/(3*c^2) - (a + b*\operatorname{ArcTanh}[c*\sqrt{x}])^2/(b*c^8) + (2*(a + b*\operatorname{ArcTanh}[c*\sqrt{x}]))*\operatorname{Log}[2/(1 - c*\sqrt{x})])/c^8 + (b*\operatorname{PolyLog}[2, 1 - 2/(1 - c*\sqrt{x})])/c^8$

Rule 43

$\operatorname{Int}[(a + b*x)^m * (c + d*x)^n, x] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 5980

$\operatorname{Int}[(a + \operatorname{ArcTanh}[c*x])^p * (d + e*x)^2, x] \rightarrow \operatorname{Dist}[f^2/e, \operatorname{Int}[(f*x)^{m-2} * (a + b*\operatorname{ArcTanh}[c*x])^p, x]] - \operatorname{Dist}[(d*f^2)/e, \operatorname{Int}[(f*x)^{m-2} * (a + b*\operatorname{ArcTanh}[c*x])^p / (d + e*x^2), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 5916

$\operatorname{Int}[(a + \operatorname{ArcTanh}[c*x])^p * (d + e*x)^m, x] \rightarrow \operatorname{Simp}[(d*x)^{m+1} * (a + b*\operatorname{ArcTanh}[c*x])^p / (d*(m+1)), x] - \operatorname{Dist}[(b*c*p) / (d*(m+1)), \operatorname{Int}[(d*x)^{m+1} * (a + b*\operatorname{ArcTanh}[c*x])^{p-1} / (1 - c^2*x^2), x], x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 302

$\text{Int}[(x_)^{(m_)} / ((a_) + (b_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[x^{m_}, a + b*x^{n_}, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2*n - 1]

Rule 206

$\text{Int}(((a_) + (b_)*(x_)^2)^{-1}), x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 321

$\text{Int}(((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(c^{(n - 1)}*(c*x)^{(m - n + 1)}*(a + b*x^{n_})^{(p + 1)}) / (b*(m + n*p + 1)), x] - \text{Dist}[(a*c^{n_}*(m - n + 1)) / (b*(m + n*p + 1)), \text{Int}[(c*x)^{(m - n)}*(a + b*x^{n_})^p, x], x] /;$ FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 5984

$\text{Int}(((a_) + \text{ArcTanh}[(c_)*(x_)]*(b_))^{(p_)}*(x_)) / ((d_) + (e_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcTanh}[c*x])^{(p + 1)} / (b*e*(p + 1)), x] + \text{Dist}[1 / (c*d), \text{Int}[(a + b*\text{ArcTanh}[c*x])^p / (1 - c*x), x], x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]

Rule 5918

$\text{Int}(((a_) + \text{ArcTanh}[(c_)*(x_)]*(b_))^{(p_)} / ((d_) + (e_)*(x_))), x_Symbol] \rightarrow -\text{Simp}[(a + b*\text{ArcTanh}[c*x])^p * \text{Log}[2 / (1 + (e*x)/d)] / e, x] + \text{Dist}[(b*c^p) / e, \text{Int}[(a + b*\text{ArcTanh}[c*x])^{(p - 1)} * \text{Log}[2 / (1 + (e*x)/d)] / (1 - c^2*x^2), x], x] /;$ FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]

Rule 2402

$\text{Int}[\text{Log}[(c_)/((d_) + (e_)*(x_))] / ((f_) + (g_)*(x_)^2), x_Symbol] \rightarrow -\text{Dist}[e/g, \text{Subst}[\text{Int}[\text{Log}[2*d*x] / (1 - 2*d*x), x], x, 1 / (d + e*x)], x] /;$ FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

$\text{Int}[\text{Log}[(c_)*(x_)] / ((d_) + (e_)*(x_))), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, 1 - c*x] / e, x] /;$ FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \tanh^{-1}(c\sqrt{x}))}{1 - c^2 x} dx &= 2 \operatorname{Subst} \left(\int \frac{x^7 (a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx, x, \sqrt{x} \right) \\
&= -\frac{2 \operatorname{Subst} \left(\int x^5 (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{c^2} + \frac{2 \operatorname{Subst} \left(\int \frac{x^5 (a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx, x, \sqrt{x} \right)}{c^2} \\
&= -\frac{x^3 (a + b \tanh^{-1}(c\sqrt{x}))}{3c^2} - \frac{2 \operatorname{Subst} \left(\int x^3 (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{c^4} + \frac{2 \operatorname{Subst} \left(\int x (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{c^6} \\
&= -\frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^4} - \frac{x^3 (a + b \tanh^{-1}(c\sqrt{x}))}{3c^2} - \frac{2 \operatorname{Subst} \left(\int x (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{c^6} \\
&= -\frac{b\sqrt{x}}{3c^7} - \frac{bx^{3/2}}{9c^5} - \frac{bx^{5/2}}{15c^3} - \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^6} - \frac{x^2(a + b \tanh^{-1}(c\sqrt{x}))}{2c^4} - \frac{x^3(a + b \tanh^{-1}(c\sqrt{x}))}{3c^2} \\
&= -\frac{11b\sqrt{x}}{6c^7} - \frac{5bx^{3/2}}{18c^5} - \frac{bx^{5/2}}{15c^3} + \frac{b \tanh^{-1}(c\sqrt{x})}{3c^8} - \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^6} - \frac{x^2(a + b \tanh^{-1}(c\sqrt{x}))}{2c^4} \\
&= -\frac{11b\sqrt{x}}{6c^7} - \frac{5bx^{3/2}}{18c^5} - \frac{bx^{5/2}}{15c^3} + \frac{11b \tanh^{-1}(c\sqrt{x})}{6c^8} - \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^6} - \frac{x^2(a + b \tanh^{-1}(c\sqrt{x}))}{2c^4} \\
&= -\frac{11b\sqrt{x}}{6c^7} - \frac{5bx^{3/2}}{18c^5} - \frac{bx^{5/2}}{15c^3} + \frac{11b \tanh^{-1}(c\sqrt{x})}{6c^8} - \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^6} - \frac{x^2(a + b \tanh^{-1}(c\sqrt{x}))}{2c^4}
\end{aligned}$$

Mathematica [A] time = 0.552083, size = 160, normalized size = 0.82

$$\frac{90b \operatorname{PolyLog} \left(2, -e^{-2 \tanh^{-1}(c\sqrt{x})} \right) + 30ac^6 x^3 + 45ac^4 x^2 + 90ac^2 x + 90a \log(1 - c^2 x) + 6bc^5 x^{5/2} + 25bc^3 x^{3/2} + 15b \tanh^{-1}(c\sqrt{x})}{90c^8}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*(a + b*ArcTanh[c*Sqrt[x]]))/(1 - c^2*x), x]

[Out] $-(165*b*c*\operatorname{Sqrt}[x] + 90*a*c^2*x + 25*b*c^3*x^{(3/2)} + 45*a*c^4*x^2 + 6*b*c^5*x^{(5/2)} + 30*a*c^6*x^3 - 90*b*\operatorname{ArcTanh}[c*\operatorname{Sqrt}[x]]^2 + 15*b*\operatorname{ArcTanh}[c*\operatorname{Sqrt}[x]]*(-11 + 6*c^2*x + 3*c^4*x^2 + 2*c^6*x^3 - 12*\operatorname{Log}[1 + E^{(-2*\operatorname{ArcTanh}[c*\operatorname{Sqrt}[x]])}]) + 90*a*\operatorname{Log}[1 - c^2*x] + 90*b*\operatorname{PolyLog}[2, -E^{(-2*\operatorname{ArcTanh}[c*\operatorname{Sqrt}[x]])}]))/(90*c^8)$

Maple [A] time = 0.053, size = 309, normalized size = 1.6

$$-\frac{x^3 a}{3c^2} - \frac{ax^2}{2c^4} - \frac{ax}{c^6} - \frac{a}{c^8} \ln(c\sqrt{x} - 1) - \frac{a}{c^8} \ln(1 + c\sqrt{x}) - \frac{bx^3}{3c^2} \operatorname{Artanh}(c\sqrt{x}) - \frac{bx^2}{2c^4} \operatorname{Artanh}(c\sqrt{x}) - \frac{bx}{c^6} \operatorname{Artanh}(c\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1), x)

[Out] $-1/3/c^2*a*x^3-1/2/c^4*x^2*a-1/c^6*x*a-1/c^8*a*\ln(c*x^{(1/2)}-1)-1/c^8*a*\ln(1+c*x^{(1/2)})-1/3/c^2*b*arctanh(c*x^{(1/2)})*x^3-1/2/c^4*b*arctanh(c*x^{(1/2)})*x^2-1/c^6*b*arctanh(c*x^{(1/2)})*x-1/c^8*b*arctanh(c*x^{(1/2)})*\ln(c*x^{(1/2)}-1)-1/c^8*b*arctanh(c*x^{(1/2)})*\ln(1+c*x^{(1/2)})-1/4/c^8*b*\ln(c*x^{(1/2)}-1)^2+1/c^8*b*\ln(1+c*x^{(1/2)})^2$

$8*b*\operatorname{dilog}(1/2+1/2*c*x^{(1/2)})+1/2/c^8*b*\ln(c*x^{(1/2)}-1)*\ln(1/2+1/2*c*x^{(1/2)})+1/2/c^8*b*\ln(-1/2*c*x^{(1/2)}+1/2)*\ln(1/2+1/2*c*x^{(1/2)})-1/2/c^8*b*\ln(-1/2*c*x^{(1/2)}+1/2)*\ln(1+c*x^{(1/2)})+1/4/c^8*b*\ln(1+c*x^{(1/2)})^2-1/15*b*x^{(5/2)}/c^3-5/18*b*x^{(3/2)}/c^5-11/6*b*x^{(1/2)}/c^7-11/12/c^8*b*\ln(c*x^{(1/2)}-1)+11/12/c^8*b*\ln(1+c*x^{(1/2)})$

Maxima [A] time = 1.79632, size = 332, normalized size = 1.7

$$-\frac{1}{6}a\left(\frac{2c^4x^3+3c^2x^2+6x}{c^6}+\frac{6\log(c^2x-1)}{c^8}\right)-\frac{\left(\log(c\sqrt{x}+1)\log\left(-\frac{1}{2}c\sqrt{x}+\frac{1}{2}\right)+\operatorname{Li}_2\left(\frac{1}{2}c\sqrt{x}+\frac{1}{2}\right)\right)b}{c^8}+\frac{11b\log(c\sqrt{x}+1)}{12c^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="maxima")

[Out] -1/6*a*((2*c^4*x^3 + 3*c^2*x^2 + 6*x)/c^6 + 6*log(c^2*x - 1)/c^8) - (log(c*sqrt(x) + 1)*log(-1/2*c*sqrt(x) + 1/2) + dilog(1/2*c*sqrt(x) + 1/2))*b/c^8 + 11/12*b*log(c*sqrt(x) + 1)/c^8 - 11/12*b*log(c*sqrt(x) - 1)/c^8 - 1/180*(12*b*c^5*x^(5/2) + 50*b*c^3*x^(3/2) + 45*b*log(c*sqrt(x) + 1)^2 - 45*b*log(-c*sqrt(x) + 1)^2 + 330*b*c*sqrt(x) + 15*(2*b*c^6*x^3 + 3*b*c^4*x^2 + 6*b*c^2*x)*log(c*sqrt(x) + 1) - 15*(2*b*c^6*x^3 + 3*b*c^4*x^2 + 6*b*c^2*x + 6*b*log(c*sqrt(x) + 1))*log(-c*sqrt(x) + 1))/c^8

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{bx^3 \operatorname{artanh}(c\sqrt{x}) + ax^3}{c^2x - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="fricas")

[Out] integral(-(b*x^3*arctanh(c*sqrt(x)) + a*x^3)/(c^2*x - 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{ax^3}{c^2x-1} dx - \int \frac{bx^3 \operatorname{atanh}(c\sqrt{x})}{c^2x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*atanh(c*x**(1/2)))/(-c**2*x+1),x)

[Out] -Integral(a*x**3/(c**2*x - 1), x) - Integral(b*x**3*atanh(c*sqrt(x))/(c**2*x - 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{artanh}(c\sqrt{x}) + a)x^3}{c^2x - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="giac")
```

```
[Out] integrate(-(b*arctanh(c*sqrt(x)) + a)*x^3/(c^2*x - 1), x)
```

$$3.37 \quad \int \frac{x^2 \left(a + b \tanh^{-1}(c\sqrt{x}) \right)}{1 - c^2 x} dx$$

Optimal. Leaf size=160

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1 - c\sqrt{x}}\right)}{c^6} - \frac{x^2 \left(a + b \tanh^{-1}(c\sqrt{x}) \right)}{2c^2} - \frac{x \left(a + b \tanh^{-1}(c\sqrt{x}) \right)}{c^4} - \frac{\left(a + b \tanh^{-1}(c\sqrt{x}) \right)^2}{bc^6} + \frac{2 \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{c^6}$$

```
[Out] (-3*b*Sqrt[x])/(2*c^5) - (b*x^(3/2))/(6*c^3) + (3*b*ArcTanh[c*Sqrt[x]])/(2*c^6) - (x*(a + b*ArcTanh[c*Sqrt[x]]))/c^4 - (x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(2*c^2) - (a + b*ArcTanh[c*Sqrt[x]])^2/(b*c^6) + (2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 - c*Sqrt[x])])/c^6 + (b*PolyLog[2, 1 - 2/(1 - c*Sqrt[x])])/c^6
```

Rubi [A] time = 0.428567, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {43, 5980, 5916, 302, 206, 321, 5984, 5918, 2402, 2315}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1 - c\sqrt{x}}\right)}{c^6} - \frac{x^2 \left(a + b \tanh^{-1}(c\sqrt{x}) \right)}{2c^2} - \frac{x \left(a + b \tanh^{-1}(c\sqrt{x}) \right)}{c^4} - \frac{\left(a + b \tanh^{-1}(c\sqrt{x}) \right)^2}{bc^6} + \frac{2 \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{c^6}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(1 - c^2*x), x]
```

```
[Out] (-3*b*Sqrt[x])/(2*c^5) - (b*x^(3/2))/(6*c^3) + (3*b*ArcTanh[c*Sqrt[x]])/(2*c^6) - (x*(a + b*ArcTanh[c*Sqrt[x]]))/c^4 - (x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(2*c^2) - (a + b*ArcTanh[c*Sqrt[x]])^2/(b*c^6) + (2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 - c*Sqrt[x])])/c^6 + (b*PolyLog[2, 1 - 2/(1 - c*Sqrt[x])])/c^6
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5980

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*((f_.)*(x_))^(m_)/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcTanh[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcTanh[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 5916

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 302

$\text{Int}[(x_)^m / ((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[x^m, a + b*x^n, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2*n - 1]

Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 321

$\text{Int}[(c_)*(x_)^m * ((a_) + (b_)*(x_)^n)^{p_}, x_Symbol] \rightarrow \text{Simp}[(c^{n-1} * (c*x)^{m-n+1} * (a + b*x^n)^{p+1}) / (b*(m+n*p+1)), x] - \text{Dist}[(a*c^n * (m-n+1)) / (b*(m+n*p+1)), \text{Int}[(c*x)^{m-n} * (a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 5984

$\text{Int}[(a_) + \text{ArcTanh}[(c_)*(x_)] * (b_)^{p_} * (x_) / ((d_) + (e_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcTanh}[c*x])^{p+1} / (b*e*(p+1)), x] + \text{Dist}[1 / (c*d), \text{Int}[(a + b*\text{ArcTanh}[c*x])^p / (1 - c*x), x], x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]

Rule 5918

$\text{Int}[(a_) + \text{ArcTanh}[(c_)*(x_)] * (b_)^{p_} / ((d_) + (e_)*(x_)), x_Symbol] \rightarrow -\text{Simp}[(a + b*\text{ArcTanh}[c*x])^p * \text{Log}[2 / (1 + (e*x)/d)] / e, x] + \text{Dist}[(b*c*p) / e, \text{Int}[(a + b*\text{ArcTanh}[c*x])^{p-1} * \text{Log}[2 / (1 + (e*x)/d)] / (1 - c^2*x^2), x], x] /;$ FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]

Rule 2402

$\text{Int}[\text{Log}[(c_) / ((d_) + (e_)*(x_))] / ((f_) + (g_)*(x_)^2), x_Symbol] \rightarrow -\text{Dist}[e/g, \text{Subst}[\text{Int}[\text{Log}[2*d*x] / (1 - 2*d*x), x], x, 1 / (d + e*x)], x] /;$ FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

$\text{Int}[\text{Log}[(c_)*(x_)] / ((d_) + (e_)*(x_)), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, 1 - c*x] / e, x] /;$ FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{1 - c^2 x} dx &= 2 \operatorname{Subst} \left(\int \frac{x^5 (a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx, x, \sqrt{x} \right) \\
&= -\frac{2 \operatorname{Subst} \left(\int x^3 (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{c^2} + \frac{2 \operatorname{Subst} \left(\int \frac{x^3 (a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx, x, \sqrt{x} \right)}{c^2} \\
&= -\frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^2} - \frac{2 \operatorname{Subst} \left(\int x (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{c^4} + \frac{2 \operatorname{Subst} \left(\int \frac{x^3 (a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx, x, \sqrt{x} \right)}{c^2} \\
&= -\frac{x (a + b \tanh^{-1}(c\sqrt{x}))}{c^4} - \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^2} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^6} + \frac{2 \operatorname{Subst} \left(\int \frac{x^3 (a + b \tanh^{-1}(cx))}{1 - c^2 x^2} dx, x, \sqrt{x} \right)}{c^2} \\
&= -\frac{3b\sqrt{x}}{2c^5} - \frac{bx^{3/2}}{6c^3} - \frac{x (a + b \tanh^{-1}(c\sqrt{x}))}{c^4} - \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^2} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^6} \\
&= -\frac{3b\sqrt{x}}{2c^5} - \frac{bx^{3/2}}{6c^3} + \frac{3b \tanh^{-1}(c\sqrt{x})}{2c^6} - \frac{x (a + b \tanh^{-1}(c\sqrt{x}))}{c^4} - \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^2} \\
&= -\frac{3b\sqrt{x}}{2c^5} - \frac{bx^{3/2}}{6c^3} + \frac{3b \tanh^{-1}(c\sqrt{x})}{2c^6} - \frac{x (a + b \tanh^{-1}(c\sqrt{x}))}{c^4} - \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2c^2}
\end{aligned}$$

Mathematica [A] time = 0.379533, size = 130, normalized size = 0.81

$$\frac{6b \operatorname{PolyLog} \left(2, -e^{-2 \tanh^{-1}(c\sqrt{x})} \right) + 3ac^4 x^2 + 6ac^2 x + 6a \log(1 - c^2 x) + bc^3 x^{3/2} + 3b \tanh^{-1}(c\sqrt{x}) (c^4 x^2 + 2c^2 x - 4 \log(1 - c^2 x))}{6c^6}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(1 - c^2*x), x]

[Out] $-(9*b*c*\sqrt{x} + 6*a*c^2*x + b*c^3*x^{3/2} + 3*a*c^4*x^2 - 6*b*\operatorname{ArcTanh}[c*\sqrt{x}])^2 + 3*b*\operatorname{ArcTanh}[c*\sqrt{x}]*(-3 + 2*c^2*x + c^4*x^2 - 4*\log[1 + E^{(-2*\operatorname{ArcTanh}[c*\sqrt{x}])}]) + 6*a*\log[1 - c^2*x] + 6*b*\operatorname{PolyLog}[2, -E^{(-2*\operatorname{ArcTanh}[c*\sqrt{x}])}])/(6*c^6)$

Maple [B] time = 0.05, size = 276, normalized size = 1.7

$$-\frac{ax^2}{2c^2} - \frac{ax}{c^4} - \frac{a}{c^6} \ln(c\sqrt{x} - 1) - \frac{a}{c^6} \ln(1 + c\sqrt{x}) - \frac{bx^2}{2c^2} \operatorname{Artanh}(c\sqrt{x}) - \frac{bx}{c^4} \operatorname{Artanh}(c\sqrt{x}) - \frac{b}{c^6} \operatorname{Artanh}(c\sqrt{x}) \ln(c\sqrt{x} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1), x)

[Out] $-1/2/c^2*x^2*a - 1/c^4*x*a - 1/c^6*a*\ln(c*x^{1/2}-1) - 1/c^6*a*\ln(1+c*x^{1/2}) - 1/2/c^2*b*\arctanh(c*x^{1/2})*x^2 - 1/c^4*b*\arctanh(c*x^{1/2})*x - 1/c^6*b*\arctanh(c*x^{1/2})*\ln(c*x^{1/2}-1) - 1/c^6*b*\arctanh(c*x^{1/2})*\ln(1+c*x^{1/2}) - 1/4/c^6*b*\ln(c*x^{1/2}-1)^2 + 1/c^6*b*\operatorname{dilog}(1/2+1/2*c*x^{1/2}) + 1/2/c^6*b*\ln(c*x^{1/2}-1)*\ln(1/2+1/2*c*x^{1/2}) + 1/2/c^6*b*\ln(-1/2*c*x^{1/2}+1/2)*\ln(1/2+1/2*c*x^{1/2}) - 1/2/c^6*b*\ln(-1/2*c*x^{1/2}+1/2)*\ln(1+c*x^{1/2}) + 1/4/c^6*b*\ln(1+c*x^{1/2})^2 - 1/6*b*x^{3/2}/c^3 - 3/2*b*x^{1/2}/c^5 - 3/4/c^6*b*\ln(c*x^{1/2}-1) + 3/4/c^6*b*\ln(1+c*x^{1/2})$

Maxima [A] time = 1.75142, size = 281, normalized size = 1.76

$$-\frac{1}{2}a\left(\frac{c^2x^2 + 2x}{c^4} + \frac{2\log(c^2x - 1)}{c^6}\right) - \frac{\left(\log(c\sqrt{x} + 1)\log\left(-\frac{1}{2}c\sqrt{x} + \frac{1}{2}\right) + \text{Li}_2\left(\frac{1}{2}c\sqrt{x} + \frac{1}{2}\right)\right)b}{c^6} + \frac{3b\log(c\sqrt{x} + 1)}{4c^6} - \frac{3}{4}a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="maxima")

[Out] -1/2*a*((c^2*x^2 + 2*x)/c^4 + 2*log(c^2*x - 1)/c^6) - (log(c*sqrt(x) + 1)*log(-1/2*c*sqrt(x) + 1/2) + dilog(1/2*c*sqrt(x) + 1/2))*b/c^6 + 3/4*b*log(c*sqrt(x) + 1)/c^6 - 3/4*b*log(c*sqrt(x) - 1)/c^6 - 1/12*(2*b*c^3*x^(3/2) + 3*b*log(c*sqrt(x) + 1)^2 - 3*b*log(-c*sqrt(x) + 1)^2 + 18*b*c*sqrt(x) + 3*(b*c^4*x^2 + 2*b*c^2*x)*log(c*sqrt(x) + 1) - 3*(b*c^4*x^2 + 2*b*c^2*x + 2*b*log(c*sqrt(x) + 1))*log(-c*sqrt(x) + 1))/c^6

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{bx^2 \operatorname{artanh}(c\sqrt{x}) + ax^2}{c^2x - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="fricas")

[Out] integral(-(b*x^2*arctanh(c*sqrt(x)) + a*x^2)/(c^2*x - 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{ax^2}{c^2x - 1} dx - \int \frac{bx^2 \operatorname{atanh}(c\sqrt{x})}{c^2x - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*atanh(c*x**(1/2)))/(-c**2*x+1),x)

[Out] -Integral(a*x**2/(c**2*x - 1), x) - Integral(b*x**2*atanh(c*sqrt(x))/(c**2*x - 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{artanh}(c\sqrt{x}) + a)x^2}{c^2x - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="giac")

[Out] integrate(-(b*arctanh(c*sqrt(x)) + a)*x^2/(c^2*x - 1), x)

$$3.38 \quad \int \frac{x(a+b \tanh^{-1}(c\sqrt{x}))}{1-c^2x} dx$$

Optimal. Leaf size=120

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-c\sqrt{x}}\right)}{c^4} - \frac{(a+b \tanh^{-1}(c\sqrt{x}))^2}{bc^4} - \frac{x(a+b \tanh^{-1}(c\sqrt{x}))}{c^2} + \frac{2 \log\left(\frac{2}{1-c\sqrt{x}}\right)(a+b \tanh^{-1}(c\sqrt{x}))}{c^4} - \frac{b\sqrt{x}}{c^3}$$

[Out] $-(b\sqrt{x})/c^3 + (b \operatorname{ArcTanh}[c\sqrt{x}])/c^4 - (x(a + b \operatorname{ArcTanh}[c\sqrt{x}]))/c^2 - (a + b \operatorname{ArcTanh}[c\sqrt{x}])^2/(bc^4) + (2(a + b \operatorname{ArcTanh}[c\sqrt{x}]) \operatorname{Log}[2/(1 - c\sqrt{x})])/c^4 + (b \operatorname{PolyLog}[2, 1 - 2/(1 - c\sqrt{x})])/c^4$

Rubi [A] time = 0.259834, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {43, 5980, 5916, 321, 206, 5984, 5918, 2402, 2315}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-c\sqrt{x}}\right)}{c^4} - \frac{(a+b \tanh^{-1}(c\sqrt{x}))^2}{bc^4} - \frac{x(a+b \tanh^{-1}(c\sqrt{x}))}{c^2} + \frac{2 \log\left(\frac{2}{1-c\sqrt{x}}\right)(a+b \tanh^{-1}(c\sqrt{x}))}{c^4} - \frac{b\sqrt{x}}{c^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x(a + b \operatorname{ArcTanh}[c\sqrt{x}]))/(1 - c^2x), x]$

[Out] $-(b\sqrt{x})/c^3 + (b \operatorname{ArcTanh}[c\sqrt{x}])/c^4 - (x(a + b \operatorname{ArcTanh}[c\sqrt{x}]))/c^2 - (a + b \operatorname{ArcTanh}[c\sqrt{x}])^2/(bc^4) + (2(a + b \operatorname{ArcTanh}[c\sqrt{x}]) \operatorname{Log}[2/(1 - c\sqrt{x})])/c^4 + (b \operatorname{PolyLog}[2, 1 - 2/(1 - c\sqrt{x})])/c^4$

Rule 43

$\operatorname{Int}[(a_. + (b_.)(x_)^m)(c_. + (d_.)(x_)^n), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{IGtQ}[m, 0] \ \&\& \ (\! \operatorname{IntegerQ}[n] \ || \ (\operatorname{EqQ}[c, 0] \ \&\& \ \operatorname{LeQ}[7*m + 4*n + 4, 0]) \ || \ \operatorname{LtQ}[9*m + 5*(n + 1), 0] \ || \ \operatorname{GtQ}[m + n + 2, 0])$

Rule 5980

$\operatorname{Int}[((a_. + \operatorname{ArcTanh}[(c_.)(x_)])*(b_.))^p*(f_.)(x_)^m/(d_. + (e_.)(x_)^2), x_Symbol] \rightarrow \operatorname{Dist}[f^2/e, \operatorname{Int}[(f*x)^{m-2}*(a + b \operatorname{ArcTanh}[c*x])^p, x] - \operatorname{Dist}[(d*f^2)/e, \operatorname{Int}[(f*x)^{m-2}*(a + b \operatorname{ArcTanh}[c*x])^p/(d + e*x^2), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \operatorname{GtQ}[p, 0] \ \&\& \ \operatorname{GtQ}[m, 1]$

Rule 5916

$\operatorname{Int}[(a_. + \operatorname{ArcTanh}[(c_.)(x_)])*(b_.))^p*(d_.)(x_)^m, x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{m+1}*(a + b \operatorname{ArcTanh}[c*x])^p/(d*(m+1)), x] - \operatorname{Dist}[(b*c*p)/(d*(m+1)), \operatorname{Int}[(d*x)^{m+1}*(a + b \operatorname{ArcTanh}[c*x])^{p-1}/(1 - c^2*x^2), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, m, x\} \ \&\& \ \operatorname{IGtQ}[p, 0] \ \&\& \ (\operatorname{EqQ}[p, 1] \ || \ \operatorname{IntegerQ}[m]) \ \&\& \ \operatorname{NeQ}[m, -1]$

Rule 321

$\operatorname{Int}[(c_.)(x_)^m*(a_. + (b_.)(x_)^n)^p, x_Symbol] \rightarrow \operatorname{Simp}[(c^{n-1}*(c*x)^{m-n+1}*(a + b*x^n)^{p+1})/(b*(m+n*p+1)), x] - \operatorname{Dist}[\operatorname{Int}[(c*x)^{m-n+1}*(a + b*x^n)^p, x], x] /;$

$(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), \text{Int}[(c*x)^(m - n)*(a + b*x^n)^p, x],$
 $x] /; \text{FreeQ}\{a, b, c, p\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n - 1] \&\& \text{NeQ}[m + n*p$
 $+ 1, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 206

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/$
 $\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{Gt}$
 $\text{Q}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 5984

$\text{Int}[(a + \text{ArcTanh}[c*x]*b)^p/(d + e*x^2), x_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcTanh}[c*x])^{p+1}/(b*e*(p+1)), x] + \text{Dist}[1/$
 $(c*d), \text{Int}[(a + b*\text{ArcTanh}[c*x])^p/(1 - c*x), x], x] /; \text{FreeQ}\{a, b, c, d, e$
 $\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p, 0]$

Rule 5918

$\text{Int}[(a + \text{ArcTanh}[c*x]*b)^p/(d + e*x), x_Symbol] \rightarrow -\text{Simp}[(a + b*\text{ArcTanh}[c*x])^p*\text{Log}[2/(1 + (e*x)/d)]/e, x] + \text{Dist}[(b*c*$
 $p)/e, \text{Int}[(a + b*\text{ArcTanh}[c*x])^{p-1}*\text{Log}[2/(1 + (e*x)/d)]/(1 - c^2*x^2)$
 $, x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[c^2*d^2 - e^2, 0]$

Rule 2402

$\text{Int}[\text{Log}[(c + d*x)/(e + f*x^2)], x_Symbol] \rightarrow -\text{Dist}[e/g, \text{Subst}[\text{Int}[\text{Log}[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; \text{FreeQ}\{c,$
 $d, e, f, g\}, x\} \&\& \text{EqQ}[c, 2*d] \&\& \text{EqQ}[e^2*f + d^2*g, 0]$

Rule 2315

$\text{Int}[\text{Log}[(c + d*x)/(e + f*x)], x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, 1 -$
 $c*x]/e, x] /; \text{FreeQ}\{c, d, e\}, x\} \&\& \text{EqQ}[e + c*d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{1 - c^2x} dx &= 2 \text{Subst} \left(\int \frac{x^3(a + b \tanh^{-1}(cx))}{1 - c^2x^2} dx, x, \sqrt{x} \right) \\ &= -\frac{2 \text{Subst} \left(\int x(a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{c^2} + \frac{2 \text{Subst} \left(\int \frac{x(a + b \tanh^{-1}(cx))}{1 - c^2x^2} dx, x, \sqrt{x} \right)}{c^2} \\ &= -\frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^2} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^4} + \frac{2 \text{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{1 - cx} dx, x, \sqrt{x} \right)}{c^3} \\ &= -\frac{b\sqrt{x}}{c^3} - \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^2} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^4} + \frac{2(a + b \tanh^{-1}(c\sqrt{x}))}{c^4} \\ &= -\frac{b\sqrt{x}}{c^3} + \frac{b \tanh^{-1}(c\sqrt{x})}{c^4} - \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^2} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^4} + \frac{2(a + b \tanh^{-1}(c\sqrt{x}))}{c^4} \\ &= -\frac{b\sqrt{x}}{c^3} + \frac{b \tanh^{-1}(c\sqrt{x})}{c^4} - \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{c^2} - \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^4} + \frac{2(a + b \tanh^{-1}(c\sqrt{x}))}{c^4} \end{aligned}$$

Mathematica [A] time = 0.219557, size = 96, normalized size = 0.8

$$\frac{b \operatorname{PolyLog}\left(2, -e^{-2 \operatorname{tanh}^{-1}(c\sqrt{x})}\right) + ac^2x + a \log(1 - c^2x) + b \operatorname{tanh}^{-1}(c\sqrt{x})\left(c^2x - 2 \log\left(e^{-2 \operatorname{tanh}^{-1}(c\sqrt{x})} + 1\right) - 1\right) + bc\sqrt{x}}{c^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*(a + b*ArcTanh[c*Sqrt[x]]))/(1 - c^2*x), x]

[Out] -((b*c*Sqrt[x] + a*c^2*x - b*ArcTanh[c*Sqrt[x]]^2 + b*ArcTanh[c*Sqrt[x]]*(-1 + c^2*x - 2*Log[1 + E^(-2*ArcTanh[c*Sqrt[x]])])) + a*Log[1 - c^2*x] + b*PolyLog[2, -E^(-2*ArcTanh[c*Sqrt[x]])])/c^4

Maple [B] time = 0.051, size = 243, normalized size = 2.

$$-\frac{ax}{c^2} - \frac{a}{c^4} \ln(c\sqrt{x} - 1) - \frac{a}{c^4} \ln(1 + c\sqrt{x}) - \frac{bx}{c^2} \operatorname{Artanh}(c\sqrt{x}) - \frac{b}{c^4} \operatorname{Artanh}(c\sqrt{x}) \ln(c\sqrt{x} - 1) - \frac{b}{c^4} \operatorname{Artanh}(c\sqrt{x}) \ln(1 + c\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1), x)

[Out] -1/c^2*x*a-1/c^4*a*ln(c*x^(1/2)-1)-1/c^4*a*ln(1+c*x^(1/2))-1/c^2*b*arctanh(c*x^(1/2))*x-1/c^4*b*arctanh(c*x^(1/2))*ln(c*x^(1/2)-1)-1/c^4*b*arctanh(c*x^(1/2))*ln(1+c*x^(1/2))-b*x^(1/2)/c^3-1/2/c^4*b*ln(c*x^(1/2)-1)+1/2/c^4*b*ln(1+c*x^(1/2))-1/4/c^4*b*ln(c*x^(1/2)-1)^2+1/c^4*b*dilog(1/2+1/2*c*x^(1/2))+1/2/c^4*b*ln(c*x^(1/2)-1)*ln(1/2+1/2*c*x^(1/2))+1/2/c^4*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1/2+1/2*c*x^(1/2))-1/2/c^4*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1+c*x^(1/2))+1/4/c^4*b*ln(1+c*x^(1/2))^2

Maxima [A] time = 1.75246, size = 224, normalized size = 1.87

$$-a\left(\frac{x}{c^2} + \frac{\log(c^2x - 1)}{c^4}\right) - \frac{\left(\log(c\sqrt{x} + 1) \log\left(-\frac{1}{2}c\sqrt{x} + \frac{1}{2}\right) + \operatorname{Li}_2\left(\frac{1}{2}c\sqrt{x} + \frac{1}{2}\right)\right)b}{c^4} + \frac{b \log(c\sqrt{x} + 1)}{2c^4} - \frac{b \log(c\sqrt{x} - 1)}{2c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1), x, algorithm="maxima")

[Out] -a*(x/c^2 + log(c^2*x - 1)/c^4) - (log(c*sqrt(x) + 1)*log(-1/2*c*sqrt(x) + 1/2) + dilog(1/2*c*sqrt(x) + 1/2))*b/c^4 + 1/2*b*log(c*sqrt(x) + 1)/c^4 - 1/2*b*log(c*sqrt(x) - 1)/c^4 - 1/4*(2*b*c^2*x*log(c*sqrt(x) + 1) + b*log(c*sqrt(x) + 1)^2 - b*log(-c*sqrt(x) + 1)^2 + 4*b*c*sqrt(x) - 2*(b*c^2*x + b*log(c*sqrt(x) + 1))*log(-c*sqrt(x) + 1))/c^4

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{bx \operatorname{artanh}(c\sqrt{x}) + ax}{c^2x - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="fricas")
```

```
[Out] integral(-(b*x*arctanh(c*sqrt(x)) + a*x)/(c^2*x - 1), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{ax}{c^2x-1} dx - \int \frac{bx \operatorname{atanh}(c\sqrt{x})}{c^2x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*atanh(c*x**(1/2)))/(-c**2*x+1),x)
```

```
[Out] -Integral(a*x/(c**2*x - 1), x) - Integral(b*x*atanh(c*sqrt(x))/(c**2*x - 1), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{artanh}(c\sqrt{x}) + a)x}{c^2x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="giac")
```

```
[Out] integrate(-(b*arctanh(c*sqrt(x)) + a)*x/(c^2*x - 1), x)
```

$$3.39 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{1-c^2x} dx$$

Optimal. Leaf size=78

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-c\sqrt{x}}\right)}{c^2} - \frac{(a+b \tanh^{-1}(c\sqrt{x}))^2}{bc^2} + \frac{2 \log\left(\frac{2}{1-c\sqrt{x}}\right)(a+b \tanh^{-1}(c\sqrt{x}))}{c^2}$$

[Out] $-\left((a + b \operatorname{ArcTanh}[c \operatorname{Sqrt}[x]])^2 / (b c^2)\right) + (2(a + b \operatorname{ArcTanh}[c \operatorname{Sqrt}[x]]) \operatorname{Log}[2 / (1 - c \operatorname{Sqrt}[x])]) / c^2 + (b \operatorname{PolyLog}[2, 1 - 2 / (1 - c \operatorname{Sqrt}[x])]) / c^2$

Rubi [A] time = 0.125208, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {5984, 5918, 2402, 2315}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-c\sqrt{x}}\right)}{c^2} - \frac{(a+b \tanh^{-1}(c\sqrt{x}))^2}{bc^2} + \frac{2 \log\left(\frac{2}{1-c\sqrt{x}}\right)(a+b \tanh^{-1}(c\sqrt{x}))}{c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \operatorname{ArcTanh}[c \operatorname{Sqrt}[x]]) / (1 - c^2 x), x]$

[Out] $-\left((a + b \operatorname{ArcTanh}[c \operatorname{Sqrt}[x]])^2 / (b c^2)\right) + (2(a + b \operatorname{ArcTanh}[c \operatorname{Sqrt}[x]]) \operatorname{Log}[2 / (1 - c \operatorname{Sqrt}[x])]) / c^2 + (b \operatorname{PolyLog}[2, 1 - 2 / (1 - c \operatorname{Sqrt}[x])]) / c^2$

Rule 5984

$\operatorname{Int}[((a_.) + \operatorname{ArcTanh}[(c_.)(x_)](b_.))^{(p_.)(x_)} / ((d_.) + (e_.)(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[(a + b \operatorname{ArcTanh}[c x])^{(p + 1)} / (b e^{(p + 1)}), x] + \operatorname{Dist}[1 / (c d), \operatorname{Int}[(a + b \operatorname{ArcTanh}[c x])^p / (1 - c x), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e\}, x \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{IGtQ}[p, 0]$

Rule 5918

$\operatorname{Int}[((a_.) + \operatorname{ArcTanh}[(c_.)(x_)](b_.))^{(p_.)(x_)} / ((d_.) + (e_.)(x_)), x_Symbol] \rightarrow -\operatorname{Simp}[(a + b \operatorname{ArcTanh}[c x])^p \operatorname{Log}[2 / (1 + (e x) / d)] / e, x] + \operatorname{Dist}[(b c^p) / e, \operatorname{Int}[(a + b \operatorname{ArcTanh}[c x])^{(p - 1)} \operatorname{Log}[2 / (1 + (e x) / d)] / (1 - c^2 x^2), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e\}, x \&\& \operatorname{IGtQ}[p, 0] \&\& \operatorname{EqQ}[c^2 d^2 - e^2, 0]$

Rule 2402

$\operatorname{Int}[\operatorname{Log}[(c_.) / ((d_.) + (e_.)(x_))] / ((f_.) + (g_.)(x_)^2), x_Symbol] \rightarrow -\operatorname{Dist}[e / g, \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[2 d x] / (1 - 2 d x), x], x, 1 / (d + e x)], x] /;$ $\operatorname{FreeQ}\{c, d, e, f, g\}, x \&\& \operatorname{EqQ}[c, 2 d] \&\& \operatorname{EqQ}[e^2 f + d^2 g, 0]$

Rule 2315

$\operatorname{Int}[\operatorname{Log}[(c_.)(x_)] / ((d_.) + (e_.)(x_)), x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{PolyLog}[2, 1 - c x] / e, x] /;$ $\operatorname{FreeQ}\{c, d, e\}, x \&\& \operatorname{EqQ}[e + c d, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(c\sqrt{x})}{1 - c^2x} dx &= 2 \operatorname{Subst} \left(\int \frac{x(a + b \tanh^{-1}(cx))}{1 - c^2x^2} dx, x, \sqrt{x} \right) \\
&= -\frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^2} + \frac{2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{1 - cx} dx, x, \sqrt{x} \right)}{c} \\
&= -\frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^2} + \frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{c^2} - \frac{(2b) \operatorname{Subst} \left(\int \frac{\log\left(\frac{2}{1 - cx}\right)}{1 - c^2x^2} dx, x, \sqrt{x} \right)}{c} \\
&= -\frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^2} + \frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{c^2} + \frac{(2b) \operatorname{Subst} \left(\int \frac{\log(2x)}{1 - 2x} dx, x, \sqrt{x} \right)}{c^2} \\
&= -\frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{bc^2} + \frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{c^2} + \frac{b \operatorname{Li}_2\left(1 - \frac{2}{1 - c\sqrt{x}}\right)}{c^2}
\end{aligned}$$

Mathematica [A] time = 0.0968517, size = 75, normalized size = 0.96

$$\frac{b \left(\operatorname{PolyLog}\left(2, -e^{-2 \tanh^{-1}(c\sqrt{x})}\right) - \tanh^{-1}(c\sqrt{x}) \left(\tanh^{-1}(c\sqrt{x}) + 2 \log\left(e^{-2 \tanh^{-1}(c\sqrt{x})} + 1\right) \right) \right)}{c^2} - \frac{a \log(1 - c^2x)}{c^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(1 - c^2*x), x]

[Out] -((a*Log[1 - c^2*x])/c^2) - (b*(-(ArcTanh[c*Sqrt[x]]*(ArcTanh[c*Sqrt[x]] + 2*Log[1 + E^(-2*ArcTanh[c*Sqrt[x]])])) + PolyLog[2, -E^(-2*ArcTanh[c*Sqrt[x]])]))/c^2

Maple [B] time = 0.046, size = 186, normalized size = 2.4

$$-\frac{a}{c^2} \ln(c\sqrt{x} - 1) - \frac{a}{c^2} \ln(1 + c\sqrt{x}) - \frac{b}{c^2} \operatorname{Arctanh}(c\sqrt{x}) \ln(c\sqrt{x} - 1) - \frac{b}{c^2} \operatorname{Arctanh}(c\sqrt{x}) \ln(1 + c\sqrt{x}) - \frac{b}{4c^2} (\ln(c\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^(1/2)))/(-c^2*x+1), x)

[Out] -1/c^2*a*ln(c*x^(1/2)-1)-1/c^2*a*ln(1+c*x^(1/2))-1/c^2*b*arctanh(c*x^(1/2))*ln(c*x^(1/2)-1)-1/c^2*b*arctanh(c*x^(1/2))*ln(1+c*x^(1/2))-1/4/c^2*b*ln(c*x^(1/2)-1)^2+1/c^2*b*dilog(1/2+1/2*c*x^(1/2))+1/2/c^2*b*ln(c*x^(1/2)-1)*ln(1/2+1/2*c*x^(1/2))+1/2/c^2*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1/2+1/2*c*x^(1/2))-1/2/c^2*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1+c*x^(1/2))+1/4/c^2*b*ln(1+c*x^(1/2))^2

Maxima [A] time = 2.07543, size = 136, normalized size = 1.74

$$\frac{\left(\log(c\sqrt{x} + 1) \log\left(-\frac{1}{2}c\sqrt{x} + \frac{1}{2}\right) + \operatorname{Li}_2\left(\frac{1}{2}c\sqrt{x} + \frac{1}{2}\right) \right) b}{c^2} - \frac{a \log(c^2x - 1)}{c^2} - \frac{b \log(c\sqrt{x} + 1)^2 - 2b \log(c\sqrt{x} + 1) \log(c\sqrt{x} - 1)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="maxima")

[Out] $-(\log(c\sqrt{x} + 1)\log(-1/2*c\sqrt{x} + 1/2) + \operatorname{dilog}(1/2*c\sqrt{x} + 1/2)) * b/c^2 - a\log(c^2*x - 1)/c^2 - 1/4*(b\log(c\sqrt{x} + 1)^2 - 2*b\log(c\sqrt{x} + 1)\log(-c\sqrt{x} + 1) - b\log(-c\sqrt{x} + 1)^2)/c^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{c^2x - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="fricas")

[Out] $\operatorname{integral}(-(b*\operatorname{arctanh}(c*\sqrt{x}) + a)/(c^2*x - 1), x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a}{c^2x - 1} dx - \int \frac{b \operatorname{atanh}(c\sqrt{x})}{c^2x - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**(1/2)))/(-c**2*x+1),x)

[Out] $-\operatorname{Integral}(a/(c**2*x - 1), x) - \operatorname{Integral}(b*\operatorname{atanh}(c*\sqrt{x})/(c**2*x - 1), x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{c^2x - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/(-c^2*x+1),x, algorithm="giac")

[Out] $\operatorname{integrate}(-(b*\operatorname{arctanh}(c*\sqrt{x}) + a)/(c^2*x - 1), x)$

$$3.40 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x(1-c^2x)} dx$$

Optimal. Leaf size=69

$$-b \operatorname{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) + \frac{(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2 \log\left(2 - \frac{2}{c\sqrt{x}+1}\right) (a+b \tanh^{-1}(c\sqrt{x}))$$

[Out] (a + b*ArcTanh[c*Sqrt[x]])^2/b + 2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2 - 2/(1 + c*Sqrt[x])] - b*PolyLog[2, -1 + 2/(1 + c*Sqrt[x])]

Rubi [A] time = 0.24363, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {36, 29, 31, 1593, 5988, 5932, 2447}

$$-b \operatorname{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) + \frac{(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2 \log\left(2 - \frac{2}{c\sqrt{x}+1}\right) (a+b \tanh^{-1}(c\sqrt{x}))$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*Sqrt[x]])/(x*(1 - c^2*x)), x]

[Out] (a + b*ArcTanh[c*Sqrt[x]])^2/b + 2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2 - 2/(1 + c*Sqrt[x])] - b*PolyLog[2, -1 + 2/(1 + c*Sqrt[x])]

Rule 36

Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 29

Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a_) + (b_.)*(x_.))^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q-p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q-p]

Rule 5988

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^p/((x_.)*((d_.) + (e_.)*(x_)^2)), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p+1)/(b*d*(p+1)), x] + Dist[1/d, Int[(a + b*ArcTanh[c*x])^p/(x*(1+c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[p, 0]

Rule 5932

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)/((x_.)*((d_.) + (e_.)*(x_.))), x
_Symbol] := Simp[((a + b*ArcTanh[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] -
Dist[(b*c*p)/d, Int[((a + b*ArcTanh[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)]]
/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^
2*d^2 - e^2, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \tanh^{-1}(c\sqrt{x})}{x(1 - c^2x)} dx &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x - c^2x^3} dx, x, \sqrt{x} \right) \\ &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x(1 - c^2x^2)} dx, x, \sqrt{x} \right) \\ &= \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x(1 + cx)} dx, x, \sqrt{x} \right) \\ &= \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2(a + b \tanh^{-1}(c\sqrt{x})) \log \left(2 - \frac{2}{1 + c\sqrt{x}} \right) - (2bc) \operatorname{Subst} \left(\int \frac{\log \left(\frac{2}{1 - c\sqrt{x}} \right)}{1 - c\sqrt{x}} dx, x, \sqrt{x} \right) \\ &= \frac{(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2(a + b \tanh^{-1}(c\sqrt{x})) \log \left(2 - \frac{2}{1 + c\sqrt{x}} \right) - b \operatorname{Li}_2 \left(-1 + \frac{2}{1 + c\sqrt{x}} \right) \end{aligned}$$

Mathematica [A] time = 0.124835, size = 72, normalized size = 1.04

$$-b \operatorname{PolyLog} \left(2, e^{-2 \tanh^{-1}(c\sqrt{x})} \right) - a \log(1 - c^2x) + a \log(x) + b \tanh^{-1}(c\sqrt{x}) \left(\tanh^{-1}(c\sqrt{x}) + 2 \log \left(1 - e^{-2 \tanh^{-1}(c\sqrt{x})} \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(x*(1 - c^2*x)), x]
```

```
[Out] b*ArcTanh[c*Sqrt[x]]*(ArcTanh[c*Sqrt[x]] + 2*Log[1 - E^(-2*ArcTanh[c*Sqrt[x]
]])) + a*Log[x] - a*Log[1 - c^2*x] - b*PolyLog[2, E^(-2*ArcTanh[c*Sqrt[x]
])]
```

Maple [B] time = 0.053, size = 217, normalized size = 3.1

$$-a \ln(c\sqrt{x} - 1) + 2a \ln(c\sqrt{x}) - a \ln(1 + c\sqrt{x}) - b \operatorname{Artanh}(c\sqrt{x}) \ln(c\sqrt{x} - 1) + 2b \operatorname{Artanh}(c\sqrt{x}) \ln(c\sqrt{x}) - b \operatorname{Artanh}(c\sqrt{x}) \ln(1 + c\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arctanh(c*x^(1/2)))/x/(-c^2*x+1), x)
```

```
[Out] -a*ln(c*x^(1/2)-1)+2*a*ln(c*x^(1/2))-a*ln(1+c*x^(1/2))-b*arctanh(c*x^(1/2))
*ln(c*x^(1/2)-1)+2*b*arctanh(c*x^(1/2))*ln(c*x^(1/2))-b*arctanh(c*x^(1/2))*
```

$$\ln(1+c*x^{(1/2)})-b*dilog(c*x^{(1/2)})-b*dilog(1+c*x^{(1/2)})-b*\ln(c*x^{(1/2)})*\ln(1+c*x^{(1/2)})-1/4*b*\ln(c*x^{(1/2)}-1)^2+b*dilog(1/2+1/2*c*x^{(1/2)})+1/2*b*\ln(c*x^{(1/2)}-1)*\ln(1/2+1/2*c*x^{(1/2)})+1/2*b*\ln(-1/2*c*x^{(1/2)}+1/2)*\ln(1/2+1/2*c*x^{(1/2)})-1/2*b*\ln(-1/2*c*x^{(1/2)}+1/2)*\ln(1+c*x^{(1/2)})+1/4*b*\ln(1+c*x^{(1/2)})^2$$

Maxima [B] time = 1.62442, size = 215, normalized size = 3.12

$$-\frac{1}{4}b \log(c\sqrt{x}+1)^2 + \frac{1}{2}b \log(c\sqrt{x}+1) \log(-c\sqrt{x}+1) + \frac{1}{4}b \log(-c\sqrt{x}+1)^2 - \left(\log(c\sqrt{x}+1) \log\left(-\frac{1}{2}c\sqrt{x} + \frac{1}{2}\right) + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x/(-c^2*x+1),x, algorithm="maxima")

[Out] -1/4*b*log(c*sqrt(x) + 1)^2 + 1/2*b*log(c*sqrt(x) + 1)*log(-c*sqrt(x) + 1) + 1/4*b*log(-c*sqrt(x) + 1)^2 - (log(c*sqrt(x) + 1)*log(-1/2*c*sqrt(x) + 1/2) + dilog(1/2*c*sqrt(x) + 1/2))*b - (log(c*sqrt(x))*log(-c*sqrt(x) + 1) + dilog(-c*sqrt(x) + 1))*b + (log(c*sqrt(x) + 1)*log(-c*sqrt(x)) + dilog(c*sqrt(x) + 1))*b - a*(log(c*sqrt(x) + 1) + log(c*sqrt(x) - 1) - log(x))

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{c^2x^2 - x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x/(-c^2*x+1),x, algorithm="fricas")

[Out] integral(-(b*arctanh(c*sqrt(x)) + a)/(c^2*x^2 - x), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a}{c^2x^2 - x} dx - \int \frac{b \operatorname{atanh}(c\sqrt{x})}{c^2x^2 - x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**(1/2)))/x/(-c**2*x+1),x)

[Out] -Integral(a/(c**2*x**2 - x), x) - Integral(b*atanh(c*sqrt(x))/(c**2*x**2 - x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{(c^2x - 1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x^(1/2)))/x/(-c^2*x+1),x, algorithm="giac")
```

```
[Out] integrate(-(b*arctanh(c*sqrt(x)) + a)/((c^2*x - 1)*x), x)
```


$$3.41 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^2(1-c^2x)} dx$$

Optimal. Leaf size=117

$$-bc^2 \text{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) + \frac{c^2(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2c^2 \log\left(2 - \frac{2}{c\sqrt{x}+1}\right)(a+b \tanh^{-1}(c\sqrt{x})) - \frac{a+b \tanh^{-1}(c\sqrt{x})}{x}$$

[Out] $-\frac{bc}{\sqrt{x}} + b^2 c^2 \text{ArcTanh}[c\sqrt{x}] - (a + b \text{ArcTanh}[c\sqrt{x}])/x + (c^2(a + b \text{ArcTanh}[c\sqrt{x}])^2)/b + 2c^2(a + b \text{ArcTanh}[c\sqrt{x}]) \text{Log}[2 - 2/(1 + c\sqrt{x})] - b^2 c^2 \text{PolyLog}[2, -1 + 2/(1 + c\sqrt{x})]$

Rubi [A] time = 0.363359, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {44, 1593, 5982, 5916, 325, 206, 5988, 5932, 2447}

$$-bc^2 \text{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) + \frac{c^2(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2c^2 \log\left(2 - \frac{2}{c\sqrt{x}+1}\right)(a+b \tanh^{-1}(c\sqrt{x})) - \frac{a+b \tanh^{-1}(c\sqrt{x})}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \text{ArcTanh}[c\sqrt{x}])/(x^2(1 - c^2x)), x]$

[Out] $-\frac{bc}{\sqrt{x}} + b^2 c^2 \text{ArcTanh}[c\sqrt{x}] - (a + b \text{ArcTanh}[c\sqrt{x}])/x + (c^2(a + b \text{ArcTanh}[c\sqrt{x}])^2)/b + 2c^2(a + b \text{ArcTanh}[c\sqrt{x}]) \text{Log}[2 - 2/(1 + c\sqrt{x})] - b^2 c^2 \text{PolyLog}[2, -1 + 2/(1 + c\sqrt{x})]$

Rule 44

$\text{Int}[(a + b(x))^{m+1}((c + d(x))^{n-1}), x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b(x))^{m+1}(c + d(x))^n, x], x] /; \text{FreeQ}\{a, b, c, d, x\} \&\amp; \text{NeQ}[b*c - a*d, 0] \&\amp; \text{ILtQ}[m, 0] \&\amp; \text{IntegerQ}[n] \&\amp; \text{!(IGtQ}[n, 0] \&\amp; \text{LtQ}[m + n + 2, 0])]$

Rule 1593

$\text{Int}[(u + a(x)^p + b(x)^q)^n, x_Symbol] := \text{Int}[u^x (n*p)(a + b*x^{(q-p)})^n, x] /; \text{FreeQ}\{a, b, p, q, x\} \&\amp; \text{IntegerQ}[n] \&\amp; \text{PosQ}[q - p]$

Rule 5982

$\text{Int}[(c + \text{ArcTanh}[c(x)](b))^{p+1}((d + e(x))^m), x_Symbol] := \text{Dist}[1/d, \text{Int}[(f*x)^m(a + b \text{ArcTanh}[c*x])^p, x], x] - \text{Dist}[e/(d*f^2), \text{Int}[(f*x)^{m+2}(a + b \text{ArcTanh}[c*x])^p/(d + e*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\amp; \text{GtQ}[p, 0] \&\amp; \text{LtQ}[m, -1]$

Rule 5916

$\text{Int}[(a + \text{ArcTanh}[c(x)](b))^{p+1}((d + e(x))^m), x_Symbol] := \text{Simp}[(d*x)^{m+1}(a + b \text{ArcTanh}[c*x])^p/(d*(m+1)), x] - \text{Dist}[(b*c*p)/(d*(m+1)), \text{Int}[(d*x)^{m+1}(a + b \text{ArcTanh}[c*x])^p/(1 - c^2*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, m, x\} \&\amp; \text{IGtQ}[p, 0] \&\amp; (\text{EqQ}[p, 1] || \text{IntegerQ}[m]) \&\amp; \text{NeQ}[m, -1]$

Rule 325

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*c^n*(m+1)), Int[(c*x)^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 5988

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^2)), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p+1)/(b*d*(p+1)), x] + Dist[1/d, Int[(a + b*ArcTanh[c*x])^p/(x*(1+c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[p, 0]
```

Rule 5932

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_))), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^p*Log[2 - 2/(1 + (e*x)/d)]/d, x] - Dist[(b*c*p)/d, Int[(a + b*ArcTanh[c*x])^(p-1)*Log[2 - 2/(1 + (e*x)/d)]/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]
```

Rule 2447

```
Int[Log[u]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1-u))/D[u, x]]}, Simp[C*PolyLog[2, 1-u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(c\sqrt{x})}{x^2(1-c^2x)} dx &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3 - c^2x^5} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3(1-c^2x^2)} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3} dx, x, \sqrt{x} \right) + (2c^2) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x(1-c^2x^2)} dx, x, \sqrt{x} \right) \\
&= -\frac{a + b \tanh^{-1}(c\sqrt{x})}{x} + \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} + (bc) \operatorname{Subst} \left(\int \frac{1}{x^2(1-c^2x^2)} dx, x, \sqrt{x} \right) \\
&= -\frac{bc}{\sqrt{x}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{x} + \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2c^2(a + b \tanh^{-1}(c\sqrt{x})) \log(2 - \frac{2}{1 + (e*x)/d}) \\
&= -\frac{bc}{\sqrt{x}} + bc^2 \tanh^{-1}(c\sqrt{x}) - \frac{a + b \tanh^{-1}(c\sqrt{x})}{x} + \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} + 2c^2(a + b \tanh^{-1}(c\sqrt{x})) \log(2 - \frac{2}{1 + (e*x)/d})
\end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^2/(-c^2*x+1),x, algorithm="fricas")

[Out] integral(-(b*arctanh(c*sqrt(x)) + a)/(c^2*x^3 - x^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a}{c^2x^3 - x^2} dx - \int \frac{b \operatorname{atanh}(c\sqrt{x})}{c^2x^3 - x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**(1/2)))/x**2/(-c**2*x+1),x)

[Out] -Integral(a/(c**2*x**3 - x**2), x) - Integral(b*atanh(c*sqrt(x))/(c**2*x**3 - x**2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{(c^2x - 1)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^2/(-c^2*x+1),x, algorithm="giac")

[Out] integrate(-(b*arctanh(c*sqrt(x)) + a)/((c^2*x - 1)*x^2), x)

$$3.42 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^3(1-c^2x)} dx$$

Optimal. Leaf size=157

$$-bc^4 \text{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) + \frac{c^4(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} - \frac{c^2(a+b \tanh^{-1}(c\sqrt{x}))}{x} + 2c^4 \log\left(2 - \frac{2}{c\sqrt{x}+1}\right)(a+b$$

```
[Out] -(b*c)/(6*x^(3/2)) - (3*b*c^3)/(2*Sqrt[x]) + (3*b*c^4*ArcTanh[c*Sqrt[x]])/2
- (a + b*ArcTanh[c*Sqrt[x]])/(2*x^2) - (c^2*(a + b*ArcTanh[c*Sqrt[x]]))/x
+ (c^4*(a + b*ArcTanh[c*Sqrt[x]])^2)/b + 2*c^4*(a + b*ArcTanh[c*Sqrt[x]])*L
og[2 - 2/(1 + c*Sqrt[x])] - b*c^4*PolyLog[2, -1 + 2/(1 + c*Sqrt[x])]
```

Rubi [A] time = 0.455852, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {44, 1593, 5982, 5916, 325, 206, 5988, 5932, 2447}

$$-bc^4 \text{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) + \frac{c^4(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} - \frac{c^2(a+b \tanh^{-1}(c\sqrt{x}))}{x} + 2c^4 \log\left(2 - \frac{2}{c\sqrt{x}+1}\right)(a+b$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*Sqrt[x]])/(x^3*(1 - c^2*x)), x]
```

```
[Out] -(b*c)/(6*x^(3/2)) - (3*b*c^3)/(2*Sqrt[x]) + (3*b*c^4*ArcTanh[c*Sqrt[x]])/2
- (a + b*ArcTanh[c*Sqrt[x]])/(2*x^2) - (c^2*(a + b*ArcTanh[c*Sqrt[x]]))/x
+ (c^4*(a + b*ArcTanh[c*Sqrt[x]])^2)/b + 2*c^4*(a + b*ArcTanh[c*Sqrt[x]])*L
og[2 - 2/(1 + c*Sqrt[x])] - b*c^4*PolyLog[2, -1 + 2/(1 + c*Sqrt[x])]
```

Rule 44

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^(m)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rule 1593

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 5982

```
Int[(((a_) + ArcTanh[(c_)*(x_)])*(b_))^(p_)*((f_)*(x_)^(m_))/((d_) + (
e_)*(x_)^2), x_Symbol] := Dist[1/d, Int[(f*x)^(m)*(a + b*ArcTanh[c*x])^p, x]
, x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcTanh[c*x])^p)/(d + e*x^
2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 5916

```
Int[((a_) + ArcTanh[(c_)*(x_)])*(b_))^(p_)*((d_)*(x_)^(m_)), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c
*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*
x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || In
```

tegerQ[m]) && NeQ[m, -1]

Rule 325

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*c^n*(m+1)), Int[(c*x)^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 5988

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^2)), x_Symbol] := Simp[(a + b*ArcTanh[c*x])^(p+1)/(b*d*(p+1)), x] + Dist[1/d, Int[(a + b*ArcTanh[c*x])^p/(x*(1+c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[p, 0]

Rule 5932

Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_))), x_Symbol] := Simp[((a + b*ArcTanh[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] - Dist[(b*c*p)/d, Int[((a + b*ArcTanh[c*x])^(p-1)*Log[2 - 2/(1 + (e*x)/d)]]/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]

Rule 2447

Int[Log[u]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1-u))/D[u, x]]}, Simp[C*PolyLog[2, 1-u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(c\sqrt{x})}{x^3(1-c^2x)} dx &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^5 - c^2x^7} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^5(1-c^2x^2)} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^5} dx, x, \sqrt{x} \right) + (2c^2) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3(1-c^2x^2)} dx, x, \sqrt{x} \right) \\
&= -\frac{a + b \tanh^{-1}(c\sqrt{x})}{2x^2} + \frac{1}{2}(bc) \operatorname{Subst} \left(\int \frac{1}{x^4(1-c^2x^2)} dx, x, \sqrt{x} \right) + (2c^2) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3(1-c^2x^2)} dx, x, \sqrt{x} \right) \\
&= -\frac{bc}{6x^{3/2}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2x^2} - \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))}{x} + \frac{c^4(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} + \frac{1}{2} \\
&= -\frac{bc}{6x^{3/2}} - \frac{3bc^3}{2\sqrt{x}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2x^2} - \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))}{x} + \frac{c^4(a + b \tanh^{-1}(c\sqrt{x}))^2}{b} \\
&= -\frac{bc}{6x^{3/2}} - \frac{3bc^3}{2\sqrt{x}} + \frac{3}{2}bc^4 \tanh^{-1}(c\sqrt{x}) - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2x^2} - \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))}{x} + \frac{c^4(a + b \tanh^{-1}(c\sqrt{x}))^2}{b}
\end{aligned}$$

Mathematica [A] time = 0.536917, size = 158, normalized size = 1.01

$$-bc^4 \operatorname{PolyLog} \left(2, e^{-2 \tanh^{-1}(c\sqrt{x})} \right) - \frac{-6ac^4x^2 \log(x) + 6ac^4x^2 \log(1-c^2x) + 6ac^2x + 3a + 9bc^3x^{3/2} - 6bc^4x^2 \tanh^{-1}(c\sqrt{x})}{6}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(x^3*(1 - c^2*x)),x]

[Out] -(3*a + b*c*Sqrt[x] + 6*a*c^2*x + 9*b*c^3*x^(3/2) - 6*b*c^4*x^2*ArcTanh[c*Sqrt[x]]^2 - 3*b*ArcTanh[c*Sqrt[x]]*(-1 - 2*c^2*x + 3*c^4*x^2 + 4*c^4*x^2*Log[1 - E^(-2*ArcTanh[c*Sqrt[x]])]) - 6*a*c^4*x^2*Log[x] + 6*a*c^4*x^2*Log[1 - c^2*x])/(6*x^2) - b*c^4*PolyLog[2, E^(-2*ArcTanh[c*Sqrt[x]])]

Maple [B] time = 0.066, size = 348, normalized size = 2.2

$$-c^4a \ln(c\sqrt{x}-1) - \frac{a}{2x^2} - \frac{ac^2}{x} + 2c^4a \ln(c\sqrt{x}) - c^4a \ln(1+c\sqrt{x}) - c^4b \operatorname{Artanh}(c\sqrt{x}) \ln(c\sqrt{x}-1) - \frac{b}{2x^2} \operatorname{Artanh}(c\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^(1/2)))/x^3/(-c^2*x+1),x)

[Out] -c^4*a*ln(c*x^(1/2)-1)-1/2*a/x^2-c^2*a/x+2*c^4*a*ln(c*x^(1/2))-c^4*a*ln(1+c*x^(1/2))-c^4*b*arctanh(c*x^(1/2))*ln(c*x^(1/2)-1)-1/2*b*arctanh(c*x^(1/2))/x^2-c^2*b*arctanh(c*x^(1/2))/x+2*c^4*b*arctanh(c*x^(1/2))*ln(c*x^(1/2))-c^4*b*arctanh(c*x^(1/2))*ln(1+c*x^(1/2))-c^4*b*dilog(c*x^(1/2))-c^4*b*dilog(1+c*x^(1/2))-c^4*b*ln(c*x^(1/2))*ln(1+c*x^(1/2))-1/4*c^4*b*ln(c*x^(1/2)-1)^2+c^4*b*dilog(1/2+1/2*c*x^(1/2))+1/2*c^4*b*ln(c*x^(1/2)-1)*ln(1/2+1/2*c*x^(1/2))+1/2*c^4*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1/2+1/2*c*x^(1/2))-1/2*c^4*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1+c*x^(1/2))+1/4*c^4*b*ln(1+c*x^(1/2))^2-3/4*c^4*b*ln(

$$c*x^{(1/2)-1}-1/6*b*c/x^{(3/2)}-3/2*b*c^3/x^{(1/2)}+3/4*c^4*b*\ln(1+c*x^{(1/2)})$$

Maxima [B] time = 1.78481, size = 393, normalized size = 2.5

$$-\left(\log(c\sqrt{x}+1)\log\left(-\frac{1}{2}c\sqrt{x}+\frac{1}{2}\right)+\text{Li}_2\left(\frac{1}{2}c\sqrt{x}+\frac{1}{2}\right)\right)bc^4 - \left(\log(c\sqrt{x})\log(-c\sqrt{x}+1)+\text{Li}_2(-c\sqrt{x}+1)\right)bc^4 + \left(\log(c\sqrt{x})\log(-c\sqrt{x}+1)+\text{Li}_2(-c\sqrt{x}+1)\right)bc^4 + \left(\log(c\sqrt{x})\log(-c\sqrt{x}+1)+\text{Li}_2(-c\sqrt{x}+1)\right)bc^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^3/(-c^2*x+1),x, algorithm="maxima")

[Out] $-(\log(c*\text{sqrt}(x) + 1)*\log(-1/2*c*\text{sqrt}(x) + 1/2) + \text{dilog}(1/2*c*\text{sqrt}(x) + 1/2)) * b*c^4 - (\log(c*\text{sqrt}(x))*\log(-c*\text{sqrt}(x) + 1) + \text{dilog}(-c*\text{sqrt}(x) + 1)) * b*c^4 + (\log(c*\text{sqrt}(x) + 1)*\log(-c*\text{sqrt}(x)) + \text{dilog}(c*\text{sqrt}(x) + 1)) * b*c^4 + 3/4 * b*c^4*\log(c*\text{sqrt}(x) + 1) - 3/4*b*c^4*\log(c*\text{sqrt}(x) - 1) - 1/2*(2*c^4*\log(c*\text{sqrt}(x) + 1) + 2*c^4*\log(c*\text{sqrt}(x) - 1) - 2*c^4*\log(x) + (2*c^2*x + 1)/x^2) * a - 1/12*(3*b*c^4*x^2*\log(c*\text{sqrt}(x) + 1)^2 - 3*b*c^4*x^2*\log(-c*\text{sqrt}(x) + 1)^2 + 18*b*c^3*x^{(3/2)} + 2*b*c*\text{sqrt}(x) + 3*(2*b*c^2*x + b)*\log(c*\text{sqrt}(x) + 1) - 3*(2*b*c^4*x^2*\log(c*\text{sqrt}(x) + 1) + 2*b*c^2*x + b)*\log(-c*\text{sqrt}(x) + 1))/x^2$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{c^2x^4 - x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^3/(-c^2*x+1),x, algorithm="fricas")

[Out] integral(-(b*arctanh(c*sqrt(x)) + a)/(c^2*x^4 - x^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**(1/2)))/x**3/(-c**2*x+1),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{(c^2x - 1)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*arctanh(c*x^(1/2)))/x^3/(-c^2*x+1),x, algorithm="giac")
```

```
[Out] integrate(-(b*arctanh(c*sqrt(x)) + a)/((c^2*x - 1)*x^3), x)
```

$$3.43 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^4(1-c^2x)} dx$$

Optimal. Leaf size=192

$$-bc^6 \text{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) - \frac{c^2(a+b \tanh^{-1}(c\sqrt{x}))}{2x^2} + \frac{c^6(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} - \frac{c^4(a+b \tanh^{-1}(c\sqrt{x}))}{x} + 2c^6 \ln\left(\frac{2}{c\sqrt{x}+1} - 1\right)$$

[Out] $-(b*c)/(15*x^{(5/2)}) - (5*b*c^3)/(18*x^{(3/2)}) - (11*b*c^5)/(6*\text{Sqrt}[x]) + (11*b*c^6*\text{ArcTanh}[c*\text{Sqrt}[x]])/6 - (a + b*\text{ArcTanh}[c*\text{Sqrt}[x]])/(3*x^3) - (c^2*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]]))/(2*x^2) - (c^4*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]]))/x + (c^6*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]])^2)/b + 2*c^6*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]])*\text{Log}[2 - 2/(1 + c*\text{Sqrt}[x])] - b*c^6*\text{PolyLog}[2, -1 + 2/(1 + c*\text{Sqrt}[x])]$

Rubi [A] time = 0.571181, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {44, 1593, 5982, 5916, 325, 206, 5988, 5932, 2447}

$$-bc^6 \text{PolyLog}\left(2, \frac{2}{c\sqrt{x}+1} - 1\right) - \frac{c^2(a+b \tanh^{-1}(c\sqrt{x}))}{2x^2} + \frac{c^6(a+b \tanh^{-1}(c\sqrt{x}))^2}{b} - \frac{c^4(a+b \tanh^{-1}(c\sqrt{x}))}{x} + 2c^6 \ln\left(\frac{2}{c\sqrt{x}+1} - 1\right)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]])/(x^4*(1 - c^2*x)), x]$

[Out] $-(b*c)/(15*x^{(5/2)}) - (5*b*c^3)/(18*x^{(3/2)}) - (11*b*c^5)/(6*\text{Sqrt}[x]) + (11*b*c^6*\text{ArcTanh}[c*\text{Sqrt}[x]])/6 - (a + b*\text{ArcTanh}[c*\text{Sqrt}[x]])/(3*x^3) - (c^2*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]]))/(2*x^2) - (c^4*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]]))/x + (c^6*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]])^2)/b + 2*c^6*(a + b*\text{ArcTanh}[c*\text{Sqrt}[x]])*\text{Log}[2 - 2/(1 + c*\text{Sqrt}[x])] - b*c^6*\text{PolyLog}[2, -1 + 2/(1 + c*\text{Sqrt}[x])]$

Rule 44

$\text{Int}[(a + b*x^m)*(c + d*x^n), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x^m)*(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{ILtQ}[m, 0] \&\& \text{IntegerQ}[n] \&\& !(\text{IGtQ}[n, 0] \&\& \text{LtQ}[m + n + 2, 0])$

Rule 1593

$\text{Int}[(u + a*x^p + b*x^q)^n, x_Symbol] \rightarrow \text{Int}[u*x^{(n*p)}*(a + b*x^{(q-p)})^n, x] /; \text{FreeQ}\{a, b, p, q, x\} \&\& \text{IntegerQ}[n] \&\& \text{PosQ}[q - p]$

Rule 5982

$\text{Int}[(a + \text{ArcTanh}[c*x]*b)^p*(f*x^m)/(d + e*x^2), x_Symbol] \rightarrow \text{Dist}[1/d, \text{Int}[(f*x)^m*(a + b*\text{ArcTanh}[c*x])^p, x], x] - \text{Dist}[e/(d*f^2), \text{Int}[(f*x)^{(m+2)}*(a + b*\text{ArcTanh}[c*x])^p/(d + e*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{GtQ}[p, 0] \&\& \text{LtQ}[m, -1]$

Rule 5916

$\text{Int}[(a + \text{ArcTanh}[c*x]*b)^p*(d*x^m), x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcTanh}[c*x])^p/(d*(m+1)), x] - \text{Dist}[(b*c$

$*p)/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcTanh}[c*x])^{(p - 1)}/(1 - c^2*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[p, 0] \&\& (\text{EqQ}[p, 1] \parallel \text{IntegerQ}[m]) \&\& \text{NeQ}[m, -1]$

Rule 325

$\text{Int}[(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \text{Simp}[(c*x)^{(m + 1)}*(a + b*x^n)^{(p + 1)}/(a*c*(m + 1)), x] - \text{Dist}[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), \text{Int}[(c*x)^{(m + n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 206

$\text{Int}[(a_*) + (b_*)*(x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 5988

$\text{Int}[(a_*) + \text{ArcTanh}(c_*)*(x_*)*(b_*)^{(p_*)}/((x_*)*((d_*) + (e_*)*(x_*)^2)), x_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcTanh}[c*x])^{(p + 1)}/(b*d*(p + 1)), x] + \text{Dist}[1/d, \text{Int}[(a + b*\text{ArcTanh}[c*x])^p/(x*(1 + c*x)), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[p, 0]$

Rule 5932

$\text{Int}[(a_*) + \text{ArcTanh}(c_*)*(x_*)*(b_*)^{(p_*)}/((x_*)*((d_*) + (e_*)*(x_*)^2)), x_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcTanh}[c*x])^p*\text{Log}[2 - 2/(1 + (e*x)/d)]/d, x] - \text{Dist}[(b*c*p)/d, \text{Int}[(a + b*\text{ArcTanh}[c*x])^{(p - 1)}*\text{Log}[2 - 2/(1 + (e*x)/d)]/(1 - c^2*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[c^2*d^2 - e^2, 0]$

Rule 2447

$\text{Int}[\text{Log}[u_]*(Pq_*)^{(m_*)}, x_Symbol] \rightarrow \text{With}\{C = \text{FullSimplify}[(Pq^m*(1 - u))/D[u, x]]\}, \text{Simp}[C*\text{PolyLog}[2, 1 - u], x] /; \text{FreeQ}[C, x] /; \text{IntegerQ}[m] \&\& \text{PolyQ}[Pq, x] \&\& \text{RationalFunctionQ}[u, x] \&\& \text{LeQ}[\text{RationalFunctionExponents}[u, x][[2]], \text{Expon}[Pq, x]]$

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(c\sqrt{x})}{x^4(1 - c^2x)} dx &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^7 - c^2x^9} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^7(1 - c^2x^2)} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^7} dx, x, \sqrt{x} \right) + (2c^2) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^5(1 - c^2x^2)} dx, x, \sqrt{x} \right) \\
&= -\frac{a + b \tanh^{-1}(c\sqrt{x})}{3x^3} + \frac{1}{3}(bc) \operatorname{Subst} \left(\int \frac{1}{x^6(1 - c^2x^2)} dx, x, \sqrt{x} \right) + (2c^2) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^5} dx, x, \sqrt{x} \right) \\
&= -\frac{bc}{15x^{5/2}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{3x^3} - \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))}{2x^2} + \frac{1}{3}(bc^3) \operatorname{Subst} \left(\int \frac{1}{x^4(1 - c^2x^2)} dx, x, \sqrt{x} \right) \\
&= -\frac{bc}{15x^{5/2}} - \frac{5bc^3}{18x^{3/2}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{3x^3} - \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))}{2x^2} - \frac{c^4(a + b \tanh^{-1}(c\sqrt{x}))}{x} \\
&= -\frac{bc}{15x^{5/2}} - \frac{5bc^3}{18x^{3/2}} - \frac{11bc^5}{6\sqrt{x}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{3x^3} - \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))}{2x^2} - \frac{c^4(a + b \tanh^{-1}(c\sqrt{x}))}{x} \\
&= -\frac{bc}{15x^{5/2}} - \frac{5bc^3}{18x^{3/2}} - \frac{11bc^5}{6\sqrt{x}} + \frac{11}{6}bc^6 \tanh^{-1}(c\sqrt{x}) - \frac{a + b \tanh^{-1}(c\sqrt{x})}{3x^3} - \frac{c^2(a + b \tanh^{-1}(c\sqrt{x}))}{2x^2}
\end{aligned}$$

Mathematica [A] time = 0.753271, size = 187, normalized size = 0.97

$$-bc^6 \operatorname{PolyLog} \left(2, e^{-2 \tanh^{-1}(c\sqrt{x})} \right) - \frac{90ac^4x^2 - 90ac^6x^3 \log(x) + 90ac^6x^3 \log(1 - c^2x) + 45ac^2x + 30a + 165bc^5x^{5/2} + 25bc^6}{(1 - c^2x)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(x^4*(1 - c^2*x)), x]

[Out] -(30*a + 6*b*c*Sqrt[x] + 45*a*c^2*x + 25*b*c^3*x^(3/2) + 90*a*c^4*x^2 + 165*b*c^5*x^(5/2) - 90*b*c^6*x^3*ArcTanh[c*Sqrt[x]]^2 - 15*b*ArcTanh[c*Sqrt[x]]*(-2 - 3*c^2*x - 6*c^4*x^2 + 11*c^6*x^3 + 12*c^6*x^3*Log[1 - E^(-2*ArcTanh[c*Sqrt[x]])]) - 90*a*c^6*x^3*Log[x] + 90*a*c^6*x^3*Log[1 - c^2*x])/(90*x^3) - b*c^6*PolyLog[2, E^(-2*ArcTanh[c*Sqrt[x]])]

Maple [B] time = 0.062, size = 381, normalized size = 2.

$$\frac{c^6b}{2} \ln\left(-\frac{c}{2}\sqrt{x} + \frac{1}{2}\right) \ln\left(\frac{1}{2} + \frac{c}{2}\sqrt{x}\right) - \frac{c^6b}{2} \ln\left(-\frac{c}{2}\sqrt{x} + \frac{1}{2}\right) \ln(1 + c\sqrt{x}) + \frac{c^6b}{2} \ln(c\sqrt{x} - 1) \ln\left(\frac{1}{2} + \frac{c}{2}\sqrt{x}\right) - \frac{ac^2}{2x^2} - \frac{c^4a}{x} - c^6b \operatorname{arctanh}(c\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^(1/2)))/x^4/(-c^2*x+1), x)

[Out] -c^4*b*arctanh(c*x^(1/2))/x+2*c^6*b*arctanh(c*x^(1/2))*ln(c*x^(1/2))-c^6*b*arctanh(c*x^(1/2))*ln(c*x^(1/2)-1)+1/2*c^6*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1/2+1/2*c*x^(1/2))-1/2*c^6*b*ln(-1/2*c*x^(1/2)+1/2)*ln(1+c*x^(1/2))+1/2*c^6*b*ln(c*x^(1/2)-1)*ln(1/2+1/2*c*x^(1/2))-1/2*c^2*a/x^2-c^4*a/x-c^6*b*dilog(c*x^(1/2))-c^6*b*dilog(1+c*x^(1/2))+2*c^6*a*ln(c*x^(1/2))-c^6*a*ln(c*x^(1/2)-1)

$$-c^6 a \ln(1+c x^{1/2}) - 1/4 c^6 b \ln(c x^{1/2} - 1)^2 + c^6 b \operatorname{dilog}(1/2 + 1/2 c x^{1/2} (1/2)) + 1/4 c^6 b \ln(1+c x^{1/2})^2 - 11/6 b c^5/x^{1/2} - 1/3 a/x^3 + 11/12 c^6 b \ln(1+c x^{1/2}) - 1/3 b/x^3 \operatorname{arctanh}(c x^{1/2}) - 11/12 c^6 b \ln(c x^{1/2} - 1) - 1/15 b c/x^{5/2} - 5/18 b c^3/x^{3/2} - c^6 b \ln(c x^{1/2}) \ln(1+c x^{1/2}) - 1/2 c^2 b \operatorname{arctanh}(c x^{1/2})/x^2 - c^6 b \operatorname{arctanh}(c x^{1/2}) \ln(1+c x^{1/2})$$

Maxima [B] time = 1.7959, size = 446, normalized size = 2.32

$$-\left(\log(c\sqrt{x}+1)\log\left(-\frac{1}{2}c\sqrt{x}+\frac{1}{2}\right)+\operatorname{Li}_2\left(\frac{1}{2}c\sqrt{x}+\frac{1}{2}\right)\right)bc^6 - \left(\log(c\sqrt{x})\log(-c\sqrt{x}+1)+\operatorname{Li}_2(-c\sqrt{x}+1)\right)bc^6 + (\log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^4/(-c^2*x+1),x, algorithm="maxima")

[Out] $-(\log(c\sqrt{x}+1)\log(-1/2c\sqrt{x}+1/2)+\operatorname{dilog}(1/2c\sqrt{x}+1/2))\cdot bc^6 - (\log(c\sqrt{x})\log(-c\sqrt{x}+1)+\operatorname{dilog}(-c\sqrt{x}+1))\cdot bc^6 + (\log(c\sqrt{x}+1)\log(-c\sqrt{x})+\operatorname{dilog}(c\sqrt{x}+1))\cdot bc^6 + 11/12\cdot bc^6\cdot \log(c\sqrt{x}+1) - 11/12\cdot bc^6\cdot \log(c\sqrt{x}-1) - 1/6\cdot (6c^6\cdot \log(c\sqrt{x}+1)+6c^6\cdot \log(c\sqrt{x}-1)-6c^6\cdot \log(x)+(6c^4x^2+3c^2x+2)/x^3)\cdot a - 1/180\cdot (45bc^6x^3\log(c\sqrt{x}+1)^2-45bc^6x^3\log(-c\sqrt{x}+1)^2+330bc^5x^{5/2}+50bc^3x^{3/2}+12bc\sqrt{x}+15(6bc^4x^2+3bc^2x+2b)\log(c\sqrt{x}+1)-15(6bc^6x^3\log(c\sqrt{x}+1)+6bc^4x^2+3bc^2x+2b)\log(-c\sqrt{x}+1))/x^3$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{b \operatorname{artanh}(c\sqrt{x})+a}{c^2x^5-x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^4/(-c^2*x+1),x, algorithm="fricas")

[Out] $\operatorname{integral}(-b\operatorname{arctanh}(c\sqrt{x})+a)/(c^2x^5-x^4), x$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**(1/2)))/x**4/(-c**2*x+1),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(c\sqrt{x}) + a}{(c^2x - 1)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x^(1/2)))/x^4/(-c^2*x+1),x, algorithm="giac")
```

```
[Out] integrate(-(b*arctanh(c*sqrt(x)) + a)/((c^2*x - 1)*x^4), x)
```

$$3.44 \quad \int \frac{x^2 \left(a + b \tanh^{-1}(c\sqrt{x}) \right)}{d + ex} dx$$

Optimal. Leaf size=460

$$\frac{bd^2 \text{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{e^3} - \frac{bd^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2e^3} - \frac{bd^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2e^3} - \frac{2d^2 \log\left(\frac{d+ex}{e}\right)}{e^3}$$

```
[Out] -((b*d*Sqrt[x])/(c*e^2)) + (b*Sqrt[x])/(2*c^3*e) + (b*x^(3/2))/(6*c*e) + (b*d*ArcTanh[c*Sqrt[x]])/(c^2*e^2) - (b*ArcTanh[c*Sqrt[x]])/(2*c^4*e) - (d*x*(a + b*ArcTanh[c*Sqrt[x]]))/e^2 + (x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(2*e) - (2*d^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/e^3 + (d^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^3 + (d^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^3 + (b*d^2*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/e^3 - (b*d^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^3 - (b*d^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^3
```

Rubi [A] time = 0.783123, antiderivative size = 460, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {43, 5980, 5916, 302, 206, 321, 6044, 5920, 2402, 2315, 2447}

$$\frac{bd^2 \text{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{e^3} - \frac{bd^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2e^3} - \frac{bd^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2e^3} - \frac{2d^2 \log\left(\frac{d+ex}{e}\right)}{e^3}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(d + e*x), x]
```

```
[Out] -((b*d*Sqrt[x])/(c*e^2)) + (b*Sqrt[x])/(2*c^3*e) + (b*x^(3/2))/(6*c*e) + (b*d*ArcTanh[c*Sqrt[x]])/(c^2*e^2) - (b*ArcTanh[c*Sqrt[x]])/(2*c^4*e) - (d*x*(a + b*ArcTanh[c*Sqrt[x]]))/e^2 + (x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(2*e) - (2*d^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/e^3 + (d^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^3 + (d^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^3 + (b*d^2*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/e^3 - (b*d^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^3 - (b*d^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^3
```

Rule 43

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 5980

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.)/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Dist[f^2/e, Int[(f*x)^(m-2)*(a + b*ArcTanh[c*x])^p/(d + e*x^2), x] - Dist[(d*f^2)/e, Int[(f*x)^(m-2)*(a + b*ArcTanh[c*x])^p/(d + e*x^2), x]]
```

```
d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 5916

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.)*(x_.))^(m_.), x_Symbol]
  := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c
*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*
x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || In
tegerQ[m]) && NeQ[m, -1]
```

Rule 302

```
Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[PolynomialDivide[x
^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && Gt
Q[m, 2*n - 1]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 321

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 6044

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.)*((d_) + (e
_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = ExpandIntegrand[(a + b*ArcTanh[c*
x])^p, (f*x)^m*(d + e*x^2)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c,
d, e, f, m}, x] && IntegerQ[q] && IGtQ[p, 0] && (GtQ[q, 0] || IntegerQ[m])
```

Rule 5920

```
Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := -
Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log
[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))
/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*
Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e, x)) /; FreeQ[{a, b, c, d, e}
, x] && NeQ[c^2*d^2 - e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447


```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{d + ex} dx &= 2 \operatorname{Subst} \left(\int \frac{x^5 (a + b \tanh^{-1}(cx))}{d + ex^2} dx, x, \sqrt{x} \right) \\
&= \frac{2 \operatorname{Subst} \left(\int x^3 (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{e} - \frac{(2d) \operatorname{Subst} \left(\int \frac{x^3 (a + b \tanh^{-1}(cx))}{d + ex^2} dx, x, \sqrt{x} \right)}{e} \\
&= \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2e} - \frac{(2d) \operatorname{Subst} \left(\int x (a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{e^2} + \frac{(2d^2) \operatorname{Subst} \left(\int \frac{x^2}{1 - c^2 x^2} dx, x, \sqrt{x} \right)}{e^2} \\
&= -\frac{dx (a + b \tanh^{-1}(c\sqrt{x}))}{e^2} + \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2e} + \frac{(bcd) \operatorname{Subst} \left(\int \frac{x^2}{1 - c^2 x^2} dx, x, \sqrt{x} \right)}{e^2} \\
&= -\frac{bd\sqrt{x}}{ce^2} + \frac{b\sqrt{x}}{2c^3e} + \frac{bx^{3/2}}{6ce} - \frac{dx (a + b \tanh^{-1}(c\sqrt{x}))}{e^2} + \frac{x^2 (a + b \tanh^{-1}(c\sqrt{x}))}{2e} - \frac{d^2}{e^2} \\
&= -\frac{bd\sqrt{x}}{ce^2} + \frac{b\sqrt{x}}{2c^3e} + \frac{bx^{3/2}}{6ce} + \frac{bd \tanh^{-1}(c\sqrt{x})}{c^2e^2} - \frac{b \tanh^{-1}(c\sqrt{x})}{2c^4e} - \frac{dx (a + b \tanh^{-1}(c\sqrt{x}))}{e^2} \\
&= -\frac{bd\sqrt{x}}{ce^2} + \frac{b\sqrt{x}}{2c^3e} + \frac{bx^{3/2}}{6ce} + \frac{bd \tanh^{-1}(c\sqrt{x})}{c^2e^2} - \frac{b \tanh^{-1}(c\sqrt{x})}{2c^4e} - \frac{dx (a + b \tanh^{-1}(c\sqrt{x}))}{e^2} \\
&= -\frac{bd\sqrt{x}}{ce^2} + \frac{b\sqrt{x}}{2c^3e} + \frac{bx^{3/2}}{6ce} + \frac{bd \tanh^{-1}(c\sqrt{x})}{c^2e^2} - \frac{b \tanh^{-1}(c\sqrt{x})}{2c^4e} - \frac{dx (a + b \tanh^{-1}(c\sqrt{x}))}{e^2}
\end{aligned}$$

Mathematica [C] time = 2.96978, size = 558, normalized size = 1.21

$$b \left(3c^4d^2 \left(-\operatorname{PolyLog} \left[2, \frac{(-2\sqrt{-c^2de+c^2(-d)+e})e^{-2\tanh^{-1}(c\sqrt{x})}}{c^2d+e} \right] - \operatorname{PolyLog} \left[2, \frac{(2\sqrt{-c^2de+c^2(-d)+e})e^{-2\tanh^{-1}(c\sqrt{x})}}{c^2d+e} \right] - 4i \sin^{-1} \left(\sqrt{\frac{c^2d}{c^2d+e}} \right) \tanh^{-1} \left(\frac{ce\sqrt{x}}{\sqrt{-c^2de}} \right) + 2 \log \left(\frac{e^{-2\tanh^{-1}(c\sqrt{x})}}{1 - c^2x} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(a + b*ArcTanh[c*Sqrt[x]]))/(d + e*x), x]

[Out] (-6*a*d*e*x + 3*a*e^2*x^2 + 6*a*d^2*Log[d + e*x] + (b*(2*c*e*(-3*c^2*d + 2*e)*Sqrt[x] + c*e^2*Sqrt[x]*(-1 + c^2*x) - 6*(c^2*d - e)*e*(-1 + c^2*x)*ArcTanh[c*Sqrt[x]] + 3*e^2*(-1 + c^2*x)^2*ArcTanh[c*Sqrt[x]] - 6*c^4*d^2*(ArcTanh[c*Sqrt[x]]*(ArcTanh[c*Sqrt[x]] + 2*Log[1 + E^(-2*ArcTanh[c*Sqrt[x]])]) - PolyLog[2, -E^(-2*ArcTanh[c*Sqrt[x]])]) + 3*c^4*d^2*(2*ArcTanh[c*Sqrt[x]]^2 - (4*I)*ArcSin[Sqrt[(c^2*d)/(c^2*d + e)]]*ArcTanh[(c*e*Sqrt[x])/Sqrt[-(c^2*d*e)]] + 2*((-I)*ArcSin[Sqrt[(c^2*d)/(c^2*d + e)]] + ArcTanh[c*Sqrt[x]])*Log[-2*Sqrt[-(c^2*d*e)] + e*(-1 + E^(2*ArcTanh[c*Sqrt[x]])]) + c^2*d*(1 + E^(2*ArcTanh[c*Sqrt[x])]))/(c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]]) + 2*(I*ArcSin[Sqrt[(c^2*d)/(c^2*d + e)]] + ArcTanh[c*Sqrt[x]])*Log[(2*Sqrt[-(c^2*d*e)] + e*(-1 + E^(2*ArcTanh[c*Sqrt[x]])]) + c^2*d*(1 + E^(2*ArcTanh[c*Sqrt[x])]))

))) / ((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])) - PolyLog[2, -(c^2*d) + e - 2*Sqrt[-(c^2*d*e)]] / ((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])) - PolyLog[2, -(c^2*d) + e + 2*Sqrt[-(c^2*d*e)]] / ((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])) / c^4 / (6*e^3)

Maple [A] time = 0.06, size = 651, normalized size = 1.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arctanh(c*x^(1/2)))/(e*x+d), x)

[Out] -a*d*x/e^2+1/2*a*x^2/e+a*d^2/e^3*ln(c^2*e*x+c^2*d)-b*arctanh(c*x^(1/2))*x*d/e^2+1/2*b*arctanh(c*x^(1/2))*x^2/e+b*arctanh(c*x^(1/2))*d^2/e^3*ln(c^2*e*x+c^2*d)+1/6*b*x^(3/2)/c/e-b*d*x^(1/2)/c/e^2+1/2*b*x^(1/2)/c^3/e-1/2/c^2*b/e^2*ln(c*x^(1/2)-1)*d+1/4/c^4*b*ln(c*x^(1/2)-1)/e+1/2/c^2*b/e^2*ln(1+c*x^(1/2))*d-1/4/c^4*b*ln(1+c*x^(1/2))/e+1/2*b*d^2/e^3*ln(c*x^(1/2)-1)*ln(c^2*e*x+c^2*d)-1/2*b*d^2/e^3*ln(c*x^(1/2)-1)*ln((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))-1/2*b*d^2/e^3*ln(c*x^(1/2)-1)*ln((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))-1/2*b*d^2/e^3*dilog((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))-1/2*b*d^2/e^3*dilog((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))-1/2*b*d^2/e^3*ln(1+c*x^(1/2))*ln(c^2*e*x+c^2*d)+1/2*b*d^2/e^3*ln(1+c*x^(1/2))*ln((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))+1/2*b*d^2/e^3*ln(1+c*x^(1/2))*ln((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))+1/2*b*d^2/e^3*dilog((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))+1/2*b*d^2/e^3*dilog((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a\left(\frac{2d^2\log(ex+d)}{e^3} + \frac{ex^2-2dx}{e^2}\right) + b\int\frac{x^2\log(c\sqrt{x}+1)}{2(ex+d)}dx - b\int\frac{x^2\log(-c\sqrt{x}+1)}{2(ex+d)}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arctanh(c*x^(1/2)))/(e*x+d), x, algorithm="maxima")

[Out] 1/2*a*(2*d^2*log(e*x + d)/e^3 + (e*x^2 - 2*d*x)/e^2) + b*integrate(1/2*x^2*log(c*sqrt(x) + 1)/(e*x + d), x) - b*integrate(1/2*x^2*log(-c*sqrt(x) + 1)/(e*x + d), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \operatorname{artanh}(c\sqrt{x}) + ax^2}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arctanh(c*x^(1/2)))/(e*x+d), x, algorithm="fricas")

[Out] `integral((b*x^2*arctanh(c*sqrt(x)) + a*x^2)/(e*x + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*atanh(c*x**(1/2)))/(e*x+d), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(c\sqrt{x}) + a)x^2}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arctanh(c*x^(1/2)))/(e*x+d), x, algorithm="giac")`

[Out] `integrate((b*arctanh(c*sqrt(x)) + a)*x^2/(e*x + d), x)`

$$3.45 \quad \int \frac{x(a+b \tanh^{-1}(c\sqrt{x}))}{d+ex} dx$$

Optimal. Leaf size=374

$$-\frac{bd \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{e^2} + \frac{bd \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2e^2} + \frac{bd \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2e^2} + \frac{2d \log\left(\frac{2}{c\sqrt{x+1}}\right)}{e^2}$$

[Out] (b*Sqrt[x])/(c*e) - (b*ArcTanh[c*Sqrt[x]])/(c^2*e) + (x*(a + b*ArcTanh[c*Sqrt[x]]))/e + (2*d*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/e^2 - (d*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^2 - (d*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^2 - (b*d*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/e^2 + (b*d*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^2 + (b*d*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^2

Rubi [A] time = 0.484596, antiderivative size = 374, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {43, 5980, 5916, 321, 206, 6044, 5920, 2402, 2315, 2447}

$$-\frac{bd \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{e^2} + \frac{bd \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2e^2} + \frac{bd \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2e^2} + \frac{2d \log\left(\frac{2}{c\sqrt{x+1}}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*ArcTanh[c*Sqrt[x]]))/(d + e*x), x]

[Out] (b*Sqrt[x])/(c*e) - (b*ArcTanh[c*Sqrt[x]])/(c^2*e) + (x*(a + b*ArcTanh[c*Sqrt[x]]))/e + (2*d*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/e^2 - (d*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^2 - (d*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^2 - (b*d*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/e^2 + (b*d*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e^2 + (b*d*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e^2

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 5980

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_))/((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcTanh[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcTanh[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 5916

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol]
  := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c
*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*
x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || In
tegerQ[m]) && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 6044

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) + (e
_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = ExpandIntegrand[(a + b*ArcTanh[c*
x])^p, (f*x)^m*(d + e*x^2)^q, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c,
d, e, f, m}, x] && IntegerQ[q] && IGtQ[p, 0] && (GtQ[q, 0] || IntegerQ[m])
```

Rule 5920

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := -
Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)]/e, x] + (Dist[(b*c)/e, Int[Log
[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))
/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*
Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e, x]) /; FreeQ[{a, b, c, d, e}
, x] && NeQ[c^2*d^2 - e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]], Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{d + ex} dx &= 2 \operatorname{Subst} \left(\int \frac{x^3(a + b \tanh^{-1}(cx))}{d + ex^2} dx, x, \sqrt{x} \right) \\
&= \frac{2 \operatorname{Subst} \left(\int x(a + b \tanh^{-1}(cx)) dx, x, \sqrt{x} \right)}{e} - \frac{(2d) \operatorname{Subst} \left(\int \frac{x^{(a+b \tanh^{-1}(cx))}}{d+ex^2} dx, x, \sqrt{x} \right)}{e} \\
&= \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{e} - \frac{(bc) \operatorname{Subst} \left(\int \frac{x^2}{1-c^2x^2} dx, x, \sqrt{x} \right)}{e} - \frac{(2d) \operatorname{Subst} \left(\int \left(-\frac{a+b \tanh^{-1}(cx)}{2\sqrt{e}(\sqrt{-d}-\sqrt{e})} \right) dx, x, \sqrt{x} \right)}{e} \\
&= \frac{b\sqrt{x}}{ce} + \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{e} + \frac{d \operatorname{Subst} \left(\int \frac{a+b \tanh^{-1}(cx)}{\sqrt{-d}-\sqrt{e}x} dx, x, \sqrt{x} \right)}{e^{3/2}} - \frac{d \operatorname{Subst} \left(\int \frac{a+b \tanh^{-1}(cx)}{\sqrt{-d}+\sqrt{e}x} dx, x, \sqrt{x} \right)}{e^{3/2}} \\
&= \frac{b\sqrt{x}}{ce} - \frac{b \tanh^{-1}(c\sqrt{x})}{c^2e} + \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{e} + \frac{2d(a + b \tanh^{-1}(c\sqrt{x})) \log \left(\frac{2}{1+c\sqrt{x}} \right)}{e^2} \\
&= \frac{b\sqrt{x}}{ce} - \frac{b \tanh^{-1}(c\sqrt{x})}{c^2e} + \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{e} + \frac{2d(a + b \tanh^{-1}(c\sqrt{x})) \log \left(\frac{2}{1+c\sqrt{x}} \right)}{e^2} \\
&= \frac{b\sqrt{x}}{ce} - \frac{b \tanh^{-1}(c\sqrt{x})}{c^2e} + \frac{x(a + b \tanh^{-1}(c\sqrt{x}))}{e} + \frac{2d(a + b \tanh^{-1}(c\sqrt{x})) \log \left(\frac{2}{1+c\sqrt{x}} \right)}{e^2}
\end{aligned}$$

Mathematica [A] time = 1.44733, size = 337, normalized size = 0.9

$$\frac{2b \left(-c^2 d \operatorname{PolyLog} \left(2, -e^{-2 \tanh^{-1}(c\sqrt{x})} \right) + \tanh^{-1}(c\sqrt{x}) \left(2c^2 d \log \left(e^{-2 \tanh^{-1}(c\sqrt{x})} + 1 \right) + c^2 e x - e \right) + c^2 d \tanh^{-1}(c\sqrt{x})^2 + c e \sqrt{x} \right)}{c^2} - b d \left(\operatorname{PolyLog} \left(2, -\frac{(c^2 d + e) e^{2 \tanh^{-1}(c\sqrt{x})}}{c^2 d - 2 c \sqrt{x}} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*(a + b*ArcTanh[c*Sqrt[x]]))/(d + e*x), x]

[Out] (2*a*e*x - 2*a*d*Log[d + e*x] + (2*b*(c*e*Sqrt[x] + c^2*d*ArcTanh[c*Sqrt[x]]^2 + ArcTanh[c*Sqrt[x]]*(-e + c^2*e*x + 2*c^2*d*Log[1 + E^(-2*ArcTanh[c*Sqrt[x]])])) - c^2*d*PolyLog[2, -E^(-2*ArcTanh[c*Sqrt[x]])])/c^2 - b*d*(2*ArcTanh[c*Sqrt[x]]*(-ArcTanh[c*Sqrt[x]] + Log[1 + ((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])])/(c^2*d - 2*c*Sqrt[-d]*Sqrt[e] - e)) + Log[1 + ((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])])/(c^2*d + 2*c*Sqrt[-d]*Sqrt[e] - e)) + PolyLog[2, -(((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])])/(c^2*d - 2*c*Sqrt[-d]*Sqrt[e] - e))] + PolyLog[2, -(((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])])/(c^2*d + 2*c*Sqrt[-d]*Sqrt[e] - e)))/(2*e^2)

Maple [A] time = 0.057, size = 539, normalized size = 1.4

$$\frac{ax}{e} - \frac{ad \ln(c^2 ex + c^2 d)}{e^2} + \frac{bx}{e} \operatorname{Arctanh}(c\sqrt{x}) - \frac{bd \ln(c^2 ex + c^2 d)}{e^2} \operatorname{Arctanh}(c\sqrt{x}) - \frac{bd \ln(c^2 ex + c^2 d)}{2e^2} \ln(c\sqrt{x} - 1) + \frac{bd}{2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arctanh(c*x^(1/2)))/(e*x+d), x)

```
[Out] a/e*x-a/e^2*d*ln(c^2*e*x+c^2*d)+b*arctanh(c*x^(1/2))/e*x-b*arctanh(c*x^(1/2))
/e^2*d*ln(c^2*e*x+c^2*d)-1/2*b/e^2*d*ln(c*x^(1/2)-1)*ln(c^2*e*x+c^2*d)+1/
2*b/e^2*d*ln(c*x^(1/2)-1)*ln((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(
1/2)-e))+1/2*b/e^2*d*ln(c*x^(1/2)-1)*ln((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/
(c*(-d*e)^(1/2)+e))+1/2*b/e^2*d*dilog((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c
*(-d*e)^(1/2)-e))+1/2*b/e^2*d*dilog((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-
d*e)^(1/2)+e))+1/2*b/e^2*d*ln(1+c*x^(1/2))*ln(c^2*e*x+c^2*d)-1/2*b/e^2*d*ln
(1+c*x^(1/2))*ln((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))-1/
2*b/e^2*d*ln(1+c*x^(1/2))*ln((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(
1/2)-e))-1/2*b/e^2*d*dilog((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/
2)+e))-1/2*b/e^2*d*dilog((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)
-e))+b*x^(1/2)/c/e+1/2/c^2*b*ln(c*x^(1/2)-1)/e-1/2/c^2*b*ln(1+c*x^(1/2))/e
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$a\left(\frac{x}{e} - \frac{d \log(ex + d)}{e^2}\right) + b \int \frac{x \log(c\sqrt{x} + 1)}{2(ex + d)} dx - b \int \frac{x \log(-c\sqrt{x} + 1)}{2(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arctanh(c*x^(1/2)))/(e*x+d),x, algorithm="maxima")
```

```
[Out] a*(x/e - d*log(e*x + d)/e^2) + b*integrate(1/2*x*log(c*sqrt(x) + 1)/(e*x +
d), x) - b*integrate(1/2*x*log(-c*sqrt(x) + 1)/(e*x + d), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx \operatorname{artanh}(c\sqrt{x}) + ax}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arctanh(c*x^(1/2)))/(e*x+d),x, algorithm="fricas")
```

```
[Out] integral((b*x*arctanh(c*sqrt(x)) + a*x)/(e*x + d), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*atanh(c*x**(1/2)))/(e*x+d),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{artanh}(c\sqrt{x}) + a)x}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arctanh(c*x^(1/2)))/(e*x+d),x, algorithm="giac")
```

```
[Out] integrate((b*arctanh(c*sqrt(x)) + a)*x/(e*x + d), x)
```


$$3.46 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{d+ex} dx$$

Optimal. Leaf size=318

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2e} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{e} + \frac{(a+b \tanh^{-1}(c\sqrt{x}))}{d+ex}$$

[Out] (-2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/e + ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e + ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e + (b*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/e - (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))]/(2*e) - (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))]/(2*e))

Rubi [A] time = 0.321541, antiderivative size = 318, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {6044, 5920, 2402, 2315, 2447}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2e} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2e} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{e} + \frac{(a+b \tanh^{-1}(c\sqrt{x}))}{d+ex}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcTanh[c*Sqrt[x]])/(d + e*x), x]

[Out] (-2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/e + ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/e + ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/e + (b*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/e - (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))]/(2*e) - (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))]/(2*e))

Rule 6044

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*ArcTanh[c*x])^p, (f*x)^m*(d + e*x^2)^q, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[q] && IGtQ[p, 0] && (GtQ[q, 0] || IntegerQ[m])

Rule 5920

Int[((a_.) + ArcTanh[(c_.)*(x_.)]*(b_.))/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)]/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/(c*d + e*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/(c*d + e*(1 + c*x))]/e, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \tanh^{-1}(c\sqrt{x})}{d + ex} dx &= 2 \operatorname{Subst} \left(\int \frac{x(a + b \tanh^{-1}(cx))}{d + ex^2} dx, x, \sqrt{x} \right) \\ &= 2 \operatorname{Subst} \left(\int \left(-\frac{a + b \tanh^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \tanh^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} + \sqrt{ex})} \right) dx, x, \sqrt{x} \right) \\ &= -\frac{\operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx, x, \sqrt{x} \right)}{\sqrt{e}} + \frac{\operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx, x, \sqrt{x} \right)}{\sqrt{e}} \\ &= -\frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{e} + \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{e}\sqrt{x})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{e} + \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{e}\sqrt{x})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{e} \\ &= -\frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{e} + \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{e}\sqrt{x})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{e} + \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{e}\sqrt{x})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{e} \\ &= -\frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{e} + \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{e}\sqrt{x})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{e} + \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{e}\sqrt{x})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{e} \end{aligned}$$

Mathematica [C] time = 1.53407, size = 551, normalized size = 1.73

$$\frac{a \log(d + ex)}{e} - \frac{b \left(\operatorname{PolyLog} \left(2, \frac{(-2\sqrt{-c^2de + c^2(-d) + e})e^{-2 \tanh^{-1}(c\sqrt{x})}}{c^2d + e} \right) + \operatorname{PolyLog} \left(2, \frac{(2\sqrt{-c^2de + c^2(-d) + e})e^{-2 \tanh^{-1}(c\sqrt{x})}}{c^2d + e} \right) \right)}{e} - 2 \operatorname{PolyLog} \left(2, \frac{(-2\sqrt{-c^2de + c^2(-d) + e})e^{-2 \tanh^{-1}(c\sqrt{x})}}{c^2d + e} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(d + e*x), x]
```

```
[Out] (a*Log[d + e*x])/e - (b*((4*I)*ArcSin[Sqrt[(c^2*d)/(c^2*d + e)]]*ArcTanh[(c*e*Sqrt[x])/Sqrt[-(c^2*d*e)]] + 4*ArcTanh[c*Sqrt[x]]*Log[1 + E^(-2*ArcTanh[c*Sqrt[x]])] + (2*I)*ArcSin[Sqrt[(c^2*d)/(c^2*d + e)]]*Log[(-2*Sqrt[-(c^2*d*e)]] + e*(-1 + E^(2*ArcTanh[c*Sqrt[x]])]) + c^2*d*(1 + E^(2*ArcTanh[c*Sqrt[x]])))/((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])]) - 2*ArcTanh[c*Sqrt[x]]*Log[(-2*Sqrt[-(c^2*d*e)]] + e*(-1 + E^(2*ArcTanh[c*Sqrt[x]])) + c^2*d*(1 + E^(2*ArcTanh[c*Sqrt[x]])))/((c^2*d + e)*E^(2*ArcTanh[c*Sqrt[x]])]) - (2*I)*ArcSin[
```

$$\begin{aligned} & \text{Sqrt}[(c^2*d)/(c^2*d + e)] * \text{Log}[(2*\text{Sqrt}[-(c^2*d*e)] + e*(-1 + E^{(2*\text{ArcTanh}[c \\ & * \text{Sqrt}[x]])) + c^2*d*(1 + E^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]]))})/((c^2*d + e)*E^{(2*\text{ArcTa} \\ & \text{nh}[c*\text{Sqrt}[x]])))] - 2*\text{ArcTanh}[c*\text{Sqrt}[x]] * \text{Log}[(2*\text{Sqrt}[-(c^2*d*e)] + e*(-1 + E \\ & ^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]])) + c^2*d*(1 + E^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]]))})/((c^2*d + \\ & e)*E^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]])))] - 2*\text{PolyLog}[2, -E^{(-2*\text{ArcTanh}[c*\text{Sqrt}[x]])}] + \\ & \text{PolyLog}[2, -(c^2*d) + e - 2*\text{Sqrt}[-(c^2*d*e)])/((c^2*d + e)*E^{(2*\text{ArcTanh}[c* \\ & \text{Sqrt}[x]])})] + \text{PolyLog}[2, -(c^2*d) + e + 2*\text{Sqrt}[-(c^2*d*e)])/((c^2*d + e)*E \\ & ^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]])}))] / (2*e) \end{aligned}$$

Maple [A] time = 0.053, size = 462, normalized size = 1.5

$$\frac{a \ln(c^2 e x + c^2 d)}{e} + \frac{b \ln(c^2 e x + c^2 d)}{e} \text{Arctanh}(c\sqrt{x}) + \frac{b \ln(c^2 e x + c^2 d)}{2e} \ln(c\sqrt{x} - 1) - \frac{b}{2e} \ln(c\sqrt{x} - 1) \ln\left(\left(c\sqrt{-de} - c\sqrt{x}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^(1/2)))/(e*x+d), x)

[Out] a/e*ln(c^2*e*x+c^2*d)+b/e*ln(c^2*e*x+c^2*d)*arctanh(c*x^(1/2))+1/2*b/e*ln(c*x^(1/2)-1)*ln(c^2*e*x+c^2*d)-1/2*b*ln(c*x^(1/2)-1)/e*ln((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))-1/2*b*ln(c*x^(1/2)-1)/e*ln((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))-1/2*b/e*dilog((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))-1/2*b/e*dilog((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))-1/2*b/e*ln(1+c*x^(1/2))*ln(c^2*e*x+c^2*d)+1/2*b*ln(1+c*x^(1/2))/e*ln((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))+1/2*b*ln(1+c*x^(1/2))/e*ln((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))+1/2*b/e*dilog((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))+1/2*b/e*dilog((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$b \int \frac{\log(c\sqrt{x} + 1)}{2(ex + d)} dx - b \int \frac{\log(-c\sqrt{x} + 1)}{2(ex + d)} dx + \frac{a \log(ex + d)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/(e*x+d), x, algorithm="maxima")

[Out] b*integrate(1/2*log(c*sqrt(x) + 1)/(e*x + d), x) - b*integrate(1/2*log(-c*sqrt(x) + 1)/(e*x + d), x) + a*log(e*x + d)/e

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \text{artanh}(c\sqrt{x}) + a}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/(e*x+d), x, algorithm="fricas")

[Out] integral((b*arctanh(c*sqrt(x)) + a)/(e*x + d), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*atanh(c*x**(1/2)))/(e*x+d),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(c\sqrt{x}) + a}{ex + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/(e*x+d),x, algorithm="giac")

[Out] integrate((b*arctanh(c*sqrt(x)) + a)/(e*x + d), x)

$$3.47 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x(d+ex)} dx$$

Optimal. Leaf size=358

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}-\sqrt{e})}\right)}{2d} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}+\sqrt{e})}\right)}{2d} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d}$$

```
[Out] (2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/d - ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d - ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d + (a*Log[x])/d - (b*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/d + (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d + (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d - (b*PolyLog[2, -(c*Sqrt[x])])/d + (b*PolyLog[2, c*Sqrt[x]])/d
```

Rubi [A] time = 0.58681, antiderivative size = 358, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {36, 29, 31, 1593, 5992, 5912, 6044, 5920, 2402, 2315, 2447}

$$\frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}-\sqrt{e})}\right)}{2d} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}+\sqrt{e})}\right)}{2d} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*Sqrt[x]])/(x*(d + e*x)), x]
```

```
[Out] (2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/d - ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d - ((a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d + (a*Log[x])/d - (b*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/d + (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d + (b*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d - (b*PolyLog[2, -(c*Sqrt[x])])/d + (b*PolyLog[2, c*Sqrt[x]])/d
```

Rule 36

```
Int[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 5992

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))*(x_)^(m_.)/((d_) + (e_.)*(x_)^2),
x_Symbol] := Int[ExpandIntegrand[a + b*ArcTanh[c*x], x^m/(d + e*x^2), x],
x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0]
)
```

Rule 5912

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x
] + (-Simp[(b*PolyLog[2, -(c*x)])/2, x] + Simp[(b*PolyLog[2, c*x])/2, x]) /
; FreeQ[{a, b, c}, x]
```

Rule 6044

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.))^(p_.)*((f_.)*(x_)^(m_.)*((d_) + (e
_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = ExpandIntegrand[(a + b*ArcTanh[c*
x])^p, (f*x)^m*(d + e*x^2)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c,
d, e, f, m}, x] && IntegerQ[q] && IGtQ[p, 0] && (GtQ[q, 0] || IntegerQ[m])
```

Rule 5920

```
Int[((a_.) + ArcTanh[(c_.)*(x_)])*(b_.)/((d_) + (e_.)*(x_)), x_Symbol] := -
Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log
[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))
/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*
Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}
, x] && NeQ[c^2*d^2 - e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(c\sqrt{x})}{x(d + ex)} dx &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{dx + ex^3} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x(d + ex^2)} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \left(\frac{a + b \tanh^{-1}(cx)}{dx} - \frac{ex(a + b \tanh^{-1}(cx))}{d(d + ex^2)} \right) dx, x, \sqrt{x} \right) \\
&= \frac{2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x} dx, x, \sqrt{x} \right)}{d} - \frac{(2e) \operatorname{Subst} \left(\int \frac{x^{a + b \tanh^{-1}(cx)}}{d + ex^2} dx, x, \sqrt{x} \right)}{d} \\
&= \frac{a \log(x)}{d} - \frac{b \operatorname{Li}_2(-c\sqrt{x})}{d} + \frac{b \operatorname{Li}_2(c\sqrt{x})}{d} - \frac{(2e) \operatorname{Subst} \left(\int \left(-\frac{a + b \tanh^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \tanh^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} + \sqrt{ex})} \right) dx, x, \sqrt{x} \right)}{d} \\
&= \frac{a \log(x)}{d} - \frac{b \operatorname{Li}_2(-c\sqrt{x})}{d} + \frac{b \operatorname{Li}_2(c\sqrt{x})}{d} + \frac{\sqrt{e} \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx, x, \sqrt{x} \right)}{d} - \frac{\sqrt{e} \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx, x, \sqrt{x} \right)}{d} \\
&= \frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{d} - \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{ex})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{d} - \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} + \sqrt{ex})}{(c\sqrt{-d} + \sqrt{e})(1 + c\sqrt{x})}\right)}{d} \\
&= \frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{d} - \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{ex})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{d} - \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} + \sqrt{ex})}{(c\sqrt{-d} + \sqrt{e})(1 + c\sqrt{x})}\right)}{d} \\
&= \frac{2(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{d} - \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} - \sqrt{ex})}{(c\sqrt{-d} - \sqrt{e})(1 + c\sqrt{x})}\right)}{d} - \frac{(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2c(\sqrt{-d} + \sqrt{ex})}{(c\sqrt{-d} + \sqrt{e})(1 + c\sqrt{x})}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 1.12444, size = 302, normalized size = 0.84

$$b \operatorname{PolyLog} \left(2, -\frac{(c^2 d + e) e^{2 \tanh^{-1}(c\sqrt{x})}}{c^2 d - 2c\sqrt{-d}\sqrt{e} - e} \right) + b \operatorname{PolyLog} \left(2, -\frac{(c^2 d + e) e^{2 \tanh^{-1}(c\sqrt{x})}}{c^2 d + 2c\sqrt{-d}\sqrt{e} - e} \right) + 2b \operatorname{PolyLog} \left(2, e^{-2 \tanh^{-1}(c\sqrt{x})} \right) + 2a \log(d + ex)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(x*(d + e*x)), x]

[Out] $-(4*b*ArcTanh[c*Sqrt[x]]^2 - 4*b*ArcTanh[c*Sqrt[x]]*Log[1 - E^{(-2*ArcTanh[c*Sqrt[x]])}] + 2*b*ArcTanh[c*Sqrt[x]]*Log[1 + ((c^2*d + e)*E^{(2*ArcTanh[c*Sqrt[x]])})/(c^2*d - 2*c*Sqrt[-d]*Sqrt[e] - e)] + 2*b*ArcTanh[c*Sqrt[x]]*Log[1 + ((c^2*d + e)*E^{(2*ArcTanh[c*Sqrt[x]])})/(c^2*d + 2*c*Sqrt[-d]*Sqrt[e] - e)] - 2*a*Log[x] + 2*a*Log[d + e*x] + 2*b*PolyLog[2, E^{(-2*ArcTanh[c*Sqrt[x]])}] + b*PolyLog[2, -(((c^2*d + e)*E^{(2*ArcTanh[c*Sqrt[x]])})/(c^2*d - 2*c*Sqrt[-d]*Sqrt[e] - e))] + b*PolyLog[2, -(((c^2*d + e)*E^{(2*ArcTanh[c*Sqrt[x]])})/(c^2*d + 2*c*Sqrt[-d]*Sqrt[e] - e))]/(2*d)$

Maple [A] time = 0.062, size = 540, normalized size = 1.5

$$-\frac{a \ln(c^2 ex + c^2 d)}{d} + 2 \frac{a \ln(c\sqrt{x})}{d} - \frac{b \ln(c^2 ex + c^2 d)}{d} \operatorname{Arctanh}(c\sqrt{x}) + 2 \frac{b \operatorname{Arctanh}(c\sqrt{x}) \ln(c\sqrt{x})}{d} - \frac{b \ln(c^2 ex + c^2 d)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arctanh(c*x^(1/2)))/x/(e*x+d),x)`

[Out] $-a/d*\ln(c^2*e*x+c^2*d)+2*a/d*\ln(c*x^(1/2))-b*arctanh(c*x^(1/2))/d*\ln(c^2*e*x+c^2*d)+2*b*arctanh(c*x^(1/2))/d*\ln(c*x^(1/2))-1/2*b/d*\ln(c*x^(1/2)-1)*\ln(c^2*e*x+c^2*d)+1/2*b/d*\ln(c*x^(1/2)-1)*\ln((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))+1/2*b/d*\ln(c*x^(1/2)-1)*\ln((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))+1/2*b/d*dilog((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))+1/2*b/d*dilog((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))+1/2*b/d*\ln(1+c*x^(1/2))*\ln(c^2*e*x+c^2*d)-1/2*b/d*\ln(1+c*x^(1/2))*\ln((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))-1/2*b/d*\ln(1+c*x^(1/2))*\ln((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))-1/2*b/d*dilog((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))-1/2*b/d*dilog((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))-b/d*dilog(c*x^(1/2))-b/d*dilog(1+c*x^(1/2))-b/d*\ln(c*x^(1/2))*\ln(1+c*x^(1/2))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-a\left(\frac{\log(ex+d)}{d} - \frac{\log(x)}{d}\right) + b \int \frac{\log(c\sqrt{x}+1)}{2\left(ex^{\frac{3}{2}} + d\sqrt{x}\right)\sqrt{x}} dx - b \int \frac{\log(-c\sqrt{x}+1)}{2\left(ex^{\frac{3}{2}} + d\sqrt{x}\right)\sqrt{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^(1/2)))/x/(e*x+d),x, algorithm="maxima")`

[Out] $-a*(\log(e*x + d)/d - \log(x)/d) + b*\integrate(1/2*\log(c*\sqrt{x} + 1)/((e*x^(3/2) + d*\sqrt{x})*\sqrt{x}), x) - b*\integrate(1/2*\log(-c*\sqrt{x} + 1)/((e*x^(3/2) + d*\sqrt{x})*\sqrt{x}), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(c\sqrt{x}) + a}{ex^2 + dx}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^(1/2)))/x/(e*x+d),x, algorithm="fricas")`

[Out] `integral((b*arctanh(c*sqrt(x)) + a)/(e*x^2 + d*x), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*atanh(c*x**(1/2)))/x/(e*x+d),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(c\sqrt{x}) + a}{(ex + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arctanh(c*x^(1/2)))/x/(e*x+d),x, algorithm="giac")
```

```
[Out] integrate((b*arctanh(c*sqrt(x)) + a)/((e*x + d)*x), x)
```

$$3.48 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^2(d+ex)} dx$$

Optimal. Leaf size=413

$$\frac{bePolyLog\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{d^2} - \frac{bePolyLog\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2d^2} - \frac{bePolyLog\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2d^2} + \frac{bePolyLog\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{d^2}$$

```
[Out] -((b*c)/(d*Sqrt[x])) + (b*c^2*ArcTanh[c*Sqrt[x]])/d - (a + b*ArcTanh[c*Sqrt[x]])/(d*x) - (2*e*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/d^2 + (e*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 + (e*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 - (a*e*Log[x])/d^2 + (b*e*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/d^2 - (b*e*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 - (b*e*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 + (b*e*PolyLog[2, -(c*Sqrt[x])])/d^2 - (b*e*PolyLog[2, c*Sqrt[x]])/d^2
```

Rubi [A] time = 0.720063, antiderivative size = 413, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 13, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.565$, Rules used = {44, 1593, 5982, 5916, 325, 206, 5992, 5912, 6044, 5920, 2402, 2315, 2447}

$$\frac{bePolyLog\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{d^2} - \frac{bePolyLog\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}-\sqrt{e})}\right)}{2d^2} - \frac{bePolyLog\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x+1})(c\sqrt{-d}+\sqrt{e})}\right)}{2d^2} + \frac{bePolyLog\left(2, 1 - \frac{2}{c\sqrt{x+1}}\right)}{d^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*Sqrt[x]])/(x^2*(d + e*x)), x]
```

```
[Out] -((b*c)/(d*Sqrt[x])) + (b*c^2*ArcTanh[c*Sqrt[x]])/d - (a + b*ArcTanh[c*Sqrt[x]])/(d*x) - (2*e*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/d^2 + (e*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 + (e*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 - (a*e*Log[x])/d^2 + (b*e*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/d^2 - (b*e*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 - (b*e*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^2 + (b*e*PolyLog[2, -(c*Sqrt[x])])/d^2 - (b*e*PolyLog[2, c*Sqrt[x]])/d^2
```

Rule 44

```
Int[((a_) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rule 5982

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_))/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[1/d, Int[(f*x)^m*(a + b*ArcTanh[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcTanh[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]

Rule 5916

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 325

Int[(((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 5992

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))*(x_)^(m_))/((d_) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[a + b*ArcTanh[c*x], x^m/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0])

Rule 5912

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x] + (-Simp[(b*PolyLog[2, -(c*x)])]/2, x] + Simp[(b*PolyLog[2, c*x])/2, x]) /; FreeQ[{a, b, c}, x]

Rule 6044

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = ExpandIntegrand[(a + b*ArcTanh[c*x])^p, (f*x)^m*(d + e*x^2)^q, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[q] && IGtQ[p, 0] && (GtQ[q, 0] || IntegerQ[m])

Rule 5920

Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*Log[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x]] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(c\sqrt{x})}{x^2(d + ex)} dx &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{dx^3 + ex^5} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3(d + ex^2)} dx, x, \sqrt{x} \right) \\
&= \frac{2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3} dx, x, \sqrt{x} \right)}{d} - \frac{(2e) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x(d + ex^2)} dx, x, \sqrt{x} \right)}{d} \\
&= -\frac{a + b \tanh^{-1}(c\sqrt{x})}{dx} + \frac{(bc) \operatorname{Subst} \left(\int \frac{1}{x^2(1 - c^2x^2)} dx, x, \sqrt{x} \right)}{d} - \frac{(2e) \operatorname{Subst} \left(\int \left(\frac{a + b \tanh^{-1}(cx)}{dx} - \frac{c}{1 - c^2x^2} \right) dx, x, \sqrt{x} \right)}{d} \\
&= -\frac{bc}{d\sqrt{x}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{dx} + \frac{(bc^3) \operatorname{Subst} \left(\int \frac{1}{1 - c^2x^2} dx, x, \sqrt{x} \right)}{d} - \frac{(2e) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x} dx, x, \sqrt{x} \right)}{d^2} \\
&= -\frac{bc}{d\sqrt{x}} + \frac{bc^2 \tanh^{-1}(c\sqrt{x})}{d} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{dx} - \frac{ae \log(x)}{d^2} + \frac{be \operatorname{Li}_2(-c\sqrt{x})}{d^2} - \frac{be \operatorname{Li}_2(c\sqrt{x})}{d^2} \\
&= -\frac{bc}{d\sqrt{x}} + \frac{bc^2 \tanh^{-1}(c\sqrt{x})}{d} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{dx} - \frac{ae \log(x)}{d^2} + \frac{be \operatorname{Li}_2(-c\sqrt{x})}{d^2} - \frac{be \operatorname{Li}_2(c\sqrt{x})}{d^2} \\
&= -\frac{bc}{d\sqrt{x}} + \frac{bc^2 \tanh^{-1}(c\sqrt{x})}{d} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{dx} - \frac{2e(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{d^2} + \frac{2e(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{d^2} \\
&= -\frac{bc}{d\sqrt{x}} + \frac{bc^2 \tanh^{-1}(c\sqrt{x})}{d} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{dx} - \frac{2e(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{d^2} + \frac{2e(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{d^2} \\
&= -\frac{bc}{d\sqrt{x}} + \frac{bc^2 \tanh^{-1}(c\sqrt{x})}{d} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{dx} - \frac{2e(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 + c\sqrt{x}}\right)}{d^2} + \frac{2e(a + b \tanh^{-1}(c\sqrt{x})) \log\left(\frac{2}{1 - c\sqrt{x}}\right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 1.62432, size = 360, normalized size = 0.87

$$2bc^4 \left(\frac{e \left(\text{PolyLog} \left(2, -\frac{(c^2d+e)e^{2 \tanh^{-1}(c\sqrt{x})}}{c^2d-2c\sqrt{-d}\sqrt{e-e}} \right) + \text{PolyLog} \left(2, -\frac{(c^2d+e)e^{2 \tanh^{-1}(c\sqrt{x})}}{c^2d+2c\sqrt{-d}\sqrt{e-e}} \right) + 2 \tanh^{-1}(c\sqrt{x}) \left(\log \left(\frac{(c^2d+e)e^{2 \tanh^{-1}(c\sqrt{x})}}{c^2d-2c\sqrt{-d}\sqrt{e-e}} \right) \right)}{4c^4d^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(x^2*(d + e*x)), x]

[Out] $-(a/(d*x)) - (2*a*e*\text{Log}[\text{Sqrt}[x]])/d^2 + (a*e*\text{Log}[d + e*x])/d^2 + 2*b*c^4*(-((c*d)/\text{Sqrt}[x] + \text{ArcTanh}[c*\text{Sqrt}[x]]*((d*(1 - c^2*x))/x + e*\text{ArcTanh}[c*\text{Sqrt}[x]] + 2*e*\text{Log}[1 - E^{(-2*\text{ArcTanh}[c*\text{Sqrt}[x]])}]) - e*\text{PolyLog}[2, E^{(-2*\text{ArcTanh}[c*\text{Sqrt}[x]])}]))/(2*c^4*d^2) + (e*(2*\text{ArcTanh}[c*\text{Sqrt}[x]]*(-\text{ArcTanh}[c*\text{Sqrt}[x]] + \text{Log}[1 + ((c^2*d + e)*E^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]])}]))/(c^2*d - 2*c*\text{Sqrt}[-d]*\text{Sqrt}[e - e]) + \text{Log}[1 + ((c^2*d + e)*E^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]])}]))/(c^2*d + 2*c*\text{Sqrt}[-d]*\text{Sqrt}[e - e])) + \text{PolyLog}[2, -(((c^2*d + e)*E^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]])}))/(c^2*d - 2*c*\text{Sqrt}[-d]*\text{Sqrt}[e - e])) + \text{PolyLog}[2, -(((c^2*d + e)*E^{(2*\text{ArcTanh}[c*\text{Sqrt}[x]])}))/(c^2*d + 2*c*\text{Sqrt}[-d]*\text{Sqrt}[e - e])))/(4*c^4*d^2)$

Maple [A] time = 0.068, size = 620, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^(1/2)))/x^2/(e*x+d), x)

[Out] $a*e/d^2*\ln(c^2*e*x+c^2*d)-a/d/x-2*a/d^2*e*\ln(c*x^{(1/2)})+b*arctanh(c*x^{(1/2)})*e/d^2*\ln(c^2*e*x+c^2*d)-b*arctanh(c*x^{(1/2)})/d/x-2*b*arctanh(c*x^{(1/2)})/d^2*e*\ln(c*x^{(1/2)})-b*c/d/x^{(1/2)}-1/2*c^2*b/d*\ln(c*x^{(1/2)}-1)+1/2*c^2*b/d*\ln(1+c*x^{(1/2)})+b/d^2*e*dilog(c*x^{(1/2)})+b/d^2*e*dilog(1+c*x^{(1/2)})+b/d^2*e*\ln(c*x^{(1/2)})*\ln(1+c*x^{(1/2)})+1/2*b/d^2*e*\ln(c*x^{(1/2)}-1)*\ln(c^2*e*x+c^2*d)-1/2*b/d^2*e*\ln(c*x^{(1/2)}-1)*\ln((c*(-d*e)^{(1/2)}-e*(c*x^{(1/2)}-1)-e)/(c*(-d*e)^{(1/2)}-e))-1/2*b/d^2*e*\ln(c*x^{(1/2)}-1)*\ln((c*(-d*e)^{(1/2)}+e*(c*x^{(1/2)}-1)+e)/(c*(-d*e)^{(1/2)}+e))-1/2*b/d^2*e*dilog((c*(-d*e)^{(1/2)}-e*(c*x^{(1/2)}-1)-e)/(c*(-d*e)^{(1/2)}-e))-1/2*b/d^2*e*dilog((c*(-d*e)^{(1/2)}+e*(c*x^{(1/2)}-1)+e)/(c*(-d*e)^{(1/2)}+e))-1/2*b/d^2*e*\ln(1+c*x^{(1/2)})*\ln(c^2*e*x+c^2*d)+1/2*b/d^2*e*\ln(1+c*x^{(1/2)})*\ln((c*(-d*e)^{(1/2)}-e*(1+c*x^{(1/2)})+e)/(c*(-d*e)^{(1/2)}+e))+1/2*b/d^2*e*\ln(1+c*x^{(1/2)})*\ln((c*(-d*e)^{(1/2)}+e*(1+c*x^{(1/2)})-e)/(c*(-d*e)^{(1/2)}-e))+1/2*b/d^2*e*dilog((c*(-d*e)^{(1/2)}-e*(1+c*x^{(1/2)})+e)/(c*(-d*e)^{(1/2)}+e))+1/2*b/d^2*e*dilog((c*(-d*e)^{(1/2)}+e*(1+c*x^{(1/2)})-e)/(c*(-d*e)^{(1/2)}-e))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$a \left(\frac{e \log(ex+d)}{d^2} - \frac{e \log(x)}{d^2} - \frac{1}{dx} \right) + b \int \frac{\log(c\sqrt{x}+1)}{2 \left(ex^{\frac{5}{2}} + dx^{\frac{3}{2}} \right) \sqrt{x}} dx - b \int \frac{\log(-c\sqrt{x}+1)}{2 \left(ex^{\frac{5}{2}} + dx^{\frac{3}{2}} \right) \sqrt{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^2/(e*x+d), x, algorithm="maxima")

[Out] $a*(e*\log(e*x + d)/d^2 - e*\log(x)/d^2 - 1/(d*x)) + b*\text{integrate}(1/2*\log(c*\text{sqrt}(x) + 1)/((e*x^{5/2} + d*x^{3/2})*\text{sqrt}(x)), x) - b*\text{integrate}(1/2*\log(-c*\text{sqrt}(x) + 1)/((e*x^{5/2} + d*x^{3/2})*\text{sqrt}(x)), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{ex^3 + dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^(1/2)))/x^2/(e*x+d),x, algorithm="fricas")`

[Out] `integral((b*arctanh(c*sqrt(x)) + a)/(e*x^3 + d*x^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*atanh(c*x**(1/2)))/x**2/(e*x+d),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(c\sqrt{x}) + a}{(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^(1/2)))/x^2/(e*x+d),x, algorithm="giac")`

[Out] `integrate((b*arctanh(c*sqrt(x)) + a)/((e*x + d)*x^2), x)`

$$3.49 \quad \int \frac{a+b \tanh^{-1}(c\sqrt{x})}{x^3(d+ex)} dx$$

Optimal. Leaf size=506

$$\frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d^3} + \frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}-\sqrt{e})}\right)}{2d^3} + \frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}+\sqrt{e})}\right)}{2d^3} - \frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d^3}$$

```
[Out] -(b*c)/(6*d*x^(3/2)) - (b*c^3)/(2*d*Sqrt[x]) + (b*c*e)/(d^2*Sqrt[x]) + (b*c^4*ArcTanh[c*Sqrt[x]])/(2*d) - (b*c^2*e*ArcTanh[c*Sqrt[x]])/d^2 - (a + b*ArcTanh[c*Sqrt[x]])/(2*d*x^2) + (e*(a + b*ArcTanh[c*Sqrt[x]]))/(d^2*x) + (2*e^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/d^3 - (e^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 - (e^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 + (a*e^2*Log[x])/d^3 - (b*e^2*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/d^3 + (b*e^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 + (b*e^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 - (b*e^2*PolyLog[2, -(c*Sqrt[x])])/d^3 + (b*e^2*PolyLog[2, c*Sqrt[x]])/d^3
```

Rubi [A] time = 0.872401, antiderivative size = 506, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 13, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.565$, Rules used = {44, 1593, 5982, 5916, 325, 206, 5992, 5912, 6044, 5920, 2402, 2315, 2447}

$$\frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d^3} + \frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}-\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}-\sqrt{e})}\right)}{2d^3} + \frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2c(\sqrt{-d}+\sqrt{e}\sqrt{x})}{(c\sqrt{x}+1)(c\sqrt{-d}+\sqrt{e})}\right)}{2d^3} - \frac{be^2 \text{PolyLog}\left(2, 1 - \frac{2}{c\sqrt{x}+1}\right)}{d^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcTanh[c*Sqrt[x]])/(x^3*(d + e*x)), x]
```

```
[Out] -(b*c)/(6*d*x^(3/2)) - (b*c^3)/(2*d*Sqrt[x]) + (b*c*e)/(d^2*Sqrt[x]) + (b*c^4*ArcTanh[c*Sqrt[x]])/(2*d) - (b*c^2*e*ArcTanh[c*Sqrt[x]])/d^2 - (a + b*ArcTanh[c*Sqrt[x]])/(2*d*x^2) + (e*(a + b*ArcTanh[c*Sqrt[x]]))/(d^2*x) + (2*e^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[2/(1 + c*Sqrt[x])])/d^3 - (e^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 - (e^2*(a + b*ArcTanh[c*Sqrt[x]])*Log[(2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 + (a*e^2*Log[x])/d^3 - (b*e^2*PolyLog[2, 1 - 2/(1 + c*Sqrt[x])])/d^3 + (b*e^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] - Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] - Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 + (b*e^2*PolyLog[2, 1 - (2*c*(Sqrt[-d] + Sqrt[e]*Sqrt[x]))/((c*Sqrt[-d] + Sqrt[e])*(1 + c*Sqrt[x]))])/d^3 - (b*e^2*PolyLog[2, -(c*Sqrt[x])])/d^3 + (b*e^2*PolyLog[2, c*Sqrt[x]])/d^3
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 5982

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_)^(m_.)))/((d_) + (
e_.)*(x_)^2), x_Symbol] := Dist[1/d, Int[(f*x)^m*(a + b*ArcTanh[c*x])^p, x]
, x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcTanh[c*x])^p)/(d + e*x^
2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 5916

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((d_.)*(x_)^(m_.), x_Symbol]
:= Simp[(((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^p)/(d*(m + 1)), x] - Dist[(b*c
*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcTanh[c*x])^(p - 1))/(1 - c^2*
x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || In
tegerQ[m]) && NeQ[m, -1]
```

Rule 325

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Simp[(((c*
x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1)
+ 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a,
b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p,
x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 5992

```
Int[(((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))*(x_)^(m_.)))/((d_) + (e_.)*(x_)^2),
x_Symbol] := Int[ExpandIntegrand[a + b*ArcTanh[c*x], x^m/(d + e*x^2), x],
x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0]
)
```

Rule 5912

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x
] + (-Simp[(b*PolyLog[2, -(c*x)])/2, x] + Simp[(b*PolyLog[2, c*x])/2, x]) /
; FreeQ[{a, b, c}, x]
```

Rule 6044

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_)^(m_.)*((d_) + (e
_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = ExpandIntegrand[(a + b*ArcTanh[c*
x])^p, (f*x)^m*(d + e*x^2)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c,
d, e, f, m}, x] && IntegerQ[q] && IGtQ[p, 0] && (GtQ[q, 0] || IntegerQ[m])
```

Rule 5920

```
Int[((a_.) + ArcTanh[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := -
Simp[((a + b*ArcTanh[c*x])*Log[2/(1 + c*x)])/e, x] + (Dist[(b*c)/e, Int[Log
[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))
/((c*d + e)*(1 + c*x))]/(1 - c^2*x^2), x], x] + Simp[((a + b*ArcTanh[c*x])*
```


$\text{Log}[(2*c*(d + e*x))/((c*d + e)*(1 + c*x))]/e, x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[c^2*d^2 - e^2, 0]$

Rule 2402

$\text{Int}[\text{Log}[(c_)/((d_ + (e_)*(x_)))]/((f_ + (g_)*(x_)^2), x_Symbol] \text{:>} -\text{Dis}t[e/g, \text{Subst}[\text{Int}[\text{Log}[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; \text{FreeQ}\{c, d, e, f, g\}, x\} \ \&\& \ \text{EqQ}[c, 2*d] \ \&\& \ \text{EqQ}[e^2*f + d^2*g, 0]$

Rule 2315

$\text{Int}[\text{Log}[(c_)*(x_)]/((d_ + (e_)*(x_)), x_Symbol] \text{:>} -\text{Simp}[\text{PolyLog}[2, 1 - c*x]/e, x] /; \text{FreeQ}\{c, d, e\}, x\} \ \&\& \ \text{EqQ}[e + c*d, 0]$

Rule 2447

$\text{Int}[\text{Log}[u_]*(Pq_)^{(m_)}, x_Symbol] \text{:>} \text{With}\{C = \text{FullSimplify}[(Pq^m*(1 - u))/D[u, x]]\}, \text{Simp}[C*\text{PolyLog}[2, 1 - u], x] /; \text{FreeQ}[C, x] /; \text{IntegerQ}[m] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{RationalFunctionQ}[u, x] \ \&\& \ \text{LeQ}[\text{RationalFunctionExponents}[u, x][[2]], \text{Expon}[Pq, x]]$

Rubi steps

$$\begin{aligned}
\int \frac{a + b \tanh^{-1}(c\sqrt{x})}{x^3(d + ex)} dx &= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{dx^5 + ex^7} dx, x, \sqrt{x} \right) \\
&= 2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^5(d + ex^2)} dx, x, \sqrt{x} \right) \\
&= \frac{2 \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^5} dx, x, \sqrt{x} \right)}{d} - \frac{(2e) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3(d + ex^2)} dx, x, \sqrt{x} \right)}{d} \\
&= -\frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2} + \frac{(bc) \operatorname{Subst} \left(\int \frac{1}{x^4(1 - c^2x^2)} dx, x, \sqrt{x} \right)}{2d} - \frac{(2e) \operatorname{Subst} \left(\int \frac{a + b \tanh^{-1}(cx)}{x^3} dx, x, \sqrt{x} \right)}{d^2} \\
&= -\frac{bc}{6dx^{3/2}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2} + \frac{e(a + b \tanh^{-1}(c\sqrt{x}))}{d^2x} + \frac{(bc^3) \operatorname{Subst} \left(\int \frac{1}{x^2(1 - c^2x^2)} dx, x, \sqrt{x} \right)}{2d} \\
&= -\frac{bc}{6dx^{3/2}} - \frac{bc^3}{2d\sqrt{x}} + \frac{bce}{d^2\sqrt{x}} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2} + \frac{e(a + b \tanh^{-1}(c\sqrt{x}))}{d^2x} + \frac{(bc^5) \operatorname{Subst} \left(\int \frac{1}{x^2(1 - c^2x^2)} dx, x, \sqrt{x} \right)}{2d} \\
&= -\frac{bc}{6dx^{3/2}} - \frac{bc^3}{2d\sqrt{x}} + \frac{bce}{d^2\sqrt{x}} + \frac{bc^4 \tanh^{-1}(c\sqrt{x})}{2d} - \frac{bc^2e \tanh^{-1}(c\sqrt{x})}{d^2} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2} \\
&= -\frac{bc}{6dx^{3/2}} - \frac{bc^3}{2d\sqrt{x}} + \frac{bce}{d^2\sqrt{x}} + \frac{bc^4 \tanh^{-1}(c\sqrt{x})}{2d} - \frac{bc^2e \tanh^{-1}(c\sqrt{x})}{d^2} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2} \\
&= -\frac{bc}{6dx^{3/2}} - \frac{bc^3}{2d\sqrt{x}} + \frac{bce}{d^2\sqrt{x}} + \frac{bc^4 \tanh^{-1}(c\sqrt{x})}{2d} - \frac{bc^2e \tanh^{-1}(c\sqrt{x})}{d^2} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2} \\
&= -\frac{bc}{6dx^{3/2}} - \frac{bc^3}{2d\sqrt{x}} + \frac{bce}{d^2\sqrt{x}} + \frac{bc^4 \tanh^{-1}(c\sqrt{x})}{2d} - \frac{bc^2e \tanh^{-1}(c\sqrt{x})}{d^2} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2} \\
&= -\frac{bc}{6dx^{3/2}} - \frac{bc^3}{2d\sqrt{x}} + \frac{bce}{d^2\sqrt{x}} + \frac{bc^4 \tanh^{-1}(c\sqrt{x})}{2d} - \frac{bc^2e \tanh^{-1}(c\sqrt{x})}{d^2} - \frac{a + b \tanh^{-1}(c\sqrt{x})}{2dx^2}
\end{aligned}$$

Mathematica [A] time = 2.67282, size = 394, normalized size = 0.78

$$b \left(3e^2x^2 \left(\operatorname{PolyLog} \left(2, -\frac{(c^2d+e)e^{2\tanh^{-1}(c\sqrt{x})}}{c^2d-2c\sqrt{-d}\sqrt{e-e}} \right) + \operatorname{PolyLog} \left(2, -\frac{(c^2d+e)e^{2\tanh^{-1}(c\sqrt{x})}}{c^2d+2c\sqrt{-d}\sqrt{e-e}} \right) + 2 \tanh^{-1}(c\sqrt{x}) \left(\log \left(\frac{(c^2d+e)e^{2\tanh^{-1}(c\sqrt{x})}}{c^2d-2c\sqrt{-d}\sqrt{e-e}} \right) \right. \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcTanh[c*Sqrt[x]])/(x^3*(d + e*x)), x]

[Out] $-(3a*d^2 - 6a*d*e*x - 6a*e^2*x^2*\log[x] + 6a*e^2*x^2*\log[d + e*x] + b*(c*d*\sqrt{x}*(d + 3*c^2*d*x - 6*e*x) - 3*ArcTanh[c*\sqrt{x}]*(d*(-1 + c^2*x)*(d + c^2*d*x - 2*e*x) + 2*e^2*x^2*ArcTanh[c*\sqrt{x}] + 4*e^2*x^2*\log[1 - E^{(-2*ArcTanh[c*\sqrt{x}]])}) + 6*e^2*x^2*PolyLog[2, E^{(-2*ArcTanh[c*\sqrt{x}]])}] + 3*e^2*x^2*(2*ArcTanh[c*\sqrt{x}]*(-ArcTanh[c*\sqrt{x}] + \log[1 + ((c^2*d + e)*E^{(2*ArcTanh[c*\sqrt{x}]])])/(c^2*d - 2*c*\sqrt{-d}*\sqrt{e} - e)] + \log[1 + ((c^2*d + e)*E^{(2*ArcTanh[c*\sqrt{x}]])])/(c^2*d + 2*c*\sqrt{-d}*\sqrt{e} - e)]) + PolyLog[2, -(((c^2*d + e)*E^{(2*ArcTanh[c*\sqrt{x}]])/(c^2*d - 2*c*\sqrt{-d}*\sqrt{e} - e))] + PolyLog[2, -(((c^2*d + e)*E^{(2*ArcTanh[c*\sqrt{x}]])/(c^2*d + 2*c*\sqrt{-d}*\sqrt{e} - e)))] + PolyLog[2, -(((c^2*d + e)*E^{(2*ArcTanh[c*\sqrt{x}]])/(c^2*d - 2*c*\sqrt{-d}*\sqrt{e} - e)))] + PolyLog[2, -(((c^2*d + e)*E^{(2*ArcTanh[c*\sqrt{x}]])/(c^2*d + 2*c*\sqrt{-d}*\sqrt{e} - e)))]$

$$2*d + 2*c*\text{Sqrt}[-d]*\text{Sqrt}[e - e])))))/(6*d^3*x^2)$$

Maple [A] time = 0.072, size = 741, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arctanh(c*x^(1/2)))/x^3/(e*x+d), x)

[Out]
$$\begin{aligned} & -1/2*a/d/x^2+1/2*b/d^3*e^2*\ln(c*x^(1/2)-1)*\ln((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))+1/2*b/d^3*e^2*\ln(1+c*x^(1/2))*\ln(c^2*e*x+c^2*d)-1 \\ & /2*b/d^3*e^2*\ln(1+c*x^(1/2))*\ln((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))-1/2*b/d^3*e^2*\ln(1+c*x^(1/2))*\ln((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))-b*\text{arctanh}(c*x^(1/2))*e^2/d^3*\ln(c^2*e*x+c^2*d)+2*b \\ & *\text{arctanh}(c*x^(1/2))/d^3*e^2*\ln(c*x^(1/2))-1/2*c^2*b/d^2*\ln(1+c*x^(1/2))*e+1/2*c^2*b/d^2*\ln(c*x^(1/2)-1)*e+1/2*b/d^3*e^2*\ln(c*x^(1/2)-1)*\ln((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))-b/d^3*e^2*\ln(c*x^(1/2))*\ln(1+c*x \\ & x^(1/2))-1/2*b/d^3*e^2*\ln(c*x^(1/2)-1)*\ln(c^2*e*x+c^2*d)+a/d^2*e/x-1/2*b*\text{arctanh}(c*x^(1/2))/d/x^2+2*a/d^3*e^2*\ln(c*x^(1/2))-b/d^3*e^2*\text{dilog}(c*x^(1/2))-b/d^3*e^2*\text{dilog}(1+c*x^(1/2))+1/2*b/d^3*e^2*\text{dilog}((c*(-d*e)^(1/2)-e*(c*x^(1/2)-1)-e)/(c*(-d*e)^(1/2)-e))+1/2*b/d^3*e^2*\text{dilog}((c*(-d*e)^(1/2)+e*(c*x^(1/2)-1)+e)/(c*(-d*e)^(1/2)+e))-a*e^2/d^3*\ln(c^2*e*x+c^2*d)-1/2*b/d^3*e^2*\text{dilog}((c*(-d*e)^(1/2)-e*(1+c*x^(1/2))+e)/(c*(-d*e)^(1/2)+e))-1/2*b/d^3*e^2*\text{dilog}((c*(-d*e)^(1/2)+e*(1+c*x^(1/2))-e)/(c*(-d*e)^(1/2)-e))-1/4*c^4*b/d*\ln(c*x^(1/2)-1)+1/4*c^4*b/d*\ln(1+c*x^(1/2))+b*\text{arctanh}(c*x^(1/2))/d^2*e/x-1/6*b*c/d/x^(3/2)+b*c*e/d^2/x^(1/2)-1/2*b*c^3/d/x^(1/2) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{2e^2\log(ex+d)}{d^3}-\frac{2e^2\log(x)}{d^3}-\frac{2ex-d}{d^2x^2}\right)+b\int\frac{\log(c\sqrt{x}+1)}{2\left(ex^{\frac{7}{2}}+dx^{\frac{5}{2}}\right)\sqrt{x}}dx-b\int\frac{\log(-c\sqrt{x}+1)}{2\left(ex^{\frac{7}{2}}+dx^{\frac{5}{2}}\right)\sqrt{x}}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^3/(e*x+d), x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/2*a*(2*e^2*\log(e*x + d)/d^3 - 2*e^2*\log(x)/d^3 - (2*e*x - d)/(d^2*x^2)) \\ & + b*\text{integrate}(1/2*\log(c*\text{sqrt}(x) + 1)/((e*x^(7/2) + d*x^(5/2))*\text{sqrt}(x)), x) \\ & - b*\text{integrate}(1/2*\log(-c*\text{sqrt}(x) + 1)/((e*x^(7/2) + d*x^(5/2))*\text{sqrt}(x)), x) \end{aligned}$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{artanh}(c\sqrt{x}) + a}{ex^4 + dx^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arctanh(c*x^(1/2)))/x^3/(e*x+d), x, algorithm="fricas")

[Out] `integral((b*arctanh(c*sqrt(x)) + a)/(e*x^4 + d*x^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*atanh(c*x**(1/2)))/x**3/(e*x+d), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{artanh}(c\sqrt{x}) + a}{(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arctanh(c*x^(1/2)))/x^3/(e*x+d), x, algorithm="giac")`

[Out] `integrate((b*arctanh(c*sqrt(x)) + a)/((e*x + d)*x^3), x)`

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*   is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*   antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22       If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25       "C"],
26     If[FreeQ[result,Integrate] && FreeQ[result,Int],
27       "C",
28       "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
```

```

38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46   If[AtomQ[expn],
47     1,
48     If[ListQ[expn],
49       Max[Map[ExpnType,expn]],
50       If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52           ExpnType[expn[[1]]],
53           If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55               1,
56               Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58             If[Head[expn]===Plus || Head[expn]===Times,
59               Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60             If[ElementaryFunctionQ[Head[expn]],
61               Max[3,ExpnType[expn[[1]]],
62             If[SpecialFunctionQ[Head[expn]],
63               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64             If[HypergeometricFunctionQ[Head[expn]],
65               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66             If[AppellFunctionQ[Head[expn]],
67               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68             If[Head[expn]===RootSum,
69               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
70             If[Head[expn]===Integrate || Head[expn]===Int,
71               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
72             9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp,Log,
78     Sin,Cos,Tan,Cot,Sec,Csc,
79     ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
80     Sinh,Cosh,Tanh,Coth,Sech,Csch,
81     ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
82   },func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   },func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]
99
100

```

```

101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 # if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 # see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
14     debug:=false;
15
16     leaf_count_result:=leafcount(result);
17     #do NOT call ExpnType() if leaf size is too large. Recursion problem
18     if leaf_count_result > 500000 then
19         return "B";
20     fi;
21
22     leaf_count_optimal:=leafcount(optimal);
23
24     ExpnType_result:=ExpnType(result);
25     ExpnType_optimal:=ExpnType(optimal);
26
27     if debug then
28         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
29             ExpnType_optimal);
30     fi;
31
32 # If result and optimal are mathematical expressions,
33 # GradeAntiderivative[result,optimal] returns
34 # "F" if the result fails to integrate an expression that
35 # is integrable
36 # "C" if result involves higher level functions than necessary
37 # "B" if result is more than twice the size of the optimal
38 # antiderivative
39 # "A" if result can be considered optimal
40
41 #This check below actually is not needed, since I only
42 #call this grading only for passed integrals. i.e. I check
43 #for "F" before calling this. But no harm of keeping it here.
44 #just in case.
45
46 if not type(result,freeof('int')) then
47     return "F";
48 end if;
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then
56             if debug then

```

```

57         print("both result and optimal complex");
58         fi;
59         #both result and optimal complex
60         if leaf_count_result<=2*leaf_count_optimal then
61             return "A";
62         else
63             return "B";
64         end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71 else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do
not as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87 end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)

```



```

119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'+`') or type(expn,'*`') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))
149   elif AppellFunctionQ(op(0,expn)) then
150     max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152     max(8,apply(max,map(ExpnType,[op(expn)]))) else
153     9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159   member(func,[
160     exp,log,ln,
161     sin,cos,tan,cot,sec,csc,
162     arcsin,arccos,arctan,arccot,arcsec,arccsc,
163     sinh,cosh,tanh,coth,sech,csch,
164     arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168   member(func,[
169     erf,erfc,erfi,
170     FresnelS,FresnelC,
171     Ei,Ei,Li,Si,Ci,Shi,Chi,
172     GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173     EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177   member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181   member(func,[AppellF1])

```

```

182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True

```

```

44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,``^`)
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn
72 )))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,``+`) or
77 type(expn,``*`)
78     m1 = expnType(expn.args[0])
79     m2 = expnType(list(expn.args[1:]))
80     return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82     return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84     m1 = max(map(expnType, list(expn.args)))
85     return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88     m1 = max(map(expnType, list(expn.args)))
89     return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
90     elif is_appell_function(expn.func):
91     m1 = max(map(expnType, list(expn.args)))
92     return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
93     elif isinstance(expn,RootSum):
94     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
95 ,Apply[List,expn]],7]],
96     return max(7,m1)
97     elif str(expn).find("Integral") != -1:
98     m1 = max(map(expnType, list(expn.args)))
99     return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
100     else:
101     return 9
102
103 #main function
104 def grade_antiderivative(result,optimal):
105
106     leaf_count_result = leaf_count(result)

```

```

102 leaf_count_optimal = leaf_count(optimal)
103
104 expnType_result = expnType(result)
105 expnType_optimal = expnType(optimal)
106
107 if str(result).find("Integral") != -1:
108     return "F"
109
110 if expnType_result <= expnType_optimal:
111     if result.has(I):
112         if optimal.has(I): #both result and optimal complex
113             if leaf_count_result <= 2*leaf_count_optimal:
114                 return "A"
115             else:
116                 return "B"
117         else: #result contains complex but optimal is not
118             return "C"
119     else: # result do not contain complex, this assumes optimal do not as
well
120         if leaf_count_result <= 2*leaf_count_optimal:
121             return "A"
122         else:
123             return "B"
124 else:
125     return "C"

```

4.0.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #     Albert Rich to use with Sagemath. This is used to
3 #     grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #     'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len
(flatten(tree(anti))))
33         return round(1.35*len(flatten(tree(anti)))) #fudge factor
34             #since this estimate of leaf count is bit lower than

```

```

35         #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow: #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func , " is special_function")
83         else:
84             print ("func ", func , " is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','
91     hypergeometric_U']
92
93 def is_appell_function(func):
94     return func.name() in ['hypergeometric'] #[appellf1] can't find this in
95     sagemath

```

```

95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
104             return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list: #instance(expn,list):
121         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
127     elif expn.operator() == operator.pow: #instance(expn,Pow)
128         if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer
)
129             return expnType(expn.operands()[0]) #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
131             if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
132                 return 1
133             else:
134                 return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137     elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
138         m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139         m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
141     elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
142         return max(3,expnType(expn.operands()[0]))
143     elif is_special_function(expn.operator()): #is_special_function(expn.func)
144         m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))

```

```

145     return max(4,m1)    #max(4,m1)
146     elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
148         return max(5,m1)    #max(5,m1)
149     elif is_appell_function(expn.operator()):
150         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
151         return max(6,m1)    #max(6,m1)
152     elif str(expn).find("Integral") != -1: #this will never happen, since it
153         #is checked before calling the grading function that is passed.
154         #but kept it here.
155         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
156         return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
157     else:
158         return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)
176
177     if expnType_result <= expnType_optimal:
178         if result.has(I):
179             if optimal.has(I): #both result and optimal complex
180                 if leaf_count_result <= 2*leaf_count_optimal:
181                     return "A"
182                 else:
183                     return "B"
184             else: #result contains complex but optimal is not
185                 return "C"
186         else: # result do not contain complex, this assumes optimal do not as
well
187             if leaf_count_result <= 2*leaf_count_optimal:
188                 return "A"
189             else:
190                 return "B"
191     else:
192         return "C"

```