

Computer algebra independent integration tests

2-Exponentials/ $2.2-c+d-x^m-F^{-g-e+f-x^n-a+b-F^{-g-e+f-x^n-p}}$

Nasser M. Abbasi

May 17, 2020

Compiled on May 17, 2020 at 9:41pm

Contents

1	Introduction	7
1.1	Listing of CAS systems tested	7
1.2	Results	8
1.3	Performance	11
1.4	list of integrals that has no closed form antiderivative	12
1.5	list of integrals solved by CAS but has no known antiderivative	12
1.6	list of integrals solved by CAS but failed verification	12
1.7	Timing	13
1.8	Verification	13
1.9	Important notes about some of the results	13
1.10	Design of the test system	15
2	detailed summary tables of results	17
2.1	List of integrals sorted by grade for each CAS	17
2.2	Detailed conclusion table per each integral for all CAS systems	19
2.3	Detailed conclusion table specific for Rubi results	38
3	Listing of integrals	43
3.1	$\int \frac{x^3}{a+be^{c+dx}} dx$	43
3.2	$\int \frac{x^2}{a+be^{c+dx}} dx$	48
3.3	$\int \frac{x}{a+be^{c+dx}} dx$	52

3.4	$\int \frac{1}{a+be^{c+dx}} dx$	56
3.5	$\int \frac{1}{(a+be^{c+dx})x} dx$	60
3.6	$\int \frac{1}{(a+be^{c+dx})x^2} dx$	63
3.7	$\int \frac{1}{a+be^{c-dx}} dx$	66
3.8	$\int \frac{1}{a+be^{-c-dx}} dx$	70
3.9	$\int \frac{x^3}{(a+be^{c+dx})^2} dx$	74
3.10	$\int \frac{x^2}{(a+be^{c+dx})^2} dx$	80
3.11	$\int \frac{x}{(a+be^{c+dx})^2} dx$	85
3.12	$\int \frac{1}{(a+be^{c+dx})^2} dx$	90
3.13	$\int \frac{1}{(a+be^{c+dx})^2 x} dx$	94
3.14	$\int \frac{1}{(a+be^{c+dx})^2 x^2} dx$	97
3.15	$\int \frac{1}{(a+be^{c-dx})^2} dx$	100
3.16	$\int \frac{1}{(a+be^{-c-dx})^2} dx$	104
3.17	$\int \frac{x^3}{(a+be^{c+dx})^3} dx$	108
3.18	$\int \frac{x^2}{(a+be^{c+dx})^3} dx$	115
3.19	$\int \frac{x}{(a+be^{c+dx})^3} dx$	122
3.20	$\int \frac{1}{(a+be^{c+dx})^3} dx$	128
3.21	$\int \frac{1}{(a+be^{c+dx})^3 x} dx$	132
3.22	$\int \frac{1}{(a+be^{c+dx})^3 x^2} dx$	135
3.23	$\int \frac{1}{(a+be^{c-dx})^3} dx$	138
3.24	$\int \frac{1}{(a+be^{-c-dx})^3} dx$	142
3.25	$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^3 dx$	146
3.26	$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^2 dx$	153
3.27	$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx) dx$	159
3.28	$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right) dx$	163

3.29	$\int \frac{a+b(Fg^{(e+fx)})^n}{c+dx} dx$	166
3.30	$\int \frac{a+b(Fg^{(e+fx)})^n}{(c+dx)^2} dx$	170
3.31	$\int \frac{a+b(Fg^{(e+fx)})^n}{(c+dx)^3} dx$	174
3.32	$\int (a+b(Fg^{(e+fx)})^n)^2 (c+dx)^3 dx$	178
3.33	$\int (a+b(Fg^{(e+fx)})^n)^2 (c+dx)^2 dx$	183
3.34	$\int (a+b(Fg^{(e+fx)})^n)^2 (c+dx) dx$	191
3.35	$\int (a+b(Fg^{(e+fx)})^n)^2 dx$	197
3.36	$\int \frac{(a+b(Fg^{(e+fx)})^n)^2}{c+dx} dx$	201
3.37	$\int \frac{(a+b(Fg^{(e+fx)})^n)^2}{(c+dx)^2} dx$	205
3.38	$\int \frac{(a+b(Fg^{(e+fx)})^n)^2}{(c+dx)^3} dx$	209
3.39	$\int (a+b(Fg^{(e+fx)})^n)^3 (c+dx)^3 dx$	214
3.40	$\int (a+b(Fg^{(e+fx)})^n)^3 (c+dx)^2 dx$	219
3.41	$\int (a+b(Fg^{(e+fx)})^n)^3 (c+dx) dx$	229
3.42	$\int (a+b(Fg^{(e+fx)})^n)^3 dx$	235
3.43	$\int \frac{(a+b(Fg^{(e+fx)})^n)^3}{c+dx} dx$	240
3.44	$\int \frac{(a+b(Fg^{(e+fx)})^n)^3}{(c+dx)^2} dx$	244
3.45	$\int \frac{(a+b(Fg^{(e+fx)})^n)^3}{(c+dx)^3} dx$	249
3.46	$\int \frac{(c+dx)^3}{a+b(Fg^{(e+fx)})^n} dx$	254
3.47	$\int \frac{(c+dx)^2}{a+b(Fg^{(e+fx)})^n} dx$	261
3.48	$\int \frac{c+dx}{a+b(Fg^{(e+fx)})^n} dx$	267
3.49	$\int \frac{1}{a+b(Fg^{(e+fx)})^n} dx$	271
3.50	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)(c+dx)} dx$	275
3.51	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)(c+dx)^2} dx$	278

3.52	$\int \frac{(c+dx)^3}{(a+b(Fg^{(e+fx)})^n)^2} dx$	281
3.53	$\int \frac{(c+dx)^2}{(a+b(Fg^{(e+fx)})^n)^2} dx$	290
3.54	$\int \frac{c+dx}{(a+b(Fg^{(e+fx)})^n)^2} dx$	297
3.55	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)^2} dx$	304
3.56	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)^2 (c+dx)} dx$	308
3.57	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)^2 (c+dx)^2} dx$	311
3.58	$\int \frac{(c+dx)^3}{(a+b(Fg^{(e+fx)})^n)^3} dx$	314
3.59	$\int \frac{(c+dx)^2}{(a+b(Fg^{(e+fx)})^n)^3} dx$	324
3.60	$\int \frac{c+dx}{(a+b(Fg^{(e+fx)})^n)^3} dx$	332
3.61	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)^3} dx$	339
3.62	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)^3 (c+dx)} dx$	343
3.63	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)^3 (c+dx)^2} dx$	346
3.64	$\int (a + be^x) \sqrt{c + dx} dx$	350
3.65	$\int (a + be^x)^2 \sqrt{c + dx} dx$	354
3.66	$\int (a + be^x)^3 \sqrt{c + dx} dx$	358
3.67	$\int \frac{\sqrt{c+dx}}{a+be^x} dx$	363
3.68	$\int \frac{\sqrt{c+dx}}{(a+be^x)^2} dx$	366
3.69	$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$	369
3.70	$\int \left(a + b \left(Fg^{(e+fx)} \right)^n \right)^3 (c + dx)^m dx$	372
3.71	$\int \left(a + b \left(Fg^{(e+fx)} \right)^n \right)^2 (c + dx)^m dx$	376
3.72	$\int \left(a + b \left(Fg^{(e+fx)} \right)^n \right) (c + dx)^m dx$	380
3.73	$\int \frac{(c+dx)^m}{a+b(Fg^{(e+fx)})^n} dx$	384
3.74	$\int \frac{(c+dx)^m}{(a+b(Fg^{(e+fx)})^n)^2} dx$	387

3.75	$\int \left(a + b \left(Fg^{(e+fx)} \right)^n \right)^p (c + dx)^m dx$	390
3.76	$\int \frac{F^{c+dx} x^3}{a+bF^{c+dx}} dx$	393
3.77	$\int \frac{F^{c+dx} x^2}{a+bF^{c+dx}} dx$	398
3.78	$\int \frac{F^{c+dx} x}{a+bF^{c+dx}} dx$	402
3.79	$\int \frac{F^{c+dx}}{a+bF^{c+dx}} dx$	406
3.80	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})_x} dx$	409
3.81	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})_x^2} dx$	412
3.82	$\int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^2} dx$	415
3.83	$\int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^2} dx$	420
3.84	$\int \frac{F^{c+dx} x}{(a+bF^{c+dx})^2} dx$	425
3.85	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2} dx$	429
3.86	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$	432
3.87	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$	435
3.88	$\int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^3} dx$	438
3.89	$\int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^3} dx$	444
3.90	$\int \frac{F^{c+dx} x}{(a+bF^{c+dx})^3} dx$	450
3.91	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3} dx$	454
3.92	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x} dx$	457
3.93	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$	460

4 Listing of Grading functions

463

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [93]. This is test number [54].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. (93)	% 0. (0)
Mathematica	% 90.32 (84)	% 9.68 (9)
Maple	% 80.65 (75)	% 19.35 (18)
Maxima	% 66.67 (62)	% 33.33 (31)
Fricas	% 100. (93)	% 0. (0)
Sympy	% 51.61 (48)	% 48.39 (45)
Giac	% 52.69 (49)	% 47.31 (44)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	90.32	0.	0.	9.68
Maple	62.37	18.28	0.	19.35
Maxima	66.67	0.	0.	33.33
Fricas	78.49	4.3	17.2	0.
Sympy	50.54	1.08	0.	48.39
Giac	43.01	0.	9.68	47.31

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.24	121.83	0.74	84.	1.
Mathematica	0.33	80.51	0.6	62.	0.74
Maple	0.07	339.91	1.77	77.	1.2
Maxima	0.71	90.97	0.92	67.	1.24
Fricas	1.19	467.32	2.45	248.	2.35
Sympy	0.36	121.17	0.83	39.	0.84
Giac	0.71	901.45	5.26	32.	1.21

1.4 list of integrals that has no closed form antiderivative

{5, 6, 13, 14, 21, 22, 50, 51, 56, 57, 62, 63, 67, 68, 69, 73, 74, 75, 80, 81, 86, 87, 92, 93}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via `sagemath`) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in>

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a buildin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 55, 56, 57, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { }

C grade: { }

F grade: { 52, 53, 54, 58, 59, 60, 70, 71, 72 }

2.1.3 Maple

A grade: { 1, 4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 24, 26, 27, 28, 34, 35, 42, 49, 50, 51, 55, 56, 57, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 76, 79, 80, 81, 82, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { 2, 3, 10, 11, 19, 46, 47, 48, 52, 53, 54, 58, 59, 60, 77, 78, 83 }

C grade: { }

F grade: { 25, 29, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 43, 44, 45, 70, 71, 72 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 35, 42, 49, 50, 51, 55, 56, 57, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { }

C grade: { }

F grade: { 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36, 37, 38, 39, 40, 41, 43, 44, 45, 46, 47, 48, 52, 53, 54, 58, 59, 60, 70, 71, 72 }

2.1.5 FriCAS

A grade: { 3, 4, 5, 6, 7, 8, 11, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 48, 49, 50, 51, 55, 56, 57, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 78, 79, 80, 81, 83, 84, 85, 86, 87, 90, 91, 92, 93 }

B grade: { 19, 54, 60, 89 }

C grade: { 1, 2, 9, 10, 17, 18, 46, 47, 52, 53, 58, 59, 76, 77, 82, 88 }

F grade: { }

2.1.6 Sympy

A grade: { 4, 5, 6, 7, 8, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, 39, 40, 41, 42, 49, 50, 55, 61, 64, 65, 66, 67, 68, 69, 79, 80, 81, 84, 85, 86, 87, 90, 92, 93 }

B grade: { 91 }

C grade: { }

F grade: { 1, 2, 3, 9, 10, 11, 17, 18, 19, 29, 30, 31, 36, 37, 38, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 56, 57, 58, 59, 60, 62, 63, 70, 71, 72, 73, 74, 75, 76, 77, 78, 82, 83, 88, 89 }

2.1.7 Giac

A grade: { 4, 5, 6, 7, 8, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 28, 50, 51, 56, 57, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 79, 80, 81, 85, 86, 87, 91, 92, 93 }

B grade: { }

C grade: { 25, 26, 27, 33, 34, 35, 40, 41, 42 }

F grade: { 1, 2, 3, 9, 10, 11, 17, 18, 19, 29, 30, 31, 32, 36, 37, 38, 39, 43, 44, 45, 46, 47, 48, 49, 52, 53, 54, 55, 58, 59, 60, 61, 70, 71, 72, 76, 77, 78, 82, 83, 84, 88, 89, 90 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	112	191	127	297	0	0
normalized size	1	1.	1.02	1.74	1.15	2.7	0.	0.
time (sec)	N/A	0.189	0.009	0.012	1.087	1.564	0.	0.

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	83	166	97	238	0	0
normalized size	1	1.	0.99	1.98	1.15	2.83	0.	0.
time (sec)	N/A	0.168	0.006	0.003	1.079	1.527	0.	0.

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	53	133	65	177	0	0
normalized size	1	1.	0.91	2.29	1.12	3.05	0.	0.
time (sec)	N/A	0.099	0.003	0.005	1.086	1.494	0.	0.

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	26	26	26	35	43	51	17	45
normalized size	1	1.	1.	1.35	1.65	1.96	0.65	1.73
time (sec)	N/A	0.018	0.004	0.003	1.047	1.49	0.189	1.243

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.048	0.043	0.033	0.	0.	0.	0.

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.045	0.114	0.023	0.	0.	0.	0.

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	26	26	21	37	46	53	17	47
normalized size	1	1.	0.81	1.42	1.77	2.04	0.65	1.81
time (sec)	N/A	0.021	0.015	0.003	1.084	1.505	0.138	1.334

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	28	28	19	41	46	53	19	47
normalized size	1	1.	0.68	1.46	1.64	1.89	0.68	1.68
time (sec)	N/A	0.023	0.015	0.003	1.108	1.464	0.134	1.28

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	158	382	263	756	0	0
normalized size	1	1.	0.73	1.76	1.21	3.48	0.	0.
time (sec)	N/A	0.507	0.201	0.101	1.197	1.524	0.	0.

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	113	324	201	608	0	0
normalized size	1	1.	0.68	1.96	1.22	3.68	0.	0.
time (sec)	N/A	0.399	0.233	0.063	1.217	1.486	0.	0.

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	85	231	128	420	0	0
normalized size	1	1.	0.79	2.16	1.2	3.93	0.	0.
time (sec)	N/A	0.201	0.118	0.023	1.112	1.532	0.	0.

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	40	54	69	146	39	70
normalized size	1	1.	0.87	1.17	1.5	3.17	0.85	1.52
time (sec)	N/A	0.033	0.039	0.001	1.057	1.485	0.201	1.237

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.047	0.777	0.1	0.	0.	0.	0.

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.044	0.614	0.103	0.	0.	0.	0.

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	42	58	74	151	39	76
normalized size	1	1.	0.88	1.21	1.54	3.15	0.81	1.58
time (sec)	N/A	0.034	0.053	0.002	1.06	1.543	0.219	1.252

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	35	64	77	151	42	78
normalized size	1	1.	0.67	1.23	1.48	2.9	0.81	1.5
time (sec)	N/A	0.035	0.057	0.001	1.051	1.489	0.274	1.265

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	333	333	241	548	409	1558	0	0
normalized size	1	1.	0.72	1.65	1.23	4.68	0.	0.
time (sec)	N/A	1.078	0.226	0.092	1.119	1.571	0.	0.

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	203	385	316	1170	0	0
normalized size	1	1.	0.84	1.58	1.3	4.81	0.	0.
time (sec)	N/A	0.764	0.168	0.077	1.055	1.532	0.	0.

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	120	393	201	760	0	0
normalized size	1	1.	0.75	2.47	1.26	4.78	0.	0.
time (sec)	N/A	0.332	0.134	0.026	1.106	1.477	0.	0.

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	62	74	113	300	76	93
normalized size	1	1.	0.9	1.07	1.64	4.35	1.1	1.35
time (sec)	N/A	0.042	0.059	0.003	1.05	1.524	0.336	1.22

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.045	0.966	0.112	0.	0.	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.044	0.745	0.123	0.	0.	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	62	79	119	309	78	99
normalized size	1	1.	0.86	1.1	1.65	4.29	1.08	1.38
time (sec)	N/A	0.044	0.097	0.001	1.07	1.509	0.25	1.304

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	54	87	124	309	85	104
normalized size	1	1.	0.69	1.12	1.59	3.96	1.09	1.33
time (sec)	N/A	0.047	0.091	0.001	1.065	1.531	0.364	1.36

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	130	0	0	559	332	7738
normalized size	1	1.	0.85	0.	0.	3.65	2.17	50.58
time (sec)	N/A	0.238	0.267	0.029	0.	1.803	0.312	1.498

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	91	199	0	360	196	3680
normalized size	1	1.	0.79	1.73	0.	3.13	1.7	32.
time (sec)	N/A	0.154	0.167	0.029	0.	1.794	0.212	1.332

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	73	105	0	200	94	1508
normalized size	1	1.	0.95	1.36	0.	2.6	1.22	19.58
time (sec)	N/A	0.076	0.162	0.02	0.	1.805	0.462	1.541

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	30	30	30	31	0	80	32	43
normalized size	1	1.	1.	1.03	0.	2.67	1.07	1.43
time (sec)	N/A	0.016	0.025	0.001	0.	1.641	0.267	1.25

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	56	0	0	109	0	0
normalized size	1	1.	0.82	0.	0.	1.6	0.	0.
time (sec)	N/A	0.134	0.143	0.046	0.	1.574	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	100	100	78	0	0	190	0	0
normalized size	1	1.	0.78	0.	0.	1.9	0.	0.
time (sec)	N/A	0.174	0.274	0.05	0.	1.588	0.	0.

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	111	0	0	338	0	0
normalized size	1	1.	0.76	0.	0.	2.3	0.	0.
time (sec)	N/A	0.24	0.327	0.026	0.	1.585	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	322	322	239	0	0	999	709	0
normalized size	1	1.	0.74	0.	0.	3.1	2.2	0.
time (sec)	N/A	0.486	0.545	0.022	0.	1.569	0.563	0.

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	239	239	171	0	0	620	439	7694
normalized size	1	1.	0.72	0.	0.	2.59	1.84	32.19
time (sec)	N/A	0.32	0.365	0.023	0.	1.612	0.453	1.828

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	117	220	0	317	233	3121
normalized size	1	1.	0.75	1.41	0.	2.03	1.49	20.01
time (sec)	N/A	0.157	0.256	0.034	0.	1.543	0.32	1.575

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	52	90	101	136	94	914
normalized size	1	1.	0.78	1.34	1.51	2.03	1.4	13.64
time (sec)	N/A	0.037	0.037	0.015	1.299	1.515	0.211	1.428

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	108	0	0	208	0	0
normalized size	1	1.	0.81	0.	0.	1.55	0.	0.
time (sec)	N/A	0.254	0.299	0.056	0.	1.53	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	136	0	0	389	0	0
normalized size	1	1.	0.67	0.	0.	1.93	0.	0.
time (sec)	N/A	0.341	0.684	0.026	0.	1.532	0.	0.

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	286	286	217	0	0	671	0	0
normalized size	1	1.	0.76	0.	0.	2.35	0.	0.
time (sec)	N/A	0.475	0.629	0.026	0.	1.595	0.	0.

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	496	496	341	0	0	1463	1074	0
normalized size	1	1.	0.69	0.	0.	2.95	2.17	0.
time (sec)	N/A	0.705	0.721	0.023	0.	1.657	0.985	0.

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	366	366	248	0	0	890	653	11953
normalized size	1	1.	0.68	0.	0.	2.43	1.78	32.66
time (sec)	N/A	0.464	0.513	0.023	0.	1.6	0.646	1.902

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	161	0	0	447	350	4822
normalized size	1	1.	0.68	0.	0.	1.89	1.48	20.43
time (sec)	N/A	0.239	0.351	0.014	0.	1.558	0.421	1.799

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	74	124	155	189	153	1393
normalized size	1	1.	0.72	1.2	1.5	1.83	1.49	13.52
time (sec)	N/A	0.049	0.049	0.002	1.23	1.519	0.292	1.378

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	160	0	0	306	0	0
normalized size	1	1.	0.8	0.	0.	1.53	0.	0.
time (sec)	N/A	0.354	0.477	0.026	0.	1.544	0.	0.

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	305	305	250	0	0	589	0	0
normalized size	1	1.	0.82	0.	0.	1.93	0.	0.
time (sec)	N/A	0.491	1.331	0.026	0.	1.57	0.	0.

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	447	447	325	0	0	1018	0	0
normalized size	1	1.	0.73	0.	0.	2.28	0.	0.
time (sec)	N/A	0.695	1.023	0.027	0.	1.582	0.	0.

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	166	3227	0	888	0	0
normalized size	1	1.	0.86	16.81	0.	4.62	0.	0.
time (sec)	N/A	0.326	0.107	0.094	0.	1.654	0.	0.

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	121	1765	0	597	0	0
normalized size	1	1.	0.83	12.17	0.	4.12	0.	0.
time (sec)	N/A	0.276	0.033	0.09	0.	1.749	0.	0.

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	74	719	0	344	0	0
normalized size	1	1.	0.76	7.34	0.	3.51	0.	0.
time (sec)	N/A	0.157	0.011	0.06	0.	1.69	0.	0.

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	40	40	40	65	89	92	27	0
normalized size	1	1.	1.	1.62	2.22	2.3	0.68	0.
time (sec)	N/A	0.03	0.006	0.005	1.068	1.792	0.201	0.

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.137	0.117	0.094	0.	0.	0.	0.

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.128	0.331	0.111	0.	0.	0.	0.

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	C	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	388	388	0	3519	0	2936	0	0
normalized size	1	1.	0.	9.07	0.	7.57	0.	0.
time (sec)	N/A	0.867	1.723	0.138	0.	1.815	0.	0.

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	C	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	294	294	0	1754	0	1823	0	0
normalized size	1	1.	0.	5.97	0.	6.2	0.	0.
time (sec)	N/A	0.671	1.124	0.085	0.	1.643	0.	0.

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	B	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	191	191	0	631	0	918	0	0
normalized size	1	1.	0.	3.3	0.	4.81	0.	0.
time (sec)	N/A	0.34	0.998	0.089	0.	1.595	0.	0.

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	62	99	135	248	66	0
normalized size	1	1.	0.84	1.34	1.82	3.35	0.89	0.
time (sec)	N/A	0.049	0.059	0.003	1.027	1.563	0.202	0.

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.127	0.989	0.469	0.	0.	0.	0.

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	1.017	0.336	0.	0.	0.	0.

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	C	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	594	594	0	4237	0	5646	0	0
normalized size	1	1.	0.	7.13	0.	9.51	0.	0.
time (sec)	N/A	1.901	1.728	0.147	0.	2.414	0.	0.

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	C	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	439	439	0	1999	0	3272	0	0
normalized size	1	1.	0.	4.55	0.	7.45	0.	0.
time (sec)	N/A	1.319	1.302	0.089	0.	2.099	0.	0.

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	B	F	B	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	276	276	0	708	0	1565	0	0
normalized size	1	1.	0.	2.57	0.	5.67	0.	0.
time (sec)	N/A	0.564	0.938	0.056	0.	1.709	0.	0.

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	84	134	196	464	116	0
normalized size	1	1.	0.76	1.21	1.77	4.18	1.05	0.
time (sec)	N/A	0.063	0.106	0.003	1.168	1.591	0.227	0.

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.128	1.801	0.297	0.	0.	0.	0.

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.121	1.434	0.574	0.	0.	0.	0.

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	71	77	111	167	85	93
normalized size	1	1.	1.	1.08	1.56	2.35	1.2	1.31
time (sec)	N/A	0.088	0.094	0.004	1.192	1.636	1.9	1.312

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	134	144	216	327	184	182
normalized size	1	1.	0.92	0.99	1.49	2.26	1.27	1.26
time (sec)	N/A	0.185	0.311	0.006	1.839	1.639	2.871	1.256

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	224	224	196	211	321	486	291	271
normalized size	1	1.	0.88	0.94	1.43	2.17	1.3	1.21
time (sec)	N/A	0.264	0.669	0.005	1.972	1.563	3.916	1.231

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.04	0.57	0.024	0.	0.	0.	0.

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.04	1.211	0.052	0.	0.	0.	0.

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.039	2.265	0.066	0.	0.	0.	0.

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	340	340	0	0	0	656	0	0
normalized size	1	1.	0.	0.	0.	1.93	0.	0.
time (sec)	N/A	0.467	0.329	0.04	0.	1.663	0.	0.

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	228	228	0	0	0	463	0	0
normalized size	1	1.	0.	0.	0.	2.03	0.	0.
time (sec)	N/A	0.278	0.208	0.039	0.	1.591	0.	0.

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	F	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	116	116	0	0	0	266	0	0
normalized size	1	1.	0.	0.	0.	2.29	0.	0.
time (sec)	N/A	0.135	0.119	0.039	0.	1.556	0.	0.

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.123	0.103	0.071	0.	0.	0.	0.

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	0.129	0.454	0.	0.	0.	0.

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.119	0.265	0.184	0.	0.	0.	0.

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	115	225	180	327	0	0
normalized size	1	1.	1.	1.96	1.57	2.84	0.	0.
time (sec)	N/A	0.132	0.012	0.053	1.124	1.548	0.	0.

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	85	194	144	259	0	0
normalized size	1	1.	1.	2.28	1.69	3.05	0.	0.
time (sec)	N/A	0.109	0.009	0.047	1.116	1.534	0.	0.

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	54	54	54	154	107	182	0	0
normalized size	1	1.	1.	2.85	1.98	3.37	0.	0.
time (sec)	N/A	0.064	0.006	0.044	1.131	1.542	0.	0.

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	23	23	23	24	31	50	17	32
normalized size	1	1.	1.	1.04	1.35	2.17	0.74	1.39
time (sec)	N/A	0.037	0.007	0.003	1.059	1.507	0.133	1.288

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.07	0.085	0.05	0.	0.	0.	0.

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.069	0.065	0.05	0.	0.	0.	0.

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	137	274	181	575	0	0
normalized size	1	1.	0.98	1.96	1.29	4.11	0.	0.
time (sec)	N/A	0.248	0.157	0.03	1.152	1.553	0.	0.

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	103	231	143	443	0	0
normalized size	1	1.	0.96	2.16	1.34	4.14	0.	0.
time (sec)	N/A	0.181	0.091	0.027	1.098	1.558	0.	0.

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	54	67	97	171	58	0
normalized size	1	1.	0.78	0.97	1.41	2.48	0.84	0.
time (sec)	N/A	0.074	0.07	0.01	1.07	1.519	0.17	0.

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	25	25	25	26	34	62	26	34
normalized size	1	1.	1.	1.04	1.36	2.48	1.04	1.36
time (sec)	N/A	0.035	0.02	0.003	1.181	1.477	0.115	1.273

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	60	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.118	0.125	0.052	0.	0.	0.	0.

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	60	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.118	0.154	0.058	0.	0.	0.	0.

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	220	501	355	1310	0	0
normalized size	1	1.	0.84	1.92	1.36	5.02	0.	0.
time (sec)	N/A	0.504	0.323	0.066	1.141	1.637	0.	0.

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	177	304	289	882	0	0
normalized size	1	1.	0.97	1.67	1.59	4.85	0.	0.
time (sec)	N/A	0.291	0.162	0.056	1.127	1.572	0.	0.

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	98	127	203	342	122	0
normalized size	1	1.	0.92	1.2	1.92	3.23	1.15	0.
time (sec)	N/A	0.089	0.085	0.019	1.166	1.55	0.204	0.

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	27	27	27	26	34	115	53	34
normalized size	1	1.	1.	0.96	1.26	4.26	1.96	1.26
time (sec)	N/A	0.035	0.018	0.001	1.025	1.507	0.137	1.287

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	64	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.116	0.687	0.158	0.	0.	0.	0.

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	62	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.113	0.729	0.185	0.	0.	0.	0.

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [19] had the largest ratio of [0.7333]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	6	1.	17	0.353
2	A	5	5	1.	17	0.294
3	A	4	4	1.	15	0.267
4	A	4	4	1.	13	0.308
5	A	0	0	0.	0	0.
6	A	0	0	0.	0	0.
7	A	4	4	1.	14	0.286
8	A	4	4	1.	16	0.25
9	A	13	8	1.	17	0.471
10	A	11	9	1.	17	0.529
11	A	10	10	1.	15	0.667
12	A	3	2	1.	13	0.154
13	A	0	0	0.	0	0.
14	A	0	0	0.	0	0.
15	A	3	2	1.	14	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
16	A	3	2	1.	16	0.125
17	A	26	10	1.	17	0.588
18	A	23	12	1.	17	0.706
19	A	15	11	1.	15	0.733
20	A	3	2	1.	13	0.154
21	A	0	0	0.	0	0.
22	A	0	0	0.	0	0.
23	A	3	2	1.	14	0.143
24	A	3	2	1.	16	0.125
25	A	6	3	1.	23	0.13
26	A	5	3	1.	23	0.13
27	A	4	3	1.	21	0.143
28	A	2	1	1.	15	0.067
29	A	4	3	1.	23	0.13
30	A	5	4	1.	23	0.174
31	A	6	4	1.	23	0.174
32	A	10	3	1.	25	0.12
33	A	8	3	1.	25	0.12
34	A	6	3	1.	23	0.13
35	A	4	3	1.	17	0.176
36	A	6	3	1.	25	0.12
37	A	8	4	1.	25	0.16
38	A	10	4	1.	25	0.16
39	A	14	3	1.	25	0.12
40	A	11	3	1.	25	0.12
41	A	8	3	1.	23	0.13
42	A	4	3	1.	17	0.176
43	A	8	3	1.	25	0.12
44	A	11	4	1.	25	0.16
45	A	14	4	1.	25	0.16
46	A	6	6	1.	25	0.24
47	A	5	5	1.	25	0.2

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
48	A	4	4	1.	23	0.174
49	A	5	5	1.	17	0.294
50	A	0	0	0.	0	0.
51	A	0	0	0.	0	0.
52	A	13	8	1.	25	0.32
53	A	11	9	1.	25	0.36
54	A	11	11	1.	23	0.478
55	A	4	3	1.	17	0.176
56	A	0	0	0.	0	0.
57	A	0	0	0.	0	0.
58	A	26	10	1.	25	0.4
59	A	24	13	1.	25	0.52
60	A	17	12	1.	23	0.522
61	A	4	3	1.	17	0.176
62	A	0	0	0.	0	0.
63	A	0	0	0.	0	0.
64	A	5	4	1.	17	0.235
65	A	8	4	1.	19	0.21
66	A	11	4	1.	19	0.21
67	A	0	0	0.	0	0.
68	A	0	0	0.	0	0.
69	A	0	0	0.	0	0.
70	A	8	3	1.	25	0.12
71	A	6	3	1.	25	0.12
72	A	4	3	1.	23	0.13
73	A	0	0	0.	0	0.
74	A	0	0	0.	0	0.
75	A	0	0	0.	0	0.
76	A	5	5	1.	24	0.208
77	A	4	4	1.	24	0.167
78	A	3	3	1.	22	0.136
79	A	2	2	1.	21	0.095

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
80	A	0	0	0.	0	0.
81	A	0	0	0.	0	0.
82	A	6	6	1.	24	0.25
83	A	5	5	1.	24	0.208
84	A	5	5	1.	22	0.227
85	A	2	2	1.	21	0.095
86	A	0	0	0.	0	0.
87	A	0	0	0.	0	0.
88	A	12	9	1.	24	0.375
89	A	11	10	1.	24	0.417
90	A	4	3	1.	22	0.136
91	A	2	2	1.	21	0.095
92	A	0	0	0.	0	0.
93	A	0	0	0.	0	0.

Chapter 3

Listing of integrals

3.1

$$\int \frac{x^3}{a+be^{c+dx}} dx$$

Optimal. Leaf size=110

$$-\frac{3x^2 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{ad^4} - \frac{x^3 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^4}{4a}$$

[Out] $x^4/(4*a) - (x^3*\text{Log}[1 + (b*E^{(c + d*x)})/a])/(a*d) - (3*x^2*\text{PolyLog}[2, -((b*E^{(c + d*x)})/a)])/(a*d^2) + (6*x*\text{PolyLog}[3, -((b*E^{(c + d*x)})/a)])/(a*d^3) - (6*\text{PolyLog}[4, -((b*E^{(c + d*x)})/a)])/(a*d^4)$

Rubi [A] time = 0.189364, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {2184, 2190, 2531, 6609, 2282, 6589}

$$-\frac{3x^2 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{ad^4} - \frac{x^3 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^4}{4a}$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + b*E^(c + d*x)),x]

[Out] $x^4/(4*a) - (x^3*\text{Log}[1 + (b*E^{(c + d*x)})/a])/(a*d) - (3*x^2*\text{PolyLog}[2, -((b*E^{(c + d*x)})/a)])/(a*d^2) + (6*x*\text{PolyLog}[3, -((b*E^{(c + d*x)})/a)])/(a*d^3) - (6*\text{PolyLog}[4, -((b*E^{(c + d*x)})/a)])/(a*d^4)$

Rule 2184

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{a + be^{c+dx}} dx &= \frac{x^4}{4a} - \frac{b \int \frac{e^{c+dx} x^3}{a+be^{c+dx}} dx}{a} \\
&= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{3 \int x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{ad} \\
&= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6 \int x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right) dx}{ad^2} \\
&= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \int \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right) dx}{ad^3} \\
&= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \text{Subst}\left(\int \frac{\text{Li}_3\left(-\frac{bx}{a}\right)}{x} dx, x, e^{c+dx}\right)}{ad^4} \\
&= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \text{Li}_4\left(-\frac{be^{c+dx}}{a}\right)}{ad^4}
\end{aligned}$$

Mathematica [A] time = 0.0090837, size = 112, normalized size = 1.02

$$\frac{3x^2 \text{PolyLog}\left(2, -\frac{ae^{-c-dx}}{b}\right)}{ad^2} + \frac{6x \text{PolyLog}\left(3, -\frac{ae^{-c-dx}}{b}\right)}{ad^3} + \frac{6 \text{PolyLog}\left(4, -\frac{ae^{-c-dx}}{b}\right)}{ad^4} - \frac{x^3 \log\left(\frac{ae^{-c-dx}}{b} + 1\right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b*E^(c + d*x)), x]

[Out] -((x^3*Log[1 + (a*E^(-c - d*x))/b]))/(a*d) + (3*x^2*PolyLog[2, -((a*E^(-c - d*x))/b))]/(a*d^2) + (6*x*PolyLog[3, -((a*E^(-c - d*x))/b))]/(a*d^3) + (6*PolyLog[4, -((a*E^(-c - d*x))/b))]/(a*d^4)

Maple [A] time = 0.012, size = 191, normalized size = 1.7

$$\frac{x^4}{4a} + \frac{c^3 x}{d^3 a} + \frac{3c^4}{4d^4 a} - \frac{x^3}{ad} \ln\left(1 + \frac{be^{dx+c}}{a}\right) - \frac{c^3}{d^4 a} \ln\left(1 + \frac{be^{dx+c}}{a}\right) - 3 \frac{x^2}{ad^2} \text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right) + 6 \frac{x}{d^3 a} \text{polylog}\left(3, -\frac{be^{dx+c}}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/(a+b*exp(d*x+c)),x)`

[Out] $\frac{1}{4}x^4/a + 1/d^3/a * x * c^3 + 3/4/d^4/a * c^4 - x^3 * \ln(1 + b * \exp(d * x + c) / a) / a / d - 1/d^4/a * \ln(1 + b * \exp(d * x + c) / a) * c^3 - 3 * x^2 * \text{polylog}(2, -b * \exp(d * x + c) / a) / a / d^2 + 6 * x * \text{polylog}(3, -b * \exp(d * x + c) / a) / a / d^3 - 6 * \text{polylog}(4, -b * \exp(d * x + c) / a) / a / d^4 - 1/d^4 * c^3/a * \ln(\exp(d * x + c)) + 1/d^4 * c^3/a * \ln(a + b * \exp(d * x + c))$

Maxima [A] time = 1.08671, size = 127, normalized size = 1.15

$$\frac{x^4}{4a} - \frac{d^3 x^3 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 3d^2 x^2 \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 6dx \text{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right) + 6 \text{Li}_4\left(-\frac{be^{(dx+c)}}{a}\right)}{ad^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*exp(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{4}x^4/a - (d^3 * x^3 * \log(b * e^{(d * x + c)} / a + 1) + 3 * d^2 * x^2 * \text{dilog}(-b * e^{(d * x + c)} / a) - 6 * d * x * \text{polylog}(3, -b * e^{(d * x + c)} / a) + 6 * \text{polylog}(4, -b * e^{(d * x + c)} / a)) / (a * d^4)$

Fricas [C] time = 1.56387, size = 297, normalized size = 2.7

$$\frac{d^4 x^4 - 12 d^2 x^2 \text{Li}_2\left(-\frac{be^{(dx+c)+a}}{a} + 1\right) + 4 c^3 \log\left(be^{(dx+c)} + a\right) + 24 dx \text{polylog}\left(3, -\frac{be^{(dx+c)}}{a}\right) - 4 (d^3 x^3 + c^3) \log\left(\frac{be^{(dx+c)+a}}{a}\right) - 24 \text{polylog}(4, -b * e^{(d * x + c)} / a)}{4 a d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*exp(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{4} * (d^4 * x^4 - 12 * d^2 * x^2 * \text{dilog}(-(b * e^{(d * x + c)} + a) / a + 1) + 4 * c^3 * \log(b * e^{(d * x + c)} + a) + 24 * d * x * \text{polylog}(3, -b * e^{(d * x + c)} / a) - 4 * (d^3 * x^3 + c^3) * \log((b * e^{(d * x + c)} + a) / a) - 24 * \text{polylog}(4, -b * e^{(d * x + c)} / a)) / (a * d^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{a + be^c e^{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/(a+b*exp(d*x+c)),x)
```

```
[Out] Integral(x**3/(a + b*exp(c)*exp(d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{be^{(dx+c)} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(a+b*exp(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate(x^3/(b*e^(d*x + c) + a), x)
```

3.2 $\int \frac{x^2}{a+be^{c+dx}} dx$

Optimal. Leaf size=84

$$-\frac{2x \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^3}{3a}$$

[Out] $x^3/(3*a) - (x^2*\operatorname{Log}[1 + (b*E^{(c + d*x)})/a])/(a*d) - (2*x*\operatorname{PolyLog}[2, -((b*E^{(c + d*x)})/a)])/(a*d^2) + (2*\operatorname{PolyLog}[3, -((b*E^{(c + d*x)})/a)])/(a*d^3)$

Rubi [A] time = 0.167754, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {2184, 2190, 2531, 2282, 6589}

$$-\frac{2x \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^3}{3a}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2/(a + b*E^{(c + d*x)}), x]$

[Out] $x^3/(3*a) - (x^2*\operatorname{Log}[1 + (b*E^{(c + d*x)})/a])/(a*d) - (2*x*\operatorname{PolyLog}[2, -((b*E^{(c + d*x)})/a)])/(a*d^2) + (2*\operatorname{PolyLog}[3, -((b*E^{(c + d*x)})/a)])/(a*d^3)$

Rule 2184

$\operatorname{Int}[\frac{(c + d*x)^m}{(a + b*E^{(c + d*x)})^n}, x] := \operatorname{Simp}[\frac{(c + d*x)^{m+1}}{a*d*(m+1)}, x] - \operatorname{Dist}[\frac{b}{a}, \operatorname{Int}[\frac{(c + d*x)^m * (F^{(g*(e + f*x)))^n}{(a + b*(F^{(g*(e + f*x)))^n})}, x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

$\operatorname{Int}[\frac{(F^{(g*(e + f*x)))^n * (c + d*x)^m}{(a + b*(F^{(g*(e + f*x)))^n})}, x] := \operatorname{Simp}[\frac{(c + d*x)^m * \operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]}{b*f*g*n * \operatorname{Log}[F]}, x] - \operatorname{Dist}[\frac{d*m}{b*f*g*n * \operatorname{Log}[F]}, \operatorname{Int}[\frac{(c + d*x)^{m-1} * \operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]}{a}], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531


```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{a + be^{c+dx}} dx &= \frac{x^3}{3a} - \frac{b \int \frac{e^{c+dx} x^2}{a + be^{c+dx}} dx}{a} \\
&= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{2 \int x \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{ad} \\
&= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{2x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \int \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right) dx}{ad^2} \\
&= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{2x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2\left(-\frac{bx}{a}\right)}{x} dx, x, e^{c+dx}\right)}{ad^3} \\
&= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{2x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \operatorname{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3}
\end{aligned}$$

Mathematica [A] time = 0.0060089, size = 83, normalized size = 0.99

$$\frac{2x \operatorname{PolyLog}\left(2, -\frac{ae^{-c-dx}}{b}\right)}{ad^2} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{ae^{-c-dx}}{b}\right)}{ad^3} - \frac{x^2 \log\left(\frac{ae^{-c-dx}}{b} + 1\right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*E^(c + d*x)),x]

[Out] -((x^2*Log[1 + (a*E^(-c - d*x))/b])/(a*d)) + (2*x*PolyLog[2, -((a*E^(-c - d*x))/b)])/(a*d^2) + (2*PolyLog[3, -((a*E^(-c - d*x))/b)])/(a*d^3)

Maple [B] time = 0.003, size = 166, normalized size = 2.

$$\frac{x^3}{3a} - \frac{c^2x}{ad^2} - \frac{2c^3}{3d^3a} - \frac{x^2}{ad} \ln\left(1 + \frac{be^{dx+c}}{a}\right) + \frac{c^2}{d^3a} \ln\left(1 + \frac{be^{dx+c}}{a}\right) - 2\frac{x}{ad^2} \text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right) + 2\frac{1}{d^3a} \text{polylog}\left(3, -\frac{be^{dx+c}}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*exp(d*x+c)),x)

[Out] 1/3*x^3/a-1/d^2/a*x*c^2-2/3/d^3/a*c^3-x^2*ln(1+b*exp(d*x+c)/a)/a/d+1/d^3/a*ln(1+b*exp(d*x+c)/a)*c^2-2*x*polylog(2,-b*exp(d*x+c)/a)/a/d^2+2*polylog(3,-b*exp(d*x+c)/a)/a/d^3+1/d^3*c^2/a*ln(exp(d*x+c))-1/d^3*c^2/a*ln(a+b*exp(d*x+c))

Maxima [A] time = 1.07884, size = 97, normalized size = 1.15

$$\frac{x^3}{3a} - \frac{d^2x^2 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 2dx \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 2\text{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right)}{ad^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*exp(d*x+c)),x, algorithm="maxima")

[Out] 1/3*x^3/a - (d^2*x^2*log(b*e^(d*x + c)/a + 1) + 2*d*x*dilog(-b*e^(d*x + c)/a) - 2*polylog(3, -b*e^(d*x + c)/a))/(a*d^3)

Fricas [C] time = 1.52682, size = 238, normalized size = 2.83

$$\frac{d^3x^3 - 6dx \text{Li}_2\left(-\frac{be^{(dx+c)+a}}{a} + 1\right) - 3c^2 \log\left(be^{(dx+c)} + a\right) - 3(d^2x^2 - c^2) \log\left(\frac{be^{(dx+c)+a}}{a}\right) + 6 \text{polylog}\left(3, -\frac{be^{(dx+c)}}{a}\right)}{3ad^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*exp(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/3*(d^3*x^3 - 6*d*x*dilog(-(b*e^(d*x + c) + a)/a + 1) - 3*c^2*log(b*e^(d*x + c) + a) - 3*(d^2*x^2 - c^2)*log((b*e^(d*x + c) + a)/a) + 6*polylog(3, -b*e^(d*x + c)/a))/(a*d^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{a + be^{cx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*exp(d*x+c)),x)
```

```
[Out] Integral(x**2/(a + b*exp(c)*exp(d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{be^{(dx+c)} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*exp(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate(x^2/(b*e^(d*x + c) + a), x)
```

3.3 $\int \frac{x}{a+be^{c+dx}} dx$

Optimal. Leaf size=58

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^2}{2a}$$

[Out] $x^2/(2*a) - (x*\text{Log}[1 + (b*E^{(c + d*x)})/a])/(a*d) - \text{PolyLog}[2, -((b*E^{(c + d*x)})/a)]/(a*d^2)$

Rubi [A] time = 0.0991882, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {2184, 2190, 2279, 2391}

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^2}{2a}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b*E^(c + d*x)), x]

[Out] $x^2/(2*a) - (x*\text{Log}[1 + (b*E^{(c + d*x)})/a])/(a*d) - \text{PolyLog}[2, -((b*E^{(c + d*x)})/a)]/(a*d^2)$

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{a + be^{c+dx}} dx &= \frac{x^2}{2a} - \frac{b \int \frac{e^{c+dx} x}{a + be^{c+dx}} dx}{a} \\ &= \frac{x^2}{2a} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{\int \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{ad} \\ &= \frac{x^2}{2a} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, e^{c+dx}\right)}{ad^2} \\ &= \frac{x^2}{2a} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} \end{aligned}$$

Mathematica [A] time = 0.0030927, size = 53, normalized size = 0.91

$$\frac{\text{PolyLog}\left(2, -\frac{ae^{-c-dx}}{b}\right)}{ad^2} - \frac{x \log\left(\frac{ae^{-c-dx}}{b} + 1\right)}{ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/(a + b*E^(c + d*x)),x]
```

```
[Out] -((x*Log[1 + (a*E^(-c - d*x))/b]))/(a*d) + PolyLog[2, -((a*E^(-c - d*x))/b)]/(a*d^2)
```

Maple [B] time = 0.005, size = 133, normalized size = 2.3

$$\frac{x^2}{2a} + \frac{cx}{ad} + \frac{c^2}{2ad^2} - \frac{x}{ad} \ln\left(1 + \frac{be^{dx+c}}{a}\right) - \frac{c}{ad^2} \ln\left(1 + \frac{be^{dx+c}}{a}\right) - \frac{1}{ad^2} \text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right) - \frac{c \ln(e^{dx+c})}{ad^2} + \frac{c \ln(a + be^{dx+c})}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*exp(d*x+c)),x)`

[Out] $\frac{1}{2}x^2/a + 1/d/a*x*c + 1/2/d^2/a*c^2 - x*\ln(1+b*\exp(d*x+c)/a)/a/d - 1/d^2/a*\ln(1+b*\exp(d*x+c)/a)*c - \text{polylog}(2, -b*\exp(d*x+c)/a)/a/d^2 - 1/d^2*c/a*\ln(\exp(d*x+c)) + 1/d^2*c/a*\ln(a+b*\exp(d*x+c))$

Maxima [A] time = 1.08588, size = 65, normalized size = 1.12

$$\frac{x^2}{2a} - \frac{dx \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right)}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{2}x^2/a - (d*x*\log(b*e^{(d*x + c)}/a + 1) + \text{dilog}(-b*e^{(d*x + c)}/a))/(a*d^2)$

Fricas [A] time = 1.49365, size = 177, normalized size = 3.05

$$\frac{d^2x^2 + 2c \log\left(\frac{be^{(dx+c)}}{a} + a\right) - 2(dx+c) \log\left(\frac{be^{(dx+c)+a}}{a}\right) - 2\text{Li}_2\left(-\frac{be^{(dx+c)+a}}{a} + 1\right)}{2ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{2}*(d^2*x^2 + 2*c*\log(b*e^{(d*x + c)} + a) - 2*(d*x + c)*\log((b*e^{(d*x + c)} + a)/a) - 2*\text{dilog}(-(b*e^{(d*x + c)} + a)/a + 1))/(a*d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{a + be^c e^{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*exp(d*x+c)),x)
```

```
[Out] Integral(x/(a + b*exp(c)*exp(d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{be^{(dx+c)} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*exp(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate(x/(b*e^(d*x + c) + a), x)
```

3.4 $\int \frac{1}{a+be^{c+dx}} dx$

Optimal. Leaf size=26

$$\frac{x}{a} - \frac{\log(a + be^{c+dx})}{ad}$$

[Out] x/a - Log[a + b*E^(c + d*x)]/(a*d)

Rubi [A] time = 0.0175739, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {2282, 36, 29, 31}

$$\frac{x}{a} - \frac{\log(a + be^{c+dx})}{ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b*E^(c + d*x))^(-1),x]

[Out] x/a - Log[a + b*E^(c + d*x)]/(a*d)

Rule 2282

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :=> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] :=> Simp[Log[x], x]
```

Rule 31


```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{a + be^{c+dx}} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{c+dx}\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{c+dx}\right)}{ad} - \frac{b \text{Subst}\left(\int \frac{1}{a+bx} dx, x, e^{c+dx}\right)}{ad} \\ &= \frac{x}{a} - \frac{\log(a + be^{c+dx})}{ad} \end{aligned}$$

Mathematica [A] time = 0.0039174, size = 26, normalized size = 1.

$$\frac{x}{a} - \frac{\log(a + be^{c+dx})}{ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*E^(c + d*x))^-1, x]
```

```
[Out] x/a - Log[a + b*E^(c + d*x)]/(a*d)
```

Maple [A] time = 0.003, size = 35, normalized size = 1.4

$$\frac{\ln(e^{dx+c})}{ad} - \frac{\ln(a + be^{dx+c})}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*exp(d*x+c)), x)
```

```
[Out] 1/d/a*ln(exp(d*x+c))-ln(a+b*exp(d*x+c))/a/d
```

Maxima [A] time = 1.04686, size = 43, normalized size = 1.65

$$\frac{dx + c}{ad} - \frac{\log\left(b e^{(dx+c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c)),x, algorithm="maxima")

[Out] (d*x + c)/(a*d) - log(b*e^(d*x + c) + a)/(a*d)

Fricas [A] time = 1.49047, size = 51, normalized size = 1.96

$$\frac{dx - \log\left(b e^{(dx+c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c)),x, algorithm="fricas")

[Out] (d*x - log(b*e^(d*x + c) + a))/(a*d)

Sympy [A] time = 0.188579, size = 17, normalized size = 0.65

$$\frac{x}{a} - \frac{\log\left(\frac{a}{b} + e^{c+dx}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c)),x)

[Out] x/a - log(a/b + exp(c + d*x))/(a*d)

Giac [A] time = 1.24266, size = 45, normalized size = 1.73

$$\frac{dx + c}{ad} - \frac{\log\left(b e^{(dx+c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(d*x+c)),x, algorithm="giac")
```

```
[Out] (d*x + c)/(a*d) - log(abs(b*e^(d*x + c) + a))/(a*d)
```

$$3.5 \quad \int \frac{1}{(a+be^{c+dx})x} dx$$

Optimal. Leaf size=19

$$\text{Unintegrable}\left(\frac{1}{x(a+be^{c+dx})}, x\right)$$

[Out] Unintegrable[1/((a + b*E^(c + d*x))*x), x]

Rubi [A] time = 0.04806, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})x} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*E^(c + d*x))*x), x]

[Out] Defer[Int][1/((a + b*E^(c + d*x))*x), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})x} dx = \int \frac{1}{(a+be^{c+dx})x} dx$$

Mathematica [A] time = 0.0427647, size = 0, normalized size = 0.

$$\int \frac{1}{(a+be^{c+dx})x} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*E^(c + d*x))*x), x]

[Out] Integrate[1/((a + b*E^(c + d*x))*x), x]

Maple [A] time = 0.033, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{dx+c})x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))/x,x)

[Out] int(1/(a+b*exp(d*x+c))/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(be^{(dx+c)} + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x,x, algorithm="maxima")

[Out] integrate(1/((b*e^(d*x + c) + a)*x), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{bxe^{(dx+c)} + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x,x, algorithm="fricas")

[Out] integral(1/(b*x*e^(d*x + c) + a*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(a + be^c e^{dx})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x,x)

[Out] Integral(1/(x*(a + b*exp(c)*exp(d*x))), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(be^{(dx+c)} + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x,x, algorithm="giac")

[Out] integrate(1/((b*e^(d*x + c) + a)*x), x)

$$3.6 \quad \int \frac{1}{(a+be^{c+dx})x^2} dx$$

Optimal. Leaf size=19

$$\text{Unintegrable}\left(\frac{1}{x^2(a+be^{c+dx})}, x\right)$$

[Out] Unintegrable[1/((a + b*E^(c + d*x))*x^2), x]

Rubi [A] time = 0.0453303, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})x^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*E^(c + d*x))*x^2), x]

[Out] Defer[Int][1/((a + b*E^(c + d*x))*x^2), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})x^2} dx = \int \frac{1}{(a+be^{c+dx})x^2} dx$$

Mathematica [A] time = 0.113561, size = 0, normalized size = 0.

$$\int \frac{1}{(a+be^{c+dx})x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*E^(c + d*x))*x^2), x]

[Out] Integrate[1/((a + b*E^(c + d*x))*x^2), x]

Maple [A] time = 0.023, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{dx+c})x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))/x^2,x)

[Out] int(1/(a+b*exp(d*x+c))/x^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(be^{(dx+c)} + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x^2,x, algorithm="maxima")

[Out] integrate(1/((b*e^(d*x + c) + a)*x^2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{bx^2e^{(dx+c)} + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x^2,x, algorithm="fricas")

[Out] integral(1/(b*x^2*e^(d*x + c) + a*x^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b e^{c e^{dx}})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x**2,x)

[Out] Integral(1/(x**2*(a + b*exp(c)*exp(d*x))), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b e^{(dx+c)} + a) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))/x^2,x, algorithm="giac")

[Out] integrate(1/((b*e^(d*x + c) + a)*x^2), x)

3.7 $\int \frac{1}{a+be^{c-dx}} dx$

Optimal. Leaf size=26

$$\frac{\log(a + be^{c-dx})}{ad} + \frac{x}{a}$$

[Out] x/a + Log[a + b*E^(c - d*x)]/(a*d)

Rubi [A] time = 0.0208319, antiderivative size = 26, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2282, 36, 29, 31}

$$\frac{\log(a + be^{c-dx})}{ad} + \frac{x}{a}$$

Antiderivative was successfully verified.

[In] Int[(a + b*E^(c - d*x))^(-1),x]

[Out] x/a + Log[a + b*E^(c - d*x)]/(a*d)

Rule 2282

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :=> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] :=> Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{a + be^{c-dx}} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{c-dx}\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{c-dx}\right)}{ad} + \frac{b \text{Subst}\left(\int \frac{1}{a+bx} dx, x, e^{c-dx}\right)}{ad} \\ &= \frac{x}{a} + \frac{\log(a + be^{c-dx})}{ad} \end{aligned}$$

Mathematica [A] time = 0.0153459, size = 21, normalized size = 0.81

$$\frac{\log(ae^{dx} + be^c)}{ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*E^(c - d*x))^-1, x]
```

```
[Out] Log[b*E^c + a*E^(d*x)]/(a*d)
```

Maple [A] time = 0.003, size = 37, normalized size = 1.4

$$-\frac{\ln(e^{-dx+c})}{ad} + \frac{\ln(a + be^{-dx+c})}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*exp(-d*x+c)), x)
```

```
[Out] -1/d/a*ln(exp(-d*x+c))+ln(a+b*exp(-d*x+c))/a/d
```

Maxima [A] time = 1.08387, size = 46, normalized size = 1.77

$$\frac{dx - c}{ad} + \frac{\log\left(b e^{(-dx+c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c)),x, algorithm="maxima")

[Out] (d*x - c)/(a*d) + log(b*e^(-d*x + c) + a)/(a*d)

Fricas [A] time = 1.50451, size = 53, normalized size = 2.04

$$\frac{dx + \log\left(b e^{(-dx+c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c)),x, algorithm="fricas")

[Out] (d*x + log(b*e^(-d*x + c) + a))/(a*d)

Sympy [A] time = 0.138286, size = 17, normalized size = 0.65

$$\frac{x}{a} + \frac{\log\left(\frac{a}{b} + e^{c-dx}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c)),x)

[Out] x/a + log(a/b + exp(c - d*x))/(a*d)

Giac [A] time = 1.33411, size = 47, normalized size = 1.81

$$\frac{dx - c}{ad} + \frac{\log\left(|b e^{(-dx+c)} + a|\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(-d*x+c)),x, algorithm="giac")
```

```
[Out] (d*x - c)/(a*d) + log(abs(b*e^(-d*x + c) + a))/(a*d)
```

3.8 $\int \frac{1}{a+be^{-c-dx}} dx$

Optimal. Leaf size=28

$$\frac{\log(a + be^{-c-dx})}{ad} + \frac{x}{a}$$

[Out] x/a + Log[a + b*E^(-c - d*x)]/(a*d)

Rubi [A] time = 0.022578, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {2282, 36, 29, 31}

$$\frac{\log(a + be^{-c-dx})}{ad} + \frac{x}{a}$$

Antiderivative was successfully verified.

[In] Int[(a + b*E^(-c - d*x))^(-1),x]

[Out] x/a + Log[a + b*E^(-c - d*x)]/(a*d)

Rule 2282

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :=> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] :=> Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^( -1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{a + be^{-c-dx}} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{-c-dx}\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{-c-dx}\right)}{ad} + \frac{b \text{Subst}\left(\int \frac{1}{a+bx} dx, x, e^{-c-dx}\right)}{ad} \\ &= \frac{x}{a} + \frac{\log(a + be^{-c-dx})}{ad} \end{aligned}$$

Mathematica [A] time = 0.0147213, size = 19, normalized size = 0.68

$$\frac{\log(ae^{c+dx} + b)}{ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*E^(-c - d*x))^( -1), x]
```

```
[Out] Log[b + a*E^(c + d*x)]/(a*d)
```

Maple [A] time = 0.003, size = 41, normalized size = 1.5

$$-\frac{\ln(e^{-dx-c})}{ad} + \frac{\ln(a + be^{-dx-c})}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*exp(-d*x-c)), x)
```

```
[Out] -1/d/a*ln(exp(-d*x-c))+ln(a+b*exp(-d*x-c))/a/d
```

Maxima [A] time = 1.10787, size = 46, normalized size = 1.64

$$\frac{dx + c}{ad} + \frac{\log\left(b e^{(-dx-c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c)),x, algorithm="maxima")

[Out] (d*x + c)/(a*d) + log(b*e^(-d*x - c) + a)/(a*d)

Fricas [A] time = 1.46414, size = 53, normalized size = 1.89

$$\frac{dx + \log\left(b e^{(-dx-c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c)),x, algorithm="fricas")

[Out] (d*x + log(b*e^(-d*x - c) + a))/(a*d)

Sympy [A] time = 0.133725, size = 19, normalized size = 0.68

$$\frac{x}{a} + \frac{\log\left(\frac{a}{b} + e^{-c-dx}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c)),x)

[Out] x/a + log(a/b + exp(-c - d*x))/(a*d)

Giac [A] time = 1.27964, size = 47, normalized size = 1.68

$$\frac{dx + c}{ad} + \frac{\log\left(b e^{(-dx-c)} + a\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(-d*x-c)),x, algorithm="giac")
```

```
[Out] (d*x + c)/(a*d) + log(abs(b*e^(-d*x - c) + a))/(a*d)
```

3.9 $\int \frac{x^3}{(a+be^{c+dx})^2} dx$

Optimal. Leaf size=217

$$-\frac{3x^2 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^2} + \frac{6x \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} + \frac{6x \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} - \frac{6 \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2 d^4} - \frac{6 \text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{a^2 d^4}$$

[Out] $-(x^3/(a^2*d)) + x^3/(a*d*(a + b*E^(c + d*x))) + x^4/(4*a^2) + (3*x^2*Log[1 + (b*E^(c + d*x))/a])/(a^2*d^2) - (x^3*Log[1 + (b*E^(c + d*x))/a])/(a^2*d) + (6*x*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (3*x^2*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^2) - (6*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^2*d^4) + (6*x*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (6*PolyLog[4, -((b*E^(c + d*x))/a)])/(a^2*d^4)$

Rubi [A] time = 0.506581, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {2185, 2184, 2190, 2531, 6609, 2282, 6589, 2191}

$$-\frac{3x^2 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^2} + \frac{6x \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} + \frac{6x \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} - \frac{6 \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2 d^4} - \frac{6 \text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{a^2 d^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + b*E^(c + d*x))^2, x]

[Out] $-(x^3/(a^2*d)) + x^3/(a*d*(a + b*E^(c + d*x))) + x^4/(4*a^2) + (3*x^2*Log[1 + (b*E^(c + d*x))/a])/(a^2*d^2) - (x^3*Log[1 + (b*E^(c + d*x))/a])/(a^2*d) + (6*x*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (3*x^2*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^2) - (6*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^2*d^4) + (6*x*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (6*PolyLog[4, -((b*E^(c + d*x))/a)])/(a^2*d^4)$

Rule 2185

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n]^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x))))^n*(a + b*(F^(g*(e + f*x))))^n]^(p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},

x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2184

Int[(((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d

, e, n, p}, x] && EqQ[b*d, a*e]

Rule 2191

```
Int[((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))*((a_) + (b_)*((F_)^((g_)*
(e_) + (f_)*(x_)))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :>
Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{(a + be^{c+dx})^2} dx &= \frac{\int \frac{x^3}{a+be^{c+dx}} dx}{a} - \frac{b \int \frac{e^{c+dx} x^3}{(a+be^{c+dx})^2} dx}{a} \\
 &= \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} - \frac{b \int \frac{e^{c+dx} x^3}{a+be^{c+dx}} dx}{a^2} - \frac{3 \int \frac{x^2}{a+be^{c+dx}} dx}{ad} \\
 &= -\frac{x^3}{a^2 d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{3 \int x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{a^2 d} + \frac{(3b) \int \frac{e^{c+dx} x^2}{a+be^{c+dx}} dx}{a^2 d} \\
 &= -\frac{x^3}{a^2 d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{6 \int \frac{e^{c+dx} x}{a+be^{c+dx}} dx}{a^2 d} \\
 &= -\frac{x^3}{a^2 d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{6x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^3} - \frac{3x^2 \int \frac{e^{c+dx}}{a+be^{c+dx}} dx}{a^2 d} \\
 &= -\frac{x^3}{a^2 d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{6x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^3} - \frac{3x^2 \int \frac{e^{c+dx}}{a+be^{c+dx}} dx}{a^2 d} \\
 &= -\frac{x^3}{a^2 d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{6x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^3} - \frac{3x^2 \int \frac{e^{c+dx}}{a+be^{c+dx}} dx}{a^2 d}
 \end{aligned}$$

Mathematica [A] time = 0.201282, size = 158, normalized size = 0.73

$$\frac{12x(dx-2)\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{d^3} + \frac{24(dx-1)\text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{d^4} - \frac{24\text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{d^4} + \frac{12x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{d^2} + \frac{4ax^3}{ad + bde^{c+dx}} - \frac{4x^3 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{d}$$

$$4a^2$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b*E^(c + d*x))^2,x]

[Out] $\left(\frac{-4x^3}{d} + \frac{4ax^3}{a*d + b*d*E^{(c + d*x)}} + x^4 + \frac{12x^2*\text{Log}\left[1 + \frac{b*E^{(c + d*x)}}{a}\right]}{d^2} - \frac{4x^3*\text{Log}\left[1 + \frac{b*E^{(c + d*x)}}{a}\right]}{d} - \frac{12x*(-2 + d*x)*\text{PolyLog}\left[2, -\frac{b*E^{(c + d*x)}}{a}\right]}{d^3} + \frac{24*(-1 + d*x)*\text{PolyLog}\left[3, -\frac{b*E^{(c + d*x)}}{a}\right]}{d^4} - \frac{24*\text{PolyLog}\left[4, -\frac{b*E^{(c + d*x)}}{a}\right]}{d^4}\right)/(4*a^2)$

Maple [A] time = 0.101, size = 382, normalized size = 1.8

$$\frac{x^3}{da(a + be^{dx+c})} - 6 \frac{1}{a^2 d^4} \text{polylog}\left(3, -\frac{be^{dx+c}}{a}\right) + \frac{3c^4}{4a^2 d^4} - 6 \frac{1}{a^2 d^4} \text{polylog}\left(4, -\frac{be^{dx+c}}{a}\right) + 2 \frac{c^3}{a^2 d^4} - 3 \frac{c^2}{a^2 d^4} \ln\left(1 + \frac{be^{dx+c}}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+b*exp(d*x+c))^2,x)

[Out] $x^3/a/d/(a+b*\exp(d*x+c))-6*\text{polylog}(3,-b*\exp(d*x+c)/a)/a^2/d^4+3/4/d^4/a^2*c^4-6*\text{polylog}(4,-b*\exp(d*x+c)/a)/a^2/d^4+2/d^4/a^2*c^3-3/d^4/a^2*c^2*\ln(1+b*\exp(d*x+c)/a)-x^3*\ln(1+b*\exp(d*x+c)/a)/a^2/d-3*x^2*\text{polylog}(2,-b*\exp(d*x+c)/a)/a^2/d^2+6*x*\text{polylog}(3,-b*\exp(d*x+c)/a)/a^2/d^3+3*x^2*\ln(1+b*\exp(d*x+c)/a)/a^2/d^2+6*x*\text{polylog}(2,-b*\exp(d*x+c)/a)/a^2/d^3+3/d^3/a^2*c^2*x+1/d^3/a^2*c^3*x+1/4*x^4/a^2-3/d^4/a^2*c^2*\ln(\exp(d*x+c))+3/d^4/a^2*c^2*\ln(a+b*\exp(d*x+c))-1/d^4/a^2*c^3*\ln(\exp(d*x+c))+1/d^4/a^2*c^3*\ln(a+b*\exp(d*x+c))-x^3/a^2/d-1/d^4/a^2*c^3*\ln(1+b*\exp(d*x+c)/a)$

Maxima [A] time = 1.19674, size = 263, normalized size = 1.21

$$\frac{x^3}{abde^{(dx+c)} + a^2d} + \frac{d^4x^4 - 4d^3x^3}{4a^2d^4} - \frac{d^3x^3 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 3d^2x^2\text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 6dx\text{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right) + 6\text{Li}_4\left(-\frac{be^{(dx+c)}}{a}\right)}{a^2d^4} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*exp(d*x+c))^2,x, algorithm="maxima")

[Out] $x^3/(a*b*d*e^{(d*x + c)} + a^2*d) + 1/4*(d^4*x^4 - 4*d^3*x^3)/(a^2*d^4) - (d^3*x^3*\log(b*e^{(d*x + c)}/a + 1) + 3*d^2*x^2*\text{dilog}(-b*e^{(d*x + c)}/a) - 6*d*x*$

polylog(3, -b*e^(d*x + c)/a) + 6*polylog(4, -b*e^(d*x + c)/a)/(a^2*d^4) + 3*(d^2*x^2*log(b*e^(d*x + c)/a + 1) + 2*d*x*dilog(-b*e^(d*x + c)/a) - 2*polylog(3, -b*e^(d*x + c)/a))/(a^2*d^4)

Fricas [C] time = 1.52375, size = 756, normalized size = 3.48

$ad^4x^4 - ac^4 - 4ac^3 - 12(ad^2x^2 - 2adx + (bd^2x^2 - 2bdx)e^{(dx+c)})\text{Li}_2\left(-\frac{be^{(dx+c)+a}}{a} + 1\right) + (bd^4x^4 - 4bd^3x^3 - bc^4 - 4bc^3)e^{(d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*exp(d*x+c))^2,x, algorithm="fricas")

[Out] 1/4*(a*d^4*x^4 - a*c^4 - 4*a*c^3 - 12*(a*d^2*x^2 - 2*a*d*x + (b*d^2*x^2 - 2*b*d*x)*e^(d*x + c))*dilog(-(b*e^(d*x + c) + a)/a + 1) + (b*d^4*x^4 - 4*b*d^3*x^3 - b*c^4 - 4*b*c^3)*e^(d*x + c) + 4*(a*c^3 + 3*a*c^2 + (b*c^3 + 3*b*c^2)*e^(d*x + c))*log(b*e^(d*x + c) + a) - 4*(a*d^3*x^3 - 3*a*d^2*x^2 + a*c^3 + 3*a*c^2 + (b*d^3*x^3 - 3*b*d^2*x^2 + b*c^3 + 3*b*c^2)*e^(d*x + c))*log((b*e^(d*x + c) + a)/a) - 24*(b*e^(d*x + c) + a)*polylog(4, -b*e^(d*x + c)/a) + 24*(a*d*x + (b*d*x - b)*e^(d*x + c) - a)*polylog(3, -b*e^(d*x + c)/a))/(a^2*b*d^4*e^(d*x + c) + a^3*d^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{x^3}{a^2d + abde^{c+dx}} + \frac{\int -\frac{3x^2}{a+be^ce^{dx}} dx + \int \frac{dx^3}{a+be^ce^{dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a+b*exp(d*x+c))**2,x)

[Out] x**3/(a**2*d + a*b*d*exp(c + d*x)) + (Integral(-3*x**2/(a + b*exp(c)*exp(d*x)), x) + Integral(d*x**3/(a + b*exp(c)*exp(d*x)), x))/(a*d)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(be^{(dx+c)} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(a+b*exp(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate(x^3/(b*e^(d*x + c) + a)^2, x)
```

3.10 $\int \frac{x^2}{(a+be^{c+dx})^2} dx$

Optimal. Leaf size=165

$$-\frac{2x \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^2} + \frac{2 \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} + \frac{2x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2 d^2} - \frac{x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2 d}$$

[Out] $-(x^2/(a^2*d)) + x^2/(a*d*(a + b*E^(c + d*x))) + x^3/(3*a^2) + (2*x*\operatorname{Log}[1 + (b*E^(c + d*x))/a])/(a^2*d^2) - (x^2*\operatorname{Log}[1 + (b*E^(c + d*x))/a])/(a^2*d) + (2*\operatorname{PolyLog}[2, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (2*x*\operatorname{PolyLog}[2, -((b*E^(c + d*x))/a)])/(a^2*d^2) + (2*\operatorname{PolyLog}[3, -((b*E^(c + d*x))/a)])/(a^2*d^3)$

Rubi [A] time = 0.399357, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {2185, 2184, 2190, 2531, 2282, 6589, 2191, 2279, 2391}

$$-\frac{2x \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^2} + \frac{2 \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2 d^3} + \frac{2x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2 d^2} - \frac{x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2 d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2/(a + b*E^(c + d*x))^2, x]$

[Out] $-(x^2/(a^2*d)) + x^2/(a*d*(a + b*E^(c + d*x))) + x^3/(3*a^2) + (2*x*\operatorname{Log}[1 + (b*E^(c + d*x))/a])/(a^2*d^2) - (x^2*\operatorname{Log}[1 + (b*E^(c + d*x))/a])/(a^2*d) + (2*\operatorname{PolyLog}[2, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (2*x*\operatorname{PolyLog}[2, -((b*E^(c + d*x))/a)])/(a^2*d^2) + (2*\operatorname{PolyLog}[3, -((b*E^(c + d*x))/a)])/(a^2*d^3)$

Rule 2185

$\operatorname{Int}[(a_.) + (b_.)*((F_.)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)]^(p_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] \rightarrow \operatorname{Dist}[1/a, \operatorname{Int}[(c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n]^(p + 1), x], x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^(g*(e + f*x))))^n*(a + b*(F^(g*(e + f*x))))^n]^(p, x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \&\& \operatorname{ILtQ}[p, 0] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2184


```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 2191

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^(n)], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + be^{c+dx})^2} dx &= \int \frac{x^2}{a+be^{c+dx}} dx - \frac{b \int \frac{e^{c+dx} x^2}{(a+be^{c+dx})^2} dx}{a} \\
&= \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} - \frac{b \int \frac{e^{c+dx} x^2}{a+be^{c+dx}} dx}{a^2} - \frac{2 \int \frac{x}{a+be^{c+dx}} dx}{ad} \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{2 \int x \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{a^2 d} + \frac{(2b) \int \frac{e^{c+dx} x}{a+be^{c+dx}} dx}{a^2 d} \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} + \frac{2x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{2x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{2 \int \frac{e^{c+dx} x}{a+be^{c+dx}} dx}{a^2 d} \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} + \frac{2x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{2x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{2 \text{Su}}{a^2 d} \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} + \frac{2x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^3} - \frac{2x \text{Li}_2}{a^2 d}
\end{aligned}$$

Mathematica [A] time = 0.232652, size = 113, normalized size = 0.68

$$\frac{(6 - 6dx)\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right) + 6\text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right) + \frac{d^2 x^2 (adx + b(dx-3)e^{c+dx})}{a + be^{c+dx}} - 3dx(dx - 2) \log\left(\frac{be^{c+dx}}{a} + 1\right)}{3a^2 d^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*E^(c + d*x))^2,x]

[Out] ((d^2*x^2*(a*d*x + b*E^(c + d*x))*(-3 + d*x))/(a + b*E^(c + d*x)) - 3*d*x*(-2 + d*x)*Log[1 + (b*E^(c + d*x))/a] + (6 - 6*d*x)*PolyLog[2, -((b*E^(c + d*x))/a)] + 6*PolyLog[3, -((b*E^(c + d*x))/a))]/(3*a^2*d^3)

Maple [B] time = 0.063, size = 324, normalized size = 2.

$$\frac{x^2}{da(a + be^{dx+c})} + \frac{c^2 \ln(e^{dx+c})}{d^3 a^2} - \frac{c^2 \ln(a + be^{dx+c})}{d^3 a^2} + \frac{x^3}{3 a^2} - \frac{c^2 x}{a^2 d^2} - \frac{2 c^3}{3 d^3 a^2} - \frac{x^2}{a^2 d} \ln\left(1 + \frac{be^{dx+c}}{a}\right) + \frac{c^2}{d^3 a^2} \ln\left(1 + \frac{be^{dx+c}}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*exp(d*x+c))^2,x)

[Out] x^2/a/d/(a+b*exp(d*x+c))+1/d^3/a^2*c^2*ln(exp(d*x+c))-1/d^3/a^2*c^2*ln(a+b*exp(d*x+c))+1/3*x^3/a^2-1/d^2/a^2*c^2*x-2/3/d^3/a^2*c^3-x^2*ln(1+b*exp(d*x+c)/a)/a^2/d+1/d^3/a^2*ln(1+b*exp(d*x+c)/a)*c^2-2*x*polylog(2,-b*exp(d*x+c)/a)/a^2/d^2+2*polylog(3,-b*exp(d*x+c)/a)/a^2/d^3+2/d^3/a^2*c*ln(exp(d*x+c))-2/d^3/a^2*c*ln(a+b*exp(d*x+c))-x^2/a^2/d-2/d^2/a^2*c*x-1/d^3/a^2*c^2+2*x*ln(1+b*exp(d*x+c)/a)/a^2/d^2+2/d^3/a^2*ln(1+b*exp(d*x+c)/a)*c+2*polylog(2,-b*exp(d*x+c)/a)/a^2/d^3

Maxima [A] time = 1.21669, size = 201, normalized size = 1.22

$$\frac{x^2}{abde^{(dx+c)} + a^2d} + \frac{d^3x^3 - 3d^2x^2}{3a^2d^3} - \frac{d^2x^2 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 2dx \operatorname{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 2 \operatorname{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right)}{a^2d^3} + \frac{2\left(dx \log\left(\frac{be^{(dx+c)}}{a} + 1\right)\right)}{a^2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*exp(d*x+c))^2,x, algorithm="maxima")

[Out] x^2/(a*b*d*e^(d*x + c) + a^2*d) + 1/3*(d^3*x^3 - 3*d^2*x^2)/(a^2*d^3) - (d^2*x^2*log(b*e^(d*x + c)/a + 1) + 2*d*x*dilog(-b*e^(d*x + c)/a) - 2*polylog(3, -b*e^(d*x + c)/a))/(a^2*d^3) + 2*(d*x*log(b*e^(d*x + c)/a + 1) + dilog(-b*e^(d*x + c)/a))/(a^2*d^3)

Fricas [C] time = 1.48576, size = 608, normalized size = 3.68

$$ad^3x^3 + ac^3 + 3ac^2 - 6(adx + (bdx - b)e^{dx+c} - a)\text{Li}_2\left(-\frac{be^{dx+c}+a}{a} + 1\right) + (bd^3x^3 - 3bd^2x^2 + bc^3 + 3bc^2)e^{dx+c} - 3(ac^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*exp(d*x+c))^2,x, algorithm="fricas")

[Out] 1/3*(a*d^3*x^3 + a*c^3 + 3*a*c^2 - 6*(a*d*x + (b*d*x - b)*e^(d*x + c) - a)*
dilog(-(b*e^(d*x + c) + a)/a + 1) + (b*d^3*x^3 - 3*b*d^2*x^2 + b*c^3 + 3*b*c^2)*e^(d*x + c) - 3*(a*c^2 + 2*a*c + (b*c^2 + 2*b*c))*log(b*e^(d*x + c) + a) - 3*(a*d^2*x^2 - a*c^2 - 2*a*d*x - 2*a*c + (b*d^2*x^2 - b*c^2 - 2*b*d*x - 2*b*c))*e^(d*x + c))*log((b*e^(d*x + c) + a)/a) + 6*(b*e^(d*x + c) + a)*polylog(3, -b*e^(d*x + c)/a)/(a^2*b*d^3*e^(d*x + c) + a^3*d^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{x^2}{a^2d + abde^{c+dx}} + \frac{\int -\frac{2x}{a+be^c e^{dx}} dx + \int \frac{dx^2}{a+be^c e^{dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+b*exp(d*x+c))**2,x)

[Out] x**2/(a**2*d + a*b*d*exp(c + d*x)) + (Integral(-2*x/(a + b*exp(c)*exp(d*x)), x) + Integral(d*x**2/(a + b*exp(c)*exp(d*x)), x))/(a*d)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(be^{dx+c} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*exp(d*x+c))^2,x, algorithm="giac")

[Out] integrate(x^2/(b*e^(d*x + c) + a)^2, x)

$$3.11 \quad \int \frac{x}{(a+be^{c+dx})^2} dx$$

Optimal. Leaf size=107

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2d^2} + \frac{\log(a+be^{c+dx})}{a^2d^2} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2d} - \frac{x}{a^2d} + \frac{x^2}{2a^2} + \frac{x}{ad(a+be^{c+dx})}$$

[Out] $-(x/(a^2*d)) + x/(a*d*(a + b*E^(c + d*x))) + x^2/(2*a^2) + \text{Log}[a + b*E^(c + d*x)]/(a^2*d^2) - (x*\text{Log}[1 + (b*E^(c + d*x))/a])/(a^2*d) - \text{PolyLog}[2, -((b*E^(c + d*x))/a)]/(a^2*d^2)$

Rubi [A] time = 0.2014, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {2185, 2184, 2190, 2279, 2391, 2191, 2282, 36, 29, 31}

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2d^2} + \frac{\log(a+be^{c+dx})}{a^2d^2} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2d} - \frac{x}{a^2d} + \frac{x^2}{2a^2} + \frac{x}{ad(a+be^{c+dx})}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/(a + b*E^(c + d*x))^2, x]$

[Out] $-(x/(a^2*d)) + x/(a*d*(a + b*E^(c + d*x))) + x^2/(2*a^2) + \text{Log}[a + b*E^(c + d*x)]/(a^2*d^2) - (x*\text{Log}[1 + (b*E^(c + d*x))/a])/(a^2*d) - \text{PolyLog}[2, -((b*E^(c + d*x))/a)]/(a^2*d^2)$

Rule 2185

$\text{Int}[\frac{(a_+ + (b_+)*(F_+)^((g_+)*((e_+) + (f_+)*(x_+)))^((n_+))^(p_+)*((c_+) + (d_+)*(x_+))^(m_+))}{(a_+ + (b_+)*(F_+)^((g_+)*((e_+) + (f_+)*(x_+)))^((n_+))^(p_+)*((c_+) + (d_+)*(x_+))^(m_+))}, x_Symbol] :> \text{Dist}[1/a, \text{Int}[(c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^(g*(e + f*x)))^n*(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2184

$\text{Int}[\frac{(c_+ + (d_+)*(x_+))^(m_+)}{(a_+ + (b_+)*(F_+)^((g_+)*((e_+) + (f_+)*(x_+)))^((n_+))}, x_Symbol] :> \text{Simp}[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n), x],$

x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2191

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 36

Int[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 29

`Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]`

Rule 31

`Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{x}{(a + be^{c+dx})^2} dx &= \frac{\int \frac{x}{a+be^{c+dx}} dx}{a} - \frac{b \int \frac{e^{c+dx} x}{(a+be^{c+dx})^2} dx}{a} \\
 &= \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} - \frac{b \int \frac{e^{c+dx} x}{a+be^{c+dx}} dx}{a^2} - \frac{\int \frac{1}{a+be^{c+dx}} dx}{ad} \\
 &= \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{c+dx}\right)}{a^2 d} + \frac{\int \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{a^2 d} \\
 &= \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{c+dx}\right)}{a^2 d^2} + \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, e^{c+dx}\right)}{a^2 d^2} \\
 &= -\frac{x}{a^2 d} + \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} + \frac{\log(a + be^{c+dx})}{a^2 d^2} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^2}
 \end{aligned}$$

Mathematica [A] time = 0.118005, size = 85, normalized size = 0.79

$$\frac{-2\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right) + \frac{dx(adx+b(dx-2)e^{c+dx})}{a+be^{c+dx}} - 2(dx-1)\log\left(\frac{be^{c+dx}}{a} + 1\right)}{2a^2 d^2}$$

Antiderivative was successfully verified.

[In] `Integrate[x/(a + b*E^(c + d*x))^2, x]`

[Out] `((d*x*(a*d*x + b*E^(c + d*x))*(-2 + d*x))/(a + b*E^(c + d*x)) - 2*(-1 + d*x)*Log[1 + (b*E^(c + d*x))/a] - 2*PolyLog[2, -((b*E^(c + d*x))/a)])/(2*a^2*d`

~2)

Maple [B] time = 0.023, size = 231, normalized size = 2.2

$$\frac{x^2}{2a^2} + \frac{cx}{a^2d} + \frac{c^2}{2d^2a^2} - \frac{1}{d^2a^2} \operatorname{dilog}\left(\frac{a + be^{dx+c}}{a}\right) - \frac{x}{a^2d} \ln\left(\frac{a + be^{dx+c}}{a}\right) - \frac{c}{d^2a^2} \ln\left(\frac{a + be^{dx+c}}{a}\right) + \frac{\ln(a + be^{dx+c})}{d^2a^2} - \frac{be^{dx+c}}{a^2d(a + be^{dx+c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*exp(d*x+c))^2,x)

[Out] 1/2*x^2/a^2+1/d/a^2*x*c+1/2/d^2/a^2*c^2-1/d^2/a^2*dilog((a+b*exp(d*x+c))/a)-1/d/a^2*ln((a+b*exp(d*x+c))/a)*x-1/d^2/a^2*ln((a+b*exp(d*x+c))/a)*c+ln(a+b*exp(d*x+c))/a^2/d^2-1/d*b/a^2*exp(d*x+c)/(a+b*exp(d*x+c))*x-1/d^2*b/a^2*exp(d*x+c)/(a+b*exp(d*x+c))*c-1/d^2*c/a^2*ln(exp(d*x+c))+1/d^2*c/a^2*ln(a+b*exp(d*x+c))-1/d^2*c/a/(a+b*exp(d*x+c))

Maxima [A] time = 1.11172, size = 128, normalized size = 1.2

$$\frac{x}{abde^{dx+c} + a^2d} + \frac{x^2}{2a^2} - \frac{x}{a^2d} - \frac{dx \log\left(\frac{be^{dx+c}}{a} + 1\right) + \operatorname{Li}_2\left(-\frac{be^{dx+c}}{a}\right)}{a^2d^2} + \frac{\log\left(be^{dx+c} + a\right)}{a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))^2,x, algorithm="maxima")

[Out] x/(a*b*d*e^(d*x + c) + a^2*d) + 1/2*x^2/a^2 - x/(a^2*d) - (d*x*log(b*e^(d*x + c)/a + 1) + dilog(-b*e^(d*x + c)/a))/(a^2*d^2) + log(b*e^(d*x + c) + a)/(a^2*d^2)

Fricas [A] time = 1.53214, size = 420, normalized size = 3.93

$$\frac{ad^2x^2 - ac^2 - 2ac - 2\left(be^{dx+c} + a\right)\operatorname{Li}_2\left(-\frac{be^{dx+c}+a}{a}\right) + \left(bd^2x^2 - bc^2 - 2bdx - 2bc\right)e^{dx+c} + 2\left(ac + (bc + b)e^{dx+c} + a\right)}{2\left(a^2bd^2e^{dx+c} + a^3d^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{2}*(a*d^2*x^2 - a*c^2 - 2*a*c - 2*(b*e^{(d*x + c)} + a)*\text{dilog}(-(b*e^{(d*x + c)} + a)/a + 1) + (b*d^2*x^2 - b*c^2 - 2*b*d*x - 2*b*c)*e^{(d*x + c)} + 2*(a*c + (b*c + b)*e^{(d*x + c)} + a)*\log(b*e^{(d*x + c)} + a) - 2*(a*d*x + a*c + (b*d*x + b*c)*e^{(d*x + c)})*\log((b*e^{(d*x + c)} + a)/a))/(a^2*b*d^2*e^{(d*x + c)} + a^3*d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{x}{a^2d + abde^{c+dx}} + \frac{\int \frac{dx}{a+be^c e^{dx}} dx + \int -\frac{1}{a+be^c e^{dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))^2,x)

[Out] $x/(a**2*d + a*b*d*exp(c + d*x)) + (\text{Integral}(d*x/(a + b*exp(c)*exp(d*x)), x) + \text{Integral}(-1/(a + b*exp(c)*exp(d*x)), x))/(a*d)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(be^{(dx+c)} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))^2,x, algorithm="giac")

[Out] integrate(x/(b*e^{(d*x + c)} + a)^2, x)

$$3.12 \quad \int \frac{1}{(a+be^{c+dx})^2} dx$$

Optimal. Leaf size=46

$$-\frac{\log(a+be^{c+dx})}{a^2d} + \frac{x}{a^2} + \frac{1}{ad(a+be^{c+dx})}$$

[Out] 1/(a*d*(a + b*E^(c + d*x))) + x/a^2 - Log[a + b*E^(c + d*x)]/(a^2*d)

Rubi [A] time = 0.0328909, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2282, 44}

$$-\frac{\log(a+be^{c+dx})}{a^2d} + \frac{x}{a^2} + \frac{1}{ad(a+be^{c+dx})}$$

Antiderivative was successfully verified.

[In] Int[(a + b*E^(c + d*x))^(-2), x]

[Out] 1/(a*d*(a + b*E^(c + d*x))) + x/a^2 - Log[a + b*E^(c + d*x)]/(a^2*d)

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + be^{c+dx})^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, e^{c+dx}\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, e^{c+dx}\right)}{d} \\ &= \frac{1}{ad(a + be^{c+dx})} + \frac{x}{a^2} - \frac{\log(a + be^{c+dx})}{a^2d} \end{aligned}$$

Mathematica [A] time = 0.039304, size = 40, normalized size = 0.87

$$\frac{\frac{a}{a+be^{c+dx}} - \log(a + be^{c+dx}) + dx}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*E^(c + d*x))^(-2), x]

[Out] (a/(a + b*E^(c + d*x)) + d*x - Log[a + b*E^(c + d*x)])/(a^2*d)

Maple [A] time = 0.001, size = 54, normalized size = 1.2

$$\frac{\ln(e^{dx+c})}{a^2d} - \frac{\ln(a + be^{dx+c})}{a^2d} + \frac{1}{ad(a + be^{dx+c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))^2, x)

[Out] 1/d/a^2*ln(exp(d*x+c))-ln(a+b*exp(d*x+c))/a^2/d+1/a/d/(a+b*exp(d*x+c))

Maxima [A] time = 1.05732, size = 69, normalized size = 1.5

$$\frac{1}{(abe^{(dx+c)} + a^2)d} + \frac{dx + c}{a^2d} - \frac{\log(be^{(dx+c)} + a)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2,x, algorithm="maxima")

[Out] 1/((a*b*e^(d*x + c) + a^2)*d) + (d*x + c)/(a^2*d) - log(b*e^(d*x + c) + a)/(a^2*d)

Fricas [A] time = 1.48526, size = 146, normalized size = 3.17

$$\frac{bdxe^{(dx+c)} + adx - (be^{(dx+c)} + a) \log (be^{(dx+c)} + a) + a}{a^2bde^{(dx+c)} + a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2,x, algorithm="fricas")

[Out] (b*d*x*e^(d*x + c) + a*d*x - (b*e^(d*x + c) + a)*log(b*e^(d*x + c) + a) + a)/(a^2*b*d*e^(d*x + c) + a^3*d)

Sympy [A] time = 0.200763, size = 39, normalized size = 0.85

$$\frac{1}{a^2d + abde^{c+dx}} + \frac{x}{a^2} - \frac{\log\left(\frac{a}{b} + e^{c+dx}\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))**2,x)

[Out] 1/(a**2*d + a*b*d*exp(c + d*x)) + x/a**2 - log(a/b + exp(c + d*x))/(a**2*d)

Giac [A] time = 1.23734, size = 70, normalized size = 1.52

$$\frac{dx + c}{a^2d} - \frac{\log(|be^{(dx+c)} + a|)}{a^2d} + \frac{1}{(be^{(dx+c)} + a)ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(d*x+c))^2,x, algorithm="giac")
```

```
[Out] (d*x + c)/(a^2*d) - log(abs(b*e^(d*x + c) + a))/(a^2*d) + 1/((b*e^(d*x + c) + a)*a*d)
```

$$3.13 \quad \int \frac{1}{(a+be^{c+dx})^2 x} dx$$

Optimal. Leaf size=19

$$\text{Unintegrable} \left(\frac{1}{x (a + be^{c+dx})^2}, x \right)$$

[Out] Unintegrable[1/((a + b*E^(c + d*x))^2*x), x]

Rubi [A] time = 0.0465358, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a + be^{c+dx})^2 x} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*E^(c + d*x))^2*x), x]

[Out] Defer[Int][1/((a + b*E^(c + d*x))^2*x), x]

Rubi steps

$$\int \frac{1}{(a + be^{c+dx})^2 x} dx = \int \frac{1}{(a + be^{c+dx})^2 x} dx$$

Mathematica [A] time = 0.777473, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{c+dx})^2 x} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*E^(c + d*x))^2*x), x]

[Out] Integrate[1/((a + b*E^(c + d*x))^2*x), x]

Maple [A] time = 0.1, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b e^{dx+c})^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))^2/x,x)

[Out] int(1/(a+b*exp(d*x+c))^2/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{1}{abdx e^{(dx+c)} + a^2 dx} + \int \frac{dx + 1}{abdx^2 e^{(dx+c)} + a^2 dx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2/x,x, algorithm="maxima")

[Out] 1/(a*b*d*x*e^(d*x + c) + a^2*d*x) + integrate((d*x + 1)/(a*b*d*x^2*e^(d*x + c) + a^2*d*x^2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2 x e^{(2 dx + 2 c)} + 2 a b x e^{(dx + c)} + a^2 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2/x,x, algorithm="fricas")

[Out] integral(1/(b^2*x*e^(2*d*x + 2*c) + 2*a*b*x*e^(d*x + c) + a^2*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{1}{a^2 dx + ab dx e^{c+dx}} + \frac{\int \frac{dx}{ax^2 + bx^2 e^c e^{dx}} dx + \int \frac{1}{ax^2 + bx^2 e^c e^{dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))**2/x,x)

[Out] 1/(a**2*d*x + a*b*d*x*exp(c + d*x)) + (Integral(d*x/(a*x**2 + b*x**2*exp(c)*exp(d*x)), x) + Integral(1/(a*x**2 + b*x**2*exp(c)*exp(d*x)), x))/(a*d)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(be^{(dx+c)} + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2/x,x, algorithm="giac")

[Out] integrate(1/((b*e^(d*x + c) + a)^2*x), x)

$$3.14 \quad \int \frac{1}{(a+be^{c+dx})^2 x^2} dx$$

Optimal. Leaf size=19

$$\text{Unintegrable}\left(\frac{1}{x^2 (a + be^{c+dx})^2}, x\right)$$

[Out] Unintegrable[1/((a + b*E^(c + d*x))^2*x^2), x]

Rubi [A] time = 0.0436893, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a + be^{c+dx})^2 x^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*E^(c + d*x))^2*x^2), x]

[Out] Defer[Int][1/((a + b*E^(c + d*x))^2*x^2), x]

Rubi steps

$$\int \frac{1}{(a + be^{c+dx})^2 x^2} dx = \int \frac{1}{(a + be^{c+dx})^2 x^2} dx$$

Mathematica [A] time = 0.613516, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{c+dx})^2 x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*E^(c + d*x))^2*x^2), x]

[Out] Integrate[1/((a + b*E^(c + d*x))^2*x^2), x]

Maple [A] time = 0.103, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{dx+c})^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))^2/x^2,x)

[Out] int(1/(a+b*exp(d*x+c))^2/x^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{1}{abdx^2e^{(dx+c)} + a^2dx^2} + \int \frac{dx + 2}{abdx^3e^{(dx+c)} + a^2dx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2/x^2,x, algorithm="maxima")

[Out] 1/(a*b*d*x^2*e^(d*x + c) + a^2*d*x^2) + integrate((d*x + 2)/(a*b*d*x^3*e^(d*x + c) + a^2*d*x^3), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2x^2e^{(2dx+2c)} + 2abx^2e^{(dx+c)} + a^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2/x^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^2*e^(2*d*x + 2*c) + 2*a*b*x^2*e^(d*x + c) + a^2*x^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{1}{a^2 dx^2 + ab dx^2 e^{c+dx}} + \frac{\int \frac{dx}{ax^3 + bx^3 e^{c+dx}} dx + \int \frac{2}{ax^3 + bx^3 e^{c+dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))**2/x**2,x)

[Out] 1/(a**2*d*x**2 + a*b*d*x**2*exp(c + d*x)) + (Integral(d*x/(a*x**3 + b*x**3*exp(c)*exp(d*x)), x) + Integral(2/(a*x**3 + b*x**3*exp(c)*exp(d*x)), x))/(a*d)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(be^{(dx+c)} + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^2/x^2,x, algorithm="giac")

[Out] integrate(1/((b*e^(d*x + c) + a)^2*x^2), x)

$$3.15 \quad \int \frac{1}{(a+be^{c-dx})^2} dx$$

Optimal. Leaf size=48

$$\frac{\log(a+be^{c-dx})}{a^2d} + \frac{x}{a^2} - \frac{1}{ad(a+be^{c-dx})}$$

[Out] $-(1/(a*d*(a + b*E^(c - d*x)))) + x/a^2 + \text{Log}[a + b*E^(c - d*x)]/(a^2*d)$

Rubi [A] time = 0.0343803, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2282, 44}

$$\frac{\log(a+be^{c-dx})}{a^2d} + \frac{x}{a^2} - \frac{1}{ad(a+be^{c-dx})}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*E^(c - d*x))^{-2}, x]$

[Out] $-(1/(a*d*(a + b*E^(c - d*x)))) + x/a^2 + \text{Log}[a + b*E^(c - d*x)]/(a^2*d)$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + be^{c-dx})^2} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, e^{c-dx}\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, e^{c-dx}\right)}{d} \\ &= -\frac{1}{ad(a + be^{c-dx})} + \frac{x}{a^2} + \frac{\log(a + be^{c-dx})}{a^2d} \end{aligned}$$

Mathematica [A] time = 0.0533904, size = 42, normalized size = 0.88

$$\frac{\frac{be^c}{ae^{dx}+be^c} + \log(ae^{dx} + be^c)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*E^(c - d*x))^(-2), x]

[Out] ((b*E^c)/(b*E^c + a*E^(d*x)) + Log[b*E^c + a*E^(d*x)])/(a^2*d)

Maple [A] time = 0.002, size = 58, normalized size = 1.2

$$-\frac{\ln(e^{-dx+c})}{a^2d} + \frac{\ln(a + be^{-dx+c})}{a^2d} - \frac{1}{ad(a + be^{-dx+c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(-d*x+c))^2, x)

[Out] -1/d/a^2*ln(exp(-d*x+c))+ln(a+b*exp(-d*x+c))/a^2/d-1/a/d/(a+b*exp(-d*x+c))

Maxima [A] time = 1.05986, size = 74, normalized size = 1.54

$$-\frac{1}{(abe^{-dx+c} + a^2)d} + \frac{dx - c}{a^2d} + \frac{\log(be^{-dx+c} + a)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c))^2,x, algorithm="maxima")

[Out] $-1/((a*b*e^{(-d*x + c)} + a^2)*d) + (d*x - c)/(a^2*d) + \log(b*e^{(-d*x + c)} + a)/(a^2*d)$

Fricas [A] time = 1.54335, size = 151, normalized size = 3.15

$$\frac{bdxe^{(-dx+c)} + adx + (be^{(-dx+c)} + a) \log(be^{(-dx+c)} + a) - a}{a^2bde^{(-dx+c)} + a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c))^2,x, algorithm="fricas")

[Out] $(b*d*x*e^{(-d*x + c)} + a*d*x + (b*e^{(-d*x + c)} + a)*\log(b*e^{(-d*x + c)} + a) - a)/(a^2*b*d*e^{(-d*x + c)} + a^3*d)$

Sympy [A] time = 0.218504, size = 39, normalized size = 0.81

$$-\frac{1}{a^2d + abde^{c-dx}} + \frac{x}{a^2} + \frac{\log\left(\frac{a}{b} + e^{c-dx}\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c))**2,x)

[Out] $-1/(a**2*d + a*b*d*exp(c - d*x)) + x/a**2 + \log(a/b + exp(c - d*x))/(a**2*d)$

Giac [A] time = 1.2521, size = 76, normalized size = 1.58

$$\frac{dx - c}{a^2d} + \frac{\log(|be^{(-dx+c)} + a|)}{a^2d} - \frac{1}{(be^{(-dx+c)} + a)ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(-d*x+c))^2,x, algorithm="giac")
```

```
[Out] (d*x - c)/(a^2*d) + log(abs(b*e^(-d*x + c) + a))/(a^2*d) - 1/((b*e^(-d*x + c) + a)*a*d)
```

$$3.16 \quad \int \frac{1}{(a+be^{-c-dx})^2} dx$$

Optimal. Leaf size=52

$$\frac{\log(a+be^{-c-dx})}{a^2d} + \frac{x}{a^2} - \frac{1}{ad(a+be^{-c-dx})}$$

[Out] $-(1/(a*d*(a + b*E^{(-c - d*x)}))) + x/a^2 + \text{Log}[a + b*E^{(-c - d*x)}]/(a^2*d)$

Rubi [A] time = 0.0347173, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2282, 44}

$$\frac{\log(a+be^{-c-dx})}{a^2d} + \frac{x}{a^2} - \frac{1}{ad(a+be^{-c-dx})}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*E^{(-c - d*x)})^{(-2)}, x]$

[Out] $-(1/(a*d*(a + b*E^{(-c - d*x)}))) + x/a^2 + \text{Log}[a + b*E^{(-c - d*x)}]/(a^2*d)$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + be^{-c-dx})^2} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, e^{-c-dx}\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, e^{-c-dx}\right)}{d} \\ &= -\frac{1}{ad(a + be^{-c-dx})} + \frac{x}{a^2} + \frac{\log(a + be^{-c-dx})}{a^2d} \end{aligned}$$

Mathematica [A] time = 0.0565474, size = 35, normalized size = 0.67

$$\frac{\frac{b}{ae^{c+dx}+b} + \log(ae^{c+dx} + b)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*E^(-c - d*x))^(-2), x]

[Out] (b/(b + a*E^(c + d*x)) + Log[b + a*E^(c + d*x)])/(a^2*d)

Maple [A] time = 0.001, size = 64, normalized size = 1.2

$$-\frac{\ln(e^{-dx-c})}{a^2d} + \frac{\ln(a + be^{-dx-c})}{a^2d} - \frac{1}{ad(a + be^{-dx-c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(-d*x-c))^2, x)

[Out] -1/d/a^2*ln(exp(-d*x-c))+ln(a+b*exp(-d*x-c))/a^2/d-1/a/d/(a+b*exp(-d*x-c))

Maxima [A] time = 1.05075, size = 77, normalized size = 1.48

$$-\frac{1}{(abe^{(-dx-c)} + a^2)d} + \frac{dx + c}{a^2d} + \frac{\log(be^{(-dx-c)} + a)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c))^2,x, algorithm="maxima")

[Out] $-1/((a*b*e^{(-d*x - c)} + a^2)*d) + (d*x + c)/(a^2*d) + \log(b*e^{(-d*x - c)} + a)/(a^2*d)$

Fricas [A] time = 1.48949, size = 151, normalized size = 2.9

$$\frac{bdxe^{(-dx-c)} + adx + (be^{(-dx-c)} + a) \log (be^{(-dx-c)} + a) - a}{a^2bde^{(-dx-c)} + a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c))^2,x, algorithm="fricas")

[Out] $(b*d*x*e^{(-d*x - c)} + a*d*x + (b*e^{(-d*x - c)} + a)*\log(b*e^{(-d*x - c)} + a) - a)/(a^2*b*d*e^{(-d*x - c)} + a^3*d)$

Sympy [A] time = 0.274332, size = 42, normalized size = 0.81

$$-\frac{1}{a^2d + abde^{-c-dx}} + \frac{x}{a^2} + \frac{\log\left(\frac{a}{b} + e^{-c-dx}\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c))**2,x)

[Out] $-1/(a**2*d + a*b*d*exp(-c - d*x)) + x/a**2 + \log(a/b + exp(-c - d*x))/(a**2*d)$

Giac [A] time = 1.26487, size = 78, normalized size = 1.5

$$\frac{dx + c}{a^2d} + \frac{\log(|be^{(-dx-c)} + a|)}{a^2d} - \frac{1}{(be^{(-dx-c)} + a)ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(-d*x-c))^2,x, algorithm="giac")
```

```
[Out] (d*x + c)/(a^2*d) + log(abs(b*e^(-d*x - c) + a))/(a^2*d) - 1/((b*e^(-d*x - c) + a)*a*d)
```

$$3.17 \quad \int \frac{x^3}{(a+be^{c+dx})^3} dx$$

Optimal. Leaf size=333

$$-\frac{3x^2 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^2} + \frac{9x \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} + \frac{6x \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} - \frac{3 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^4} - \frac{9 \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3 d^4}$$

[Out] (3*x^2)/(2*a^3*d^2) - (3*x^2)/(2*a^2*d^2*(a + b*E^(c + d*x))) - (3*x^3)/(2*a^3*d) + x^3/(2*a*d*(a + b*E^(c + d*x))^2) + x^3/(a^2*d*(a + b*E^(c + d*x))) + x^4/(4*a^3) - (3*x*Log[1 + (b*E^(c + d*x))/a])/(a^3*d^3) + (9*x^2*Log[1 + (b*E^(c + d*x))/a])/(2*a^3*d^2) - (x^3*Log[1 + (b*E^(c + d*x))/a])/(a^3*d) - (3*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^3*d^4) + (9*x*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^3*d^3) - (3*x^2*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^3*d^2) - (9*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^3*d^4) + (6*x*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^3*d^3) - (6*PolyLog[4, -((b*E^(c + d*x))/a)])/(a^3*d^4)

Rubi [A] time = 1.0778, antiderivative size = 333, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 10, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.588$, Rules used = {2185, 2184, 2190, 2531, 6609, 2282, 6589, 2191, 2279, 2391}

$$-\frac{3x^2 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^2} + \frac{9x \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} + \frac{6x \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} - \frac{3 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^4} - \frac{9 \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3 d^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + b*E^(c + d*x))^3,x]

[Out] (3*x^2)/(2*a^3*d^2) - (3*x^2)/(2*a^2*d^2*(a + b*E^(c + d*x))) - (3*x^3)/(2*a^3*d) + x^3/(2*a*d*(a + b*E^(c + d*x))^2) + x^3/(a^2*d*(a + b*E^(c + d*x))) + x^4/(4*a^3) - (3*x*Log[1 + (b*E^(c + d*x))/a])/(a^3*d^3) + (9*x^2*Log[1 + (b*E^(c + d*x))/a])/(2*a^3*d^2) - (x^3*Log[1 + (b*E^(c + d*x))/a])/(a^3*d) - (3*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^3*d^4) + (9*x*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^3*d^3) - (3*x^2*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^3*d^2) - (9*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^3*d^4) + (6*x*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^3*d^3) - (6*PolyLog[4, -((b*E^(c + d*x))/a)])/(a^3*d^4)

Rule 2185

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e +
f*x))))^n]^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*
(a + b*(F^(g*(e + f*x))))^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},
x] && ILtQ[p, 0] && IGtQ[m, 0]
```

Rule 2184

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))
)))^(n_), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[
b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n]/(a + b*(F^(g*(e + f*x)))^n), x],
x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
```

$(F_)[v_]$ /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 2191

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*(e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x))))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(a + be^{c+dx})^3} dx &= \frac{\int \frac{x^3}{(a+be^{c+dx})^2} dx}{a} - \frac{b \int \frac{e^{c+dx} x^3}{(a+be^{c+dx})^3} dx}{a} \\
&= \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{\int \frac{x^3}{a+be^{c+dx}} dx}{a^2} - \frac{b \int \frac{e^{c+dx} x^3}{(a+be^{c+dx})^2} dx}{a^2} - \frac{3 \int \frac{x^2}{(a+be^{c+dx})^2} dx}{2ad} \\
&= \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{b \int \frac{e^{c+dx} x^3}{a+be^{c+dx}} dx}{a^3} - \frac{3 \int \frac{x^2}{a+be^{c+dx}} dx}{2a^2 d} - \frac{3 \int \frac{x^2}{a+be^{c+dx}} dx}{a^2 d} + \\
&= -\frac{3x^2}{2a^2 d^2(a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d} + \\
&= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2(a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} + \frac{9x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{2a^3 d^2} \\
&= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2(a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{3x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d^3} \\
&= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2(a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{3x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d^3} \\
&= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2(a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{3x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d^3}
\end{aligned}$$

Mathematica [A] time = 0.226188, size = 241, normalized size = 0.72

$$\frac{12(d^2 x^2 - 3dx + 1) \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{d^4} + \frac{12(2dx - 3) \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{d^4} - \frac{24 \text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{d^4} + \frac{2a^2 x^3}{d(a+be^{c+dx})^2} - \frac{6ax^2}{d^2(a+be^{c+dx})} + \frac{18x^2 \log\left(\frac{be^{c+dx}}{a}\right)}{d^2}$$

$$4a^3$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b*E^(c + d*x))^3,x]

[Out] ((6*x^2)/d^2 - (6*a*x^2)/(d^2*(a + b*E^(c + d*x))) - (6*x^3)/d + (2*a^2*x^3)/(d*(a + b*E^(c + d*x))^2) + (4*a*x^3)/(a*d + b*d*E^(c + d*x)) + x^4 - (12

$$*x*\text{Log}[1 + (b*E^{(c + d*x)})/a])/d^3 + (18*x^2*\text{Log}[1 + (b*E^{(c + d*x)})/a])/d^2 - (4*x^3*\text{Log}[1 + (b*E^{(c + d*x)})/a])/d - (12*(1 - 3*d*x + d^2*x^2)*\text{PolyLog}[2, -((b*E^{(c + d*x)})/a)])/d^4 + (12*(-3 + 2*d*x)*\text{PolyLog}[3, -((b*E^{(c + d*x)})/a)])/d^4 - (24*\text{PolyLog}[4, -((b*E^{(c + d*x)})/a)])/d^4/(4*a^3)$$

Maple [A] time = 0.092, size = 548, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3/(a+b*\exp(d*x+c))^3, x)$

[Out] $\frac{1}{4}x^4/a^3 - 3*x*\ln(1+b*\exp(d*x+c)/a)/a^3/d^3 + 9/2*x^2*\ln(1+b*\exp(d*x+c)/a)/a^3/d^2 - x^3*\ln(1+b*\exp(d*x+c)/a)/a^3/d + 9*x*\text{polylog}(2, -b*\exp(d*x+c)/a)/a^3/d^3 - 3*x^2*\text{polylog}(2, -b*\exp(d*x+c)/a)/a^3/d^2 + 6*x*\text{polylog}(3, -b*\exp(d*x+c)/a)/a^3/d^3 + 1/2*x^2*(2*x*b*d*\exp(d*x+c) + 3*a*x*d - 3*b*\exp(d*x+c) - 3*a)/d^2/a^2/(a+b*\exp(d*x+c))^2 + 3/4/d^4/a^3*c^4 + 3/2/d^4/a^3*c^2 + 3/d^4/a^3*c^3 + 3/2*x^2/a^3/d^2 - 9/2/d^4/a^3*c^2*\ln(\exp(d*x+c)) + 9/2/d^4/a^3*c^2*\ln(a+b*\exp(d*x+c)) - 1/d^4/a^3*c^3*\ln(\exp(d*x+c)) + 1/d^4/a^3*c^3*\ln(a+b*\exp(d*x+c)) - 3/d^4/a^3*c*\ln(\exp(d*x+c)) + 3/d^4/a^3*c*\ln(a+b*\exp(d*x+c)) - 1/d^4/a^3*\ln(1+b*\exp(d*x+c)/a)*c^3 - 9/2/d^4/a^3*\ln(1+b*\exp(d*x+c)/a)*c^2 - 3/d^4/a^3*c*\ln(1+b*\exp(d*x+c)/a) + 1/d^3/a^3*c^3*x + 9/2/d^3/a^3*c^2*x + 3/d^3/a^3*c*x - 3/2*x^3/a^3/d^3 - 3*\text{polylog}(2, -b*\exp(d*x+c)/a)/a^3/d^4 - 9*\text{polylog}(3, -b*\exp(d*x+c)/a)/a^3/d^4 - 6*\text{polylog}(4, -b*\exp(d*x+c)/a)/a^3/d^4$

Maxima [A] time = 1.11851, size = 409, normalized size = 1.23

$$\frac{3adx^3 - 3ax^2 + (2bdx^3e^c - 3bx^2e^c)e^{(dx)}}{2(a^2b^2d^2e^{(2dx+2c)} + 2a^3bd^2e^{(dx+c)} + a^4d^2)} + \frac{d^4x^4 - 6d^3x^3 + 6d^2x^2}{4a^3d^4} - \frac{d^3x^3 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 3d^2x^2 \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 6dx^2}{a^3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3/(a+b*\exp(d*x+c))^3, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{2}*(3*a*d*x^3 - 3*a*x^2 + (2*b*d*x^3*e^c - 3*b*x^2*e^c)*e^{(d*x)})/(a^2*b^2*d^2*e^{(2*d*x + 2*c)} + 2*a^3*b*d^2*e^{(d*x + c)} + a^4*d^2) + 1/4*(d^4*x^4 - 6*d^3*x^3 + 6*d^2*x^2)/(a^3*d^4) - (d^3*x^3*\log(b*e^{(d*x + c)}/a + 1) + 3*d^2*x^2*\text{dilog}(-b*e^{(d*x + c)}/a) - 6*d*x*\text{polylog}(3, -b*e^{(d*x + c)}/a) + 6*\text{polylog}(4, -b*e^{(d*x + c)}/a))$

$$\log(4, -b*e^{(d*x + c)/a})/(a^3*d^4) + 9/2*(d^2*x^2*\log(b*e^{(d*x + c)/a} + 1) + 2*d*x*dilog(-b*e^{(d*x + c)/a}) - 2*polylog(3, -b*e^{(d*x + c)/a})/(a^3*d^4) - 3*(d*x*\log(b*e^{(d*x + c)/a} + 1) + dilog(-b*e^{(d*x + c)/a})/(a^3*d^4)$$

Fricas [C] time = 1.57116, size = 1558, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*exp(d*x+c))^3,x, algorithm="fricas")

[Out] $\frac{1}{4}*(a^2*d^4*x^4 - a^2*c^4 - 6*a^2*c^3 - 6*a^2*c^2 - 12*(a^2*d^2*x^2 - 3*a^2*d*x + a^2 + (b^2*d^2*x^2 - 3*b^2*d*x + b^2)*e^{(2*d*x + 2*c)} + 2*(a*b*d^2*x^2 - 3*a*b*d*x + a*b)*e^{(d*x + c)})*dilog(-b*e^{(d*x + c)} + a)/a + 1) + (b^2*d^4*x^4 - 6*b^2*d^3*x^3 - b^2*c^4 + 6*b^2*d^2*x^2 - 6*b^2*c^3 - 6*b^2*c^2)*e^{(2*d*x + 2*c)} + 2*(a*b*d^4*x^4 - 4*a*b*d^3*x^3 - a*b*c^4 + 3*a*b*d^2*x^2 - 6*a*b*c^3 - 6*a*b*c^2)*e^{(d*x + c)} + 2*(2*a^2*c^3 + 9*a^2*c^2 + 6*a^2*c + (2*b^2*c^3 + 9*b^2*c^2 + 6*b^2*c)*e^{(2*d*x + 2*c)} + 2*(2*a*b*c^3 + 9*a*b*c^2 + 6*a*b*c)*e^{(d*x + c)})*\log(b*e^{(d*x + c)} + a) - 2*(2*a^2*d^3*x^3 - 9*a^2*d^2*x^2 + 2*a^2*c^3 + 9*a^2*c^2 + 6*a^2*d*x + 6*a^2*c + (2*b^2*d^3*x^3 - 9*b^2*d^2*x^2 + 2*b^2*c^3 + 9*b^2*c^2 + 6*b^2*d*x + 6*b^2*c)*e^{(2*d*x + 2*c)} + 2*(2*a*b*d^3*x^3 - 9*a*b*d^2*x^2 + 2*a*b*c^3 + 9*a*b*c^2 + 6*a*b*d*x + 6*a*b*c)*e^{(d*x + c)})*\log((b*e^{(d*x + c)} + a)/a) - 24*(b^2*e^{(2*d*x + 2*c)} + 2*a*b*e^{(d*x + c)} + a^2)*polylog(4, -b*e^{(d*x + c)/a}) + 12*(2*a^2*d*x - 3*a^2 + (2*b^2*d*x - 3*b^2)*e^{(2*d*x + 2*c)} + 2*(2*a*b*d*x - 3*a*b)*e^{(d*x + c)})*polylog(3, -b*e^{(d*x + c)/a})/(a^3*b^2*d^4*e^{(2*d*x + 2*c)} + 2*a^4*b*d^4*e^{(d*x + c)} + a^5*d^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{3adx^3 - 3ax^2 + (2bdx^3 - 3bx^2)e^{c+dx}}{2a^4d^2 + 4a^3bd^2e^{c+dx} + 2a^2b^2d^2e^{2c+2dx}} + \frac{\int \frac{6x}{a+be^c e^{dx}} dx + \int -\frac{9dx^2}{a+be^c e^{dx}} dx + \int \frac{2d^2x^3}{a+be^c e^{dx}} dx}{2a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a+b*exp(d*x+c))**3,x)

[Out] $(3*a*d*x**3 - 3*a*x**2 + (2*b*d*x**3 - 3*b*x**2)*exp(c + d*x))/(2*a**4*d**2 + 4*a**3*b*d**2*exp(c + d*x) + 2*a**2*b**2*d**2*exp(2*c + 2*d*x)) + (Integ$

```
ral(6*x/(a + b*exp(c)*exp(d*x)), x) + Integral(-9*d*x**2/(a + b*exp(c)*exp(
d*x)), x) + Integral(2*d**2*x**3/(a + b*exp(c)*exp(d*x)), x))/(2*a**2*d**2)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(be^{dx+c} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(a+b*exp(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate(x^3/(b*e^(d*x + c) + a)^3, x)
```

$$3.18 \quad \int \frac{x^2}{(a+be^{c+dx})^3} dx$$

Optimal. Leaf size=243

$$-\frac{2x \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^2} + \frac{3 \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} - \frac{x}{a^2 d^2 (a + be^{c+dx})} + \frac{3x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3 d^2}$$

[Out] $x/(a^3 d^2) - x/(a^2 d^2 (a + b E^{(c + d x)})) - (3 x^2)/(2 a^3 d) + x^2/(2 a d (a + b E^{(c + d x)})^2) + x^2/(a^2 d (a + b E^{(c + d x)})) + x^3/(3 a^3) - \operatorname{Log}[a + b E^{(c + d x)}]/(a^3 d^3) + (3 x \operatorname{Log}[1 + (b E^{(c + d x)})/a])/(a^3 d^2) - (x^2 \operatorname{Log}[1 + (b E^{(c + d x)})/a])/(a^3 d) + (3 \operatorname{PolyLog}[2, -((b E^{(c + d x)})/a)])/(a^3 d^3) - (2 x \operatorname{PolyLog}[2, -((b E^{(c + d x)})/a)])/(a^3 d^2) + (2 \operatorname{PolyLog}[3, -((b E^{(c + d x)})/a)])/(a^3 d^3)$

Rubi [A] time = 0.764287, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 12, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.706$, Rules used = {2185, 2184, 2190, 2531, 2282, 6589, 2191, 2279, 2391, 36, 29, 31}

$$-\frac{2x \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^2} + \frac{3 \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3 d^3} - \frac{x}{a^2 d^2 (a + be^{c+dx})} + \frac{3x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3 d^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2/(a + b E^{(c + d x)})^3, x]$

[Out] $x/(a^3 d^2) - x/(a^2 d^2 (a + b E^{(c + d x)})) - (3 x^2)/(2 a^3 d) + x^2/(2 a d (a + b E^{(c + d x)})^2) + x^2/(a^2 d (a + b E^{(c + d x)})) + x^3/(3 a^3) - \operatorname{Log}[a + b E^{(c + d x)}]/(a^3 d^3) + (3 x \operatorname{Log}[1 + (b E^{(c + d x)})/a])/(a^3 d^2) - (x^2 \operatorname{Log}[1 + (b E^{(c + d x)})/a])/(a^3 d) + (3 \operatorname{PolyLog}[2, -((b E^{(c + d x)})/a)])/(a^3 d^3) - (2 x \operatorname{PolyLog}[2, -((b E^{(c + d x)})/a)])/(a^3 d^2) + (2 \operatorname{PolyLog}[3, -((b E^{(c + d x)})/a)])/(a^3 d^3)$

Rule 2185

$\operatorname{Int}[(a + b \cdot (F^{(g \cdot (e + f \cdot x))})^{(n)})^{(p)} \cdot (c + d \cdot x)^m, x_Symbol] \rightarrow \operatorname{Dist}[1/a, \operatorname{Int}[(c + d \cdot x)^m \cdot (a + b \cdot (F^{(g \cdot (e + f \cdot x))})^{(n)})^{(p+1)}, x], x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d \cdot x)^m \cdot (F^{(g \cdot (e + f \cdot x))})^{(n)} \cdot (a + b \cdot (F^{(g \cdot (e + f \cdot x))})^{(n)})^p, x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}$,

x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 2191

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a +

$b*(F^{(g*(e + f*x))})^n)^{(p + 1)}, x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 36

Int[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] :> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + be^{c+dx})^3} dx &= \frac{\int \frac{x^2}{(a+be^{c+dx})^2} dx}{a} - \frac{b \int \frac{e^{c+dx} x^2}{(a+be^{c+dx})^3} dx}{a} \\
&= \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{\int \frac{x^2}{a+be^{c+dx}} dx}{a^2} - \frac{b \int \frac{e^{c+dx} x^2}{(a+be^{c+dx})^2} dx}{a^2} - \frac{\int \frac{x}{(a+be^{c+dx})^2} dx}{ad} \\
&= \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} - \frac{b \int \frac{e^{c+dx} x^2}{a+be^{c+dx}} dx}{a^3} - \frac{\int \frac{x}{a+be^{c+dx}} dx}{a^2 d} - \frac{2 \int \frac{x}{a+be^{c+dx}} dx}{a^2 d} + \dots \\
&= -\frac{x}{a^2 d^2(a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d} + \dots \\
&= -\frac{x}{a^2 d^2(a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} + \frac{3x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d^2} - \dots \\
&= -\frac{x}{a^2 d^2(a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} + \frac{3x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d^2} - \dots \\
&= \frac{x}{a^3 d^2} - \frac{x}{a^2 d^2(a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} - \frac{\log(a + be^{c+dx})}{a^3 d^3}
\end{aligned}$$

Mathematica [A] time = 0.168021, size = 203, normalized size = 0.84

$$\frac{6(2dx-3)\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{d^3} + \frac{12\text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{d^3} + \frac{3a^2 x^2}{d(a+be^{c+dx})^2} - \frac{6ax}{d^2(a+be^{c+dx})} + \frac{18x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{d^2} - \frac{6 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{d^3} + \frac{6ax^2}{ad+bde^{c+dx}} - \dots$$

$$6a^3$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*E^(c + d*x))^3,x]

[Out] ((6*x)/d^2 - (6*a*x)/(d^2*(a + b*E^(c + d*x)))) - (9*x^2)/d + (3*a^2*x^2)/(d*(a + b*E^(c + d*x))^2) + (6*a*x^2)/(a*d + b*d*E^(c + d*x)) + 2*x^3 - (6*Log[1 + (b*E^(c + d*x))/a])/d^3 + (18*x*Log[1 + (b*E^(c + d*x))/a])/d^2 - (6*x^2*Log[1 + (b*E^(c + d*x))/a])/d - (6*(-3 + 2*d*x)*PolyLog[2, -(b*E^(c +

$$d*x))/a)]/d^3 + (12*PolyLog[3, -((b*E^(c + d*x))/a)]/d^3)/(6*a^3)$$

Maple [A] time = 0.077, size = 385, normalized size = 1.6

$$\frac{x(2xbde^{dx+c} + 3axd - 2be^{dx+c} - 2a)}{2d^2a^2(a + be^{dx+c})^2} + \frac{\ln(e^{dx+c})}{a^3d^3} - \frac{\ln(a + be^{dx+c})}{a^3d^3} + \frac{c^2 \ln(e^{dx+c})}{a^3d^3} - \frac{c^2 \ln(a + be^{dx+c})}{a^3d^3} + \frac{x^3}{3a^3} - \frac{c^2x}{d^2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*exp(d*x+c))^3,x)

[Out] 1/2*x*(2*x*b*d*exp(d*x+c)+3*a*x*d-2*b*exp(d*x+c)-2*a)/d^2/a^2/(a+b*exp(d*x+c))^2+1/d^3/a^3*ln(exp(d*x+c))-ln(a+b*exp(d*x+c))/a^3/d^3+1/d^3/a^3*c^2*ln(exp(d*x+c))-1/d^3/a^3*c^2*ln(a+b*exp(d*x+c))+1/3*x^3/a^3-1/d^2/a^3*c^2*x-2/3/d^3/a^3*c^3-x^2*ln(1+b*exp(d*x+c)/a)/a^3/d+1/d^3/a^3*ln(1+b*exp(d*x+c)/a)*c^2-2*x*polylog(2,-b*exp(d*x+c)/a)/a^3/d^2+2*polylog(3,-b*exp(d*x+c)/a)/a^3/d^3+3/d^3/a^3*c*ln(exp(d*x+c))-3/d^3/a^3*c*ln(a+b*exp(d*x+c))-3/2*x^2/a^3/d-3/d^2/a^3*c*x-3/2/d^3/a^3*c^2+3*x*ln(1+b*exp(d*x+c)/a)/a^3/d^2+3/d^3/a^3*ln(1+b*exp(d*x+c)/a)*c+3*polylog(2,-b*exp(d*x+c)/a)/a^3/d^3

Maxima [A] time = 1.05542, size = 316, normalized size = 1.3

$$\frac{3axd^2 - 2ax + 2(bdx^2e^c - bxe^c)e^{(dx)}}{2(a^2b^2d^2e^{(2dx+2c)} + 2a^3bd^2e^{(dx+c)} + a^4d^2)} + \frac{x}{a^3d^2} + \frac{2d^3x^3 - 9d^2x^2}{6a^3d^3} - \frac{d^2x^2 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 2dx \operatorname{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 2L}{a^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*exp(d*x+c))^3,x, algorithm="maxima")

[Out] 1/2*(3*a*d*x^2 - 2*a*x + 2*(b*d*x^2*e^c - b*x*e^c)*e^(d*x))/(a^2*b^2*d^2*e^(2*d*x + 2*c) + 2*a^3*b*d^2*e^(d*x + c) + a^4*d^2) + x/(a^3*d^2) + 1/6*(2*d^3*x^3 - 9*d^2*x^2)/(a^3*d^3) - (d^2*x^2*log(b*e^(d*x + c)/a + 1) + 2*d*x*dilog(-b*e^(d*x + c)/a) - 2*polylog(3, -b*e^(d*x + c)/a))/(a^3*d^3) + 3*(d*x*log(b*e^(d*x + c)/a + 1) + dilog(-b*e^(d*x + c)/a))/(a^3*d^3) - log(b*e^(d*x + c) + a)/(a^3*d^3)

Fricas [C] time = 1.5318, size = 1170, normalized size = 4.81

$$2a^2d^3x^3 + 2a^2c^3 + 9a^2c^2 + 6a^2c - 6(2a^2dx - 3a^2 + (2b^2dx - 3b^2)e^{2dx+2c}) + 2(2abdx - 3ab)e^{dx+c}) \operatorname{Li}_2\left(-\frac{be^{dx+c}+a}{a}\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*exp(d*x+c))^3,x, algorithm="fricas")

[Out] 1/6*(2*a^2*d^3*x^3 + 2*a^2*c^3 + 9*a^2*c^2 + 6*a^2*c - 6*(2*a^2*d*x - 3*a^2 + (2*b^2*d*x - 3*b^2)*e^(2*d*x + 2*c) + 2*(2*a*b*d*x - 3*a*b)*e^(d*x + c)) *dilog(-(b*e^(d*x + c) + a)/a + 1) + (2*b^2*d^3*x^3 - 9*b^2*d^2*x^2 + 2*b^2*c^3 + 9*b^2*c^2 + 6*b^2*d*x + 6*b^2*c)*e^(2*d*x + 2*c) + 2*(2*a*b*d^3*x^3 - 6*a*b*d^2*x^2 + 2*a*b*c^3 + 9*a*b*c^2 + 3*a*b*d*x + 6*a*b*c)*e^(d*x + c) - 6*(a^2*c^2 + 3*a^2*c + a^2 + (b^2*c^2 + 3*b^2*c + b^2)*e^(2*d*x + 2*c) + 2*(a*b*c^2 + 3*a*b*c + a*b)*e^(d*x + c))*log(b*e^(d*x + c) + a) - 6*(a^2*d^2*x^2 - a^2*c^2 - 3*a^2*d*x - 3*a^2*c + (b^2*d^2*x^2 - b^2*c^2 - 3*b^2*d*x - 3*b^2*c)*e^(2*d*x + 2*c) + 2*(a*b*d^2*x^2 - a*b*c^2 - 3*a*b*d*x - 3*a*b*c)*e^(d*x + c))*log((b*e^(d*x + c) + a)/a) + 12*(b^2*e^(2*d*x + 2*c) + 2*a*b*e^(d*x + c) + a^2)*polylog(3, -b*e^(d*x + c)/a))/(a^3*b^2*d^3*e^(2*d*x + 2*c) + 2*a^4*b*d^3*e^(d*x + c) + a^5*d^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{3adx^2 - 2ax + (2bdx^2 - 2bx)e^{c+dx}}{2a^4d^2 + 4a^3bd^2e^{c+dx} + 2a^2b^2d^2e^{2c+2dx}} + \frac{\int -\frac{3dx}{a+be^ce^{dx}} dx + \int \frac{d^2x^2}{a+be^ce^{dx}} dx + \int \frac{1}{a+be^ce^{dx}} dx}{a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+b*exp(d*x+c))**3,x)

[Out] (3*a*d*x**2 - 2*a*x + (2*b*d*x**2 - 2*b*x)*exp(c + d*x))/(2*a**4*d**2 + 4*a**3*b*d**2*exp(c + d*x) + 2*a**2*b**2*d**2*exp(2*c + 2*d*x)) + (Integral(-3*d*x/(a + b*exp(c)*exp(d*x)), x) + Integral(d**2*x**2/(a + b*exp(c)*exp(d*x)), x) + Integral(1/(a + b*exp(c)*exp(d*x)), x))/(a**2*d**2)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(be^{dx+c} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*exp(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate(x^2/(b*e^(d*x + c) + a)^3, x)
```

$$3.19 \quad \int \frac{x}{(a+be^{c+dx})^3} dx$$

Optimal. Leaf size=159

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^2} - \frac{1}{2a^2 d^2 (a + be^{c+dx})} + \frac{3 \log(a + be^{c+dx})}{2a^3 d^2} + \frac{x}{a^2 d (a + be^{c+dx})} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3 d} - \frac{3x}{2a^3 d} + \frac{x^2}{2a^3} +$$

[Out] $-1/(2*a^2*d^2*(a + b*E^(c + d*x))) - (3*x)/(2*a^3*d) + x/(2*a*d*(a + b*E^(c + d*x))^2) + x/(a^2*d*(a + b*E^(c + d*x))) + x^2/(2*a^3) + (3*Log[a + b*E^(c + d*x)])/(2*a^3*d^2) - (x*Log[1 + (b*E^(c + d*x))/a])/(a^3*d) - \text{PolyLog}[2, -((b*E^(c + d*x))/a)]/(a^3*d^2)$

Rubi [A] time = 0.331502, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.733$, Rules used = {2185, 2184, 2190, 2279, 2391, 2191, 2282, 36, 29, 31, 44}

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3 d^2} - \frac{1}{2a^2 d^2 (a + be^{c+dx})} + \frac{3 \log(a + be^{c+dx})}{2a^3 d^2} + \frac{x}{a^2 d (a + be^{c+dx})} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3 d} - \frac{3x}{2a^3 d} + \frac{x^2}{2a^3} +$$

Antiderivative was successfully verified.

[In] Int[x/(a + b*E^(c + d*x))^3, x]

[Out] $-1/(2*a^2*d^2*(a + b*E^(c + d*x))) - (3*x)/(2*a^3*d) + x/(2*a*d*(a + b*E^(c + d*x))^2) + x/(a^2*d*(a + b*E^(c + d*x))) + x^2/(2*a^3) + (3*Log[a + b*E^(c + d*x)])/(2*a^3*d^2) - (x*Log[1 + (b*E^(c + d*x))/a])/(a^3*d) - \text{PolyLog}[2, -((b*E^(c + d*x))/a)]/(a^3*d^2)$

Rule 2185

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^ (p_) * ((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n]^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x))))^n*(a + b*(F^(g*(e + f*x))))^n]^(p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2184

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2191

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
```

`x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

Rule 29

`Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]`

Rule 31

`Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 44

`Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])`

Rubi steps

$$\begin{aligned}
 \int \frac{x}{(a + be^{c+dx})^3} dx &= \frac{\int \frac{x}{(a+be^{c+dx})^2} dx}{a} - \frac{b \int \frac{e^{c+dx} x}{(a+be^{c+dx})^3} dx}{a} \\
 &= \frac{x}{2ad(a + be^{c+dx})^2} + \frac{\int \frac{x}{a+be^{c+dx}} dx}{a^2} - \frac{b \int \frac{e^{c+dx} x}{(a+be^{c+dx})^2} dx}{a^2} - \frac{\int \frac{1}{(a+be^{c+dx})^2} dx}{2ad} \\
 &= \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} - \frac{b \int \frac{e^{c+dx} x}{a+be^{c+dx}} dx}{a^3} - \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, e^{c+dx}\right)}{2ad^2} \\
 &= \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d} - \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{c+dx}\right)}{a^2 d^2} \\
 &= -\frac{1}{2a^2 d^2 (a + be^{c+dx})} - \frac{x}{2a^3 d} + \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} + \frac{\log(a + be^{c+dx})}{2a^3 d^2} \\
 &= -\frac{1}{2a^2 d^2 (a + be^{c+dx})} - \frac{3x}{2a^3 d} + \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} + \frac{3 \log(a + be^{c+dx})}{2a^3 d^2}
 \end{aligned}$$

Mathematica [A] time = 0.134123, size = 120, normalized size = 0.75

$$\frac{dx \left(dx - 2 \log \left(\frac{be^{c+dx}}{a} + 1 \right) \right) - 2 \text{PolyLog} \left(2, -\frac{be^{c+dx}}{a} \right)}{a} + \frac{adx}{(a+be^{c+dx})^2} + \frac{2dx-1}{a+be^{c+dx}} + \frac{3 \log \left(\frac{be^{c+dx}}{a} + 1 \right) - 3dx}{a}$$

$$2a^2d^2$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*E^(c + d*x))^3, x]

[Out] ((a*d*x)/(a + b*E^(c + d*x))^2 + (-1 + 2*d*x)/(a + b*E^(c + d*x)) + (-3*d*x + 3*Log[1 + (b*E^(c + d*x))/a])/a + (d*x*(d*x - 2*Log[1 + (b*E^(c + d*x))/a]) - 2*PolyLog[2, -((b*E^(c + d*x))/a)])/a)/(2*a^2*d^2)

Maple [B] time = 0.026, size = 393, normalized size = 2.5

$$\frac{3 \ln(a + be^{dx+c})}{2a^3d^2} - \frac{1}{2a^2d^2(a + be^{dx+c})} - \frac{b^2(e^{dx+c})^2 x}{2da^3(a + be^{dx+c})^2} - \frac{b^2(e^{dx+c})^2 c}{2a^3d^2(a + be^{dx+c})^2} - \frac{be^{dx+c} x}{a^2d(a + be^{dx+c})^2} - \frac{be^{dx+c}}{a^2d^2(a + be^{dx+c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*exp(d*x+c))^3, x)

[Out] 3/2*ln(a+b*exp(d*x+c))/a^3/d^2-1/2/a^2/d^2/(a+b*exp(d*x+c))-1/2/d*b^2/a^3*exp(d*x+c)^2/(a+b*exp(d*x+c))^2*x-1/2/d^2*b^2/a^3*exp(d*x+c)^2/(a+b*exp(d*x+c))^2*c-1/d*b/a^2*exp(d*x+c)/(a+b*exp(d*x+c))^2*x-1/d^2*b/a^2*exp(d*x+c)/(a+b*exp(d*x+c))^2*c+1/2*x^2/a^3+1/d/a^3*x*c+1/2/d^2/a^3*c^2-1/d^2/a^3*dilog((a+b*exp(d*x+c))/a)-1/d/a^3*ln((a+b*exp(d*x+c))/a)*x-1/d^2/a^3*ln((a+b*exp(d*x+c))/a)*c-1/d*b/a^3*exp(d*x+c)/(a+b*exp(d*x+c))*x-1/d^2*b/a^3*exp(d*x+c)/(a+b*exp(d*x+c))*c-1/d^2*c/a^3*ln(exp(d*x+c))+1/d^2*c/a^3*ln(a+b*exp(d*x+c))-1/d^2*c/a^2/(a+b*exp(d*x+c))-1/2/d^2*c/a/(a+b*exp(d*x+c))^2

Maxima [A] time = 1.10557, size = 201, normalized size = 1.26

$$\frac{3adx + (2bdxe^c - be^c)e^{dx} - a}{2(a^2b^2d^2e^{2dx+2c} + 2a^3bd^2e^{dx+c} + a^4d^2)} + \frac{x^2}{2a^3} - \frac{3x}{2a^3d} - \frac{dx \log \left(\frac{be^{(dx+c)}}{a} + 1 \right) + \text{Li}_2 \left(-\frac{be^{(dx+c)}}{a} \right)}{a^3d^2} + \frac{3 \log (be^{(dx+c)} + a)}{2a^3d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))^3,x, algorithm="maxima")

[Out] $\frac{1}{2}*(3*a*d*x + (2*b*d*x*e^c - b*e^c)*e^{(d*x)} - a)/(a^2*b^2*d^2*e^{(2*d*x + 2*c)} + 2*a^3*b*d^2*e^{(d*x + c)} + a^4*d^2) + \frac{1}{2}*x^2/a^3 - \frac{3}{2}*x/(a^3*d) - (d*x*\log(b*e^{(d*x + c)}/a + 1) + \operatorname{dilog}(-b*e^{(d*x + c)}/a))/(a^3*d^2) + \frac{3}{2}*\log(b*e^{(d*x + c)} + a)/(a^3*d^2)$

Fricas [B] time = 1.47681, size = 760, normalized size = 4.78

$a^2 d^2 x^2 - a^2 c^2 - 3 a^2 c - a^2 - 2 (b^2 e^{(2 dx + 2 c)} + 2 a b e^{(dx + c)} + a^2) \operatorname{Li}_2\left(-\frac{b e^{(dx + c)} + a}{a} + 1\right) + (b^2 d^2 x^2 - b^2 c^2 - 3 b^2 dx - 3 b^2 c) e^{(2 dx + 2 c)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))^3,x, algorithm="fricas")

[Out] $\frac{1}{2}*(a^2*d^2*x^2 - a^2*c^2 - 3*a^2*c - a^2 - 2*(b^2*e^{(2*d*x + 2*c)} + 2*a*b*e^{(d*x + c)} + a^2)*\operatorname{dilog}(-(b*e^{(d*x + c)} + a)/a + 1) + (b^2*d^2*x^2 - b^2*c^2 - 3*b^2*d*x - 3*b^2*c)*e^{(2*d*x + 2*c)} + (2*a*b*d^2*x^2 - 2*a*b*c^2 - 4*a*b*d*x - 6*a*b*c - a*b)*e^{(d*x + c)} + (2*a^2*c + 3*a^2 + (2*b^2*c + 3*b^2)*e^{(2*d*x + 2*c)} + 2*(2*a*b*c + 3*a*b)*e^{(d*x + c)})*\log(b*e^{(d*x + c)} + a) - 2*(a^2*d*x + a^2*c + (b^2*d*x + b^2*c)*e^{(2*d*x + 2*c)} + 2*(a*b*d*x + a*b*c)*e^{(d*x + c)})*\log((b*e^{(d*x + c)} + a)/a))/(a^3*b^2*d^2*e^{(2*d*x + 2*c)} + 2*a^4*b*d^2*e^{(d*x + c)} + a^5*d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{3adx - a + (2bdx - b)e^{c+dx}}{2a^4d^2 + 4a^3bd^2e^{c+dx} + 2a^2b^2d^2e^{2c+2dx}} + \frac{\int \frac{2dx}{a+be^c e^{dx}} dx + \int -\frac{3}{a+be^c e^{dx}} dx}{2a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))**3,x)

[Out] $(3*a*d*x - a + (2*b*d*x - b)*\exp(c + d*x))/(2*a**4*d**2 + 4*a**3*b*d**2*\exp(c + d*x) + 2*a**2*b**2*d**2*\exp(2*c + 2*d*x)) + (\operatorname{Integral}(2*d*x/(a + b*\exp(c)*\exp(d*x)), x) + \operatorname{Integral}(-3/(a + b*\exp(c)*\exp(d*x)), x))/(2*a**2*d)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(be^{dx+c} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*exp(d*x+c))^3,x, algorithm="giac")

[Out] integrate(x/(b*e^(d*x + c) + a)^3, x)

$$3.20 \quad \int \frac{1}{(a+be^{c+dx})^3} dx$$

Optimal. Leaf size=69

$$\frac{1}{a^2 d (a + be^{c+dx})} - \frac{\log(a + be^{c+dx})}{a^3 d} + \frac{x}{a^3} + \frac{1}{2ad (a + be^{c+dx})^2}$$

[Out] 1/(2*a*d*(a + b*E^(c + d*x))^2) + 1/(a^2*d*(a + b*E^(c + d*x))) + x/a^3 - Log[a + b*E^(c + d*x)]/(a^3*d)

Rubi [A] time = 0.0418567, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2282, 44}

$$\frac{1}{a^2 d (a + be^{c+dx})} - \frac{\log(a + be^{c+dx})}{a^3 d} + \frac{x}{a^3} + \frac{1}{2ad (a + be^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*E^(c + d*x))^(-3),x]

[Out] 1/(2*a*d*(a + b*E^(c + d*x))^2) + 1/(a^2*d*(a + b*E^(c + d*x))) + x/a^3 - Log[a + b*E^(c + d*x)]/(a^3*d)

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```


Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + be^{c+dx})^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, e^{c+dx}\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{a^3x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, e^{c+dx}\right)}{d} \\
&= \frac{1}{2ad(a + be^{c+dx})^2} + \frac{1}{a^2d(a + be^{c+dx})} + \frac{x}{a^3} - \frac{\log(a + be^{c+dx})}{a^3d}
\end{aligned}$$

Mathematica [A] time = 0.059463, size = 62, normalized size = 0.9

$$\frac{\frac{a^2}{(a+be^{c+dx})^2} + \frac{2a}{a+be^{c+dx}} - 2 \log(a + be^{c+dx}) + 2dx}{2a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*E^(c + d*x))^(-3), x]

[Out] (a^2/(a + b*E^(c + d*x))^2 + (2*a)/(a + b*E^(c + d*x)) + 2*d*x - 2*Log[a + b*E^(c + d*x)])/(2*a^3*d)

Maple [A] time = 0.003, size = 74, normalized size = 1.1

$$\frac{\ln(e^{dx+c})}{da^3} - \frac{\ln(a + be^{dx+c})}{da^3} + \frac{1}{a^2d(a + be^{dx+c})} + \frac{1}{2ad(a + be^{dx+c})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))^3, x)

[Out] 1/d/a^3*ln(exp(d*x+c))-ln(a+b*exp(d*x+c))/a^3/d+1/a^2/d/(a+b*exp(d*x+c))+1/2/a/d/(a+b*exp(d*x+c))^2

Maxima [A] time = 1.05004, size = 113, normalized size = 1.64

$$\frac{2be^{(dx+c)} + 3a}{2(a^2b^2e^{(2dx+2c)} + 2a^3be^{(dx+c)} + a^4)d} + \frac{dx+c}{a^3d} - \frac{\log(be^{(dx+c)} + a)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3,x, algorithm="maxima")

[Out] 1/2*(2*b*e^(d*x + c) + 3*a)/((a^2*b^2*e^(2*d*x + 2*c) + 2*a^3*b*e^(d*x + c) + a^4)*d) + (d*x + c)/(a^3*d) - log(b*e^(d*x + c) + a)/(a^3*d)

Fricas [A] time = 1.52389, size = 300, normalized size = 4.35

$$\frac{2b^2dxe^{(2dx+2c)} + 2a^2dx + 3a^2 + 2(2abdx + ab)e^{(dx+c)} - 2(b^2e^{(2dx+2c)} + 2abe^{(dx+c)} + a^2)\log(be^{(dx+c)} + a)}{2(a^3b^2de^{(2dx+2c)} + 2a^4bde^{(dx+c)} + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3,x, algorithm="fricas")

[Out] 1/2*(2*b^2*d*x*e^(2*d*x + 2*c) + 2*a^2*d*x + 3*a^2 + 2*(2*a*b*d*x + a*b)*e^(d*x + c) - 2*(b^2*e^(2*d*x + 2*c) + 2*a*b*e^(d*x + c) + a^2)*log(b*e^(d*x + c) + a))/(a^3*b^2*d*e^(2*d*x + 2*c) + 2*a^4*b*d*e^(d*x + c) + a^5*d)

Sympy [A] time = 0.335967, size = 76, normalized size = 1.1

$$\frac{3a + 2be^{c+dx}}{2a^4d + 4a^3bde^{c+dx} + 2a^2b^2de^{2c+2dx}} + \frac{x}{a^3} - \frac{\log\left(\frac{a}{b} + e^{c+dx}\right)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))**3,x)

[Out] (3*a + 2*b*exp(c + d*x))/(2*a**4*d + 4*a**3*b*d*exp(c + d*x) + 2*a**2*b**2*d*exp(2*c + 2*d*x)) + x/a**3 - log(a/b + exp(c + d*x))/(a**3*d)

Giac [A] time = 1.21957, size = 93, normalized size = 1.35

$$\frac{dx + c}{a^3 d} - \frac{\log(|be^{(dx+c)} + a|)}{a^3 d} + \frac{2abe^{(dx+c)} + 3a^2}{2(be^{(dx+c)} + a)^2 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3,x, algorithm="giac")

[Out] (d*x + c)/(a^3*d) - log(abs(b*e^(d*x + c) + a))/(a^3*d) + 1/2*(2*a*b*e^(d*x + c) + 3*a^2)/((b*e^(d*x + c) + a)^2*a^3*d)

$$3.21 \quad \int \frac{1}{(a+be^{c+dx})^3 x} dx$$

Optimal. Leaf size=19

$$\text{Unintegrable} \left(\frac{1}{x (a + be^{c+dx})^3}, x \right)$$

[Out] Unintegrable[1/((a + b*E^(c + d*x))^3*x), x]

Rubi [A] time = 0.0452978, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a + be^{c+dx})^3 x} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*E^(c + d*x))^3*x), x]

[Out] Defer[Int][1/((a + b*E^(c + d*x))^3*x), x]

Rubi steps

$$\int \frac{1}{(a + be^{c+dx})^3 x} dx = \int \frac{1}{(a + be^{c+dx})^3 x} dx$$

Mathematica [A] time = 0.965882, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{c+dx})^3 x} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*E^(c + d*x))^3*x), x]

[Out] Integrate[1/((a + b*E^(c + d*x))^3*x), x]

Maple [A] time = 0.112, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b e^{dx+c})^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))^3/x,x)

[Out] int(1/(a+b*exp(d*x+c))^3/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{3 a dx + (2 b dx e^c + b e^c) e^{(dx)} + a}{2 (a^2 b^2 d^2 x^2 e^{(2 dx+2 c)} + 2 a^3 b d^2 x^2 e^{(dx+c)} + a^4 d^2 x^2)} + \int \frac{2 d^2 x^2 + 3 dx + 2}{2 (a^2 b d^2 x^3 e^{(dx+c)} + a^3 d^2 x^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3/x,x, algorithm="maxima")

[Out] 1/2*(3*a*d*x + (2*b*d*x*e^c + b*e^c)*e^(d*x) + a)/(a^2*b^2*d^2*x^2*e^(2*d*x + 2*c) + 2*a^3*b*d^2*x^2*e^(d*x + c) + a^4*d^2*x^2) + integrate(1/2*(2*d^2*x^2 + 3*d*x + 2)/(a^2*b*d^2*x^3*e^(d*x + c) + a^3*d^2*x^3), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3 x e^{(3 dx+3 c)} + 3 a b^2 x e^{(2 dx+2 c)} + 3 a^2 b x e^{(dx+c)} + a^3 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3/x,x, algorithm="fricas")

[Out] integral(1/(b^3*x*e^(3*d*x + 3*c) + 3*a*b^2*x*e^(2*d*x + 2*c) + 3*a^2*b*x*e^(d*x + c) + a^3*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{3adx + a + (2bdx + b)e^{c+dx}}{2a^4d^2x^2 + 4a^3bd^2x^2e^{c+dx} + 2a^2b^2d^2x^2e^{2c+2dx}} + \frac{\int \frac{3dx}{ax^3+bx^3e^ce^{dx}} dx + \int \frac{2d^2x^2}{ax^3+bx^3e^ce^{dx}} dx + \int \frac{2}{ax^3+bx^3e^ce^{dx}} dx}{2a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))**3/x,x)

[Out] (3*a*d*x + a + (2*b*d*x + b)*exp(c + d*x))/(2*a**4*d**2*x**2 + 4*a**3*b*d**2*x**2*exp(c + d*x) + 2*a**2*b**2*d**2*x**2*exp(2*c + 2*d*x)) + (Integral(3*d*x/(a*x**3 + b*x**3*exp(c)*exp(d*x)), x) + Integral(2*d**2*x**2/(a*x**3 + b*x**3*exp(c)*exp(d*x)), x) + Integral(2/(a*x**3 + b*x**3*exp(c)*exp(d*x)), x))/(2*a**2*d**2)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(be^{(dx+c)} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3/x,x, algorithm="giac")

[Out] integrate(1/((b*e^(d*x + c) + a)^3*x), x)

$$3.22 \quad \int \frac{1}{(a+be^{c+dx})^3 x^2} dx$$

Optimal. Leaf size=19

$$\text{Unintegrable}\left(\frac{1}{x^2 (a + be^{c+dx})^3}, x\right)$$

[Out] Unintegrable[1/((a + b*E^(c + d*x))^3*x^2), x]

Rubi [A] time = 0.0436581, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(a + be^{c+dx})^3 x^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*E^(c + d*x))^3*x^2), x]

[Out] Defer[Int][1/((a + b*E^(c + d*x))^3*x^2), x]

Rubi steps

$$\int \frac{1}{(a + be^{c+dx})^3 x^2} dx = \int \frac{1}{(a + be^{c+dx})^3 x^2} dx$$

Mathematica [A] time = 0.744828, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{c+dx})^3 x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*E^(c + d*x))^3*x^2), x]

[Out] Integrate[1/((a + b*E^(c + d*x))^3*x^2), x]

Maple [A] time = 0.123, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^{dx+c})^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(d*x+c))^3/x^2,x)

[Out] int(1/(a+b*exp(d*x+c))^3/x^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{3 adx + 2 (bdxe^c + be^c)e^{(dx)} + 2 a}{2 (a^2 b^2 d^2 x^3 e^{(2 dx+2 c)} + 2 a^3 b d^2 x^3 e^{(dx+c)} + a^4 d^2 x^3)} + \int \frac{d^2 x^2 + 3 dx + 3}{a^2 b d^2 x^4 e^{(dx+c)} + a^3 d^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3/x^2,x, algorithm="maxima")

[Out] 1/2*(3*a*d*x + 2*(b*d*x*e^c + b*e^c)*e^(d*x) + 2*a)/(a^2*b^2*d^2*x^3*e^(2*d*x + 2*c) + 2*a^3*b*d^2*x^3*e^(d*x + c) + a^4*d^2*x^3) + integrate((d^2*x^2 + 3*d*x + 3)/(a^2*b*d^2*x^4*e^(d*x + c) + a^3*d^2*x^4), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^3 x^2 e^{(3 dx+3c)} + 3 ab^2 x^2 e^{(2 dx+2c)} + 3 a^2 b x^2 e^{(dx+c)} + a^3 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3/x^2,x, algorithm="fricas")

[Out] integral(1/(b^3*x^2*e^(3*d*x + 3*c) + 3*a*b^2*x^2*e^(2*d*x + 2*c) + 3*a^2*b*x^2*e^(d*x + c) + a^3*x^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{3adx + 2a + (2bdx + 2b)e^{c+dx}}{2a^4d^2x^3 + 4a^3bd^2x^3e^{c+dx} + 2a^2b^2d^2x^3e^{2c+2dx}} + \frac{\int \frac{3dx}{ax^4+bx^4e^ce^{dx}} dx + \int \frac{d^2x^2}{ax^4+bx^4e^ce^{dx}} dx + \int \frac{3}{ax^4+bx^4e^ce^{dx}} dx}{a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))**3/x**2,x)

[Out] (3*a*d*x + 2*a + (2*b*d*x + 2*b)*exp(c + d*x))/(2*a**4*d**2*x**3 + 4*a**3*b*d**2*x**3*exp(c + d*x) + 2*a**2*b**2*d**2*x**3*exp(2*c + 2*d*x)) + (Integral(3*d*x/(a*x**4 + b*x**4*exp(c)*exp(d*x)), x) + Integral(d**2*x**2/(a*x**4 + b*x**4*exp(c)*exp(d*x)), x) + Integral(3/(a*x**4 + b*x**4*exp(c)*exp(d*x)), x))/(a**2*d**2)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(be^{(dx+c)} + a)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(d*x+c))^3/x^2,x, algorithm="giac")

[Out] integrate(1/((b*e^(d*x + c) + a)^3*x^2), x)

3.23

$$\int \frac{1}{(a+be^{c-dx})^3} dx$$

Optimal. Leaf size=72

$$-\frac{1}{a^2d(a+be^{c-dx})} + \frac{\log(a+be^{c-dx})}{a^3d} + \frac{x}{a^3} - \frac{1}{2ad(a+be^{c-dx})^2}$$

[Out] $-1/(2*a*d*(a + b*E^{(c - d*x)})^2) - 1/(a^2*d*(a + b*E^{(c - d*x)})) + x/a^3 + \text{Log}[a + b*E^{(c - d*x)}]/(a^3*d)$

Rubi [A] time = 0.0439052, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2282, 44}

$$-\frac{1}{a^2d(a+be^{c-dx})} + \frac{\log(a+be^{c-dx})}{a^3d} + \frac{x}{a^3} - \frac{1}{2ad(a+be^{c-dx})^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*E^{(c - d*x)})^{-3}, x]$

[Out] $-1/(2*a*d*(a + b*E^{(c - d*x)})^2) - 1/(a^2*d*(a + b*E^{(c - d*x)})) + x/a^3 + \text{Log}[a + b*E^{(c - d*x)}]/(a^3*d)$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + be^{c-dx})^3} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, e^{c-dx}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^3x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, e^{c-dx}\right)}{d} \\
&= -\frac{1}{2ad(a + be^{c-dx})^2} - \frac{1}{a^2d(a + be^{c-dx})} + \frac{x}{a^3} + \frac{\log(a + be^{c-dx})}{a^3d}
\end{aligned}$$

Mathematica [A] time = 0.0966016, size = 62, normalized size = 0.86

$$\frac{\frac{be^c(4ae^{dx}+3be^c)}{(ae^{dx}+be^c)^2} + 2 \log(ae^{dx} + be^c)}{2a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*E^(c - d*x))^(-3), x]

[Out] ((b*E^c*(3*b*E^c + 4*a*E^(d*x)))/(b*E^c + a*E^(d*x))^2 + 2*Log[b*E^c + a*E^(d*x)])/(2*a^3*d)

Maple [A] time = 0.001, size = 79, normalized size = 1.1

$$-\frac{\ln(e^{-dx+c})}{da^3} + \frac{\ln(a + be^{-dx+c})}{da^3} - \frac{1}{a^2d(a + be^{-dx+c})} - \frac{1}{2ad(a + be^{-dx+c})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(-d*x+c))^3, x)

[Out] -1/d/a^3*ln(exp(-d*x+c))+ln(a+b*exp(-d*x+c))/a^3/d-1/a^2/d/(a+b*exp(-d*x+c))-1/2/a/d/(a+b*exp(-d*x+c))^2

Maxima [A] time = 1.06998, size = 119, normalized size = 1.65

$$-\frac{2be^{(-dx+c)} + 3a}{2(2a^3be^{(-dx+c)} + a^2b^2e^{(-2dx+2c)} + a^4)d} + \frac{dx-c}{a^3d} + \frac{\log(be^{(-dx+c)} + a)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c))^3,x, algorithm="maxima")

[Out] -1/2*(2*b*e^(-d*x + c) + 3*a)/((2*a^3*b*e^(-d*x + c) + a^2*b^2*e^(-2*d*x + 2*c) + a^4)*d) + (d*x - c)/(a^3*d) + log(b*e^(-d*x + c) + a)/(a^3*d)

Fricas [A] time = 1.50877, size = 309, normalized size = 4.29

$$\frac{2b^2dxe^{(-2dx+2c)} + 2a^2dx - 3a^2 + 2(2abdx - ab)e^{(-dx+c)} + 2(2abe^{(-dx+c)} + b^2e^{(-2dx+2c)} + a^2)\log(be^{(-dx+c)} + a)}{2(2a^4bde^{(-dx+c)} + a^3b^2de^{(-2dx+2c)} + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c))^3,x, algorithm="fricas")

[Out] 1/2*(2*b^2*d*x*e^(-2*d*x + 2*c) + 2*a^2*d*x - 3*a^2 + 2*(2*a*b*d*x - a*b)*e^(-d*x + c) + 2*(2*a*b*e^(-d*x + c) + b^2*e^(-2*d*x + 2*c) + a^2)*log(b*e^(-d*x + c) + a))/(2*a^4*b*d*e^(-d*x + c) + a^3*b^2*d*e^(-2*d*x + 2*c) + a^5*d)

Sympy [A] time = 0.249571, size = 78, normalized size = 1.08

$$\frac{-3a - 2be^{c-dx}}{2a^4d + 4a^3bde^{c-dx} + 2a^2b^2de^{2c-2dx}} + \frac{x}{a^3} + \frac{\log\left(\frac{a}{b} + e^{c-dx}\right)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c))**3,x)

[Out] (-3*a - 2*b*exp(c - d*x))/(2*a**4*d + 4*a**3*b*d*exp(c - d*x) + 2*a**2*b**2*d*exp(2*c - 2*d*x)) + x/a**3 + log(a/b + exp(c - d*x))/(a**3*d)

Giac [A] time = 1.30364, size = 99, normalized size = 1.38

$$\frac{dx - c}{a^3 d} + \frac{\log(|be^{(-dx+c)} + a|)}{a^3 d} - \frac{2abe^{(-dx+c)} + 3a^2}{2(be^{(-dx+c)} + a)^2 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x+c))^3,x, algorithm="giac")

[Out] (d*x - c)/(a^3*d) + log(abs(b*e^(-d*x + c) + a))/(a^3*d) - 1/2*(2*a*b*e^(-d*x + c) + 3*a^2)/((b*e^(-d*x + c) + a)^2*a^3*d)

$$3.24 \quad \int \frac{1}{(a+be^{-c-dx})^3} dx$$

Optimal. Leaf size=78

$$-\frac{1}{a^2d(a+be^{-c-dx})} + \frac{\log(a+be^{-c-dx})}{a^3d} + \frac{x}{a^3} - \frac{1}{2ad(a+be^{-c-dx})^2}$$

[Out] $-1/(2*a*d*(a + b*E^{(-c - d*x)})^2) - 1/(a^2*d*(a + b*E^{(-c - d*x)})) + x/a^3 + \text{Log}[a + b*E^{(-c - d*x)}]/(a^3*d)$

Rubi [A] time = 0.0467423, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2282, 44}

$$-\frac{1}{a^2d(a+be^{-c-dx})} + \frac{\log(a+be^{-c-dx})}{a^3d} + \frac{x}{a^3} - \frac{1}{2ad(a+be^{-c-dx})^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*E^{(-c - d*x)})^{(-3)}, x]$

[Out] $-1/(2*a*d*(a + b*E^{(-c - d*x)})^2) - 1/(a^2*d*(a + b*E^{(-c - d*x)})) + x/a^3 + \text{Log}[a + b*E^{(-c - d*x)}]/(a^3*d)$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + be^{-c-dx})^3} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, e^{-c-dx}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^3x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, e^{-c-dx}\right)}{d} \\
&= -\frac{1}{2ad(a + be^{-c-dx})^2} - \frac{1}{a^2d(a + be^{-c-dx})} + \frac{x}{a^3} + \frac{\log(a + be^{-c-dx})}{a^3d}
\end{aligned}$$

Mathematica [A] time = 0.0905639, size = 54, normalized size = 0.69

$$\frac{\frac{b(4ae^{c+dx}+3b)}{(ae^{c+dx}+b)^2} + 2 \log(ae^{c+dx} + b)}{2a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*E^(-c - d*x))^(-3), x]

[Out] ((b*(3*b + 4*a*E^(c + d*x)))/(b + a*E^(c + d*x))^2 + 2*Log[b + a*E^(c + d*x)])/(2*a^3*d)

Maple [A] time = 0.001, size = 87, normalized size = 1.1

$$-\frac{\ln(e^{-dx-c})}{da^3} + \frac{\ln(a + be^{-dx-c})}{da^3} - \frac{1}{a^2d(a + be^{-dx-c})} - \frac{1}{2ad(a + be^{-dx-c})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*exp(-d*x-c))^3, x)

[Out] -1/d/a^3*ln(exp(-d*x-c))+ln(a+b*exp(-d*x-c))/a^3/d-1/a^2/d/(a+b*exp(-d*x-c))-1/2/a/d/(a+b*exp(-d*x-c))^2

Maxima [A] time = 1.06493, size = 124, normalized size = 1.59

$$-\frac{2be^{(-dx-c)} + 3a}{2(2a^3be^{(-dx-c)} + a^2b^2e^{(-2dx-2c)} + a^4)d} + \frac{dx+c}{a^3d} + \frac{\log(be^{(-dx-c)} + a)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c))^3,x, algorithm="maxima")

[Out] -1/2*(2*b*e^(-d*x - c) + 3*a)/((2*a^3*b*e^(-d*x - c) + a^2*b^2*e^(-2*d*x - 2*c) + a^4)*d) + (d*x + c)/(a^3*d) + log(b*e^(-d*x - c) + a)/(a^3*d)

Fricas [A] time = 1.5306, size = 309, normalized size = 3.96

$$\frac{2b^2dxe^{(-2dx-2c)} + 2a^2dx - 3a^2 + 2(2abdx - ab)e^{(-dx-c)} + 2(2abe^{(-dx-c)} + b^2e^{(-2dx-2c)} + a^2)\log(be^{(-dx-c)} + a)}{2(2a^4bde^{(-dx-c)} + a^3b^2de^{(-2dx-2c)} + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c))^3,x, algorithm="fricas")

[Out] 1/2*(2*b^2*d*x*e^(-2*d*x - 2*c) + 2*a^2*d*x - 3*a^2 + 2*(2*a*b*d*x - a*b)*e^(-d*x - c) + 2*(2*a*b*e^(-d*x - c) + b^2*e^(-2*d*x - 2*c) + a^2)*log(b*e^(-d*x - c) + a))/(2*a^4*b*d*e^(-d*x - c) + a^3*b^2*d*e^(-2*d*x - 2*c) + a^5*d)

Sympy [A] time = 0.364033, size = 85, normalized size = 1.09

$$\frac{-3a - 2be^{-c-dx}}{2a^4d + 4a^3bde^{-c-dx} + 2a^2b^2de^{-2c-2dx}} + \frac{x}{a^3} + \frac{\log\left(\frac{a}{b} + e^{-c-dx}\right)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c))**3,x)

[Out] (-3*a - 2*b*exp(-c - d*x))/(2*a**4*d + 4*a**3*b*d*exp(-c - d*x) + 2*a**2*b**2*d*exp(-2*c - 2*d*x)) + x/a**3 + log(a/b + exp(-c - d*x))/(a**3*d)

Giac [A] time = 1.35954, size = 104, normalized size = 1.33

$$\frac{dx + c}{a^3 d} + \frac{\log(|be^{(-dx-c)} + a|)}{a^3 d} - \frac{2abe^{(-dx-c)} + 3a^2}{2(b e^{(-dx-c)} + a)^2 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*exp(-d*x-c))^3,x, algorithm="giac")

[Out] (d*x + c)/(a^3*d) + log(abs(b*e^(-d*x - c) + a))/(a^3*d) - 1/2*(2*a*b*e^(-d*x - c) + 3*a^2)/((b*e^(-d*x - c) + a)^2*a^3*d)

3.25 $\int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^3 dx$

Optimal. Leaf size=153

$$\frac{a(c+dx)^4}{4d} + \frac{6bd^2(c+dx)(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{3bd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{b(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{6bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)}$$

[Out] (a*(c + d*x)^4)/(4*d) - (6*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*Log[F]^4) + (6*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*Log[F]^3) - (3*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*Log[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*Log[F])

Rubi [A] time = 0.238107, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {2183, 2176, 2194}

$$\frac{a(c+dx)^4}{4d} + \frac{6bd^2(c+dx)(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{3bd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{b(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{6bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]*(c + d*x)^3,x]

[Out] (a*(c + d*x)^4)/(4*d) - (6*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*Log[F]^4) + (6*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*Log[F]^3) - (3*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*Log[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*Log[F])

Rule 2183

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x))))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2176

Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(c + d*x)^m*(b*(F^(g*(e + f*x))))^n/(f*g*n*Log[F]), x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*(F^(g*(e + f*x))))^n]

, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !\$UseGamma === True

Rule 2194

Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] :> Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rubi steps

$$\begin{aligned}
 \int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^3 dx &= \int \left(a(c + dx)^3 + b \left(F^{eg+fgx} \right)^n (c + dx)^3 \right) dx \\
 &= \frac{a(c + dx)^4}{4d} + b \int \left(F^{eg+fgx} \right)^n (c + dx)^3 dx \\
 &= \frac{a(c + dx)^4}{4d} + \frac{b \left(F^{eg+fgx} \right)^n (c + dx)^3}{fgn \log(F)} - \frac{(3bd) \int \left(F^{eg+fgx} \right)^n (c + dx)^2 dx}{fgn \log(F)} \\
 &= \frac{a(c + dx)^4}{4d} - \frac{3bd \left(F^{eg+fgx} \right)^n (c + dx)^2}{f^2 g^2 n^2 \log^2(F)} + \frac{b \left(F^{eg+fgx} \right)^n (c + dx)^3}{fgn \log(F)} + \frac{(6bd^2) \int \left(F^{eg+fgx} \right)^n (c + dx) dx}{f^2 g^2 n^2 \log^2(F)} \\
 &= \frac{a(c + dx)^4}{4d} + \frac{6bd^2 \left(F^{eg+fgx} \right)^n (c + dx)}{f^3 g^3 n^3 \log^3(F)} - \frac{3bd \left(F^{eg+fgx} \right)^n (c + dx)^2}{f^2 g^2 n^2 \log^2(F)} + \frac{b \left(F^{eg+fgx} \right)^n (c + dx)^3}{fgn \log(F)} \\
 &= \frac{a(c + dx)^4}{4d} - \frac{6bd^3 \left(F^{eg+fgx} \right)^n}{f^4 g^4 n^4 \log^4(F)} + \frac{6bd^2 \left(F^{eg+fgx} \right)^n (c + dx)}{f^3 g^3 n^3 \log^3(F)} - \frac{3bd \left(F^{eg+fgx} \right)^n (c + dx)^2}{f^2 g^2 n^2 \log^2(F)}
 \end{aligned}$$

Mathematica [A] time = 0.266721, size = 130, normalized size = 0.85

$$\frac{3}{2}ac^2dx^2 + ac^3x + acd^2x^3 + \frac{1}{4}ad^3x^4 + \frac{b \left(F^{g(e+fx)} \right)^n \left(6d^2fgn \log(F)(c + dx) - 3df^2g^2n^2 \log^2(F)(c + dx)^2 + f^3g^3n^3 \log^3(F)(c + dx)^3 \right)}{f^4g^4n^4 \log^4(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n*(c + d*x)^3,x]

[Out] a*c^3*x + (3*a*c^2*d*x^2)/2 + a*c*d^2*x^3 + (a*d^3*x^4)/4 + (b*(F^(g*(e + f*x))))^n*(-6*d^3 + 6*d^2*f*g*n*(c + d*x)*Log[F] - 3*d*f^2*g^2*n^2*(c + d*x)^2*Log[F]^2 + f^3*g^3*n^3*(c + d*x)^3*Log[F]^3)/(f^4*g^4*n^4*Log[F]^4)

Maple [F] time = 0.029, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right) (dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^3,x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.80348, size = 559, normalized size = 3.65

$$\frac{(ad^3f^4g^4n^4x^4 + 4acd^2f^4g^4n^4x^3 + 6ac^2df^4g^4n^4x^2 + 4ac^3f^4g^4n^4x) \log(F)^4 - 4(6bd^3 - (bd^3f^3g^3n^3x^3 + 3bcd^2f^3g^3n^3x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^3,x, algorithm="fricas")

[Out] 1/4*((a*d^3*f^4*g^4*n^4*x^4 + 4*a*c*d^2*f^4*g^4*n^4*x^3 + 6*a*c^2*d*f^4*g^4*n^4*x^2 + 4*a*c^3*f^4*g^4*n^4*x)*log(F)^4 - 4*(6*b*d^3 - (b*d^3*f^3*g^3*n^3*x^3 + 3*b*c*d^2*f^3*g^3*n^3*x^2 + 3*b*c^2*d*f^3*g^3*n^3*x + b*c^3*f^3*g^3*n^3)*log(F)^3 + 3*(b*d^3*f^2*g^2*n^2*x^2 + 2*b*c*d^2*f^2*g^2*n^2*x + b*c^2*d*f^2*g^2*n^2)*log(F)^2 - 6*(b*d^3*f*g*n*x + b*c*d^2*f*g*n)*log(F))*F^(f*g*n*x + e*g*n))/(f^4*g^4*n^4*log(F)^4)

$$\begin{aligned}
& ^3g^3n^3x^3\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 3\pi^2b^3d^3f^3g^3n^3x^3\log(\operatorname{abs}(F)) \\
&) + 2b^3d^3f^3g^3n^3x^3\log(\operatorname{abs}(F))^3 + 9\pi^2b^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 9\pi^2b^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F))^3 + 6b^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F))^3 + 9\pi^2b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 9\pi^2b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))^3 + 3\pi^2b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 3\pi^2b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))^3 - 3\pi^2b^3d^3f^2g^2n^2x^2\operatorname{sgn}(F) + 3\pi^2b^3d^3f^2g^2n^2x^2 - 6b^3d^3f^2g^2n^2x^2\log(\operatorname{abs}(F))^2 - 6\pi^2b^3c^3d^2f^2g^2n^2x\operatorname{sgn}(F) + 6\pi^2b^3c^3d^2f^2g^2n^2x - 12b^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F))^2 - 3\pi^2b^3c^3d^2f^2g^2n^2x\operatorname{sgn}(F) + 3\pi^2b^3c^3d^2f^2g^2n^2x - 6b^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F))^2 + 12b^3d^3f^3g^3n^3x\log(\operatorname{abs}(F)) + 12b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F)) - 12b^3d^3(\pi^3f^4g^4n^4\log(\operatorname{abs}(F))\operatorname{sgn}(F) - \pi^3f^4g^4n^4\log(\operatorname{abs}(F))^3\operatorname{sgn}(F) - \pi^3f^4g^4n^4\log(\operatorname{abs}(F)) + \pi^3f^4g^4n^4\log(\operatorname{abs}(F))^3)/((\pi^4f^4g^4n^4\operatorname{sgn}(F) - 6\pi^2f^4g^4n^4\log(\operatorname{abs}(F))^2\operatorname{sgn}(F) - \pi^4f^4g^4n^4 + 6\pi^2f^4g^4n^4\log(\operatorname{abs}(F))^2 - 2f^4g^4n^4\log(\operatorname{abs}(F))^4)^2 + 16(\pi^3f^4g^4n^4\log(\operatorname{abs}(F))\operatorname{sgn}(F) - \pi^3f^4g^4n^4\log(\operatorname{abs}(F))^3\operatorname{sgn}(F) - \pi^3f^4g^4n^4\log(\operatorname{abs}(F)) + \pi^3f^4g^4n^4\log(\operatorname{abs}(F))^3)^2)*\sin(-1/2\pi f^3g^3n^3x\operatorname{sgn}(F) + 1/2\pi f^3g^3n^3x - 1/2\pi f^3g^3n^3e\operatorname{sgn}(F) + 1/2\pi f^3g^3n^3e))e^{(f^3g^3n^3x\log(\operatorname{abs}(F)) + g^3n^3e\log(\operatorname{abs}(F)))} - 1/2I((8\pi^3b^3d^3f^3g^3n^3x^3\operatorname{sgn}(F) + 24I\pi^2b^3d^3f^3g^3n^3x^3\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 24\pi^3b^3d^3f^3g^3n^3x^3\log(\operatorname{abs}(F))^2\operatorname{sgn}(F) - 8\pi^3b^3d^3f^3g^3n^3x^3 - 24I\pi^2b^3d^3f^3g^3n^3x^3\log(\operatorname{abs}(F)) + 24\pi^3b^3d^3f^3g^3n^3x^3\log(\operatorname{abs}(F))^2 + 16Ib^3d^3f^3g^3n^3x^3\log(\operatorname{abs}(F))^3 + 24\pi^3b^3c^3d^2f^3g^3n^3x^2\operatorname{sgn}(F) + 72I\pi^2b^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 72\pi^3b^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F))^2\operatorname{sgn}(F) - 24\pi^3b^3c^3d^2f^3g^3n^3x^2 - 72I\pi^2b^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F)) + 72\pi^3b^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F))^2 + 48Ib^3c^3d^2f^3g^3n^3x^2\log(\operatorname{abs}(F))^3 + 24\pi^3b^3c^3d^2f^3g^3n^3x\operatorname{sgn}(F) + 72I\pi^2b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 72\pi^3b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))^2\operatorname{sgn}(F) - 24\pi^3b^3c^3d^2f^3g^3n^3x - 72I\pi^2b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F)) + 72\pi^3b^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))^2 + 48Ib^3c^3d^2f^3g^3n^3x\log(\operatorname{abs}(F))^3 + 8\pi^3b^3c^3f^3g^3n^3\operatorname{sgn}(F) + 24I\pi^2b^3c^3f^3g^3n^3\log(\operatorname{abs}(F))\operatorname{sgn}(F) - 24\pi^3b^3c^3f^3g^3n^3\log(\operatorname{abs}(F))^2\operatorname{sgn}(F) - 8\pi^3b^3c^3f^3g^3n^3 - 24I\pi^2b^3c^3f^3g^3n^3\log(\operatorname{abs}(F)) + 24\pi^3b^3c^3f^3g^3n^3\log(\operatorname{abs}(F))^2 + 16Ib^3c^3f^3g^3n^3\log(\operatorname{abs}(F))^3 - 24I\pi^2b^3d^3f^2g^2n^2x^2\operatorname{sgn}(F) + 48\pi^3b^3d^3f^2g^2n^2x^2\log(\operatorname{abs}(F))\operatorname{sgn}(F) + 24I\pi^2b^3d^3f^2g^2n^2x^2 - 48\pi^3b^3d^3f^2g^2n^2x^2\log(\operatorname{abs}(F)) - 48Ib^3d^3f^2g^2n^2x^2\log(\operatorname{abs}(F))^2 - 48I\pi^2b^3c^3d^2f^2g^2n^2x\operatorname{sgn}(F) + 96\pi^3b^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F))\operatorname{sgn}(F) + 48I\pi^2b^3c^3d^2f^2g^2n^2x - 96\pi^3b^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F)) - 96Ib^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F))^2 - 24I\pi^2b^3c^3d^2f^2g^2n^2x\operatorname{sgn}(F) + 48\pi^3b^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F))\operatorname{sgn}(F) + 24I\pi^2b^3c^3d^2f^2g^2n^2x - 48\pi^3b^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F)) - 48Ib^3c^3d^2f^2g^2n^2x\log(\operatorname{abs}(F))^2 - 48\pi^3b^3d^3f^3g^3n^3\operatorname{sgn}(F) + 48\pi^3b^3d^3f^3g^3n^3 + 96Ib^3d^3
\end{aligned}$$

$$\begin{aligned}
& *f*g*n*x*\log(\text{abs}(F)) - 48*\pi*b*c*d^2*f*g*n*\text{sgn}(F) + 48*\pi*b*c*d^2*f*g*n + 9 \\
& 6*I*b*c*d^2*f*g*n*\log(\text{abs}(F)) - 96*I*b*d^3)*e^{(1/2*I*\pi*f*g*n*x*\text{sgn}(F) - 1/ \\
& 2*I*\pi*f*g*n*x + 1/2*I*\pi*g*n*e*\text{sgn}(F) - 1/2*I*\pi*g*n*e)/(8*\pi^4*f^4*g^4*n^ \\
& 4*\text{sgn}(F) + 32*I*\pi^3*f^4*g^4*n^4*\log(\text{abs}(F))*\text{sgn}(F) - 48*\pi^2*f^4*g^4*n^4* \\
& \log(\text{abs}(F))^2*\text{sgn}(F) - 32*I*\pi*f^4*g^4*n^4*\log(\text{abs}(F))^3*\text{sgn}(F) - 8*\pi^4*f^4 \\
& *g^4*n^4 - 32*I*\pi^3*f^4*g^4*n^4*\log(\text{abs}(F)) + 48*\pi^2*f^4*g^4*n^4*\log(\text{abs}(\\
& F))^2 + 32*I*\pi*f^4*g^4*n^4*\log(\text{abs}(F))^3 - 16*f^4*g^4*n^4*\log(\text{abs}(F))^4) + \\
& (8*\pi^3*b*d^3*f^3*g^3*n^3*x^3*\text{sgn}(F) - 24*I*\pi^2*b*d^3*f^3*g^3*n^3*x^3*\log \\
& (\text{abs}(F))*\text{sgn}(F) - 24*\pi*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F))^2*\text{sgn}(F) - 8*\pi^3 \\
& *b*d^3*f^3*g^3*n^3*x^3 + 24*I*\pi^2*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F)) + 24*p \\
& i*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F))^2 - 16*I*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(\\
& F))^3 + 24*\pi^3*b*c*d^2*f^3*g^3*n^3*x^2*\text{sgn}(F) - 72*I*\pi^2*b*c*d^2*f^3*g^3* \\
& n^3*x^2*\log(\text{abs}(F))*\text{sgn}(F) - 72*\pi*b*c*d^2*f^3*g^3*n^3*x^2*\log(\text{abs}(F))^2*\text{sg} \\
& n(F) - 24*\pi^3*b*c*d^2*f^3*g^3*n^3*x^2 + 72*I*\pi^2*b*c*d^2*f^3*g^3*n^3*x^2* \\
& \log(\text{abs}(F)) + 72*\pi*b*c*d^2*f^3*g^3*n^3*x^2*\log(\text{abs}(F))^2 - 48*I*b*c*d^2*f^ \\
& 3*g^3*n^3*x^2*\log(\text{abs}(F))^3 + 24*\pi^3*b*c^2*d*f^3*g^3*n^3*x*\text{sgn}(F) - 72*I*p \\
& i^2*b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F))*\text{sgn}(F) - 72*\pi*b*c^2*d*f^3*g^3*n^3*x* \\
& \log(\text{abs}(F))^2*\text{sgn}(F) - 24*\pi^3*b*c^2*d*f^3*g^3*n^3*x + 72*I*\pi^2*b*c^2*d*f^ \\
& 3*g^3*n^3*x*\log(\text{abs}(F)) + 72*\pi*b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F))^2 - 48*I* \\
& b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F))^3 + 8*\pi^3*b*c^3*f^3*g^3*n^3*\text{sgn}(F) - 24* \\
& I*\pi^2*b*c^3*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 24*\pi*b*c^3*f^3*g^3*n^3*\log(a \\
& bs(F))^2*\text{sgn}(F) - 8*\pi^3*b*c^3*f^3*g^3*n^3 + 24*I*\pi^2*b*c^3*f^3*g^3*n^3*lo \\
& g(\text{abs}(F)) + 24*\pi*b*c^3*f^3*g^3*n^3*\log(\text{abs}(F))^2 - 16*I*b*c^3*f^3*g^3*n^3* \\
& \log(\text{abs}(F))^3 + 24*I*\pi^2*b*d^3*f^2*g^2*n^2*x^2*\text{sgn}(F) + 48*\pi*b*d^3*f^2*g^ \\
& 2*n^2*x^2*\log(\text{abs}(F))*\text{sgn}(F) - 24*I*\pi^2*b*d^3*f^2*g^2*n^2*x^2 - 48*\pi*b*d^ \\
& 3*f^2*g^2*n^2*x^2*\log(\text{abs}(F)) + 48*I*b*d^3*f^2*g^2*n^2*x^2*\log(\text{abs}(F))^2 + \\
& 48*I*\pi^2*b*c*d^2*f^2*g^2*n^2*x*\text{sgn}(F) + 96*\pi*b*c*d^2*f^2*g^2*n^2*x*\log(ab \\
& s(F))*\text{sgn}(F) - 48*I*\pi^2*b*c*d^2*f^2*g^2*n^2*x - 96*\pi*b*c*d^2*f^2*g^2*n^2* \\
& x*\log(\text{abs}(F)) + 96*I*b*c*d^2*f^2*g^2*n^2*x*\log(\text{abs}(F))^2 + 24*I*\pi^2*b*c^2* \\
& d*f^2*g^2*n^2*\text{sgn}(F) + 48*\pi*b*c^2*d*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - 24*I* \\
& \pi^2*b*c^2*d*f^2*g^2*n^2 - 48*\pi*b*c^2*d*f^2*g^2*n^2*\log(\text{abs}(F)) + 48*I*b*c \\
& ^2*d*f^2*g^2*n^2*\log(\text{abs}(F))^2 - 48*\pi*b*d^3*f*g*n*x*\text{sgn}(F) + 48*\pi*b*d^3*f \\
& *g*n*x - 96*I*b*d^3*f*g*n*x*\log(\text{abs}(F)) - 48*\pi*b*c*d^2*f*g*n*\text{sgn}(F) + 48*p \\
& i*b*c*d^2*f*g*n - 96*I*b*c*d^2*f*g*n*\log(\text{abs}(F)) + 96*I*b*d^3)*e^{(-1/2*I*\pi \\
& *f*g*n*x*\text{sgn}(F) + 1/2*I*\pi*f*g*n*x - 1/2*I*\pi*g*n*e*\text{sgn}(F) + 1/2*I*\pi*g*n*e \\
&)/(8*\pi^4*f^4*g^4*n^4*\text{sgn}(F) - 32*I*\pi^3*f^4*g^4*n^4*\log(\text{abs}(F))*\text{sgn}(F) - 4 \\
& 8*\pi^2*f^4*g^4*n^4*\log(\text{abs}(F))^2*\text{sgn}(F) + 32*I*\pi*f^4*g^4*n^4*\log(\text{abs}(F))^3 \\
& *\text{sgn}(F) - 8*\pi^4*f^4*g^4*n^4 + 32*I*\pi^3*f^4*g^4*n^4*\log(\text{abs}(F)) + 48*\pi^2*f^ \\
& 4*g^4*n^4*\log(\text{abs}(F))^2 - 32*I*\pi*f^4*g^4*n^4*\log(\text{abs}(F))^3 - 16*f^4*g^4*n^ \\
& 4*\log(\text{abs}(F))^4))*e^{(f*g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))}
\end{aligned}$$

$$3.26 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^2 dx$$

Optimal. Leaf size=115

$$\frac{a(c+dx)^3}{3d} - \frac{2bd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{b(c+dx)^2(F^{eg+fgx})^n}{fgn\log(F)} + \frac{2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)}$$

[Out] (a*(c + d*x)^3)/(3*d) + (2*b*d^2*(F^(e*g + f*g*x))^n)/(f^3*g^3*n^3*Log[F]^3) - (2*b*d*(F^(e*g + f*g*x))^n*(c + d*x))/(f^2*g^2*n^2*Log[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f*g*n*Log[F])

Rubi [A] time = 0.154442, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {2183, 2176, 2194}

$$\frac{a(c+dx)^3}{3d} - \frac{2bd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{b(c+dx)^2(F^{eg+fgx})^n}{fgn\log(F)} + \frac{2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]*(c + d*x)^2,x]

[Out] (a*(c + d*x)^3)/(3*d) + (2*b*d^2*(F^(e*g + f*g*x))^n)/(f^3*g^3*n^3*Log[F]^3) - (2*b*d*(F^(e*g + f*g*x))^n*(c + d*x))/(f^2*g^2*n^2*Log[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f*g*n*Log[F])

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x))))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2176

Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[((c + d*x)^m*(b*(F^(g*(e + f*x))))^n)/(f*g*n*Log[F]), x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m-1)*(b*(F^(g*(e + f*x))))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m]

] && !\$UseGamma === True

Rule 2194

Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rubi steps

$$\begin{aligned}
 \int (a + b(F^{g(e+fx)})^n)(c + dx)^2 dx &= \int (a(c + dx)^2 + b(F^{eg+fgx})^n (c + dx)^2) dx \\
 &= \frac{a(c + dx)^3}{3d} + b \int (F^{eg+fgx})^n (c + dx)^2 dx \\
 &= \frac{a(c + dx)^3}{3d} + \frac{b(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)} - \frac{(2bd) \int (F^{eg+fgx})^n (c + dx) dx}{fgn \log(F)} \\
 &= \frac{a(c + dx)^3}{3d} - \frac{2bd(F^{eg+fgx})^n (c + dx)}{f^2g^2n^2 \log^2(F)} + \frac{b(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)} + \frac{(2bd^2) \int (F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} \\
 &= \frac{a(c + dx)^3}{3d} + \frac{2bd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} - \frac{2bd(F^{eg+fgx})^n (c + dx)}{f^2g^2n^2 \log^2(F)} + \frac{b(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)}
 \end{aligned}$$

Mathematica [A] time = 0.166963, size = 91, normalized size = 0.79

$$ac^2x + acdx^2 + \frac{1}{3}ad^2x^3 + \frac{b(F^{g(e+fx)})^n (f^2g^2n^2 \log^2(F)(c + dx)^2 - 2dfgn \log(F)(c + dx) + 2d^2)}{f^3g^3n^3 \log^3(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n*(c + d*x)^2,x]

[Out] a*c^2*x + a*c*d*x^2 + (a*d^2*x^3)/3 + (b*(F^(g*(e + f*x))))^n*(2*d^2 - 2*d*f*g*n*(c + d*x)*Log[F] + f^2*g^2*n^2*(c + d*x)^2*Log[F]^2)/(f^3*g^3*n^3*Log[F]^3)

Maple [A] time = 0.029, size = 199, normalized size = 1.7

$$c^2ax + acdx^2 + \frac{be^{n \ln(e^{g(fx+e)} \ln(F))} c^2}{ngf \ln(F)} - 2 \frac{be^{n \ln(e^{g(fx+e)} \ln(F))} cd}{(\ln(F))^2 f^2g^2n^2} + 2 \frac{be^{n \ln(e^{g(fx+e)} \ln(F))} d^2}{(\ln(F))^3 f^3g^3n^3} + \frac{bd^2x^2e^{n \ln(e^{g(fx+e)} \ln(F))}}{ngf \ln(F)} + \frac{ad^2x^3}{3} + 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)*(d*x+c)^2,x)`

[Out] $c^2*a*x+a*c*d*x^2+b/\ln(F)/f/g/n*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))*c^2-2*b/\ln(F)^2/f^2/g^2/n^2*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))*c*d+2*b/\ln(F)^3/f^3/g^3/n^3*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))*d^2+1/n/g/f/\ln(F)*b*d^2*x^2*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))+1/3*a*d^2*x^3+2*b*d*(\ln(F)*c*f*g*n-d)/\ln(F)^2/f^2/g^2/n^2*x*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)*(d*x+c)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 1.79352, size = 360, normalized size = 3.13

$$\frac{(ad^2f^3g^3n^3x^3 + 3acd f^3g^3n^3x^2 + 3ac^2f^3g^3n^3x)\log(F)^3 + 3(2bd^2 + (bd^2f^2g^2n^2x^2 + 2bcd f^2g^2n^2x + bc^2f^2g^2n^2)\log(F))}{3f^3g^3n^3\log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)*(d*x+c)^2,x, algorithm="fricas")`

[Out] $1/3*((a*d^2*f^3*g^3*n^3*x^3 + 3*a*c*d*f^3*g^3*n^3*x^2 + 3*a*c^2*f^3*g^3*n^3*x)*\log(F)^3 + 3*(2*b*d^2 + (b*d^2*f^2*g^2*n^2*x^2 + 2*b*c*d*f^2*g^2*n^2*x + b*c^2*f^2*g^2*n^2)*\log(F)^2 - 2*(b*d^2*f*g*n*x + b*c*d*f*g*n)*\log(F))*F^(f*g*n*x + e*g*n))/(f^3*g^3*n^3*\log(F)^3)$

Sympy [A] time = 0.212459, size = 196, normalized size = 1.7

$$ac^2x + acdx^2 + \frac{ad^2x^3}{3} + \left\{ \frac{(bc^2f^2g^2n^2 \log(F)^2 + 2bcd f^2g^2n^2x \log(F)^2 - 2bcd fgn \log(F) + bd^2f^2g^2n^2x^2 \log(F)^2 - 2bd^2fgnx \log(F) + 2bd^2) \left(F^{g(e+fx)} \right)^n}{f^3g^3n^3 \log(F)^3} \right. \\ \left. bc^2x + bcdx^2 + \frac{bd^2x^3}{3} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)*(d*x+c)**2,x)

[Out] a*c**2*x + a*c*d*x**2 + a*d**2*x**3/3 + Piecewise(((b*c**2*f**2*g**2*n**2*log(F)**2 + 2*b*c*d*f**2*g**2*n**2*x*log(F)**2 - 2*b*c*d*f*g*n*log(F) + b*d**2*f**2*g**2*n**2*x**2*log(F)**2 - 2*b*d**2*f*g*n*x*log(F) + 2*b*d**2)*(F**(g*(e + f*x))))**n/(f**3*g**3*n**3*log(F)**3), Ne(f**3*g**3*n**3*log(F)**3, 0)), (b*c**2*x + b*c*d*x**2 + b*d**2*x**3/3, True))

Giac [C] time = 1.33238, size = 3680, normalized size = 32.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^2,x, algorithm="giac")

[Out] 1/3*a*d^2*x^3 + a*c*d*x^2 + a*c^2*x - ((2*(pi*b*d^2*f^2*g^2*n^2*x^2*log(abs(F))*sgn(F) - pi*b*d^2*f^2*g^2*n^2*x^2*log(abs(F)) + 2*pi*b*c*d*f^2*g^2*n^2*x*log(abs(F))*sgn(F) - 2*pi*b*c*d*f^2*g^2*n^2*x*log(abs(F)) + pi*b*c^2*f^2*g^2*n^2*log(abs(F))*sgn(F) - pi*b*c^2*f^2*g^2*n^2*log(abs(F)) - pi*b*d^2*f*g*n*x*sgn(F) + pi*b*d^2*f*g*n*x - pi*b*c*d*f*g*n*sgn(F) + pi*b*c*d*f*g*n)*(pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(F))^2)/(pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(F))^2)^2 + (3*pi^2*f^3*g^3*n^3*log(abs(F))*sgn(F) - 3*pi^2*f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)^2) - (pi^2*b*d^2*f^2*g^2*n^2*x^2*sgn(F) - pi^2*b*d^2*f^2*g^2*n^2*x^2 + 2*b*d^2*f^2*g^2*n^2*x^2*log(abs(F))^2 + 2*pi^2*b*c*d*f^2*g^2*n^2*x*sgn(F) - 2*pi^2*b*c*d*f^2*g^2*n^2*x + 4*b*c*d*f^2*g^2*n^2*x*log(abs(F))^2 + pi^2*b*c^2*f^2*g^2*n^2*sgn(F) - pi^2*b*c^2*f^2*g^2*n^2 + 2*b*c^2*f^2*g^2*n^2*log(abs(F))^2 - 4*b*d^2*f*g*n*x*log(abs(F)) - 4*b*c*d*f*g*n*log(abs(F)) + 4*b*d^2)*(3*pi^2*f^3*g^3*n^3*log(abs(F))*sgn(F) - 3*pi^2*f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)/((pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(F))^2)

$$\begin{aligned}
& 3n^3 + 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 + (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \\
& * \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3)^2 \\
& * \cos(-1/2\pi f g n x \text{sgn}(F) + 1/2\pi f g n x - 1/2\pi g n e \text{sgn}(F) + 1/2\pi \\
& * g n e) - ((\pi^2 b d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) - \pi^2 b d^2 f^2 g^2 n^2 x^2 \\
& + 2b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F))^2 + 2\pi^2 b c d f^2 g^2 n^2 x \text{sgn}(F) \\
& - 2\pi^2 b c d f^2 g^2 n^2 x + 4b c d f^2 g^2 n^2 x \log(\text{abs}(F))^2 + \pi^2 b \\
& c^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 b c^2 f^2 g^2 n^2 + 2b c^2 f^2 g^2 n^2 \log \\
& (\text{abs}(F))^2 - 4b d^2 f g n x \log(\text{abs}(F)) - 4b c d f g n \log(\text{abs}(F)) + 4b \\
& d^2) * (\pi^3 f^3 g^3 n^3 \text{sgn}(F) - 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^3 \\
& f^3 g^3 n^3 + 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2) / ((\pi^3 f^3 g^3 n^3 \text{sgn}(F) - \\
& 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi f^3 g^3 n^3 \\
& \log(\text{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) * \text{sgn}(F) - 3\pi^2 f^3 g^3 \\
& n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3)^2 + 2 * (\pi b d^2 f^2 g^2 n^2 \\
& x^2 \log(\text{abs}(F)) * \text{sgn}(F) - \pi b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 2\pi b c \\
& * d f^2 g^2 n^2 x \log(\text{abs}(F)) * \text{sgn}(F) - 2\pi b c d f^2 g^2 n^2 x \log(\text{abs}(F)) \\
& + \pi b c^2 f^2 g^2 n^2 \log(\text{abs}(F)) * \text{sgn}(F) - \pi b c^2 f^2 g^2 n^2 \log(\text{abs}(F)) \\
&) - \pi b d^2 f g n x \text{sgn}(F) + \pi b d^2 f g n x - \pi b c d f g n \text{sgn}(F) + \pi \\
& * b c d f g n) * (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) * \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log \\
& (\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3) / ((\pi^3 f^3 g^3 n^3 \text{sgn}(F) - 3\pi f^3 \\
& g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi f^3 g^3 n^3 \log \\
& (\text{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) * \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \\
& \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3)^2) * \sin(-1/2\pi f g n x \text{sgn}(F) + \\
& 1/2\pi f g n x - 1/2\pi g n e \text{sgn}(F) + 1/2\pi g n e) * e^{(f g n x \log(\text{abs}(F)) \\
&) + g n e \log(\text{abs}(F))) + 1/2 I * ((4 I \pi^2 b d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) - 8 \\
& * \pi b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) * \text{sgn}(F) - 4 I \pi^2 b d^2 f^2 g^2 n^2 x \\
& ^2 + 8 \pi b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 8 I b d^2 f^2 g^2 n^2 x^2 \log \\
& (\text{abs}(F))^2 + 8 I \pi^2 b c d f^2 g^2 n^2 x \text{sgn}(F) - 16 \pi b c d f^2 g^2 n^2 \\
& x \log(\text{abs}(F)) * \text{sgn}(F) - 8 I \pi^2 b c d f^2 g^2 n^2 x + 16 \pi b c d f^2 g^2 n^2 \\
& x \log(\text{abs}(F)) + 16 I b c d f^2 g^2 n^2 x \log(\text{abs}(F))^2 + 4 I \pi^2 b c^2 f^2 \\
& g^2 n^2 \text{sgn}(F) - 8 \pi b c^2 f^2 g^2 n^2 \log(\text{abs}(F)) * \text{sgn}(F) - 4 I \pi^2 b \\
& c^2 f^2 g^2 n^2 + 8 \pi b c^2 f^2 g^2 n^2 \log(\text{abs}(F)) + 8 I b c^2 f^2 g^2 n^2 \\
& \log(\text{abs}(F))^2 + 8 \pi b d^2 f g n x \text{sgn}(F) - 8 \pi b d^2 f g n x - 16 I b \\
& d^2 f g n x \log(\text{abs}(F)) + 8 \pi b c d f g n \text{sgn}(F) - 8 \pi b c d f g n - 16 I \\
& * b c d f g n \log(\text{abs}(F)) + 16 I b d^2) * e^{(1/2 I \pi f g n x \text{sgn}(F) - 1/2 I \pi \\
& f g n x + 1/2 I \pi g n e \text{sgn}(F) - 1/2 I \pi g n e) / (-4 I \pi^3 f^3 g^3 n^3 \\
& \text{sgn}(F) + 12 \pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) * \text{sgn}(F) + 12 I \pi f^3 g^3 n^3 \log(a \\
& bs(F))^2 \text{sgn}(F) + 4 I \pi^3 f^3 g^3 n^3 - 12 \pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) - \\
& 12 I \pi f^3 g^3 n^3 \log(\text{abs}(F))^2 + 8 f^3 g^3 n^3 \log(\text{abs}(F))^3) - (4 I \pi^2 \\
& b d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) + 8 \pi b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) * \text{sgn} \\
& (F) - 4 I \pi^2 b d^2 f^2 g^2 n^2 x^2 - 8 \pi b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \\
&) + 8 I b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F))^2 + 8 I \pi^2 b c d f^2 g^2 n^2 x \\
& * \text{sgn}(F) + 16 \pi b c d f^2 g^2 n^2 x \log(\text{abs}(F)) * \text{sgn}(F) - 8 I \pi^2 b c d f^2 \\
& g^2 n^2 x - 16 \pi b c d f^2 g^2 n^2 x \log(\text{abs}(F)) + 16 I b c d f^2 g^2 n^2 \\
& x \log(\text{abs}(F))^2 + 4 I \pi^2 b c^2 f^2 g^2 n^2 \text{sgn}(F) + 8 \pi b c^2 f^2 g^2 n^2 \\
& \log(\text{abs}(F)) * \text{sgn}(F) - 4 I \pi^2 b c^2 f^2 g^2 n^2 - 8 \pi b c^2 f^2 g^2 n^2
\end{aligned}$$

$$\begin{aligned}
& * \log(\text{abs}(F)) + 8I*b*c^2*f^2*g^2*n^2*\log(\text{abs}(F))^2 - 8*pi*b*d^2*f*g*n*x*sgn \\
& (F) + 8*pi*b*d^2*f*g*n*x - 16I*b*d^2*f*g*n*x*\log(\text{abs}(F)) - 8*pi*b*c*d*f*g* \\
& n*sgn(F) + 8*pi*b*c*d*f*g*n - 16I*b*c*d*f*g*n*\log(\text{abs}(F)) + 16I*b*d^2)*e^ \\
& (-1/2*I*pi*f*g*n*x*sgn(F) + 1/2*I*pi*f*g*n*x - 1/2*I*pi*g*n*e*sgn(F) + 1/2* \\
& I*pi*g*n*e)/(4*I*pi^3*f^3*g^3*n^3*sgn(F) + 12*pi^2*f^3*g^3*n^3*\log(\text{abs}(F))* \\
& sgn(F) - 12I*pi*f^3*g^3*n^3*\log(\text{abs}(F))^2*sgn(F) - 4I*pi^3*f^3*g^3*n^3 - \\
& 12*pi^2*f^3*g^3*n^3*\log(\text{abs}(F)) + 12I*pi*f^3*g^3*n^3*\log(\text{abs}(F))^2 + 8*f^3 \\
& *g^3*n^3*\log(\text{abs}(F))^3)*e^{(f*g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))}
\end{aligned}$$

$$3.27 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx) dx$$

Optimal. Leaf size=77

$$\frac{a(c+dx)^2}{2d} + \frac{b(c+dx)(F^{eg+fgx})^n}{fgn \log(F)} - \frac{bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)}$$

[Out] (a*(c + d*x)^2)/(2*d) - (b*d*(F^(e*g + f*g*x))^n)/(f^2*g^2*n^2*Log[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x))/(f*g*n*Log[F])

Rubi [A] time = 0.07627, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2183, 2176, 2194}

$$\frac{a(c+dx)^2}{2d} + \frac{b(c+dx)(F^{eg+fgx})^n}{fgn \log(F)} - \frac{bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]*(c + d*x), x]

[Out] (a*(c + d*x)^2)/(2*d) - (b*d*(F^(e*g + f*g*x))^n)/(f^2*g^2*n^2*Log[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x))/(f*g*n*Log[F])

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x))))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2176

Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[((c + d*x)^m*(b*(F^(g*(e + f*x))))^n)/(f*g*n*Log[F]), x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m-1)*(b*(F^(g*(e + f*x))))^n], x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !\$UseGamma == True

Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.), x_Symbol] := Simp[(F^(c*(a +
b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned}
 \int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx) dx &= \int \left(a(c + dx) + b \left(F^{eg+fgx} \right)^n (c + dx) \right) dx \\
 &= \frac{a(c + dx)^2}{2d} + b \int \left(F^{eg+fgx} \right)^n (c + dx) dx \\
 &= \frac{a(c + dx)^2}{2d} + \frac{b \left(F^{eg+fgx} \right)^n (c + dx)}{fgn \log(F)} - \frac{(bd) \int \left(F^{eg+fgx} \right)^n dx}{fgn \log(F)} \\
 &= \frac{a(c + dx)^2}{2d} - \frac{bd \left(F^{eg+fgx} \right)^n}{f^2 g^2 n^2 \log^2(F)} + \frac{b \left(F^{eg+fgx} \right)^n (c + dx)}{fgn \log(F)}
 \end{aligned}$$

Mathematica [A] time = 0.161687, size = 73, normalized size = 0.95

$$\frac{1}{2}ax(2c + dx) + \frac{b(c + dx) \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} - \frac{bd \left(F^{g(e+fx)} \right)^n}{f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x))))^n*(c + d*x), x]
```

```
[Out] (a*x*(2*c + d*x))/2 - (b*d*(F^(g*(e + f*x))))^n/(f^2*g^2*n^2*Log[F]^2) + (b
*(F^(g*(e + f*x))))^n*(c + d*x)/(f*g*n*Log[F])
```

Maple [A] time = 0.02, size = 105, normalized size = 1.4

$$acx + \frac{be^{n \ln(e^{g(fx+e)} \ln(F))} c}{ngf \ln(F)} - \frac{be^{n \ln(e^{g(fx+e)} \ln(F))} d}{(\ln(F))^2 f^2 g^2 n^2} + \frac{bdxe^{n \ln(e^{g(fx+e)} \ln(F))}}{ngf \ln(F)} + \frac{adx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*(F^(g*(f*x+e))))^n*(d*x+c), x)
```

```
[Out] a*c*x+b/n/g/f/ln(F)*exp(n*ln(exp(g*(f*x+e)*ln(F))))*c-b/n^2/g^2/f^2/ln(F)^2
*exp(n*ln(exp(g*(f*x+e)*ln(F))))*d+1/n/g/f/ln(F)*b*d*x*exp(n*ln(exp(g*(f*x+
```


e)*ln(F))))+1/2*a*d*x^2

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)*(d*x+c),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.80532, size = 200, normalized size = 2.6

$$\frac{(adf^2g^2n^2x^2 + 2acf^2g^2n^2x)\log(F)^2 - 2(bd - (bdfgnx + bcfgn)\log(F))Ffgnx+egn}{2f^2g^2n^2\log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)*(d*x+c),x, algorithm="fricas")

[Out] 1/2*((a*d*f^2*g^2*n^2*x^2 + 2*a*c*f^2*g^2*n^2*x)*log(F)^2 - 2*(b*d - (b*d*f*g*n*x + b*c*f*g*n)*log(F))*F^(f*g*n*x + e*g*n))/(f^2*g^2*n^2*log(F)^2)

Sympy [A] time = 0.461776, size = 94, normalized size = 1.22

$$acx + \frac{adx^2}{2} + \begin{cases} \frac{(bcfgn\log(F)+bdfgnx\log(F)-bd)\left(F^{g(e+fx)}\right)^n}{f^2g^2n^2\log(F)^2} & \text{for } f^2g^2n^2\log(F)^2 \neq 0 \\ bcx + \frac{bdx^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)*(d*x+c),x)

[Out] a*c*x + a*d*x**2/2 + Piecewise(((b*c*f*g*n*log(F) + b*d*f*g*n*x*log(F) - b*d)*(F**(g*(e + f*x))))**n/(f**2*g**2*n**2*log(F)**2), Ne(f**2*g**2*n**2*log(

$F^{**2}, 0)), (b*c*x + b*d*x**2/2, True))$

Giac [C] time = 1.54084, size = 1508, normalized size = 19.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)*(d*x+c),x, algorithm="giac")

[Out] $\frac{1}{2}a*d*x^2 + a*c*x + (2*((\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))*(\pi*b*d*f*g*n*x*\text{sgn}(F) - \pi*b*d*f*g*n*x + \pi*b*c*f*g*n*\text{sgn}(F) - \pi*b*c*f*g*n))/((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2) + (\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)*(b*d*f*g*n*x*\log(\text{abs}(F)) + b*c*f*g*n*\log(\text{abs}(F)) - b*d))/((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2))*\cos(-1/2*\pi*f*g*n*x*\text{sgn}(F) + 1/2*\pi*f*g*n*x - 1/2*\pi*g*n*e*\text{sgn}(F) + 1/2*\pi*g*n*e) + ((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)*(\pi*b*d*f*g*n*x*\text{sgn}(F) - \pi*b*d*f*g*n*x + \pi*b*c*f*g*n*\text{sgn}(F) - \pi*b*c*f*g*n))/((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2) - 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))*(b*d*f*g*n*x*\log(\text{abs}(F)) + b*c*f*g*n*\log(\text{abs}(F)) - b*d))/((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2))*\sin(-1/2*\pi*f*g*n*x*\text{sgn}(F) + 1/2*\pi*f*g*n*x - 1/2*\pi*g*n*e*\text{sgn}(F) + 1/2*\pi*g*n*e))*e^{(f*g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))} - 1/2*I*((2*\pi*b*d*f*g*n*x*\text{sgn}(F) - 2*\pi*b*d*f*g*n*x - 4*I*b*d*f*g*n*x*\log(\text{abs}(F)) + 2*\pi*b*c*f*g*n*\text{sgn}(F) - 2*\pi*b*c*f*g*n - 4*I*b*c*f*g*n*\log(\text{abs}(F)) + 4*I*b*d)*e^{(1/2*I*\pi*f*g*n*x*\text{sgn}(F) - 1/2*I*\pi*f*g*n*x + 1/2*I*\pi*g*n*e*\text{sgn}(F) - 1/2*I*\pi*g*n*e)/(2*\pi^2*f^2*g^2*n^2*\text{sgn}(F) + 4*I*\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - 2*\pi^2*f^2*g^2*n^2 - 4*I*\pi*f^2*g^2*n^2*\log(\text{abs}(F)) + 4*f^2*g^2*n^2*\log(\text{abs}(F))^2) + (2*\pi*b*d*f*g*n*x*\text{sgn}(F) - 2*\pi*b*d*f*g*n*x + 4*I*b*d*f*g*n*x*\log(\text{abs}(F)) + 2*\pi*b*c*f*g*n*\text{sgn}(F) - 2*\pi*b*c*f*g*n + 4*I*b*c*f*g*n*\log(\text{abs}(F)) - 4*I*b*d)*e^{(-1/2*I*\pi*f*g*n*x*\text{sgn}(F) + 1/2*I*\pi*f*g*n*x - 1/2*I*\pi*g*n*e*\text{sgn}(F) + 1/2*I*\pi*g*n*e)/(2*\pi^2*f^2*g^2*n^2*\text{sgn}(F) - 4*I*\pi*f^2*g^2*n^2*\log(\text{abs}(F)))*\text{sgn}(F) - 2*\pi^2*f^2*g^2*n^2 + 4*I*\pi*f^2*g^2*n^2*\log(\text{abs}(F)) + 4*f^2*g^2*n^2*\log(\text{abs}(F))^2))*e^{(f*g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))}$

$$3.28 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right) dx$$

Optimal. Leaf size=30

$$ax + \frac{b \left(F^{g(e+fx)} \right)^n}{fgn \log(F)}$$

[Out] a*x + (b*(F^(g*(e + f*x))))^n/(f*g*n*Log[F])

Rubi [A] time = 0.0158124, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2194}

$$ax + \frac{b \left(F^{g(e+fx)} \right)^n}{fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[a + b*(F^(g*(e + f*x))))^n,x]

[Out] a*x + (b*(F^(g*(e + f*x))))^n/(f*g*n*Log[F])

Rule 2194

Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] :> Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int \left(a + b \left(F^{g(e+fx)} \right)^n \right) dx &= ax + b \int \left(F^{g(e+fx)} \right)^n dx \\ &= ax + \frac{b \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} \end{aligned}$$

Mathematica [A] time = 0.0254274, size = 30, normalized size = 1.

$$ax + \frac{b \left(F^{g(e+fx)} \right)^n}{fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[a + b*(F^(g*(e + f*x)))^n,x]

[Out] a*x + (b*(F^(g*(e + f*x)))^n)/(f*g*n*Log[F])

Maple [A] time = 0.001, size = 31, normalized size = 1.

$$ax + \frac{b \left(F^{g(fx+e)} \right)^n}{ngf \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b*(F^(g*(f*x+e)))^n,x)

[Out] a*x+b*(F^(g*(f*x+e)))^n/f/g/n/ln(F)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*(F^(g*(f*x+e)))^n,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.64144, size = 80, normalized size = 2.67

$$\frac{afgnx \log(F) + F^{fgnx+egn}b}{fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*(F^(g*(f*x+e)))^n,x, algorithm="fricas")

[Out] $(a*f*g*n*x*\log(F) + F^{(f*g*n*x + e*g*n)*b})/(f*g*n*\log(F))$

Sympy [A] time = 0.267345, size = 32, normalized size = 1.07

$$ax + \begin{cases} \frac{b(F^{g(e+fx)})^n}{fgn \log(F)} & \text{for } fgn \log(F) \neq 0 \\ bx & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*(F**(g*(f*x+e)))**n,x)`

[Out] `a*x + Piecewise((b*(F**(g*(e + f*x)))**n/(f*g*n*log(F)), Ne(f*g*n*log(F), 0)), (b*x, True))`

Giac [A] time = 1.24996, size = 43, normalized size = 1.43

$$ax + \frac{F^{gnx+gne}b}{fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*(F^(g*(f*x+e)))^n,x, algorithm="giac")`

[Out] `a*x + F^(f*g*n*x + g*n*e)*b/(f*g*n*log(F))`

$$3.29 \quad \int \frac{a+b(F^g(e+fx))^n}{c+dx} dx$$

Optimal. Leaf size=68

$$\frac{a \log(c+dx)}{d} + \frac{b(F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \text{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d}$$

[Out] (b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/d + (a*Log[c + d*x])/d

Rubi [A] time = 0.1342, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {2183, 2182, 2178}

$$\frac{a \log(c+dx)}{d} + \frac{b(F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \text{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)/(c + d*x), x]

[Out] (b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/d + (a*Log[c + d*x])/d

Rule 2183

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2182

Int[(b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

Rule 2178

```
Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))/((c_.) + (d_.)*(x_)), x_Symbol] := Si
mp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; F
reeQ[{F, c, d, e, f, g}, x] && !$UseGamma === True
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \left(F^{g(e+fx)} \right)^n}{c + dx} dx &= \int \left(\frac{a}{c + dx} + \frac{b \left(F^{eg+fgx} \right)^n}{c + dx} \right) dx \\
 &= \frac{a \log(c + dx)}{d} + b \int \frac{\left(F^{eg+fgx} \right)^n}{c + dx} dx \\
 &= \frac{a \log(c + dx)}{d} + \left(b F^{-n(eg+fgx)} \left(F^{eg+fgx} \right)^n \right) \int \frac{F^{n(eg+fgx)}}{c + dx} dx \\
 &= \frac{b F^{\left(e - \frac{cf}{d} \right) gn - gn(e+fx)} \left(F^{eg+fgx} \right)^n \operatorname{Ei} \left(\frac{fgn(c+dx) \log(F)}{d} \right)}{d} + \frac{a \log(c + dx)}{d}
 \end{aligned}$$

Mathematica [A] time = 0.143331, size = 56, normalized size = 0.82

$$\frac{a \log(c + dx) + b \left(F^{g(e+fx)} \right)^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei} \left(\frac{fgn(c+dx) \log(F)}{d} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)/(c + d*x), x]

[Out] ((b*(F^(g*(e + f*x)))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/F^((f*g*n*(c + d*x))/d) + a*Log[c + d*x])/d

Maple [F] time = 0.046, size = 0, normalized size = 0.

$$\int \frac{a + b \left(F^{g(fx+e)} \right)^n}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c), x)

[Out] `int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^n b \int \frac{(F^{fgx})^n}{dx+c} dx + \frac{a \log(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="maxima")`

[Out] `(F^(e*g))^n*b*integrate((F^(f*g*x))^n/(d*x+c),x) + a*log(d*x+c)/d`

Fricas [A] time = 1.57428, size = 109, normalized size = 1.6

$$\frac{F^{\frac{(de-cf)gn}{d}} b \operatorname{Ei}\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right) + a \log(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="fricas")`

[Out] `(F^((d*e-c*f)*g*n/d)*b*Ei((d*f*g*n*x+c*f*g*n)*log(F)/d) + a*log(d*x+c))/d`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b(F^{eg}F^{fgx})^n}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e))))**n)/(d*x+c),x)`

[Out] `Integral((a + b*(F**(e*g)*F**(f*g*x))))**n/(c + d*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(F^{(fx+e)g}\right)^n b + a}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)/(d*x + c), x)

$$3.30 \quad \int \frac{a+b(F^{g(e+fx)})^n}{(c+dx)^2} dx$$

Optimal. Leaf size=100

$$-\frac{a}{d(c+dx)} + \frac{bfgn \log(F) (F^{eg+fgx})^n F^{gn\left(\frac{e-cf}{d}\right)-gn(e+fx)} \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right)}{d^2} - \frac{b(F^{eg+fgx})^n}{d(c+dx)}$$

[Out] $-(a/(d*(c + d*x))) - (b*(F^{(e*g + f*g*x)})^n)/(d*(c + d*x)) + (b*f*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^{(e*g + f*g*x)})^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2$

Rubi [A] time = 0.17428, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2183, 2177, 2182, 2178}

$$-\frac{a}{d(c+dx)} + \frac{bfgn \log(F) (F^{eg+fgx})^n F^{gn\left(\frac{e-cf}{d}\right)-gn(e+fx)} \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right)}{d^2} - \frac{b(F^{eg+fgx})^n}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]/(c + d*x)^2, x]

[Out] $-(a/(d*(c + d*x))) - (b*(F^{(e*g + f*g*x)})^n)/(d*(c + d*x)) + (b*f*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^{(e*g + f*g*x)})^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2$

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2177

Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*F^(g*(e + f*x)))^n)/(d*(m + 1)), x] - Dist[(f*g*n*Log[F])/d, Int[(c + d*x)^(m + 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && Int

egerQ[2*m] && !\$UseGamma === True

Rule 2182

Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

Rule 2178

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma === True

Rubi steps

$$\begin{aligned}
 \int \frac{a + b(F^{g(e+fx)})^n}{(c+dx)^2} dx &= \int \left(\frac{a}{(c+dx)^2} + \frac{b(F^{eg+fgx})^n}{(c+dx)^2} \right) dx \\
 &= -\frac{a}{d(c+dx)} + b \int \frac{(F^{eg+fgx})^n}{(c+dx)^2} dx \\
 &= -\frac{a}{d(c+dx)} - \frac{b(F^{eg+fgx})^n}{d(c+dx)} + \frac{(bfgn \log(F)) \int \frac{(F^{eg+fgx})^n}{c+dx} dx}{d} \\
 &= -\frac{a}{d(c+dx)} - \frac{b(F^{eg+fgx})^n}{d(c+dx)} + \frac{(bfF^{-n(eg+fgx)}(F^{eg+fgx})^n gn \log(F)) \int \frac{F^{n(eg+fgx)}}{c+dx} dx}{d} \\
 &= -\frac{a}{d(c+dx)} - \frac{b(F^{eg+fgx})^n}{d(c+dx)} + \frac{bfF^{\left(\frac{e-cf}{d}\right)gn-gn(e+fx)}(F^{eg+fgx})^n gn \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) \log(F)}{d^2}
 \end{aligned}$$

Mathematica [A] time = 0.27426, size = 78, normalized size = 0.78

$$\frac{bfgn \log(F) (F^{g(e+fx)})^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) - \frac{d(a+b(F^{g(e+fx)})^n)}{c+dx}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)/(c + d*x)^2,x]

[Out] $-\left(\frac{d \cdot (a + b \cdot (F^{g \cdot (e + f \cdot x)}))^n}{c + d \cdot x}\right) + (b \cdot f \cdot (F^{g \cdot (e + f \cdot x)}))^n \cdot g \cdot \text{ExpIntegralEi}\left[\frac{(f \cdot g \cdot n \cdot (c + d \cdot x) \cdot \text{Log}[F])}{d} \cdot \text{Log}[F]\right] / F^{\left(\frac{f \cdot g \cdot n \cdot (c + d \cdot x)}{d}\right)} / d^2$

Maple [F] time = 0.05, size = 0, normalized size = 0.

$$\int \frac{a + b \left(F^{g(fx+e)} \right)^n}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x)`

[Out] `int((a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^n b \int \frac{(F^{fgx})^n}{d^2 x^2 + 2cdx + c^2} dx - \frac{a}{d^2 x + cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x, algorithm="maxima")`

[Out] $(F^{(e \cdot g)})^n \cdot b \cdot \text{integrate}\left(\frac{(F^{(f \cdot g \cdot x)})^n}{(d^2 \cdot x^2 + 2 \cdot c \cdot d \cdot x + c^2)}, x\right) - \frac{a}{(d^2 \cdot x + c \cdot d)}$

Fricas [A] time = 1.58763, size = 190, normalized size = 1.9

$$\frac{(bdfgnx + bcfgn) F^{\frac{(de-cf)gn}{d}} \text{Ei}\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right) \log(F) - F^{fgnx+egn}bd - ad}{d^3x + cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x, algorithm="fricas")`

[Out] $((b*d*f*g*n*x + b*c*f*g*n)*F^{((d*e - c*f)*g*n/d)*Ei((d*f*g*n*x + c*f*g*n)*\log(F)/d)*\log(F) - F^{(f*g*n*x + e*g*n)*b*d - a*d})/(d^3*x + c*d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b(F^{eg}F^{fgx})^n}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e)))**n)/(d*x+c)**2,x)`

[Out] `Integral((a + b*(F**(e*g)*F**(f*g*x))**n)/(c + d*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(F^{(fx+e)g})^n b + a}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x, algorithm="giac")`

[Out] `integrate(((F^((f*x + e)*g))^n*b + a)/(d*x + c)^2, x)`

$$3.31 \quad \int \frac{a+b(F^{g(e+fx)})^n}{(c+dx)^3} dx$$

Optimal. Leaf size=147

$$-\frac{a}{2d(c+dx)^2} + \frac{bf^2g^2n^2 \log^2(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right)}{2d^3} - \frac{bfgn \log(F) (F^{eg+fgx})^n}{2d^2(c+dx)} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2}$$

[Out] $-a/(2*d*(c + d*x)^2) - (b*(F^{(e*g + f*g*x)})^n)/(2*d*(c + d*x)^2) - (b*f*(F^{(e*g + f*g*x)})^n*g*n*Log[F])/(2*d^2*(c + d*x)) + (b*f^2*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^{(e*g + f*g*x)})^n*g^2*n^2*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2)/(2*d^3)$

Rubi [A] time = 0.239608, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2183, 2177, 2182, 2178}

$$-\frac{a}{2d(c+dx)^2} + \frac{bf^2g^2n^2 \log^2(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right)}{2d^3} - \frac{bfgn \log(F) (F^{eg+fgx})^n}{2d^2(c+dx)} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*(F^{(g*(e + f*x))})^n)/(c + d*x)^3, x]$

[Out] $-a/(2*d*(c + d*x)^2) - (b*(F^{(e*g + f*g*x)})^n)/(2*d*(c + d*x)^2) - (b*f*(F^{(e*g + f*g*x)})^n*g*n*Log[F])/(2*d^2*(c + d*x)) + (b*f^2*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^{(e*g + f*g*x)})^n*g^2*n^2*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2)/(2*d^3)$

Rule 2183

$\operatorname{Int}[(a + b*(F^{(g*(e + f*x))})^n)/(c + d*x)^3, x] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d*x)^m, (a + b*(F^{(g*(e + f*x))})^n)^p, x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, m, n, x\} \&\& \operatorname{IGtQ}[p, 0]$

Rule 2177

$\operatorname{Int}[(b*(F^{(g*(e + f*x))})^n)/(c + d*x)^{m+1}, x] \rightarrow \operatorname{Simp}[(c + d*x)^{m+1}*(b*(F^{(g*(e + f*x))})^n)/(d*(m+1))]$

```
, x] - Dist[(f*g*n*Log[F])/(d*(m + 1)), Int[(c + d*x)^(m + 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && IntegerQ[2*m] && !UseGamma == True
```

Rule 2182

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

Rule 2178

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !UseGamma == True
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b(Fg^{e+fx})^n}{(c + dx)^3} dx &= \int \left(\frac{a}{(c + dx)^3} + \frac{b(F^{eg+fgx})^n}{(c + dx)^3} \right) dx \\
 &= -\frac{a}{2d(c + dx)^2} + b \int \frac{(F^{eg+fgx})^n}{(c + dx)^3} dx \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c + dx)^2} + \frac{(bfgn \log(F)) \int \frac{(F^{eg+fgx})^n}{(c+dx)^2} dx}{2d} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c + dx)^2} - \frac{bf(F^{eg+fgx})^n gn \log(F)}{2d^2(c + dx)} + \frac{(bf^2g^2n^2 \log^2(F)) \int \frac{(F^{eg+fgx})^n}{c+dx} dx}{2d^2} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c + dx)^2} - \frac{bf(F^{eg+fgx})^n gn \log(F)}{2d^2(c + dx)} + \frac{(bf^2F^{-n(eg+fgx)}(F^{eg+fgx})^n g^2n^2 \log^2(F)) \int \frac{(F^{eg+fgx})^n}{c+dx} dx}{2d^2} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c + dx)^2} - \frac{bf(F^{eg+fgx})^n gn \log(F)}{2d^2(c + dx)} + \frac{bf^2F^{(e-\frac{cf}{d})gn-gn(e+fx)}(F^{eg+fgx})^n g^2n^2}{2d^3}
 \end{aligned}$$

Mathematica [A] time = 0.327488, size = 111, normalized size = 0.76

$$\frac{ad^2 - bf^2g^2n^2 \log^2(F)(c + dx)^2 (Fg^{e+fx})^n F^{-\frac{fgn(c+dx)}{d}} \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right) + bd(Fg^{e+fx})^n (fgn \log(F)(c + dx) + d)}{2d^3(c + dx)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)/(c + d*x)^3, x]

[Out] $-(a*d^2 - (b*f^2*(F^{g*(e + f*x)})^n*g^2*n^2*(c + d*x)^2*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2)/F^{((f*g*n*(c + d*x))/d) + b*d*(F^{g*(e + f*x)})^n*(d + f*g*n*(c + d*x)*Log[F])})/(2*d^3*(c + d*x)^2)$

Maple [F] time = 0.026, size = 0, normalized size = 0.

$$\int \frac{a + b \left(F^{g(fx+e)} \right)^n}{(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3, x)

[Out] int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3, x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^n b \int \frac{(F^{fgx})^n}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3} dx - \frac{a}{2(d^3 x^2 + 2cd^2 x + c^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3, x, algorithm="maxima")

[Out] $(F^{e*g})^n * b * integrate((F^{f*g*x})^n / (d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) - 1/2*a / (d^3*x^2 + 2*c*d^2*x + c^2*d)$

Fricas [A] time = 1.58503, size = 338, normalized size = 2.3

$$\frac{(bd^2 f^2 g^2 n^2 x^2 + 2bcd f^2 g^2 n^2 x + bc^2 f^2 g^2 n^2) F^{\frac{(de-cf)gn}{d}} Ei\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right) \log(F)^2 - ad^2 - (bd^2 + (bd^2 fgnx + bcd fgn))}{2(d^5 x^2 + 2cd^4 x + c^2 d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] 1/2*((b*d^2*f^2*g^2*n^2*x^2 + 2*b*c*d*f^2*g^2*n^2*x + b*c^2*f^2*g^2*n^2)*F^
((d*e - c*f)*g*n/d)*Ei((d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2 - a*d^2 - (
b*d^2 + (b*d^2*f*g*n*x + b*c*d*f*g*n)*log(F))*F^(f*g*n*x + e*g*n))/(d^5*x^2
+ 2*c*d^4*x + c^2*d^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)/(d*x+c)**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(F^{(f*x+e)g}\right)^n b + a}{(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^3,x, algorithm="giac")
```

```
[Out] integrate(((F^((f*x + e)*g))^n*b + a)/(d*x + c)^3, x)
```

$$3.32 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 (c + dx)^3 dx$$

Optimal. Leaf size=322

$$\frac{a^2(c+dx)^4}{4d} + \frac{12abd^2(c+dx)(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{6abd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{2ab(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{12abd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} + \frac{3b^2d^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)}$$

[Out] (a^2*(c + d*x)^4)/(4*d) - (12*a*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*Log[F]^4) - (3*b^2*d^3*(F^(e*g + f*g*x))^(2*n))/(8*f^4*g^4*n^4*Log[F]^4) + (12*a*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*Log[F]^3) + (3*b^2*d^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(4*f^3*g^3*n^3*Log[F]^3) - (6*a*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*Log[F]^2) - (3*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(4*f^2*g^2*n^2*Log[F]^2) + (2*a*b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*Log[F]) + (b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^3)/(2*f*g*n*Log[F])

Rubi [A] time = 0.486487, antiderivative size = 322, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2176, 2194}

$$\frac{a^2(c+dx)^4}{4d} + \frac{12abd^2(c+dx)(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{6abd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{2ab(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{12abd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} + \frac{3b^2d^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x)^3,x]

[Out] (a^2*(c + d*x)^4)/(4*d) - (12*a*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*Log[F]^4) - (3*b^2*d^3*(F^(e*g + f*g*x))^(2*n))/(8*f^4*g^4*n^4*Log[F]^4) + (12*a*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*Log[F]^3) + (3*b^2*d^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(4*f^3*g^3*n^3*Log[F]^3) - (6*a*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*Log[F]^2) - (3*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(4*f^2*g^2*n^2*Log[F]^2) + (2*a*b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*Log[F]) + (b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^3)/(2*f*g*n*Log[F])

Rule 2183

Int[((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_))))^(n_)]^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F

$(g*(e + f*x))^n)^p, x], x] /; \text{FreeQ}[\{F, a, b, c, d, e, f, g, m, n\}, x] \&\& \text{IGtQ}[p, 0]$

Rule 2176

$\text{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_)))})^{(n_*)*((c_*) + (d_*)*(x_))}^{(m_*)}, x_Symbol] := \text{Simp}[(c + d*x)^m*(b*F^{(g*(e + f*x))^n})/(f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)}*(b*F^{(g*(e + f*x))^n}), x], x] /; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0] \&\& \text{IntegerQ}[2*m] \&\& !\$UseGamma == True$

Rule 2194

$\text{Int}[(F_*)^{((c_*)*((a_*) + (b_*)*(x_)))})^{(n_*)}, x_Symbol] := \text{Simp}[F^{(c*(a + b*x))}]/(b*c*n*\text{Log}[F]), x] /; \text{FreeQ}[\{F, a, b, c, n\}, x]$

Rubi steps

$$\begin{aligned} \int (a + b(F^{g(e+fx)})^n)^2 (c + dx)^3 dx &= \int (a^2(c + dx)^3 + 2ab(F^{eg+fgx})^n (c + dx)^3 + b^2(F^{eg+fgx})^{2n} (c + dx)^3) dx \\ &= \frac{a^2(c + dx)^4}{4d} + (2ab) \int (F^{eg+fgx})^n (c + dx)^3 dx + b^2 \int (F^{eg+fgx})^{2n} (c + dx)^3 dx \\ &= \frac{a^2(c + dx)^4}{4d} + \frac{2ab(F^{eg+fgx})^n (c + dx)^3}{fgn \log(F)} + \frac{b^2(F^{eg+fgx})^{2n} (c + dx)^3}{2fgn \log(F)} - \frac{(6abd) \int (F^{eg+fgx})^n (c + dx)^2 dx}{fgn \log(F)} \\ &= \frac{a^2(c + dx)^4}{4d} - \frac{6abd(F^{eg+fgx})^n (c + dx)^2}{f^2g^2n^2 \log^2(F)} - \frac{3b^2d(F^{eg+fgx})^{2n} (c + dx)^2}{4f^2g^2n^2 \log^2(F)} + \frac{2ab(F^{eg+fgx})^n (c + dx)^3}{fgn \log(F)} \\ &= \frac{a^2(c + dx)^4}{4d} + \frac{12abd^2(F^{eg+fgx})^n (c + dx)}{f^3g^3n^3 \log^3(F)} + \frac{3b^2d^2(F^{eg+fgx})^{2n} (c + dx)}{4f^3g^3n^3 \log^3(F)} - \frac{6abd(F^{eg+fgx})^n (c + dx)^2}{f^2g^2n^2 \log^2(F)} \\ &= \frac{a^2(c + dx)^4}{4d} - \frac{12abd^3(F^{eg+fgx})^n}{f^4g^4n^4 \log^4(F)} - \frac{3b^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4 \log^4(F)} + \frac{12abd^2(F^{eg+fgx})^n (c + dx)}{f^3g^3n^3 \log^3(F)} \end{aligned}$$

Mathematica [A] time = 0.545496, size = 239, normalized size = 0.74

$$\frac{3}{2}a^2c^2dx^2 + a^2c^3x + a^2cd^2x^3 + \frac{1}{4}a^2d^3x^4 + \frac{2ab(F^{g(e+fx)})^n (6d^2fgn \log(F)(c + dx) - 3df^2g^2n^2 \log^2(F)(c + dx)^2 + f^3g^3n^3 \log^3(F))}{f^4g^4n^4 \log^4(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^2*(c + d*x)^3,x]

[Out] $a^2c^3x + (3a^2c^2d^2x^2)/2 + a^2cd^2x^3 + (a^2d^3x^4)/4 + (2ab*(F^{g(e+fx)})^n*(-6d^3 + 6d^2fgn*(c+dx)*\text{Log}[F] - 3d^2f^2g^2n^2*(c+dx)^2*\text{Log}[F]^2 + f^3g^3n^3*(c+dx)^3*\text{Log}[F]^3))/(f^4g^4n^4*\text{Log}[F]^4) + (b^2*(F^{g(e+fx)})^{2n}*(-3d^3 + 6d^2fgn*(c+dx)*\text{Log}[F] - 6d^2f^2g^2n^2*(c+dx)^2*\text{Log}[F]^2 + 4f^3g^3n^3*(c+dx)^3*\text{Log}[F]^3))/(8f^4g^4n^4*\text{Log}[F]^4)$

Maple [F] time = 0.022, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^2 (dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^3,x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.56931, size = 999, normalized size = 3.1

$$2 \left(a^2 d^3 f^4 g^4 n^4 x^4 + 4 a^2 c d^2 f^4 g^4 n^4 x^3 + 6 a^2 c^2 d f^4 g^4 n^4 x^2 + 4 a^2 c^3 f^4 g^4 n^4 x \right) \log(F)^4 - \left(3 b^2 d^3 - 4 \left(b^2 d^3 f^3 g^3 n^3 x^3 + 3 b^2 c d^2 f^3 g^3 n^3 x^2 + 3 b^2 c^2 d f^3 g^3 n^3 x + 3 b^2 c^3 f^3 g^3 n^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] 1/8*(2*(a^2*d^3*f^4*g^4*n^4*x^4 + 4*a^2*c*d^2*f^4*g^4*n^4*x^3 + 6*a^2*c^2*d*f^4*g^4*n^4*x^2 + 4*a^2*c^3*f^4*g^4*n^4*x)*log(F)^4 - (3*b^2*d^3 - 4*(b^2*d^3*f^3*g^3*n^3*x^3 + 3*b^2*c*d^2*f^3*g^3*n^3*x^2 + 3*b^2*c^2*d*f^3*g^3*n^3*x + b^2*c^3*f^3*g^3*n^3)*log(F)^3 + 6*(b^2*d^3*f^2*g^2*n^2*x^2 + 2*b^2*c*d^2*f^2*g^2*n^2*x + b^2*c^2*d*f^2*g^2*n^2)*log(F)^2 - 6*(b^2*d^3*f*g*n*x + b^2*c*d^2*f*g*n)*log(F))*F^(2*f*g*n*x + 2*e*g*n) - 16*(6*a*b*d^3 - (a*b*d^3*f^3*g^3*n^3*x^3 + 3*a*b*c*d^2*f^3*g^3*n^3*x^2 + 3*a*b*c^2*d*f^3*g^3*n^3*x + a*b*c^3*f^3*g^3*n^3)*log(F)^3 + 3*(a*b*d^3*f^2*g^2*n^2*x^2 + 2*a*b*c*d^2*f^2*g^2*n^2*x + a*b*c^2*d*f^2*g^2*n^2)*log(F)^2 - 6*(a*b*d^3*f*g*n*x + a*b*c*d^2*f*g*n)*log(F))*F^(f*g*n*x + e*g*n))/(f^4*g^4*n^4*log(F)^4)
```

Sympy [A] time = 0.56303, size = 709, normalized size = 2.2

$$a^2c^3x + \frac{3a^2c^2dx^2}{2} + a^2cd^2x^3 + \frac{a^2d^3x^4}{4} + \left\{ \frac{(4b^2c^3f^7g^7n^7 \log(F)^7 + 12b^2c^2df^7g^7n^7 \log(F)^7 - 6b^2c^2df^6g^6n^6 \log(F)^6 + 12b^2cd^2f^7g^7n^7x^2 \log(F)^7 - 12b^2c^3f^7g^7n^7x \log(F)^7 - 6b^2c^2d^2f^6g^6n^6x \log(F)^6 + 12b^2c^2d^2f^6g^6n^6x^2 \log(F)^6 - 6b^2c^2d^2f^5g^5n^5 \log(F)^5 + 4b^2c^2d^3f^7g^7n^7x^3 \log(F)^7 - 6b^2c^2d^3f^6g^6n^6x^2 \log(F)^6 + 6b^2c^2d^3f^5g^5n^5x \log(F)^5 - 3b^2c^2d^3f^4g^4n^4 \log(F)^4) * (F^{2*f*g*n*x + 2*e*g*n}) + (16*a*b*c^3*f^7g^7n^7 \log(F)^7 + 48*a*b*c^2*d*f^7g^7n^7x \log(F)^7 - 48*a*b*c^2*d*f^6g^6n^6 \log(F)^6 + 48*a*b*c^2*d^2*f^7g^7n^7x^2 \log(F)^7 - 96*a*b*c^2*d^2*f^6g^6n^6x \log(F)^6 + 96*a*b*c^2*d^2*f^5g^5n^5 \log(F)^5 + 16*a*b*d^3*f^7g^7n^7x^3 \log(F)^7 - 48*a*b*d^3*f^6g^6n^6x^2 \log(F)^6 + 96*a*b*d^3*f^5g^5n^5x \log(F)^5 - 96*a*b*d^3*f^4g^4n^4 \log(F)^4) * (F^{f*g*n*x + e*g*n})}{(8*f^8g^8n^8 \log(F)^8)}, \text{Ne}(8*f^8g^8n^8 \log(F)^8, 0), (x^4*(a*b*d^3/2 + b^2*d^3/4) + x^3*(2*a*b*c*d^2 + b^2*c*d^2) + x^2*(3*a*b*c^2*d + 3*b^2*c^2*d/2) + x*(2*a*b*c^3 + b^2*c^3), \text{True})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2*(d*x+c)**3,x)
```

```
[Out] a**2*c**3*x + 3*a**2*c**2*d*x**2/2 + a**2*c*d**2*x**3 + a**2*d**3*x**4/4 + Piecewise((((4*b**2*c**3*f**7*g**7*n**7*log(F)**7 + 12*b**2*c**2*d*f**7*g**7*n**7*x*log(F)**7 - 6*b**2*c**2*d*f**6*g**6*n**6*log(F)**6 + 12*b**2*c*d**2*f**7*g**7*n**7*x**2*log(F)**7 - 12*b**2*c*d**2*f**6*g**6*n**6*x*log(F)**6 + 6*b**2*c*d**2*f**5*g**5*n**5*log(F)**5 + 4*b**2*d**3*f**7*g**7*n**7*x**3*log(F)**7 - 6*b**2*d**3*f**6*g**6*n**6*x**2*log(F)**6 + 6*b**2*d**3*f**5*g**5*n**5*x*log(F)**5 - 3*b**2*d**3*f**4*g**4*n**4*log(F)**4)*(F**(g*(e + f*x))**2*n) + (16*a*b*c**3*f**7*g**7*n**7*log(F)**7 + 48*a*b*c**2*d*f**7*g**7*n**7*x*log(F)**7 - 48*a*b*c**2*d*f**6*g**6*n**6*log(F)**6 + 48*a*b*c*d**2*f**7*g**7*n**7*x**2*log(F)**7 - 96*a*b*c*d**2*f**6*g**6*n**6*x*log(F)**6 + 96*a*b*c*d**2*f**5*g**5*n**5*log(F)**5 + 16*a*b*d**3*f**7*g**7*n**7*x**3*log(F)**7 - 48*a*b*d**3*f**6*g**6*n**6*x**2*log(F)**6 + 96*a*b*d**3*f**5*g**5*n**5*x*log(F)**5 - 96*a*b*d**3*f**4*g**4*n**4*log(F)**4)*(F**(g*(e + f*x))**n))/(8*f**8*g**8*n**8*log(F)**8), Ne(8*f**8*g**8*n**8*log(F)**8, 0), (x**4*(a*b*d**3/2 + b**2*d**3/4) + x**3*(2*a*b*c*d**2 + b**2*c*d**2) + x**2*(3*a*b*c**2*d + 3*b**2*c**2*d/2) + x*(2*a*b*c**3 + b**2*c**3), True))
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^3,x, algorithm="giac")`

[Out] Timed out

$$3.33 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 (c + dx)^2 dx$$

Optimal. Leaf size=239

$$\frac{a^2(c+dx)^3}{3d} - \frac{4abd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} + \frac{2ab(c+dx)^2(F^{eg+fgx})^n}{fgn \log(F)} + \frac{4abd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} - \frac{b^2d(c+dx)(F^{eg+fgx})^{2n}}{2f^2g^2n^2 \log^2(F)} + \frac{b^2(c+dx)^2}{2fgn \log(F)}$$

[Out] (a^2*(c + d*x)^3)/(3*d) + (4*a*b*d^2*(F^(e*g + f*g*x))^n)/(f^3*g^3*n^3*Log[F]^3) + (b^2*d^2*(F^(e*g + f*g*x))^(2*n))/(4*f^3*g^3*n^3*Log[F]^3) - (4*a*b*d*(F^(e*g + f*g*x))^n*(c + d*x))/(f^2*g^2*n^2*Log[F]^2) - (b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(2*f^2*g^2*n^2*Log[F]^2) + (2*a*b*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f*g*n*Log[F]) + (b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(2*f*g*n*Log[F])

Rubi [A] time = 0.320485, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2176, 2194}

$$\frac{a^2(c+dx)^3}{3d} - \frac{4abd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} + \frac{2ab(c+dx)^2(F^{eg+fgx})^n}{fgn \log(F)} + \frac{4abd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} - \frac{b^2d(c+dx)(F^{eg+fgx})^{2n}}{2f^2g^2n^2 \log^2(F)} + \frac{b^2(c+dx)^2}{2fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]^2*(c + d*x)^2,x]

[Out] (a^2*(c + d*x)^3)/(3*d) + (4*a*b*d^2*(F^(e*g + f*g*x))^n)/(f^3*g^3*n^3*Log[F]^3) + (b^2*d^2*(F^(e*g + f*g*x))^(2*n))/(4*f^3*g^3*n^3*Log[F]^3) - (4*a*b*d*(F^(e*g + f*g*x))^n*(c + d*x))/(f^2*g^2*n^2*Log[F]^2) - (b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(2*f^2*g^2*n^2*Log[F]^2) + (2*a*b*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f*g*n*Log[F]) + (b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(2*f*g*n*Log[F])

Rule 2183

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x))))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2176

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[((c + d*x)^m*(b*F^(g*(e + f*x)))^n)/(f*g*n*Log[F]), x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !UseGamma == True
```

Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b(F^{g(e+fx)})^n)^2 (c + dx)^2 dx &= \int (a^2(c + dx)^2 + 2ab(F^{eg+fgx})^n(c + dx)^2 + b^2(F^{eg+fgx})^{2n}(c + dx)^2) dx \\
&= \frac{a^2(c + dx)^3}{3d} + (2ab) \int (F^{eg+fgx})^n (c + dx)^2 dx + b^2 \int (F^{eg+fgx})^{2n} (c + dx)^2 dx \\
&= \frac{a^2(c + dx)^3}{3d} + \frac{2ab(F^{eg+fgx})^n(c + dx)^2}{fgn \log(F)} + \frac{b^2(F^{eg+fgx})^{2n}(c + dx)^2}{2fgn \log(F)} - \frac{(4abd) \int (F^{eg+fgx})^n}{fgn \log(F)} \\
&= \frac{a^2(c + dx)^3}{3d} - \frac{4abd(F^{eg+fgx})^n(c + dx)}{f^2g^2n^2 \log^2(F)} - \frac{b^2d(F^{eg+fgx})^{2n}(c + dx)}{2f^2g^2n^2 \log^2(F)} + \frac{2ab(F^{eg+fgx})^n}{fgn \log(F)} \\
&= \frac{a^2(c + dx)^3}{3d} + \frac{4abd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} + \frac{b^2d^2(F^{eg+fgx})^{2n}}{4f^3g^3n^3 \log^3(F)} - \frac{4abd(F^{eg+fgx})^n(c + dx)}{f^2g^2n^2 \log^2(F)} - \frac{b^2d^2(F^{eg+fgx})^{2n}(c + dx)}{2f^2g^2n^2 \log^2(F)}
\end{aligned}$$

Mathematica [A] time = 0.364846, size = 171, normalized size = 0.72

$$a^2c^2x + a^2cdx^2 + \frac{1}{3}a^2d^2x^3 + \frac{2ab(F^{g(e+fx)})^n(f^2g^2n^2 \log^2(F)(c + dx)^2 - 2dfgn \log(F)(c + dx) + 2d^2)}{f^3g^3n^3 \log^3(F)} + \frac{b^2(F^{g(e+fx)})^{2n}(2d^2 - 2d^2f^2g^2n^2 \log^2(F)(c + dx)^2 + 2dfgn \log(F)(c + dx) - 2d^2)}{f^3g^3n^3 \log^3(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^2*(c + d*x)^2,x]
```

```
[Out] a^2*c^2*x + a^2*c*d*x^2 + (a^2*d^2*x^3)/3 + (2*a*b*(F^(g*(e + f*x))))^n*(2*d^2 - 2*d*f*g*n*(c + d*x)*Log[F] + f^2*g^2*n^2*(c + d*x)^2*Log[F]^2)/(f^3*g^3*n^3*Log[F]^3) + (b^2*(F^(g*(e + f*x))))^(2*n)*(d^2 - 2*d*f*g*n*(c + d*x)*Log[F]^2 - 2*d*f*g*n*(c + d*x)*Log[F] + f^2*g^2*n^2*(c + d*x)^2*Log[F]^2)/(f^3*g^3*n^3*Log[F]^3)
```


$\text{Log}[F] + 2*f^2*g^2*n^2*(c + d*x)^2*\text{Log}[F]^2)/(4*f^3*g^3*n^3*\text{Log}[F]^3)$

Maple [F] time = 0.023, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^2 (dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^2,x

[Out] int((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^2,x

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.61231, size = 620, normalized size = 2.59

$$4 \left(a^2 d^2 f^3 g^3 n^3 x^3 + 3 a^2 c d f^3 g^3 n^3 x^2 + 3 a^2 c^2 f^3 g^3 n^3 x \right) \log(F)^3 + 3 \left(b^2 d^2 + 2 \left(b^2 d^2 f^2 g^2 n^2 x^2 + 2 b^2 c d f^2 g^2 n^2 x + b^2 c^2 f^2 g^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^2,x, algorithm="fricas")

[Out] 1/12*(4*(a^2*d^2*f^3*g^3*n^3*x^3 + 3*a^2*c*d*f^3*g^3*n^3*x^2 + 3*a^2*c^2*f^3*g^3*n^3*x)*log(F)^3 + 3*(b^2*d^2 + 2*(b^2*d^2*f^2*g^2*n^2*x^2 + 2*b^2*c*d*f^2*g^2*n^2*x + b^2*c^2*f^2*g^2*n^2))*log(F)^2 - 2*(b^2*d^2*f*g*n*x + b^2*c*d*f*g*n)*log(F))*F^(2*f*g*n*x + 2*e*g*n) + 24*(2*a*b*d^2 + (a*b*d^2*f^2*g^2

$$2n^2x^2 + 2ab*cd*f^2*g^2*n^2*x + a*b*c^2*f^2*g^2*n^2)*\log(F)^2 - 2*(a*b*d^2*f*g*n*x + a*b*c*d*f*g*n)*\log(F))*F^(f*g*n*x + e*g*n))/(f^3*g^3*n^3*\log(F)^3)$$

Sympy [A] time = 0.453325, size = 439, normalized size = 1.84

$$a^2c^2x + a^2cdx^2 + \frac{a^2d^2x^3}{3} + \left\{ \frac{(2b^2c^2f^5g^5n^5 \log(F)^5 + 4b^2cdf^5g^5n^5x \log(F)^5 - 2b^2cdf^4g^4n^4 \log(F)^4 + 2b^2d^2f^5g^5n^5x^2 \log(F)^5 - 2b^2d^2f^4g^4n^4x \log(F)^4 + b^2d^2f^5g^5n^5x^3 \log(F)^5 + 4b^2cdf^5g^5n^5x \log(F)^5 - 2b^2cdf^4g^4n^4 \log(F)^4 + 2b^2d^2f^5g^5n^5x^2 \log(F)^5 - 2b^2d^2f^4g^4n^4x \log(F)^4 + b^2d^2f^5g^5n^5x^3 \log(F)^5)}{x^3 \left(\frac{2abd^2}{3} + \frac{b^2d^2}{3} \right) + x^2 (2abcd + b^2cd) + x (2abc^2 + b^2c^2)} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2*(d*x+c)**2,x)

[Out] a**2*c**2*x + a**2*c*d*x**2 + a**2*d**2*x**3/3 + Piecewise((((2*b**2*c**2*f**5*g**5*n**5*log(F)**5 + 4*b**2*c*d*f**5*g**5*n**5*x*log(F)**5 - 2*b**2*c*d*f**4*g**4*n**4*log(F)**4 + 2*b**2*d**2*f**5*g**5*n**5*x**2*log(F)**5 - 2*b**2*d**2*f**4*g**4*n**4*x*log(F)**4 + b**2*d**2*f**3*g**3*n**3*log(F)**3)*(F**(g*(e + f*x)))**(2*n) + (8*a*b*c**2*f**5*g**5*n**5*log(F)**5 + 16*a*b*c*d*f**5*g**5*n**5*x*log(F)**5 - 16*a*b*c*d*f**4*g**4*n**4*log(F)**4 + 8*a*b*d**2*f**5*g**5*n**5*x**2*log(F)**5 - 16*a*b*d**2*f**4*g**4*n**4*x*log(F)**4 + 16*a*b*d**2*f**3*g**3*n**3*log(F)**3)*(F**(g*(e + f*x)))**n)/(4*f**6*g**6*n**6*log(F)**6), Ne(4*f**6*g**6*n**6*log(F)**6, 0)), (x**3*(2*a*b*d**2/3 + b**2*d**2/3) + x**2*(2*a*b*c*d + b**2*c*d) + x*(2*a*b*c**2 + b**2*c**2), True))

Giac [C] time = 1.82838, size = 7694, normalized size = 32.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^2,x, algorithm="giac")

[Out] 1/3*a^2*d^2*x^3 + a^2*c*d*x^2 + a^2*c^2*x - 1/2*(((2*pi*b^2*d^2*f^2*g^2*n^2*x^2*log(abs(F))*sgn(F) - 2*pi*b^2*d^2*f^2*g^2*n^2*x^2*log(abs(F)) + 4*pi*b^2*c*d*f^2*g^2*n^2*x*log(abs(F))*sgn(F) - 4*pi*b^2*c*d*f^2*g^2*n^2*x*log(abs(F)) + 2*pi*b^2*c^2*f^2*g^2*n^2*log(abs(F))*sgn(F) - 2*pi*b^2*c^2*f^2*g^2*n^2*log(abs(F)) - pi*b^2*d^2*f*g*n*x*sgn(F) + pi*b^2*d^2*f*g*n*x - pi*b^2*c

$$\begin{aligned}
& *d*f*g*n*sgn(F) + pi*b^2*c*d*f*g*n)*(pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g^3 \\
& *n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(F)) \\
& ^2)/((pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) - pi^ \\
& 3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(F))^2)^2 + (3*pi^2*f^3*g^3*n^3*log \\
& (abs(F))*sgn(F) - 3*pi^2*f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F) \\
&)^3)^2) - (pi^2*b^2*d^2*f^2*g^2*n^2*x^2*sgn(F) - pi^2*b^2*d^2*f^2*g^2*n^2*x \\
& ^2 + 2*b^2*d^2*f^2*g^2*n^2*x^2*log(abs(F))^2 + 2*pi^2*b^2*c*d*f^2*g^2*n^2*x \\
& *sgn(F) - 2*pi^2*b^2*c*d*f^2*g^2*n^2*x + 4*b^2*c*d*f^2*g^2*n^2*x*log(abs(F) \\
&)^2 + pi^2*b^2*c^2*f^2*g^2*n^2*sgn(F) - pi^2*b^2*c^2*f^2*g^2*n^2 + 2*b^2*c^ \\
& 2*f^2*g^2*n^2*log(abs(F))^2 - 2*b^2*d^2*f*g*n*x*log(abs(F)) - 2*b^2*c*d*f*g \\
& *n*log(abs(F)) + b^2*d^2)*(3*pi^2*f^3*g^3*n^3*log(abs(F))*sgn(F) - 3*pi^2*f \\
& ^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)/((pi^3*f^3*g^3*n^3*sg \\
& n(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f^3* \\
& g^3*n^3*log(abs(F))^2)^2 + (3*pi^2*f^3*g^3*n^3*log(abs(F))*sgn(F) - 3*pi^2* \\
& f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)^2)*cos(-pi*f*g*n*x* \\
& sgn(F) + pi*f*g*n*x - pi*g*n*e*sgn(F) + pi*g*n*e) - ((pi^2*b^2*d^2*f^2*g^2* \\
& n^2*x^2*sgn(F) - pi^2*b^2*d^2*f^2*g^2*n^2*x^2 + 2*b^2*d^2*f^2*g^2*n^2*x^2*l \\
& og(abs(F))^2 + 2*pi^2*b^2*c*d*f^2*g^2*n^2*x*sgn(F) - 2*pi^2*b^2*c*d*f^2*g^2 \\
& *n^2*x + 4*b^2*c*d*f^2*g^2*n^2*x*log(abs(F))^2 + pi^2*b^2*c^2*f^2*g^2*n^2*s \\
& gn(F) - pi^2*b^2*c^2*f^2*g^2*n^2 + 2*b^2*c^2*f^2*g^2*n^2*log(abs(F))^2 - 2* \\
& b^2*d^2*f*g*n*x*log(abs(F)) - 2*b^2*c*d*f*g*n*log(abs(F)) + b^2*d^2)*(pi^3* \\
& f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n \\
& ^3 + 3*pi*f^3*g^3*n^3*log(abs(F))^2)/((pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g \\
& ^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(F) \\
&))^2)^2 + (3*pi^2*f^3*g^3*n^3*log(abs(F))*sgn(F) - 3*pi^2*f^3*g^3*n^3*log(a \\
& bs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)^2) + (2*pi*b^2*d^2*f^2*g^2*n^2*x^2*lo \\
& g(abs(F))*sgn(F) - 2*pi*b^2*d^2*f^2*g^2*n^2*x^2*log(abs(F)) + 4*pi*b^2*c*d* \\
& f^2*g^2*n^2*x*log(abs(F))*sgn(F) - 4*pi*b^2*c*d*f^2*g^2*n^2*x*log(abs(F)) + \\
& 2*pi*b^2*c^2*f^2*g^2*n^2*log(abs(F))*sgn(F) - 2*pi*b^2*c^2*f^2*g^2*n^2*log \\
& (abs(F)) - pi*b^2*d^2*f*g*n*x*sgn(F) + pi*b^2*d^2*f*g*n*x - pi*b^2*c*d*f*g* \\
& n*sgn(F) + pi*b^2*c*d*f*g*n)*(3*pi^2*f^3*g^3*n^3*log(abs(F))*sgn(F) - 3*pi^ \\
& 2*f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)/((pi^3*f^3*g^3*n^3 \\
& *sgn(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f \\
& ^3*g^3*n^3*log(abs(F))^2)^2 + (3*pi^2*f^3*g^3*n^3*log(abs(F))*sgn(F) - 3*pi \\
& ^2*f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)^2)*sin(-pi*f*g*n \\
& *x*sgn(F) + pi*f*g*n*x - pi*g*n*e*sgn(F) + pi*g*n*e)*e^(2*f*g*n*x*log(abs(\\
& F)) + 2*g*n*e*log(abs(F))) + 1/2*I*((2*I*pi^2*b^2*d^2*f^2*g^2*n^2*x^2*sgn(F) \\
&) - 4*pi*b^2*d^2*f^2*g^2*n^2*x^2*log(abs(F))*sgn(F) - 2*I*pi^2*b^2*d^2*f^2* \\
& g^2*n^2*x^2 + 4*pi*b^2*d^2*f^2*g^2*n^2*x^2*log(abs(F)) + 4*I*b^2*d^2*f^2*g^ \\
& 2*n^2*x^2*log(abs(F))^2 + 4*I*pi^2*b^2*c*d*f^2*g^2*n^2*x*sgn(F) - 8*pi*b^2* \\
& c*d*f^2*g^2*n^2*x*log(abs(F))*sgn(F) - 4*I*pi^2*b^2*c*d*f^2*g^2*n^2*x + 8*p \\
& i*b^2*c*d*f^2*g^2*n^2*x*log(abs(F)) + 8*I*b^2*c*d*f^2*g^2*n^2*x*log(abs(F)) \\
& ^2 + 2*I*pi^2*b^2*c^2*f^2*g^2*n^2*sgn(F) - 4*pi*b^2*c^2*f^2*g^2*n^2*log(abs \\
& (F))*sgn(F) - 2*I*pi^2*b^2*c^2*f^2*g^2*n^2 + 4*pi*b^2*c^2*f^2*g^2*n^2*log(a \\
& bs(F)) + 4*I*b^2*c^2*f^2*g^2*n^2*log(abs(F))^2 + 2*pi*b^2*d^2*f*g*n*x*sgn(F)
\end{aligned}$$

$$\begin{aligned}
&) - 2\pi b^2 d^2 f g n x - 4I b^2 d^2 f g n x \log(\text{abs}(F)) + 2\pi b^2 c d f \\
& * g n \text{sgn}(F) - 2\pi b^2 c d f g n - 4I b^2 c d f g n \log(\text{abs}(F)) + 2I b^2 c \\
& d^2) e^{(I\pi f g n x \text{sgn}(F) - I\pi f g n x + I\pi g n e \text{sgn}(F) - I\pi g n e} \\
&) / (-4I\pi^3 f^3 g^3 n^3 \text{sgn}(F) + 12\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) + \\
& 12I\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) + 4I\pi^3 f^3 g^3 n^3 - 12\pi^2 f \\
& ^3 g^3 n^3 \log(\text{abs}(F)) - 12I\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 + 8f^3 g^3 n^3 * \\
& \log(\text{abs}(F))^3) - (2I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) + 4\pi b^2 d^2 f^2 \\
& g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 2I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 - 4\pi b \\
& ^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 4I b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F) \\
&))^2 + 4I\pi^2 b^2 c d f^2 g^2 n^2 x \text{sgn}(F) + 8\pi b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F)) \text{sgn}(F) - 4I\pi^2 b^2 c d f^2 g^2 n^2 x \\
& ^2 x \log(\text{abs}(F)) + 8I b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F))^2 + 2I\pi^2 b^2 c \\
& ^2 f^2 g^2 n^2 \text{sgn}(F) + 4\pi b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - 2I\pi \\
& i^2 b^2 c^2 f^2 g^2 n^2 - 4\pi b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) + 4I b^2 c^2 \\
& f^2 g^2 n^2 \log(\text{abs}(F))^2 - 2\pi b^2 d^2 f g n x \text{sgn}(F) + 2\pi b^2 d^2 f g \\
& n x - 4I b^2 d^2 f g n x \log(\text{abs}(F)) - 2\pi b^2 c d f g n \text{sgn}(F) + 2\pi b \\
& ^2 c d f g n - 4I b^2 c d f g n \log(\text{abs}(F)) + 2I b^2 d^2) e^{(-I\pi f g n \\
& x \text{sgn}(F) + I\pi f g n x - I\pi g n e \text{sgn}(F) + I\pi g n e) / (4I\pi^3 f^3 g^3 \\
& n^3 \text{sgn}(F) + 12\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - 12I\pi f^3 g^3 n^3 \\
& * \log(\text{abs}(F))^2 \text{sgn}(F) - 4I\pi^3 f^3 g^3 n^3 - 12\pi^2 f^3 g^3 n^3 \log(\text{abs}(F) \\
&) + 12I\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 + 8f^3 g^3 n^3 \log(\text{abs}(F))^3) e^{(\\
& 2f g n x \log(\text{abs}(F)) + 2g n e \log(\text{abs}(F)))} - 2*((2(\pi a b d^2 f^2 g^2 n^2 \\
& x^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi a b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 2\pi a a \\
& b c d f^2 g^2 n^2 x \log(\text{abs}(F)) \text{sgn}(F) - 2\pi a a b c d f^2 g^2 n^2 x \log(\text{abs} \\
& (F)) + \pi a a b c^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi a a b c^2 f^2 g^2 n^2 \log(\text{abs}(F)) \\
& - \pi a a b d^2 f g n x \text{sgn}(F) + \pi a a b d^2 f g n x - \pi a a b c d f g \\
& n \text{sgn}(F) + \pi a a b c d f g n) * (\pi^3 f^3 g^3 n^3 \text{sgn}(F) - 3\pi f^3 g^3 n^3 * \\
& \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2) / (\\
& (\pi^3 f^3 g^3 n^3 \text{sgn}(F) - 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^3 f^3 \\
& * g^3 n^3 + 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F) \\
&)) \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3)^2 \\
& - (\pi^2 a a b d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) - \pi^2 a a b d^2 f^2 g^2 n^2 x^2 + \\
& 2a a b d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F))^2 + 2\pi^2 a a b c d f^2 g^2 n^2 x \text{sgn}(F) \\
& - 2\pi^2 a a b c d f^2 g^2 n^2 x + 4a a b c d f^2 g^2 n^2 x \log(\text{abs}(F))^2 + \\
& \pi^2 a a b c^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 a a b c^2 f^2 g^2 n^2 + 2a a b c^2 f^2 \\
& * g^2 n^2 \log(\text{abs}(F))^2 - 4a a b d^2 f g n x \log(\text{abs}(F)) - 4a a b c d f g n \log \\
& (\text{abs}(F)) + 4a a b d^2) * (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - 3\pi^2 f^3 g^3 \\
& n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3) / ((\pi^3 f^3 g^3 n^3 \text{sgn}(F) \\
&) - 3\pi f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi f^3 g^3 \\
& n^3 \log(\text{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - 3\pi^2 f^3 \\
& * g^3 n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3)^2) * \cos(-1/2\pi f g n x \\
& * \text{sgn}(F) + 1/2\pi f g n x - 1/2\pi g n e \text{sgn}(F) + 1/2\pi g n e) - ((\pi^2 a a b \\
& d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) - \pi^2 a a b d^2 f^2 g^2 n^2 x^2 + 2a a b d^2 f^2 \\
& g^2 n^2 x^2 \log(\text{abs}(F))^2 + 2\pi^2 a a b c d f^2 g^2 n^2 x \text{sgn}(F) - 2\pi^2 a a \\
& b c d f^2 g^2 n^2 x + 4a a b c d f^2 g^2 n^2 x \log(\text{abs}(F))^2 + \pi^2 a a b c^2 *
\end{aligned}$$

$$\begin{aligned}
& f^2 g^2 n^2 \operatorname{sgn}(F) - \pi^2 a b c^2 f^2 g^2 n^2 + 2 a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 - 4 a b d^2 f g n x \log(\operatorname{abs}(F)) - 4 a b c d f g n \log(\operatorname{abs}(F)) + 4 a b d^2 (\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3 \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3 \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2) / ((\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3 \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3 \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^3)^2) + 2 (\pi a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - \pi a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) + 2 \pi a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 2 \pi a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) + \pi a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - \pi a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) - \pi a b d^2 f g n x \operatorname{sgn}(F) + \pi a b d^2 f g n x - \pi a b c d f g n \operatorname{sgn}(F) + \pi a b c d f g n) (3 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^3) / ((\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3 \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3 \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^3)^2) * \sin(-1/2 \pi f g n x \operatorname{sgn}(F) + 1/2 \pi f g n x - 1/2 \pi g n e \operatorname{sgn}(F) + 1/2 \pi g n e) * e^{(f g n x \log(\operatorname{abs}(F)) + g n e \log(\operatorname{abs}(F)))} + 1/2 I ((8 I \pi^2 a b d^2 f^2 g^2 n^2 x^2 \operatorname{sgn}(F) - 16 \pi a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 8 I \pi^2 a b d^2 f^2 g^2 n^2 x^2 + 16 \pi a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))) + 16 I a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))^2 + 16 I \pi^2 a b c d f^2 g^2 n^2 x \operatorname{sgn}(F) - 32 \pi a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 16 I \pi^2 a b c d f^2 g^2 n^2 x + 32 \pi a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) + 32 I a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F))^2 + 8 I \pi^2 a b c^2 f^2 g^2 n^2 \operatorname{sgn}(F) - 16 \pi a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 8 I \pi^2 a b c^2 f^2 g^2 n^2 + 16 \pi a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) + 16 I a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 + 16 \pi a b d^2 f g n x \operatorname{sgn}(F) - 16 \pi a b d^2 f g n x - 32 I a b d^2 f g n x \log(\operatorname{abs}(F)) + 16 \pi a b c d f g n \operatorname{sgn}(F) - 16 \pi a b c d f g n - 32 I a b c d f g n \log(\operatorname{abs}(F)) + 32 I a b d^2) * e^{(1/2 I \pi f g n x \operatorname{sgn}(F) - 1/2 I \pi f g n x + 1/2 I \pi g n e \operatorname{sgn}(F) - 1/2 I \pi g n e) / (-4 I \pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) + 12 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) + 12 I \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) + 4 I \pi^3 f^3 g^3 n^3 - 12 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))) - 12 I \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 + 8 f^3 g^3 n^3 \log(\operatorname{abs}(F))^3 - (8 I \pi^2 a b d^2 f^2 g^2 n^2 x^2 \operatorname{sgn}(F) + 16 \pi a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 8 I \pi^2 a b d^2 f^2 g^2 n^2 x^2 - 16 \pi a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) + 16 I a b d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))^2 + 16 I \pi^2 a b c d f^2 g^2 n^2 x \operatorname{sgn}(F) + 32 \pi a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 16 I \pi^2 a b c d f^2 g^2 n^2 x - 32 \pi a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) + 32 I a b c d f^2 g^2 n^2 x \log(\operatorname{abs}(F))^2 + 8 I \pi^2 a b c^2 f^2 g^2 n^2 \operatorname{sgn}(F) + 16 \pi a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 8 I \pi^2 a b c^2 f^2 g^2 n^2 - 16 \pi a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) + 16 I a b c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 - 16 \pi a b d^2 f g n x \operatorname{sgn}(F) + 16 \pi a b d^2 f g n x - 32 I a b d^2 f g n x \log(\operatorname{abs}(F)) - 16 \pi a b c d f g n \operatorname{sgn}(F) + 16 \pi a b c d f g n - 32 I a b c d f g n \log(\operatorname{abs}(F)) + 32 I a b d^2) * e^{(-1/2 I \pi f g n x \operatorname{sgn}(F) + 1/2 I \pi f g n x - 1/2 I \pi g n e \operatorname{sgn}(F) + 1/2 I \pi g n e) / (4
\end{aligned}$$

$$\begin{aligned}
& *I\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) + 12\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 12I\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) \\
& - 4I\pi^3 f^3 g^3 n^3 - 12\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 12I\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 + 8f^3 g^3 n^3 \log(\operatorname{abs}(F))^3 \\
& *e^{(f g n x \log(\operatorname{abs}(F)) + g n e \log(\operatorname{abs}(F)))}
\end{aligned}$$

$$3.34 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 (c + dx) dx$$

Optimal. Leaf size=156

$$\frac{a^2(c+dx)^2}{2d} + \frac{2ab(c+dx)(F^{eg+fgx})^n}{fgn \log(F)} - \frac{2abd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} + \frac{b^2(c+dx)(F^{eg+fgx})^{2n}}{2fgn \log(F)} - \frac{b^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2 \log^2(F)}$$

[Out] $(a^2(c+dx)^2)/(2d) - (2*a*b*d*(F^{(e*g+f*g*x)})^n)/(f^2*g^2*n^2*Log[F]^2) - (b^2*d*(F^{(e*g+f*g*x)})^{(2*n)})/(4*f^2*g^2*n^2*Log[F]^2) + (2*a*b*(F^{(e*g+f*g*x)})^n*(c+dx))/(f*g*n*Log[F]) + (b^2*(F^{(e*g+f*g*x)})^{(2*n)}*(c+dx))/(2*f*g*n*Log[F])$

Rubi [A] time = 0.156936, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {2183, 2176, 2194}

$$\frac{a^2(c+dx)^2}{2d} + \frac{2ab(c+dx)(F^{eg+fgx})^n}{fgn \log(F)} - \frac{2abd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} + \frac{b^2(c+dx)(F^{eg+fgx})^{2n}}{2fgn \log(F)} - \frac{b^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x), x]

[Out] $(a^2(c+dx)^2)/(2d) - (2*a*b*d*(F^{(e*g+f*g*x)})^n)/(f^2*g^2*n^2*Log[F]^2) - (b^2*d*(F^{(e*g+f*g*x)})^{(2*n)})/(4*f^2*g^2*n^2*Log[F]^2) + (2*a*b*(F^{(e*g+f*g*x)})^n*(c+dx))/(f*g*n*Log[F]) + (b^2*(F^{(e*g+f*g*x)})^{(2*n)}*(c+dx))/(2*f*g*n*Log[F])$

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2176

Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[((c + d*x)^m*(b*F^(g*(e + f*x)))^n)/(f*g*n*Log[F]),

```
x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n
, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m
] && !$UseGamma === True
```

Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] :> Simp[(F^(c*(a +
b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b(F^{g(e+fx)})^n)^2 (c + dx) dx &= \int (a^2(c + dx) + 2ab(F^{eg+fgx})^n (c + dx) + b^2(F^{eg+fgx})^{2n} (c + dx)) dx \\
&= \frac{a^2(c + dx)^2}{2d} + (2ab) \int (F^{eg+fgx})^n (c + dx) dx + b^2 \int (F^{eg+fgx})^{2n} (c + dx) dx \\
&= \frac{a^2(c + dx)^2}{2d} + \frac{2ab(F^{eg+fgx})^n (c + dx)}{fgn \log(F)} + \frac{b^2(F^{eg+fgx})^{2n} (c + dx)}{2fgn \log(F)} - \frac{(2abd) \int (F^{eg+fgx})}{fgn \log(F)} \\
&= \frac{a^2(c + dx)^2}{2d} - \frac{2abd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} - \frac{b^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2 \log^2(F)} + \frac{2ab(F^{eg+fgx})^n (c + dx)}{fgn \log(F)} + \frac{b^2(F^{eg+fgx})^{2n} (c + dx)}{2fgn \log(F)}
\end{aligned}$$

Mathematica [A] time = 0.255795, size = 117, normalized size = 0.75

$$\frac{2a^2f^2g^2n^2x \log^2(F)(2c + dx) + 2bfgn \log(F)(c + dx)(F^{g(e+fx)})^n (4a + b(F^{g(e+fx)})^n) - bd(F^{g(e+fx)})^n (8a + b(F^{g(e+fx)})^n)}{4f^2g^2n^2 \log^2(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x), x]
```

```
[Out] (- (b*d*(F^(g*(e + f*x)))^n*(8*a + b*(F^(g*(e + f*x)))^n) + 2*b*f*(F^(g*(e
+ f*x)))^n*(4*a + b*(F^(g*(e + f*x)))^n)*g*n*(c + d*x)*Log[F] + 2*a^2*f^2*g
^2*n^2*x*(2*c + d*x)*Log[F]^2)/(4*f^2*g^2*n^2*Log[F]^2)
```

Maple [A] time = 0.034, size = 220, normalized size = 1.4

$$a^2cx + \frac{a^2dx^2}{2} + \frac{b^2 \left(e^{n \ln(e^{g(fx+e) \ln(F)})} \right)^2 c}{2ngf \ln(F)} - \frac{b^2 \left(e^{n \ln(e^{g(fx+e) \ln(F)})} \right)^2 d}{4(\ln(F))^2 f^2g^2n^2} + 2 \frac{abe^{n \ln(e^{g(fx+e) \ln(F)})} c}{ngf \ln(F)} - 2 \frac{abe^{n \ln(e^{g(fx+e) \ln(F)})} d}{(\ln(F))^2 f^2g^2n^2} + \frac{b^2dx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c),x)
```

```
[Out] a^2*c*x+1/2*a^2*d*x^2+1/2*b^2/n/g/f/ln(F)*exp(n*ln(exp(g*(f*x+e)*ln(F))))^2
*c-1/4*b^2/n^2/g^2/f^2/ln(F)^2*exp(n*ln(exp(g*(f*x+e)*ln(F))))^2*d+2*a*b/n/
g/f/ln(F)*exp(n*ln(exp(g*(f*x+e)*ln(F))))*c-2*a*b/n^2/g^2/f^2/ln(F)^2*exp(n
*ln(exp(g*(f*x+e)*ln(F))))*d+1/2/n/g/f/ln(F)*b^2*d*x*exp(n*ln(exp(g*(f*x+e)
*ln(F))))^2+2/n/g/f/ln(F)*a*b*d*x*exp(n*ln(exp(g*(f*x+e)*ln(F))))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 1.54302, size = 317, normalized size = 2.03

$$\frac{2(a^2df^2g^2n^2x^2 + 2a^2cf^2g^2n^2x)\log(F)^2 - (b^2d - 2(b^2dfgnx + b^2cfn)\log(F))F^{2fgnx+2egn} - 8(abd - (abdfgnx + abdfgn))}{4f^2g^2n^2\log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c),x, algorithm="fricas")
```

```
[Out] 1/4*(2*(a^2*d*f^2*g^2*n^2*x^2 + 2*a^2*c*f^2*g^2*n^2*x)*log(F)^2 - (b^2*d -
2*(b^2*d*f*g*n*x + b^2*c*f*g*n)*log(F))*F^(2*f*g*n*x + 2*e*g*n) - 8*(a*b*d
- (a*b*d*f*g*n*x + a*b*c*f*g*n)*log(F))*F^(f*g*n*x + e*g*n))/(f^2*g^2*n^2*
log(F)^2)
```

Sympy [A] time = 0.319764, size = 233, normalized size = 1.49

$$a^2cx + \frac{a^2dx^2}{2} + \left\{ \frac{(2b^2cf^3g^3n^3 \log(F)^3 + 2b^2df^3g^3n^3x \log(F)^3 - b^2df^2g^2n^2 \log(F)^2) \left(F^{g(e+fx)} \right)^{2n} + (8abcf^3g^3n^3 \log(F)^3 + 8abdf^3g^3n^3x \log(F)^3 - 8abdf^2g^2n^2)}{4f^4g^4n^4 \log(F)^4} \right. \\ \left. x^2 \left(abd + \frac{b^2d}{2} \right) + x(2abc + b^2c) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2*(d*x+c),x)

[Out] a**2*c*x + a**2*d*x**2/2 + Piecewise((((2*b**2*c*f**3*g**3*n**3*log(F)**3 + 2*b**2*d*f**3*g**3*n**3*x*log(F)**3 - b**2*d*f**2*g**2*n**2*log(F)**2)*(F*(g*(e + f*x))))**(2*n) + (8*a*b*c*f**3*g**3*n**3*log(F)**3 + 8*a*b*d*f**3*g**3*n**3*x*log(F)**3 - 8*a*b*d*f**2*g**2*n**2*log(F)**2)*(F**(g*(e + f*x))))**n)/(4*f**4*g**4*n**4*log(F)**4), Ne(4*f**4*g**4*n**4*log(F)**4, 0)), (x**2*(a*b*d + b**2*d/2) + x*(2*a*b*c + b**2*c), True))

Giac [C] time = 1.5752, size = 3121, normalized size = 20.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c),x, algorithm="giac")

[Out] 1/2*a^2*d*x^2 + a^2*c*x + 1/2*((2*(pi*b^2*d*f*g*n*x*sgn(F) - pi*b^2*d*f*g*n*x + pi*b^2*c*f*g*n*sgn(F) - pi*b^2*c*f*g*n)*(pi*f^2*g^2*n^2*log(abs(F))*sgn(F) - pi*f^2*g^2*n^2*log(abs(F)))/((pi^2*f^2*g^2*n^2*sgn(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*log(abs(F))^2)^2 + 4*(pi*f^2*g^2*n^2*log(abs(F))*sgn(F) - pi*f^2*g^2*n^2*log(abs(F)))^2) + (pi^2*f^2*g^2*n^2*sgn(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*log(abs(F))^2)*(2*b^2*d*f*g*n*x*log(abs(F)) + 2*b^2*c*f*g*n*log(abs(F)) - b^2*d)/((pi^2*f^2*g^2*n^2*sgn(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*log(abs(F))^2)^2 + 4*(pi*f^2*g^2*n^2*log(abs(F))*sgn(F) - pi*f^2*g^2*n^2*log(abs(F)))^2))*cos(-pi*f*g*n*x*sgn(F) + pi*f*g*n*x - pi*g*n*e*sgn(F) + pi*g*n*e) + ((pi^2*f^2*g^2*n^2*sgn(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*log(abs(F))^2)*(pi*b^2*d*f*g*n*x*sgn(F) - pi*b^2*d*f*g*n*x + pi*b^2*c*f*g*n*sgn(F) - pi*b^2*c*f*g*n)/((pi^2*f^2*g^2*n^2*sgn(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*log(abs(F))^2)^2 + 4*(pi*f^2*g^2*n^2*log(abs(F))*sgn(F) - pi*f^2*g^2*n^2*log(abs(F)))^2) - 2*(pi*f^2*g^2*n^2*log(abs(F))*sgn(F) - pi*f^2*g^2*n^2*log(abs(F)))*(2*b^2*d*f*g*n*x*log(abs(F)) + 2*b^2*c*f*g*n*log(abs(F)) - b^2*d)/((pi^2*f^2*g^2*n^2*sgn(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2

$$3.35 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 dx$$

Optimal. Leaf size=67

$$a^2x + \frac{2ab \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} + \frac{b^2 \left(F^{g(e+fx)} \right)^{2n}}{2fgn \log(F)}$$

[Out] $a^2x + (2ab(F^{g(e+fx)})^n)/(fgn \log(F)) + (b^2(F^{g(e+fx)})^{2n})/(2fgn \log(F))$

Rubi [A] time = 0.0366563, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {2282, 266, 43}

$$a^2x + \frac{2ab \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} + \frac{b^2 \left(F^{g(e+fx)} \right)^{2n}}{2fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]^2,x]

[Out] $a^2x + (2ab(F^{g(e+fx)})^n)/(fgn \log(F)) + (b^2(F^{g(e+fx)})^{2n})/(2fgn \log(F))$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 dx &= \frac{\text{Subst} \left(\int \frac{(a+bx)^2}{x} dx, x, F^{g(e+fx)} \right)}{fg \log(F)} \\ &= \frac{\text{Subst} \left(\int \frac{(a+bx)^2}{x} dx, x, \left(F^{g(e+fx)} \right)^n \right)}{fgn \log(F)} \\ &= \frac{\text{Subst} \left(\int \left(2ab + \frac{a^2}{x} + b^2x \right) dx, x, \left(F^{g(e+fx)} \right)^n \right)}{fgn \log(F)} \\ &= a^2x + \frac{2ab \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} + \frac{b^2 \left(F^{g(e+fx)} \right)^{2n}}{2fgn \log(F)} \end{aligned}$$

Mathematica [A] time = 0.0371011, size = 52, normalized size = 0.78

$$a^2x + \frac{b \left(F^{g(e+fx)} \right)^n \left(4a + b \left(F^{g(e+fx)} \right)^n \right)}{2fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^2,x]

[Out] a^2*x + (b*(F^(g*(e + f*x))))^n*(4*a + b*(F^(g*(e + f*x))))^n)/(2*f*g*n*Log[F])

Maple [A] time = 0.015, size = 90, normalized size = 1.3

$$\frac{\left(\left(F^{g(fx+e)} \right)^n \right)^2 b^2}{2ngf \ln(F)} + 2 \frac{ab \left(F^{g(fx+e)} \right)^n}{ngf \ln(F)} + \frac{a^2 \ln \left(\left(F^{g(fx+e)} \right)^n \right)}{ngf \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)^2,x)`

[Out] $\frac{1}{2} \frac{g}{f \ln(F)} \frac{1}{n} \left((F^{g(fx+e)})^n \right)^{2b+2a} \frac{b}{f \ln(F)} \frac{1}{n} \left((F^{g(fx+e)})^n \right)^{2a} + \frac{1}{2} \frac{g}{f \ln(F)} \frac{1}{n} a^{2n} \ln \left((F^{g(fx+e)})^n \right)$

Maxima [A] time = 1.29884, size = 101, normalized size = 1.51

$$a^2 x + \frac{2 (Ffgx)^n (Feg)^n ab}{fgn \log(F)} + \frac{(Ffgx)^{2n} (Feg)^{2n} b^2}{2 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="maxima")`

[Out] $a^2 x + 2 (F^{fgx})^n (F^{eg})^n a b / (fgn \log(F)) + \frac{1}{2} (F^{fgx})^{2n} (F^{eg})^{2n} b^2 / (fgn \log(F))$

Fricas [A] time = 1.51511, size = 136, normalized size = 2.03

$$\frac{2 a^2 fgnx \log(F) + 4 Ffgnx+egn ab + F^2 fgnx+2egn b^2}{2 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="fricas")`

[Out] $\frac{1}{2} (2 a^2 fgnx \log(F) + 4 F^{fgnx+egn} a b + F^{2fgnx+2egn} b^2) / (fgn \log(F))$

Sympy [A] time = 0.210824, size = 94, normalized size = 1.4

$$a^2 x + \begin{cases} \frac{4abfgn \left(F^{g(fx+e)} \right)^n \log(F) + b^2 fgn \left(F^{g(fx+e)} \right)^{2n} \log(F)}{2f^2g^2n^2 \log(F)^2} & \text{for } 2f^2g^2n^2 \log(F)^2 \neq 0 \\ x(2ab + b^2) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2,x)
```

```
[Out] a**2*x + Piecewise(((4*a*b*f*g*n*(F**(g*(e + f*x))))**n*log(F) + b**2*f*g*n*(F**(g*(e + f*x))))**2)*log(F)/(2*f**2*g**2*n**2*log(F)**2), Ne(2*f**2*g**2*n**2*log(F)**2, 0)), (x*(2*a*b + b**2), True))
```

Giac [C] time = 1.42809, size = 914, normalized size = 13.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="giac")
```

```
[Out] a^2*x + (2*b^2*f*g*n*cos(-pi*f*g*n*x*sgn(F) + pi*f*g*n*x - pi*g*n*e*sgn(F) + pi*g*n*e)*log(abs(F))/(4*f^2*g^2*n^2*log(abs(F))^2 + (pi*f*g*n*sgn(F) - pi*f*g*n)^2) - (pi*f*g*n*sgn(F) - pi*f*g*n)*b^2*sin(-pi*f*g*n*x*sgn(F) + pi*f*g*n*x - pi*g*n*e*sgn(F) + pi*g*n*e)/(4*f^2*g^2*n^2*log(abs(F))^2 + (pi*f*g*n*sgn(F) - pi*f*g*n)^2))*e^(2*f*g*n*x*log(abs(F)) + 2*g*n*e*log(abs(F))) - 1/2*I*(-I*b^2*e^(I*pi*f*g*n*x*sgn(F) - I*pi*f*g*n*x + I*pi*g*n*e*sgn(F) - I*pi*g*n*e)/(I*pi*f*g*n*sgn(F) - I*pi*f*g*n + 2*f*g*n*log(abs(F))) + I*b^2*e^(-I*pi*f*g*n*x*sgn(F) + I*pi*f*g*n*x - I*pi*g*n*e*sgn(F) + I*pi*g*n*e)/(-I*pi*f*g*n*sgn(F) + I*pi*f*g*n + 2*f*g*n*log(abs(F))))*e^(2*f*g*n*x*log(abs(F)) + 2*g*n*e*log(abs(F))) + 4*(2*a*b*f*g*n*cos(-1/2*pi*f*g*n*x*sgn(F) + 1/2*pi*f*g*n*x - 1/2*pi*g*n*e*sgn(F) + 1/2*pi*g*n*e)*log(abs(F))/(4*f^2*g^2*n^2*log(abs(F))^2 + (pi*f*g*n*sgn(F) - pi*f*g*n)^2) - (pi*f*g*n*sgn(F) - pi*f*g*n)*a*b*sin(-1/2*pi*f*g*n*x*sgn(F) + 1/2*pi*f*g*n*x - 1/2*pi*g*n*e*sgn(F) + 1/2*pi*g*n*e)/(4*f^2*g^2*n^2*log(abs(F))^2 + (pi*f*g*n*sgn(F) - pi*f*g*n)^2))*e^(f*g*n*x*log(abs(F)) + g*n*e*log(abs(F))) - 1/2*I*(-4*I*a*b*e^(1/2*I*pi*f*g*n*x*sgn(F) - 1/2*I*pi*f*g*n*x + 1/2*I*pi*g*n*e*sgn(F) - 1/2*I*pi*g*n*e)/(I*pi*f*g*n*sgn(F) - I*pi*f*g*n + 2*f*g*n*log(abs(F))) + 4*I*a*b*e^(-1/2*I*pi*f*g*n*x*sgn(F) + 1/2*I*pi*f*g*n*x - 1/2*I*pi*g*n*e*sgn(F) + 1/2*I*pi*g*n*e)/(-I*pi*f*g*n*sgn(F) + I*pi*f*g*n + 2*f*g*n*log(abs(F))))*e^(f*g*n*x*log(abs(F)) + g*n*e*log(abs(F)))
```


$$3.36 \quad \int \frac{\left(a + b(Fg(e+fx))^n\right)^2}{c+dx} dx$$

Optimal. Leaf size=134

$$\frac{a^2 \log(c+dx)}{d} + \frac{2ab(F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \text{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^2(F^{eg+fgx})^{2n} F^{2gn\left(e-\frac{cf}{d}\right)-2gn(e+fx)} \text{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d}$$

[Out] (2*a*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/d + (b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d])/d + (a^2*Log[c + d*x])/d

Rubi [A] time = 0.254095, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2182, 2178}

$$\frac{a^2 \log(c+dx)}{d} + \frac{2ab(F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \text{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^2(F^{eg+fgx})^{2n} F^{2gn\left(e-\frac{cf}{d}\right)-2gn(e+fx)} \text{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^2/(c + d*x), x]

[Out] (2*a*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/d + (b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d])/d + (a^2*Log[c + d*x])/d

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2182

Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)

)^m * F^(g * n * (e + f * x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

Rule 2178

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !UseGamma == True

Rubi steps

$$\begin{aligned} \int \frac{(a + b(F^{g(e+fx)})^n)^2}{c + dx} dx &= \int \left(\frac{a^2}{c + dx} + \frac{2ab(F^{eg+fgx})^n}{c + dx} + \frac{b^2(F^{eg+fgx})^{2n}}{c + dx} \right) dx \\ &= \frac{a^2 \log(c + dx)}{d} + (2ab) \int \frac{(F^{eg+fgx})^n}{c + dx} dx + b^2 \int \frac{(F^{eg+fgx})^{2n}}{c + dx} dx \\ &= \frac{a^2 \log(c + dx)}{d} + \left(2ab F^{-n(eg+fgx)} (F^{eg+fgx})^n \right) \int \frac{F^{n(eg+fgx)}}{c + dx} dx + \left(b^2 F^{-2n(eg+fgx)} (F^{eg+fgx})^{2n} \right) \int \frac{F^{2n(eg+fgx)}}{c + dx} dx \\ &= \frac{2ab F^{\left(\frac{e-cf}{d}\right)gn - gn(e+fx)} (F^{eg+fgx})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^2 F^{2\left(\frac{e-cf}{d}\right)gn - 2gn(e+fx)} (F^{eg+fgx})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.29943, size = 108, normalized size = 0.81

$$\frac{a^2 \log(c + dx) + 2ab (F^{g(e+fx)})^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + b^2 (F^{g(e+fx)})^{2n} F^{-\frac{2fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^2/(c + d*x), x]

[Out] ((2*a*b*(F^(g*(e + f*x)))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/F^((f*g*n*(c + d*x))/d) + (b^2*(F^(g*(e + f*x)))^(2*n)*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d])/F^((2*f*g*n*(c + d*x))/d) + a^2*Log[c + d*x])/d

Maple [F] time = 0.056, size = 0, normalized size = 0.

$$\int \frac{(a + b(F^{g(fx+e)})^n)^2}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x)`

[Out] `int((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^{2n} b^2 \int \frac{(F^{fgx})^{2n}}{dx+c} dx + 2(F^{eg})^n ab \int \frac{(F^{fgx})^n}{dx+c} dx + \frac{a^2 \log(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="maxima")`

[Out] `(F^(e*g))^(2*n)*b^2*integrate((F^(f*g*x))^(2*n)/(d*x+c),x) + 2*(F^(e*g))
^n*a*b*integrate((F^(f*g*x))^n/(d*x+c),x) + a^2*log(d*x+c)/d`

Fricas [A] time = 1.52974, size = 208, normalized size = 1.55

$$\frac{F^{\frac{2(de-cf)gn}{d}} b^2 \text{Ei}\left(\frac{2(dfgnx+cfgn)\log(F)}{d}\right) + 2F^{\frac{(de-cf)gn}{d}} ab \text{Ei}\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right) + a^2 \log(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="fricas")`

[Out] `(F^(2*(d*e-c*f)*g*n/d)*b^2*Ei(2*(d*f*g*n*x+c*f*g*n)*log(F)/d) + 2*(F^(d
*e-c*f)*g*n/d)*a*b*Ei((d*f*g*n*x+c*f*g*n)*log(F)/d) + a^2*log(d*x+c))
/d`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b(F^{eg}F^{fgx})^n)^2}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2/(d*x+c),x)

[Out] Integral((a + b*(F**(e*g)*F**(f*g*x))**n)**2/(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(\left(F^{(f x + e) g} \right)^n b + a \right)^2}{d x + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^2/(d*x + c), x)

$$3.37 \quad \int \frac{\left(a + b(F^{g(e+fx)})^n\right)^2}{(c+dx)^2} dx$$

Optimal. Leaf size=202

$$-\frac{a^2}{d(c+dx)} + \frac{2abfgn \log(F) (F^{eg+fgx})^n F^{gn\left(\frac{e-cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d^2} - \frac{2ab(F^{eg+fgx})^n}{d(c+dx)} + \frac{2b^2fgn \log(F) (F^{eg+fgx})^{2n}}{d(c+dx)}$$

[Out] $-(a^2/(d*(c + d*x))) - (2*a*b*(F^(e*g + f*g*x))^n)/(d*(c + d*x)) - (b^2*(F^(e*g + f*g*x))^(2*n))/(d*(c + d*x)) + (2*a*b*f*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (2*b^2*f*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*g*n*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2$

Rubi [A] time = 0.341421, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {2183, 2177, 2182, 2178}

$$-\frac{a^2}{d(c+dx)} + \frac{2abfgn \log(F) (F^{eg+fgx})^n F^{gn\left(\frac{e-cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d^2} - \frac{2ab(F^{eg+fgx})^n}{d(c+dx)} + \frac{2b^2fgn \log(F) (F^{eg+fgx})^{2n}}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^2/(c + d*x)^2, x]

[Out] $-(a^2/(d*(c + d*x))) - (2*a*b*(F^(e*g + f*g*x))^n)/(d*(c + d*x)) - (b^2*(F^(e*g + f*g*x))^(2*n))/(d*(c + d*x)) + (2*a*b*f*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (2*b^2*f*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*g*n*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2$

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2177

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m
_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*F^(g*(e + f*x)))^n)/(d*(m + 1))
, x] - Dist[(f*g*n*Log[F])/(d*(m + 1)), Int[(c + d*x)^(m + 1)*(b*F^(g*(e +
f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && Int
egerQ[2*m] && !$UseGamma == True
```

Rule 2182

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m
_), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

Rule 2178

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] := Si
mp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; F
reeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b(F^{g(e+fx)})^n)^2}{(c + dx)^2} dx &= \int \left(\frac{a^2}{(c + dx)^2} + \frac{2ab(F^{eg+fgx})^n}{(c + dx)^2} + \frac{b^2(F^{eg+fgx})^{2n}}{(c + dx)^2} \right) dx \\
&= -\frac{a^2}{d(c + dx)} + (2ab) \int \frac{(F^{eg+fgx})^n}{(c + dx)^2} dx + b^2 \int \frac{(F^{eg+fgx})^{2n}}{(c + dx)^2} dx \\
&= -\frac{a^2}{d(c + dx)} - \frac{2ab(F^{eg+fgx})^n}{d(c + dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c + dx)} + \frac{(2abfgn \log(F)) \int \frac{(F^{eg+fgx})^n}{c+dx} dx}{d} + \frac{(2b^2fgn \log(F)) \int \frac{(F^{eg+fgx})^{2n}}{c+dx} dx}{d} \\
&= -\frac{a^2}{d(c + dx)} - \frac{2ab(F^{eg+fgx})^n}{d(c + dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c + dx)} + \frac{(2abfF^{-n(eg+fgx)}(F^{eg+fgx})^n g n \log(F)) \int \frac{(F^{eg+fgx})^n}{c+dx} dx}{d} \\
&= -\frac{a^2}{d(c + dx)} - \frac{2ab(F^{eg+fgx})^n}{d(c + dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c + dx)} + \frac{2abfF^{\left(\frac{e-cf}{d}\right)gn-gn(e+fx)}(F^{eg+fgx})^n g n \operatorname{Ei}\left(\frac{f g n(c+dx) \log(F)}{d}\right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.683578, size = 136, normalized size = 0.67

$$\frac{2abfgn \log(F) (F^{g(e+fx)})^n F^{-\frac{f g n(c+dx)}{d}} \operatorname{Ei}\left(\frac{f g n(c+dx) \log(F)}{d}\right) - \frac{d(a+b(F^{g(e+fx)})^n)^2}{c+dx} + 2b^2fgn \log(F) (F^{g(e+fx)})^{2n} F^{-\frac{2f g n(c+dx)}{d}} \operatorname{Ei}\left(\frac{2f g n(c+dx) \log(F)}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^2/(c + d*x)^2,x]

[Out]
$$\left(-\frac{(d(a + b(F^{g(e + fx)}))^n)^2}{(c + dx)} + (2abf(F^{g(e + fx)})^n * \text{ExpIntegralEi}[\frac{f g n (c + dx) \text{Log}[F]}{d}] * \text{Log}[F])}{(f g n (c + dx))^2} + (2b^2 f (F^{g(e + fx)})^{2n} * \text{ExpIntegralEi}[\frac{2 f g n (c + dx) \text{Log}[F]}{d}] * \text{Log}[F])}{(2 f g n (c + dx))^2}\right) / d^2$$

Maple [F] time = 0.026, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^2}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x)

[Out] int((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^{2n} b^2 \int \frac{(F^{fgx})^{2n}}{d^2 x^2 + 2cdx + c^2} dx + 2(F^{eg})^n ab \int \frac{(F^{fgx})^n}{d^2 x^2 + 2cdx + c^2} dx - \frac{a^2}{d^2 x + cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x, algorithm="maxima")

[Out]
$$(F^{(e*g)})^{(2*n)} * b^2 * \text{integrate}((F^{(f*g*x)})^{(2*n)} / (d^2 * x^2 + 2 * c * d * x + c^2), x) + 2 * (F^{(e*g)})^n * a * b * \text{integrate}((F^{(f*g*x)})^n / (d^2 * x^2 + 2 * c * d * x + c^2), x) - a^2 / (d^2 * x + c * d)$$

Fricas [A] time = 1.5317, size = 389, normalized size = 1.93

$$\frac{2 F f g n x + e g n a b d + F^2 f g n x + 2 e g n b^2 d - 2 (b^2 d f g n x + b^2 c f g n) F^{\frac{2(d e - c f) g n}{d}} \text{Ei}\left(\frac{2(d f g n x + c f g n) \log(F)}{d}\right) \log(F) - 2 (a b d f g n x + a b c d^2)}{d^3 x + c d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x, algorithm="fricas")

[Out] $-(2F^{(fgnx + egn)}ab^2d + F^{(2fgnx + 2egn)}b^2d - 2(b^2dfg^2nx + b^2c^2fg^2n)F^{(2(de - cf)gn/d)}Ei(2(df^2gnx + cf^2gn)\log(F)/d)\log(F) - 2(ab^2dfg^2nx + ab^2c^2fg^2n)F^{((de - cf)gn/d)}Ei((df^2gnx + cf^2gn)\log(F)/d)\log(F) + a^2d)/(d^3x + cd^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b(F^{eg}F^{fsx})^n)^2}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2/(d*x+c)**2,x)

[Out] Integral((a + b*(F**(e*g)*F**(f*g*x))))**n)**2/(c + d*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(\left(F^{(fx+e)g}\right)^n b + a\right)^2}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^2/(d*x + c)^2, x)

$$3.38 \quad \int \frac{\left(a + b(F^{g(e+fx)})^n\right)^2}{(c+dx)^3} dx$$

Optimal. Leaf size=286

$$-\frac{a^2}{2d(c+dx)^2} + \frac{abf^2g^2n^2 \log^2(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d^3} - \frac{abfgn \log(F) (F^{eg+fgx})^n}{d^2(c+dx)} - \frac{ab(F^{eg+fgx})^n}{d(c+dx)}$$

[Out] $-a^2/(2*d*(c + d*x)^2) - (a*b*(F^{(e*g + f*g*x)})^n)/(d*(c + d*x)^2) - (b^2*(F^{(e*g + f*g*x)})^{(2*n)})/(2*d*(c + d*x)^2) - (a*b*f*(F^{(e*g + f*g*x)})^n*g*n*\operatorname{Log}[F])/(d^2*(c + d*x)) - (b^2*f*(F^{(e*g + f*g*x)})^{(2*n)}*g*n*\operatorname{Log}[F])/(d^2*(c + d*x)) + (a*b*f^2*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^{(e*g + f*g*x)})^n*g^2*n^2*\operatorname{ExpIntegralEi}[(f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/d^3 + (2*b^2*f^2*F^{(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^{(e*g + f*g*x)})^{(2*n)}*g^2*n^2*\operatorname{ExpIntegralEi}[(2*f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/d^3$

Rubi [A] time = 0.474569, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {2183, 2177, 2182, 2178}

$$-\frac{a^2}{2d(c+dx)^2} + \frac{abf^2g^2n^2 \log^2(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d^3} - \frac{abfgn \log(F) (F^{eg+fgx})^n}{d^2(c+dx)} - \frac{ab(F^{eg+fgx})^n}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*(F^{(g*(e + f*x))})^n)^2/(c + d*x)^3, x]$

[Out] $-a^2/(2*d*(c + d*x)^2) - (a*b*(F^{(e*g + f*g*x)})^n)/(d*(c + d*x)^2) - (b^2*(F^{(e*g + f*g*x)})^{(2*n)})/(2*d*(c + d*x)^2) - (a*b*f*(F^{(e*g + f*g*x)})^n*g*n*\operatorname{Log}[F])/(d^2*(c + d*x)) - (b^2*f*(F^{(e*g + f*g*x)})^{(2*n)}*g*n*\operatorname{Log}[F])/(d^2*(c + d*x)) + (a*b*f^2*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^{(e*g + f*g*x)})^n*g^2*n^2*\operatorname{ExpIntegralEi}[(f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/d^3 + (2*b^2*f^2*F^{(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^{(e*g + f*g*x)})^{(2*n)}*g^2*n^2*\operatorname{ExpIntegralEi}[(2*f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/d^3$

Rule 2183

$\operatorname{Int}[(a_{.}) + (b_{.})*((F_{.})^{((g_{.})*((e_{.}) + (f_{.})*(x_{.})))})^{(n_{.})})^{(p_{.})*((c_{.}) + (d_{.})*(x_{.}))^{(m_{.})}}, x_{\text{Symbol}}] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d*x)^m, (a + b*(F$

```
^(g*(e + f*x)))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

Rule 2177

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m
_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*F^(g*(e + f*x)))^n)/(d*(m + 1))
, x] - Dist[(f*g*n*Log[F])/(d*(m + 1)), Int[(c + d*x)^(m + 1)*(b*F^(g*(e +
f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && Int
egerQ[2*m] && !$UseGamma == True
```

Rule 2182

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m
_), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

Rule 2178

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] := Si
mp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; F
reeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^2}{(c + dx)^3} dx &= \int \left(\frac{a^2}{(c + dx)^3} + \frac{2ab \left(F^{eg+fgx}\right)^n}{(c + dx)^3} + \frac{b^2 \left(F^{eg+fgx}\right)^{2n}}{(c + dx)^3} \right) dx \\
&= -\frac{a^2}{2d(c + dx)^2} + (2ab) \int \frac{\left(F^{eg+fgx}\right)^n}{(c + dx)^3} dx + b^2 \int \frac{\left(F^{eg+fgx}\right)^{2n}}{(c + dx)^3} dx \\
&= -\frac{a^2}{2d(c + dx)^2} - \frac{ab \left(F^{eg+fgx}\right)^n}{d(c + dx)^2} - \frac{b^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c + dx)^2} + \frac{(abfgn \log(F)) \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)^2} dx}{d} + \frac{(b^2fgn \log(F)) \int \frac{\left(F^{eg+fgx}\right)^{2n}}{(c+dx)^2} dx}{d} \\
&= -\frac{a^2}{2d(c + dx)^2} - \frac{ab \left(F^{eg+fgx}\right)^n}{d(c + dx)^2} - \frac{b^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c + dx)^2} - \frac{abf \left(F^{eg+fgx}\right)^n gn \log(F)}{d^2(c + dx)} - \frac{b^2 f \left(F^{eg+fgx}\right)^{2n}}{d^2(c + dx)} \\
&= -\frac{a^2}{2d(c + dx)^2} - \frac{ab \left(F^{eg+fgx}\right)^n}{d(c + dx)^2} - \frac{b^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c + dx)^2} - \frac{abf \left(F^{eg+fgx}\right)^n gn \log(F)}{d^2(c + dx)} - \frac{b^2 f \left(F^{eg+fgx}\right)^{2n}}{d^2(c + dx)} \\
&= -\frac{a^2}{2d(c + dx)^2} - \frac{ab \left(F^{eg+fgx}\right)^n}{d(c + dx)^2} - \frac{b^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c + dx)^2} - \frac{abf \left(F^{eg+fgx}\right)^n gn \log(F)}{d^2(c + dx)} - \frac{b^2 f \left(F^{eg+fgx}\right)^{2n}}{d^2(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.628889, size = 217, normalized size = 0.76

$$\frac{a^2 d^2 - 2abf^2 g^2 n^2 \log^2(F)(c + dx)^2 \left(F^{g(e+fx)}\right)^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + 2abd \left(F^{g(e+fx)}\right)^n (fgn \log(F)(c + dx) + d)}{2d^3(c + dx)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^2/(c + d*x)^3,x]

[Out] $-\frac{a^2 d^2 - (2abf^2 g^2 n^2 \log^2(F)(c + dx)^2 (F^{g(e+fx)})^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + 2abd (F^{g(e+fx)})^n (fgn \log(F)(c + dx) + d))}{2d^3(c + dx)^2}$

Maple [F] time = 0.026, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^2}{(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^{2n} b^2 \int \frac{(F^{fgx})^{2n}}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3} dx + 2(F^{eg})^n ab \int \frac{(F^{fgx})^n}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3} dx - \frac{a^2}{2(d^3 x^2 + 2cd^2 x + c^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x, algorithm="maxima")

[Out] (F^(e*g))^(2*n)*b^2*integrate((F^(f*g*x))^(2*n)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + 2*(F^(e*g))^n*a*b*integrate((F^(f*g*x))^n/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) - 1/2*a^2/(d^3*x^2 + 2*c*d^2*x + c^2*d)

Fricas [A] time = 1.59511, size = 671, normalized size = 2.35

$$4 \left(b^2 d^2 f^2 g^2 n^2 x^2 + 2 b^2 c d f^2 g^2 n^2 x + b^2 c^2 f^2 g^2 n^2 \right) F^{\frac{2(de-cf)gn}{d}} \operatorname{Ei} \left(\frac{2(dfgnx+cfgn)\log(F)}{d} \right) \log(F)^2 + 2 \left(abd^2 f^2 g^2 n^2 x^2 + 2 abcd f^2 g^2 n^2 x + b^2 c^2 f^2 g^2 n^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x, algorithm="fricas")

[Out] 1/2*(4*(b^2*d^2*f^2*g^2*n^2*x^2 + 2*b^2*c*d*f^2*g^2*n^2*x + b^2*c^2*f^2*g^2*n^2)*F^(2*(d*e - c*f)*g*n/d)*Ei(2*(d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2

$$+ 2*(a*b*d^2*f^2*g^2*n^2*x^2 + 2*a*b*c*d*f^2*g^2*n^2*x + a*b*c^2*f^2*g^2*n^2)*F^((d*e - c*f)*g*n/d)*Ei((d*f*g*n*x + c*f*g*n)*\log(F)/d)*\log(F)^2 - a^2*d^2 - (b^2*d^2 + 2*(b^2*d^2*f*g*n*x + b^2*c*d*f*g*n)*\log(F))*F^(2*f*g*n*x + 2*e*g*n) - 2*(a*b*d^2 + (a*b*d^2*f*g*n*x + a*b*c*d*f*g*n)*\log(F))*F^(f*g*n*x + e*g*n))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2/(d*x+c)**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(\left(F^{(f x + e) g} \right)^n b + a \right)^2}{(d x + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^2/(d*x + c)^3, x)

$$3.39 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 (c + dx)^3 dx$$

Optimal. Leaf size=496

$$\frac{18a^2bd^2(c+dx)(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{9a^2bd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{3a^2b(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{18a^2bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} + \frac{a^3(c+dx)^4}{4d}$$

[Out] (a^3*(c + d*x)^4)/(4*d) - (18*a^2*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*Log[F]^4) - (9*a*b^2*d^3*(F^(e*g + f*g*x))^(2*n))/(8*f^4*g^4*n^4*Log[F]^4) - (2*b^3*d^3*(F^(e*g + f*g*x))^(3*n))/(27*f^4*g^4*n^4*Log[F]^4) + (18*a^2*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*Log[F]^3) + (9*a*b^2*d^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(4*f^3*g^3*n^3*Log[F]^3) + (2*b^3*d^2*(F^(e*g + f*g*x))^(3*n)*(c + d*x))/(9*f^3*g^3*n^3*Log[F]^3) - (9*a^2*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*Log[F]^2) - (9*a*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(4*f^2*g^2*n^2*Log[F]^2) - (b^3*d*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^2)/(3*f^2*g^2*n^2*Log[F]^2) + (3*a^2*b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*Log[F]) + (3*a*b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^3)/(2*f*g*n*Log[F]) + (b^3*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^3)/(3*f*g*n*Log[F])

Rubi [A] time = 0.705136, antiderivative size = 496, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2176, 2194}

$$\frac{18a^2bd^2(c+dx)(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{9a^2bd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{3a^2b(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{18a^2bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} + \frac{a^3(c+dx)^4}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^3*(c + d*x)^3,x]

[Out] (a^3*(c + d*x)^4)/(4*d) - (18*a^2*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*Log[F]^4) - (9*a*b^2*d^3*(F^(e*g + f*g*x))^(2*n))/(8*f^4*g^4*n^4*Log[F]^4) - (2*b^3*d^3*(F^(e*g + f*g*x))^(3*n))/(27*f^4*g^4*n^4*Log[F]^4) + (18*a^2*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*Log[F]^3) + (9*a*b^2*d^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(4*f^3*g^3*n^3*Log[F]^3) + (2*b^3*d^2*(F^(e*g + f*g*x))^(3*n)*(c + d*x))/(9*f^3*g^3*n^3*Log[F]^3) - (9*a^2*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*Log[F]^2) - (9*a*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(4*f^2*g^2*n^2*Log[F]^2) - (b^3*d*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^2)/(3*f^2*g^2*n^2*Log[F]^2) + (3*a^2*b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*Log[F]) + (3*a*b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^3)/(2*f*g*n*Log[F]) + (b^3*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^3)/(3*f*g*n*Log[F])

$$\begin{aligned} &)^{(3n)}(c + dx)^2 / (3f^2g^{2n} \text{Log}[F]^2) + (3a^2b(F^{(eg + fg*x)})^n \\ &n(c + dx)^3 / (f*g*n \text{Log}[F]) + (3a*b^2(F^{(eg + fg*x)})^{(2n)}(c + dx)^3 \\ &3) / (2f*g*n \text{Log}[F]) + (b^3(F^{(eg + fg*x)})^{(3n)}(c + dx)^3) / (3f*g*n \text{Log}[F]) \end{aligned}$$

Rule 2183

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

Rule 2176

```
Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m
_), x_Symbol] := Simp[((c + d*x)^m*(b*(F^(g*(e + f*x)))^n)/(f*g*n*Log[F]),
x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*(F^(g*(e + f*x)))^n
, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m]
] && !$UseGamma === True
```

Rule 2194

```
Int[((F_)^((c_)*((a_) + (b_)*(x_))))^(n_), x_Symbol] := Simp[(F^(c*(a +
b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b(F^{g(e+fx)})^n)^3 (c + dx)^3 dx &= \int (a^3(c + dx)^3 + 3a^2b(F^{eg+fgx})^n(c + dx)^3 + 3ab^2(F^{eg+fgx})^{2n}(c + dx)^3 + b^3(F^{eg+fgx})^{3n}(c + dx)^3) dx \\ &= \frac{a^3(c + dx)^4}{4d} + (3a^2b) \int (F^{eg+fgx})^n (c + dx)^3 dx + (3ab^2) \int (F^{eg+fgx})^{2n} (c + dx)^3 dx + b^3 \int (F^{eg+fgx})^{3n} (c + dx)^3 dx \\ &= \frac{a^3(c + dx)^4}{4d} + \frac{3a^2b(F^{eg+fgx})^n(c + dx)^3}{fgn \log(F)} + \frac{3ab^2(F^{eg+fgx})^{2n}(c + dx)^3}{2fgn \log(F)} + \frac{b^3(F^{eg+fgx})^{3n}(c + dx)^3}{3fgn \log(F)} \\ &= \frac{a^3(c + dx)^4}{4d} - \frac{9a^2bd(F^{eg+fgx})^n(c + dx)^2}{f^2g^2n^2 \log^2(F)} - \frac{9ab^2d(F^{eg+fgx})^{2n}(c + dx)^2}{4f^2g^2n^2 \log^2(F)} - \frac{b^3d(F^{eg+fgx})^{3n}(c + dx)^2}{3f^2g^2n^2 \log^2(F)} \\ &= \frac{a^3(c + dx)^4}{4d} + \frac{18a^2bd^2(F^{eg+fgx})^n(c + dx)}{f^3g^3n^3 \log^3(F)} + \frac{9ab^2d^2(F^{eg+fgx})^{2n}(c + dx)}{4f^3g^3n^3 \log^3(F)} + \frac{2b^3d^2(F^{eg+fgx})^{3n}(c + dx)}{9f^3g^3n^3 \log^3(F)} \\ &= \frac{a^3(c + dx)^4}{4d} - \frac{18a^2bd^3(F^{eg+fgx})^n}{f^4g^4n^4 \log^4(F)} - \frac{9ab^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4 \log^4(F)} - \frac{2b^3d^3(F^{eg+fgx})^{3n}}{27f^4g^4n^4 \log^4(F)} + \frac{18a^3bd^3(F^{eg+fgx})^n}{f^4g^4n^4 \log^4(F)} \end{aligned}$$

Mathematica [A] time = 0.721437, size = 341, normalized size = 0.69

$$\frac{3a^2b \left(F^{g(e+fx)} \right)^n \left(6d^2fgn \log(F)(c+dx) - 3df^2g^2n^2 \log^2(F)(c+dx)^2 + f^3g^3n^3 \log^3(F)(c+dx)^3 - 6d^3 \right)}{f^4g^4n^4 \log^4(F)} + \frac{3}{2}a^3c^2dx^2 + a^3c$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^3*(c + d*x)^3,x]

[Out] $a^3c^3x + (3a^3c^2dx^2)/2 + a^3cd^2x^3 + (a^3d^3x^4)/4 + (3a^2b(F^{g(e+fx)})^n(-6d^3 + 6d^2f*g*n*(c+dx)*\text{Log}[F] - 3d*f^2*g^2*n^2*(c+dx)^2*\text{Log}[F]^2 + f^3*g^3*n^3*(c+dx)^3*\text{Log}[F]^3))/(f^4*g^4*n^4*\text{Log}[F]^4) + (3a*b^2*(F^{g(e+fx)})^{2n}*(-3d^3 + 6d^2f*g*n*(c+dx)*\text{Log}[F] - 6d*f^2*g^2*n^2*(c+dx)^2*\text{Log}[F]^2 + 4*f^3*g^3*n^3*(c+dx)^3*\text{Log}[F]^3))/(8*f^4*g^4*n^4*\text{Log}[F]^4) + (b^3*(F^{g(e+fx)})^{3n}*(-2d^3 + 6d^2f*g*n*(c+dx)*\text{Log}[F] - 9d*f^2*g^2*n^2*(c+dx)^2*\text{Log}[F]^2 + 9*f^3*g^3*n^3*(c+dx)^3*\text{Log}[F]^3))/(27*f^4*g^4*n^4*\text{Log}[F]^4)$

Maple [F] time = 0.023, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^3 (dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^3,x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.65667, size = 1463, normalized size = 2.95

$$54 \left(a^3 d^3 f^4 g^4 n^4 x^4 + 4 a^3 c d^2 f^4 g^4 n^4 x^3 + 6 a^3 c^2 d f^4 g^4 n^4 x^2 + 4 a^3 c^3 f^4 g^4 n^4 x \right) \log(F)^4 - 8 \left(2 b^3 d^3 - 9 \left(b^3 d^3 f^3 g^3 n^3 x^3 + 3 b^3 d^3 f^2 g^3 n^3 x^2 + 3 b^3 d^3 f g^3 n^3 x + b^3 d^3 \right) \log(F)^3 + 9 \left(b^3 d^3 f^2 g^2 n^2 x^2 + 2 b^3 d^3 f g^2 n^2 x + b^3 d^3 \right) \log(F)^2 - 6 \left(b^3 d^3 f g n x + b^3 d^3 \right) \log(F) \right) F^{(3 f g n x + 3 e g n)} - 81 \left(3 a b^2 d^3 - 4 \left(a b^2 d^3 f^3 g^3 n^3 x^3 + 3 a b^2 d^3 f^2 g^3 n^3 x^2 + 3 a b^2 d^3 f g^3 n^3 x + a b^2 d^3 \right) \log(F)^3 + 6 \left(a b^2 d^3 f^2 g^2 n^2 x^2 + 2 a b^2 d^3 f g^2 n^2 x + a b^2 d^3 \right) \log(F)^2 - 6 \left(a b^2 d^3 f g n x + a b^2 d^3 \right) \log(F) \right) F^{(2 f g n x + 2 e g n)} - 64 \left(6 a^2 b d^3 - \left(a^2 b d^3 f^3 g^3 n^3 x^3 + 3 a^2 b d^3 f^2 g^3 n^3 x^2 + 3 a^2 b d^3 f g^3 n^3 x + a^2 b d^3 \right) \log(F)^3 + 3 \left(a^2 b d^3 f^2 g^2 n^2 x^2 + 2 a^2 b d^3 f g^2 n^2 x + a^2 b d^3 \right) \log(F)^2 - 6 \left(a^2 b d^3 f g n x + a^2 b d^3 \right) \log(F) \right) F^{(f g n x + e g n)} \right) / (f^4 g^4 n^4 \log(F)^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^3,x, algorithm="fricas")

[Out] 1/216*(54*(a^3*d^3*f^4*g^4*n^4*x^4 + 4*a^3*c*d^2*f^4*g^4*n^4*x^3 + 6*a^3*c^2*d*f^4*g^4*n^4*x^2 + 4*a^3*c^3*d*f^4*g^4*n^4*x)*log(F)^4 - 8*(2*b^3*d^3 - 9*(b^3*d^3*f^3*g^3*n^3*x^3 + 3*b^3*c*d^2*f^3*g^3*n^3*x^2 + 3*b^3*c^2*d*f^3*g^3*n^3*x + b^3*c^3*d*f^3*g^3*n^3)*log(F)^3 + 9*(b^3*d^3*f^2*g^2*n^2*x^2 + 2*b^3*d^3*f*g^2*n^2*x + b^3*d^3)*log(F)^2 - 6*(b^3*d^3*f*g*n*x + b^3*d^3)*log(F))*F^(3*f*g*n*x + 3*e*g*n) - 81*(3*a*b^2*d^3 - 4*(a*b^2*d^3*f^3*g^3*n^3*x^3 + 3*a*b^2*d^3*f^2*g^3*n^3*x^2 + 3*a*b^2*d^3*f*g^3*n^3*x + a*b^2*d^3)*log(F)^3 + 6*(a*b^2*d^3*f^2*g^2*n^2*x^2 + 2*a*b^2*d^3*f*g^2*n^2*x + a*b^2*d^3)*log(F)^2 - 6*(a*b^2*d^3*f*g*n*x + a*b^2*d^3)*log(F))*F^(2*f*g*n*x + 2*e*g*n) - 64*8*(6*a^2*b*d^3 - (a^2*b*d^3*f^3*g^3*n^3*x^3 + 3*a^2*b*d^3*f^2*g^3*n^3*x^2 + 3*a^2*b*d^3*f*g^3*n^3*x + a^2*b*d^3)*log(F)^3 + 3*(a^2*b*d^3*f^2*g^2*n^2*x^2 + 2*a^2*b*d^3*f*g^2*n^2*x + a^2*b*d^3)*log(F)^2 - 6*(a^2*b*d^3*f*g*n*x + a^2*b*d^3)*log(F))*F^(f*g*n*x + e*g*n))/(f^4*g^4*n^4*log(F)^4)

Sympy [A] time = 0.985326, size = 1074, normalized size = 2.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3*(d*x+c)**3,x)

[Out] a**3*c**3*x + 3*a**3*c**2*d*x**2/2 + a**3*c*d**2*x**3 + a**3*d**3*x**4/4 + Piecewise((((72*b**3*c**3*f**11*g**11*n**11*log(F)**11 + 216*b**3*c**2*d*f**11*g**11*n**11*x*log(F)**11 - 72*b**3*c**2*d*f**10*g**10*n**10*log(F)**10 + 216*b**3*c*d**2*f**11*g**11*n**11*x**2*log(F)**11 - 144*b**3*c*d**2*f**10*g**10*n**10*x*log(F)**10 + 48*b**3*c*d**2*f**9*g**9*n**9*log(F)**9 + 72*b**3*d**3*f**11*g**11*n**11*x**3*log(F)**11 - 72*b**3*d**3*f**10*g**10*n**10*x**2*log(F)**10 + 48*b**3*d**3*f**9*g**9*n**9*x*log(F)**9 - 16*b**3*d**3*f**8*g**8*n**8*log(F)**8 + 16*b**3*d**3*f**7*g**7*n**7*log(F)**7 - 16*b**3*d**3*f**6*g**6*n**6*log(F)**6 + 16*b**3*d**3*f**5*g**5*n**5*log(F)**5 - 16*b**3*d**3*f**4*g**4*n**4*log(F)**4 + 16*b**3*d**3*f**3*g**3*n**3*log(F)**3 - 16*b**3*d**3*f**2*g**2*n**2*log(F)**2 + 16*b**3*d**3*f*g*n*log(F) - 16*b**3*d**3)*log(F)^11 - 9*(b**3*d**3*f**10*g**10*n**10*x^10 + 3*b**3*d**3*f**9*g**9*n**9*x^9 + 3*b**3*d**3*f**8*g**8*n**8*x^8 + 3*b**3*d**3*f**7*g**7*n**7*x^7 + 3*b**3*d**3*f**6*g**6*n**6*x^6 + 3*b**3*d**3*f**5*g**5*n**5*x^5 + 3*b**3*d**3*f**4*g**4*n**4*x^4 + 3*b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^10 - 9*(b**3*d**3*f**9*g**9*n**9*x^9 + 3*b**3*d**3*f**8*g**8*n**8*x^8 + 3*b**3*d**3*f**7*g**7*n**7*x^7 + 3*b**3*d**3*f**6*g**6*n**6*x^6 + 3*b**3*d**3*f**5*g**5*n**5*x^5 + 3*b**3*d**3*f**4*g**4*n**4*x^4 + 3*b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^9 - 9*(b**3*d**3*f**8*g**8*n**8*x^8 + 3*b**3*d**3*f**7*g**7*n**7*x^7 + 3*b**3*d**3*f**6*g**6*n**6*x^6 + 3*b**3*d**3*f**5*g**5*n**5*x^5 + 3*b**3*d**3*f**4*g**4*n**4*x^4 + 3*b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^8 - 9*(b**3*d**3*f**7*g**7*n**7*x^7 + 3*b**3*d**3*f**6*g**6*n**6*x^6 + 3*b**3*d**3*f**5*g**5*n**5*x^5 + 3*b**3*d**3*f**4*g**4*n**4*x^4 + 3*b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^7 - 9*(b**3*d**3*f**6*g**6*n**6*x^6 + 3*b**3*d**3*f**5*g**5*n**5*x^5 + 3*b**3*d**3*f**4*g**4*n**4*x^4 + 3*b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^6 - 9*(b**3*d**3*f**5*g**5*n**5*x^5 + 3*b**3*d**3*f**4*g**4*n**4*x^4 + 3*b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^5 - 9*(b**3*d**3*f**4*g**4*n**4*x^4 + 3*b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^4 - 9*(b**3*d**3*f**3*g**3*n**3*x^3 + 3*b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^3 - 9*(b**3*d**3*f**2*g**2*n**2*x^2 + 3*b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F)^2 - 9*(b**3*d**3*f*g*n*x + 3*b**3*d**3)*log(F) - 9*b**3*d**3)

```

*8*g**8*n**8*log(F)**8*(F**(g*(e + f*x))**(3*n) + (324*a*b**2*c**3*f**11*
g**11*n**11*log(F)**11 + 972*a*b**2*c**2*d*f**11*g**11*n**11*x*log(F)**11 -
486*a*b**2*c**2*d*f**10*g**10*n**10*log(F)**10 + 972*a*b**2*c*d**2*f**11*g
**11*n**11*x**2*log(F)**11 - 972*a*b**2*c*d**2*f**10*g**10*n**10*x*log(F)**
10 + 486*a*b**2*c*d**2*f**9*g**9*n**9*log(F)**9 + 324*a*b**2*d**3*f**11*g**
11*n**11*x**3*log(F)**11 - 486*a*b**2*d**3*f**10*g**10*n**10*x**2*log(F)**1
0 + 486*a*b**2*d**3*f**9*g**9*n**9*x*log(F)**9 - 243*a*b**2*d**3*f**8*g**8*
n**8*log(F)**8*(F**(g*(e + f*x))**(2*n) + (648*a**2*b*c**3*f**11*g**11*n*
**11*log(F)**11 + 1944*a**2*b*c**2*d*f**11*g**11*n**11*x*log(F)**11 - 1944*a
**2*b*c**2*d*f**10*g**10*n**10*log(F)**10 + 1944*a**2*b*c*d**2*f**11*g**11*
n**11*x**2*log(F)**11 - 3888*a**2*b*c*d**2*f**10*g**10*n**10*x*log(F)**10 +
3888*a**2*b*c*d**2*f**9*g**9*n**9*log(F)**9 + 648*a**2*b*d**3*f**11*g**11*
n**11*x**3*log(F)**11 - 1944*a**2*b*d**3*f**10*g**10*n**10*x**2*log(F)**10
+ 3888*a**2*b*d**3*f**9*g**9*n**9*x*log(F)**9 - 3888*a**2*b*d**3*f**8*g**8*
n**8*log(F)**8*(F**(g*(e + f*x))**n)/(216*f**12*g**12*n**12*log(F)**12),
Ne(216*f**12*g**12*n**12*log(F)**12, 0)), (x**4*(3*a**2*b*d**3/4 + 3*a*b**2
*d**3/4 + b**3*d**3/4) + x**3*(3*a**2*b*c*d**2 + 3*a*b**2*c*d**2 + b**3*c*d
**2) + x**2*(9*a**2*b*c**2*d/2 + 9*a*b**2*c**2*d/2 + 3*b**3*c**2*d/2) + x*(
3*a**2*b*c**3 + 3*a*b**2*c**3 + b**3*c**3), True))

```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)^3*(d*x+c)^3,x, algorithm="giac")

[Out] Timed out

$$3.40 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 (c + dx)^2 dx$$

Optimal. Leaf size=366

$$\frac{6a^2bd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{3a^2b(c+dx)^2(F^{eg+fgx})^n}{fgn\log(F)} + \frac{6a^2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} + \frac{a^3(c+dx)^3}{3d} - \frac{3ab^2d(c+dx)(F^{eg+fgx})^{2n}}{2f^2g^2n^2\log^2(F)}$$

[Out] (a^3*(c + d*x)^3)/(3*d) + (6*a^2*b*d^2*(F^(e*g + f*g*x))^n)/(f^3*g^3*n^3*Log[F]^3) + (3*a*b^2*d^2*(F^(e*g + f*g*x))^(2*n))/(4*f^3*g^3*n^3*Log[F]^3) + (2*b^3*d^2*(F^(e*g + f*g*x))^(3*n))/(27*f^3*g^3*n^3*Log[F]^3) - (6*a^2*b*d*(F^(e*g + f*g*x))^n*(c + d*x))/(f^2*g^2*n^2*Log[F]^2) - (3*a*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(2*f^2*g^2*n^2*Log[F]^2) - (2*b^3*d*(F^(e*g + f*g*x))^(3*n)*(c + d*x))/(9*f^2*g^2*n^2*Log[F]^2) + (3*a^2*b*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f*g*n*Log[F]) + (3*a*b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(2*f*g*n*Log[F]) + (b^3*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^2)/(3*f*g*n*Log[F])

Rubi [A] time = 0.464253, antiderivative size = 366, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2176, 2194}

$$\frac{6a^2bd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{3a^2b(c+dx)^2(F^{eg+fgx})^n}{fgn\log(F)} + \frac{6a^2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} + \frac{a^3(c+dx)^3}{3d} - \frac{3ab^2d(c+dx)(F^{eg+fgx})^{2n}}{2f^2g^2n^2\log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^3*(c + d*x)^2,x]

[Out] (a^3*(c + d*x)^3)/(3*d) + (6*a^2*b*d^2*(F^(e*g + f*g*x))^n)/(f^3*g^3*n^3*Log[F]^3) + (3*a*b^2*d^2*(F^(e*g + f*g*x))^(2*n))/(4*f^3*g^3*n^3*Log[F]^3) + (2*b^3*d^2*(F^(e*g + f*g*x))^(3*n))/(27*f^3*g^3*n^3*Log[F]^3) - (6*a^2*b*d*(F^(e*g + f*g*x))^n*(c + d*x))/(f^2*g^2*n^2*Log[F]^2) - (3*a*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(2*f^2*g^2*n^2*Log[F]^2) - (2*b^3*d*(F^(e*g + f*g*x))^(3*n)*(c + d*x))/(9*f^2*g^2*n^2*Log[F]^2) + (3*a^2*b*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f*g*n*Log[F]) + (3*a*b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(2*f*g*n*Log[F]) + (b^3*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^2)/(3*f*g*n*Log[F])

Rule 2183

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) +
(d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x))))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

Rule 2176

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m
_.), x_Symbol] := Simp[((c + d*x)^m*(b*F^(g*(e + f*x))))^n/(f*g*n*Log[F]),
x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x))))^n
, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m
] && !$UseGamma === True
```

Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a +
b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b(F^{g(e+fx)})^n)^3 (c + dx)^2 dx &= \int (a^3(c + dx)^2 + 3a^2b(F^{eg+fgx})^n(c + dx)^2 + 3ab^2(F^{eg+fgx})^{2n}(c + dx)^2 + b^3(F^{eg+fgx})^{3n}(c + dx)^2) dx \\
&= \frac{a^3(c + dx)^3}{3d} + (3a^2b) \int (F^{eg+fgx})^n (c + dx)^2 dx + (3ab^2) \int (F^{eg+fgx})^{2n} (c + dx)^2 dx + b^3 \int (F^{eg+fgx})^{3n} (c + dx)^2 dx \\
&= \frac{a^3(c + dx)^3}{3d} + \frac{3a^2b(F^{eg+fgx})^n(c + dx)^2}{fgn \log(F)} + \frac{3ab^2(F^{eg+fgx})^{2n}(c + dx)^2}{2fgn \log(F)} + \frac{b^3(F^{eg+fgx})^{3n}(c + dx)^2}{3fgn \log(F)} \\
&= \frac{a^3(c + dx)^3}{3d} - \frac{6a^2bd(F^{eg+fgx})^n(c + dx)}{f^2g^2n^2 \log^2(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n}(c + dx)}{2f^2g^2n^2 \log^2(F)} - \frac{2b^3d(F^{eg+fgx})^{3n}(c + dx)}{9f^2g^2n^2 \log^2(F)} \\
&= \frac{a^3(c + dx)^3}{3d} + \frac{6a^2bd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} + \frac{3ab^2d^2(F^{eg+fgx})^{2n}}{4f^3g^3n^3 \log^3(F)} + \frac{2b^3d^2(F^{eg+fgx})^{3n}}{27f^3g^3n^3 \log^3(F)} - \frac{6a^2bd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)}
\end{aligned}$$

Mathematica [A] time = 0.513091, size = 248, normalized size = 0.68

$$\frac{3a^2b(F^{g(e+fx)})^n(f^2g^2n^2 \log^2(F)(c + dx)^2 - 2dfgn \log(F)(c + dx) + 2d^2)}{f^3g^3n^3 \log^3(F)} + a^3c^2x + a^3cdx^2 + \frac{1}{3}a^3d^2x^3 + \frac{3ab^2(F^{g(e+fx)})^{2n}}{f^3g^3n^3 \log^3(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^3*(c + d*x)^2,x]
```

```
[Out] a^3*c^2*x + a^3*c*d*x^2 + (a^3*d^2*x^3)/3 + (3*a^2*b*(F^(g*(e + f*x)))^n*(2
*d^2 - 2*d*f*g*n*(c + d*x)*Log[F] + f^2*g^2*n^2*(c + d*x)^2*Log[F]^2))/(f^3
*g^3*n^3*Log[F]^3) + (3*a*b^2*(F^(g*(e + f*x)))^(2*n)*(d^2 - 2*d*f*g*n*(c +
d*x)*Log[F] + 2*f^2*g^2*n^2*(c + d*x)^2*Log[F]^2))/(4*f^3*g^3*n^3*Log[F]^3
) + (b^3*(F^(g*(e + f*x)))^(3*n)*(2*d^2 - 6*d*f*g*n*(c + d*x)*Log[F] + 9*f^
2*g^2*n^2*(c + d*x)^2*Log[F]^2))/(27*f^3*g^3*n^3*Log[F]^3)
```

Maple [F] time = 0.023, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^3 (dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^2,x
```

```
[Out] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^2,x
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 1.60002, size = 890, normalized size = 2.43

$$\frac{36 \left(a^3 d^2 f^3 g^3 n^3 x^3 + 3 a^3 c d f^3 g^3 n^3 x^2 + 3 a^3 c^2 f^3 g^3 n^3 x \right) \log(F)^3 + 4 \left(2 b^3 d^2 + 9 \left(b^3 d^2 f^2 g^2 n^2 x^2 + 2 b^3 c d f^2 g^2 n^2 x + b^3 c^2 f^2 \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^2,x, algorithm="fricas")
```


$$\begin{aligned}
& \text{bs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)^2)*\sin(-3/2*\pi*f*g*n*x*\text{sgn}(F) + 3/2* \\
& \pi*f*g*n*x - 3/2*\pi*g*n*e*\text{sgn}(F) + 3/2*\pi*g*n*e))*e^{(3*f*g*n*x*\log(\text{abs}(F)) \\
& + 3*g*n*e*\log(\text{abs}(F)))} + 1/2*I*((36*I*\pi^2*b^3*d^2*f^2*g^2*n^2*x^2*\text{sgn}(F) - \\
& 72*\pi*b^3*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F))*\text{sgn}(F) - 36*I*\pi^2*b^3*d^2*f^2*g \\
& ^2*n^2*x^2 + 72*\pi*b^3*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F)) + 72*I*b^3*d^2*f^2*g \\
& ^2*n^2*x^2*\log(\text{abs}(F))^2 + 72*I*\pi^2*b^3*c*d*f^2*g^2*n^2*x*\text{sgn}(F) - 144*\pi* \\
& b^3*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F))*\text{sgn}(F) - 72*I*\pi^2*b^3*c*d*f^2*g^2*n^2*x \\
& + 144*\pi*b^3*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F)) + 144*I*b^3*c*d*f^2*g^2*n^2*x*\log \\
& (\text{abs}(F))^2 + 36*I*\pi^2*b^3*c^2*f^2*g^2*n^2*\text{sgn}(F) - 72*\pi*b^3*c^2*f^2*g^2* \\
& n^2*\log(\text{abs}(F))*\text{sgn}(F) - 36*I*\pi^2*b^3*c^2*f^2*g^2*n^2 + 72*\pi*b^3*c^2*f^2* \\
& g^2*n^2*\log(\text{abs}(F)) + 72*I*b^3*c^2*f^2*g^2*n^2*\log(\text{abs}(F))^2 + 24*\pi*b^3*d^ \\
& 2*f*g*n*x*\text{sgn}(F) - 24*\pi*b^3*d^2*f*g*n*x - 48*I*b^3*d^2*f*g*n*x*\log(\text{abs}(F)) \\
& + 24*\pi*b^3*c*d*f*g*n*\text{sgn}(F) - 24*\pi*b^3*c*d*f*g*n - 48*I*b^3*c*d*f*g*n*\log \\
& (\text{abs}(F)) + 16*I*b^3*d^2)*e^{(3/2*I*\pi*f*g*n*x*\text{sgn}(F) - 3/2*I*\pi*f*g*n*x + 3 \\
& /2*I*\pi*g*n*e*\text{sgn}(F) - 3/2*I*\pi*g*n*e)/(-108*I*\pi^3*f^3*g^3*n^3*\text{sgn}(F) + 32 \\
& 4*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) + 324*I*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2* \\
& \text{sgn}(F) + 108*I*\pi^3*f^3*g^3*n^3 - 324*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F)) - 324*I* \\
& \pi*f^3*g^3*n^3*\log(\text{abs}(F))^2 + 216*f^3*g^3*n^3*\log(\text{abs}(F))^3) - (36*I*\pi^2* \\
& b^3*d^2*f^2*g^2*n^2*x^2*\text{sgn}(F) + 72*\pi*b^3*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F))* \\
& \text{sgn}(F) - 36*I*\pi^2*b^3*d^2*f^2*g^2*n^2*x^2 - 72*\pi*b^3*d^2*f^2*g^2*n^2*x^2* \\
& \log(\text{abs}(F)) + 72*I*b^3*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F))^2 + 72*I*\pi^2*b^3*c* \\
& d*f^2*g^2*n^2*x*\text{sgn}(F) + 144*\pi*b^3*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F))*\text{sgn}(F) - \\
& 72*I*\pi^2*b^3*c*d*f^2*g^2*n^2*x - 144*\pi*b^3*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F)) \\
& + 144*I*b^3*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F))^2 + 36*I*\pi^2*b^3*c^2*f^2*g^2*n^2 \\
& *\text{sgn}(F) + 72*\pi*b^3*c^2*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - 36*I*\pi^2*b^3*c^2* \\
& f^2*g^2*n^2 - 72*\pi*b^3*c^2*f^2*g^2*n^2*\log(\text{abs}(F)) + 72*I*b^3*c^2*f^2*g^2* \\
& n^2*\log(\text{abs}(F))^2 - 24*\pi*b^3*d^2*f*g*n*x*\text{sgn}(F) + 24*\pi*b^3*d^2*f*g*n*x - \\
& 48*I*b^3*d^2*f*g*n*x*\log(\text{abs}(F)) - 24*\pi*b^3*c*d*f*g*n*\text{sgn}(F) + 24*\pi*b^3*c \\
& *d*f*g*n - 48*I*b^3*c*d*f*g*n*\log(\text{abs}(F)) + 16*I*b^3*d^2)*e^{(-3/2*I*\pi*f*g* \\
& n*x*\text{sgn}(F) + 3/2*I*\pi*f*g*n*x - 3/2*I*\pi*g*n*e*\text{sgn}(F) + 3/2*I*\pi*g*n*e)/(10 \\
& 8*I*\pi^3*f^3*g^3*n^3*\text{sgn}(F) + 324*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 324 \\
& *I*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - 108*I*\pi^3*f^3*g^3*n^3 - 324*\pi^2* \\
& f^3*g^3*n^3*\log(\text{abs}(F)) + 324*I*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2 + 216*f^3*g^3* \\
& n^3*\log(\text{abs}(F))^3))*e^{(3*f*g*n*x*\log(\text{abs}(F)) + 3*g*n*e*\log(\text{abs}(F)))} - 3/2*(\\
& ((2*\pi*a*b^2*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F))*\text{sgn}(F) - 2*\pi*a*b^2*d^2*f^2*g^ \\
& 2*n^2*x^2*\log(\text{abs}(F)) + 4*\pi*a*b^2*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F))*\text{sgn}(F) - 4 \\
& *\pi*a*b^2*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F)) + 2*\pi*a*b^2*c^2*f^2*g^2*n^2*\log(\text{abs} \\
& (\text{abs}(F))*\text{sgn}(F) - 2*\pi*a*b^2*c^2*f^2*g^2*n^2*\log(\text{abs}(F)) - \pi*a*b^2*d^2*f*g*n* \\
& x*\text{sgn}(F) + \pi*a*b^2*d^2*f*g*n*x - \pi*a*b^2*c*d*f*g*n*\text{sgn}(F) + \pi*a*b^2*c*d* \\
& f*g*n)*(\pi^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi \\
& i^3*f^3*g^3*n^3 + 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2)/((\pi^3*f^3*g^3*n^3*\text{sgn}(F) \\
& - 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi^3*f^3*g^3*n^3 + 3*\pi*f^3*g^3* \\
& n^3*\log(\text{abs}(F))^2)^2 + (3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 3*\pi^2*f^3* \\
& g^3*n^3*\log(\text{abs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)^2) - (\pi^2*a*b^2*d^2*f^2 \\
& *g^2*n^2*x^2*\text{sgn}(F) - \pi^2*a*b^2*d^2*f^2*g^2*n^2*x^2 + 2*a*b^2*d^2*f^2*g^2*
\end{aligned}$$

$$\begin{aligned}
& n^2 x^2 \log(\operatorname{abs}(F))^2 + 2\pi^2 a b^2 c d f^2 g^2 n^2 x \operatorname{sgn}(F) - 2\pi^2 a b^2 c^2 d f^2 g^2 n^2 x + 4a b^2 c^2 d f^2 g^2 n^2 x \log(\operatorname{abs}(F))^2 + \pi^2 a b^2 c^2 f^2 g^2 n^2 \operatorname{sgn}(F) - \pi^2 a b^2 c^2 f^2 g^2 n^2 + 2a b^2 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 - 2a b^2 d^2 f g n x \log(\operatorname{abs}(F)) - 2a b^2 c d f g n \log(\operatorname{abs}(F)) + a b^2 d^2 (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3) / ((\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3)^2) * \cos(-\pi f g n x \operatorname{sgn}(F) + \pi f g n x - \pi g n e \operatorname{sgn}(F) + \pi g n e) - ((\pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 \operatorname{sgn}(F) - \pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 + 2a b^2 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))^2 + 2\pi^2 a b^2 c d f^2 g^2 n^2 x \operatorname{sgn}(F) - 2\pi^2 a b^2 c d f^2 g^2 n^2 x + 4a b^2 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F))^2 + \pi^2 a b^2 c^2 f^2 g^2 n^2 \operatorname{sgn}(F) - \pi^2 a b^2 c^2 f^2 g^2 n^2 + 2a b^2 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 - 2a b^2 d^2 f g n x \log(\operatorname{abs}(F)) - 2a b^2 c d f g n \log(\operatorname{abs}(F)) + a b^2 d^2 (\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2) / ((\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3)^2) + (2\pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 2\pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) + 4\pi^2 a b^2 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 4\pi^2 a b^2 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) + 2\pi^2 a b^2 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 2\pi^2 a b^2 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) - \pi^2 a b^2 d^2 f g n x \operatorname{sgn}(F) + \pi^2 a b^2 d^2 f g n x - \pi^2 a b^2 c d f g n \operatorname{sgn}(F) + \pi^2 a b^2 c d f g n) * (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3) / ((\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3)^2) * \sin(-\pi f g n x \operatorname{sgn}(F) + \pi f g n x - \pi g n e \operatorname{sgn}(F) + \pi g n e) * e^{(2f g n x \log(\operatorname{abs}(F)) + 2g n e \log(\operatorname{abs}(F)))} + 1/2 I * ((6 I \pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 \operatorname{sgn}(F) - 12 \pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 6 I \pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 + 12 \pi^2 a b^2 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) + 12 I a b^2 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))^2 + 12 I \pi^2 a b^2 c d f^2 g^2 n^2 x \operatorname{sgn}(F) - 24 \pi^2 a b^2 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 12 I \pi^2 a b^2 c d f^2 g^2 n^2 x + 24 \pi^2 a b^2 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) + 24 I a b^2 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F))^2 + 6 I \pi^2 a b^2 c^2 f^2 g^2 n^2 \operatorname{sgn}(F) - 12 \pi^2 a b^2 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 6 I \pi^2 a b^2 c^2 f^2 g^2 n^2 + 12 \pi^2 a b^2 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) + 12 I a b^2 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 + 6 \pi^2 a b^2 d^2 f g n x \operatorname{sgn}(F) - 6 \pi^2 a b^2 d^2 f g n x - 12 I a b^2 d^2 f g n x \log(\operatorname{abs}(F)) + 6 \pi^2 a b^2 c d f g n \operatorname{sgn}(F) - 6 \pi^2 a b^2 c d f g n - 12 I a b^2 c d f g n \log(\operatorname{abs}(F)) + 6 I a b^2 d^2) * e^{(I \pi^2 f g n x \operatorname{sgn}(F) - I \pi^2 f g n x + I \pi^2 g n e \operatorname{sgn}(F) - I \pi^2 g n e) / (-4 I \pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) + 12 \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) + 12 I \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) + 4 I \pi^3 f^3}
\end{aligned}$$

$$4*I*pi^3*f^3*g^3*n^3 - 12*pi^2*f^3*g^3*n^3*log(abs(F)) + 12*I*pi*f^3*g^3*n^3*log(abs(F))^2 + 8*f^3*g^3*n^3*log(abs(F))^3)*e^(f*g*n*x*log(abs(F)) + g*n*e*log(abs(F)))$$

$$3.41 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 (c + dx) dx$$

Optimal. Leaf size=236

$$\frac{3a^2b(c+dx)(F^{eg+fgx})^n}{fgn \log(F)} - \frac{3a^2bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} + \frac{a^3(c+dx)^2}{2d} + \frac{3ab^2(c+dx)(F^{eg+fgx})^{2n}}{2fgn \log(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2 \log^2(F)} + \frac{b^3(c+dx)}{3fgn}$$

[Out] $(a^3(c+dx)^2)/(2d) - (3a^2b*d*(F^{(e*g+f*g*x)})^n)/(f^2*g^2*n^2*\text{Log}[F]^2) - (3a*b^2*d*(F^{(e*g+f*g*x)})^{(2*n)})/(4*f^2*g^2*n^2*\text{Log}[F]^2) - (b^3*d*(F^{(e*g+f*g*x)})^{(3*n)})/(9*f^2*g^2*n^2*\text{Log}[F]^2) + (3a^2*b*(F^{(e*g+f*g*x)})^n*(c+dx))/(f*g*n*\text{Log}[F]) + (3a*b^2*(F^{(e*g+f*g*x)})^{(2*n)}*(c+dx))/(2*f*g*n*\text{Log}[F]) + (b^3*(F^{(e*g+f*g*x)})^{(3*n)}*(c+dx))/(3*f*g*n*\text{Log}[F])$

Rubi [A] time = 0.239498, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {2183, 2176, 2194}

$$\frac{3a^2b(c+dx)(F^{eg+fgx})^n}{fgn \log(F)} - \frac{3a^2bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} + \frac{a^3(c+dx)^2}{2d} + \frac{3ab^2(c+dx)(F^{eg+fgx})^{2n}}{2fgn \log(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2 \log^2(F)} + \frac{b^3(c+dx)}{3fgn}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]^3*(c + d*x), x]

[Out] $(a^3(c+dx)^2)/(2d) - (3a^2b*d*(F^{(e*g+f*g*x)})^n)/(f^2*g^2*n^2*\text{Log}[F]^2) - (3a*b^2*d*(F^{(e*g+f*g*x)})^{(2*n)})/(4*f^2*g^2*n^2*\text{Log}[F]^2) - (b^3*d*(F^{(e*g+f*g*x)})^{(3*n)})/(9*f^2*g^2*n^2*\text{Log}[F]^2) + (3a^2*b*(F^{(e*g+f*g*x)})^n*(c+dx))/(f*g*n*\text{Log}[F]) + (3a*b^2*(F^{(e*g+f*g*x)})^{(2*n)}*(c+dx))/(2*f*g*n*\text{Log}[F]) + (b^3*(F^{(e*g+f*g*x)})^{(3*n)}*(c+dx))/(3*f*g*n*\text{Log}[F])$

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x))))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2176

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m
_.), x_Symbol] := Simp[((c + d*x)^m*(b*F^(g*(e + f*x)))^n)/(f*g*n*Log[F]),
x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n
, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m
] && !$UseGamma === True
```

Rule 2194

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a +
b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b(F^{g(e+fx)})^n)^3 (c + dx) dx &= \int (a^3(c + dx) + 3a^2b(F^{eg+fgx})^n(c + dx) + 3ab^2(F^{eg+fgx})^{2n}(c + dx) + b^3(F^{eg+fgx})^{3n}(c + dx)) dx \\ &= \frac{a^3(c + dx)^2}{2d} + (3a^2b) \int (F^{eg+fgx})^n(c + dx) dx + (3ab^2) \int (F^{eg+fgx})^{2n}(c + dx) dx + b^3 \int (F^{eg+fgx})^{3n}(c + dx) dx \\ &= \frac{a^3(c + dx)^2}{2d} + \frac{3a^2b(F^{eg+fgx})^n(c + dx)}{fgn \log(F)} + \frac{3ab^2(F^{eg+fgx})^{2n}(c + dx)}{2fgn \log(F)} + \frac{b^3(F^{eg+fgx})^{3n}(c + dx)}{3fgn \log(F)} \\ &= \frac{a^3(c + dx)^2}{2d} - \frac{3a^2bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2 \log^2(F)} - \frac{b^3d(F^{eg+fgx})^{3n}}{9f^2g^2n^2 \log^2(F)} + \frac{3a^2b(F^{eg+fgx})^n}{fgn} \end{aligned}$$

Mathematica [A] time = 0.351303, size = 161, normalized size = 0.68

$$\frac{6bfgn \log(F)(c + dx)(F^{g(e+fx)})^n (18a^2 + 9ab(F^{g(e+fx)})^n + 2b^2(F^{g(e+fx)})^{2n}) - bd(F^{g(e+fx)})^n (108a^2 + 27ab(F^{g(e+fx)})^n + 4b^2(F^{g(e+fx)})^{2n})}{36f^2g^2n^2 \log^2(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x))))^3*(c + d*x), x]
```

```
[Out] -(b*d*(F^(g*(e + f*x)))^n*(108*a^2 + 27*a*b*(F^(g*(e + f*x)))^n + 4*b^2*(F^(g*(e + f*x)))^(2*n))) + 6*b*f*(F^(g*(e + f*x)))^n*(18*a^2 + 9*a*b*(F^(g*(e + f*x)))^n + 2*b^2*(F^(g*(e + f*x)))^(2*n))*g*n*(c + d*x)*Log[F] + 18*a^3*f^2*g^2*n^2*x*(2*c + d*x)*Log[F]^2)/(36*f^2*g^2*n^2*Log[F]^2)
```

Maple [F] time = 0.014, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^3 (dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c),x

[Out] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c),x

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.5579, size = 447, normalized size = 1.89

$$\frac{18 \left(a^3 d f^2 g^2 n^2 x^2 + 2 a^3 c f^2 g^2 n^2 x \right) \log(F)^2 - 4 \left(b^3 d - 3 \left(b^3 d f g n x + b^3 c f g n \right) \log(F) \right) F^3 f g n x + 3 e g n - 27 \left(a b^2 d - 2 \left(a b^2 d f g n x + a b^2 c f g n \right) \log(F) \right) F^2 f g n x + 2 e g n}{36 f^2 g^2 n^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c),x, algorithm="fricas")

[Out] 1/36*(18*(a^3*d*f^2*g^2*n^2*x^2 + 2*a^3*c*f^2*g^2*n^2*x)*log(F)^2 - 4*(b^3*d - 3*(b^3*d*f*g*n*x + b^3*c*f*g*n)*log(F))*F^(3*f*g*n*x + 3*e*g*n) - 27*(a*b^2*d - 2*(a*b^2*d*f*g*n*x + a*b^2*c*f*g*n)*log(F))*F^(2*f*g*n*x + 2*e*g*n) - 108*(a^2*b*d - (a^2*b*d*f*g*n*x + a^2*b*c*f*g*n)*log(F))*F^(f*g*n*x + e*g*n))/(f^2*g^2*n^2*log(F)^2)

$$\begin{aligned}
& 2*\log(\text{abs}(F))*\text{sgn}(F) - \text{pi}*f^2*g^2*n^2*\log(\text{abs}(F)))^2) - 4*(3*b^3*d*f*g*n*x* \\
& \log(\text{abs}(F)) + 3*b^3*c*f*g*n*\log(\text{abs}(F)) - b^3*d)*(pi*f^2*g^2*n^2*\log(\text{abs}(F) \\
&)*\text{sgn}(F) - pi*f^2*g^2*n^2*\log(\text{abs}(F)))/((pi^2*f^2*g^2*n^2*\text{sgn}(F) - pi^2*f^2 \\
& *g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - pi*f^2*g^2*n^2 \\
& *\log(\text{abs}(F)))^2))*\sin(-3/2*pi*f*g*n*x*\text{sgn}(F) + 3/2*pi \\
& *f*g*n*x - 3/2*pi*g*n*e*\text{sgn}(F) + 3/2*pi*g*n*e))*e^(3*f*g*n*x*\log(\text{abs}(F)) + \\
& 3*g*n*e*\log(\text{abs}(F))) - 1/2*I*((6*pi*b^3*d*f*g*n*x*\text{sgn}(F) - 6*pi*b^3*d*f*g*n \\
& *x - 12*I*b^3*d*f*g*n*x*\log(\text{abs}(F)) + 6*pi*b^3*c*f*g*n*\text{sgn}(F) - 6*pi*b^3*c \\
& f*g*n - 12*I*b^3*c*f*g*n*\log(\text{abs}(F)) + 4*I*b^3*d)*e^(3/2*I*pi*f*g*n*x*\text{sgn}(F) \\
&) - 3/2*I*pi*f*g*n*x + 3/2*I*pi*g*n*e*\text{sgn}(F) - 3/2*I*pi*g*n*e)/(18*pi^2*f^2 \\
& *g^2*n^2*\text{sgn}(F) + 36*I*pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - 18*pi^2*f^2*g^2*n \\
& ^2 - 36*I*pi*f^2*g^2*n^2*\log(\text{abs}(F)) + 36*f^2*g^2*n^2*\log(\text{abs}(F))^2) + (6 \\
& pi*b^3*d*f*g*n*x*\text{sgn}(F) - 6*pi*b^3*d*f*g*n*x + 12*I*b^3*d*f*g*n*x*\log(\text{abs}(F) \\
&)) + 6*pi*b^3*c*f*g*n*\text{sgn}(F) - 6*pi*b^3*c*f*g*n + 12*I*b^3*c*f*g*n*\log(\text{abs}(\\
& F)) - 4*I*b^3*d)*e^(-3/2*I*pi*f*g*n*x*\text{sgn}(F) + 3/2*I*pi*f*g*n*x - 3/2*I*pi \\
& g*n*e*\text{sgn}(F) + 3/2*I*pi*g*n*e)/(18*pi^2*f^2*g^2*n^2*\text{sgn}(F) - 36*I*pi*f^2*g^ \\
& 2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - 18*pi^2*f^2*g^2*n^2 + 36*I*pi*f^2*g^2*n^2*\log(\text{ab} \\
& s(F)) + 36*f^2*g^2*n^2*\log(\text{abs}(F))^2))*e^(3*f*g*n*x*\log(\text{abs}(F)) + 3*g*n*e*\log(\text{abs}(F))) \\
& + 3/2*((2*a*b^2*d*f*g*n*x*\log(\text{abs}(F)) + 2*a*b^2*c*f*g*n*\log(\text{abs}(F)) - a*b^2*d) \\
& *(pi^2*f^2*g^2*n^2*\text{sgn}(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)/((pi^2*f^2*g^2*n^2*\text{sgn}(F) - pi^2*f^2*g^2*n^2 \\
& + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - pi*f^2*g^2*n^2 \\
& *\log(\text{abs}(F)))^2) + 2*(pi*a*b^2*d*f*g*n*x*\text{sgn}(F) - pi*a*b^2*d*f*g*n*x + pi*a \\
& *b^2*c*f*g*n*\text{sgn}(F) - pi*a*b^2*c*f*g*n)*(pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) \\
& - pi*f^2*g^2*n^2*\log(\text{abs}(F)))/((pi^2*f^2*g^2*n^2*\text{sgn}(F) - pi^2*f^2*g^2*n^2 \\
& + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - p \\
& i*f^2*g^2*n^2*\log(\text{abs}(F)))^2))*\cos(-pi*f*g*n*x*\text{sgn}(F) + pi*f*g*n*x - pi*g*n \\
& *e*\text{sgn}(F) + pi*g*n*e) + ((pi*a*b^2*d*f*g*n*x*\text{sgn}(F) - pi*a*b^2*d*f*g*n*x + \\
& pi*a*b^2*c*f*g*n*\text{sgn}(F) - pi*a*b^2*c*f*g*n)*(pi^2*f^2*g^2*n^2*\text{sgn}(F) - pi^2 \\
& *f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)/((pi^2*f^2*g^2*n^2*\text{sgn}(F) - pi^2 \\
& *f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(pi*f^2*g^2*n^2*\log(\text{abs}(\\
& F))*\text{sgn}(F) - pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2) - 2*(2*a*b^2*d*f*g*n*x*\log(\text{abs}(\\
& F)) + 2*a*b^2*c*f*g*n*\log(\text{abs}(F)) - a*b^2*d)*(pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - pi*f^2*g^2*n^2*\log(\text{abs}(F)))/((pi^2*f^2*g^2*n^2*\text{sgn}(F) - pi^2*f^2*g^2 \\
& *n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) \\
&) - pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2))*\sin(-pi*f*g*n*x*\text{sgn}(F) + pi*f*g*n*x - p \\
& i*g*n*e*\text{sgn}(F) + pi*g*n*e))*e^(2*f*g*n*x*\log(\text{abs}(F)) + 2*g*n*e*\log(\text{abs}(F))) \\
& - 1/2*I*((3*pi*a*b^2*d*f*g*n*x*\text{sgn}(F) - 3*pi*a*b^2*d*f*g*n*x - 6*I*a*b^2*d \\
& *f*g*n*x*\log(\text{abs}(F)) + 3*pi*a*b^2*c*f*g*n*\text{sgn}(F) - 3*pi*a*b^2*c*f*g*n - 6*I \\
& *a*b^2*c*f*g*n*\log(\text{abs}(F)) + 3*I*a*b^2*d)*e^(I*pi*f*g*n*x*\text{sgn}(F) - I*pi*f*g \\
& *n*x + I*pi*g*n*e*\text{sgn}(F) - I*pi*g*n*e)/(2*pi^2*f^2*g^2*n^2*\text{sgn}(F) + 4*I*pi \\
& f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - 2*pi^2*f^2*g^2*n^2 - 4*I*pi*f^2*g^2*n^2*\log(\text{abs}(F)) + 4*f^2*g^2*n^2*\log(\text{abs}(F))^2) + (3*pi*a*b^2*d*f*g*n*x*\text{sgn}(F) - 3 \\
& *pi*a*b^2*d*f*g*n*x + 6*I*a*b^2*d*f*g*n*x*\log(\text{abs}(F)) + 3*pi*a*b^2*c*f*g*n* \\
& \text{sgn}(F) - 3*pi*a*b^2*c*f*g*n + 6*I*a*b^2*c*f*g*n*\log(\text{abs}(F)) - 3*I*a*b^2*d)*
\end{aligned}$$

$$\begin{aligned}
& e^{(-I\pi f g n x \operatorname{sgn}(F) + I\pi f g n x - I\pi g n e \operatorname{sgn}(F) + I\pi g n e)} / (2 \\
& * \pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) - 4I\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 2\pi^2 f^2 g^2 n^2 \\
& + 4I\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) + 4f^2 g^2 n^2 \log(\operatorname{abs}(F))^2) \\
& * e^{(2f g n x \log(\operatorname{abs}(F)) + 2g n e \log(\operatorname{abs}(F)))} + 3(2((a^2 b d f g n x \log(\operatorname{abs}(F)) \\
& + a^2 b c f g n \log(\operatorname{abs}(F)) - a^2 b d) * (\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) \\
& - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\operatorname{abs}(F))^2) / ((\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) \\
& - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\operatorname{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) \\
& - \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)))^2) + (\pi a^2 b d f g n x \operatorname{sgn}(F) - \pi a^2 b d f g n x \\
& + \pi a^2 b c f g n \operatorname{sgn}(F) - \pi a^2 b c f g n) * (\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) \\
& - \pi f^2 g^2 n^2 \log(\operatorname{abs}(F))) / ((\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\operatorname{abs}(F))^2)^2 \\
& + 4(\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)))^2) * \cos(-1/2 \pi f \\
& * g n x \operatorname{sgn}(F) + 1/2 \pi f g n x - 1/2 \pi g n e \operatorname{sgn}(F) + 1/2 \pi g n e) + ((\pi \\
& a^2 b d f g n x \operatorname{sgn}(F) - \pi a^2 b d f g n x + \pi a^2 b c f g n \operatorname{sgn}(F) - \pi \\
& a^2 b c f g n) * (\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\operatorname{abs}(F))^2) / ((\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) \\
& - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\operatorname{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) \\
& - \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)))^2) - 4(a^2 b d f g n x \log(\operatorname{abs}(F)) + a^2 b c f g n \log(\operatorname{abs}(F)) \\
& - a^2 b d) * (\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - \pi f^2 g^2 n^2 \log(\operatorname{abs}(F))) / ((\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) \\
& - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\operatorname{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) \\
& - \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)))^2) * \sin(-1/2 \pi f g n x \operatorname{sgn}(F) + 1/2 \pi f g n x - 1/2 \pi g n e \operatorname{sgn}(F) + 1/2 \\
& * \pi g n e)) * e^{(f g n x \log(\operatorname{abs}(F)) + g n e \log(\operatorname{abs}(F)))} - 1/2 I * ((6\pi a^2 b \\
& d f g n x \operatorname{sgn}(F) - 6\pi a^2 b d f g n x - 12I a^2 b d f g n x \log(\operatorname{abs}(F)) \\
& + 6\pi a^2 b c f g n \operatorname{sgn}(F) - 6\pi a^2 b c f g n - 12I a^2 b c f g n \log(\operatorname{abs}(F)) \\
& + 12I a^2 b d) * e^{(1/2 I \pi f g n x \operatorname{sgn}(F) - 1/2 I \pi f g n x + 1/2 I \pi g n e \operatorname{sgn}(F) \\
& - 1/2 I \pi g n e)} / (2\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) + 4I \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) \\
& - 2\pi^2 f^2 g^2 n^2 - 4I \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) + 4f^2 g^2 n^2 \log(\operatorname{abs}(F))^2) + (6\pi a^2 b d f g n x \operatorname{sgn}(F) \\
& - 6\pi a^2 b d f g n x + 12I a^2 b d f g n x \log(\operatorname{abs}(F)) + 6\pi a^2 b c f g n \operatorname{sgn}(F) \\
& - 6\pi a^2 b c f g n + 12I a^2 b c f g n \log(\operatorname{abs}(F)) - 12I a^2 b d) * e^{(-1/2 I \pi f g n x \operatorname{sgn}(F) \\
& + 1/2 I \pi f g n x - 1/2 I \pi g n e \operatorname{sgn}(F) + 1/2 I \pi g n e)} / (2\pi^2 f^2 g^2 n^2 \operatorname{sgn}(F) \\
& - 4I \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \operatorname{sgn}(F) - 2\pi^2 f^2 g^2 n^2 + 4I \pi f^2 g^2 n^2 \log(\operatorname{abs}(F)) \\
& + 4f^2 g^2 n^2 \log(\operatorname{abs}(F))^2) * e^{(f g n x \log(\operatorname{abs}(F)) + g n e \log(\operatorname{abs}(F)))}
\end{aligned}$$

$$3.42 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 dx$$

Optimal. Leaf size=103

$$\frac{3a^2b \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} + a^3x + \frac{3ab^2 \left(F^{g(e+fx)} \right)^{2n}}{2fgn \log(F)} + \frac{b^3 \left(F^{g(e+fx)} \right)^{3n}}{3fgn \log(F)}$$

[Out] $a^3x + (3a^2b(F^{g(e+fx)})^n)/(f*g*n*\text{Log}[F]) + (3a*b^2(F^{g(e+fx)})^{2n})/(2*f*g*n*\text{Log}[F]) + (b^3(F^{g(e+fx)})^{3n})/(3*f*g*n*\text{Log}[F])$

Rubi [A] time = 0.0493079, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {2282, 266, 43}

$$\frac{3a^2b \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} + a^3x + \frac{3ab^2 \left(F^{g(e+fx)} \right)^{2n}}{2fgn \log(F)} + \frac{b^3 \left(F^{g(e+fx)} \right)^{3n}}{3fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x))))^n]^3,x

[Out] $a^3x + (3a^2b(F^{g(e+fx)})^n)/(f*g*n*\text{Log}[F]) + (3a*b^2(F^{g(e+fx)})^{2n})/(2*f*g*n*\text{Log}[F]) + (b^3(F^{g(e+fx)})^{3n})/(3*f*g*n*\text{Log}[F])$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 dx &= \frac{\text{Subst} \left(\int \frac{(a+bx)^3}{x} dx, x, F^{g(e+fx)} \right)}{fg \log(F)} \\ &= \frac{\text{Subst} \left(\int \frac{(a+bx)^3}{x} dx, x, \left(F^{g(e+fx)} \right)^n \right)}{fgn \log(F)} \\ &= \frac{\text{Subst} \left(\int \left(3a^2b + \frac{a^3}{x} + 3ab^2x + b^3x^2 \right) dx, x, \left(F^{g(e+fx)} \right)^n \right)}{fgn \log(F)} \\ &= a^3x + \frac{3a^2b \left(F^{g(e+fx)} \right)^n}{fgn \log(F)} + \frac{3ab^2 \left(F^{g(e+fx)} \right)^{2n}}{2fgn \log(F)} + \frac{b^3 \left(F^{g(e+fx)} \right)^{3n}}{3fgn \log(F)} \end{aligned}$$

Mathematica [A] time = 0.0487694, size = 74, normalized size = 0.72

$$\frac{b \left(F^{g(e+fx)} \right)^n \left(18a^2 + 9ab \left(F^{g(e+fx)} \right)^n + 2b^2 \left(F^{g(e+fx)} \right)^{2n} \right)}{6fgn \log(F)} + a^3x$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^3,x]
```

```
[Out] a^3*x + (b*(F^(g*(e + f*x))))^n*(18*a^2 + 9*a*b*(F^(g*(e + f*x))))^n + 2*b^2*
(F^(g*(e + f*x)))^(2*n))/(6*f*g*n*Log[F])
```

Maple [A] time = 0.002, size = 124, normalized size = 1.2

$$\frac{b^3 \left(\left(F^{g(fx+e)} \right)^n \right)^3}{3ngf \ln(F)} + \frac{3ab^2 \left(\left(F^{g(fx+e)} \right)^n \right)^2}{2ngf \ln(F)} + 3 \frac{a^2b \left(F^{g(fx+e)} \right)^n}{ngf \ln(F)} + \frac{a^3 \ln \left(\left(F^{g(fx+e)} \right)^n \right)}{ngf \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e))))^n)^3,x`

[Out] $1/3/g/f/\ln(F)/n*b^3*((F^(g*(f*x+e))))^n)^3+3/2/g/f/\ln(F)/n*a*b^2*((F^(g*(f*x+e))))^n)^2+3*a^2*b*(F^(g*(f*x+e))))^n/f/g/n/\ln(F)+1/g/f/\ln(F)/n*a^3*\ln((F^(g*(f*x+e))))^n)$

Maxima [A] time = 1.22977, size = 155, normalized size = 1.5

$$a^3x + \frac{3(Ffgx)^n(Feg)^n a^2b}{fgn \log(F)} + \frac{3(Ffgx)^{2n}(Feg)^{2n} ab^2}{2fgn \log(F)} + \frac{(Ffgx)^{3n}(Feg)^{3n} b^3}{3fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="maxima")`

[Out] $a^3x + 3*(F^(f*g*x))^n*(F^(e*g))^n*a^2*b/(f*g*n*\log(F)) + 3/2*(F^(f*g*x))^{2n}*(F^(e*g))^{2n}*a*b^2/(f*g*n*\log(F)) + 1/3*(F^(f*g*x))^{3n}*(F^(e*g))^{3n}*b^3/(f*g*n*\log(F))$

Fricas [A] time = 1.51905, size = 189, normalized size = 1.83

$$\frac{6a^3fgnx \log(F) + 18Ffgnx+egn a^2b + 9F^2fgnx+2egn ab^2 + 2F^3fgnx+3egn b^3}{6fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")`

[Out] $1/6*(6*a^3*f*g*n*x*\log(F) + 18*F^(f*g*n*x + e*g*n)*a^2*b + 9*F^(2*f*g*n*x + 2*e*g*n)*a*b^2 + 2*F^(3*f*g*n*x + 3*e*g*n)*b^3)/(f*g*n*\log(F))$

Sympy [A] time = 0.291525, size = 153, normalized size = 1.49

$$a^3x + \begin{cases} \frac{18a^2bf^2g^2n^2(F^{g(e+fx)})^n \log(F)^2 + 9ab^2f^2g^2n^2(F^{g(e+fx)})^{2n} \log(F)^2 + 2b^3f^2g^2n^2(F^{g(e+fx)})^{3n} \log(F)^2}{6f^3g^3n^3 \log(F)^3} & \text{for } 6f^3g^3n^3 \log(F)^3 \neq 0 \\ x(3a^2b + 3ab^2 + b^3) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3,x)
```

```
[Out] a**3*x + Piecewise(((18*a**2*b*f**2*g**2*n**2*(F**(g*(e + f*x))))**n*log(F)*
*2 + 9*a*b**2*f**2*g**2*n**2*(F**(g*(e + f*x))))**2*log(F)**2 + 2*b**3*f
**2*g**2*n**2*(F**(g*(e + f*x))))**3*log(F)**2)/(6*f**3*g**3*n**3*log(F)
**3), Ne(6*f**3*g**3*n**3*log(F)**3, 0)), (x*(3*a**2*b + 3*a*b**2 + b**3),
True))
```

Giac [C] time = 1.37772, size = 1393, normalized size = 13.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="giac")
```

```
[Out] a^3*x + 2/3*(2*b^3*f*g*n*cos(-3/2*pi*f*g*n*x*sgn(F) + 3/2*pi*f*g*n*x - 3/2*
pi*g*n*e*sgn(F) + 3/2*pi*g*n*e)*log(abs(F))/(4*f^2*g^2*n^2*log(abs(F))^2 +
(pi*f*g*n*sgn(F) - pi*f*g*n)^2) - (pi*f*g*n*sgn(F) - pi*f*g*n)*b^3*sin(-3/2
*pi*f*g*n*x*sgn(F) + 3/2*pi*f*g*n*x - 3/2*pi*g*n*e*sgn(F) + 3/2*pi*g*n*e)/(
4*f^2*g^2*n^2*log(abs(F))^2 + (pi*f*g*n*sgn(F) - pi*f*g*n)^2)*e^(3*f*g*n*x
*log(abs(F)) + 3*g*n*e*log(abs(F))) - 1/2*I*(-2*I*b^3*e^(3/2*I*pi*f*g*n*x*s
gn(F) - 3/2*I*pi*f*g*n*x + 3/2*I*pi*g*n*e*sgn(F) - 3/2*I*pi*g*n*e)/(3*I*pi*
f*g*n*sgn(F) - 3*I*pi*f*g*n + 6*f*g*n*log(abs(F))) + 2*I*b^3*e^(-3/2*I*pi*f
*g*n*x*sgn(F) + 3/2*I*pi*f*g*n*x - 3/2*I*pi*g*n*e*sgn(F) + 3/2*I*pi*g*n*e)/
(-3*I*pi*f*g*n*sgn(F) + 3*I*pi*f*g*n + 6*f*g*n*log(abs(F))))*e^(3*f*g*n*x*l
og(abs(F)) + 3*g*n*e*log(abs(F))) + 3*(2*a*b^2*f*g*n*cos(-pi*f*g*n*x*sgn(F)
+ pi*f*g*n*x - pi*g*n*e*sgn(F) + pi*g*n*e)*log(abs(F))/(4*f^2*g^2*n^2*log(
abs(F))^2 + (pi*f*g*n*sgn(F) - pi*f*g*n)^2) - (pi*f*g*n*sgn(F) - pi*f*g*n)*
a*b^2*sin(-pi*f*g*n*x*sgn(F) + pi*f*g*n*x - pi*g*n*e*sgn(F) + pi*g*n*e)/(4*
f^2*g^2*n^2*log(abs(F))^2 + (pi*f*g*n*sgn(F) - pi*f*g*n)^2)*e^(2*f*g*n*x*l
og(abs(F)) + 2*g*n*e*log(abs(F))) - 1/2*I*(-3*I*a*b^2*e^(I*pi*f*g*n*x*sgn(F)
) - I*pi*f*g*n*x + I*pi*g*n*e*sgn(F) - I*pi*g*n*e)/(I*pi*f*g*n*sgn(F) - I*p
i*f*g*n + 2*f*g*n*log(abs(F))) + 3*I*a*b^2*e^(-I*pi*f*g*n*x*sgn(F) + I*pi*f
*g*n*x - I*pi*g*n*e*sgn(F) + I*pi*g*n*e)/(-I*pi*f*g*n*sgn(F) + I*pi*f*g*n
+ 2*f*g*n*log(abs(F))))*e^(2*f*g*n*x*log(abs(F)) + 2*g*n*e*log(abs(F))) + 6*
(2*a^2*b*f*g*n*cos(-1/2*pi*f*g*n*x*sgn(F) + 1/2*pi*f*g*n*x - 1/2*pi*g*n*e*s
gn(F) + 1/2*pi*g*n*e)*log(abs(F))/(4*f^2*g^2*n^2*log(abs(F))^2 + (pi*f*g*n*
sgn(F) - pi*f*g*n)^2) - (pi*f*g*n*sgn(F) - pi*f*g*n)*a^2*b*sin(-1/2*pi*f*g*
n*x*sgn(F) + 1/2*pi*f*g*n*x - 1/2*pi*g*n*e*sgn(F) + 1/2*pi*g*n*e)/(4*f^2*g^
```

$$\begin{aligned}
& 2*n^2*\log(\text{abs}(F))^2 + (\text{pi}*f*g*n*\text{sgn}(F) - \text{pi}*f*g*n^2))*e^{(f*g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))} - 1/2*I*(-6*I*a^2*b*e^{(1/2*I*\text{pi}*f*g*n*x*\text{sgn}(F) - 1/2*I*\text{pi}*f*g*n*x + 1/2*I*\text{pi}*g*n*e*\text{sgn}(F) - 1/2*I*\text{pi}*g*n*e)/(I*\text{pi}*f*g*n*\text{sgn}(F) - I*\text{pi}*f*g*n + 2*f*g*n*\log(\text{abs}(F)))} + 6*I*a^2*b*e^{(-1/2*I*\text{pi}*f*g*n*x*\text{sgn}(F) + 1/2*I*\text{pi}*f*g*n*x - 1/2*I*\text{pi}*g*n*e*\text{sgn}(F) + 1/2*I*\text{pi}*g*n*e)/(-I*\text{pi}*f*g*n*\text{sgn}(F) + I*\text{pi}*f*g*n + 2*f*g*n*\log(\text{abs}(F)))})*e^{(f*g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))}
\end{aligned}$$

$$3.43 \quad \int \frac{\left(a + b(F^g(e+fx))^n\right)^3}{c+dx} dx$$

Optimal. Leaf size=200

$$\frac{3a^2b(F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{a^3 \log(c+dx)}{d} + \frac{3ab^2(F^{eg+fgx})^{2n} F^{2gn\left(e-\frac{cf}{d}\right)-2gn(e+fx)} \operatorname{Ei}\left(\frac{2fgn(c+dx)}{d}\right)}{d}$$

[Out] (3*a^2*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/d + (3*a*b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d])/d + (b^3*F^(3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))*(F^(e*g + f*g*x))^(3*n)*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d])/d + (a^3*Log[c + d*x])/d

Rubi [A] time = 0.3538, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2182, 2178}

$$\frac{3a^2b(F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{a^3 \log(c+dx)}{d} + \frac{3ab^2(F^{eg+fgx})^{2n} F^{2gn\left(e-\frac{cf}{d}\right)-2gn(e+fx)} \operatorname{Ei}\left(\frac{2fgn(c+dx)}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^3/(c + d*x), x]

[Out] (3*a^2*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/d + (3*a*b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d])/d + (b^3*F^(3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))*(F^(e*g + f*g*x))^(3*n)*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d])/d + (a^3*Log[c + d*x])/d

Rule 2183

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2182

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_
.), x_Symbol] :> Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

Rule 2178

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; F
reeQ[{F, c, d, e, f, g}, x] && !$UseGamma === True
```

Rubi steps

$$\int \frac{(a + b(F^{g(e+fx)})^n)^3}{c + dx} dx = \int \left(\frac{a^3}{c + dx} + \frac{3a^2b(F^{eg+fgx})^n}{c + dx} + \frac{3ab^2(F^{eg+fgx})^{2n}}{c + dx} + \frac{b^3(F^{eg+fgx})^{3n}}{c + dx} \right) dx$$

$$= \frac{a^3 \log(c + dx)}{d} + (3a^2b) \int \frac{(F^{eg+fgx})^n}{c + dx} dx + (3ab^2) \int \frac{(F^{eg+fgx})^{2n}}{c + dx} dx + b^3 \int \frac{(F^{eg+fgx})^{3n}}{c + dx} dx$$

$$= \frac{a^3 \log(c + dx)}{d} + \left(3a^2bF^{-n(eg+fgx)} (F^{eg+fgx})^n \right) \int \frac{F^{n(eg+fgx)}}{c + dx} dx + \left(3ab^2F^{-2n(eg+fgx)} (F^{eg+fgx})^{2n} \right) \int \frac{F^{2n(eg+fgx)}}{c + dx} dx + \left(b^3F^{-3n(eg+fgx)} (F^{eg+fgx})^{3n} \right) \int \frac{F^{3n(eg+fgx)}}{c + dx} dx$$

$$= \frac{3a^2bF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)} (F^{eg+fgx})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{3ab^2F^{2\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)} (F^{eg+fgx})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^3F^{3\left(e-\frac{cf}{d}\right)gn-3gn(e+fx)} (F^{eg+fgx})^{3n} \operatorname{Ei}\left(\frac{3fgn(c+dx)\log(F)}{d}\right)}{d}$$

Mathematica [A] time = 0.477363, size = 160, normalized size = 0.8

$$\frac{3a^2b(F^{g(e+fx)})^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + a^3 \log(c + dx) + 3ab^2(F^{g(e+fx)})^{2n} F^{-\frac{2fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right) + b^3(F^{g(e+fx)})^{3n} F^{-\frac{3fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{3fgn(c+dx)\log(F)}{d}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^3/(c + d*x), x]
```

```
[Out] ((3*a^2*b*(F^(g*(e + f*x))))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/F^
((f*g*n*(c + d*x))/d) + (3*a*b^2*(F^(g*(e + f*x))))^(2*n)*ExpIntegralEi[(2*f
*g*n*(c + d*x)*Log[F])/d])/F^((2*f*g*n*(c + d*x))/d) + (b^3*(F^(g*(e + f*x
)))^(3*n)*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d])/F^((3*f*g*n*(c + d*x
))/d) + a^3*Log[c + d*x])/d
```

Maple [F] time = 0.026, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^3}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c),x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^{3n} b^3 \int \frac{(F^{fgx})^{3n}}{dx + c} dx + 3 (F^{eg})^{2n} ab^2 \int \frac{(F^{fgx})^{2n}}{dx + c} dx + 3 (F^{eg})^n a^2 b \int \frac{(F^{fgx})^n}{dx + c} dx + \frac{a^3 \log(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c),x, algorithm="maxima")

[Out] (F^(e*g))^(3*n)*b^3*integrate((F^(f*g*x))^(3*n)/(d*x + c), x) + 3*(F^(e*g))^(2*n)*a*b^2*integrate((F^(f*g*x))^(2*n)/(d*x + c), x) + 3*(F^(e*g))^n*a^2*b*integrate((F^(f*g*x))^n/(d*x + c), x) + a^3*log(d*x + c)/d

Fricas [A] time = 1.54426, size = 306, normalized size = 1.53

$$\frac{F^{\frac{3(de-cf)gn}{d}} b^3 \operatorname{Ei}\left(\frac{3(dfgnx+cfgn)\log(F)}{d}\right) + 3 F^{\frac{2(de-cf)gn}{d}} ab^2 \operatorname{Ei}\left(\frac{2(dfgnx+cfgn)\log(F)}{d}\right) + 3 F^{\frac{(de-cf)gn}{d}} a^2 b \operatorname{Ei}\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right) + a^3 \log(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c),x, algorithm="fricas")

[Out] (F^(3*(d*e - c*f)*g*n/d)*b^3*Ei(3*(d*f*g*n*x + c*f*g*n)*log(F)/d) + 3*F^(2*(d*e - c*f)*g*n/d)*a*b^2*Ei(2*(d*f*g*n*x + c*f*g*n)*log(F)/d) + 3*F^((d*e -

$c*f)*g*n/d)*a^2*b*Ei((d*f*g*n*x + c*f*g*n)*\log(F)/d) + a^3*\log(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3/(d*x+c), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(\left(F^{(f*x+e)g} \right)^n b + a \right)^3}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c), x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^3/(d*x + c), x)

$$3.44 \quad \int \frac{\left(a + b(F^{g(e+fx)})^n\right)^3}{(c+dx)^2} dx$$

Optimal. Leaf size=305

$$\frac{3a^2 b f g n \log(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{f g n(c+dx) \log(F)}{d}\right)}{d^2} - \frac{3a^2 b (F^{eg+fgx})^n}{d(c+dx)} - \frac{a^3}{d(c+dx)} + \frac{6ab^2 f g n \log(F) (F^{eg+fgx})^n}{d(c+dx)}$$

[Out] $-(a^3/(d*(c + d*x))) - (3*a^2*b*(F^(e*g + f*g*x))^n)/(d*(c + d*x)) - (3*a*b^2*(F^(e*g + f*g*x))^(2*n))/(d*(c + d*x)) - (b^3*(F^(e*g + f*g*x))^(3*n))/(d*(c + d*x)) + (3*a^2*b*f*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (6*a*b^2*f*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*g*n*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (3*b^3*f*F^(3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))*(F^(e*g + f*g*x))^(3*n)*g*n*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2$

Rubi [A] time = 0.490896, antiderivative size = 305, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {2183, 2177, 2182, 2178}

$$\frac{3a^2 b f g n \log(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{f g n(c+dx) \log(F)}{d}\right)}{d^2} - \frac{3a^2 b (F^{eg+fgx})^n}{d(c+dx)} - \frac{a^3}{d(c+dx)} + \frac{6ab^2 f g n \log(F) (F^{eg+fgx})^n}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^3/(c + d*x)^2, x]

[Out] $-(a^3/(d*(c + d*x))) - (3*a^2*b*(F^(e*g + f*g*x))^n)/(d*(c + d*x)) - (3*a*b^2*(F^(e*g + f*g*x))^(2*n))/(d*(c + d*x)) - (b^3*(F^(e*g + f*g*x))^(3*n))/(d*(c + d*x)) + (3*a^2*b*f*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (6*a*b^2*f*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*g*n*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (3*b^3*f*F^(3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))*(F^(e*g + f*g*x))^(3*n)*g*n*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2$

Rule 2183

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x))))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

Rule 2177

```
Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m
_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*F^(g*(e + f*x))))^n/(d*(m + 1))
, x] - Dist[(f*g*n*Log[F])/(d*(m + 1)), Int[(c + d*x)^(m + 1)*(b*F^(g*(e +
f*x))))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && Int
egerQ[2*m] && !$UseGamma == True
```

Rule 2182

```
Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m
_), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

Rule 2178

```
Int[(F_)^((g_)*((e_) + (f_)*(x_)))/((c_) + (d_)*(x_)), x_Symbol] := Si
mp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; F
reeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

Rubi steps

$$\begin{aligned} \int \frac{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^3}{(c+dx)^2} dx &= \int \left(\frac{a^3}{(c+dx)^2} + \frac{3a^2b \left(F^{eg+fgx}\right)^n}{(c+dx)^2} + \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{(c+dx)^2} + \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{(c+dx)^2} \right) dx \\ &= -\frac{a^3}{d(c+dx)} + (3a^2b) \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)^2} dx + (3ab^2) \int \frac{\left(F^{eg+fgx}\right)^{2n}}{(c+dx)^2} dx + b^3 \int \frac{\left(F^{eg+fgx}\right)^{3n}}{(c+dx)^2} dx \\ &= -\frac{a^3}{d(c+dx)} - \frac{3a^2b \left(F^{eg+fgx}\right)^n}{d(c+dx)} - \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{d(c+dx)} - \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{d(c+dx)} + \frac{(3a^2bfgn \log(F)) \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)^2} dx}{d} \\ &= -\frac{a^3}{d(c+dx)} - \frac{3a^2b \left(F^{eg+fgx}\right)^n}{d(c+dx)} - \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{d(c+dx)} - \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{d(c+dx)} + \frac{\left(3a^2bfF^{-n(eg+fgx)}\right) \left(F^{eg+fgx}\right)^n}{d} \\ &= -\frac{a^3}{d(c+dx)} - \frac{3a^2b \left(F^{eg+fgx}\right)^n}{d(c+dx)} - \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{d(c+dx)} - \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{d(c+dx)} + \frac{3a^2bfF^{\left(\frac{e-cf}{d}\right)gn-gn(e+fx)}}{d} \end{aligned}$$

Mathematica [A] time = 1.33123, size = 250, normalized size = 0.82

$$-3a^2bfgn \log(F)(c + dx) (F^{g(e+fx)})^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + 3a^2bd (F^{g(e+fx)})^n + a^3d - 6ab^2fgn \log(F)(c + dx) (F^{g(e+fx)})^n$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^3/(c + d*x)^2,x]

[Out] $-(a^3d + 3a^2b*d*(F^{g*(e + f*x)})^n + 3a*b^2*d*(F^{g*(e + f*x)})^{2n} + b^3*d*(F^{g*(e + f*x)})^{3n} - (3a^2*b*f*(F^{g*(e + f*x)})^n*g*n*(c + d*x)*\operatorname{ExpIntegralEi}[(f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F])/F^{((f*g*n*(c + d*x))/d)} - (6a*b^2*f*(F^{g*(e + f*x)})^{2n}*g*n*(c + d*x)*\operatorname{ExpIntegralEi}[(2*f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F])/F^{((2*f*g*n*(c + d*x))/d)} - (3*b^3*f*(F^{g*(e + f*x)})^{3n}*g*n*(c + d*x)*\operatorname{ExpIntegralEi}[(3*f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F])/F^{((3*f*g*n*(c + d*x))/d)})/(d^2*(c + d*x))$

Maple [F] time = 0.026, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^3}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2,x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^3 b^3 \int \frac{(F^{fgx})^3}{d^2x^2 + 2cdx + c^2} dx + 3(F^{eg})^2 ab^2 \int \frac{(F^{fgx})^{2n}}{d^2x^2 + 2cdx + c^2} dx + 3(F^{eg})^n a^2b \int \frac{(F^{fgx})^n}{d^2x^2 + 2cdx + c^2} dx - \frac{a^3}{d^2x + cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2,x, algorithm="maxima")

[Out] $(F^{(e*g)})^{(3*n)}*b^3*\text{integrate}((F^{(f*g*x)})^{(3*n)}/(d^2*x^2 + 2*c*d*x + c^2), x) + 3*(F^{(e*g)})^{(2*n)}*a*b^2*\text{integrate}((F^{(f*g*x)})^{(2*n)}/(d^2*x^2 + 2*c*d*x + c^2), x) + 3*(F^{(e*g)})^n*a^2*b*\text{integrate}((F^{(f*g*x)})^n/(d^2*x^2 + 2*c*d*x + c^2), x) - a^3/(d^2*x + c*d)$

Fricas [A] time = 1.56975, size = 589, normalized size = 1.93

$$3 F^{f g n x + e g n} a^2 b d + 3 F^{2 f g n x + 2 e g n} a b^2 d + F^{3 f g n x + 3 e g n} b^3 d + a^3 d - 3 (b^3 d f g n x + b^3 c f g n) F^{\frac{3(d e - c f) g n}{d}} \text{Ei} \left(\frac{3(d f g n x + c f g n) \log(F)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2,x, algorithm="fricas")`

[Out] $-(3 * F^{(f * g * n * x + e * g * n)} * a^2 * b * d + 3 * F^{(2 * f * g * n * x + 2 * e * g * n)} * a * b^2 * d + F^{(3 * f * g * n * x + 3 * e * g * n)} * b^3 * d + a^3 * d - 3 * (b^3 * d * f * g * n * x + b^3 * c * f * g * n) * F^{(3 * (d * e - c * f) * g * n / d)} * \text{Ei}(3 * (d * f * g * n * x + c * f * g * n) * \log(F) / d) * \log(F) - 6 * (a * b^2 * d * f * g * n * x + a * b^2 * c * f * g * n) * F^{(2 * (d * e - c * f) * g * n / d)} * \text{Ei}(2 * (d * f * g * n * x + c * f * g * n) * \log(F) / d) * \log(F) - 3 * (a^2 * b * d * f * g * n * x + a^2 * b * c * f * g * n) * F^{((d * e - c * f) * g * n / d)} * \text{Ei}((d * f * g * n * x + c * f * g * n) * \log(F) / d) * \log(F)) / (d^3 * x + c * d^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e))))**n)**3/(d*x+c)**2,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(\left(F^{(f x + e) g} \right)^n b + a \right)^3}{(d x + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2,x, algorithm="giac")
```

```
[Out] integrate(((F^((f*x + e)*g))^n*b + a)^3/(d*x + c)^2, x)
```


$$3.45 \quad \int \frac{\left(a+b(F^{g(e+fx)})^n\right)^3}{(c+dx)^3} dx$$

Optimal. Leaf size=447

$$\frac{3a^2bf^2g^2n^2 \log^2(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{2d^3} - \frac{3a^2bfgn \log(F) (F^{eg+fgx})^n}{2d^2(c+dx)} - \frac{3a^2b (F^{eg+fgx})^n}{2d(c+dx)^2} - \dots$$

[Out] $-a^3/(2*d*(c+d*x)^2) - (3*a^2*b*(F^{(e*g+f*g*x)})^n)/(2*d*(c+d*x)^2) - (3*a*b^2*(F^{(e*g+f*g*x)})^{(2*n)})/(2*d*(c+d*x)^2) - (b^3*(F^{(e*g+f*g*x)})^{(3*n)})/(2*d*(c+d*x)^2) - (3*a^2*b*f*(F^{(e*g+f*g*x)})^n*g*n*\operatorname{Log}[F])/(2*d^2*(c+d*x)) - (3*a*b^2*f*(F^{(e*g+f*g*x)})^{(2*n)}*g*n*\operatorname{Log}[F])/(d^2*(c+d*x)) - (3*b^3*f*(F^{(e*g+f*g*x)})^{(3*n)}*g*n*\operatorname{Log}[F])/(2*d^2*(c+d*x)) + (3*a^2*b*f^2*F^{((e-(c*f)/d)*g*n-g*n*(e+f*x))*(F^{(e*g+f*g*x)})^n*g^2*n^2*\operatorname{ExpIntegralEi}[(f*g*n*(c+d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/(2*d^3) + (6*a*b^2*f^2*F^{(2*(e-(c*f)/d)*g*n-2*g*n*(e+f*x))*(F^{(e*g+f*g*x)})^{(2*n)}*g^2*n^2*\operatorname{ExpIntegralEi}[(2*f*g*n*(c+d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/d^3 + (9*b^3*f^2*F^{(3*(e-(c*f)/d)*g*n-3*g*n*(e+f*x))*(F^{(e*g+f*g*x)})^{(3*n)}*g^2*n^2*\operatorname{ExpIntegralEi}[(3*f*g*n*(c+d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/(2*d^3)$

Rubi [A] time = 0.694877, antiderivative size = 447, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {2183, 2177, 2182, 2178}

$$\frac{3a^2bf^2g^2n^2 \log^2(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{2d^3} - \frac{3a^2bfgn \log(F) (F^{eg+fgx})^n}{2d^2(c+dx)} - \frac{3a^2b (F^{eg+fgx})^n}{2d(c+dx)^2} - \dots$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a+b*(F^{g*(e+f*x)})^n)^3/(c+d*x)^3,x]$

[Out] $-a^3/(2*d*(c+d*x)^2) - (3*a^2*b*(F^{(e*g+f*g*x)})^n)/(2*d*(c+d*x)^2) - (3*a*b^2*(F^{(e*g+f*g*x)})^{(2*n)})/(2*d*(c+d*x)^2) - (b^3*(F^{(e*g+f*g*x)})^{(3*n)})/(2*d*(c+d*x)^2) - (3*a^2*b*f*(F^{(e*g+f*g*x)})^n*g*n*\operatorname{Log}[F])/(2*d^2*(c+d*x)) - (3*a*b^2*f*(F^{(e*g+f*g*x)})^{(2*n)}*g*n*\operatorname{Log}[F])/(d^2*(c+d*x)) - (3*b^3*f*(F^{(e*g+f*g*x)})^{(3*n)}*g*n*\operatorname{Log}[F])/(2*d^2*(c+d*x)) + (3*a^2*b*f^2*F^{((e-(c*f)/d)*g*n-g*n*(e+f*x))*(F^{(e*g+f*g*x)})^n*g^2*n^2*\operatorname{ExpIntegralEi}[(f*g*n*(c+d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/(2*d^3) + (6*a*b^2*f^2*F^{(2*(e-(c*f)/d)*g*n-2*g*n*(e+f*x))*(F^{(e*g+f*g*x)})^{(2*n)}*g^2*n^2*\operatorname{ExpIntegralEi}[(2*f*g*n*(c+d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/d^3 + (9*b^3*f^2*F^{(3*(e-(c*f)/d)*g*n-3*g*n*(e+f*x))*(F^{(e*g+f*g*x)})^{(3*n)}*g^2*n^2*\operatorname{ExpIntegralEi}[(3*f*g*n*(c+d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/(2*d^3)$

ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2/d^3 + (9*b^3*f^2*F^3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))*(F^(e*g + f*g*x))^(3*n)*g^2*n^2*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2/(2*d^3)

Rule 2183

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_)))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2177

Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^((m_.), x_Symbol] := Simp[(c + d*x)^(m + 1)*(b*F^(g*(e + f*x)))^n]/(d*(m + 1)), x] - Dist[(f*g*n*Log[F])/d*(m + 1), Int[(c + d*x)^(m + 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && IntegerQ[2*m] && !\$UseGamma == True

Rule 2182

Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^((m_.), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

Rule 2178

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[(F^(g*(e - (c*f)/d))*ExpIntegralEi[(f*g*(c + d*x)*Log[F])/d])/d, x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^3}{(c+dx)^3} dx &= \int \left(\frac{a^3}{(c+dx)^3} + \frac{3a^2b \left(F^{eg+fgx}\right)^n}{(c+dx)^3} + \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{(c+dx)^3} + \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{(c+dx)^3} \right) dx \\
&= -\frac{a^3}{2d(c+dx)^2} + (3a^2b) \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)^3} dx + (3ab^2) \int \frac{\left(F^{eg+fgx}\right)^{2n}}{(c+dx)^3} dx + b^3 \int \frac{\left(F^{eg+fgx}\right)^{3n}}{(c+dx)^3} dx \\
&= -\frac{a^3}{2d(c+dx)^2} - \frac{3a^2b \left(F^{eg+fgx}\right)^n}{2d(c+dx)^2} - \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c+dx)^2} - \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{2d(c+dx)^2} + \frac{(3a^2bfgn \log(F))}{2d} \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)^2} dx \\
&= -\frac{a^3}{2d(c+dx)^2} - \frac{3a^2b \left(F^{eg+fgx}\right)^n}{2d(c+dx)^2} - \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c+dx)^2} - \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{2d(c+dx)^2} - \frac{3a^2bf \left(F^{eg+fgx}\right)^n g n}{2d^2(c+dx)} \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)} dx \\
&= -\frac{a^3}{2d(c+dx)^2} - \frac{3a^2b \left(F^{eg+fgx}\right)^n}{2d(c+dx)^2} - \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c+dx)^2} - \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{2d(c+dx)^2} - \frac{3a^2bf \left(F^{eg+fgx}\right)^n g n}{2d^2(c+dx)} \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)} dx \\
&= -\frac{a^3}{2d(c+dx)^2} - \frac{3a^2b \left(F^{eg+fgx}\right)^n}{2d(c+dx)^2} - \frac{3ab^2 \left(F^{eg+fgx}\right)^{2n}}{2d(c+dx)^2} - \frac{b^3 \left(F^{eg+fgx}\right)^{3n}}{2d(c+dx)^2} - \frac{3a^2bf \left(F^{eg+fgx}\right)^n g n}{2d^2(c+dx)} \int \frac{\left(F^{eg+fgx}\right)^n}{(c+dx)} dx
\end{aligned}$$

Mathematica [A] time = 1.02305, size = 325, normalized size = 0.73

$$-\frac{3a^2bf^2g^2n^2 \log^2(F)(c+dx)^2 \left(F^{g(e+fx)}\right)^n F^{-\frac{fgn(c+dx)}{d}} \operatorname{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right) + 3a^2bd \left(F^{g(e+fx)}\right)^n (fgn \log(F)(c+dx) + d)}{(c+dx)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^3/(c + d*x)^3,x]

[Out] $-\frac{(a^3d^2 - (3a^2b^2f^2(F^{g(e+fx)})^n)g^{2n}(c+dx)^2 \operatorname{ExpIntegralEi}[(f*g*n*(c+dx)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/F^{((f*g*n*(c+dx))/d)} - (12a^2b^2f^2(F^{g(e+fx)})^{2n})g^{2n}(c+dx)^2 \operatorname{ExpIntegralEi}[(2*f*g*n*(c+dx)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/F^{((2*f*g*n*(c+dx))/d)} - (9b^3f^2(F^{g(e+fx)})^{3n})g^{2n}(c+dx)^2 \operatorname{ExpIntegralEi}[(3*f*g*n*(c+dx)*\operatorname{Log}[F])/d]*\operatorname{Log}[F]^2)/F^{((3*f*g*n*(c+dx))/d)} + 3a^2b*d*(F^{g(e+fx)})^n*(d + f*g*n*(c+dx)*\operatorname{Log}[F]) + 3a*b^2*d*(F^{g(e+fx)})^{2n}*(d + 2*f*g*n*(c+dx)*\operatorname{Log}[F]) + b^3*d*(F^{g(e+fx)})^{3n}*(d + 3*f*g*n*(c+dx)*\operatorname{Log}[F]))/(2d^3(c+dx)^2}$

Maple [F] time = 0.027, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^3}{(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^3,x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^3,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$(F^{eg})^{3n} b^3 \int \frac{(Ffgx)^{3n}}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3} dx + 3(F^{eg})^{2n} ab^2 \int \frac{(Ffgx)^{2n}}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3} dx + 3(F^{eg})^n a^2 b \int \frac{1}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^3,x, algorithm="maxima")

[Out] (F^(e*g))^(3*n)*b^3*integrate((F^(f*g*x))^(3*n)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + 3*(F^(e*g))^(2*n)*a*b^2*integrate((F^(f*g*x))^(2*n)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + 3*(F^(e*g))^n*a^2*b*integrate((F^(f*g*x))^n/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) - 1/2*a^3/(d^3*x^2 + 2*c*d^2*x + c^2*d)

Fricas [A] time = 1.58188, size = 1018, normalized size = 2.28

$$a^3 d^2 - 9 \left(b^3 d^2 f^2 g^2 n^2 x^2 + 2 b^3 c d f^2 g^2 n^2 x + b^3 c^2 f^2 g^2 n^2 \right) F^{\frac{3(de-cf)gn}{d}} \operatorname{Ei} \left(\frac{3(dfgnx+cfgn)\log(F)}{d} \right) \log(F)^2 - 12 \left(ab^2 d^2 f^2 g^2 n^2 x^2 - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^3,x, algorithm="fricas")

```
[Out] -1/2*(a^3*d^2 - 9*(b^3*d^2*f^2*g^2*n^2*x^2 + 2*b^3*c*d*f^2*g^2*n^2*x + b^3*c^2*f^2*g^2*n^2)*F^(3*(d*e - c*f)*g*n/d)*Ei(3*(d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2 - 12*(a*b^2*d^2*f^2*g^2*n^2*x^2 + 2*a*b^2*c*d*f^2*g^2*n^2*x + a*b^2*c^2*f^2*g^2*n^2)*F^(2*(d*e - c*f)*g*n/d)*Ei(2*(d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2 - 3*(a^2*b*d^2*f^2*g^2*n^2*x^2 + 2*a^2*b*c*d*f^2*g^2*n^2*x + a^2*b*c^2*f^2*g^2*n^2)*F^((d*e - c*f)*g*n/d)*Ei((d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2 + (b^3*d^2 + 3*(b^3*d^2*f*g*n*x + b^3*c*d*f*g*n)*log(F))*F^(3*f*g*n*x + 3*e*g*n) + 3*(a*b^2*d^2 + 2*(a*b^2*d^2*f*g*n*x + a*b^2*c*d*f*g*n)*log(F))*F^(2*f*g*n*x + 2*e*g*n) + 3*(a^2*b*d^2 + (a^2*b*d^2*f*g*n*x + a^2*b*c*d*f*g*n)*log(F))*F^(f*g*n*x + e*g*n))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3/(d*x+c)**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(\left(F^{(f x + e) g} \right)^n b + a \right)^3}{(d x + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^3,x, algorithm="giac")
```

```
[Out] integrate(((F^((f*x + e)*g))^n*b + a)^3/(d*x + c)^3, x)
```

$$3.46 \quad \int \frac{(c+dx)^3}{a+b(Fg^{e+fx})^n} dx$$

Optimal. Leaf size=192

$$\frac{6d^2(c+dx)\text{PolyLog}\left(3, -\frac{b(Fg^{e+fx})^n}{a}\right)}{af^3g^3n^3\log^3(F)} - \frac{3d(c+dx)^2\text{PolyLog}\left(2, -\frac{b(Fg^{e+fx})^n}{a}\right)}{af^2g^2n^2\log^2(F)} - \frac{6d^3\text{PolyLog}\left(4, -\frac{b(Fg^{e+fx})^n}{a}\right)}{af^4g^4n^4\log^4(F)} - \frac{(c+dx)^4}{4ad}$$

```
[Out] (c + d*x)^4/(4*a*d) - ((c + d*x)^3*Log[1 + (b*(F^(g*(e + f*x))))^n/a])/(a*f
*g*n*Log[F]) - (3*d*(c + d*x)^2*PolyLog[2, -((b*(F^(g*(e + f*x))))^n/a)])/(
a*f^2*g^2*n^2*Log[F]^2) + (6*d^2*(c + d*x)*PolyLog[3, -((b*(F^(g*(e + f*x)
))^n/a))]/(a*f^3*g^3*n^3*Log[F]^3) - (6*d^3*PolyLog[4, -((b*(F^(g*(e + f*x)
))^n/a))]/(a*f^4*g^4*n^4*Log[F]^4)
```

Rubi [A] time = 0.32587, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {2184, 2190, 2531, 6609, 2282, 6589}

$$\frac{6d^2(c+dx)\text{PolyLog}\left(3, -\frac{b(Fg^{e+fx})^n}{a}\right)}{af^3g^3n^3\log^3(F)} - \frac{3d(c+dx)^2\text{PolyLog}\left(2, -\frac{b(Fg^{e+fx})^n}{a}\right)}{af^2g^2n^2\log^2(F)} - \frac{6d^3\text{PolyLog}\left(4, -\frac{b(Fg^{e+fx})^n}{a}\right)}{af^4g^4n^4\log^4(F)} - \frac{(c+dx)^4}{4ad}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^3/(a + b*(F^(g*(e + f*x))))^n, x]
```

```
[Out] (c + d*x)^4/(4*a*d) - ((c + d*x)^3*Log[1 + (b*(F^(g*(e + f*x))))^n/a])/(a*f
*g*n*Log[F]) - (3*d*(c + d*x)^2*PolyLog[2, -((b*(F^(g*(e + f*x))))^n/a)])/(
a*f^2*g^2*n^2*Log[F]^2) + (6*d^2*(c + d*x)*PolyLog[3, -((b*(F^(g*(e + f*x)
))^n/a))]/(a*f^3*g^3*n^3*Log[F]^3) - (6*d^3*PolyLog[4, -((b*(F^(g*(e + f*x)
))^n/a))]/(a*f^4*g^4*n^4*Log[F]^4)
```

Rule 2184

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x
_))))^(n_.)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[
b/a, Int[((c + d*x)^m*(F^(g*(e + f*x))))^n/(a + b*(F^(g*(e + f*x))))^n, x],
x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*(F_)^((g_)*(e_) + (f_)*(x_)))^(n_), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*(F_)^((c_)*((a_) + (b_)*(x_)))^(n_)]*(f_) + (g_)
*(x_)^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_)))^(p_)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{a+b(Fg^{e+fx})^n} dx &= \frac{(c+dx)^4}{4ad} - \frac{b \int \frac{(Fg^{e+fx})^n (c+dx)^3}{a+b(Fg^{e+fx})^n} dx}{a} \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} + \frac{(3d) \int (c+dx)^2 \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right) dx}{afgn \log(F)} \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{(6d^2) \int (c+dx) \text{Li}_2\left(-\frac{b(Fg^{e+fx})^n}{a}\right) dx}{af^2g^2n^2 \log^2(F)} \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{6d^2(c+dx) \text{Li}_3\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^3g^3n^3 \log^3(F)} \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{6d^2(c+dx) \text{Li}_3\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^3g^3n^3 \log^3(F)} \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{6d^2(c+dx) \text{Li}_3\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^3g^3n^3 \log^3(F)}
\end{aligned}$$

Mathematica [A] time = 0.106588, size = 166, normalized size = 0.86

$$\frac{3d \left(f^2g^2n^2 \log^2(F)(c+dx)^2 \text{PolyLog}\left(2, -\frac{a(Fg^{e+fx})^{-n}}{b}\right) + 2d \left(fgn \log(F)(c+dx) \text{PolyLog}\left(3, -\frac{a(Fg^{e+fx})^{-n}}{b}\right) + d \text{PolyLog}\left(4, -\frac{a(Fg^{e+fx})^{-n}}{b}\right) \right) \right)}{f^3g^3n^3 \log^3(F)} - (c+dx)^3 \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)$$

$$afgn \log(F)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x))))^n, x]

[Out] (-((c + d*x)^3*Log[1 + a/(b*(F^(g*(e + f*x))))^n])) + (3*d*(f^2*g^2*n^2*(c + d*x)^2*Log[F]^2*PolyLog[2, -(a/(b*(F^(g*(e + f*x))))^n])) + 2*d*(f*g*n*(c + d*x)*Log[F]*PolyLog[3, -(a/(b*(F^(g*(e + f*x))))^n])) + d*PolyLog[4, -(a/(b*(F^(g*(e + f*x))))^n])))/(f^3*g^3*n^3*Log[F]^3)/(a*f*g*n*Log[F])

Maple [B] time = 0.094, size = 3227, normalized size = 16.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((dx+c)^3/(a+b*(F^{(g*(f*x+e))))^n), x)$

[Out]
$$\begin{aligned} & -3/g/f/\ln(F)*d^3/a*\ln(F^{(g*(f*x+e))})*x^3+9/2/g^2/f^2/\ln(F)^2*d^3/a*\ln(F^{(g*(f*x+e))})^2*x^2-3/g^3/f^3/\ln(F)^3*d^3/a*\ln(F^{(g*(f*x+e))})^3*x-3/n/g^2/f^2/\ln(F)^2*c^2*d/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a) \\ &)*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))+1/f^3*d^3*e^3/a*x-6/n/g^2/f^3/\ln(F)^2*c*d^2*e*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a) \\ &)+6/n/g^2/f^3/\ln(F)^2*c*d^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a)*e*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))+6/n/g^2/f^3/\ln(F)^2*c*d^2*e*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a \\ &)*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))+3/4/g^4/f^4/\ln(F)^4*d^3/a*\ln(F^{(g*(f*x+e))})^4-3/f^2*c*d^2/a*x*e^2+3/f*c^2*d/a*x*e+3*c*d^2/a*x^3+3*c^2*d/a*x^2+1/n/g/f/\ln(F)*c^3/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))-2/g^3/f^3/\ln(F)^3*c*d^2/a*\ln(F^{(g*(f*x+e))})^3-1/n/g/f/\ln(F)*c^3/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))-6/n^4/g^4/f^4/\ln(F)^4*d^3/a*\text{polylog}(4,-b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a)+6/n^3/g^3/f^3/\ln(F)^3*c*d^2/a*\text{polylog}(3,-b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a)-3/n^2/g^2/f^2/\ln(F)^2*c^2*d/a*\text{polylog}(2,-b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a)+1/n/g^4/f^4/\ln(F)^4*d^3*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^3/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))-1/n/g^4/f^4/\ln(F)^4*d^3*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^3/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))-1/n/g/f/\ln(F)*d^3/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a)*x^3+6/n^3/g^3/f^3/\ln(F)^3*d^3/a*\text{polylog}(3,-b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a)*x-3/g^2/f^2/\ln(F)^2*c*d^2/a*x*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2-3/g/f/\ln(F)*c^2*d/a*\ln(F^{(g*(f*x+e))})*x-6/g/f/\ln(F)*c*d^2/a*\ln(F^{(g*(f*x+e))})*x^2+6/g^2/f^2/\ln(F)^2*c*d^2/a*\ln(F^{(g*(f*x+e))})^2*x+3/g/f^3/\ln(F)*d^3*e^2/a*x*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))+3/g/f/\ln(F)*c^2*d/a*x*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))+3/g^2/f^3/\ln(F)^2*d^3*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*x*e+1/g^3/f^3/\ln(F)^3*d^3*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^3/a*x-3/n/g^3/f^4/\ln(F)^3*d^3*e*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))-3/n/g/f/\ln(F)*c^2*d/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))/a)*x+3/n/g^3/f^3/\ln(F)^3*c*d^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))-3/n/g^2/f^4/\ln(F)^2*d^3*e^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))))-3/n/g^2/f^2/\ln(F)^2*c^2*d*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) \end{aligned}$$

$$\begin{aligned} & \dots) + 3/n/g^2/f^2/\ln(F)^2*c^2*d*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))/a*\ln(a \\ & + b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))) - 3/n/g^3/f^3/\ln(F)^3 \\ & *c*d^2*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))^2/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))) \\ & - 3/n/g^2/f^4/\ln(F)^2*d^3*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))) \\ &)/a)*e^{-2-3/n/g/f/\ln(F)*c*d^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))}/a)*x^2+3/n/g/f^3/\ln(F)*c*d^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))}/a)*e^{-2-6/n^2/g^2/f^2/\ln(F)^2*c*d^2/a*\text{polylog}(2, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))}/a)*x-3/n/g^3/f^4/\ln(F)^3*d^3*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))}/a)*e^{-6/g/f^2/\ln(F)*c*d^2/a*x*e*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F)) - 3/n/g/f^2/\ln(F)*c^2*d*e/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))))+3/n/g/f^3/\ln(F)*c*d^2*e^2/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))))+3/2/g^2/f^2/\ln(F)^2*c^2*d/a*\ln(F^{(g*(f*x+e))})^2+3/n/g^3/f^3/\ln(F)^3*c*d^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))))/a*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))^2-3/n/g/f^2/\ln(F)*c^2*d/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))))/a)*e^{-3/n^2/g^2/f^2/\ln(F)^2*d^3/a*\text{polylog}(2, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))))/a)*x^2-1/n/g^4/f^4/\ln(F)^4*d^3*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))^3/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))))/a)-1/n/g/f^4/\ln(F)*d^3*e^3/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))))/a)-1/n/g/f^4/\ln(F)*d^3*e^3/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))))+1/n/g/f^4/\ln(F)*d^3*e^3/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))))+d^3/a*x^4-3/n/g/f^3/\ln(F)*c*d^2*e^2/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))))+3/n/g/f^2/\ln(F)*c^2*d*e/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))))+3/n/g^2/f^4/\ln(F)^2*d^3*e^2*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))})))))+3/n/g^3/f^4/\ln(F)^3*d^3*e*(\ln(F^{(g*(f*x+e))}) - g*(f*x+e)*\ln(F))^2/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x - \ln(F^{(g*(f*x+e))}))))))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-c^3 \left(\frac{\log\left(\left(F^{fgx+eg}\right)^n b + a\right)}{afgn \log(F)} - \frac{\log\left(\left(F^{fgx+eg}\right)^n\right)}{afgn \log(F)} \right) + \int \frac{d^3x^3 + 3cd^2x^2 + 3c^2dx}{\left(F^{fgx}\right)^n \left(F^{eg}\right)^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e)))^n),x, algorithm="maxima")

[Out] -c^3*(log((F^(f*g*x + e*g))^n*b + a)/(a*f*g*n*log(F)) - log((F^(f*g*x + e*g))^n)/(a*f*g*n*log(F))) + integrate((d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x)/((F

$$\int (f \cdot g \cdot x)^n \cdot (F(e \cdot g))^{n \cdot b + a} \cdot dx$$

Fricas [C] time = 1.6537, size = 888, normalized size = 4.62

$$4(d^3 e^3 - 3cd^2 e^2 f + 3c^2 def^2 - c^3 f^3) g^3 n^3 \log(F^{f g n x + e g n b} + a) \log(F)^3 + (d^3 f^4 g^4 n^4 x^4 + 4cd^2 f^4 g^4 n^4 x^3 + 6c^2 d f^4 g^4 n^4 x^2 + 4c^3 f^4 g^4 n^4 x + 4c^4 f^4 g^4 n^4) \log(F)^4 - 4(d^3 f^3 g^3 n^3 x^3 + 3cd^2 f^3 g^3 n^3 x^2 + 3c^2 d f^3 g^3 n^3 x + (d^3 e^3 - 3cd^2 e^2 f + 3c^2 def^2 - c^3 f^3) g^3 n^3) \log(F)^3 \log\left(\frac{F(f g n x + e g n b) + a}{a}\right) - 12(d^3 f^2 g^2 n^2 x^2 + 2cd^2 f^2 g^2 n^2 x + c^2 d f^2 g^2 n^2) \operatorname{dilog}\left(-\frac{F(f g n x + e g n b) + a}{a} + 1\right) \log(F)^2 - 24d^3 \operatorname{polylog}(4, -\frac{F(f g n x + e g n b) + a}{a}) + 24(d^3 f g n x + cd^2 f g n) \log(F) \operatorname{polylog}(3, -\frac{F(f g n x + e g n b) + a}{a}) / (af^4 g^4 n^4 \log(F)^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="fricas")

[Out] 1/4*(4*(d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*g^3*n^3*log(F^(f*g*n*x + e*g*n)*b + a)*log(F)^3 + (d^3*f^4*g^4*n^4*x^4 + 4*c*d^2*f^4*g^4*n^4*x^3 + 6*c^2*d*f^4*g^4*n^4*x^2 + 4*c^3*f^4*g^4*n^4*x)*log(F)^4 - 4*(d^3*f^3*g^3*n^3*x^3 + 3*c*d^2*f^3*g^3*n^3*x^2 + 3*c^2*d*f^3*g^3*n^3*x + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2)*g^3*n^3)*log(F)^3*log((F^(f*g*n*x + e*g*n)*b + a)/a) - 12*(d^3*f^2*g^2*n^2*x^2 + 2*c*d^2*f^2*g^2*n^2*x + c^2*d*f^2*g^2*n^2)*dilog(-(F^(f*g*n*x + e*g*n)*b + a)/a + 1)*log(F)^2 - 24*d^3*polylog(4, -F^(f*g*n*x + e*g*n)*b/a) + 24*(d^3*f*g*n*x + c*d^2*f*g*n)*log(F)*polylog(3, -F^(f*g*n*x + e*g*n)*b/a))/(a*f^4*g^4*n^4*log(F)^4)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a+b*(F**(g*(f*x+e))))**n),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{(F^{(f x + e)g})^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3/((F^((f*x + e)*g))^n*b + a), x)
```

$$3.47 \quad \int \frac{(c+dx)^2}{a+b(F^g(e+fx))^n} dx$$

Optimal. Leaf size=145

$$\frac{2d(c+dx)\text{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{af^2g^2n^2\log^2(F)} + \frac{2d^2\text{PolyLog}\left(3, -\frac{b(F^g(e+fx))^n}{a}\right)}{af^3g^3n^3\log^3(F)} - \frac{(c+dx)^2\log\left(\frac{b(F^g(e+fx))^n}{a} + 1\right)}{afgn\log(F)} + \frac{(c+dx)^3}{3ad}$$

[Out] $(c + dx)^3/(3*a*d) - ((c + dx)^2*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n]/a)/(a*f*g*n*\text{Log}[F]) - (2*d*(c + dx)*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n]/a)]/(a*f^2*g^2*n^2*\text{Log}[F]^2) + (2*d^2*\text{PolyLog}[3, -((b*(F^(g*(e + f*x))))^n]/a)]/(a*f^3*g^3*n^3*\text{Log}[F]^3)$

Rubi [A] time = 0.275688, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {2184, 2190, 2531, 2282, 6589}

$$\frac{2d(c+dx)\text{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{af^2g^2n^2\log^2(F)} + \frac{2d^2\text{PolyLog}\left(3, -\frac{b(F^g(e+fx))^n}{a}\right)}{af^3g^3n^3\log^3(F)} - \frac{(c+dx)^2\log\left(\frac{b(F^g(e+fx))^n}{a} + 1\right)}{afgn\log(F)} + \frac{(c+dx)^3}{3ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + dx)^2/(a + b*(F^(g*(e + f*x))))^n, x]$

[Out] $(c + dx)^3/(3*a*d) - ((c + dx)^2*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n]/a)/(a*f*g*n*\text{Log}[F]) - (2*d*(c + dx)*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n]/a)]/(a*f^2*g^2*n^2*\text{Log}[F]^2) + (2*d^2*\text{PolyLog}[3, -((b*(F^(g*(e + f*x))))^n]/a)]/(a*f^3*g^3*n^3*\text{Log}[F]^3)$

Rule 2184

$\text{Int}[(c + dx)^2/(a + b*(F^(g*(e + f*x))))^n, x] := \text{Simp}[(c + dx)^2/(a*d*(m + 1)), x] - \text{Dist}[b/a, \text{Int}[(c + dx)^m*(F^(g*(e + f*x))))^n/(a + b*(F^(g*(e + f*x))))^n, x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

$\text{Int}[(c + dx)^2/(a + b*(F^(g*(e + f*x))))^n, x] := \text{Simp}[(c + dx)^2/(a*d*(m + 1)), x] - \text{Dist}[b/a, \text{Int}[(c + dx)^m*(F^(g*(e + f*x))))^n/(a + b*(F^(g*(e + f*x))))^n, x], x] /;$

```

[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Dist
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^2}{a+b(F^{g(e+fx)})^n} dx &= \frac{(c+dx)^3}{3ad} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)^2}{a+b(F^{g(e+fx)})^n} dx}{a} \\
&= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{afgn \log(F)} + \frac{(2d) \int (c+dx) \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right) dx}{afgn \log(F)} \\
&= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{afgn \log(F)} - \frac{2d(c+dx)\text{Li}_2\left(-\frac{b(F^{g(e+fx)})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{(2d^2) \int \text{Li}_2\left(-\frac{b(F^{g(e+fx)})^n}{a}\right) dx}{af^2g^2n^2 \log^2(F)} \\
&= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{afgn \log(F)} - \frac{2d(c+dx)\text{Li}_2\left(-\frac{b(F^{g(e+fx)})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{(2d^2) \text{Subst}\left(\int \frac{\text{Li}_2\left(-\frac{b(F^{g(e+fx)})^n}{a}\right) dx}{af^3g^3n^3 \log^3(F)}\right)}{af^3g^3n^3 \log^3(F)} \\
&= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{afgn \log(F)} - \frac{2d(c+dx)\text{Li}_2\left(-\frac{b(F^{g(e+fx)})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{2d^2\text{Li}_3\left(-\frac{b(F^{g(e+fx)})^n}{a}\right)}{af^3g^3n^3 \log^3(F)}
\end{aligned}$$

Mathematica [A] time = 0.0329647, size = 121, normalized size = 0.83

$$\frac{2dfgn \log(F)(c+dx)\text{PolyLog}\left(2, -\frac{a(F^{g(e+fx)})^{-n}}{b}\right) + 2d^2\text{PolyLog}\left(3, -\frac{a(F^{g(e+fx)})^{-n}}{b}\right) - f^2g^2n^2 \log^2(F)(c+dx)^2 \log\left(\frac{a(F^{g(e+fx)})^{-n}}{b}\right)}{af^3g^3n^3 \log^3(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2/(a + b*(F^(g*(e + f*x)))^n), x]

[Out] $(-(f^2g^2n^2(c+dx)^2\text{Log}[F]^2\text{Log}[1 + a/(b(F^{g(e+fx)})^n])]) + 2*d*f*g*n*(c+dx)*\text{Log}[F]*\text{PolyLog}[2, -(a/(b(F^{g(e+fx)})^n))]) + 2*d^2*\text{PolyLog}[3, -(a/(b(F^{g(e+fx)})^n))]))/(a*f^3*g^3*n^3*\text{Log}[F]^3)$

Maple [B] time = 0.09, size = 1765, normalized size = 12.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d*x+c)^2/(a+b*(F^{(g*(f*x+e))})^n), x)$

[Out] $2*c*d/a*x^2+1/\ln(F)^2/f^2/g^2*c*d/a*\ln(F^{(g*(f*x+e))})^2-2/\ln(F)/f/g*d^2/a*\ln(F^{(g*(f*x+e))})*x^2+2/\ln(F)^2/f^2/g^2*d^2/a*\ln(F^{(g*(f*x+e))})^2*x+2/\ln(F)^3/f^3/g^3/n^3*d^2/a*\text{polylog}(3, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)+1/\ln(F)/f/g/n*c^2/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-2/\ln(F)^2/f^2/g^2/n^2*c*d/a*\text{polylog}(2, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)+1/\ln(F)/f^3/g/n*d^2*e^2/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))+1/\ln(F)^3/f^3/g^3/n*d^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-1/\ln(F)^3/f^3/g^3/n*d^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-1/\ln(F)/f^3/g/n*d^2*e^2/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-2/3/\ln(F)^3/f^3/g^3*d^2/a*\ln(F^{(g*(f*x+e))})^3-1/\ln(F)/f/g/n*c^2/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-1/\ln(F)^2/f^2/g^2*d^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*x-1/f^2*d^2*e^2/a*x+1/\ln(F)^3/f^3/g^3/n*d^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)-1/\ln(F)/f/g/n*d^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)*x^2-2/\ln(F)^2/f^2/g^2/n^2*d^2/a*\text{polylog}(2, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)*x+2/\ln(F)/f^2/g/n*c*d*e/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))+2/\ln(F)^2/f^2/g^2/n*c*d*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))+2/\ln(F)^2/f^3/g^2/n*d^2*e*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-2/\ln(F)/f^2/g/n*c*d*e/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-2/\ln(F)^2/f^3/g^2/n*d^2*e*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))-2/\ln(F)^2/f^2/g^2/n*c*d*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))+2/\ln(F)^2/f^3/g^2/n*d^2*e/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))-2/\ln(F)/f/g/n*c*d/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)*x-2/\ln(F)/f^2/g/n*c*d/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)*e-2/\ln(F)^2/f^2/g^2/n*c*d/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))+1/\ln(F)/f^3/g/n*d^2*e^2/a*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))))/a)+2/\ln(F)/f/g*c*d/a*x*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))-2/\ln(F)/f^2/g*d^2*e/a*x*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))+d^2/a*x^3+2/f*c*d/a*x*e-2/\ln(F)/f/g*c*d/a*\ln(F^{(g*(f*x+e))})*x$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-c^2 \left(\frac{\log\left(\left(Ffg^{x+eg}\right)^n b + a\right)}{afgn \log(F)} - \frac{\log\left(\left(Ffg^{x+eg}\right)^n\right)}{afgn \log(F)} \right) + \int \frac{d^2x^2 + 2cdx}{(Ffg^x)^n (Feg)^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e)))^n),x, algorithm="maxima")

[Out] -c^2*(log((F^(f*g*x + e*g))^n*b + a)/(a*f*g*n*log(F)) - log((F^(f*g*x + e*g))^n)/(a*f*g*n*log(F))) + integrate((d^2*x^2 + 2*c*d*x)/((F^(f*g*x))^n*(F^(e*g))^n*b + a), x)

Fricas [C] time = 1.7492, size = 597, normalized size = 4.12

$$3(d^2e^2 - 2cdef + c^2f^2)g^2n^2 \log(Ffg^{nx+egn}b + a) \log(F)^2 - (d^2f^3g^3n^3x^3 + 3cdf^3g^3n^3x^2 + 3c^2f^3g^3n^3x) \log(F)^3 + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e)))^n),x, algorithm="fricas")

[Out] -1/3*(3*(d^2*e^2 - 2*c*d*e*f + c^2*f^2)*g^2*n^2*log(F^(f*g*n*x + e*g*n)*b + a)*log(F)^2 - (d^2*f^3*g^3*n^3*x^3 + 3*c*d*f^3*g^3*n^3*x^2 + 3*c^2*f^3*g^3*n^3*x)*log(F)^3 + 3*(d^2*f^2*g^2*n^2*x^2 + 2*c*d*f^2*g^2*n^2*x - (d^2*e^2 - 2*c*d*e*f)*g^2*n^2)*log(F)^2*log((F^(f*g*n*x + e*g*n)*b + a)/a) + 6*(d^2*f*g*n*x + c*d*f*g*n)*dilog(-(F^(f*g*n*x + e*g*n)*b + a)/a + 1)*log(F) - 6*d^2*polylog(3, -F^(f*g*n*x + e*g*n)*b/a))/(a*f^3*g^3*n^3*log(F)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(c + dx)^2}{a + b(FegFfg^x)^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+b*(F**(g*(f*x+e))))**n),x)

[Out] Integral((c + d*x)**2/(a + b*(F**(e*g)*F**(f*g*x))**n), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{\left(F^{(fx+e)g}\right)^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e)))^n),x, algorithm="giac")

[Out] integrate((d*x + c)^2/((F^((f*x + e)*g))^n*b + a), x)

$$3.48 \quad \int \frac{c+dx}{a+b(Fg(e+fx))^n} dx$$

Optimal. Leaf size=98

$$-\frac{d\text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2\log^2(F)} - \frac{(c+dx)\log\left(\frac{b(Fg(e+fx))^n}{a} + 1\right)}{afgn\log(F)} + \frac{(c+dx)^2}{2ad}$$

[Out] (c + d*x)^2/(2*a*d) - ((c + d*x)*Log[1 + (b*(F^(g*(e + f*x))))^n/a])/(a*f*g*n*Log[F]) - (d*PolyLog[2, -((b*(F^(g*(e + f*x))))^n/a])/(a*f^2*g^2*n^2*Log[F]^2)

Rubi [A] time = 0.156513, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2184, 2190, 2279, 2391}

$$-\frac{d\text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2\log^2(F)} - \frac{(c+dx)\log\left(\frac{b(Fg(e+fx))^n}{a} + 1\right)}{afgn\log(F)} + \frac{(c+dx)^2}{2ad}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*(F^(g*(e + f*x))))^n, x]

[Out] (c + d*x)^2/(2*a*d) - ((c + d*x)*Log[1 + (b*(F^(g*(e + f*x))))^n/a])/(a*f*g*n*Log[F]) - (d*PolyLog[2, -((b*(F^(g*(e + f*x))))^n/a])/(a*f^2*g^2*n^2*Log[F]^2)

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x))))^n/(a + b*(F^(g*(e + f*x))))^n, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n/a])/(b*f*g*n*Log[F]), x] - Di

```
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a + b(Fg^{e+fx})^n} dx &= \frac{(c + dx)^2}{2ad} - \frac{b \int \frac{(Fg^{e+fx})^n (c+dx)}{a+b(Fg^{e+fx})^n} dx}{a} \\ &= \frac{(c + dx)^2}{2ad} - \frac{(c + dx) \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} + \frac{d \int \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right) dx}{afgn \log(F)} \\ &= \frac{(c + dx)^2}{2ad} - \frac{(c + dx) \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} + \frac{d \operatorname{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, (Fg^{e+fx})^n\right)}{af^2g^2n^2 \log^2(F)} \\ &= \frac{(c + dx)^2}{2ad} - \frac{(c + dx) \log\left(1 + \frac{b(Fg^{e+fx})^n}{a}\right)}{afgn \log(F)} - \frac{d \operatorname{Li}_2\left(-\frac{b(Fg^{e+fx})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} \end{aligned}$$

Mathematica [A] time = 0.0105853, size = 74, normalized size = 0.76

$$\frac{d \operatorname{PolyLog}\left(2, -\frac{a(Fg^{e+fx})^{-n}}{b}\right) - fgn \log(F)(c + dx) \log\left(\frac{a(Fg^{e+fx})^{-n}}{b} + 1\right)}{af^2g^2n^2 \log^2(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/(a + b*(F^(g*(e + f*x)))^n), x]
```

```
[Out]  $(-(f*g*n*(c + d*x)*\text{Log}[F]*\text{Log}[1 + a/(b*(F^{(g*(e + f*x)))^n})]) + d*\text{PolyLog}[2, -a/(b*(F^{(g*(e + f*x)))^n})])/(a*f^2*g^2*n^2*\text{Log}[F]^2)$ 
```

Maple [B] time = 0.06, size = 719, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)/(a+b*(F^(g*(f*x+e)))^n), x)
```

```
[Out]  $1/\ln(F)/f/g/n*c/a*\ln(F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})-1/\ln(F)/f/g/n*c/a*\ln(a+b*F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})+d/a*x^2+1/f*d/a*x*e+1/\ln(F)/f/g*d/a*x*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))-1/\ln(F)/f/g*d/a*\ln(F^{(g*(f*x+e))})*x+1/2/\ln(F)^2/f^2/g^2*d/a*\ln(F^{(g*(f*x+e))})^2-1/\ln(F)/f/g/n*d/a*\ln(1+b*F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})/a)*x-1/\ln(F)/f^2/g/n*d/a*\ln(1+b*F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})/a)*e-1/\ln(F)^2/f^2/g^2/n*d/a*\ln(1+b*F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})/a)*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))-1/\ln(F)^2/f^2/g^2/n^2*d/a*\text{polylog}(2, -b*F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})/a)-1/\ln(F)/f^2/g/n*d*e/a*\ln(F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})+1/\ln(F)/f^2/g/n*d*e/a*\ln(a+b*F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})-1/\ln(F)^2/f^2/g^2/n*d*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})+1/\ln(F)^2/f^2/g^2/n*d*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))/a*\ln(a+b*F^{(n*g*f*x)*\exp(-*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))))})$ 
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-c \left(\frac{\log\left(\left(F^{fgx+eg}\right)^n b + a\right)}{afgn \log(F)} - \frac{\log\left(\left(F^{fgx+eg}\right)^n\right)}{afgn \log(F)} \right) + d \int \frac{x}{\left(F^{fgx}\right)^n \left(F^{eg}\right)^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e)))^n), x, algorithm="maxima")
```

```
[Out]  $-c*(\log((F^{(f*g*x + e*g)})^n*b + a)/(a*f*g*n*\log(F)) - \log((F^{(f*g*x + e*g)})^n)/(a*f*g*n*\log(F))) + d*\text{integrate}(x/((F^{(f*g*x)})^n*(F^{(e*g)})^n*b + a), x)$ 
```

Fricas [A] time = 1.68967, size = 344, normalized size = 3.51

$$\frac{2(de - cf)gn \log(F^{fgnx+egn}b + a) \log(F) + (df^2g^2n^2x^2 + 2cf^2g^2n^2x) \log(F)^2 - 2(dfgnx + degn) \log(F) \log\left(\frac{F^{fgnx+egn}b}{a}\right)}{2af^2g^2n^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="fricas")

[Out] 1/2*(2*(d*e - c*f)*g*n*log(F^(f*g*n*x + e*g*n)*b + a)*log(F) + (d*f^2*g^2*n^2*x^2 + 2*c*f^2*g^2*n^2*x)*log(F)^2 - 2*(d*f*g*n*x + d*e*g*n)*log(F)*log((F^(f*g*n*x + e*g*n)*b + a)/a) - 2*d*dilog(-(F^(f*g*n*x + e*g*n)*b + a)/a + 1))/(a*f^2*g^2*n^2*log(F)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{c + dx}{a + b(F^{eg}F^{fgx})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F**(g*(f*x+e))))**n),x)

[Out] Integral((c + d*x)/(a + b*(F**(e*g)*F**(f*g*x))))**n, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{dx + c}{(F^{(f*x+e)g})^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="giac")

[Out] integrate((d*x + c)/((F^((f*x + e)*g))^n*b + a), x)

$$3.49 \quad \int \frac{1}{a+b(Fg^{e+fx})^n} dx$$

Optimal. Leaf size=40

$$\frac{x}{a} - \frac{\log\left(a + b\left(Fg^{e+fx}\right)^n\right)}{afgn \log(F)}$$

[Out] x/a - Log[a + b*(F^(g*(e + f*x)))^n]/(a*f*g*n*Log[F])

Rubi [A] time = 0.0300728, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {2282, 266, 36, 29, 31}

$$\frac{x}{a} - \frac{\log\left(a + b\left(Fg^{e+fx}\right)^n\right)}{afgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^(-1), x]

[Out] x/a - Log[a + b*(F^(g*(e + f*x)))^n]/(a*f*g*n*Log[F])

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
```

`x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

Rule 29

`Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]`

Rule 31

`Int[((a_) + (b_.)*(x_))^(n), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{1}{a + b(F^{g(e+fx)})^n} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx^n)} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\
 &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
 &= \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, (F^{g(e+fx)})^n\right)}{afgn \log(F)} - \frac{b \text{Subst}\left(\int \frac{1}{a+bx} dx, x, (F^{g(e+fx)})^n\right)}{afgn \log(F)} \\
 &= \frac{x}{a} - \frac{\log\left(a + b(F^{g(e+fx)})^n\right)}{afgn \log(F)}
 \end{aligned}$$

Mathematica [A] time = 0.0061125, size = 40, normalized size = 1.

$$\frac{x}{a} - \frac{\log\left(a + b(F^{g(e+fx)})^n\right)}{afgn \log(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^(-1), x]`

`[Out] x/a - Log[a + b*(F^(g*(e + f*x)))^n]/(a*f*g*n*Log[F])`

Maple [A] time = 0.005, size = 65, normalized size = 1.6

$$\frac{\ln\left(\left(F^{g(fx+e)}\right)^n\right)}{\ln(F)afgn} - \frac{\ln\left(a+b\left(F^{g(fx+e)}\right)^n\right)}{\ln(F)afgn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e))))^n), x)

[Out] 1/g/f/ln(F)/n/a*ln((F^(g*(f*x+e))))^n)-ln(a+b*(F^(g*(f*x+e))))^n)/a/f/g/n/ln(F)

Maxima [A] time = 1.06782, size = 89, normalized size = 2.22

$$-\frac{\log\left(\left(F^{fgx+eg}\right)^n b + a\right)}{afgn \log(F)} + \frac{\log\left(\left(F^{fgx+eg}\right)^n\right)}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n), x, algorithm="maxima")

[Out] -log((F^(f*g*x + e*g))^n*b + a)/(a*f*g*n*log(F)) + log((F^(f*g*x + e*g))^n)/(a*f*g*n*log(F))

Fricas [A] time = 1.79227, size = 92, normalized size = 2.3

$$\frac{fgnx \log(F) - \log\left(F^{fgnx+egn} b + a\right)}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n), x, algorithm="fricas")

[Out] (f*g*n*x*log(F) - log(F^(f*g*n*x + e*g*n)*b + a))/(a*f*g*n*log(F))

Sympy [A] time = 0.200935, size = 27, normalized size = 0.68

$$\frac{x}{a} - \frac{\log\left(\frac{a}{b} + \left(F^{g(e+fx)}\right)^n\right)}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F**(g*(f*x+e)))**n),x)

[Out] x/a - log(a/b + (F**(g*(e + f*x)))**n)/(a*f*g*n*log(F))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(F^{(fx+e)g}\right)^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n),x, algorithm="giac")

[Out] integrate(1/((F^((f*x + e)*g))^n*b + a), x)

$$3.50 \quad \int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{1}{(c+dx)\left(a+b\left(F^{eg+fgx}\right)^n\right)}, x\right)$$

[Out] Unintegrable[1/((a + b*(F^(e*g + f*g*x))^n)*(c + d*x)), x]

Rubi [A] time = 0.137254, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*(F^(g*(e + f*x)))^n)*(c + d*x)), x]

[Out] Defer[Int][1/((a + b*(F^(e*g + f*g*x))^n)*(c + d*x)), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)(c+dx)} dx$$

Mathematica [A] time = 0.116607, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*(F^(g*(e + f*x)))^n)*(c + d*x)),x]

[Out] Integrate[1/((a + b*(F^(g*(e + f*x)))^n)*(c + d*x)), x]

Maple [A] time = 0.094, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a + b \left(F^{g(fx+e)}\right)^n\right) (dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x)

[Out] int(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(fx+e)g}\right)^n b + a\right) (dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="maxima")

[Out] integrate(1/(((F^((f*x + e)*g))^n*b + a)*(d*x + c)), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{adx + (bdx + bc)\left(F^{fgx+eg}\right)^n + ac}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="fricas")

[Out] `integral(1/(a*d*x + (b*d*x + b*c)*(F^(f*g*x + e*g))^n + a*c), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(a + b \left(F^{eg} F^{fgx}\right)^n\right) (c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e)))**n)/(d*x+c), x)`

[Out] `Integral(1/((a + b*(F**(e*g)*F**(f*g*x))**n)*(c + d*x)), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(fx+e)g}\right)^n b + a\right) (dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c), x, algorithm="giac")`

[Out] `integrate(1/(((F^((f*x + e)*g))^n*b + a)*(d*x + c)), x)`

$$3.51 \quad \int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)(c+dx)^2} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{1}{(c+dx)^2\left(a+b\left(F^{eg+fgx}\right)^n\right)}, x\right)$$

[Out] Unintegrable[1/((a + b*(F^(e*g + f*g*x))^n)*(c + d*x)^2), x]

Rubi [A] time = 0.127881, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{\left(a+b\left(Fg^{e+fx}\right)^n\right)(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*(F^(g*(e + f*x)))^n)*(c + d*x)^2), x]

[Out] Defer[Int][1/((a + b*(F^(e*g + f*g*x))^n)*(c + d*x)^2), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(Fg^{e+fx}\right)^n\right)(c+dx)^2} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)(c+dx)^2} dx$$

Mathematica [A] time = 0.331486, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a+b\left(Fg^{e+fx}\right)^n\right)(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*(F^(g*(e + f*x))))^n)*(c + d*x)^2, x]

[Out] Integrate[1/((a + b*(F^(g*(e + f*x))))^n)*(c + d*x)^2, x]

Maple [A] time = 0.111, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a + b \left(F^{g(fx+e)}\right)^n\right) (dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x

[Out] int(1/(a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(fx+e)g}\right)^n b + a\right) (dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x, algorithm="maxima")

[Out] integrate(1/(((F^((f*x + e)*g))^n*b + a)*(d*x + c)^2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{ad^2x^2 + 2acdx + ac^2 + (bd^2x^2 + 2bcdx + bc^2)(F^{fgx+eg})^n}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)/(d*x+c)^2,x, algorithm="fricas")

[Out] `integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (b*d^2*x^2 + 2*b*c*d*x + b*c^2)*(F^(f*g*x + e*g))^n), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e)))**n)/(d*x+c)**2,x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(f*x+e)g} \right)^n b + a \right) (dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x, algorithm="giac")`

[Out] `integrate(1/(((F^((f*x + e)*g))^n*b + a)*(d*x + c)^2), x)`

$$3.52 \quad \int \frac{(c+dx)^3}{\left(a+b(F^{g(e+fx)})^n\right)^2} dx$$

Optimal. Leaf size=388

$$\frac{6d^2(c+dx)\text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} + \frac{6d^2(c+dx)\text{PolyLog}\left(3, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} - \frac{3d(c+dx)^2 \text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)}$$

[Out] $(c + dx)^4/(4*a^2*d) - (c + dx)^3/(a^2*f*g*n*\text{Log}[F]) + (c + dx)^3/(a*f*(a + b*(F^{g*(e + f*x)})^n)*g*n*\text{Log}[F]) + (3*d*(c + dx)^2*\text{Log}[1 + (b*(F^{g*(e + f*x)})^n)/a])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2) - ((c + dx)^3*\text{Log}[1 + (b*(F^{g*(e + f*x)})^n)/a])/(a^2*f*g*n*\text{Log}[F]) + (6*d^2*(c + dx)*\text{PolyLog}[2, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^3*g^3*n^3*\text{Log}[F]^3) - (3*d*(c + dx)^2*\text{PolyLog}[2, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2) - (6*d^3*\text{PolyLog}[3, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^4*g^4*n^4*\text{Log}[F]^4) + (6*d^2*(c + dx)*\text{PolyLog}[3, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^3*g^3*n^3*\text{Log}[F]^3) - (6*d^3*\text{PolyLog}[4, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^4*g^4*n^4*\text{Log}[F]^4)$

Rubi [A] time = 0.866812, antiderivative size = 388, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$, Rules used = {2185, 2184, 2190, 2531, 6609, 2282, 6589, 2191}

$$\frac{6d^2(c+dx)\text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} + \frac{6d^2(c+dx)\text{PolyLog}\left(3, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} - \frac{3d(c+dx)^2 \text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3/(a + b*(F^(g*(e + f*x)))^n)^2, x]

[Out] $(c + dx)^4/(4*a^2*d) - (c + dx)^3/(a^2*f*g*n*\text{Log}[F]) + (c + dx)^3/(a*f*(a + b*(F^{g*(e + f*x)})^n)*g*n*\text{Log}[F]) + (3*d*(c + dx)^2*\text{Log}[1 + (b*(F^{g*(e + f*x)})^n)/a])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2) - ((c + dx)^3*\text{Log}[1 + (b*(F^{g*(e + f*x)})^n)/a])/(a^2*f*g*n*\text{Log}[F]) + (6*d^2*(c + dx)*\text{PolyLog}[2, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^3*g^3*n^3*\text{Log}[F]^3) - (3*d*(c + dx)^2*\text{PolyLog}[2, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2) - (6*d^3*\text{PolyLog}[3, -((b*(F^{g*(e + f*x)})^n)/a)])/(a^2*f^4*g^4*n^4*\text{Log}[F]^4) + (6*$

$$d^2*(c + d*x)*PolyLog[3, -((b*(F^(g*(e + f*x)))^n)/a)]/(a^2*f^3*g^3*n^3*Log[F]^3) - (6*d^3*PolyLog[4, -((b*(F^(g*(e + f*x)))^n)/a)]/(a^2*f^4*g^4*n^4*Log[F]^4)$$

Rule 2185

$$\text{Int}[\{(a_)+ (b_)*((F_)^{(g_)*((e_)+ (f_)*(x_))})^{(n_)}\}^{(p_)*((c_)+ (d_)*(x_))^{(m_)}}, x_Symbol] \rightarrow \text{Dist}[1/a, \text{Int}[(c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^{(p + 1)}, x], x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^(g*(e + f*x)))^n*(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[m, 0]$$

Rule 2184

$$\text{Int}[\{(c_)+ (d_)*(x_))^{(m_)}\}/\{(a_)+ (b_)*((F_)^{(g_)*((e_)+ (f_)*(x_))})^{(n_)}\}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)}/(a*d*(m + 1)), x] - \text{Dist}[b/a, \text{Int}[\{(c + d*x)^m*(F^(g*(e + f*x)))^n\}/(a + b*(F^(g*(e + f*x)))^n), x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$$

Rule 2190

$$\text{Int}[\{(F_)^{(g_)*((e_)+ (f_)*(x_))})^{(n_)*((c_)+ (d_)*(x_))^{(m_)}\}/\{(a_)+ (b_)*((F_)^{(g_)*((e_)+ (f_)*(x_))})^{(n_)}\}, x_Symbol] \rightarrow \text{Simp}[\{(c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]\}/(b*f*g*n*Log[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*Log[F]), \text{Int}[(c + d*x)^{(m - 1)}*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$$

Rule 2531

$$\text{Int}[Log[1 + (e_)*((F_)^{(c_)*((a_)+ (b_)*(x_))})^{(n_)}]\}^{(f_)+ (g_)*(x_))^{(m_)}}, x_Symbol] \rightarrow -\text{Simp}[\{(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]\}/(b*c*n*Log[F]), x] + \text{Dist}[(g*m)/(b*c*n*Log[F]), \text{Int}[(f + g*x)^{(m - 1)}*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$$

Rule 6609

$$\text{Int}[\{(e_)+ (f_)*(x_))^{(m_)}*PolyLog[n_, (d_)*((F_)^{(c_)*((a_)+ (b_)*(x_))})^{(p_)}], x_Symbol] \rightarrow \text{Simp}[\{(e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]\}/(b*c*p*Log[F]), x] - \text{Dist}[(f*m)/(b*c*p*Log[F]), \text{Int}[(e + f*x)^{(m - 1)}*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 2191

```
Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((g_)*
(e_) + (f_)*(x_))))^(n_)]^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :=
Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n)^(p + 1)/(b*f*g*n*(p + 1)*Lo
g[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x))))^n]^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{(a+b(Fg^{(e+fx)}))^2} dx &= \frac{\int \frac{(c+dx)^3}{a+b(Fg^{(e+fx)})^n} dx}{a} - \frac{b \int \frac{(Fg^{(e+fx)})^n (c+dx)^3}{(a+b(Fg^{(e+fx)})^n)^2} dx}{a} \\
&= \frac{(c+dx)^4}{4a^2d} + \frac{(c+dx)^3}{af(a+b(Fg^{(e+fx)}))^n gn \log(F)} - \frac{b \int \frac{(Fg^{(e+fx)})^n (c+dx)^3}{a+b(Fg^{(e+fx)})^n} dx}{a^2} - \frac{(3d) \int \frac{(c+dx)^2}{a+b(Fg^{(e+fx)})^n} dx}{afgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^2d} - \frac{(c+dx)^3}{a^2fgn \log(F)} + \frac{(c+dx)^3}{af(a+b(Fg^{(e+fx)}))^n gn \log(F)} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg^{(e+fx)})^n}{a}\right)}{a^2fgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^2d} - \frac{(c+dx)^3}{a^2fgn \log(F)} + \frac{(c+dx)^3}{af(a+b(Fg^{(e+fx)}))^n gn \log(F)} + \frac{3d(c+dx)^2 \log\left(1 + \frac{b(Fg^{(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} \\
&= \frac{(c+dx)^4}{4a^2d} - \frac{(c+dx)^3}{a^2fgn \log(F)} + \frac{(c+dx)^3}{af(a+b(Fg^{(e+fx)}))^n gn \log(F)} + \frac{3d(c+dx)^2 \log\left(1 + \frac{b(Fg^{(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} \\
&= \frac{(c+dx)^4}{4a^2d} - \frac{(c+dx)^3}{a^2fgn \log(F)} + \frac{(c+dx)^3}{af(a+b(Fg^{(e+fx)}))^n gn \log(F)} + \frac{3d(c+dx)^2 \log\left(1 + \frac{b(Fg^{(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} \\
&= \frac{(c+dx)^4}{4a^2d} - \frac{(c+dx)^3}{a^2fgn \log(F)} + \frac{(c+dx)^3}{af(a+b(Fg^{(e+fx)}))^n gn \log(F)} + \frac{3d(c+dx)^2 \log\left(1 + \frac{b(Fg^{(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)}
\end{aligned}$$

Mathematica [F] time = 1.72344, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^3}{(a+b(Fg^{(e+fx)}))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x))))^n]^2, x]

[Out] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x))))^n]^2, x]

Maple [B] time = 0.138, size = 3519, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((d*x+c)^3/(a+b*(F^{(g*(f*x+e))))^n)^2, x)$

[Out]
$$\begin{aligned} & -6/n/g^2/f^2/\ln(F)^2/a^2*c*d^2*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) \\ & * \ln(F^{(g*(f*x+e))}) * x + 6/n/g^2/f^2/\ln(F)^2/a^2*c*d^2*\ln(a+b*F^{(n*g*f*x)} \\ & * \exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) * \ln(F^{(g*(f*x+e))}) * x - 6/n/g^2/ \\ & f^2/\ln(F)^2/a^2*c*d^2*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e) \\ &))))) / a * \ln(F^{(g*(f*x+e))}) * x + 6/n^3/g^3/f^3/\ln(F)^3/a^2*d^3*\text{polylog}(2, -b*F^{(\\ & n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) / a * x + 6/n^3/g^3/f^3/\ln(F)^3 \\ & / a^2*c*d^2*\text{polylog}(2, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) \\ & / a) - 3/n^2/g^2/f^2/\ln(F)^2/a^2*d^3*\text{polylog}(2, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f* \\ & g*x-\ln(F^{(g*(f*x+e)))))) / a * x^2 + 6/n^3/g^3/f^3/\ln(F)^3/a^2*d^3*\text{polylog}(3, -b*F^{(\\ & n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) / a * x + 6/n^3/g^3/f^3/\ln(F) \\ & ^3/a^2*c*d^2*\text{polylog}(3, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e) \\ &))))) / a) - 3/n^2/g^2/f^2/\ln(F)^2/a^2*c^2*d*\text{polylog}(2, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F) \\ &)*f*g*x-\ln(F^{(g*(f*x+e)))))) / a) - 3/n/g^3/f^3/\ln(F)^3/a^2*c*d^2*\ln(F^{(g*(f*x+e) \\ &)})^2 - 1/n/g^4/f^4/\ln(F)^4/a^2*d^3*\ln(1+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln \\ & (F^{(g*(f*x+e)))))) / a * \ln(F^{(g*(f*x+e))})^3 + 1/n/g/f/\ln(F)/a^2*d^3*\ln(F^{(n*g*f*x)} \\ & * \exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) * x^3 - 1/n/g^4/f^4/\ln(F)^4/a^2*d^3 \\ & * \ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) * \ln(F^{(g*(f*x+e))})^3 \\ & - 1/n/g/f/\ln(F)/a^2*d^3*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x \\ & +e)))))) * x^3 + 1/n/g^4/f^4/\ln(F)^4/a^2*d^3*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f \\ & *g*x-\ln(F^{(g*(f*x+e)))))) * \ln(F^{(g*(f*x+e))})^3 - 3/n/g^3/f^3/\ln(F)^3/a^2*d^3* \\ & \ln(F^{(g*(f*x+e))})^2 * x - 3/n^2/g^2/f^2/\ln(F)^2/a^2*d^3*\ln(F^{(n*g*f*x)}*\exp(-n*(\\ & \ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) * x^2 + 3/n^2/g^2/f^2/\ln(F)^2/a^2*d^3*\ln(a+b*F^{(\\ & n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) * x^2 + 3/n^2/g^4/f^4/\ln(F)^4 \\ & / a^2*d^3*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) * \ln(F^{(\\ & g*(f*x+e))})^2 - 3/n^2/g^4/f^4/\ln(F)^4/a^2*d^3*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f \\ & *g*x-\ln(F^{(g*(f*x+e)))))) * \ln(F^{(g*(f*x+e))})^2 + 1/n/g/f/\ln(F)/a*(d^3*x^3+3*c \\ & d^2*x^2+3*c^2*d*x+c^3)/(a+b*(F^{(g*(f*x+e))})^n)+3/4/g^4/f^4/\ln(F)^4/a^2*d^3* \\ & \ln(F^{(g*(f*x+e))})^4 - 2/g^3/f^3/\ln(F)^3/a^2*c*d^2*\ln(F^{(g*(f*x+e))})^3 + 3/2/g^2 \\ & /f^2/\ln(F)^2/a^2*d^3*\ln(F^{(g*(f*x+e))})^2 * x^2 - 2/g^3/f^3/\ln(F)^3/a^2*d^3*\ln(F \\ & ^{(g*(f*x+e))})^3 * x + 3/2/g^2/f^2/\ln(F)^2/a^2*c^2*d*\ln(F^{(g*(f*x+e))})^2 + 2/n/g^4 \\ & /f^4/\ln(F)^4/a^2*d^3*\ln(F^{(g*(f*x+e))})^3 - 6/n^4/g^4/f^4/\ln(F)^4/a^2*d^3*\text{poly} \\ & \text{log}(4, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e)))))) / a) - 6/n^4/g^4/f \\ & ^4/\ln(F)^4/a^2*d^3*\text{polylog}(3, -b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x \\ & +e)))))) / a) + 1/n/g/f/\ln(F)/a^2*c^3*\ln(F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(\\ & g*(f*x+e)))))) - 1/n/g/f/\ln(F)/a^2*c^3*\ln(a+b*F^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$c^3 \left(\frac{1}{\left((F^{fgx+eg})^n abn + a^2n \right) fg \log(F)} + \frac{\log(F^{fgx+eg})}{a^2 fg \log(F)} - \frac{\log\left(\frac{(F^{fgx+eg})^{b+a}}{b}\right)}{a^2 fgn \log(F)} \right) + \frac{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx}{(F^{fgx})^n (F^{eg})^n abfgn \log(F) + a^2 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="maxima")

[Out] $c^3 \left(\frac{1}{\left((F^{(f*g*x + e*g)})^n * a*b*n + a^2*n \right) * f*g*\log(F)} + \frac{\log(F^{(f*g*x + e*g)})}{a^2 * f*g*\log(F)} - \frac{\log\left(\frac{(F^{(f*g*x + e*g)})^n * b + a}{b}\right)}{a^2 * f*g*n*\log(F)} \right) + \frac{d^3 * x^3 + 3 * c * d^2 * x^2 + 3 * c^2 * d * x}{(F^{(f*g*x)})^n * (F^{(e*g)})^n * a * b * f * g * n * \log(F) + a^2 * f * g * n * \log(F)} + \text{integrate}\left(\frac{d^3 * f * g * n * x^3 * \log(F) - 3 * c^2 * d + 3 * (c * d^2 * f * g * n * \log(F) - d^3) * x^2 + 3 * (c^2 * d * f * g * n * \log(F) - 2 * c * d^2) * x}{(F^{(f*g*x)})^n * (F^{(e*g)})^n * a * b * f * g * n * \log(F) + a^2 * f * g * n * \log(F)}, x\right)$

Fricas [C] time = 1.81476, size = 2936, normalized size = 7.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="fricas")

[Out] $-1/4 * (4 * (a * d^3 * e^3 - 3 * a * c * d^2 * e^2 * f + 3 * a * c^2 * d * e * f^2 - a * c^3 * f^3) * g^3 * n^3 * \log(F)^3 - (a * d^3 * f^4 * g^4 * n^4 * x^4 + 4 * a * c * d^2 * f^4 * g^4 * n^4 * x^3 + 6 * a * c^2 * d * f^4 * g^4 * n^4 * x^2 + 4 * a * c^3 * f^4 * g^4 * n^4 * x - (a * d^3 * e^4 - 4 * a * c * d^2 * e^3 * f + 6 * a * c^2 * d * e^2 * f^2 - 4 * a * c^3 * e * f^3) * g^4 * n^4) * \log(F)^4 - ((b * d^3 * f^4 * g^4 * n^4 * x^4 + 4 * b * c * d^2 * f^4 * g^4 * n^4 * x^3 + 6 * b * c^2 * d * f^4 * g^4 * n^4 * x^2 + 4 * b * c^3 * f^4 * g^4 * n^4 * x - (b * d^3 * e^4 - 4 * b * c * d^2 * e^3 * f + 6 * b * c^2 * d * e^2 * f^2 - 4 * b * c^3 * e * f^3) * g^4 * n^4) * \log(F)^4 - 4 * (b * d^3 * f^3 * g^3 * n^3 * x^3 + 3 * b * c * d^2 * f^3 * g^3 * n^3 * x^2 + 3 * b * c^2 * d * f^3 * g^3 * n^3 * x + (b * d^3 * e^3 - 3 * b * c * d^2 * e^2 * f + 3 * b * c^2 * d * e * f^2) * g^3 * n^3) * \log(F)^3) * F^{(f * g * n * x + e * g * n)} + 12 * ((a * d^3 * f^2 * g^2 * n^2 * x^2 + 2 * a * c * d^2 * f^2 * g^2 * n^2 * x + a * c^2 * d * f^2 * g^2 * n^2) * \log(F)^2 + ((b * d^3 * f^2 * g^2 * n^2 * x^2 + 2 * b * c * d^2 * f^2 * g^2 * n^2 * x + b * c^2 * d * f^2 * g^2 * n^2) * \log(F)^2 - 2 * (b * d^3 * f * g * n * x + b * c * d^2 * f * g * n) * \log(F)) * F^{(f * g * n * x + e * g * n)} - 2 * (a * d^3 * f * g * n * x + a * c * d^2 * f * g * n) * \log(F)) * \text{dilog}\left(-\frac{F^{(f * g * n * x + e * g * n)} * b + a}{a + 1}\right) - 4 * ((a * d^3 * e^3 - 3 * a * c * d^2 * e^2 * f + 3 * a * c^2 * d * e * f^2 - a * c^3 * f^3) * g^3 * n^3 * \log(F)^3 + 3 * (a * d^3 * e^2 - 2 * a * c * d^2 * e * f + a * c^2 * d * f^2) * g^2 * n^2 * \log(F)^2 + ((b * d^3 * e^3 - 3 * b * c * d^2 * e^2 * f + 3 * b * c^2 * d * e * f^2 - b * c^3 * f^3) * g^3 * n^3 * \log(F)^3 + 3 * (b * d^3 * e^2 -$

$$\begin{aligned}
& 2*b*c*d^2*e*f + b*c^2*d*f^2)*g^2*n^2*\log(F)^2)*F^(f*g*n*x + e*g*n))*\log(F^ \\
& (f*g*n*x + e*g*n)*b + a) + 4*((a*d^3*f^3*g^3*n^3*x^3 + 3*a*c*d^2*f^3*g^3*n^ \\
& 3*x^2 + 3*a*c^2*d*f^3*g^3*n^3*x + (a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d* \\
& e*f^2)*g^3*n^3)*\log(F)^3 - 3*(a*d^3*f^2*g^2*n^2*x^2 + 2*a*c*d^2*f^2*g^2*n^2 \\
& *x - (a*d^3*e^2 - 2*a*c*d^2*e*f)*g^2*n^2)*\log(F)^2 + ((b*d^3*f^3*g^3*n^3*x^ \\
& 3 + 3*b*c*d^2*f^3*g^3*n^3*x^2 + 3*b*c^2*d*f^3*g^3*n^3*x + (b*d^3*e^3 - 3*b* \\
& c*d^2*e^2*f + 3*b*c^2*d*e*f^2)*g^3*n^3)*\log(F)^3 - 3*(b*d^3*f^2*g^2*n^2*x^2 \\
& + 2*b*c*d^2*f^2*g^2*n^2*x - (b*d^3*e^2 - 2*b*c*d^2*e*f)*g^2*n^2)*\log(F)^2) \\
& *F^(f*g*n*x + e*g*n))*\log((F^(f*g*n*x + e*g*n)*b + a)/a) + 24*(F^(f*g*n*x + \\
& e*g*n)*b*d^3 + a*d^3)*\text{polylog}(4, -F^(f*g*n*x + e*g*n)*b/a) + 24*(a*d^3 + (\\
& b*d^3 - (b*d^3*f*g*n*x + b*c*d^2*f*g*n)*\log(F))*F^(f*g*n*x + e*g*n) - (a*d^ \\
& 3*f*g*n*x + a*c*d^2*f*g*n)*\log(F))*\text{polylog}(3, -F^(f*g*n*x + e*g*n)*b/a))/(F \\
& ^{(f*g*n*x + e*g*n)*a^2*b*f^4*g^4*n^4*\log(F)^4 + a^3*f^4*g^4*n^4*\log(F)^4)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{c^3 + 3c^2dx + 3cd^2x^2 + d^3x^3}{a^2fgn \log(F) + abfgn \left(F^{g(e+fx)}\right)^n \log(F)} + \int -\frac{3c^2d}{a+be^{egn} \log(F) e^{fgnx} \log(F)} dx + \int -\frac{3d^3x^2}{a+be^{egn} \log(F) e^{fgnx} \log(F)} dx + \int -\frac{6cd^2x}{a+be^{egn} \log(F) e^{fgnx} \log(F)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a+b*(F**(g*(f*x+e))))**n)**2,x)

[Out] (c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3)/(a**2*f*g*n*log(F) + a*b*f*g*n*(F**(g*(e + f*x))))**n*log(F) + (Integral(-3*c**2*d/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(-3*d**3*x**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(-6*c*d**2*x/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(c**3*f*g*n*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(d**3*f*g*n*x**3*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(3*c*d**2*f*g*n*x**2*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(3*c**2*d*f*g*n*x*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x))/(a*f*g*n*log(F))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{\left(\left(F^{(fx+e)g}\right)^n b + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3/((F^((f*x + e)*g))^n*b + a)^2, x)
```

$$3.53 \quad \int \frac{(c+dx)^2}{\left(a+b(Fg(e+fx))^n\right)^2} dx$$

Optimal. Leaf size=294

$$-\frac{2d(c+dx)\text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)} + \frac{2d^2 \text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} + \frac{2d^2 \text{PolyLog}\left(3, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} + \frac{2d(c+dx) \log\left(\frac{a+b(Fg(e+fx))^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)}$$

[Out] (c + d*x)^3/(3*a^2*d) - (c + d*x)^2/(a^2*f*g*n*Log[F]) + (c + d*x)^2/(a*f*(a + b*(F^(g*(e + f*x)))^n)*g*n*Log[F]) + (2*d*(c + d*x)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2) - ((c + d*x)^2*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(a^2*f*g*n*Log[F]) + (2*d^2*PolyLog[2, -(b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^3*g^3*n^3*Log[F]^3) - (2*d*(c + d*x)*PolyLog[2, -(b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2) + (2*d^2*PolyLog[3, -(b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^3*g^3*n^3*Log[F]^3)

Rubi [A] time = 0.671343, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$, Rules used = {2185, 2184, 2190, 2531, 2282, 6589, 2191, 2279, 2391}

$$-\frac{2d(c+dx)\text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)} + \frac{2d^2 \text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} + \frac{2d^2 \text{PolyLog}\left(3, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^2 f^3 g^3 n^3 \log^3(F)} + \frac{2d(c+dx) \log\left(\frac{a+b(Fg(e+fx))^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2/(a + b*(F^(g*(e + f*x)))^n)^2,x]

[Out] (c + d*x)^3/(3*a^2*d) - (c + d*x)^2/(a^2*f*g*n*Log[F]) + (c + d*x)^2/(a*f*(a + b*(F^(g*(e + f*x)))^n)*g*n*Log[F]) + (2*d*(c + d*x)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2) - ((c + d*x)^2*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(a^2*f*g*n*Log[F]) + (2*d^2*PolyLog[2, -(b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^3*g^3*n^3*Log[F]^3) - (2*d*(c + d*x)*PolyLog[2, -(b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2) + (2*d^2*PolyLog[3, -(b*(F^(g*(e + f*x)))^n)/a])/(a^2*f^3*g^3*n^3*Log[F]^3)

Rule 2185

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e +
f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*
(a + b*(F^(g*(e + f*x)))^n)^(p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},
x] && ILtQ[p, 0] && IGtQ[m, 0]
```

Rule 2184

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))
)))^(n_), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[
b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x],
x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 2191

```

Int[((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)*((a_) + (b_)*((F_)^((g_)*(
(e_) + (f_)*(x_)))^(n_)))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :=
Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Lo
g[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]

```

Rule 2279

```

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2391

```

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^2}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx &= \frac{\int \frac{(c+dx)^2}{a+b\left(F^{g(e+fx)}\right)^n} dx}{a} - \frac{b \int \frac{\left(F^{g(e+fx)}\right)^n (c+dx)^2}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx}{a} \\
&= \frac{(c+dx)^3}{3a^2d} + \frac{(c+dx)^2}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} - \frac{b \int \frac{\left(F^{g(e+fx)}\right)^n (c+dx)^2}{a+b\left(F^{g(e+fx)}\right)^n} dx}{a^2} - \frac{(2d) \int \frac{c+dx}{a+b\left(F^{g(e+fx)}\right)^n}}{afgn\log(F)} \\
&= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2fgn\log(F)} + \frac{(c+dx)^2}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} - \frac{(c+dx)^2 \log\left(1+\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2fgn\log(F)} \\
&= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2fgn\log(F)} + \frac{(c+dx)^2}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} + \frac{2d(c+dx) \log\left(1+\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2f^2g^2n^2\log^2(F)} \\
&= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2fgn\log(F)} + \frac{(c+dx)^2}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} + \frac{2d(c+dx) \log\left(1+\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2f^2g^2n^2\log^2(F)} \\
&= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2fgn\log(F)} + \frac{(c+dx)^2}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} + \frac{2d(c+dx) \log\left(1+\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2f^2g^2n^2\log^2(F)}
\end{aligned}$$

Mathematica [F] time = 1.12444, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^2}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^2/(a + b*(F^(g*(e + f*x)))^n)^2,x]

[Out] Integrate[(c + d*x)^2/(a + b*(F^(g*(e + f*x)))^n)^2, x]

Maple [B] time = 0.085, size = 1754, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^2, x)$

[Out]
$$\begin{aligned} & -2/3/g^3/f^3/\ln(F)^3/a^2*d^2*\ln(F^(g*(f*x+e)))^3+2/n/g/f/\ln(F)/a^2*c*d*\ln(F \\ & ^{n*g*f*x})*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*x-2/n/g^2/f^2/\ln(F)^2/a \\ & ^2*c*d*\ln(F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))*\ln(F^(g*(f*x \\ & +e)))-2/n/g/f/\ln(F)/a^2*c*d*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g* \\ & (f*x+e)))))*x+2/n/g^2/f^2/\ln(F)^2/a^2*c*d*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F) \\ & *f*g*x-\ln(F^(g*(f*x+e))))))*\ln(F^(g*(f*x+e)))-2/n/g^2/f^2/\ln(F)^2/a^2*c*d* \\ & \ln(1+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))/a)*\ln(F^(g*(f*x+e \\ &))) -1/n/g^3/f^3/\ln(F)^3/a^2*d^2*\ln(F^(g*(f*x+e)))^2+2/n^3/g^3/f^3/\ln(F)^3/a \\ & ^2*d^2*\text{polylog}(2, -b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))/a)+ \\ & 2/n^3/g^3/f^3/\ln(F)^3/a^2*d^2*\text{polylog}(3, -b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x- \\ & \ln(F^(g*(f*x+e)))))/a) -1/n/g/f/\ln(F)/a^2*c^2*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F) \\ & *f*g*x-\ln(F^(g*(f*x+e)))))+1/n/g/f/\ln(F)/a^2*c^2*\ln(F^(n*g*f*x)*\exp(-n*(\\ & \ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))+1/g^2/f^2/\ln(F)^2/a^2*d^2*\ln(F^(g*(f*x+e)) \\ &)^2*x+1/g^2/f^2/\ln(F)^2/a^2*c*d*\ln(F^(g*(f*x+e)))^2+2/n/g^2/f^2/\ln(F)^2/a^2 \\ & *d^2*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))*\ln(F^(g*(f \\ & *x+e)))*x-2/n/g^2/f^2/\ln(F)^2/a^2*d^2*\ln(F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln \\ & (F^(g*(f*x+e))))))*\ln(F^(g*(f*x+e)))*x-2/n/g^2/f^2/\ln(F)^2/a^2*d^2*\ln(1+b*F \\ & ^{n*g*f*x})*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))/a)*\ln(F^(g*(f*x+e)))*x+1 \\ & /n/g/f/\ln(F)/a*(d^2*x^2+2*c*d*x+c^2)/(a+b*(F^(g*(f*x+e))))^n-2/n^2/g^2/f^2/ \\ & \ln(F)^2/a^2*c*d*\ln(F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))-1/n \\ & /g/f/\ln(F)/a^2*d^2*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)) \\ &))) *x^2-1/n/g^3/f^3/\ln(F)^3/a^2*d^2*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x- \\ & \ln(F^(g*(f*x+e))))))*\ln(F^(g*(f*x+e)))^2+1/n/g/f/\ln(F)/a^2*d^2*\ln(F^(n*g*f* \\ & x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))*x^2+1/n/g^3/f^3/\ln(F)^3/a^2*d^2 \\ & *\ln(F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))*\ln(F^(g*(f*x+e)))^ \\ & 2+1/n/g^3/f^3/\ln(F)^3/a^2*d^2*\ln(1+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(\\ & g*(f*x+e)))))/a)*\ln(F^(g*(f*x+e)))^2+2/n^2/g^2/f^2/\ln(F)^2/a^2*c*d*\ln(a+b*F \\ & ^{n*g*f*x})*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))-2/n^2/g^2/f^2/\ln(F)^2/a \\ & ^2*d^2*\text{polylog}(2, -b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))/a)* \\ & x-2/n^2/g^2/f^2/\ln(F)^2/a^2*c*d*\text{polylog}(2, -b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g* \\ & x-\ln(F^(g*(f*x+e)))))/a) -2/n^2/g^2/f^2/\ln(F)^2/a^2*d^2*\ln(F^(n*g*f*x)*\exp(- \\ & n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))*x+2/n^2/g^3/f^3/\ln(F)^3/a^2*d^2*\ln(F^(n \\ & *g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))))*\ln(F^(g*(f*x+e)))+2/n^2/g^ \\ & 2/f^2/\ln(F)^2/a^2*d^2*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e \\ &))))))*x-2/n^2/g^3/f^3/\ln(F)^3/a^2*d^2*\ln(a+b*F^(n*g*f*x)*\exp(-n*(\ln(F)*f*g \\ & *x-\ln(F^(g*(f*x+e))))))*\ln(F^(g*(f*x+e)))+2/n^2/g^3/f^3/\ln(F)^3/a^2*d^2*\ln(\end{aligned}$$

$1+bF^{(n*g*f*x)}*\exp(-n*(\ln(F)*f*g*x-\ln(F^{(g*(f*x+e))}))/a)*\ln(F^{(g*(f*x+e))})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$c^2 \left(\frac{1}{\left((F^{fgx+eg})^n abn + a^2n \right) fg \log(F)} + \frac{\log(F^{fgx+eg})}{a^2 fg \log(F)} - \frac{\log\left(\frac{(F^{fgx+eg})^n b+a}{b}\right)}{a^2 fgn \log(F)} \right) + \frac{d^2x^2 + 2cdx}{(F^{fgx})^n (F^{eg})^n abfgn \log(F) + a^2 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="maxima")

[Out] $c^2*(1/(((F^{(f*g*x + e*g)})^n*a*b*n + a^2*n)*f*g*\log(F)) + \log(F^{(f*g*x + e*g)})/(a^2*f*g*\log(F)) - \log(((F^{(f*g*x + e*g)})^n*b + a)/b)/(a^2*f*g*n*\log(F))) + (d^2*x^2 + 2*c*d*x)/((F^{(f*g*x)})^n*(F^{(e*g)})^n*a*b*f*g*n*\log(F) + a^2*f*g*n*\log(F)) + \text{integrate}((d^2*f*g*n*x^2*\log(F) - 2*c*d + 2*(c*d*f*g*n*\log(F) - d^2)*x)/((F^{(f*g*x)})^n*(F^{(e*g)})^n*a*b*f*g*n*\log(F) + a^2*f*g*n*\log(F)), x)$

Fricas [C] time = 1.64334, size = 1823, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="fricas")

[Out] $1/3*(3*(a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*g^2*n^2*\log(F)^2 + (a*d^2*f^3*g^3*n^3*x^3 + 3*a*c*d*f^3*g^3*n^3*x^2 + 3*a*c^2*f^3*g^3*n^3*x + (a*d^2*e^3 - 3*a*c*d*e^2*f + 3*a*c^2*e*f^2)*g^3*n^3)*\log(F)^3 + ((b*d^2*f^3*g^3*n^3*x^3 + 3*b*c*d*f^3*g^3*n^3*x^2 + 3*b*c^2*f^3*g^3*n^3*x + (b*d^2*e^3 - 3*b*c*d*e^2*f + 3*b*c^2*e*f^2)*g^3*n^3)*\log(F)^3 - 3*(b*d^2*f^2*g^2*n^2*x^2 + 2*b*c*d*f^2*g^2*n^2*x - (b*d^2*e^2 - 2*b*c*d*e*f)*g^2*n^2)*\log(F)^2)*F^{(f*g*n*x + e*g*n)} + 6*(a*d^2 + (b*d^2 - (b*d^2*f*g*n*x + b*c*d*f*g*n)*\log(F))*F^{(f*g*n*x + e*g*n)} - (a*d^2*f*g*n*x + a*c*d*f*g*n)*\log(F))*\text{dilog}(-(F^{(f*g*n*x + e*g*n)}*b + a)/a + 1) - 3*((a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*g^2*n^2*\log(F)^2 + 2*(a*d^2*e - a*c*d*f)*g*n*\log(F) + ((b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*g^2*n^2*\log(F)^2 + 2*(b*d^2*e - b*c*d*f)*g*n*\log(F))*F^{(f*g*n*x + e$

$$g^n) \cdot \log(F^{(f \cdot g^n \cdot x + e \cdot g^n) \cdot b + a}) - 3 \cdot ((a \cdot d^2 \cdot f^2 \cdot g^2 \cdot n^2 \cdot x^2 + 2 \cdot a \cdot c \cdot d \cdot f^2 \cdot g^2 \cdot n^2 \cdot x - (a \cdot d^2 \cdot e^2 - 2 \cdot a \cdot c \cdot d \cdot e \cdot f) \cdot g^2 \cdot n^2) \cdot \log(F)^2 + ((b \cdot d^2 \cdot f^2 \cdot g^2 \cdot n^2 \cdot x^2 + 2 \cdot b \cdot c \cdot d \cdot f^2 \cdot g^2 \cdot n^2 \cdot x - (b \cdot d^2 \cdot e^2 - 2 \cdot b \cdot c \cdot d \cdot e \cdot f) \cdot g^2 \cdot n^2) \cdot \log(F)^2 - 2 \cdot (b \cdot d^2 \cdot f \cdot g^n \cdot x + b \cdot d^2 \cdot e \cdot g^n) \cdot \log(F)) \cdot F^{(f \cdot g^n \cdot x + e \cdot g^n)} - 2 \cdot (a \cdot d^2 \cdot f \cdot g^n \cdot x + a \cdot d^2 \cdot e \cdot g^n) \cdot \log(F)) \cdot \log((F^{(f \cdot g^n \cdot x + e \cdot g^n) \cdot b + a})/a) + 6 \cdot (F^{(f \cdot g^n \cdot x + e \cdot g^n) \cdot b \cdot d^2 + a \cdot d^2}) \cdot \text{polylog}(3, -F^{(f \cdot g^n \cdot x + e \cdot g^n) \cdot b/a}) / (F^{(f \cdot g^n \cdot x + e \cdot g^n) \cdot a^2 \cdot b \cdot f^3 \cdot g^3 \cdot n^3 \cdot \log(F)^3} + a^3 \cdot f^3 \cdot g^3 \cdot n^3 \cdot \log(F)^3)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{c^2 + 2cdx + d^2x^2}{a^2fgn \log(F) + abfgn \left(F^{g(e+fx)}\right)^n \log(F)} + \frac{\int -\frac{2cd}{a+be^{egn} \log(F) e^{fgnx} \log(F)} dx + \int -\frac{2d^2x}{a+be^{egn} \log(F) e^{fgnx} \log(F)} dx + \int \frac{c^2fgn \log(F)}{a+be^{egn} \log(F) e^{fgnx} \log(F)} dx}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+b*(F**(g*(f*x+e))))**n)**2,x)

[Out] (c**2 + 2*c*d*x + d**2*x**2)/(a**2*f*g*n*log(F) + a*b*f*g*n*(F**(g*(e + f*x))))**n*log(F)) + (Integral(-2*c*d/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(-2*d**2*x/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(c**2*f*g*n*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(d**2*f*g*n*x**2*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*c*d*f*g*n*x*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x))/(a*f*g*n*log(F))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{\left(\left(F^{(f \cdot x + e) \cdot g}\right)^n \cdot b + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2/((F^((f*x + e)*g))^n*b + a)^2, x)

$$3.54 \quad \int \frac{c+dx}{\left(a+b(F^g(e+fx))^n\right)^2} dx$$

Optimal. Leaf size=191

$$-\frac{d \operatorname{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)} - \frac{(c+dx) \log\left(\frac{b(F^g(e+fx))^n}{a} + 1\right)}{a^2 f g n \log(F)} + \frac{d \log\left(a + b(F^g(e+fx))^n\right)}{a^2 f^2 g^2 n^2 \log^2(F)} + \frac{(c+dx)^2}{2a^2 d} - \frac{dx}{a^2 f g n \log(F)} + \frac{dx}{a^2 f g n \log(F)}$$

[Out] (c + d*x)^2/(2*a^2*d) - (d*x)/(a^2*f*g*n*Log[F]) + (c + d*x)/(a*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*Log[F] + (d*Log[a + b*(F^(g*(e + f*x))))^n]/(a^2*f^2*g^2*n^2*Log[F]^2) - ((c + d*x)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(a^2*f*g*n*Log[F]) - (d*PolyLog[2, -((b*(F^(g*(e + f*x))))^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2)

Rubi [A] time = 0.340436, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$, Rules used = {2185, 2184, 2190, 2279, 2391, 2191, 2282, 266, 36, 29, 31}

$$-\frac{d \operatorname{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^2 f^2 g^2 n^2 \log^2(F)} - \frac{(c+dx) \log\left(\frac{b(F^g(e+fx))^n}{a} + 1\right)}{a^2 f g n \log(F)} + \frac{d \log\left(a + b(F^g(e+fx))^n\right)}{a^2 f^2 g^2 n^2 \log^2(F)} + \frac{(c+dx)^2}{2a^2 d} - \frac{dx}{a^2 f g n \log(F)} + \frac{dx}{a^2 f g n \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*(F^(g*(e + f*x))))^n]^2,x]

[Out] (c + d*x)^2/(2*a^2*d) - (d*x)/(a^2*f*g*n*Log[F]) + (c + d*x)/(a*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*Log[F] + (d*Log[a + b*(F^(g*(e + f*x))))^n]/(a^2*f^2*g^2*n^2*Log[F]^2) - ((c + d*x)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(a^2*f*g*n*Log[F]) - (d*PolyLog[2, -((b*(F^(g*(e + f*x))))^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2)

Rule 2185

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n]^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x))))^n*(a + b*(F^(g*(e + f*x))))^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},

x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2191

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_))^(m_.)), x_Symbol] := Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :=> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :=> Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] :=> Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :=> Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx &= \frac{\int \frac{c+dx}{a+b\left(F^{g(e+fx)}\right)^n} dx}{a} - \frac{b \int \frac{\left(F^{g(e+fx)}\right)^n (c+dx)}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx}{a} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} - \frac{b \int \frac{\left(F^{g(e+fx)}\right)^n (c+dx)}{a+b\left(F^{g(e+fx)}\right)^n} dx}{a^2} - \frac{d \int \frac{1}{a+b\left(F^{g(e+fx)}\right)^n} dx}{afgn\log(F)} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} - \frac{(c+dx)\log\left(1+\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2fgn\log(F)} - \frac{d \operatorname{Subst}\left(\int \frac{1}{x(a+bx)^n} dx\right)}{af^2g} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} - \frac{(c+dx)\log\left(1+\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2fgn\log(F)} + \frac{d \operatorname{Subst}\left(\int \frac{1}{x(a+bx)^n} dx\right)}{af^2g} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} - \frac{(c+dx)\log\left(1+\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2fgn\log(F)} - \frac{d \operatorname{Li}_2\left(-\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2f^2g^2n^2\log^2(F)} \\
&= \frac{(c+dx)^2}{2a^2d} - \frac{dx}{a^2fgn\log(F)} + \frac{c+dx}{af\left(a+b\left(F^{g(e+fx)}\right)^n\right)gn\log(F)} + \frac{d \log\left(a+b\left(F^{g(e+fx)}\right)^n\right)}{a^2f^2g^2n^2\log^2(F)} - \frac{d \operatorname{Li}_2\left(-\frac{b\left(F^{g(e+fx)}\right)^n}{a}\right)}{a^2f^2g^2n^2\log^2(F)}
\end{aligned}$$

Mathematica [F] time = 0.998373, size = 0, normalized size = 0.

$$\int \frac{c+dx}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)/(a + b*(F^(g*(e + f*x))))^n]^2, x]

[Out] Integrate[(c + d*x)/(a + b*(F^(g*(e + f*x))))^n]^2, x]

Maple [B] time = 0.089, size = 631, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^2,x`

[Out]
$$\begin{aligned} & (d*x+c)/a/f/(a+b*(F^{g*(f*x+e)})^n)/g/n/\ln(F)+1/2/\ln(F)^2/a^2/f^2/g^2*d*\ln(F^{g*(f*x+e)})^2-1/\ln(F)^2/a^2/f^2/g^2/n*d*\ln(1+b*F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))/a*\ln(F^{g*(f*x+e)})+1/\ln(F)/a^2/f/g/n*d*\ln(F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))*x-1/\ln(F)^2/a^2/f^2/g^2/n*d*\ln(F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))*\ln(F^{g*(f*x+e)}) \\ & -1/\ln(F)/a^2/f/g/n*d*\ln(a+b*F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))*x+1/\ln(F)^2/a^2/f^2/g^2/n*d*\ln(a+b*F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))*\ln(F^{g*(f*x+e)})-1/\ln(F)^2/a^2/f^2/g^2/n^2*d*polylog(2, \\ & -b*F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))/a-1/\ln(F)^2/a^2/f^2/g^2/n^2*d*\ln(F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))+1/\ln(F)^2/a^2/f^2/g^2/n^2*d*\ln(a+b*F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))+1/\ln(F)/a^2/f/g/n*c*\ln(F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)}))))-1/\ln(F)/a^2/f/g/n*c*\ln(a+b*F^{n*g*f*x}*exp(-n*(\ln(F)*f*g*x-\ln(F^{g*(f*x+e)})))) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$d\left(\frac{x}{(F^{fgx})^n (F^{eg})^n abfgn \log(F) + a^2fgn \log(F)} + \int \frac{fgnx \log(F) - 1}{(F^{fgx})^n (F^{eg})^n abfgn \log(F) + a^2fgn \log(F)} dx\right) + c\left(\frac{1}{((F^{fgx+eg})^n abn)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="maxima")`

[Out]
$$\begin{aligned} & d*(x/((F^{f*g*x})^n*(F^{e*g})^n*a*b*f*g*n*\log(F) + a^2*f*g*n*\log(F)) + \text{integrate}((f*g*n*x*\log(F) - 1)/((F^{f*g*x})^n*(F^{e*g})^n*a*b*f*g*n*\log(F) + a^2*f*g*n*\log(F)), x)) \\ & + c*(1/(((F^{f*g*x + e*g})^n*a*b*n + a^2*n)*f*g*\log(F) + \log(F^{f*g*x + e*g}))/ (a^2*f*g*\log(F)) - \log(((F^{f*g*x + e*g})^n*b + a)/b)/(a^2*f*g*n*\log(F))) \end{aligned}$$

Fricas [B] time = 1.59507, size = 918, normalized size = 4.81

$$2(ade - acf)gn \log(F) - (adf^2g^2n^2x^2 + 2acf^2g^2n^2x - (ade^2 - 2acef)g^2n^2) \log(F)^2 - ((bdf^2g^2n^2x^2 + 2bcf^2g^2n^2x -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="fricas")

[Out]
$$-1/2*(2*(a*d*e - a*c*f)*g*n*\log(F) - (a*d*f^2*g^2*n^2*x^2 + 2*a*c*f^2*g^2*n^2*x - (a*d*e^2 - 2*a*c*e*f)*g^2*n^2)*\log(F)^2 - ((b*d*f^2*g^2*n^2*x^2 + 2*b*c*f^2*g^2*n^2*x - (b*d*e^2 - 2*b*c*e*f)*g^2*n^2)*\log(F)^2 - 2*(b*d*f*g*n*x + b*d*e*g*n)*\log(F))*F^(f*g*n*x + e*g*n) + 2*(F^(f*g*n*x + e*g*n)*b*d + a*d)*\operatorname{dilog}(-(F^(f*g*n*x + e*g*n)*b + a)/a + 1) - 2*((a*d*e - a*c*f)*g*n*\log(F) + ((b*d*e - b*c*f)*g*n*\log(F) + b*d)*F^(f*g*n*x + e*g*n) + a*d)*\log(F^(f*g*n*x + e*g*n)*b + a) + 2*((b*d*f*g*n*x + b*d*e*g*n)*F^(f*g*n*x + e*g*n)*\log(F) + (a*d*f*g*n*x + a*d*e*g*n)*\log(F))*\log((F^(f*g*n*x + e*g*n)*b + a)/a))/(F^(f*g*n*x + e*g*n)*a^2*b*f^2*g^2*n^2*\log(F)^2 + a^3*f^2*g^2*n^2*\log(F)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{c + dx}{a^2 f g n \log(F) + a b f g n \left(F^{g(e+fx)}\right)^n \log(F)} + \frac{\int -\frac{d}{a+b e^{g n \log(F)} e^{f g n x \log(F)}} dx + \int \frac{c f g n \log(F)}{a+b e^{g n \log(F)} e^{f g n x \log(F)}} dx + \int \frac{d f g n x \log(F)}{a+b e^{g n \log(F)} e^{f g n x \log(F)}} dx}{a f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F**(g*(f*x+e))))**n)**2,x)

[Out]
$$(c + d*x)/(a**2*f*g*n*\log(F) + a*b*f*g*n*(F**(g*(e + f*x))))**n*\log(F) + (\operatorname{Integral}(-d/(a + b*\exp(e*g*n*\log(F))*\exp(f*g*n*x*\log(F))), x) + \operatorname{Integral}(c*f*g*n*\log(F)/(a + b*\exp(e*g*n*\log(F))*\exp(f*g*n*x*\log(F))), x) + \operatorname{Integral}(d*f*g*n*x*\log(F)/(a + b*\exp(e*g*n*\log(F))*\exp(f*g*n*x*\log(F))), x))/(a*f*g*n*\log(F))$$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{dx + c}{\left((F^{(fx+e)g})^n b + a \right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="giac")

[Out] integrate((d*x + c)/((F^((f*x + e)*g))^n*b + a)^2, x)

$$3.55 \quad \int \frac{1}{\left(a + b(F^g(e+fx))^n\right)^2} dx$$

Optimal. Leaf size=74

$$-\frac{\log\left(a + b\left(F^g(e+fx)\right)^n\right)}{a^2 f g n \log(F)} + \frac{x}{a^2} + \frac{1}{a f g n \log(F) \left(a + b\left(F^g(e+fx)\right)^n\right)}$$

[Out] $x/a^2 + 1/(a*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*Log[F] - Log[a + b*(F^(g*(e + f*x))))^n]/(a^2*f*g*n*Log[F])$

Rubi [A] time = 0.0494327, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {2282, 266, 44}

$$-\frac{\log\left(a + b\left(F^g(e+fx)\right)^n\right)}{a^2 f g n \log(F)} + \frac{x}{a^2} + \frac{1}{a f g n \log(F) \left(a + b\left(F^g(e+fx)\right)^n\right)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*(F^(g*(e + f*x))))^n]^(-2), x]$

[Out] $x/a^2 + 1/(a*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*Log[F] - Log[a + b*(F^(g*(e + f*x))))^n]/(a^2*f*g*n*Log[F])$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```


Rule 44

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b(F^{g(e+fx)})^n)^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\
&= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
&= \frac{x}{a^2} + \frac{1}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} - \frac{\log(a + b(F^{g(e+fx)})^n)}{a^2fgn \log(F)}
\end{aligned}$$

Mathematica [A] time = 0.0588887, size = 62, normalized size = 0.84

$$\frac{\frac{a}{a+b(F^{g(e+fx)})^n} - \log(a + b(F^{g(e+fx)})^n) + fgnx \log(F)}{a^2fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^(-2), x]

[Out] (a/(a + b*(F^(g*(e + f*x)))^n) + f*g*n*x*Log[F] - Log[a + b*(F^(g*(e + f*x)))^n])/(a^2*f*g*n*Log[F])

Maple [A] time = 0.003, size = 99, normalized size = 1.3

$$\frac{\ln\left(\left(F^{g(fx+e)}\right)^n\right)}{ngf \ln(F) a^2} - \frac{\ln\left(a + b\left(F^{g(fx+e)}\right)^n\right)}{ngf \ln(F) a^2} + \frac{1}{af\left(a + b\left(F^{g(fx+e)}\right)^n\right)gn \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e)))^n)^2,x)

[Out] 1/g/f/ln(F)/n/a^2*ln((F^(g*(f*x+e)))^n)-ln(a+b*(F^(g*(f*x+e)))^n)/a^2/f/g/n/ln(F)+1/a/f/(a+b*(F^(g*(f*x+e)))^n)/g/n/ln(F)

Maxima [A] time = 1.02679, size = 135, normalized size = 1.82

$$\frac{1}{\left(F^{fgx+eg}\right)^n abn + a^2n} fg \log(F) + \frac{\log\left(F^{fgx+eg}\right)}{a^2 fg \log(F)} - \frac{\log\left(\frac{\left(F^{fgx+eg}\right)^{b+a}}{b}\right)}{a^2 fg n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="maxima")

[Out] 1/(((F^(f*g*x + e*g))^n*a*b*n + a^2*n)*f*g*log(F)) + log(F^(f*g*x + e*g))/(a^2*f*g*log(F)) - log(((F^(f*g*x + e*g))^n*b + a)/b)/(a^2*f*g*n*log(F))

Fricas [A] time = 1.56327, size = 248, normalized size = 3.35

$$\frac{F^{fgnx+egn} b f g n x \log(F) + a f g n x \log(F) - \left(F^{fgnx+egn} b + a\right) \log\left(F^{fgnx+egn} b + a\right) + a}{F^{fgnx+egn} a^2 b f g n \log(F) + a^3 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="fricas")

[Out] (F^(f*g*n*x + e*g*n)*b*f*g*n*x*log(F) + a*f*g*n*x*log(F) - (F^(f*g*n*x + e*g*n)*b + a)*log(F^(f*g*n*x + e*g*n)*b + a) + a)/(F^(f*g*n*x + e*g*n)*a^2*b*

$$f \cdot g \cdot n \cdot \log(F) + a^3 \cdot f \cdot g \cdot n \cdot \log(F)$$

Sympy [A] time = 0.202329, size = 66, normalized size = 0.89

$$\frac{1}{a^2 f g n \log(F) + a b f g n \left(F^{g(e+fx)}\right)^n \log(F)} + \frac{x}{a^2} - \frac{\log\left(\frac{a}{b} + \left(F^{g(e+fx)}\right)^n\right)}{a^2 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F**(g*(f*x+e))))**n)**2,x)

[Out] 1/(a**2*f*g*n*log(F) + a*b*f*g*n*(F**(g*(e + f*x))))**n*log(F) + x/a**2 - 1
og(a/b + (F**(g*(e + f*x))))**n)/(a**2*f*g*n*log(F))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(fx+e)g}\right)^n b + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^(-2), x)

$$3.56 \quad \int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable} \left(\frac{1}{(c+dx) \left(a+b(F^{eg+fgx})^n\right)^2}, x \right)$$

[Out] Unintegrable[1/((a + b*(F^(e*g + f*g*x))^n)^2*(c + d*x)), x]

Rubi [A] time = 0.126782, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*(F^(g*(e + f*x))))^n)^2*(c + d*x),x]

[Out] Defer[Int][1/((a + b*(F^(e*g + f*g*x))^n)^2*(c + d*x)), x]

Rubi steps

$$\int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)} dx = \int \frac{1}{\left(a+b(F^{eg+fgx})^n\right)^2 (c+dx)} dx$$

Mathematica [A] time = 0.988705, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x)),x]

[Out] Integrate[1/((a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x)), x]

Maple [A] time = 0.469, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^2 (dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x)

[Out] int(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{1}{a^2 d f g n x \log(F) + a^2 c f g n \log(F) + \left(F^{e g}\right)^n a b d f g n x \log(F) + \left(F^{e g}\right)^n a b c f g n \log(F)} \left(F^{f g x}\right)^n + \int \frac{1}{a^2 d^2 f g n x^2 \log(F) + 2 a^2 c d f g n x \log(F) + c^2 f g n \log(F) + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="maxima")

[Out] 1/(a^2*d*f*g*n*x*log(F) + a^2*c*f*g*n*log(F) + ((F^(e*g))^n*a*b*d*f*g*n*x*log(F) + (F^(e*g))^n*a*b*c*f*g*n*log(F))*(F^(f*g*x))^n) + integrate((d*f*g*n*x*log(F) + c*f*g*n*log(F) + d)/(a^2*d^2*f*g*n*x^2*log(F) + 2*a^2*c*d*f*g*n*x*log(F) + a^2*c^2*f*g*n*log(F) + ((F^(e*g))^n*a*b*d^2*f*g*n*x^2*log(F) + 2*(F^(e*g))^n*a*b*c*d*f*g*n*x*log(F) + (F^(e*g))^n*a*b*c^2*f*g*n*log(F))*(F^(f*g*x))^n), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{1}{a^2 dx + a^2 c + (b^2 dx + b^2 c) \left(F^{fgx+eg}\right)^{2n} + 2(abdx + abc) \left(F^{fgx+eg}\right)^n}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="fricas")
```

```
[Out] integral(1/(a^2*d*x + a^2*c + (b^2*d*x + b^2*c)*(F^(f*g*x + e*g))^(2*n) + 2
*(a*b*d*x + a*b*c)*(F^(f*g*x + e*g))^n), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F**(g*(f*x+e)))**n)**2/(d*x+c),x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(f^{x+e})g} \right)^n b + a \right)^2 (dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="giac")
```

```
[Out] integrate(1/(((F^((f*x + e)*g))^n*b + a)^2*(d*x + c)), x)
```

$$3.57 \quad \int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)^2} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable} \left(\frac{1}{(c+dx)^2 \left(a+b(F^{eg+fgx})^n\right)^2}, x \right)$$

[Out] Unintegrable[1/((a + b*(F^(e*g + f*g*x))^n)^2*(c + d*x)^2), x]

Rubi [A] time = 0.119909, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*(F^(g*(e + f*x))))^n)^2*(c + d*x)^2), x]

[Out] Defer[Int][1/((a + b*(F^(e*g + f*g*x))^n)^2*(c + d*x)^2), x]

Rubi steps

$$\int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)^2} dx = \int \frac{1}{\left(a+b(F^{eg+fgx})^n\right)^2 (c+dx)^2} dx$$

Mathematica [A] time = 1.0167, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a+b(Fg^{e+fx})^n\right)^2 (c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*(F^(g*(e + f*x))))^n)^2*(c + d*x)^2, x]

[Out] Integrate[1/((a + b*(F^(g*(e + f*x))))^n)^2*(c + d*x)^2, x]

Maple [A] time = 0.336, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^2 (dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x)

[Out] int(1/(a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

1

$a^2 d^2 f g n x^2 \log(F) + 2 a^2 c d f g n x \log(F) + a^2 c^2 f g n \log(F) + \left((F^{eg})^n a b d^2 f g n x^2 \log(F) + 2 (F^{eg})^n a b c d f g n x \log(F) + (F^{eg})^n a b c^2 f g n \log(F) + 2 (F^{eg})^n a b d^3 f g n x^3 \log(F) + 3 (F^{eg})^n a b c d^2 f g n x^2 \log(F) + 3 (F^{eg})^n a b c^2 d f g n x \log(F) + (F^{eg})^n a b c^3 f g n \log(F)\right) (F^{f g x})^n, x$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x, algorithm="maxima")

[Out] $1/(a^2 d^2 f g n x^2 \log(F) + 2 a^2 c d f g n x \log(F) + a^2 c^2 f g n \log(F) + ((F^{eg})^n a b d^2 f g n x^2 \log(F) + 2 (F^{eg})^n a b c d f g n x \log(F) + (F^{eg})^n a b c^2 f g n \log(F)) * (F^{f g x})^n + \text{integrate}((d f g n x^2 \log(F) + c f g n \log(F) + 2 d)/(a^2 d^3 f g n x^3 \log(F) + 3 a^2 c d^2 f g n x^2 \log(F) + 3 a^2 c^2 d f g n x \log(F) + a^2 c^3 f g n \log(F) + ((F^{eg})^n a b d^3 f g n x^3 \log(F) + 3 (F^{eg})^n a b c d^2 f g n x^2 \log(F) + 3 (F^{eg})^n a b c^2 d f g n x \log(F) + (F^{eg})^n a b c^3 f g n \log(F)) * (F^{f g x})^n, x)$

Fricas [A] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{1}{a^2 d^2 x^2 + 2 a^2 c d x + a^2 c^2 + (b^2 d^2 x^2 + 2 b^2 c d x + b^2 c^2) (F^{g x + e g})^{2n} + 2 (a b d^2 x^2 + 2 a b c d x + a b c^2) (F^{g x + e g})^n}, x \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] integral(1/(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*(F^(f*g*x + e*g))^(2*n) + 2*(a*b*d^2*x^2 + 2*a*b*c*d*x + a*b*c^2)*(F^(f*g*x + e*g))^n), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F**(g*(f*x+e)))**n)**2/(d*x+c)**2,x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(f x + e) g} \right)^n b + a \right)^2 (d x + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x, algorithm="giac")
```

```
[Out] integrate(1/(((F^((f*x + e)*g))^n*b + a)^2*(d*x + c)^2), x)
```

$$3.58 \quad \int \frac{(c+dx)^3}{\left(a+b(F^g(e+fx))^n\right)^3} dx$$

Optimal. Leaf size=594

$$\frac{9d^2(c+dx)\text{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} + \frac{6d^2(c+dx)\text{PolyLog}\left(3, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} - \frac{3d(c+dx)^2 \text{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^3 f^2 g^2 n^2 \log^2(F)}$$

[Out] $(c + d*x)^4/(4*a^3*d) + (3*d*(c + d*x)^2)/(2*a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (3*d*(c + d*x)^2)/(2*a^2*f^2*(a + b*(F^(g*(e + f*x))))^n)*g^2*n^2*\text{Log}[F]^2 - (3*(c + d*x)^3)/(2*a^3*f*g*n*\text{Log}[F]) + (c + d*x)^3/(2*a*f*(a + b*(F^(g*(e + f*x))))^n)^2*g*n*\text{Log}[F] + (c + d*x)^3/(a^2*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*\text{Log}[F] - (3*d^2*(c + d*x)*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^3*g^3*n^3*\text{Log}[F]^3) + (9*d*(c + d*x)^2*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n/a])/ (2*a^3*f^2*g^2*n^2*\text{Log}[F]^2) - ((c + d*x)^3*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n/a])/ (a^3*f*g*n*\text{Log}[F]) - (3*d^3*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^4*g^4*n^4*\text{Log}[F]^4) + (9*d^2*(c + d*x)*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (3*d*(c + d*x)^2*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (9*d^3*\text{PolyLog}[3, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^4*g^4*n^4*\text{Log}[F]^4) + (6*d^2*(c + d*x)*\text{PolyLog}[3, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (6*d^3*\text{PolyLog}[4, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^4*g^4*n^4*\text{Log}[F]^4)$

Rubi [A] time = 1.90083, antiderivative size = 594, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 10, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2185, 2184, 2190, 2531, 6609, 2282, 6589, 2191, 2279, 2391}

$$\frac{9d^2(c+dx)\text{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} + \frac{6d^2(c+dx)\text{PolyLog}\left(3, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} - \frac{3d(c+dx)^2 \text{PolyLog}\left(2, -\frac{b(F^g(e+fx))^n}{a}\right)}{a^3 f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3/(a + b*(F^(g*(e + f*x))))^n]^3, x]

[Out] $(c + d*x)^4/(4*a^3*d) + (3*d*(c + d*x)^2)/(2*a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (3*d*(c + d*x)^2)/(2*a^2*f^2*(a + b*(F^(g*(e + f*x))))^n)*g^2*n^2*\text{Log}[F]^2 - (3*(c + d*x)^3)/(2*a^3*f*g*n*\text{Log}[F]) + (c + d*x)^3/(2*a*f*(a + b*(F^(g*(e +$

$$\begin{aligned} & f*x)))^n)^2*g*n*\text{Log}[F]) + (c + d*x)^3/(a^2*f*(a + b*(F^(g*(e + f*x))))^n)*g \\ & *n*\text{Log}[F]) - (3*d^2*(c + d*x)*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n]/a)]/(a^3*f^3* \\ & g^3*n^3*\text{Log}[F]^3) + (9*d*(c + d*x)^2*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n]/a)]/(2 \\ & *a^3*f^2*g^2*n^2*\text{Log}[F]^2) - ((c + d*x)^3*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n]/a \\ &])/(a^3*f*g*n*\text{Log}[F]) - (3*d^3*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n)/a)]/(a \\ & ^3*f^4*g^4*n^4*\text{Log}[F]^4) + (9*d^2*(c + d*x)*\text{PolyLog}[2, -((b*(F^(g*(e + f*x) \\ &)))^n)/a)]/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (3*d*(c + d*x)^2*\text{PolyLog}[2, -((b*(F \\ & ^3*(g*(e + f*x))))^n)/a)]/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (9*d^3*\text{PolyLog}[3, -((b \\ & *(F^(g*(e + f*x))))^n)/a)]/(a^3*f^4*g^4*n^4*\text{Log}[F]^4) + (6*d^2*(c + d*x)*\text{Po \\ & lyLog}[3, -((b*(F^(g*(e + f*x))))^n)/a)]/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (6*d^3 \\ & *\text{PolyLog}[4, -((b*(F^(g*(e + f*x))))^n)/a)]/(a^3*f^4*g^4*n^4*\text{Log}[F]^4) \end{aligned}$$

Rule 2185

$$\begin{aligned} & \text{Int}[\{(a_ + (b_)*(F_)^{(g_)*(e_ + (f_)*(x_))})^n)^{(p_)*((c_ + \\ & (d_)*(x_))^{(m_)}), x_Symbol] \rightarrow \text{Dist}[1/a, \text{Int}[(c + d*x)^m*(a + b*(F^(g*(e + \\ & f*x)))^n)^{(p + 1)}, x], x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^(g*(e + f*x)))^n* \\ & (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, \\ & x\} \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[m, 0] \end{aligned}$$

Rule 2184

$$\begin{aligned} & \text{Int}[\{(c_ + (d_)*(x_))^{(m_)}\}/\{(a_ + (b_)*(F_)^{(g_)*(e_ + (f_)*(x_))})^n)\}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)}/(a*d*(m + 1)), x] - \text{Dist}[\\ & b/a, \text{Int}[(c + d*x)^m*(F^(g*(e + f*x)))^n]/(a + b*(F^(g*(e + f*x)))^n), x], \\ & x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0] \end{aligned}$$

Rule 2190

$$\begin{aligned} & \text{Int}[\{(F_)^{(g_)*(e_ + (f_)*(x_))})^n\}*((c_ + (d_)*(x_))^{(m_)}\}/ \\ & \{(a_ + (b_)*(F_)^{(g_)*(e_ + (f_)*(x_))})^n\}), x_Symbol] \rightarrow \text{Simp} \\ & [((c + d*x)^m*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n]/a)]/(b*f*g*n*\text{Log}[F]), x] - \text{Di} \\ & \text{st}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^(g*(e + f*x) \\ &)))^n]/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0] \end{aligned}$$

Rule 2531

$$\begin{aligned} & \text{Int}[\text{Log}[1 + (e_)*(F_)^{(c_)*(a_ + (b_)*(x_))})^n]*((f_ + (g_)* \\ & (x_))^{(m_)}), x_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^(c*(a + b*x) \\ &)))^n)]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m - \\ & 1)}*\text{PolyLog}[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; \text{FreeQ}\{F, a, b, c, e, f \\ & , g, n\}, x\} \&\& \text{GtQ}[m, 0] \end{aligned}$$

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 2191

```
Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*
(e_.) + (f_.)*(x_))))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :=
Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n)^(p + 1)/(b*f*g*n*(p + 1)*Lo
g[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a
+ b*(F^(g*(e + f*x))))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^3} dx &= \frac{\int \frac{(c+dx)^3}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2} dx}{a} - \frac{b \int \frac{\left(Fg^{(e+fx)}\right)^n (c+dx)^3}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^3} dx}{a} \\
&= \frac{(c+dx)^3}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2 gn \log(F)} + \frac{\int \frac{(c+dx)^3}{a+b\left(Fg^{(e+fx)}\right)^n} dx}{a^2} - \frac{b \int \frac{\left(Fg^{(e+fx)}\right)^n (c+dx)^3}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2} dx}{a^2} - \frac{(3d) \int \frac{(c+dx)^3}{a+b\left(Fg^{(e+fx)}\right)^n} dx}{2af} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{(c+dx)^3}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2 gn \log(F)} + \frac{(c+dx)^3}{a^2f\left(a+b\left(Fg^{(e+fx)}\right)^n\right) gn \log(F)} - \frac{b \int \frac{\left(Fg^{(e+fx)}\right)^n (c+dx)^3}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2} dx}{a^2} \\
&= \frac{(c+dx)^4}{4a^3d} - \frac{3d(c+dx)^2}{2a^2f^2\left(a+b\left(Fg^{(e+fx)}\right)^n\right)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} + \frac{(c+dx)^3}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2\left(a+b\left(Fg^{(e+fx)}\right)^n\right)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2\left(a+b\left(Fg^{(e+fx)}\right)^n\right)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2\left(a+b\left(Fg^{(e+fx)}\right)^n\right)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2\left(a+b\left(Fg^{(e+fx)}\right)^n\right)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)}
\end{aligned}$$

Mathematica [F] time = 1.72784, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^3}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^3} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x))))^n]^3,x]
```

```
[Out] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x))))^n]^3, x]
```

Maple [B] time = 0.147, size = 4237, normalized size = 7.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n)^3,x)
```

```
[Out] 6/n/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(a+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e))))))*ln(F^(g*(f*x+e)))*x-6/n/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(1+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*ln(F^(g*(f*x+e)))*x-6/n/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))*x-6/n^2/g^2/f^2/ln(F)^2/a^3*c*d^2*polylog(2,-b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*x-3/n/g^2/f^2/ln(F)^2/a^3*d^3*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))*x^2+3/n/g^3/f^3/ln(F)^3/a^3*d^3*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))^2*x-3/n/g^2/f^2/ln(F)^2/a^3*d^3*ln(1+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*ln(F^(g*(f*x+e)))*x^2+3/n/g^3/f^3/ln(F)^3/a^3*d^3*ln(1+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*ln(F^(g*(f*x+e)))^2*x+3/n/g/f/ln(F)/a^3*c*d^2*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*x^2+3/n/g^3/f^3/ln(F)^3/a^3*c*d^2*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))^2-3/n/g/f/ln(F)/a^3*c*d^2*ln(a+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e))))))*x^2-3/n/g^3/f^3/ln(F)^3/a^3*c*d^2*ln(a+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e))))))*ln(F^(g*(f*x+e)))^2+3/n/g^3/f^3/ln(F)^3/a^3*c*d^2*ln(1+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*ln(F^(g*(f*x+e)))^2+3/n/g/f/ln(F)/a^3*c^2*d*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*x-3/n/g/f/ln(F)/a^3*c^2*d*ln(a+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e))))))*x+3/n/g^2/f^2/ln(F)^2/a^3*d^3*ln(a+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e))))))*ln(F^(g*(f*x+e)))*x^2-3/n/g^3/f^3/ln(F)^3/a^3*d^3*ln(a+b*(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e))))))*ln(F^(g*(f*x+e)))^2*x-9/n^2/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*x+9/n^2/g^3/f^3/ln(F)^3/a^3*c*d^2*ln(F^(n*g*f*x))*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))+1/2*(2*ln(F)*b*d^3*f*g*n*x^3*(F^(g*(f*x+e)))^n+3*ln(F)*a*d^3*f*g*n*x^3+6*ln(F)*b*c*d^2*f*g*n*x^2*(F^(g*(f*x+e)))^n+9*ln(F)*a*c*d^2*f*g*n*x^2+6*ln(F)*b
```

$$\begin{aligned}
& *c^2*d*f*g*n*x*(F^(g*(f*x+e)))^n+9*\ln(F)*a*c^2*d*f*g*n*x+2*\ln(F)*b*c^3*f*g* \\
& n*(F^(g*(f*x+e)))^n+3*\ln(F)*a*c^3*f*g*n-3*b*d^3*x^2*(F^(g*(f*x+e)))^n-3*a*d \\
& ^3*x^2-6*b*c*d^2*x*(F^(g*(f*x+e)))^n-6*a*c*d^2*x-3*b*c^2*d*(F^(g*(f*x+e)))^ \\
& n-3*a*c^2*d)/n^2/g^2/f^2/\ln(F)^2/a^2/(a+b*(F^(g*(f*x+e)))^n)^2-3/n^3/g^3/f^ \\
& 3/\ln(F)^3/a^3*c*d^2*\ln(a+b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e) \\
&))))+6/n^3/g^3/f^3/\ln(F)^3/a^3*c*d^2*\text{polylog}(3,-b*F^(n*g*f*x))*\exp(-n*(\ln(F) \\
& *f*g*x-\ln(F^(g*(f*x+e)))))/a)+9/n^3/g^3/f^3/\ln(F)^3/a^3*c*d^2*\text{polylog}(2,-b* \\
& F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))/a)+6/n^3/g^3/f^3/\ln(F)^ \\
& 3/a^3*d^3*\text{polylog}(3,-b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))/ \\
& a)*x-1/n/g/f/\ln(F)/a^3*d^3*\ln(a+b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(\\
& f*x+e)))))*x^3+1/n/g^4/f^4/\ln(F)^4/a^3*d^3*\ln(a+b*F^(n*g*f*x))*\exp(-n*(\ln(F) \\
&)*f*g*x-\ln(F^(g*(f*x+e)))))*\ln(F^(g*(f*x+e)))^3+9/2/n^2/g^2/f^2/\ln(F)^2/a^ \\
& 3*c^2*d*\ln(a+b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))-3/n^2/g \\
& ^2/f^2/\ln(F)^2/a^3*c^2*d*\text{polylog}(2,-b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^ \\
& (g*(f*x+e)))))/a)-3/n^2/g^2/f^2/\ln(F)^2/a^3*d^3*\text{polylog}(2,-b*F^(n*g*f*x))*\exp \\
& (-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))/a)*x^2-9/2/n^2/g^2/f^2/\ln(F)^2/a^3*c^ \\
& 2*d*\ln(F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))+1/n/g/f/\ln(F)/a \\
& ^3*d^3*\ln(F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*x^3-1/n/g^4/ \\
& f^4/\ln(F)^4/a^3*d^3*\ln(F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))) \\
&)*\ln(F^(g*(f*x+e)))^3-3/n^3/g^3/f^3/\ln(F)^3/a^3*d^3*\ln(a+b*F^(n*g*f*x))*\exp(- \\
& n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*x+3/n^3/g^4/f^4/\ln(F)^4/a^3*d^3*\ln(a+b* \\
& F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*\ln(F^(g*(f*x+e)))-1/n/ \\
& g^4/f^4/\ln(F)^4/a^3*d^3*\ln(1+b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x \\
& +e))))/a)*\ln(F^(g*(f*x+e)))^3-3/n^3/g^4/f^4/\ln(F)^4/a^3*d^3*\ln(1+b*F^(n*g* \\
& f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))/a)*\ln(F^(g*(f*x+e)))+3/4/g^4/f \\
& ^4/\ln(F)^4/a^3*d^3*\ln(F^(g*(f*x+e)))^4+3/n^3/g^3/f^3/\ln(F)^3/a^3*d^3*\ln(F^(\\
& n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*x-3/n^3/g^4/f^4/\ln(F)^4/a \\
& ^3*d^3*\ln(F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*\ln(F^(g*(f*x \\
& +e)))-9/2/n/g^3/f^3/\ln(F)^3/a^3*c*d^2*\ln(F^(g*(f*x+e)))^2+9/n^3/g^3/f^3/\ln(\\
& F)^3/a^3*d^3*\text{polylog}(2,-b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e) \\
&)))/a)*x-9/2/n/g^3/f^3/\ln(F)^3/a^3*d^3*\ln(F^(g*(f*x+e)))^2*x+9/2/n^2/g^2/f^2 \\
& /\ln(F)^2/a^3*d^3*\ln(a+b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))) \\
&)*x^2+9/2/n^2/g^4/f^4/\ln(F)^4/a^3*d^3*\ln(a+b*F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g* \\
& x-\ln(F^(g*(f*x+e)))))*\ln(F^(g*(f*x+e)))^2-9/2/n^2/g^2/f^2/\ln(F)^2/a^3*d^3* \\
& \ln(F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*x^2-9/2/n^2/g^4/f^4 \\
& /\ln(F)^4/a^3*d^3*\ln(F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))*\ln \\
& (F^(g*(f*x+e)))^2-9/2/n^2/g^4/f^4/\ln(F)^4/a^3*d^3*\ln(1+b*F^(n*g*f*x))*\exp(-n \\
& *(\ln(F)*f*g*x-\ln(F^(g*(f*x+e))))/a)*\ln(F^(g*(f*x+e)))^2+3/n^3/g^3/f^3/\ln(F) \\
&)^3/a^3*c*d^2*\ln(F^(n*g*f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))+3/g^2 \\
& /f^2/\ln(F)^2/a^3*c*d^2*\ln(F^(g*(f*x+e)))^2*x+3/2/g^2/f^2/\ln(F)^2/a^3*c^2*d* \\
& \ln(F^(g*(f*x+e)))^2+3/2/g^2/f^2/\ln(F)^2/a^3*d^3*\ln(F^(g*(f*x+e)))^2*x^2-2/g \\
& ^3/f^3/\ln(F)^3/a^3*d^3*\ln(F^(g*(f*x+e)))^3*x-2/g^3/f^3/\ln(F)^3/a^3*c*d^2*\ln \\
& (F^(g*(f*x+e)))^3+3/2/n^2/g^4/f^4/\ln(F)^4/a^3*d^3*\ln(F^(g*(f*x+e)))^2+3/n/g \\
& ^4/f^4/\ln(F)^4/a^3*d^3*\ln(F^(g*(f*x+e)))^3+1/n/g/f/\ln(F)/a^3*c^3*\ln(F^(n*g* \\
& f*x))*\exp(-n*(\ln(F)*f*g*x-\ln(F^(g*(f*x+e)))))-6/n^4/g^4/f^4/\ln(F)^4/a^3*d^3
\end{aligned}$$

```
*polylog(4,-b*F^(n*g*f*x)*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)-3/n^4/
g^4/f^4/ln(F)^4/a^3*d^3*polylog(2,-b*F^(n*g*f*x)*exp(-n*(ln(F)*f*g*x-ln(F^(
g*(f*x+e)))))/a)-1/n/g/f/ln(F)/a^3*c^3*ln(a+b*F^(n*g*f*x)*exp(-n*(ln(F)*f*g
*x-ln(F^(g*(f*x+e)))))-9/n^4/g^4/f^4/ln(F)^4/a^3*d^3*polylog(3,-b*F^(n*g*f
*x)*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)+9/n^2/g^3/f^3/ln(F)^3/a^3*c*
d^2*ln(1+b*F^(n*g*f*x)*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*ln(F^(g*(
f*x+e)))+9/n^2/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(a+b*F^(n*g*f*x)*exp(-n*(ln(F)*f
*g*x-ln(F^(g*(f*x+e)))))*x-9/n^2/g^3/f^3/ln(F)^3/a^3*c*d^2*ln(a+b*F^(n*g*f
*x)*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))-9/n^2/g^3/f^
3/ln(F)^3/a^3*d^3*ln(a+b*F^(n*g*f*x)*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e))))
))*ln(F^(g*(f*x+e)))*x+9/n^2/g^3/f^3/ln(F)^3/a^3*d^3*ln(F^(n*g*f*x)*exp(-n*
(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))*x+9/n^2/g^3/f^3/ln(F)^3
/a^3*d^3*ln(1+b*F^(n*g*f*x)*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*ln(F
^(g*(f*x+e)))*x-3/n/g^2/f^2/ln(F)^2/a^3*c^2*d*ln(1+b*F^(n*g*f*x)*exp(-n*(ln
(F)*f*g*x-ln(F^(g*(f*x+e)))))/a)*ln(F^(g*(f*x+e)))-3/n/g^2/f^2/ln(F)^2/a^3*
c^2*d*ln(F^(n*g*f*x)*exp(-n*(ln(F)*f*g*x-ln(F^(g*(f*x+e)))))*ln(F^(g*(f*x+
e)))+3/n/g^2/f^2/ln(F)^2/a^3*c^2*d*ln(a+b*F^(n*g*f*x)*exp(-n*(ln(F)*f*g*x-l
n(F^(g*(f*x+e)))))*ln(F^(g*(f*x+e)))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}c^3 \left(\frac{2(Ffgx+eg)^n b + 3a}{(2(Ffgx+eg)^n a^3 b n + (Ffgx+eg)^{2n} a^2 b^2 n + a^4 n) f g \log(F)} + \frac{2 \log(Ffgx+eg)}{a^3 f g \log(F)} - \frac{2 \log\left(\frac{(Ffgx+eg)^n b + a}{b}\right)}{a^3 f g n \log(F)} \right) + \frac{3 a d^3 f g n x^3 \log(F)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="maxima")
```

```
[Out] 1/2*c^3*((2*(F^(f*g*x + e*g))^n*b + 3*a)/((2*(F^(f*g*x + e*g))^n*a^3*b*n +
(F^(f*g*x + e*g))^(2*n)*a^2*b^2*n + a^4*n)*f*g*log(F)) + 2*log(F^(f*g*x + e
*g))/(a^3*f*g*log(F)) - 2*log(((F^(f*g*x + e*g))^n*b + a)/b)/(a^3*f*g*n*log
(F)) + 1/2*(3*a*d^3*f*g*n*x^3*log(F) - 3*a*c^2*d + 3*(3*a*c*d^2*f*g*n*log(
F) - a*d^3)*x^2 + (2*(F^(e*g))^n*b*d^3*f*g*n*x^3*log(F) - 3*(F^(e*g))^n*b*c
^2*d + 3*(2*(F^(e*g))^n*b*c*d^2*f*g*n*log(F) - (F^(e*g))^n*b*d^3)*x^2 + 6*(
(F^(e*g))^n*b*c^2*d*f*g*n*log(F) - (F^(e*g))^n*b*c*d^2)*x)*(F^(f*g*x))^n +
3*(3*a*c^2*d*f*g*n*log(F) - 2*a*c*d^2)*x)/(2*(F^(f*g*x))^n*(F^(e*g))^n*a^3*
b*f^2*g^2*n^2*log(F)^2 + (F^(f*g*x))^(2*n)*(F^(e*g))^(2*n)*a^2*b^2*f^2*g^2*
n^2*log(F)^2 + a^4*f^2*g^2*n^2*log(F)^2) + integrate(1/2*(2*d^3*f^2*g^2*n^2
*x^3*log(F)^2 - 9*c^2*d*f*g*n*log(F) + 6*c*d^2 + 3*(2*c*d^2*f^2*g^2*n^2*log
(F)^2 - 3*d^3*f*g*n*log(F))*x^2 + 6*(c^2*d*f^2*g^2*n^2*log(F)^2 - 3*c*d^2*f
```



```
*g*n*log(F) + d^3*x)/((F^(f*g*x))^n*(F^(e*g))^n*a^2*b*f^2*g^2*n^2*log(F)^2
+ a^3*f^2*g^2*n^2*log(F)^2), x)
```

Fricas [C] time = 2.41398, size = 5646, normalized size = 9.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")
```

```
[Out] -1/4*(6*(a^2*d^3*e^3 - 3*a^2*c*d^2*e^2*f + 3*a^2*c^2*d*e*f^2 - a^2*c^3*f^3)
*g^3*n^3*log(F)^3 + 6*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*g^2*n
^2*log(F)^2 - (a^2*d^3*f^4*g^4*n^4*x^4 + 4*a^2*c*d^2*f^4*g^4*n^4*x^3 + 6*a^
2*c^2*d*f^4*g^4*n^4*x^2 + 4*a^2*c^3*f^4*g^4*n^4*x - (a^2*d^3*e^4 - 4*a^2*c*
d^2*e^3*f + 6*a^2*c^2*d*e^2*f^2 - 4*a^2*c^3*e*f^3)*g^4*n^4)*log(F)^4 - ((b^
2*d^3*f^4*g^4*n^4*x^4 + 4*b^2*c*d^2*f^4*g^4*n^4*x^3 + 6*b^2*c^2*d*f^4*g^4*n
^4*x^2 + 4*b^2*c^3*f^4*g^4*n^4*x - (b^2*d^3*e^4 - 4*b^2*c*d^2*e^3*f + 6*b^2
*c^2*d*e^2*f^2 - 4*b^2*c^3*e*f^3)*g^4*n^4)*log(F)^4 - 6*(b^2*d^3*f^3*g^3*n^
3*x^3 + 3*b^2*c*d^2*f^3*g^3*n^3*x^2 + 3*b^2*c^2*d*f^3*g^3*n^3*x + (b^2*d^3*
e^3 - 3*b^2*c*d^2*e^2*f + 3*b^2*c^2*d*e*f^2)*g^3*n^3)*log(F)^3 + 6*(b^2*d^3
*f^2*g^2*n^2*x^2 + 2*b^2*c*d^2*f^2*g^2*n^2*x - (b^2*d^3*e^2 - 2*b^2*c*d^2*e
*f)*g^2*n^2)*log(F)^2)*F^(2*f*g*n*x + 2*e*g*n) - 2*((a*b*d^3*f^4*g^4*n^4*x^
4 + 4*a*b*c*d^2*f^4*g^4*n^4*x^3 + 6*a*b*c^2*d*f^4*g^4*n^4*x^2 + 4*a*b*c^3*f
^4*g^4*n^4*x - (a*b*d^3*e^4 - 4*a*b*c*d^2*e^3*f + 6*a*b*c^2*d*e^2*f^2 - 4*a
*b*c^3*e*f^3)*g^4*n^4)*log(F)^4 - 2*(2*a*b*d^3*f^3*g^3*n^3*x^3 + 6*a*b*c*d^
2*f^3*g^3*n^3*x^2 + 6*a*b*c^2*d*f^3*g^3*n^3*x + (3*a*b*d^3*e^3 - 9*a*b*c*d^
2*e^2*f + 9*a*b*c^2*d*e*f^2 - a*b*c^3*f^3)*g^3*n^3)*log(F)^3 + 3*(a*b*d^3*f
^2*g^2*n^2*x^2 + 2*a*b*c*d^2*f^2*g^2*n^2*x - (2*a*b*d^3*e^2 - 4*a*b*c*d^2*e
*f + a*b*c^2*d*f^2)*g^2*n^2)*log(F)^2)*F^(f*g*n*x + e*g*n) + 12*(a^2*d^3 +
(a^2*d^3*f^2*g^2*n^2*x^2 + 2*a^2*c*d^2*f^2*g^2*n^2*x + a^2*c^2*d*f^2*g^2*n^
2)*log(F)^2 + (b^2*d^3 + (b^2*d^3*f^2*g^2*n^2*x^2 + 2*b^2*c*d^2*f^2*g^2*n^2
*x + b^2*c^2*d*f^2*g^2*n^2)*log(F)^2 - 3*(b^2*d^3*f*g*n*x + b^2*c*d^2*f*g*n
)*log(F))*F^(2*f*g*n*x + 2*e*g*n) + 2*(a*b*d^3 + (a*b*d^3*f^2*g^2*n^2*x^2 +
2*a*b*c*d^2*f^2*g^2*n^2*x + a*b*c^2*d*f^2*g^2*n^2)*log(F)^2 - 3*(a*b*d^3*f
*g*n*x + a*b*c*d^2*f*g*n)*log(F))*F^(f*g*n*x + e*g*n) - 3*(a^2*d^3*f*g*n*x
+ a^2*c*d^2*f*g*n)*log(F))*dilog(-(F^(f*g*n*x + e*g*n)*b + a)/a + 1) - 2*(2
*(a^2*d^3*e^3 - 3*a^2*c*d^2*e^2*f + 3*a^2*c^2*d*e*f^2 - a^2*c^3*f^3)*g^3*n^
3*log(F)^3 + 9*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*g^2*n^2*log(
F)^2 + 6*(a^2*d^3*e - a^2*c*d^2*f)*g*n*log(F) + (2*(b^2*d^3*e^3 - 3*b^2*c*d
^2*e^2*f + 3*b^2*c^2*d*e*f^2 - b^2*c^3*f^3)*g^3*n^3*log(F)^3 + 9*(b^2*d^3*e
^2 - 2*b^2*c*d^2*e*f + b^2*c^2*d*f^2)*g^2*n^2*log(F)^2 + 6*(b^2*d^3*e - b^2
```

$$\begin{aligned}
& *c*d^2*f)*g*n*\log(F))*F^(2*f*g*n*x + 2*e*g*n) + 2*(2*(a*b*d^3*e^3 - 3*a*b*c \\
& *d^2*e^2*f + 3*a*b*c^2*d*e*f^2 - a*b*c^3*f^3)*g^3*n^3*\log(F)^3 + 9*(a*b*d^3 \\
& *e^2 - 2*a*b*c*d^2*e*f + a*b*c^2*d*f^2)*g^2*n^2*\log(F)^2 + 6*(a*b*d^3*e - a \\
& *b*c*d^2*f)*g*n*\log(F))*F^(f*g*n*x + e*g*n))*\log(F^(f*g*n*x + e*g*n)*b + a) \\
& + 2*(2*(a^2*d^3*f^3*g^3*n^3*x^3 + 3*a^2*c*d^2*f^3*g^3*n^3*x^2 + 3*a^2*c^2* \\
& d*f^3*g^3*n^3*x + (a^2*d^3*e^3 - 3*a^2*c*d^2*e^2*f + 3*a^2*c^2*d*e*f^2)*g^3 \\
& *n^3)*\log(F)^3 - 9*(a^2*d^3*f^2*g^2*n^2*x^2 + 2*a^2*c*d^2*f^2*g^2*n^2*x - (\\
& a^2*d^3*e^2 - 2*a^2*c*d^2*e*f)*g^2*n^2)*\log(F)^2 + (2*(b^2*d^3*f^3*g^3*n^3* \\
& x^3 + 3*b^2*c*d^2*f^3*g^3*n^3*x^2 + 3*b^2*c^2*d*f^3*g^3*n^3*x + (b^2*d^3*e^ \\
& 3 - 3*b^2*c*d^2*e^2*f + 3*b^2*c^2*d*e*f^2)*g^3*n^3)*\log(F)^3 - 9*(b^2*d^3*f \\
& ^2*g^2*n^2*x^2 + 2*b^2*c*d^2*f^2*g^2*n^2*x - (b^2*d^3*e^2 - 2*b^2*c*d^2*e*f) \\
&)*g^2*n^2)*\log(F)^2 + 6*(b^2*d^3*f*g*n*x + b^2*d^3*e*g*n)*\log(F))*F^(2*f*g* \\
& n*x + 2*e*g*n) + 2*(2*(a*b*d^3*f^3*g^3*n^3*x^3 + 3*a*b*c*d^2*f^3*g^3*n^3*x^ \\
& 2 + 3*a*b*c^2*d*f^3*g^3*n^3*x + (a*b*d^3*e^3 - 3*a*b*c*d^2*e^2*f + 3*a*b*c^ \\
& 2*d*e*f^2)*g^3*n^3)*\log(F)^3 - 9*(a*b*d^3*f^2*g^2*n^2*x^2 + 2*a*b*c*d^2*f^2 \\
& *g^2*n^2*x - (a*b*d^3*e^2 - 2*a*b*c*d^2*e*f)*g^2*n^2)*\log(F)^2 + 6*(a*b*d^3 \\
& *f*g*n*x + a*b*d^3*e*g*n)*\log(F))*F^(f*g*n*x + e*g*n) + 6*(a^2*d^3*f*g*n*x \\
& + a^2*d^3*e*g*n)*\log(F))*\log((F^(f*g*n*x + e*g*n)*b + a)/a) + 24*(2*F^(f*g* \\
& n*x + e*g*n)*a*b*d^3 + F^(2*f*g*n*x + 2*e*g*n)*b^2*d^3 + a^2*d^3)*\text{polylog}(4 \\
& , -F^(f*g*n*x + e*g*n)*b/a) + 12*(3*a^2*d^3 + (3*b^2*d^3 - 2*(b^2*d^3*f*g*n \\
& *x + b^2*c*d^2*f*g*n)*\log(F))*F^(2*f*g*n*x + 2*e*g*n) + 2*(3*a*b*d^3 - 2*(a \\
& *b*d^3*f*g*n*x + a*b*c*d^2*f*g*n)*\log(F))*F^(f*g*n*x + e*g*n) - 2*(a^2*d^3* \\
& f*g*n*x + a^2*c*d^2*f*g*n)*\log(F))*\text{polylog}(3, -F^(f*g*n*x + e*g*n)*b/a))/(2 \\
& *F^(f*g*n*x + e*g*n)*a^4*b*f^4*g^4*n^4*\log(F)^4 + F^(2*f*g*n*x + 2*e*g*n)*a \\
& ^3*b^2*f^4*g^4*n^4*\log(F)^4 + a^5*f^4*g^4*n^4*\log(F)^4)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a+b*(F**(g*(f*x+e))))**n)**3,x)

[Out] (3*a*c**3*f*g*n*log(F) + 9*a*c**2*d*f*g*n*x*log(F) - 3*a*c**2*d + 9*a*c*d**2*f*g*n*x**2*log(F) - 6*a*c*d**2*x + 3*a*d**3*f*g*n*x**3*log(F) - 3*a*d**3*x**2 + (2*b*c**3*f*g*n*log(F) + 6*b*c**2*d*f*g*n*x*log(F) - 3*b*c**2*d + 6*b*c*d**2*f*g*n*x**2*log(F) - 6*b*c*d**2*x + 2*b*d**3*f*g*n*x**3*log(F) - 3*b*d**3*x**2)*(F**(g*(e + f*x))))**n)/(2*a**4*f**2*g**2*n**2*log(F)**2 + 4*a**3*b*f**2*g**2*n**2*(F**(g*(e + f*x))))**n*log(F)**2 + 2*a**2*b**2*f**2*g**2*n**2*(F**(g*(e + f*x))))**n*(2*n)*log(F)**2) + (Integral(6*c*d**2/(a + b*exp(e*g*n*log(F)))*exp(f*g*n*x*log(F))), x) + Integral(6*d**3*x/(a + b*exp(e*g*n

```

*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*c**3*f**2*g**2*n**2*log(F)**
2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(-9*c**2*d*f*
g*n*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(-9*
d**3*f*g*n*x**2*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) +
Integral(2*d**3*f**2*g**2*n**2*x**3*log(F)**2/(a + b*exp(e*g*n*log(F))*exp(
f*g*n*x*log(F))), x) + Integral(-18*c*d**2*f*g*n*x*log(F)/(a + b*exp(e*g*n*
log(F))*exp(f*g*n*x*log(F))), x) + Integral(6*c*d**2*f**2*g**2*n**2*x**2*lo
g(F)**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(6*c**2
*d*f**2*g**2*n**2*x*log(F)**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)))
, x))/(2*a**2*f**2*g**2*n**2*log(F)**2)

```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{\left(\left(F^{(fx+e)g} \right)^n b + a \right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e)))^n)^3,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3/((F^((f*x + e)*g))^n*b + a)^3, x)
```

$$3.59 \quad \int \frac{(c+dx)^2}{\left(a+b(Fg(e+fx))^n\right)^3} dx$$

Optimal. Leaf size=439

$$-\frac{2d(c+dx)\text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^2 g^2 n^2 \log^2(F)} + \frac{3d^2 \text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} + \frac{2d^2 \text{PolyLog}\left(3, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} + \frac{3d(c+dx) \log(F)}{a^3 f^2 g^2 n^2 \log^2(F)}$$

[Out] $(c + d*x)^3/(3*a^3*d) + (d^2*x)/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (d*(c + d*x))/(a^2*f^2*(a + b*(F^(g*(e + f*x))))^n)*g^2*n^2*\text{Log}[F]^2 - (3*(c + d*x)^2)/(2*a^3*f*g*n*\text{Log}[F]) + (c + d*x)^2/(2*a*f*(a + b*(F^(g*(e + f*x))))^n)^2*g*n*\text{Log}[F] + (c + d*x)^2/(a^2*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*\text{Log}[F] - (d^2*\text{Log}[a + b*(F^(g*(e + f*x))))^n]/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) + (3*d*(c + d*x)*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^2*g^2*n^2*\text{Log}[F]^2) - ((c + d*x)^2*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n/a])/ (a^3*f*g*n*\text{Log}[F]) + (3*d^2*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (2*d*(c + d*x)*\text{PolyLog}[2, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^2*g^2*n^2*\text{Log}[F]^2) + (2*d^2*\text{PolyLog}[3, -((b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^3*g^3*n^3*\text{Log}[F]^3)$

Rubi [A] time = 1.31895, antiderivative size = 439, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 13, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.52$, Rules used = {2185, 2184, 2190, 2531, 2282, 6589, 2191, 2279, 2391, 266, 36, 29, 31}

$$-\frac{2d(c+dx)\text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^2 g^2 n^2 \log^2(F)} + \frac{3d^2 \text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} + \frac{2d^2 \text{PolyLog}\left(3, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^3 g^3 n^3 \log^3(F)} + \frac{3d(c+dx) \log(F)}{a^3 f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2/(a + b*(F^(g*(e + f*x))))^3,x]

[Out] $(c + d*x)^3/(3*a^3*d) + (d^2*x)/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (d*(c + d*x))/(a^2*f^2*(a + b*(F^(g*(e + f*x))))^n)*g^2*n^2*\text{Log}[F]^2 - (3*(c + d*x)^2)/(2*a^3*f*g*n*\text{Log}[F]) + (c + d*x)^2/(2*a*f*(a + b*(F^(g*(e + f*x))))^n)^2*g*n*\text{Log}[F] + (c + d*x)^2/(a^2*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*\text{Log}[F] - (d^2*\text{Log}[a + b*(F^(g*(e + f*x))))^n]/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) + (3*d*(c + d*x)*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n/a])/ (a^3*f^2*g^2*n^2*\text{Log}[F]^2) - ((c + d*x)^2*\text{Log}[1 + (b*(F^(g*(e + f*x))))^n/a])/ (a^3*f*g*n*\text{Log}[F]) + (3*d^2*\text{PolyLog}$

$$[2, -((b*(F^{(g*(e + f*x)))^n}/a)]/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (2*d*(c + d*x)*\text{PolyLog}[2, -((b*(F^{(g*(e + f*x)))^n}/a)]/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) + (2*d^2*\text{PolyLog}[3, -((b*(F^{(g*(e + f*x)))^n}/a)]/(a^3*f^3*g^3*n^3*\text{Log}[F]^3)$$
Rule 2185

$$\text{Int}[(c + d*x)^m*(a + b*(F^{(g*(e + f*x)))^n})^p, x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n})^p, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[m, 0]$$
Rule 2184

$$\text{Int}[(c + d*x)^m/(a + b*(F^{(g*(e + f*x)))^n}), x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n}], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \&\& \text{IGtQ}[m, 0]$$
Rule 2190

$$\text{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n}/(a + b*(F^{(g*(e + f*x)))^n}), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{m-1}*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n}/a)], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \&\& \text{IGtQ}[m, 0]$$
Rule 2531

$$\text{Int}[\text{Log}[1 + (e*(F^{(c*(a + b*x)))^n})], x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{m-1}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n, x\} \&\& \text{GtQ}[m, 0]$$
Rule 2282

$$\text{Int}[u, x] \text{Symbol} \text{ :> With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& \text{!MatchQ}[u, (w_)*((a_)*(v_)^n)^m] /; \text{FreeQ}\{a, m, n, x\} \&\& \text{IntegerQ}[m*n] \&\& \text{!MatchQ}[u, E^{(c_)*((a_)*(b_)*x)}*(F_)][v_] /; \text{FreeQ}\{a, b, c, x\} \&\& \text{InverseFunctionQ}[F[x]]$$
Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 2191

```
Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x))))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x]
&& NeQ[p, -1]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x]
&& GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x]
&& EqQ[c*d, 1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x]
&& IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol]
:> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol]
:> Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_.), x_Symbol]
:> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^2}{\left(a+b(Fg^{(e+fx)})^n\right)^3} dx &= \frac{\int \frac{(c+dx)^2}{\left(a+b(Fg^{(e+fx)})^n\right)^2} dx}{a} - \frac{b \int \frac{(Fg^{(e+fx)})^n (c+dx)^2}{\left(a+b(Fg^{(e+fx)})^n\right)^3} dx}{a} \\
&= \frac{(c+dx)^2}{2af \left(a+b(Fg^{(e+fx)})^n\right)^2 gn \log(F)} + \frac{\int \frac{(c+dx)^2}{a+b(Fg^{(e+fx)})^n} dx}{a^2} - \frac{b \int \frac{(Fg^{(e+fx)})^n (c+dx)^2}{\left(a+b(Fg^{(e+fx)})^n\right)^2} dx}{a^2} - \frac{d \int \frac{1}{a+b(Fg^{(e+fx)})^n} dx}{afgn} \\
&= \frac{(c+dx)^3}{3a^3d} + \frac{(c+dx)^2}{2af \left(a+b(Fg^{(e+fx)})^n\right)^2 gn \log(F)} + \frac{(c+dx)^2}{a^2f \left(a+b(Fg^{(e+fx)})^n\right) gn \log(F)} - \frac{b \int \frac{(Fg^{(e+fx)})^n}{a+b(Fg^{(e+fx)})^n} dx}{a} \\
&= \frac{(c+dx)^3}{3a^3d} - \frac{d(c+dx)}{a^2f^2 \left(a+b(Fg^{(e+fx)})^n\right) g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)} + \frac{(c+dx)^2}{2af \left(a+b(Fg^{(e+fx)})^n\right) gn \log(F)} \\
&= \frac{(c+dx)^3}{3a^3d} - \frac{d(c+dx)}{a^2f^2 \left(a+b(Fg^{(e+fx)})^n\right) g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)} + \frac{(c+dx)^2}{2af \left(a+b(Fg^{(e+fx)})^n\right) gn \log(F)} \\
&= \frac{(c+dx)^3}{3a^3d} - \frac{d(c+dx)}{a^2f^2 \left(a+b(Fg^{(e+fx)})^n\right) g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)} + \frac{(c+dx)^2}{2af \left(a+b(Fg^{(e+fx)})^n\right) gn \log(F)} \\
&= \frac{(c+dx)^3}{3a^3d} + \frac{d^2x}{a^3f^2g^2n^2 \log^2(F)} - \frac{d(c+dx)}{a^2f^2 \left(a+b(Fg^{(e+fx)})^n\right) g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)} + \frac{(c+dx)^2}{2af \left(a+b(Fg^{(e+fx)})^n\right) gn \log(F)}
\end{aligned}$$

Mathematica [F] time = 1.30192, size = 0, normalized size = 0.

$$\int \frac{(c + dx)^2}{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^2/(a + b*(F^(g*(e + f*x))))^n]^3, x]

[Out] Integrate[(c + d*x)^2/(a + b*(F^(g*(e + f*x))))^n]^3, x]

Maple [B] time = 0.089, size = 1999, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^3, x)

[Out]
$$\begin{aligned} & \frac{3}{n^2} \frac{g^3}{f^3} \frac{1}{\ln(F)^3} \frac{1}{a^3 d^2} \ln(1 + b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) / a \ln(F^{g(f x + e)}) - \frac{1}{n} \frac{g^3}{f^3} \frac{1}{\ln(F)^3} \frac{1}{a^3 d^2} \ln(a + b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) \ln(F^{g(f x + e)})^{2+1/n} \frac{g}{f} \\ & \frac{1}{\ln(F)} \frac{1}{a^3 d^2} \ln(F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) x^2 + \frac{1}{n} \frac{g^3}{f^3} \frac{1}{\ln(F)^3} \frac{1}{a^3 d^2} \ln(F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) \ln(F^{g(f x + e)})^{2+1/n} \frac{g}{f} \frac{1}{\ln(F)} \frac{1}{a^3 d^2} \ln(1 + b F^{(n g f x)} \\ & \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) / a \ln(F^{g(f x + e)})^{2-3/n} \frac{g^2}{f} \frac{1}{\ln(F)^2} \frac{1}{a^3 c d} \ln(F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) + \\ & \frac{3}{n^2} \frac{g^2}{f^2} \frac{1}{\ln(F)^2} \frac{1}{a^3 c d} \ln(a + b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) - \frac{2}{n^2} \frac{g^2}{f^2} \frac{1}{\ln(F)^2} \frac{1}{a^3 c d} \text{polylog}(2, -b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) / a \\ & - \frac{2}{n^2} \frac{g^2}{f^2} \frac{1}{\ln(F)^2} \frac{1}{a^3 d^2} \text{polylog}(2, -b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) / a x - \frac{1}{n} \frac{g}{f} \frac{1}{\ln(F)} \frac{1}{a^3 d^2} \ln(a + b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) x^2 - \frac{3}{n^2} \frac{g^2}{f^2} \frac{1}{\ln(F)^2} \frac{1}{a^3 d^2} \ln(F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) x + \frac{3}{n^2} \frac{g^3}{f^3} \frac{1}{\ln(F)^3} \frac{1}{a^3 d^2} \ln(F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) \ln(F^{g(f x + e)}) + \frac{3}{n^2} \frac{g^2}{f^2} \frac{1}{\ln(F)^2} \frac{1}{a^3 d^2} \ln(a + b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) x - \frac{3}{n^2} \frac{g^3}{f^3} \frac{1}{\ln(F)^3} \frac{1}{a^3 d^2} \ln(a + b F^{(n g f x)} \exp(-n(\ln(F) f g x - \ln(F^{g(f x + e)})))) \ln(F^{g(f x + e)}) + \frac{1}{2} (2 \ln(F) b d^2 f g n x^2 (F^{g(f x + e)})^n + 3 \ln(F) a d^2 f g n x^2 + 4 \ln(F) b c d f g n x (F^{g(f x + e)})^n + 6 \ln(F) a c d f g n x + 2 \ln(F) b c^2 f g n (F^{g(f x + e)})^n + 3 \ln(F) a c^2 f g n - 2 b d^2 x (F^{g(f x + e)})^n - 2 a d^2 x - 2 b c d (F^{g(f x + e)})^n - 2 a c d) / n^2 \frac{g^2}{f^2} \frac{1}{\ln(F)^2} \end{aligned}$$

$$*g^2*n^2*\log(F)^2 - 3*d^2*f*g*n*\log(F))*x)/((F^(f*g*x))^n*(F^(e*g))^n*a^2*b*f^2*g^2*n^2*\log(F)^2 + a^3*f^2*g^2*n^2*\log(F)^2), x)$$

Fricas [C] time = 2.09948, size = 3272, normalized size = 7.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{6} * (9 * (a^2 * d^2 * e^2 - 2 * a^2 * c * d * e * f + a^2 * c^2 * f^2) * g^2 * n^2 * \log(F)^2 + 6 * (a^2 * d^2 * e - a^2 * c * d * f) * g * n * \log(F) + 2 * (a^2 * d^2 * f^3 * g^3 * n^3 * x^3 + 3 * a^2 * c * d * f^3 * g^3 * n^3 * x^2 + 3 * a^2 * c^2 * f^3 * g^3 * n^3 * x + (a^2 * d^2 * e^3 - 3 * a^2 * c * d * e^2 * f + 3 * a^2 * c^2 * e * f^2) * g^3 * n^3) * \log(F)^3 + (2 * (b^2 * d^2 * f^3 * g^3 * n^3 * x^3 + 3 * b^2 * c * d * f^3 * g^3 * n^3 * x^2 + 3 * b^2 * c^2 * f^3 * g^3 * n^3 * x + (b^2 * d^2 * e^3 - 3 * b^2 * c * d * e^2 * f + 3 * b^2 * c^2 * e * f^2) * g^3 * n^3) * \log(F)^3 - 9 * (b^2 * d^2 * f^2 * g^2 * n^2 * x^2 + 2 * b^2 * c * d * f^2 * g^2 * n^2 * x - (b^2 * d^2 * e^2 - 2 * b^2 * c * d * e * f) * g^2 * n^2) * \log(F)^2 + 6 * (b^2 * d^2 * f * g * n * x + b^2 * d^2 * e * g * n) * \log(F)) * F^(2 * f * g * n * x + 2 * e * g * n) + 2 * (2 * (a * b * d^2 * f^3 * g^3 * n^3 * x^3 + 3 * a * b * c * d * f^3 * g^3 * n^3 * x^2 + 3 * a * b * c^2 * f^3 * g^3 * n^3 * x + (a * b * d^2 * e^3 - 3 * a * b * c * d * e^2 * f + 3 * a * b * c^2 * e * f^2) * g^3 * n^3) * \log(F)^3 - 3 * (2 * a * b * d^2 * f^2 * g^2 * n^2 * x^2 + 4 * a * b * c * d * f^2 * g^2 * n^2 * x - (3 * a * b * d^2 * e^2 - 6 * a * b * c * d * e * f + a * b * c^2 * f^2) * g^2 * n^2) * \log(F)^2 + 3 * (a * b * d^2 * f * g * n * x + (2 * a * b * d^2 * e - a * b * c * d * f) * g * n) * \log(F)) * F^(f * g * n * x + e * g * n) + 6 * (3 * a^2 * d^2 + (3 * b^2 * d^2 - 2 * (b^2 * d^2 * f * g * n * x + b^2 * c * d * f * g * n) * \log(F)) * F^(2 * f * g * n * x + 2 * e * g * n) + 2 * (3 * a * b * d^2 - 2 * (a * b * d^2 * f * g * n * x + a * b * c * d * f * g * n) * \log(F)) * F^(f * g * n * x + e * g * n) - 2 * (a^2 * d^2 * f * g * n * x + a^2 * c * d * f * g * n) * \log(F)) * \operatorname{dilog}(-(F^(f * g * n * x + e * g * n) * b + a) / a + 1) - 6 * ((a^2 * d^2 * e^2 - 2 * a^2 * c * d * e * f + a^2 * c^2 * f^2) * g^2 * n^2 * \log(F)^2 + a^2 * d^2 + 3 * (a^2 * d^2 * e - a^2 * c * d * f) * g * n * \log(F) + ((b^2 * d^2 * e^2 - 2 * b^2 * c * d * e * f + b^2 * c^2 * f^2) * g^2 * n^2 * \log(F)^2 + b^2 * d^2 + 3 * (b^2 * d^2 * e - b^2 * c * d * f) * g * n * \log(F)) * F^(2 * f * g * n * x + 2 * e * g * n) + 2 * ((a * b * d^2 * e^2 - 2 * a * b * c * d * e * f + a * b * c^2 * f^2) * g^2 * n^2 * \log(F)^2 + a * b * d^2 + 3 * (a * b * d^2 * e - a * b * c * d * f) * g * n * \log(F)) * F^(f * g * n * x + e * g * n)) * \log(F^(f * g * n * x + e * g * n) * b + a) - 6 * ((a^2 * d^2 * f^2 * g^2 * n^2 * x^2 + 2 * a^2 * c * d * f^2 * g^2 * n^2 * x - (a^2 * d^2 * e^2 - 2 * a^2 * c * d * e * f) * g^2 * n^2) * \log(F)^2 + ((b^2 * d^2 * f^2 * g^2 * n^2 * x^2 + 2 * b^2 * c * d * f^2 * g^2 * n^2 * x - (b^2 * d^2 * e^2 - 2 * b^2 * c * d * e * f) * g^2 * n^2) * \log(F)^2 - 3 * (b^2 * d^2 * f * g * n * x + b^2 * d^2 * e * g * n) * \log(F)) * F^(2 * f * g * n * x + 2 * e * g * n) + 2 * ((a * b * d^2 * f^2 * g^2 * n^2 * x^2 + 2 * a * b * c * d * f^2 * g^2 * n^2 * x - (a * b * d^2 * e^2 - 2 * a * b * c * d * e * f) * g^2 * n^2) * \log(F)^2 - 3 * (a * b * d^2 * f * g * n * x + a * b * d^2 * e * g * n) * \log(F)) * F^(f * g * n * x + e * g * n) - 3 * (a^2 * d^2 * f * g * n * x + a^2 * d^2 * e * g * n) * \log(F)) * \log((F^(f * g * n * x + e * g * n) * b + a) / a) + 12 * (2 * F^(f * g * n * x + e * g * n) * a * b * d^2 + F^(2 * f * g * n * x + 2 * e * g * n) * b^2 * d^2 + a^2 * d^2) * \operatorname{polylog}(3, -F^(f * g * n * x + e * g * n) * b / a) / (2 * F^(f * g * n * x + e * g * n) * a^4 * b * f^3 * g^$$

$$3n^3 \log(F)^3 + F^{(2fgnx + 2egn)a^3 b^2 f^3 g^3 n^3 \log(F)^3 + a^5 f^3 g^3 n^3 \log(F)^3}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{3ac^2 fgn \log(F) + 6acdfgnx \log(F) - 2acd + 3ad^2 fgnx^2 \log(F) - 2ad^2 x + (2bc^2 fgn \log(F) + 4bcd fgnx \log(F) - 2bcd)}{2a^4 f^2 g^2 n^2 \log(F)^2 + 4a^3 b f^2 g^2 n^2 \left(F^{g(e+fx)}\right)^n \log(F)^2 + 2a^2 b^2 f^2 g^2 n^2 \left(F^{g(e+fx)}\right)^{2n} \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+b*(F**(g*(f*x+e))))**n)**3,x)

[Out] (3*a*c**2*f*g*n*log(F) + 6*a*c*d*f*g*n*x*log(F) - 2*a*c*d + 3*a*d**2*f*g*n*x**2*log(F) - 2*a*d**2*x + (2*b*c**2*f*g*n*log(F) + 4*b*c*d*f*g*n*x*log(F) - 2*b*c*d + 2*b*d**2*f*g*n*x**2*log(F) - 2*b*d**2*x)*(F**(g*(e + f*x))))**n)/(2*a**4*f**2*g**2*n**2*log(F)**2 + 4*a**3*b*f**2*g**2*n**2*(F**(g*(e + f*x))))**n*log(F)**2 + 2*a**2*b**2*f**2*g**2*n**2*(F**(g*(e + f*x))))**2*log(F)**2 + (Integral(d**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(c**2*f**2*g**2*n**2*log(F)**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(-3*c*d*f*g*n*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(-3*d**2*f*g*n*x*log(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(d**2*f**2*g**2*n**2*x**2*log(F)**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*c*d*f**2*g**2*n**2*x*log(F)**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x))/(a**2*f**2*g**2*n**2*log(F)**2)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{\left(\left(F^{(fx+e)g}\right)^n b + a\right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="giac")

[Out] integrate((d*x + c)^2/((F^((f*x + e)*g))^n*b + a)^3, x)

$$3.60 \quad \int \frac{c+dx}{\left(a+b(Fg(e+fx))^n\right)^3} dx$$

Optimal. Leaf size=276

$$\frac{d \operatorname{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^2 g^2 n^2 \log^2(F)} - \frac{(c+dx) \log\left(\frac{b(Fg(e+fx))^n}{a} + 1\right)}{a^3 f g n \log(F)} + \frac{c+dx}{a^2 f g n \log(F) \left(a+b(Fg(e+fx))^n\right)} + \frac{3d \log\left(a+b(Fg(e+fx))^n\right)}{2a^3 f^2 g^2 n^2 \log^2(F)}$$

[Out] $(c + d*x)^2/(2*a^3*d) - d/(2*a^2*f^2*(a + b*(F^(g*(e + f*x))))^n)*g^2*n^2*Log[F]^2) - (3*d*x)/(2*a^3*f*g*n*Log[F]) + (c + d*x)/(2*a*f*(a + b*(F^(g*(e + f*x))))^n)^2*g*n*Log[F]) + (c + d*x)/(a^2*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*Log[F]) + (3*d*Log[a + b*(F^(g*(e + f*x))))^n]/(2*a^3*f^2*g^2*n^2*Log[F]^2) - ((c + d*x)*Log[1 + (b*(F^(g*(e + f*x))))^n/a])/(a^3*f*g*n*Log[F]) - (d*PolyLog[2, -((b*(F^(g*(e + f*x))))^n/a])/(a^3*f^2*g^2*n^2*Log[F]^2)$

Rubi [A] time = 0.563778, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 12, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$, Rules used = {2185, 2184, 2190, 2279, 2391, 2191, 2282, 266, 36, 29, 31, 44}

$$\frac{d \operatorname{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3 f^2 g^2 n^2 \log^2(F)} - \frac{(c+dx) \log\left(\frac{b(Fg(e+fx))^n}{a} + 1\right)}{a^3 f g n \log(F)} + \frac{c+dx}{a^2 f g n \log(F) \left(a+b(Fg(e+fx))^n\right)} + \frac{3d \log\left(a+b(Fg(e+fx))^n\right)}{2a^3 f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*(F^(g*(e + f*x))))^n]^3, x]

[Out] $(c + d*x)^2/(2*a^3*d) - d/(2*a^2*f^2*(a + b*(F^(g*(e + f*x))))^n)*g^2*n^2*Log[F]^2) - (3*d*x)/(2*a^3*f*g*n*Log[F]) + (c + d*x)/(2*a*f*(a + b*(F^(g*(e + f*x))))^n)^2*g*n*Log[F]) + (c + d*x)/(a^2*f*(a + b*(F^(g*(e + f*x))))^n)*g*n*Log[F]) + (3*d*Log[a + b*(F^(g*(e + f*x))))^n]/(2*a^3*f^2*g^2*n^2*Log[F]^2) - ((c + d*x)*Log[1 + (b*(F^(g*(e + f*x))))^n/a])/(a^3*f*g*n*Log[F]) - (d*PolyLog[2, -((b*(F^(g*(e + f*x))))^n/a])/(a^3*f^2*g^2*n^2*Log[F]^2)$

Rule 2185

Int[((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_))))^(n_)]^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x))))^n], x]

$(f*x))^n)^{p+1}, x], x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n} (a + b*(F^{(g*(e + f*x)))^n})^p, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[m, 0]$

Rule 2184

$\text{Int}[(c + d*x)^m/(a + b*(F^{(g*(e + f*x)))^n}), x_Symbol] := \text{Simp}[(c + d*x)^{m+1}/(a*d*(m+1)), x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n}/(a + b*(F^{(g*(e + f*x)))^n}), x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(F^{(g*(e + f*x)))^n}*(c + d*x)^m]/((a + b*(F^{(g*(e + f*x)))^n}), x_Symbol] := \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{m-1}*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[a + b*(F^{(e*(c + d*x)))^n}], x_Symbol] := \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x)))^n}], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c + d*x)^m/(e + f*x)^n]/(x), x_Symbol] := -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

Rule 2191

$\text{Int}[(F^{(g*(e + f*x)))^n}*(a + b*(F^{(g*(e + f*x)))^n})^p*(c + d*x)^m, x_Symbol] := \text{Simp}[(c + d*x)^m*(a + b*(F^{(g*(e + f*x)))^n})^{p+1}/(b*f*g*n*(p+1)*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*(p+1)*\text{Log}[F]), \text{Int}[(c + d*x)^{m-1}*(a + b*(F^{(g*(e + f*x)))^n})^{p+1}, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[p, -1]$

Rule 2282

$\text{Int}[u, x_Symbol] := \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v_)^n)^m] /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^{(c_)*((a_)*(b_)*x)}]$

$(F_)[v_]$ /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 36

Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]

Rule 44

Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^3} dx &= \frac{\int \frac{c+dx}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2} dx}{a} - \frac{b \int \frac{\left(Fg^{(e+fx)}\right)^n (c+dx)}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^3} dx}{a} \\
&= \frac{c+dx}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2 gn \log(F)} + \frac{\int \frac{c+dx}{a+b\left(Fg^{(e+fx)}\right)^n} dx}{a^2} - \frac{b \int \frac{\left(Fg^{(e+fx)}\right)^n (c+dx)}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2} dx}{a^2} - \frac{d \int \frac{1}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)} dx}{2afgn} \\
&= \frac{(c+dx)^2}{2a^3d} + \frac{c+dx}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2 gn \log(F)} + \frac{c+dx}{a^2f\left(a+b\left(Fg^{(e+fx)}\right)^n\right) gn \log(F)} - \frac{b \int \frac{\left(Fg^{(e+fx)}\right)^n}{a} dx}{2afgn} \\
&= \frac{(c+dx)^2}{2a^3d} + \frac{c+dx}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2 gn \log(F)} + \frac{c+dx}{a^2f\left(a+b\left(Fg^{(e+fx)}\right)^n\right) gn \log(F)} - \frac{(c+dx)}{2afgn} \\
&= \frac{(c+dx)^2}{2a^3d} + \frac{c+dx}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^2 gn \log(F)} + \frac{c+dx}{a^2f\left(a+b\left(Fg^{(e+fx)}\right)^n\right) gn \log(F)} - \frac{(c+dx)}{2afgn} \\
&= \frac{(c+dx)^2}{2a^3d} - \frac{d}{2a^2f^2\left(a+b\left(Fg^{(e+fx)}\right)^n\right)g^2n^2 \log^2(F)} - \frac{dx}{2a^3fgn \log(F)} + \frac{c+dx}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)} \\
&= \frac{(c+dx)^2}{2a^3d} - \frac{d}{2a^2f^2\left(a+b\left(Fg^{(e+fx)}\right)^n\right)g^2n^2 \log^2(F)} - \frac{3dx}{2a^3fgn \log(F)} + \frac{c+dx}{2af\left(a+b\left(Fg^{(e+fx)}\right)^n\right)}
\end{aligned}$$

Mathematica [F] time = 0.938007, size = 0, normalized size = 0.

$$\int \frac{c+dx}{\left(a+b\left(Fg^{(e+fx)}\right)^n\right)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)/(a + b*(F^(g*(e + f*x)))^n)^3,x]

[Out] Integrate[(c + d*x)/(a + b*(F^(g*(e + f*x)))^n)^3, x]

Maple [B] time = 0.056, size = 708, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a+b*(F^(g*(f*x+e)))^n)^3,x)

[Out]
$$\frac{1}{2} \left(2 \left(F^{g(f*x+e)} \right)^n \ln(F) * b * d * f * g * n * x + 3 \ln(F) * a * d * f * g * n * x + 2 \left(F^{g(f*x+e)} \right)^n \ln(F) * b * c * f * g * n + 3 * c * \ln(F) * a * f * g * n - \left(F^{g(f*x+e)} \right)^n * b * d - a * d \right) / n^2 / g^2 / f^2 / \ln(F)^2 / a^2 / (a + b * \left(F^{g(f*x+e)} \right)^n)^2 - 3/2 / a^3 / n^2 / g^2 / f^2 / \ln(F)^2 * d * \ln \left(F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right))) \right) + 3/2 / a^3 / n^2 / g^2 / f^2 / \ln(F)^2 * d * \ln(a + b * F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right)))) - 1/a^3 / n^2 / g^2 / f^2 / \ln(F)^2 * d * \text{polylog}(2, -b * F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right)))) / a - 1/a^3 / n / g^2 / f^2 / \ln(F)^2 * d * \ln(1 + b * F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right)))) / a * \ln \left(F^{g(f*x+e)} \right) + 1/a^3 / n / g / f / \ln(F) * d * \ln \left(F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right))) \right) * x - 1/a^3 / n / g^2 / f^2 / \ln(F)^2 * d * \ln \left(F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right))) \right) * \ln \left(F^{g(f*x+e)} \right) - 1/a^3 / n / g / f / \ln(F) * d * \ln(a + b * F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right)))) * x + 1/a^3 / n / g^2 / f^2 / \ln(F)^2 * d * \ln(a + b * F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right)))) * \ln \left(F^{g(f*x+e)} \right) + 1/2 / a^3 / g^2 / f^2 / \ln(F)^2 * d * \ln \left(F^{g(f*x+e)} \right)^2 + 1/a^3 / n / g / f / \ln(F) * c * \ln \left(F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right))) \right) - 1/a^3 / n / g / f / \ln(F) * c * \ln(a + b * F^{n * g * f * x} * \exp(-n * (\ln(F) * f * g * x - \ln \left(F^{g(f*x+e)} \right)))) \right)$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} d \left(\frac{3 a f g n x \log(F) + \left(2 (F^{eg})^n b f g n x \log(F) - (F^{eg})^n b \right) (F^{fgx})^n - a}{2 (F^{fgx})^n (F^{eg})^n a^3 b f^2 g^2 n^2 \log(F)^2 + (F^{fgx})^{2n} (F^{eg})^{2n} a^2 b^2 f^2 g^2 n^2 \log(F)^2 + a^4 f^2 g^2 n^2 \log(F)^2} + 2 \int \frac{2}{2 \left((F^{fgx})^n (F^{eg})^n \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e)))^n)^3,x, algorithm="maxima")

[Out]
$$\frac{1}{2} * d * \left(\left(3 * a * f * g * n * x * \log(F) + \left(2 * \left(F^{(e*g)} \right)^n * b * f * g * n * x * \log(F) - \left(F^{(e*g)} \right)^n * b \right) * \left(F^{(f*g*x)} \right)^n - a \right) / \left(2 * \left(F^{(f*g*x)} \right)^n * \left(F^{(e*g)} \right)^n * a^3 * b * f^2 * g^2 * n^2 * \log(F) \right) \right)$$

$$\begin{aligned} &^2 + (F^{(f*g*x)})^{(2*n)} * (F^{(e*g)})^{(2*n)} * a^2 * b^2 * f^2 * g^2 * n^2 * \log(F)^2 + a^4 * f \\ &^2 * g^2 * n^2 * \log(F)^2 + 2 * \text{integrate}(1/2 * (2 * f * g * n * x * \log(F) - 3) / ((F^{(f*g*x)})^{n * (F^{(e*g)})^{n * a^2 * b * f * g * n * \log(F) + a^3 * f * g * n * \log(F)}), x)) + 1/2 * c * ((2 * (F^{(f * g * x + e * g)})^{n * b + 3 * a} / ((2 * (F^{(f * g * x + e * g)})^{n * a^3 * b * n + (F^{(f * g * x + e * g)})^{(2 * n)} * a^2 * b^2 * n + a^4 * n) * f * g * \log(F)) + 2 * \log(F^{(f * g * x + e * g)}) / (a^3 * f * g * \log(F)) - 2 * \log(((F^{(f * g * x + e * g)})^{n * b + a} / b) / (a^3 * f * g * n * \log(F))) \end{aligned}$$

Fricas [B] time = 1.70884, size = 1565, normalized size = 5.67

$$3(a^2de - a^2cf)gn \log(F) + a^2d - (a^2df^2g^2n^2x^2 + 2a^2cf^2g^2n^2x - (a^2de^2 - 2a^2cef)g^2n^2) \log(F)^2 - ((b^2df^2g^2n^2x^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &-1/2 * (3 * (a^2 * d * e - a^2 * c * f) * g * n * \log(F) + a^2 * d - (a^2 * d * f^2 * g^2 * n^2 * x^2 + 2 * \\ &a^2 * c * f^2 * g^2 * n^2 * x - (a^2 * d * e^2 - 2 * a^2 * c * e * f) * g^2 * n^2) * \log(F)^2 - ((b^2 * \\ &d * f^2 * g^2 * n^2 * x^2 + 2 * b^2 * c * f^2 * g^2 * n^2 * x - (b^2 * d * e^2 - 2 * b^2 * c * e * f) * g^2 * n^2) * \log(F)^2 - \\ &3 * (b^2 * d * f * g * n * x + b^2 * d * e * g * n) * \log(F)) * F^{(2 * f * g * n * x + 2 * e * g * n)} + \\ &(a * b * d - 2 * (a * b * d * f^2 * g^2 * n^2 * x^2 + 2 * a * b * c * f^2 * g^2 * n^2 * x - (a * b * d * e^2 - \\ &2 * a * b * c * e * f) * g^2 * n^2) * \log(F)^2 + 2 * (2 * a * b * d * f * g * n * x + (3 * a * b * d * e - a * b * \\ &c * f) * g * n) * \log(F)) * F^{(f * g * n * x + e * g * n)} + 2 * (2 * F^{(f * g * n * x + e * g * n)} * a * b * d + F^{(2 * f * g * n * x + 2 * e * g * n)} * b^2 * d + a^2 * d) * \text{dilog}(-(F^{(f * g * n * x + e * g * n)} * b + a) / a + 1) - (2 * (a^2 * d * e - a^2 * c * f) * g * n * \log(F) + 3 * a^2 * d + (2 * (b^2 * d * e - b^2 * c * f) * g * n * \log(F) + 3 * b^2 * d) * F^{(2 * f * g * n * x + 2 * e * g * n)} + 2 * (2 * (a * b * d * e - a * b * c * f) * g * n * \log(F) + 3 * a * b * d) * F^{(f * g * n * x + e * g * n)}) * \log(F^{(f * g * n * x + e * g * n)} * b + a) + 2 * ((b^2 * d * f * g * n * x + b^2 * d * e * g * n) * F^{(2 * f * g * n * x + 2 * e * g * n)} * \log(F) + 2 * (a * b * d * f * g * n * x + a * b * d * e * g * n) * F^{(f * g * n * x + e * g * n)} * \log(F) + (a^2 * d * f * g * n * x + a^2 * d * e * g * n) * \log(F)) * \log((F^{(f * g * n * x + e * g * n)} * b + a) / a) / (2 * F^{(f * g * n * x + e * g * n)} * a^4 * b * f^2 * g^2 * n^2 * \log(F)^2 + F^{(2 * f * g * n * x + 2 * e * g * n)} * a^3 * b^2 * f^2 * g^2 * n^2 * \log(F)^2 + a^5 * f^2 * g^2 * n^2 * \log(F)^2) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{3acfgn \log(F) + 3adfgnx \log(F) - ad + (2bcfgn \log(F) + 2bdfgnx \log(F) - bd) \left(F^{g(e+fx)} \right)^n}{2a^4f^2g^2n^2 \log(F)^2 + 4a^3bf^2g^2n^2 \left(F^{g(e+fx)} \right)^n \log(F)^2 + 2a^2b^2f^2g^2n^2 \left(F^{g(e+fx)} \right)^{2n} \log(F)^2} + \frac{\int -\frac{3d}{a+be^{gn \log(F)} e^{fgnx \log(F)}}}{a+be^{gn \log(F)} e^{fgnx \log(F)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F**(g*(f*x+e))))**n)**3,x)
```

```
[Out] (3*a*c*f*g*n*log(F) + 3*a*d*f*g*n*x*log(F) - a*d + (2*b*c*f*g*n*log(F) + 2*
b*d*f*g*n*x*log(F) - b*d)*(F**(g*(e + f*x))))**n)/(2*a**4*f**2*g**2*n**2*log
(F)**2 + 4*a**3*b*f**2*g**2*n**2*(F**(g*(e + f*x))))**n*log(F)**2 + 2*a**2*b
**2*f**2*g**2*n**2*(F**(g*(e + f*x))))**(2*n)*log(F)**2) + (Integral(-3*d/(a
+ b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*c*f*g*n*log(F)
/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*d*f*g*n*x*log
(F)/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x))/(2*a**2*f*g*n*log(
F))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{dx + c}{\left(\left(F^{(f x + e)g} \right)^n b + a \right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)/((F^((f*x + e)*g))^n*b + a)^3, x)
```

$$3.61 \quad \int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3} dx$$

Optimal. Leaf size=111

$$-\frac{\log\left(a+b\left(F^g(e+fx)\right)^n\right)}{a^3 f g n \log(F)} + \frac{1}{a^2 f g n \log(F)\left(a+b\left(F^g(e+fx)\right)^n\right)} + \frac{x}{a^3} + \frac{1}{2 a f g n \log(F)\left(a+b\left(F^g(e+fx)\right)^n\right)^2}$$

[Out] $x/a^3 + 1/(2*a*f*(a + b*(F^(g*(e + f*x)))^n)^2*g*n*Log[F]) + 1/(a^2*f*(a + b*(F^(g*(e + f*x)))^n)*g*n*Log[F]) - Log[a + b*(F^(g*(e + f*x)))^n]/(a^3*f*g*n*Log[F])$

Rubi [A] time = 0.063461, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {2282, 266, 44}

$$-\frac{\log\left(a+b\left(F^g(e+fx)\right)^n\right)}{a^3 f g n \log(F)} + \frac{1}{a^2 f g n \log(F)\left(a+b\left(F^g(e+fx)\right)^n\right)} + \frac{x}{a^3} + \frac{1}{2 a f g n \log(F)\left(a+b\left(F^g(e+fx)\right)^n\right)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*(F^(g*(e + f*x)))^n)^{-3}, x]$

[Out] $x/a^3 + 1/(2*a*f*(a + b*(F^(g*(e + f*x)))^n)^2*g*n*Log[F]) + 1/(a^2*f*(a + b*(F^(g*(e + f*x)))^n)*g*n*Log[F]) - Log[a + b*(F^(g*(e + f*x)))^n]/(a^3*f*g*n*Log[F])$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
```

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 44

Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{1}{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\ &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, \left(F^{g(e+fx)}\right)^n\right)}{fgn \log(F)} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{a^3 x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, \left(F^{g(e+fx)}\right)^n\right)}{fgn \log(F)} \\ &= \frac{x}{a^3} + \frac{1}{2af \left(a + b \left(F^{g(e+fx)}\right)^n\right)^2 gn \log(F)} + \frac{1}{a^2 f \left(a + b \left(F^{g(e+fx)}\right)^n\right) gn \log(F)} - \frac{\log\left(a + b \left(F^{g(e+fx)}\right)^n\right)}{a^3 fgn \log(F)} \end{aligned}$$

Mathematica [A] time = 0.10563, size = 84, normalized size = 0.76

$$\frac{\frac{a(3a+2b(F^{g(e+fx)})^n)}{(a+b(F^{g(e+fx)})^n)^2} - 2 \log\left(a + b \left(F^{g(e+fx)}\right)^n\right) + 2fgnx \log(F)}{2a^3 fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^(-3), x]

[Out] ((a*(3*a + 2*b*(F^(g*(e + f*x)))^n))/(a + b*(F^(g*(e + f*x)))^n)^2 + 2*f*g*n*x*Log[F] - 2*Log[a + b*(F^(g*(e + f*x)))^n])/(2*a^3*f*g*n*Log[F])

Maple [A] time = 0.003, size = 134, normalized size = 1.2

$$\frac{\ln\left(\left(F^{g(fx+e)}\right)^n\right)}{ngf \ln(F) a^3} - \frac{\ln\left(a + b\left(F^{g(fx+e)}\right)^n\right)}{ngf \ln(F) a^3} + \frac{1}{a^2 f \left(a + b\left(F^{g(fx+e)}\right)^n\right) gn \ln(F)} + \frac{1}{2 a f \left(a + b\left(F^{g(fx+e)}\right)^n\right)^2 gn \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e))))^n)^3,x

[Out] 1/g/f/ln(F)/n/a^3*ln((F^(g*(f*x+e))))^n)-ln(a+b*(F^(g*(f*x+e))))^n/a^3/f/g/n/ln(F)+1/a^2/f/(a+b*(F^(g*(f*x+e))))^n)/g/n/ln(F)+1/2/a/f/(a+b*(F^(g*(f*x+e))))^n)^2/g/n/ln(F)

Maxima [A] time = 1.16756, size = 196, normalized size = 1.77

$$\frac{2\left(F^{fgx+eg}\right)^n b + 3 a}{2\left(2\left(F^{fgx+eg}\right)^n a^3 b n + \left(F^{fgx+eg}\right)^{2n} a^2 b^2 n + a^4 n\right) f g \log(F)} + \frac{\log\left(F^{fgx+eg}\right)}{a^3 f g \log(F)} - \frac{\log\left(\frac{\left(F^{fgx+eg}\right)^n b + a}{b}\right)}{a^3 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="maxima")

[Out] 1/2*(2*(F^(f*g*x + e*g))^n*b + 3*a)/((2*(F^(f*g*x + e*g))^n*a^3*b*n + (F^(f*g*x + e*g))^(2*n)*a^2*b^2*n + a^4*n)*f*g*log(F)) + log(F^(f*g*x + e*g))/(a^3*f*g*log(F)) - log(((F^(f*g*x + e*g))^n*b + a)/b)/(a^3*f*g*n*log(F))

Fricas [A] time = 1.59137, size = 464, normalized size = 4.18

$$\frac{2 F^2 f g n x + 2 e g n b^2 f g n x \log(F) + 2 a^2 f g n x \log(F) + 2\left(2 a b f g n x \log(F) + a b\right) F f g n x + e g n + 3 a^2 - 2\left(2 F f g n x + e g n a b + F^2 f g n x\right)}{2\left(2 F f g n x + e g n a^4 b f g n \log(F) + F^2 f g n x + 2 e g n a^3 b^2 f g n \log(F) + a^5 f g n \log(F)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")

[Out] $\frac{1}{2} \cdot (2 \cdot F^{(2 \cdot f \cdot g \cdot n \cdot x + 2 \cdot e \cdot g \cdot n)} \cdot b^{2 \cdot f \cdot g \cdot n \cdot x} \cdot \log(F) + 2 \cdot a^{2 \cdot f \cdot g \cdot n \cdot x} \cdot \log(F) + 2 \cdot (2 \cdot a \cdot b \cdot f \cdot g \cdot n \cdot x \cdot \log(F) + a \cdot b) \cdot F^{(f \cdot g \cdot n \cdot x + e \cdot g \cdot n)} + 3 \cdot a^2 - 2 \cdot (2 \cdot F^{(f \cdot g \cdot n \cdot x + e \cdot g \cdot n)} \cdot a \cdot b + F^{(2 \cdot f \cdot g \cdot n \cdot x + 2 \cdot e \cdot g \cdot n)} \cdot b^2 + a^2) \cdot \log(F^{(f \cdot g \cdot n \cdot x + e \cdot g \cdot n)} \cdot b + a)) / (2 \cdot F^{(f \cdot g \cdot n \cdot x + e \cdot g \cdot n)} \cdot a^4 \cdot b \cdot f \cdot g \cdot n \cdot \log(F) + F^{(2 \cdot f \cdot g \cdot n \cdot x + 2 \cdot e \cdot g \cdot n)} \cdot a^3 \cdot b^{2 \cdot f \cdot g \cdot n} \cdot \log(F) + a^5 \cdot f \cdot g \cdot n \cdot \log(F))$

Sympy [A] time = 0.226713, size = 116, normalized size = 1.05

$$\frac{3a + 2b \left(F^{g(e+fx)} \right)^n}{2a^4 f g n \log(F) + 4a^3 b f g n \left(F^{g(e+fx)} \right)^n \log(F) + 2a^2 b^2 f g n \left(F^{g(e+fx)} \right)^{2n} \log(F)} + \frac{x}{a^3} - \frac{\log\left(\frac{a}{b} + \left(F^{g(e+fx)} \right)^n\right)}{a^3 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F**(g*(f*x+e))))**n)**3,x)

[Out] $(3 \cdot a + 2 \cdot b \cdot (F^{(g \cdot (e + f \cdot x))})^n) / (2 \cdot a^{4 \cdot f \cdot g \cdot n} \cdot \log(F) + 4 \cdot a^{3 \cdot b \cdot f \cdot g \cdot n} \cdot (F^{(g \cdot (e + f \cdot x))})^n \cdot \log(F) + 2 \cdot a^{2 \cdot b^2 \cdot f \cdot g \cdot n} \cdot (F^{(g \cdot (e + f \cdot x))})^{2 \cdot n} \cdot \log(F)) + x/a^{3 \cdot f \cdot g \cdot n} - \log(a/b + (F^{(g \cdot (e + f \cdot x))})^n) / (a^{3 \cdot f \cdot g \cdot n} \cdot \log(F))$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(f \cdot x + e) \cdot g} \right)^n \cdot b + a \right)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^(-3), x)

$$3.62 \quad \int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable} \left(\frac{1}{(c+dx) \left(a+b(F^{eg+fgx})^n\right)^3}, x \right)$$

[Out] Unintegrable[1/((a + b*(F^(e*g + f*g*x))^n)^3*(c + d*x)), x]

Rubi [A] time = 0.12754, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*(F^(g*(e + f*x))))^n)^3*(c + d*x)),x]

[Out] Defer[Int][1/((a + b*(F^(e*g + f*g*x))^n)^3*(c + d*x)), x]

Rubi steps

$$\int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)} dx = \int \frac{1}{\left(a+b(F^{eg+fgx})^n\right)^3 (c+dx)} dx$$

Mathematica [A] time = 1.80097, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)} dx$$

Verification is Not applicable to the result.

$F)^2 + (F^{(e*g)})^n * a^2 * b * c^3 * f^2 * g^2 * n^2 * \log(F)^2 * (F^{(f*g*x)})^n, x)$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{1}{a^3 dx + a^3 c + (b^3 dx + b^3 c) (F^{fgx+eg})^{3n} + 3 (ab^2 dx + ab^2 c) (F^{fgx+eg})^{2n} + 3 (a^2 b dx + a^2 bc) (F^{fgx+eg})^n}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c),x, algorithm="fricas")

[Out] integral(1/(a^3*d*x + a^3*c + (b^3*d*x + b^3*c)*(F^(f*g*x + e*g))^(3*n) + 3*(a*b^2*d*x + a*b^2*c)*(F^(f*g*x + e*g))^(2*n) + 3*(a^2*b*d*x + a^2*b*c)*(F^(f*g*x + e*g))^n), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F**(g*(f*x+e))))**n)**3/(d*x+c),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left((F^{(f*x+e)g})^n b + a \right)^3 (dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c),x, algorithm="giac")

[Out] integrate(1/(((F^((f*x + e)*g))^n*b + a)^3*(d*x + c)), x)

$$3.63 \quad \int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)^2} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable} \left(\frac{1}{(c+dx)^2 \left(a+b(F^{eg+fgx})^n\right)^3}, x \right)$$

[Out] Unintegrable[1/((a + b*(F^(e*g + f*g*x))^n)^3*(c + d*x)^2), x]

Rubi [A] time = 0.120864, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((a + b*(F^(g*(e + f*x))))^n)^3*(c + d*x)^2, x]

[Out] Defer[Int][1/((a + b*(F^(e*g + f*g*x))^n)^3*(c + d*x)^2), x]

Rubi steps

$$\int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)^2} dx = \int \frac{1}{\left(a+b(F^{eg+fgx})^n\right)^3 (c+dx)^2} dx$$

Mathematica [A] time = 1.43372, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a+b(F^g(e+fx))^n\right)^3 (c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((a + b*(F^(g*(e + f*x))))^n)^3*(c + d*x)^2], x]

[Out] Integrate[1/((a + b*(F^(g*(e + f*x))))^n)^3*(c + d*x)^2), x]

Maple [A] time = 0.574, size = 0, normalized size = 0.

$$\int \frac{1}{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^3 (dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2, x)

[Out] int(1/(a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2, x, algorithm="maxima")

[Out] 1/2*(3*a*d*f*g*n*x*log(F) + 3*a*c*f*g*n*log(F) + 2*((F^(e*g))^n*b*d*f*g*n*x*log(F) + (F^(e*g))^n*b*c*f*g*n*log(F) + (F^(e*g))^n*b*d*(F^(f*g*x))^n + 2*a*d)/(a^4*d^3*f^2*g^2*n^2*x^3*log(F)^2 + 3*a^4*c*d^2*f^2*g^2*n^2*x^2*log(F)^2 + 3*a^4*c^2*d*f^2*g^2*n^2*x*log(F)^2 + a^4*c^3*f^2*g^2*n^2*log(F)^2 + (F^(e*g))^(2*n)*a^2*b^2*d^3*f^2*g^2*n^2*x^3*log(F)^2 + 3*(F^(e*g))^(2*n)*a^2*b^2*c^2*d*f^2*g^2*n^2*x*log(F)^2 + (F^(e*g))^(2*n)*a^2*b^2*c^3*f^2*g^2*n^2*log(F)^2)*(F^(f*g*x))^(2*n) + 2*((F^(e*g))^n*a^3*b*d^3*f^2*g^2*n^2*x^3*log(F)^2 + 3*(F^(e*g))^n*a^3*b*c*d^2*f^2*g^2*n^2*x^2*log(F)^2 + 3*(F^(e*g))^n*a^3*b*c^2*d*f^2*g^2*n^2*x*log(F)^2 + (F^(e*g))^n*a^3*b*c^3*f^2*g^2*n^2*log(F)^2)*(F^(f*g*x))^n) + integrate((d^2*f^2*g^2*n^2*x^2*log(F)^2 + c^2*f^2*g^2*n^2*log(F)^2 + 3*c*d*f*g*n*log(F) + 3*d^2 + (2*c*d*f^2*g^2*n^2*log(F)^2 + 3*d^2*f*g*n*log(F)))*x)/(a^3*d^4*f^2*g^2*n^2*x^4*log(F)^2 + 4*a^3*c*d^3*f^2*g^2*n^2*x^3*log(F)^2 + 6*a^3*c^2*d^2*f^2*g^2*n^2*x^2*log(F)^2 + 4*a^3*c^3*d*f^2*g^2*n^2*x*log(F)^2 + a^3*c^4*f^2*g^2*n^2*log(F)^2 + ((F^(e*g))^n*a^2*b*d^4*f^2*g^2*n

$$^2*x^4*\log(F)^2 + 4*(F^{(e*g)})^n*a^2*b*c*d^3*f^2*g^2*n^2*x^3*\log(F)^2 + 6*(F^{(e*g)})^n*a^2*b*c^2*d^2*f^2*g^2*n^2*x^2*\log(F)^2 + 4*(F^{(e*g)})^n*a^2*b*c^3*d*f^2*g^2*n^2*x*\log(F)^2 + (F^{(e*g)})^n*a^2*b*c^4*f^2*g^2*n^2*\log(F)^2*(F^{(f*g*x)})^n, x)$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{1}{a^3 d^2 x^2 + 2 a^3 c d x + a^3 c^2 + (b^3 d^2 x^2 + 2 b^3 c d x + b^3 c^2) (F^{f g x + e g})^{3 n} + 3 (a b^2 d^2 x^2 + 2 a b^2 c d x + a b^2 c^2) (F^{f g x + e g})^{2 n} - \dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3/(d*x+c)^2,x, algorithm="fricas")

[Out] integral(1/(a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2 + (b^3*d^2*x^2 + 2*b^3*c*d*x + b^3*c^2)*(F^(f*g*x + e*g))^(3*n) + 3*(a*b^2*d^2*x^2 + 2*a*b^2*c*d*x + a*b^2*c^2)*(F^(f*g*x + e*g))^(2*n) + 3*(a^2*b*d^2*x^2 + 2*a^2*b*c*d*x + a^2*b*c^2)*(F^(f*g*x + e*g))^n), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*(F**(g*(f*x+e))))**n)**3/(d*x+c)**2,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\left(\left(F^{(f x + e) g} \right)^n b + a \right)^3 (d x + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^3/(d*x+c)^2,x, algorithm="giac")
```

```
[Out] integrate(1/(((F^((f*x + e)*g))^n*b + a)^3*(d*x + c)^2), x)
```

3.64 $\int (a + be^x) \sqrt{c + dx} dx$

Optimal. Leaf size=71

$$\frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} \sqrt{\pi} b \sqrt{d} e^{-\frac{c}{d}} \operatorname{Erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right) + be^x \sqrt{c + dx}$$

[Out] b*E^x*Sqrt[c + d*x] + (2*a*(c + d*x)^(3/2))/(3*d) - (b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/(2*E^(c/d))

Rubi [A] time = 0.0881561, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {2183, 2176, 2180, 2204}

$$\frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} \sqrt{\pi} b \sqrt{d} e^{-\frac{c}{d}} \operatorname{Erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right) + be^x \sqrt{c + dx}$$

Antiderivative was successfully verified.

[In] Int[(a + b*E^x)*Sqrt[c + d*x], x]

[Out] b*E^x*Sqrt[c + d*x] + (2*a*(c + d*x)^(3/2))/(3*d) - (b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/(2*E^(c/d))

Rule 2183

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]
```

Rule 2176

```
Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[(c + d*x)^m*(b*F^(g*(e + f*x)))^n/(f*g*n*Log[F]), x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !$UseGamma === True
```

Rule 2180

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma === True
```

Rule 2204

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
 \int (a + be^x) \sqrt{c + dx} dx &= \int (a\sqrt{c + dx} + be^x\sqrt{c + dx}) dx \\
 &= \frac{2a(c + dx)^{3/2}}{3d} + b \int e^x \sqrt{c + dx} dx \\
 &= be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2}(bd) \int \frac{e^x}{\sqrt{c + dx}} dx \\
 &= be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - b \operatorname{Subst} \left(\int e^{-\frac{c}{d} + \frac{x^2}{d}} dx, x, \sqrt{c + dx} \right) \\
 &= be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} b \sqrt{de}^{-\frac{c}{d}} \sqrt{\pi} \operatorname{erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.0940573, size = 71, normalized size = 1.

$$\frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} \sqrt{\pi} b \sqrt{de}^{-\frac{c}{d}} \operatorname{Erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right) + be^x \sqrt{c + dx}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*E^x)*Sqrt[c + d*x], x]
```

```
[Out] b*E^x*Sqrt[c + d*x] + (2*a*(c + d*x)^(3/2))/(3*d) - (b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/(2*E^(c/d))
```

Maple [A] time = 0.004, size = 77, normalized size = 1.1

$$2 \frac{1}{d} \left(\frac{1}{3} a (dx + c)^{3/2} + b \left(\frac{1}{2} \sqrt{dx + c} e^{\frac{dx+c}{d}} d - \frac{1}{4} d \sqrt{\pi} \operatorname{Erf} \left(\sqrt{-d^{-1}} \sqrt{dx + c} \right) \frac{1}{\sqrt{-d^{-1}}} \right) \left(e^{\frac{c}{d}} \right)^{-1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*exp(x))*(d*x+c)^(1/2),x)`

[Out] $2/d*(1/3*a*(d*x+c)^(3/2)+b/\exp(c/d)*(1/2*(d*x+c)^(1/2)*\exp((d*x+c)/d)*d^{-1/4}*d*\pi^{1/2}/(-1/d)^{(1/2)*\operatorname{erf}((-1/d)^{(1/2)*(d*x+c)^{(1/2))})}$

Maxima [A] time = 1.19239, size = 111, normalized size = 1.56

$$\frac{4(dx+c)^{\frac{3}{2}}a - 3 \left(\frac{\sqrt{\pi d} \operatorname{erf}\left(\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{\left(-\frac{c}{d}\right)}}{\sqrt{-\frac{1}{d}}} - 2\sqrt{dx+c}de^{\left(\frac{dx+c}{d}-\frac{c}{d}\right)} \right) b}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))*(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] $1/6*(4*(d*x+c)^(3/2)*a - 3*(\operatorname{sqrt}(\pi)*d*\operatorname{erf}(\operatorname{sqrt}(d*x+c)*\operatorname{sqrt}(-1/d))*e^{(-c/d)}/\operatorname{sqrt}(-1/d) - 2*\operatorname{sqrt}(d*x+c)*d*e^{((d*x+c)/d-c/d)}*b)/d$

Fricas [A] time = 1.636, size = 167, normalized size = 2.35

$$\frac{3\sqrt{\pi}bd^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{\left(-\frac{c}{d}\right)} + 2(2adx + 3bde^x + 2ac)\sqrt{dx+c}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))*(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] $1/6*(3*\operatorname{sqrt}(\pi)*b*d^2*\operatorname{sqrt}(-1/d)*\operatorname{erf}(\operatorname{sqrt}(d*x+c)*\operatorname{sqrt}(-1/d))*e^{(-c/d)} + 2*(2*a*d*x + 3*b*d*e^x + 2*a*c)*\operatorname{sqrt}(d*x+c))/d$

Sympy [A] time = 1.89973, size = 85, normalized size = 1.2

$$\frac{2a(c+dx)^{\frac{3}{2}}}{3d} + b\sqrt{d}\sqrt{c+dx}\sqrt{\frac{1}{d}}e^{-\frac{c}{d}}e^{\frac{c}{d}+x} - \frac{\sqrt{\pi}b\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{d\sqrt{\frac{1}{d}}}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))*(d*x+c)**(1/2),x)

[Out] $2*a*(c + d*x)**(3/2)/(3*d) + b*\sqrt{d}*\sqrt{c + d*x}*\sqrt{1/d}*\exp(-c/d)*\exp(c/d + x) - \sqrt{\pi}*b*\sqrt{d}*\exp(-c/d)*\operatorname{erfi}(\sqrt{c + d*x}/(d*\sqrt{1/d}))/2$

Giac [A] time = 1.3116, size = 93, normalized size = 1.31

$$\frac{4(dx + c)^{\frac{3}{2}}a + 3 \left(\frac{\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{dx+c}\sqrt{-d}}{d}\right) e^{\left(-\frac{c}{d}\right)}}{\sqrt{-d}} + 2\sqrt{dx + c}de^x \right) b}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))*(d*x+c)^(1/2),x, algorithm="giac")

[Out] $1/6*(4*(d*x + c)^{(3/2)}*a + 3*(\sqrt{\pi}*d^2*\operatorname{erf}(-\sqrt{d*x + c}*\sqrt{-d}/d)*e^{(-c/d)}/\sqrt{-d} + 2*\sqrt{d*x + c}*d*e^x)*b)/d$

3.65 $\int (a + be^x)^2 \sqrt{c + dx} dx$

Optimal. Leaf size=145

$$\frac{2a^2(c + dx)^{3/2}}{3d} - \sqrt{\pi}ab\sqrt{de}^{-\frac{c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{c + dx}}{\sqrt{d}}\right) + 2abe^x\sqrt{c + dx} - \frac{1}{4}\sqrt{\frac{\pi}{2}}b^2\sqrt{de}^{-\frac{2c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{c + dx}}{\sqrt{d}}\right) + \frac{1}{2}b^2e^{2x}\sqrt{c + dx}$$

```
[Out] 2*a*b*E^x*Sqrt[c + d*x] + (b^2*E^(2*x)*Sqrt[c + d*x])/2 + (2*a^2*(c + d*x)^(3/2))/(3*d) - (a*b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/E^(c/d) - (b^2*Sqrt[d]*Sqrt[Pi/2]*Erfi[(Sqrt[2]*Sqrt[c + d*x])/Sqrt[d]])/(4*E^((2*c)/d))
```

Rubi [A] time = 0.184614, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {2183, 2176, 2180, 2204}

$$\frac{2a^2(c + dx)^{3/2}}{3d} - \sqrt{\pi}ab\sqrt{de}^{-\frac{c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{c + dx}}{\sqrt{d}}\right) + 2abe^x\sqrt{c + dx} - \frac{1}{4}\sqrt{\frac{\pi}{2}}b^2\sqrt{de}^{-\frac{2c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{c + dx}}{\sqrt{d}}\right) + \frac{1}{2}b^2e^{2x}\sqrt{c + dx}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*E^x)^2*Sqrt[c + d*x], x]
```

```
[Out] 2*a*b*E^x*Sqrt[c + d*x] + (b^2*E^(2*x)*Sqrt[c + d*x])/2 + (2*a^2*(c + d*x)^(3/2))/(3*d) - (a*b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/E^(c/d) - (b^2*Sqrt[d]*Sqrt[Pi/2]*Erfi[(Sqrt[2]*Sqrt[c + d*x])/Sqrt[d]])/(4*E^((2*c)/d))
```

Rule 2183

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]
```

Rule 2176

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[((c + d*x)^m*(b*F^(g*(e + f*x)))^n)/(f*g*n*Log[F]), x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m]
```

] && !\$UseGamma === True

Rule 2180

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :
 > Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma === True

Rule 2204

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int (a + be^x)^2 \sqrt{c + dx} dx &= \int \left(a^2 \sqrt{c + dx} + 2abe^x \sqrt{c + dx} + b^2 e^{2x} \sqrt{c + dx} \right) dx \\
 &= \frac{2a^2(c + dx)^{3/2}}{3d} + (2ab) \int e^x \sqrt{c + dx} dx + b^2 \int e^{2x} \sqrt{c + dx} dx \\
 &= 2abe^x \sqrt{c + dx} + \frac{1}{2} b^2 e^{2x} \sqrt{c + dx} + \frac{2a^2(c + dx)^{3/2}}{3d} - (abd) \int \frac{e^x}{\sqrt{c + dx}} dx - \frac{1}{4} (b^2 d) \int \frac{e^{2x}}{\sqrt{c + dx}} dx \\
 &= 2abe^x \sqrt{c + dx} + \frac{1}{2} b^2 e^{2x} \sqrt{c + dx} + \frac{2a^2(c + dx)^{3/2}}{3d} - (2ab) \text{Subst} \left(\int e^{-\frac{c}{d} + \frac{x^2}{d}} dx, x, \sqrt{c + dx} \right) - \frac{1}{4} b^2 d \int \frac{e^{2x}}{\sqrt{c + dx}} dx \\
 &= 2abe^x \sqrt{c + dx} + \frac{1}{2} b^2 e^{2x} \sqrt{c + dx} + \frac{2a^2(c + dx)^{3/2}}{3d} - ab\sqrt{d} e^{-\frac{c}{d}} \sqrt{\pi} \text{erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right) - \frac{1}{4} b^2 \sqrt{d} e^{-\frac{2c}{d}} \sqrt{\pi} \text{erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.310615, size = 134, normalized size = 0.92

$$\frac{4\sqrt{c + dx} \left(4a^2(c + dx) + 12abde^x + 3b^2de^{2x} \right) - 3\sqrt{2\pi} b^2 d^{3/2} e^{-\frac{2c}{d}} \text{Erfi} \left(\frac{\sqrt{2}\sqrt{c + dx}}{\sqrt{d}} \right)}{24d} - \sqrt{\pi} ab \sqrt{d} e^{-\frac{c}{d}} \text{Erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*E^x)^2*Sqrt[c + d*x], x]

[Out] -((a*b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/E^(c/d)) + (4*Sqrt[c + d*x]*(12*a*b*d*E^x + 3*b^2*d*E^(2*x) + 4*a^2*(c + d*x)) - (3*b^2*d^(3/2)*Sqrt[2*Pi]*Erfi[(Sqrt[2]*Sqrt[c + d*x])/Sqrt[d]])/E^((2*c)/d))/(24*d)

Maple [A] time = 0.006, size = 144, normalized size = 1.

$$2 \frac{1}{d} \left(\frac{1}{3} a^2 (dx + c)^{3/2} + b^2 \left(\frac{1}{4} d \sqrt{dx + c} e^{2 \frac{dx+c}{d}} - \frac{1}{8} d \sqrt{\pi} \operatorname{Erf} \left(\sqrt{-2d^{-1}} \sqrt{dx + c} \right) \frac{1}{\sqrt{-2d^{-1}}} \right) \left(e^{\frac{c}{d}} \right)^{-2} + 2 ab \left(\frac{1}{2} \sqrt{dx + c} e^{\frac{dx+c}{d}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*exp(x))^2*(d*x+c)^(1/2), x)`

[Out] `2/d*(1/3*a^2*(d*x+c)^(3/2)+b^2/exp(c/d)^2*(1/4*d*(d*x+c)^(1/2)*exp(2*(d*x+c)/d)-1/8*d*Pi^(1/2)/(-2/d)^(1/2)*erf((-2/d)^(1/2)*(d*x+c)^(1/2)))+2*a*b/exp(c/d)*(1/2*(d*x+c)^(1/2)*exp((d*x+c)/d)*d-1/4*d*Pi^(1/2)/(-1/d)^(1/2)*erf((-1/d)^(1/2)*(d*x+c)^(1/2)))`

Maxima [A] time = 1.83941, size = 216, normalized size = 1.49

$$\frac{16(dx+c)^{\frac{3}{2}}a^2 - 24 \left(\frac{\sqrt{\pi d} \operatorname{erf} \left(\sqrt{dx+c} \sqrt{-\frac{1}{d}} \right) e^{\left(-\frac{c}{d}\right)}}{\sqrt{-\frac{1}{d}}} - 2 \sqrt{dx+c} d e^{\left(\frac{dx+c}{d} - \frac{c}{d}\right)} \right) ab - 3 \left(\frac{\sqrt{2} \sqrt{\pi d} \operatorname{erf} \left(\sqrt{2} \sqrt{dx+c} \sqrt{-\frac{1}{d}} \right) e^{\left(-\frac{2c}{d}\right)}}{\sqrt{-\frac{1}{d}}} - 4 \sqrt{dx+c} d e^{\left(\frac{2(dx+c)}{d} - \frac{2c}{d}\right)} \right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))^2*(d*x+c)^(1/2), x, algorithm="maxima")`

[Out] `1/24*(16*(d*x + c)^(3/2)*a^2 - 24*(sqrt(pi)*d*erf(sqrt(d*x + c)*sqrt(-1/d))*e^(-c/d)/sqrt(-1/d) - 2*sqrt(d*x + c)*d*e^((d*x + c)/d - c/d))*a*b - 3*(sqrt(2)*sqrt(pi)*d*erf(sqrt(2)*sqrt(d*x + c)*sqrt(-1/d))*e^(-2*c/d)/sqrt(-1/d) - 4*sqrt(d*x + c)*d*e^(2*(d*x + c)/d - 2*c/d))*b^2)/d`

Fricas [A] time = 1.6394, size = 327, normalized size = 2.26

$$\frac{3 \sqrt{2} \sqrt{\pi} b^2 d^2 \sqrt{-\frac{1}{d}} \operatorname{erf} \left(\sqrt{2} \sqrt{dx + c} \sqrt{-\frac{1}{d}} \right) e^{\left(-\frac{2c}{d}\right)} + 24 \sqrt{\pi} a b d^2 \sqrt{-\frac{1}{d}} \operatorname{erf} \left(\sqrt{dx + c} \sqrt{-\frac{1}{d}} \right) e^{\left(-\frac{c}{d}\right)} + 4 \left(4 a^2 dx + 3 b^2 d e^{2x} \right) + 12 a}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))^2*(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{24}*(3*\sqrt{2}*\sqrt{\pi}*b^2*d^2*\sqrt{-1/d}*\operatorname{erf}(\sqrt{2}*\sqrt{d*x+c})*\sqrt{-1/d})*e^{-2*c/d} + 24*\sqrt{\pi}*a*b*d^2*\sqrt{-1/d}*\operatorname{erf}(\sqrt{d*x+c})*\sqrt{-1/d})*e^{-c/d} + 4*(4*a^2*d*x + 3*b^2*d*e^{2*x} + 12*a*b*d*e^x + 4*a^2*c)*\sqrt{d*x+c}/d$

Sympy [A] time = 2.87097, size = 184, normalized size = 1.27

$$\frac{2a^2(c+dx)^{\frac{3}{2}}}{3d} + 2ab\sqrt{d}\sqrt{c+dx}\sqrt{\frac{1}{d}}e^{-\frac{c}{d}}e^{\frac{c}{d}+x} - \sqrt{\pi}ab\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{d\sqrt{\frac{1}{d}}}\right) + \frac{b^2\sqrt{d}\sqrt{c+dx}\sqrt{\frac{1}{d}}e^{-\frac{2c}{d}}e^{\frac{2c}{d}+2x}}{2} - \frac{\sqrt{2}\sqrt{\pi}b^2\sqrt{d}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))*2*(d*x+c)^(1/2),x)

[Out] $2*a**2*(c+d*x)**(3/2)/(3*d) + 2*a*b*\sqrt{d}*\sqrt{c+d*x}*\sqrt{1/d}*\exp(-c/d)*\exp(c/d+x) - \sqrt{\pi}*a*b*\sqrt{d}*\exp(-c/d)*\operatorname{erfi}(\sqrt{c+d*x}/(d*\sqrt{1/d})) + b**2*\sqrt{d}*\sqrt{c+d*x}*\sqrt{1/d}*\exp(-2*c/d)*\exp(2*c/d+2*x)/2 - \sqrt{2}*\sqrt{\pi}*b**2*\sqrt{d}*\exp(-2*c/d)*\operatorname{erfi}(\sqrt{2}*\sqrt{c+d*x}/(d*\sqrt{1/d}))/8$

Giac [A] time = 1.25575, size = 182, normalized size = 1.26

$$\frac{16(dx+c)^{\frac{3}{2}}a^2 + 24\left(\frac{\sqrt{\pi}d^2\operatorname{erf}\left(-\frac{\sqrt{dx+c}\sqrt{-d}}{d}\right)e^{\left(-\frac{c}{d}\right)}}{\sqrt{-d}} + 2\sqrt{dx+c}de^x\right)ab + 3\left(\frac{\sqrt{2}\sqrt{\pi}d^2\operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{dx+c}\sqrt{-d}}{d}\right)e^{\left(-\frac{2c}{d}\right)}}{\sqrt{-d}} + 4\sqrt{dx+c}de^{2x}\right)b^2}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))^2*(d*x+c)^(1/2),x, algorithm="giac")

[Out] $\frac{1}{24}*(16*(d*x+c)^(3/2)*a^2 + 24*(\sqrt{\pi}*d^2*\operatorname{erf}(-\sqrt{d*x+c})*\sqrt{-d}/d)*e^{-c/d}/\sqrt{-d} + 2*\sqrt{d*x+c}*d*e^x)*a*b + 3*(\sqrt{2}*\sqrt{\pi}*d^2*\operatorname{erf}(-\sqrt{2}*\sqrt{d*x+c})*\sqrt{-d}/d)*e^{-2*c/d}/\sqrt{-d} + 4*\sqrt{d*x+c}*d*e^{2*x})*b^2/d$

3.66 $\int (a + be^x)^3 \sqrt{c + dx} dx$

Optimal. Leaf size=224

$$-\frac{3}{2}\sqrt{\pi}a^2b\sqrt{d}e^{-\frac{c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right)+3a^2be^x\sqrt{c+dx}+\frac{2a^3(c+dx)^{3/2}}{3d}-\frac{3}{4}\sqrt{\frac{\pi}{2}}ab^2\sqrt{d}e^{-\frac{2c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{c+dx}}{\sqrt{d}}\right)+\frac{3}{2}ab^2e^{2x}\sqrt{c+dx}$$

[Out] $3a^2bE^x\sqrt{c+dx}+(3ab^2E^{2x}\sqrt{c+dx})/2+(b^3E^{3x})\sqrt{c+dx}/3+(2a^3(c+dx)^{(3/2)})/(3d)-(3a^2b\sqrt{d}\sqrt{\pi})\operatorname{Erfi}[\sqrt{c+dx}/\sqrt{d}]/(2E^{(c/d)})-(3ab^2\sqrt{d}\sqrt{\pi/2})\operatorname{Erfi}[(\sqrt{2}\sqrt{c+dx})/\sqrt{d}]/(4E^{((2c)/d)})-(b^3\sqrt{d}\sqrt{\pi/3})\operatorname{Erfi}[(\sqrt{3}\sqrt{c+dx})/\sqrt{d}]/(6E^{((3c)/d)})$

Rubi [A] time = 0.263767, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {2183, 2176, 2180, 2204}

$$-\frac{3}{2}\sqrt{\pi}a^2b\sqrt{d}e^{-\frac{c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right)+3a^2be^x\sqrt{c+dx}+\frac{2a^3(c+dx)^{3/2}}{3d}-\frac{3}{4}\sqrt{\frac{\pi}{2}}ab^2\sqrt{d}e^{-\frac{2c}{d}}\operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{c+dx}}{\sqrt{d}}\right)+\frac{3}{2}ab^2e^{2x}\sqrt{c+dx}$$

Antiderivative was successfully verified.

[In] Int[(a + bE^x)^3*sqrt[c + d*x], x]

[Out] $3a^2bE^x\sqrt{c+dx}+(3ab^2E^{2x}\sqrt{c+dx})/2+(b^3E^{3x})\sqrt{c+dx}/3+(2a^3(c+dx)^{(3/2)})/(3d)-(3a^2b\sqrt{d}\sqrt{\pi})\operatorname{Erfi}[\sqrt{c+dx}/\sqrt{d}]/(2E^{(c/d)})-(3ab^2\sqrt{d}\sqrt{\pi/2})\operatorname{Erfi}[(\sqrt{2}\sqrt{c+dx})/\sqrt{d}]/(4E^{((2c)/d)})-(b^3\sqrt{d}\sqrt{\pi/3})\operatorname{Erfi}[(\sqrt{3}\sqrt{c+dx})/\sqrt{d}]/(6E^{((3c)/d)})$

Rule 2183

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_)))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2176

Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^((m_.), x_Symbol] :> Simp[((c + d*x)^m*(b*F^(g*(e + f*x)))^n)/(f*g*n*Log[F]),

```
x] - Dist[(d*m)/(f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n
, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m
] && !$UseGamma === True
```

Rule 2180

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma === True
```

Rule 2204

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqr
t[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int (a + be^x)^3 \sqrt{c + dx} dx &= \int \left(a^3 \sqrt{c + dx} + 3a^2 be^x \sqrt{c + dx} + 3ab^2 e^{2x} \sqrt{c + dx} + b^3 e^{3x} \sqrt{c + dx} \right) dx \\
&= \frac{2a^3(c + dx)^{3/2}}{3d} + (3a^2b) \int e^x \sqrt{c + dx} dx + (3ab^2) \int e^{2x} \sqrt{c + dx} dx + b^3 \int e^{3x} \sqrt{c + dx} dx \\
&= 3a^2 be^x \sqrt{c + dx} + \frac{3}{2} ab^2 e^{2x} \sqrt{c + dx} + \frac{1}{3} b^3 e^{3x} \sqrt{c + dx} + \frac{2a^3(c + dx)^{3/2}}{3d} - \frac{1}{2} (3a^2bd) \int \frac{e^x}{\sqrt{c + dx}} dx \\
&= 3a^2 be^x \sqrt{c + dx} + \frac{3}{2} ab^2 e^{2x} \sqrt{c + dx} + \frac{1}{3} b^3 e^{3x} \sqrt{c + dx} + \frac{2a^3(c + dx)^{3/2}}{3d} - (3a^2b) \text{Subst} \left(\int e^{-\frac{c}{d}} dx \right) \\
&= 3a^2 be^x \sqrt{c + dx} + \frac{3}{2} ab^2 e^{2x} \sqrt{c + dx} + \frac{1}{3} b^3 e^{3x} \sqrt{c + dx} + \frac{2a^3(c + dx)^{3/2}}{3d} - \frac{3}{2} a^2 b \sqrt{d} e^{-\frac{c}{d}} \sqrt{\pi} \text{erfi} \left(\sqrt{\frac{c + dx}{d}} \right)
\end{aligned}$$

Mathematica [A] time = 0.669476, size = 196, normalized size = 0.88

$$\frac{-12\sqrt{c + dx} (18a^2 b d e^x + 4a^3 (c + dx) + 9ab^2 d e^{2x} + 2b^3 d e^{3x}) + 108\sqrt{\pi} a^2 b d^{3/2} e^{-\frac{c}{d}} \text{Erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right) + 27\sqrt{2\pi} a b^2 d^{3/2} e^{-\frac{2c}{d}} \text{Erfi} \left(\frac{\sqrt{c + dx}}{\sqrt{d}} \right)}{72d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*E^x)^3*Sqrt[c + d*x],x]
```

```
[Out] -(-12*Sqrt[c + d*x]*(18*a^2*b*d*E^x + 9*a*b^2*d*E^(2*x) + 2*b^3*d*E^(3*x) +
4*a^3*(c + d*x)) + (108*a^2*b*d^(3/2)*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])
```

$$)/E^{(c/d)} + (27*a*b^2*d^{(3/2)}*Sqrt[2*Pi]*Erfi[(Sqrt[2]*Sqrt[c + d*x])/Sqrt[d]])/E^{((2*c)/d)} + (4*b^3*d^{(3/2)}*Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[c + d*x])/Sqrt[d]])/E^{((3*c)/d)})/(72*d)$$

Maple [A] time = 0.005, size = 211, normalized size = 0.9

$$2 \frac{1}{d} \left(\frac{1}{3} (dx + c)^{3/2} a^3 + b^3 \left(\frac{1}{6} d \sqrt{dx + c} + c e^{3 \frac{dx+c}{d}} - \frac{1}{12} d \sqrt{\pi} \operatorname{Erf} \left(\sqrt{-3 d^{-1}} \sqrt{dx + c} \right) \frac{1}{\sqrt{-3 d^{-1}}} \right) \left(e^{\frac{c}{d}} \right)^{-3} + 3 a b^2 \left(\frac{1}{4} d \sqrt{dx + c} \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*exp(x))^3*(d*x+c)^(1/2),x)

[Out] 2/d*(1/3*(d*x+c)^(3/2)*a^3+b^3/exp(c/d)^3*(1/6*d*(d*x+c)^(1/2)*exp(3*(d*x+c)/d)-1/12*d*Pi^(1/2)/(-3/d)^(1/2)*erf((-3/d)^(1/2)*(d*x+c)^(1/2)))+3*a*b^2/exp(c/d)^2*(1/4*d*(d*x+c)^(1/2)*exp(2*(d*x+c)/d)-1/8*d*Pi^(1/2)/(-2/d)^(1/2)*erf((-2/d)^(1/2)*(d*x+c)^(1/2)))+3*a^2*b/exp(c/d)*(1/2*(d*x+c)^(1/2)*exp((d*x+c)/d)*d-1/4*d*Pi^(1/2)/(-1/d)^(1/2)*erf((-1/d)^(1/2)*(d*x+c)^(1/2)))

Maxima [A] time = 1.97191, size = 321, normalized size = 1.43

$$48(dx+c)^2 a^3 - 108 \left(\frac{\sqrt{\pi d} \operatorname{erf} \left(\sqrt{dx+c} \sqrt{-\frac{1}{d}} \right) e^{\left(-\frac{c}{d}\right)}}{\sqrt{-\frac{1}{d}}} - 2 \sqrt{dx+c} c d e^{\left(\frac{dx+c}{d} - \frac{c}{d}\right)} \right) a^2 b - 27 \left(\frac{\sqrt{2} \sqrt{\pi d} \operatorname{erf} \left(\sqrt{2} \sqrt{dx+c} \sqrt{-\frac{1}{d}} \right) e^{\left(-\frac{2c}{d}\right)}}{\sqrt{-\frac{1}{d}}} - 4 \sqrt{dx+c} c d e^{\left(\frac{2(dx+c)}{d} - \frac{2c}{d}\right)} \right) b^2$$

72 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))^3*(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/72*(48*(d*x + c)^(3/2)*a^3 - 108*(sqrt(pi)*d*erf(sqrt(d*x + c)*sqrt(-1/d))*e^(-c/d)/sqrt(-1/d) - 2*sqrt(d*x + c)*d*e^((d*x + c)/d - c/d))*a^2*b - 27*(sqrt(2)*sqrt(pi)*d*erf(sqrt(2)*sqrt(d*x + c)*sqrt(-1/d))*e^(-2*c/d)/sqrt(-1/d) - 4*sqrt(d*x + c)*d*e^(2*(d*x + c)/d - 2*c/d))*a*b^2 - 4*(sqrt(3)*sqrt(pi)*d*erf(sqrt(3)*sqrt(d*x + c)*sqrt(-1/d))*e^(-3*c/d)/sqrt(-1/d) - 6*sqrt(d*x + c)*d*e^(3*(d*x + c)/d - 3*c/d))*b^3)/d

Fricas [A] time = 1.56272, size = 486, normalized size = 2.17

$$\frac{27\sqrt{2}\sqrt{\pi}ab^2d^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{2}\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{\left(-\frac{2c}{d}\right)} + 4\sqrt{3}\sqrt{\pi}b^3d^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{3}\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{\left(-\frac{3c}{d}\right)} + 108\sqrt{\pi}a^2bd^2\sqrt{-\frac{1}{d}}}{72d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))^3*(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $\frac{1}{72} \cdot (27 \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot a \cdot b^2 \cdot d^2 \cdot \sqrt{-1/d} \cdot \operatorname{erf}(\sqrt{2} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-1/d}) \cdot e^{-2 \cdot c/d} + 4 \cdot \sqrt{3} \cdot \sqrt{\pi} \cdot b^3 \cdot d^2 \cdot \sqrt{-1/d} \cdot \operatorname{erf}(\sqrt{3} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-1/d}) \cdot e^{-3 \cdot c/d} + 108 \cdot \sqrt{\pi} \cdot a^2 \cdot b \cdot d^2 \cdot \sqrt{-1/d} \cdot \operatorname{erf}(\sqrt{d \cdot x + c}) \cdot \sqrt{-1/d}) \cdot e^{-c/d} + 12 \cdot (4 \cdot a^3 \cdot d \cdot x + 2 \cdot b^3 \cdot d \cdot e^{3 \cdot x} + 9 \cdot a \cdot b^2 \cdot d \cdot e^{2 \cdot x} + 18 \cdot a^2 \cdot b \cdot d \cdot e^x + 4 \cdot a^3 \cdot c) \cdot \sqrt{d \cdot x + c}) / d$

Sympy [A] time = 3.91588, size = 291, normalized size = 1.3

$$\frac{2a^3(c+dx)^{\frac{3}{2}}}{3d} + 3a^2b\sqrt{d}\sqrt{c+dx}\sqrt{\frac{1}{d}}e^{-\frac{c}{d}}e^{\frac{c}{d}+x} - \frac{3\sqrt{\pi}a^2b\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{d\sqrt{\frac{1}{d}}}\right)}{2} + \frac{3ab^2\sqrt{d}\sqrt{c+dx}\sqrt{\frac{1}{d}}e^{-\frac{2c}{d}}e^{\frac{2c}{d}+2x}}{2} - \frac{3\sqrt{2}\sqrt{\pi}a^2b\sqrt{d}\sqrt{c+dx}\sqrt{\frac{1}{d}}e^{-\frac{c}{d}}e^{\frac{c}{d}+x}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*exp(x))**3*(d*x+c)**(1/2),x)

[Out] $2 \cdot a^3 \cdot (c + d \cdot x)^{3/2} / (3 \cdot d) + 3 \cdot a^2 \cdot b \cdot \sqrt{d} \cdot \sqrt{c + d \cdot x} \cdot \sqrt{1/d} \cdot \exp(-c/d) \cdot \exp(c/d + x) - 3 \cdot \sqrt{\pi} \cdot a^2 \cdot b \cdot \sqrt{d} \cdot \exp(-c/d) \cdot \operatorname{erfi}(\sqrt{c + d \cdot x} / (d \cdot \sqrt{1/d})) / 2 + 3 \cdot a \cdot b^2 \cdot \sqrt{d} \cdot \sqrt{c + d \cdot x} \cdot \sqrt{1/d} \cdot \exp(-2 \cdot c/d) \cdot \exp(2 \cdot c/d + 2 \cdot x) / 2 - 3 \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot a^2 \cdot b \cdot \sqrt{d} \cdot \exp(-2 \cdot c/d) \cdot \operatorname{erfi}(\sqrt{2} \cdot \sqrt{c + d \cdot x} / (d \cdot \sqrt{1/d})) / 8 + b^3 \cdot \sqrt{d} \cdot \sqrt{c + d \cdot x} \cdot \sqrt{1/d} \cdot \exp(-3 \cdot c/d) \cdot \exp(3 \cdot c/d + 3 \cdot x) / 3 - \sqrt{3} \cdot \sqrt{\pi} \cdot b^3 \cdot \sqrt{d} \cdot \exp(-3 \cdot c/d) \cdot \operatorname{erfi}(\sqrt{3} \cdot \sqrt{c + d \cdot x} / (d \cdot \sqrt{1/d})) / 18$

Giac [A] time = 1.23147, size = 271, normalized size = 1.21

$$48(dx+c)^{\frac{3}{2}}a^3 + 108 \left(\frac{\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{dx+c}\sqrt{-d}}{d}\right)e^{\left(-\frac{c}{d}\right)}}{\sqrt{-d}} + 2\sqrt{dx+c}de^x \right) a^2b + 27 \left(\frac{\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{dx+c}\sqrt{-d}}{d}\right)e^{\left(-\frac{2c}{d}\right)}}{\sqrt{-d}} + 4\sqrt{dx+c}de^{2x} \right) a$$

72d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*exp(x))^3*(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] 1/72*(48*(d*x + c)^(3/2)*a^3 + 108*(sqrt(pi)*d^2*erf(-sqrt(d*x + c)*sqrt(-d)
)/d)*e^(-c/d)/sqrt(-d) + 2*sqrt(d*x + c)*d*e^x)*a^2*b + 27*(sqrt(2)*sqrt(pi)
)*d^2*erf(-sqrt(2)*sqrt(d*x + c)*sqrt(-d)/d)*e^(-2*c/d)/sqrt(-d) + 4*sqrt(d
*x + c)*d*e^(2*x))*a*b^2 + 4*(sqrt(3)*sqrt(pi)*d^2*erf(-sqrt(3)*sqrt(d*x +
c)*sqrt(-d)/d)*e^(-3*c/d)/sqrt(-d) + 6*sqrt(d*x + c)*d*e^(3*x))*b^3)/d
```

$$3.67 \quad \int \frac{\sqrt{c+dx}}{a+be^x} dx$$

Optimal. Leaf size=21

$$\text{Unintegrable}\left(\frac{\sqrt{c+dx}}{a+be^x}, x\right)$$

[Out] Unintegrable[Sqrt[c + d*x]/(a + b*E^x), x]

Rubi [A] time = 0.0402916, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt{c+dx}}{a+be^x} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[c + d*x]/(a + b*E^x), x]

[Out] Defer[Int][Sqrt[c + d*x]/(a + b*E^x), x]

Rubi steps

$$\int \frac{\sqrt{c+dx}}{a+be^x} dx = \int \frac{\sqrt{c+dx}}{a+be^x} dx$$

Mathematica [A] time = 0.569636, size = 0, normalized size = 0.

$$\int \frac{\sqrt{c+dx}}{a+be^x} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[c + d*x]/(a + b*E^x), x]

[Out] Integrate[Sqrt[c + d*x]/(a + b*E^x), x]

Maple [A] time = 0.024, size = 0, normalized size = 0.

$$\int \frac{1}{a + be^x} \sqrt{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(1/2)/(a+b*exp(x)),x)

[Out] int((d*x+c)^(1/2)/(a+b*exp(x)),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{dx + c}}{be^x + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x)),x, algorithm="maxima")

[Out] integrate(sqrt(d*x + c)/(b*e^x + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{dx + c}}{be^x + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x)),x, algorithm="fricas")

[Out] integral(sqrt(d*x + c)/(b*e^x + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c + dx}}{a + be^x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**(1/2)/(a+b*exp(x)),x)
```

```
[Out] Integral(sqrt(c + d*x)/(a + b*exp(x)), x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{dx+c}}{be^x+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(1/2)/(a+b*exp(x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(d*x + c)/(b*e^x + a), x)
```

$$3.68 \quad \int \frac{\sqrt{c+dx}}{(a+be^x)^2} dx$$

Optimal. Leaf size=21

$$\text{Unintegrable}\left(\frac{\sqrt{c+dx}}{(a+be^x)^2}, x\right)$$

[Out] Unintegrable[Sqrt[c + d*x]/(a + b*E^x)^2, x]

Rubi [A] time = 0.0395974, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[c + d*x]/(a + b*E^x)^2, x]

[Out] Defer[Int][Sqrt[c + d*x]/(a + b*E^x)^2, x]

Rubi steps

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^2} dx = \int \frac{\sqrt{c+dx}}{(a+be^x)^2} dx$$

Mathematica [A] time = 1.21129, size = 0, normalized size = 0.

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[c + d*x]/(a + b*E^x)^2, x]

[Out] Integrate[Sqrt[c + d*x]/(a + b*E^x)^2, x]

Maple [A] time = 0.052, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^x)^2} \sqrt{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(1/2)/(a+b*exp(x))^2,x)

[Out] int((d*x+c)^(1/2)/(a+b*exp(x))^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{dx + c}}{(be^x + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x))^2,x, algorithm="maxima")

[Out] integrate(sqrt(d*x + c)/(b*e^x + a)^2, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{dx + c}}{b^2e^{(2x)} + 2abe^x + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x))^2,x, algorithm="fricas")

[Out] integral(sqrt(d*x + c)/(b^2*e^(2*x) + 2*a*b*e^x + a^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(1/2)/(a+b*exp(x))**2,x)

[Out] Integral(sqrt(c + d*x)/(a + b*exp(x))**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{dx + c}}{(be^x + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x))^2,x, algorithm="giac")

[Out] integrate(sqrt(d*x + c)/(b*e^x + a)^2, x)

$$3.69 \quad \int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Optimal. Leaf size=21

$$\text{Unintegrable} \left(\frac{\sqrt{c+dx}}{(a+be^x)^3}, x \right)$$

[Out] Unintegrable[Sqrt[c + d*x]/(a + b*E^x)^3, x]

Rubi [A] time = 0.0387193, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[c + d*x]/(a + b*E^x)^3,x]

[Out] Defer[Int][Sqrt[c + d*x]/(a + b*E^x)^3, x]

Rubi steps

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx = \int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Mathematica [A] time = 2.26549, size = 0, normalized size = 0.

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[c + d*x]/(a + b*E^x)^3,x]

[Out] Integrate[Sqrt[c + d*x]/(a + b*E^x)^3, x]

Maple [A] time = 0.066, size = 0, normalized size = 0.

$$\int \frac{1}{(a + be^x)^3} \sqrt{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(1/2)/(a+b*exp(x))^3,x)

[Out] int((d*x+c)^(1/2)/(a+b*exp(x))^3,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{dx + c}}{(be^x + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x))^3,x, algorithm="maxima")

[Out] integrate(sqrt(d*x + c)/(b*e^x + a)^3, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{dx + c}}{b^3e^{3x} + 3ab^2e^{2x} + 3a^2be^x + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x))^3,x, algorithm="fricas")

[Out] integral(sqrt(d*x + c)/(b^3*e^(3*x) + 3*a*b^2*e^(2*x) + 3*a^2*b*e^x + a^3), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(1/2)/(a+b*exp(x))**3,x)

[Out] Integral(sqrt(c + d*x)/(a + b*exp(x))**3, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{dx + c}}{(be^x + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)/(a+b*exp(x))^3,x, algorithm="giac")

[Out] integrate(sqrt(d*x + c)/(b*e^x + a)^3, x)

$$3.70 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 (c + dx)^m dx$$

Optimal. Leaf size=340

$$\frac{3a^2b(c+dx)^m (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \left(-\frac{fgn \log(F)(c+dx)}{d}\right)^{-m} \Gamma\left(m+1, -\frac{fgn \log(F)(c+dx)}{d}\right)}{fgn \log(F)} + \frac{3ab^2 2^{-m-1} (c+dx)^m}{}$$

[Out] (a^3*(c + d*x)^(1 + m))/(d*(1 + m)) + (3^(-1 - m)*b^3*F^(3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^m*Gamma[1 + m, (-3*f*g*n*(c + d*x)*Log[F])/d]/(f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m) + (3*2^(-1 - m)*a*b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^m*Gamma[1 + m, (-2*f*g*n*(c + d*x)*Log[F])/d]/(f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m) + (3*a^2*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*(c + d*x)^m*Gamma[1 + m, -(f*g*n*(c + d*x)*Log[F])/d])/((f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m)

Rubi [A] time = 0.467453, antiderivative size = 340, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2182, 2181}

$$\frac{3a^2b(c+dx)^m (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \left(-\frac{fgn \log(F)(c+dx)}{d}\right)^{-m} \Gamma\left(m+1, -\frac{fgn \log(F)(c+dx)}{d}\right)}{fgn \log(F)} + \frac{3ab^2 2^{-m-1} (c+dx)^m}{}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^3*(c + d*x)^m,x]

[Out] (a^3*(c + d*x)^(1 + m))/(d*(1 + m)) + (3^(-1 - m)*b^3*F^(3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))*(F^(e*g + f*g*x))^(3*n)*(c + d*x)^m*Gamma[1 + m, (-3*f*g*n*(c + d*x)*Log[F])/d]/(f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m) + (3*2^(-1 - m)*a*b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^m*Gamma[1 + m, (-2*f*g*n*(c + d*x)*Log[F])/d]/(f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m) + (3*a^2*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*(c + d*x)^m*Gamma[1 + m, -(f*g*n*(c + d*x)*Log[F])/d])/((f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m)

Rule 2183

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

Rule 2182

```
Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_
.), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

Rule 2181

```
Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Lo
g[F])/d))*(c + d*x]])/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F
]*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

Rubi steps

$$\begin{aligned}
 \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 (c + dx)^m dx &= \int \left(a^3 (c + dx)^m + 3a^2 b \left(F^{eg+fgx} \right)^n (c + dx)^m + 3ab^2 \left(F^{eg+fgx} \right)^{2n} (c + dx)^m + b^3 \left(F^{eg+fgx} \right)^{3n} (c + dx)^m \right) dx \\
 &= \frac{a^3 (c + dx)^{1+m}}{d(1+m)} + (3a^2 b) \int \left(F^{eg+fgx} \right)^n (c + dx)^m dx + (3ab^2) \int \left(F^{eg+fgx} \right)^{2n} (c + dx)^m dx + b^3 \int \left(F^{eg+fgx} \right)^{3n} (c + dx)^m dx \\
 &= \frac{a^3 (c + dx)^{1+m}}{d(1+m)} + \left(3a^2 b F^{-n(eg+fgx)} \left(F^{eg+fgx} \right)^n \right) \int F^{n(eg+fgx)} (c + dx)^m dx + \left(3ab^2 F^{-2n(eg+fgx)} \left(F^{eg+fgx} \right)^{2n} \right) \int F^{n(eg+fgx)} (c + dx)^m dx + \left(3b^3 F^{-3n(eg+fgx)} \left(F^{eg+fgx} \right)^{3n} \right) \int (c + dx)^m dx \\
 &= \frac{a^3 (c + dx)^{1+m}}{d(1+m)} + \frac{3^{-1-m} b^3 F^{3 \left(e - \frac{cf}{d} \right) gn - 3gn(e+fx)} \left(F^{eg+fgx} \right)^{3n} (c + dx)^m \Gamma \left(1 + m, -\frac{3fgn}{d} (c + dx) \right)}{fgn \log(F)}
 \end{aligned}$$

Mathematica [F] time = 0.329205, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^3 (c + dx)^m dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^3*(c + d*x)^m,x]
```

```
[Out] Integrate[(a + b*(F^(g*(e + f*x)))^n)^3*(c + d*x)^m, x]
```

Maple [F] time = 0.04, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^3 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^m,x

[Out] int((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^m,x

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^m,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.66309, size = 656, normalized size = 1.93

$$18(a^2 b d m + a^2 b d) e^{\left(\frac{(d e - c f) g n \log(F) - d m \log\left(-\frac{f g n \log(F)}{d}\right)}{d} \right)} \Gamma\left(m + 1, -\frac{(d f g n x + c f g n) \log(F)}{d}\right) + 9(a b^2 d m + a b^2 d) e^{\left(\frac{2(d e - c f) g n \log(F) - d m \log\left(-\frac{2 f g n \log(F)}{d}\right)}{d} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^m,x, algorithm="fricas")

[Out] 1/6*(18*(a^2*b*d*m + a^2*b*d)*e^(((d*e - c*f)*g*n*log(F) - d*m*log(-f*g*n*log(F)/d))/d)*gamma(m + 1, -(d*f*g*n*x + c*f*g*n)*log(F)/d) + 9*(a*b^2*d*m + a*b^2*d)*e^((2*(d*e - c*f)*g*n*log(F) - d*m*log(-2*f*g*n*log(F)/d))/d)*gamma(m + 1, -2*(d*f*g*n*x + c*f*g*n)*log(F)/d) + 2*(b^3*d*m + b^3*d)*e^((3*(d*e - c*f)*g*n*log(F) - d*m*log(-3*f*g*n*log(F)/d))/d)*gamma(m + 1, -3*(d*f*

$$\frac{g^n x + c f g^n \log(F)/d + 6(a^3 d f g^n x + a^3 c f g^n)(d x + c)^m \log(F)}{(d f g^m + d f g) n \log(F)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3*(d*x+c)**m,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(\left(F^{(f x + e) g} \right)^n b + a \right)^3 (d x + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^m,x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^3*(d*x + c)^m, x)

$$3.71 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 (c + dx)^m dx$$

Optimal. Leaf size=228

$$\frac{2ab(c + dx)^m \left(F^{eg+fgx} \right)^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \left(-\frac{fgn \log(F)(c+dx)}{d} \right)^{-m} \text{Gamma}\left(m + 1, -\frac{fgn \log(F)(c+dx)}{d}\right)}{fgn \log(F)} + \frac{b^2 2^{-m-1} (c + dx)^m \left(F^{eg} \right)^n}{fgn \log(F)}$$

[Out] (a^2*(c + d*x)^(1 + m))/(d*(1 + m)) + (2^(-1 - m)*b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^m*Gamma[1 + m, (-2*f*g*n*(c + d*x)*Log[F])/d]/(f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m + (2*a*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*(c + d*x)^m*Gamma[1 + m, -(f*g*n*(c + d*x)*Log[F])/d])/((f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m)

Rubi [A] time = 0.278044, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {2183, 2182, 2181}

$$\frac{2ab(c + dx)^m \left(F^{eg+fgx} \right)^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \left(-\frac{fgn \log(F)(c+dx)}{d} \right)^{-m} \text{Gamma}\left(m + 1, -\frac{fgn \log(F)(c+dx)}{d}\right)}{fgn \log(F)} + \frac{b^2 2^{-m-1} (c + dx)^m \left(F^{eg} \right)^n}{fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x)^m,x]

[Out] (a^2*(c + d*x)^(1 + m))/(d*(1 + m)) + (2^(-1 - m)*b^2*F^(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^m*Gamma[1 + m, (-2*f*g*n*(c + d*x)*Log[F])/d]/(f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m + (2*a*b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*(c + d*x)^m*Gamma[1 + m, -(f*g*n*(c + d*x)*Log[F])/d])/((f*g*n*Log[F]*(-(f*g*n*(c + d*x)*Log[F])/d))^m)

Rule 2183

Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2182

Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x)]]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 (c + dx)^m dx &= \int \left(a^2 (c + dx)^m + 2ab \left(F^{eg+fgx} \right)^n (c + dx)^m + b^2 \left(F^{eg+fgx} \right)^{2n} (c + dx)^m \right) dx \\
 &= \frac{a^2 (c + dx)^{1+m}}{d(1+m)} + (2ab) \int \left(F^{eg+fgx} \right)^n (c + dx)^m dx + b^2 \int \left(F^{eg+fgx} \right)^{2n} (c + dx)^m dx \\
 &= \frac{a^2 (c + dx)^{1+m}}{d(1+m)} + \left(2ab F^{-n(eg+fgx)} \left(F^{eg+fgx} \right)^n \right) \int F^{n(eg+fgx)} (c + dx)^m dx + \left(b^2 F^{-2n(eg+fgx)} \left(F^{eg+fgx} \right)^{2n} \right) \int (c + dx)^m dx \\
 &= \frac{a^2 (c + dx)^{1+m}}{d(1+m)} + \frac{2^{-1-m} b^2 F^{2\left(\frac{e-cf}{d}\right)gn-2gn(e+fx)} \left(F^{eg+fgx} \right)^{2n} (c + dx)^m \Gamma\left(1+m, -\frac{2fgm}{d}\right)}{fgn \log(F)}
 \end{aligned}$$

Mathematica [F] time = 0.208266, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^2 (c + dx)^m dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^2*(c + d*x)^m,x]

[Out] Integrate[(a + b*(F^(g*(e + f*x))))^n]^2*(c + d*x)^m, x]

Maple [F] time = 0.039, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^2 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^m,x)`

[Out] `int((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^m,x)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^m,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 1.59121, size = 463, normalized size = 2.03

$$4(abdm + abd)e^{\left(\frac{(de-cf)gn \log(F) - dm \log\left(-\frac{fgn \log(F)}{d}\right)}{d}\right)} \Gamma\left(m + 1, -\frac{(dfgnx + cfgn) \log(F)}{d}\right) + (b^2dm + b^2d)e^{\left(\frac{2(de-cf)gn \log(F) - dm \log\left(-\frac{2fgn \log(F)}{d}\right)}{d}\right)}$$

$$2(dfgm + dfg)n \log(F)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^m,x, algorithm="fricas")`

[Out] $\frac{1}{2} * (4 * (a * b * d * m + a * b * d) * e^{((d * e - c * f) * g * n * \log(F) - d * m * \log(-f * g * n * \log(F) / d)) / d} * \text{gamma}(m + 1, -(d * f * g * n * x + c * f * g * n) * \log(F) / d) + (b^2 * d * m + b^2 * d) * e^{((2 * (d * e - c * f) * g * n * \log(F) - d * m * \log(-2 * f * g * n * \log(F) / d)) / d) * \text{gamma}(m + 1, -2 * (d * f * g * n * x + c * f * g * n) * \log(F) / d) + 2 * (a^2 * d * f * g * n * x + a^2 * c * f * g * n) * (d * x + c)^m * \log(F)) / ((d * f * g * m + d * f * g) * n * \log(F))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e))))**n)**2*(d*x+c)**m,x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(\left(F^{(f x + e)g} \right)^n b + a \right)^2 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^m,x, algorithm="giac")`

[Out] `integrate(((F^((f*x + e)*g))^n*b + a)^2*(d*x + c)^m, x)`

$$3.72 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^m dx$$

Optimal. Leaf size=116

$$\frac{b(c + dx)^m \left(F^{eg+fgx} \right)^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \left(-\frac{fgn \log(F)(c+dx)}{d} \right)^{-m} \text{Gamma} \left(m + 1, -\frac{fgn \log(F)(c+dx)}{d} \right)}{fgn \log(F)} + \frac{a(c + dx)^{m+1}}{d(m + 1)}$$

[Out] (a*(c + d*x)^(1 + m))/(d*(1 + m)) + (b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*(c + d*x)^m*Gamma[1 + m, -((f*g*n*(c + d*x)*Log[F])/d)])/((f*g*n*Log[F]*(-((f*g*n*(c + d*x)*Log[F])/d))^m)

Rubi [A] time = 0.134753, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {2183, 2182, 2181}

$$\frac{b(c + dx)^m \left(F^{eg+fgx} \right)^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \left(-\frac{fgn \log(F)(c+dx)}{d} \right)^{-m} \text{Gamma} \left(m + 1, -\frac{fgn \log(F)(c+dx)}{d} \right)}{fgn \log(F)} + \frac{a(c + dx)^{m+1}}{d(m + 1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)*(c + d*x)^m,x]

[Out] (a*(c + d*x)^(1 + m))/(d*(1 + m)) + (b*F^((e - (c*f)/d)*g*n - g*n*(e + f*x))*(F^(e*g + f*g*x))^n*(c + d*x)^m*Gamma[1 + m, -((f*g*n*(c + d*x)*Log[F])/d)])/((f*g*n*Log[F]*(-((f*g*n*(c + d*x)*Log[F])/d))^m)

Rule 2183

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2182

Int[((b_)*(F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

Rule 2181

```
Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^m dx &= \int \left(a(c + dx)^m + b \left(F^{eg+fgx} \right)^n (c + dx)^m \right) dx \\
&= \frac{a(c + dx)^{1+m}}{d(1 + m)} + b \int \left(F^{eg+fgx} \right)^n (c + dx)^m dx \\
&= \frac{a(c + dx)^{1+m}}{d(1 + m)} + \left(b F^{-n(eg+fgx)} \left(F^{eg+fgx} \right)^n \right) \int F^{n(eg+fgx)} (c + dx)^m dx \\
&= \frac{a(c + dx)^{1+m}}{d(1 + m)} + \frac{b F^{\left(\frac{e-f}{d} \right) gn - gn(e+fx)} \left(F^{eg+fgx} \right)^n (c + dx)^m \Gamma \left(1 + m, -\frac{fgn(c+dx) \log(F)}{d} \right)}{fgn \log(F)}
\end{aligned}$$

Mathematica [F] time = 0.119028, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right) (c + dx)^m dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]*(c + d*x)^m, x]

[Out] Integrate[(a + b*(F^(g*(e + f*x))))^n]*(c + d*x)^m, x]

Maple [F] time = 0.039, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right) (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^m, x)

[Out] $\text{int}((a+b*(F^{(g*(f*x+e))})^n)*(d*x+c)^m, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*(F^{(g*(f*x+e))})^n)*(d*x+c)^m, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 1.55604, size = 266, normalized size = 2.29

$$\frac{(b d m + b d) e^{\left(\frac{(d e - c f) g n \log(F) - d m \log\left(-\frac{f g n \log(F)}{d}\right)}{d} \right)} \Gamma\left(m + 1, -\frac{(d f g n x + c f g n) \log(F)}{d}\right) + (a d f g n x + a c f g n) (d x + c)^m \log(F)}{(d f g m + d f g) n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*(F^{(g*(f*x+e))})^n)*(d*x+c)^m, x, \text{algorithm}="fricas")$

[Out] $((b*d*m + b*d)*e^{(((d*e - c*f)*g*n*\log(F) - d*m*\log(-f*g*n*\log(F)/d))/d)*\text{gamma}(m + 1, -(d*f*g*n*x + c*f*g*n)*\log(F)/d) + (a*d*f*g*n*x + a*c*f*g*n)*(d*x + c)^m*\log(F))/((d*f*g*m + d*f*g)*n*\log(F))$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*(F^{(g*(f*x+e))})^n)*(d*x+c)^m, x)$

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(\left(F^{(f^{x+e})g} \right)^n b + a \right) (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e)))^n)*(d*x+c)^m,x, algorithm="giac")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)*(d*x + c)^m, x)

$$3.73 \quad \int \frac{(c+dx)^m}{a+b(F^g(e+fx))^n} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{(c+dx)^m}{a+b(F^{eg+fgx})^n}, x\right)$$

[Out] Unintegrable[(c + d*x)^m/(a + b*(F^(e*g + f*g*x))^n), x]

Rubi [A] time = 0.122539, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(c+dx)^m}{a+b(F^g(e+fx))^n} dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m/(a + b*(F^(g*(e + f*x))))^n], x]

[Out] Defer[Int] [(c + d*x)^m/(a + b*(F^(e*g + f*g*x))^n), x]

Rubi steps

$$\int \frac{(c+dx)^m}{a+b(F^g(e+fx))^n} dx = \int \frac{(c+dx)^m}{a+b(F^{eg+fgx})^n} dx$$

Mathematica [A] time = 0.102741, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^m}{a+b(F^g(e+fx))^n} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m/(a + b*(F^(g*(e + f*x))))^n], x]

[Out] Integrate[(c + d*x)^m/(a + b*(F^(g*(e + f*x))))^n, x]

Maple [A] time = 0.071, size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{a + b \left(F^{g(fx+e)} \right)^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n, x)

[Out] int((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{\left(F^{(fx+e)g} \right)^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n, x, algorithm="maxima")

[Out] integrate((d*x + c)^m/((F^((f*x + e)*g))^n*b + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(dx + c)^m}{\left(F^{fgx+eg} \right)^n b + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n, x, algorithm="fricas")

[Out] integral((d*x + c)^m/((F^(f*g*x + e*g))^n*b + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m/(a+b*(F**(g*(f*x+e))))**n),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{\left(F^{(f^{x+e})g}\right)^n b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="giac")

[Out] integrate((d*x + c)^m/((F^((f*x + e)*g))^n*b + a), x)

$$3.74 \quad \int \frac{(c+dx)^m}{\left(a+b(F^g(e+fx))^n\right)^2} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{(c+dx)^m}{\left(a+b(F^{eg+fgx})^n\right)^2}, x\right)$$

[Out] Unintegrable[(c + d*x)^m/(a + b*(F^(e*g + f*g*x))^n)^2, x]

Rubi [A] time = 0.119591, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(c+dx)^m}{\left(a+b(F^g(e+fx))^n\right)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m/(a + b*(F^(g*(e + f*x))))^n]^2, x]

[Out] Defer[Int][(c + d*x)^m/(a + b*(F^(e*g + f*g*x))^n)^2, x]

Rubi steps

$$\int \frac{(c+dx)^m}{\left(a+b(F^g(e+fx))^n\right)^2} dx = \int \frac{(c+dx)^m}{\left(a+b(F^{eg+fgx})^n\right)^2} dx$$

Mathematica [A] time = 0.129046, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^m}{\left(a+b(F^g(e+fx))^n\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m/(a + b*(F^(g*(e + f*x)))^n)^2,x]

[Out] Integrate[(c + d*x)^m/(a + b*(F^(g*(e + f*x)))^n)^2, x]

Maple [A] time = 0.454, size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{\left(a + b \left(F^{g(fx+e)}\right)^n\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m/(a+b*(F^(g*(f*x+e)))^n)^2,x)

[Out] int((d*x+c)^m/(a+b*(F^(g*(f*x+e)))^n)^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{(dx + c)^m}{(F^{fgx})^n (F^{eg})^n abfgn \log(F) + a^2fgn \log(F)} + \int \frac{(dfgnx \log(F) + cfn \log(F) - dm)(dx + c)^m}{a^2dfgnx \log(F) + a^2cfn \log(F) + ((F^{eg})^n abdfgnx \log(F) + (F^{eg})^n abc)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e)))^n)^2,x, algorithm="maxima")

[Out] (d*x + c)^m/((F^(f*g*x))^n*(F^(e*g))^n*a*b*f*g*n*log(F) + a^2*f*g*n*log(F)) + integrate((d*f*g*n*x*log(F) + c*f*g*n*log(F) - d*m)*(d*x + c)^m/(a^2*d*f*g*n*x*log(F) + a^2*c*f*g*n*log(F) + ((F^(e*g))^n*a*b*d*f*g*n*x*log(F) + (F^(e*g))^n*a*b*c*f*g*n*log(F))*(F^(f*g*x))^n), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(dx + c)^m}{2(F^{fgx+eg})^n ab + (F^{fgx+eg})^{2n} b^2 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="fricas")
```

```
[Out] integral((d*x + c)^m/(2*(F^(f*g*x + e*g))^n*a*b + (F^(f*g*x + e*g))^(2*n)*b^2 + a^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**m/(a+b*(F**(g*(f*x+e))))**n)**2,x)
```

```
[Out] Timed out
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{\left(\left(F^{(fx+e)g} \right)^n b + a \right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^m/((F^((f*x + e)*g))^n*b + a)^2, x)
```

$$3.75 \quad \int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^p (c + dx)^m dx$$

Optimal. Leaf size=28

$$\text{Unintegrable} \left((c + dx)^m \left(a + b \left(F^{eg+fgx} \right)^n \right)^p, x \right)$$

[Out] Unintegrable[(a + b*(F^(e*g + f*g*x))^n)^p*(c + d*x)^m, x]

Rubi [A] time = 0.118741, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^p (c + dx)^m dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*(F^(g*(e + f*x)))^n)^p*(c + d*x)^m,x]

[Out] Defer[Int][(a + b*(F^(e*g + f*g*x))^n)^p*(c + d*x)^m, x]

Rubi steps

$$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^p (c + dx)^m dx = \int \left(a + b \left(F^{eg+fgx} \right)^n \right)^p (c + dx)^m dx$$

Mathematica [A] time = 0.264622, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(e+fx)} \right)^n \right)^p (c + dx)^m dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^p*(c + d*x)^m,x]

[Out] Integrate[(a + b*(F^(g*(e + f*x)))^n)^p*(c + d*x)^m, x]

Maple [A] time = 0.184, size = 0, normalized size = 0.

$$\int \left(a + b \left(F^{g(fx+e)} \right)^n \right)^p (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*(F^(g*(f*x+e))))^n)^p*(d*x+c)^m,x)

[Out] int((a+b*(F^(g*(f*x+e))))^n)^p*(d*x+c)^m,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \left(\left(F^{(fx+e)g} \right)^n b + a \right)^p (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^p*(d*x+c)^m,x, algorithm="maxima")

[Out] integrate(((F^((f*x + e)*g))^n*b + a)^p*(d*x + c)^m, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\left(\left(F^{fgx+eg} \right)^n b + a \right)^p (dx + c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*(F^(g*(f*x+e))))^n)^p*(d*x+c)^m,x, algorithm="fricas")

[Out] integral(((F^(f*g*x + e*g))^n*b + a)^p*(d*x + c)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e))))**n)**p*(d*x+c)**m,x)`

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \left(\left(F^{(f x + e) g} \right)^n b + a \right)^p (d x + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)^p*(d*x+c)^m,x, algorithm="giac")`

[Out] `integrate(((F^((f*x + e)*g))^n*b + a)^p*(d*x + c)^m, x)`

$$3.76 \quad \int \frac{F^{c+dx} x^3}{a+bF^{c+dx}} dx$$

Optimal. Leaf size=115

$$\frac{3x^2 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{PolyLog}\left(4, -\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)} + \frac{x^3 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

[Out] $(x^3 \text{Log}[1 + (bF^{c+dx})/a]) / (b*d*\text{Log}[F]) + (3*x^2*\text{PolyLog}[2, -((bF^{c+dx})/a)]) / (b*d^2*\text{Log}[F]^2) - (6*x*\text{PolyLog}[3, -((bF^{c+dx})/a)]) / (b*d^3*\text{Log}[F]^3) + (6*\text{PolyLog}[4, -((bF^{c+dx})/a)]) / (b*d^4*\text{Log}[F]^4)$

Rubi [A] time = 0.131818, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {2190, 2531, 6609, 2282, 6589}

$$\frac{3x^2 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{PolyLog}\left(4, -\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)} + \frac{x^3 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(F^{c+dx})x^3/(a+bF^{c+dx}), x]$

[Out] $(x^3 \text{Log}[1 + (bF^{c+dx})/a]) / (b*d*\text{Log}[F]) + (3*x^2*\text{PolyLog}[2, -((bF^{c+dx})/a)]) / (b*d^2*\text{Log}[F]^2) - (6*x*\text{PolyLog}[3, -((bF^{c+dx})/a)]) / (b*d^3*\text{Log}[F]^3) + (6*\text{PolyLog}[4, -((bF^{c+dx})/a)]) / (b*d^4*\text{Log}[F]^4)$

Rule 2190

$\text{Int}[(((F_)^{((g_)*(e_) + (f_)*(x_))})^{(n_)*((c_) + (d_)*(x_))^{(m_))}) / ((a_) + (b_)*((F_)^{((g_)*((e_) + (f_)*(x_))})^{(n_)}), x_Symbol] := \text{Simp} [((c + dx)^m \text{Log}[1 + (b(F^{g(e+fx)})^n)/a]) / (b*f*g*n*\text{Log}[F]), x] - \text{Dist} [(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + dx)^{(m-1)} \text{Log}[1 + (b(F^{g(e+fx)})^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_)*((F_)^{((c_)*((a_)*(x_)) + (b_)*(x_))})^{(n_)}] * ((f_) + (g_)*(x_))^{(m_)}, x_Symbol] := -\text{Simp} [((f + gx)^m \text{PolyLog}[2, -(e*(F^{c*(a+bx)})^n)]) / (b*c*n*\text{Log}[F]), x] + \text{Dist} [(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + gx)^{(m-1)} \text{PolyLog}[2, -(e*(F^{c*(a+bx)})^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f$

, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{F^{c+dx} x^3}{a + bF^{c+dx}} dx &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{3 \int x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{bd \log(F)} \\
 &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6 \int x \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right) dx}{bd^2 \log^2(F)} \\
 &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \int \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right) dx}{bd^3 \log^3(F)} \\
 &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{Subst}\left(\int \frac{\text{Li}_3\left(-\frac{bx}{a}\right)}{x} dx, x, F^{c+dx}\right)}{bd^4 \log^4(F)} \\
 &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{Li}_4\left(-\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)}
 \end{aligned}$$

Mathematica [A] time = 0.0122258, size = 115, normalized size = 1.

$$\frac{3x^2 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{PolyLog}\left(4, -\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)} + \frac{x^3 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d*x)*x^3)/(a + b*F^(c + d*x)), x]

[Out] (x^3*Log[1 + (b*F^(c + d*x))/a])/(b*d*Log[F]) + (3*x^2*PolyLog[2, -((b*F^(c + d*x))/a)])/(b*d^2*Log[F]^2) - (6*x*PolyLog[3, -((b*F^(c + d*x))/a)])/(b*d^3*Log[F]^3) + (6*PolyLog[4, -((b*F^(c + d*x))/a)])/(b*d^4*Log[F]^4)

Maple [A] time = 0.053, size = 225, normalized size = 2.

$$-\frac{c^3 x}{bd^3} - \frac{3c^4}{4bd^4} + \frac{x^3}{bd \ln(F)} \ln\left(1 + \frac{bF^{dx}F^c}{a}\right) + \frac{c^3}{b \ln(F)d^4} \ln\left(1 + \frac{bF^{dx}F^c}{a}\right) + 3 \frac{x^2}{b(\ln(F))^2 d^2} \text{polylog}\left(2, -\frac{bF^{dx}F^c}{a}\right) - 6 \frac{x}{b \ln(F)d^3} \text{polylog}\left(3, -\frac{bF^{dx}F^c}{a}\right) + 6 \frac{x^2}{b \ln(F)d^4} \text{polylog}\left(4, -\frac{bF^{dx}F^c}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)*x^3/(a+b*F^(d*x+c)), x)

[Out] -1/b/d^3*c^3*x-3/4/b/d^4*c^4+1/b/ln(F)/d*ln(1+b*F^(d*x)*F^c/a)*x^3+1/b/ln(F)/d^4*ln(1+b*F^(d*x)*F^c/a)*c^3+3/b/ln(F)^2/d^2*polylog(2, -b*F^(d*x)*F^c/a)*x^2-6/b/ln(F)^3/d^3*polylog(3, -b*F^(d*x)*F^c/a)*x+6/b/ln(F)^4/d^4*polylog(4, -b*F^(d*x)*F^c/a)-1/b/ln(F)/d^4*c^3*ln(a+b*F^(d*x)*F^c)+1/b/ln(F)/d^4*c^3*ln(F^(d*x)*F^c)

Maxima [A] time = 1.12446, size = 180, normalized size = 1.57

$$\frac{x^4}{4b} - \frac{\log(F^{dx})^4}{4bd^4 \log(F)^4} + \frac{\log\left(\frac{F^{dx}F^c}{a} + 1\right) \log(F^{dx})^3 + 3 \text{Li}_2\left(-\frac{F^{dx}F^c}{a}\right) \log(F^{dx})^2 - 6 \log(F^{dx}) \text{Li}_3\left(-\frac{F^{dx}F^c}{a}\right) + 6 \text{Li}_4\left(-\frac{F^{dx}F^c}{a}\right)}{bd^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c)), x, algorithm="maxima")

[Out] $\frac{1}{4}x^4/b - \frac{1}{4}\log(F^{(d*x)})^4/(b*d^4*\log(F)^4) + (\log(F^{(d*x)}*F^{c*b/a} + 1) * \log(F^{(d*x)})^3 + 3*\operatorname{dilog}(-F^{(d*x)}*F^{c*b/a})*\log(F^{(d*x)})^2 - 6*\log(F^{(d*x)}) * \operatorname{polylog}(3, -F^{(d*x)}*F^{c*b/a}) + 6*\operatorname{polylog}(4, -F^{(d*x)}*F^{c*b/a}))/ (b*d^4*\log(F)^4)$

Fricas [C] time = 1.54776, size = 327, normalized size = 2.84

$$\frac{3d^2x^2\operatorname{Li}_2\left(-\frac{F^{dx+cb+a}}{a} + 1\right)\log(F)^2 - c^3\log(F^{dx+c}b+a)\log(F)^3 + (d^3x^3 + c^3)\log(F)^3\log\left(\frac{F^{dx+cb+a}}{a}\right) - 6dx\log(F)\operatorname{polylog}(3, -F^{(d*x)}*F^{c*b/a}) + 6*\operatorname{polylog}(4, -F^{(d*x)}*F^{c*b/a})}{bd^4\log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c)),x, algorithm="fricas")`

[Out] $(3*d^2*x^2*\operatorname{dilog}(-(F^{(d*x+c)}*b+a)/a + 1)*\log(F)^2 - c^3*\log(F^{(d*x+c)} * b+a)*\log(F)^3 + (d^3*x^3 + c^3)*\log(F)^3*\log((F^{(d*x+c)}*b+a)/a) - 6 * d*x*\log(F)*\operatorname{polylog}(3, -F^{(d*x+c)}*b/a) + 6*\operatorname{polylog}(4, -F^{(d*x+c)}*b/a))/ (b*d^4*\log(F)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}x^3}{F^cF^{dx}b+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)*x**3/(a+b*F**(d*x+c)),x)`

[Out] `Integral(F**(c + d*x)*x**3/(F**c*F**(d*x)*b + a), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}x^3}{F^{dx+c}b+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate(F^(d*x + c)*x^3/(F^(d*x + c)*b + a), x)
```

$$3.77 \quad \int \frac{F^{c+dx} x^2}{a+bF^{c+dx}} dx$$

Optimal. Leaf size=85

$$\frac{2x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

[Out] (x^2*Log[1 + (b*F^(c + d*x))/a])/(b*d*Log[F]) + (2*x*PolyLog[2, -((b*F^(c + d*x))/a)])/(b*d^2*Log[F]^2) - (2*PolyLog[3, -((b*F^(c + d*x))/a)])/(b*d^3*Log[F]^3)

Rubi [A] time = 0.109308, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {2190, 2531, 2282, 6589}

$$\frac{2x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d*x)*x^2)/(a + b*F^(c + d*x)), x]

[Out] (x^2*Log[1 + (b*F^(c + d*x))/a])/(b*d*Log[F]) + (2*x*PolyLog[2, -((b*F^(c + d*x))/a)])/(b*d^2*Log[F]^2) - (2*PolyLog[3, -((b*F^(c + d*x))/a)])/(b*d^3*Log[F]^3)

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f}

, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx} x^2}{a + bF^{c+dx}} dx &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{2 \int x \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{bd \log(F)} \\ &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \int \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right) dx}{bd^2 \log^2(F)} \\ &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2\left(-\frac{bx}{a}\right)}{x} dx, x, F^{c+dx}\right)}{bd^3 \log^3(F)} \\ &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \operatorname{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} \end{aligned}$$

Mathematica [A] time = 0.0089126, size = 85, normalized size = 1.

$$\frac{2x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d*x)*x^2)/(a + b*F^(c + d*x)), x]

[Out] $(x^2 \cdot \text{Log}[1 + (b \cdot F^{(c + d \cdot x)})/a]) / (b \cdot d \cdot \text{Log}[F]) + (2 \cdot x \cdot \text{PolyLog}[2, -((b \cdot F^{(c + d \cdot x)})/a)]) / (b \cdot d^2 \cdot \text{Log}[F]^2) - (2 \cdot \text{PolyLog}[3, -((b \cdot F^{(c + d \cdot x)})/a)]) / (b \cdot d^3 \cdot \text{Log}[F]^3)$

Maple [B] time = 0.047, size = 194, normalized size = 2.3

$$\frac{c^2 x}{bd^2} + \frac{2c^3}{3bd^3} + \frac{x^2}{bd \ln(F)} \ln\left(1 + \frac{bF^{dx} F^c}{a}\right) - \frac{c^2}{b \ln(F) d^3} \ln\left(1 + \frac{bF^{dx} F^c}{a}\right) + 2 \frac{x}{b (\ln(F))^2 d^2} \text{polylog}\left(2, -\frac{bF^{dx} F^c}{a}\right) - 2 \frac{1}{b (\ln(F))^3 d^3} \text{polylog}\left(3, -\frac{bF^{dx} F^c}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(F^{(d \cdot x + c)} \cdot x^2 / (a + b \cdot F^{(d \cdot x + c)}), x)$

[Out] $1/b/d^2 \cdot c^2 \cdot x + 2/3/b/d^3 \cdot c^3 + 1/b/\ln(F)/d \cdot \ln(1 + b \cdot F^{(d \cdot x)} \cdot F^c/a) \cdot x^2 - 1/b/\ln(F)/d^3 \cdot \ln(1 + b \cdot F^{(d \cdot x)} \cdot F^c/a) \cdot c^2 + 2/b/\ln(F)^2/d^2 \cdot \text{polylog}(2, -b \cdot F^{(d \cdot x)} \cdot F^c/a) \cdot x - 2/b/\ln(F)^3/d^3 \cdot \text{polylog}(3, -b \cdot F^{(d \cdot x)} \cdot F^c/a) + 1/b/\ln(F)/d^3 \cdot c^2 \cdot \ln(a + b \cdot F^{(d \cdot x)} \cdot F^c) - 1/b/\ln(F)/d^3 \cdot c^2 \cdot \ln(F^{(d \cdot x)} \cdot F^c)$

Maxima [A] time = 1.11639, size = 144, normalized size = 1.69

$$\frac{x^3}{3b} - \frac{\log(F^{dx})^3}{3bd^3 \log(F)^3} + \frac{\log\left(\frac{F^{dx} F^c b}{a} + 1\right) \log(F^{dx})^2 + 2 \text{Li}_2\left(-\frac{F^{dx} F^c b}{a}\right) \log(F^{dx}) - 2 \text{Li}_3\left(-\frac{F^{dx} F^c b}{a}\right)}{bd^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(F^{(d \cdot x + c)} \cdot x^2 / (a + b \cdot F^{(d \cdot x + c)}), x, \text{algorithm} = \text{"maxima"})$

[Out] $1/3 \cdot x^3/b - 1/3 \cdot \log(F^{(d \cdot x)})^3 / (b \cdot d^3 \cdot \log(F)^3) + (\log(F^{(d \cdot x)} \cdot F^c \cdot b/a) + 1) \cdot \log(F^{(d \cdot x)})^2 + 2 \cdot \text{dilog}(-F^{(d \cdot x)} \cdot F^c \cdot b/a) \cdot \log(F^{(d \cdot x)}) - 2 \cdot \text{polylog}(3, -F^{(d \cdot x)} \cdot F^c \cdot b/a) / (b \cdot d^3 \cdot \log(F)^3)$

Fricas [C] time = 1.53408, size = 259, normalized size = 3.05

$$\frac{c^2 \log(F^{dx+c} b + a) \log(F)^2 + 2 dx \text{Li}_2\left(-\frac{F^{dx+c} b + a}{a} + 1\right) \log(F) + (d^2 x^2 - c^2) \log(F)^2 \log\left(\frac{F^{dx+c} b + a}{a}\right) - 2 \text{polylog}\left(3, -\frac{F^{dx+c} b}{a}\right)}{bd^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c)),x, algorithm="fricas")

[Out] (c^2*log(F^(d*x + c)*b + a)*log(F)^2 + 2*d*x*dilog(-(F^(d*x + c)*b + a)/a + 1)*log(F) + (d^2*x^2 - c^2)*log(F)^2*log((F^(d*x + c)*b + a)/a) - 2*polylog(3, -F^(d*x + c)*b/a))/(b*d^3*log(F)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{c+dx} x^2}{F^c F^{dx} b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)*x**2/(a+b*F**(d*x+c)),x)

[Out] Integral(F**(c + d*x)*x**2/(F**c*F**(d*x)*b + a), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c} x^2}{F^{dx+c} b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c)),x, algorithm="giac")

[Out] integrate(F^(d*x + c)*x^2/(F^(d*x + c)*b + a), x)

$$3.78 \quad \int \frac{F^{c+dx} x}{a+bF^{c+dx}} dx$$

Optimal. Leaf size=54

$$\frac{\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} + \frac{x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

[Out] (x*Log[1 + (b*F^(c + d*x))/a])/(b*d*Log[F]) + PolyLog[2, -((b*F^(c + d*x))/a)]/(b*d^2*Log[F]^2)

Rubi [A] time = 0.0642339, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {2190, 2279, 2391}

$$\frac{\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} + \frac{x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d*x)*x)/(a + b*F^(c + d*x)),x]

[Out] (x*Log[1 + (b*F^(c + d*x))/a])/(b*d*Log[F]) + PolyLog[2, -((b*F^(c + d*x))/a)]/(b*d^2*Log[F]^2)

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx} x}{a + bF^{c+dx}} dx &= \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{\int \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{bd \log(F)} \\ &= \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, F^{c+dx}\right)}{bd^2 \log^2(F)} \\ &= \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{\text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} \end{aligned}$$

Mathematica [A] time = 0.0056287, size = 54, normalized size = 1.

$$\frac{\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} + \frac{x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(F^(c + d*x)*x)/(a + b*F^(c + d*x)), x]
```

```
[Out] (x*Log[1 + (b*F^(c + d*x))/a])/(b*d*Log[F]) + PolyLog[2, -((b*F^(c + d*x))/a)]/(b*d^2*Log[F]^2)
```

Maple [B] time = 0.044, size = 154, normalized size = 2.9

$$-\frac{cx}{bd} - \frac{c^2}{2bd^2} + \frac{x}{bd \ln(F)} \ln\left(1 + \frac{bF^{dx}F^c}{a}\right) + \frac{c}{b \ln(F) d^2} \ln\left(1 + \frac{bF^{dx}F^c}{a}\right) + \frac{1}{b (\ln(F))^2 d^2} \text{polylog}\left(2, -\frac{bF^{dx}F^c}{a}\right) + \frac{c \ln(F^{dx})}{b \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(F^(d*x+c)*x/(a+b*F^(d*x+c)), x)
```

```
[Out] -1/b/d*c*x-1/2*c^2/b/d^2+1/b/ln(F)/d*ln(1+b*F^(d*x)*F^c/a)*x+1/b/ln(F)/d^2*ln(1+b*F^(d*x)*F^c/a)*c+1/b/ln(F)^2/d^2*polylog(2,-b*F^(d*x)*F^c/a)+1/b/ln(F)
```

$F)/d^2*c*\ln(F^(d*x)*F^c)-1/b/\ln(F)/d^2*c*\ln(a+b*F^(d*x)*F^c)$

Maxima [A] time = 1.13147, size = 107, normalized size = 1.98

$$\frac{x^2}{2b} - \frac{\log(F^{dx})^2}{2bd^2 \log(F)^2} + \frac{\log\left(\frac{F^{dx}F^c b}{a} + 1\right) \log(F^{dx}) + \text{Li}_2\left(-\frac{F^{dx}F^c b}{a}\right)}{bd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x/(a+b*F^(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2}x^2/b - \frac{1}{2}\log(F^{(d*x)})^2/(b*d^2*\log(F)^2) + (\log(F^{(d*x)})*F^c*b/a + 1) * \log(F^{(d*x)}) + \text{dilog}(-F^{(d*x)}*F^c*b/a)/(b*d^2*\log(F)^2)$

Fricas [A] time = 1.54216, size = 182, normalized size = 3.37

$$\frac{c \log(F^{dx+c}b+a) \log(F) - (dx+c) \log(F) \log\left(\frac{F^{dx+c}b+a}{a}\right) - \text{Li}_2\left(-\frac{F^{dx+c}b+a}{a} + 1\right)}{bd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x/(a+b*F^(d*x+c)),x, algorithm="fricas")

[Out] $-(c*\log(F^{(d*x+c)}*b+a)*\log(F) - (d*x+c)*\log(F)*\log((F^{(d*x+c)}*b+a)/a) - \text{dilog}(-(F^{(d*x+c)}*b+a)/a+1))/(b*d^2*\log(F)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}x}{F^c F^{dx}b+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)*x/(a+b*F**(d*x+c)),x)

[Out] `Integral(F**(c + d*x)*x/(F**c*F**(d*x)*b + a), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c} x}{F^{dx+c} b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x/(a+b*F^(d*x+c)),x, algorithm="giac")`

[Out] `integrate(F^(d*x + c)*x/(F^(d*x + c)*b + a), x)`

$$3.79 \quad \int \frac{F^{c+dx}}{a+bF^{c+dx}} dx$$

Optimal. Leaf size=23

$$\frac{\log(a + bF^{c+dx})}{bd \log(F)}$$

[Out] Log[a + bF^(c + d*x)]/(b*d*Log[F])

Rubi [A] time = 0.036539, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2246, 31}

$$\frac{\log(a + bF^{c+dx})}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] Int[F^(c + d*x)/(a + bF^(c + d*x)),x]

[Out] Log[a + bF^(c + d*x)]/(b*d*Log[F])

Rule 2246

```
Int[((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)*((a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.))^(p_.), x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[(a + b*x)^p, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n, p}, x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\int \frac{F^{c+dx}}{a + bF^{c+dx}} dx = \frac{\text{Subst}\left(\int \frac{1}{a+bx} dx, x, F^{c+dx}\right)}{d \log(F)}$$

$$= \frac{\log(a + bF^{c+dx})}{bd \log(F)}$$

Mathematica [A] time = 0.0071278, size = 23, normalized size = 1.

$$\frac{\log(a + bF^{c+dx})}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[F^(c + d*x)/(a + b*F^(c + d*x)), x]

[Out] Log[a + b*F^(c + d*x)]/(b*d*Log[F])

Maple [A] time = 0.003, size = 24, normalized size = 1.

$$\frac{\ln(a + bF^{dx+c})}{bd \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c)), x)

[Out] ln(a+b*F^(d*x+c))/b/d/ln(F)

Maxima [A] time = 1.05933, size = 31, normalized size = 1.35

$$\frac{\log(F^{dx+c}b + a)}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c)), x, algorithm="maxima")

[Out] $\log(F^{(d*x + c)*b + a})/(b*d*\log(F))$

Fricas [A] time = 1.5073, size = 50, normalized size = 2.17

$$\frac{\log(F^{dx+c}b + a)}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c)),x, algorithm="fricas")`

[Out] $\log(F^{(d*x + c)*b + a})/(b*d*\log(F))$

Sympy [A] time = 0.133404, size = 17, normalized size = 0.74

$$\frac{\log(F^{c+dx} + \frac{a}{b})}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)/(a+b*F**(d*x+c)),x)`

[Out] $\log(F^{(c + d*x) + a/b})/(b*d*\log(F))$

Giac [A] time = 1.28795, size = 32, normalized size = 1.39

$$\frac{\log(|F^{dx+c}b + a|)}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c)),x, algorithm="giac")`

[Out] $\log(\text{abs}(F^{(d*x + c)*b + a}))/ (b*d*\log(F))$

$$3.80 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Optimal. Leaf size=26

$$\text{Unintegrable}\left(\frac{F^{c+dx}}{x(a+bF^{c+dx})}, x\right)$$

[Out] Unintegrable[F^(c + d*x)/((a + b*F^(c + d*x))*x), x]

Rubi [A] time = 0.0699827, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Verification is Not applicable to the result.

[In] Int[F^(c + d*x)/((a + b*F^(c + d*x))*x), x]

[Out] Defer[Int] [F^(c + d*x)/((a + b*F^(c + d*x))*x), x]

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx = \int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Mathematica [A] time = 0.0847248, size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Verification is Not applicable to the result.

[In] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))*x), x]

[Out] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))*x), x]

Maple [A] time = 0.05, size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(a + bF^{dx+c})x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))/x,x)

[Out] int(F^(d*x+c)/(a+b*F^(d*x+c))/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-a \int \frac{1}{F^{dx} F^c b^2 x + abx} dx + \frac{\log(x)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x,x, algorithm="maxima")

[Out] -a*integrate(1/(F^(d*x)*F^c*b^2*x + a*b*x), x) + log(x)/b

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{F^{dx+c}}{F^{dx+c}bx + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x,x, algorithm="fricas")

[Out] integral(F^(d*x + c)/(F^(d*x + c)*b*x + a*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{x(F^c F^{dx} b + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)/(a+b*F**(d*x+c))/x,x)

[Out] Integral(F**(c + d*x)/(x*(F**c*F**(d*x)*b + a)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(F^{dx+c} b + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x,x, algorithm="giac")

[Out] integrate(F^(d*x + c)/((F^(d*x + c)*b + a)*x), x)

$$3.81 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Optimal. Leaf size=26

$$\text{Unintegrable}\left(\frac{F^{c+dx}}{x^2(a+bF^{c+dx})}, x\right)$$

[Out] Unintegrable[F^(c + d*x)/((a + b*F^(c + d*x))*x^2), x]

Rubi [A] time = 0.068707, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Verification is Not applicable to the result.

[In] Int[F^(c + d*x)/((a + b*F^(c + d*x))*x^2), x]

[Out] Defer[Int] [F^(c + d*x)/((a + b*F^(c + d*x))*x^2), x]

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx = \int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Mathematica [A] time = 0.0652609, size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))*x^2), x]

[Out] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))*x^2), x]

Maple [A] time = 0.05, size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(a + bF^{dx+c})x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x)

[Out] int(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-a \int \frac{1}{F^{dx} F^c b^2 x^2 + a b x^2} dx - \frac{1}{b x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x, algorithm="maxima")

[Out] -a*integrate(1/(F^(d*x)*F^c*b^2*x^2 + a*b*x^2), x) - 1/(b*x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{F^{dx+c}}{F^{dx+c}bx^2 + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x, algorithm="fricas")

[Out] integral(F^(d*x + c)/(F^(d*x + c)*b*x^2 + a*x^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{x^2 (F^c F^{dx} b + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)/(a+b*F**(d*x+c))/x**2,x)

[Out] Integral(F**(c + d*x)/(x**2*(F**c*F**(d*x)*b + a)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(F^{dx+c} b + a) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x, algorithm="giac")

[Out] integrate(F^(d*x + c)/((F^(d*x + c)*b + a)*x^2), x)

$$3.82 \quad \int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=140

$$-\frac{6x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{abd^4 \log^4(F)} - \frac{3x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{abd^2 \log^2(F)} - \frac{x^3}{bd \log(F)(a + bF^{c+dx})} + \frac{x^3}{abd \log(F)}$$

[Out] $x^3/(a*b*d*\operatorname{Log}[F]) - x^3/(b*d*(a + b*F^{(c + d*x)})*\operatorname{Log}[F]) - (3*x^2*\operatorname{Log}[1 + (b*F^{(c + d*x)})/a])/(a*b*d^2*\operatorname{Log}[F]^2) - (6*x*\operatorname{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a*b*d^3*\operatorname{Log}[F]^3) + (6*\operatorname{PolyLog}[3, -((b*F^{(c + d*x)})/a)])/(a*b*d^4*\operatorname{Log}[F]^4)$

Rubi [A] time = 0.247519, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {2191, 2184, 2190, 2531, 2282, 6589}

$$-\frac{6x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{abd^4 \log^4(F)} - \frac{3x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{abd^2 \log^2(F)} - \frac{x^3}{bd \log(F)(a + bF^{c+dx})} + \frac{x^3}{abd \log(F)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(F^{(c + d*x)}*x^3)/(a + b*F^{(c + d*x)})^2, x]$

[Out] $x^3/(a*b*d*\operatorname{Log}[F]) - x^3/(b*d*(a + b*F^{(c + d*x)})*\operatorname{Log}[F]) - (3*x^2*\operatorname{Log}[1 + (b*F^{(c + d*x)})/a])/(a*b*d^2*\operatorname{Log}[F]^2) - (6*x*\operatorname{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a*b*d^3*\operatorname{Log}[F]^3) + (6*\operatorname{PolyLog}[3, -((b*F^{(c + d*x)})/a)])/(a*b*d^4*\operatorname{Log}[F]^4)$

Rule 2191

$\operatorname{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_.)}*((a_.) + (b_.)*(F_.)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*(a + b*(F^{(g*(e + f*x))})^n)^{(p + 1)}/(b*f*g*n*(p + 1)*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*(p + 1)*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m - 1)}*(a + b*(F^{(g*(e + f*x))})^n)^{(p + 1)}, x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, m, n, p\}, x] \&\& \operatorname{NeQ}[p, -1]$

Rule 2184

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x^3}{(a + bF^{c+dx})^2} dx &= -\frac{x^3}{bd(a + bF^{c+dx}) \log(F)} + \frac{3 \int \frac{x^2}{a+bF^{c+dx}} dx}{bd \log(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3 \int \frac{F^{c+dx} x^2}{a+bF^{c+dx}} dx}{ad \log(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} + \frac{6 \int x \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{abd^2 \log^2(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{6x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6 \int \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right) dx}{abd^3 \log^3(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{6x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6 \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{x} dx\right)}{abd^4 \log^4(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{6x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6 \operatorname{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{abd^4 \log^4(F)}
\end{aligned}$$

Mathematica [A] time = 0.157075, size = 137, normalized size = 0.98

$$\frac{3 \left(-\frac{2x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{ad^2 \log^2(F)} + \frac{2 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{ad^3 \log^3(F)} - \frac{x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{ad \log(F)} + \frac{x^3}{3a} \right)}{bd \log(F)} - \frac{x^3}{bd \log(F)(a + bF^{c+dx})}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d*x)*x^3)/(a + b*F^(c + d*x))^2,x]

[Out] $-\frac{x^3}{b*d*(a + b*F^{c + d*x})*\operatorname{Log}[F]} + \frac{3*(x^3/(3*a) - (x^2*\operatorname{Log}[1 + (b*F^{c + d*x})/a])/(a*d*\operatorname{Log}[F]) - (2*x*\operatorname{PolyLog}[2, -((b*F^{c + d*x})/a)])/(a*d^2*\operatorname{Log}[F]^2) + (2*\operatorname{PolyLog}[3, -((b*F^{c + d*x})/a)])/(a*d^3*\operatorname{Log}[F]^3))}{b*d*\operatorname{Log}[F]}$

Maple [A] time = 0.03, size = 274, normalized size = 2.

$$-\frac{x^3}{bd(a+bF^{dx+c})\ln(F)} + \frac{x^3}{\ln(F)abd} - 3\frac{c^2x}{bd^3\ln(F)a} - 2\frac{c^3}{bd^4\ln(F)a} - 3\frac{x^2}{bd^2(\ln(F))^2a} \ln\left(1 + \frac{bF^{dx}F^c}{a}\right) + 3\frac{c^2}{bd^4(\ln(F))^2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^2,x)

[Out] $-x^3/b/d/(a+b*F^{(d*x+c)})/\ln(F)+x^3/a/b/d/\ln(F)-3/b/d^3/\ln(F)/a*c^2*x-2/b/d^4/\ln(F)/a*c^3-3/b/d^2/\ln(F)^2/a*\ln(1+b*F^{(d*x)}*F^c/a)*x^2+3/b/d^4/\ln(F)^2/a*\ln(1+b*F^{(d*x)}*F^c/a)*c^2-6/b/d^3/\ln(F)^3/a*\text{polylog}(2,-b*F^{(d*x)}*F^c/a)*x+6/b/d^4/\ln(F)^4/a*\text{polylog}(3,-b*F^{(d*x)}*F^c/a)-3/b/d^4/\ln(F)^2*c^2/a*\ln(a+b*F^{(d*x)}*F^c)+3/b/d^4/\ln(F)^2*c^2/a*\ln(F^{(d*x)}*F^c)$

Maxima [A] time = 1.15233, size = 181, normalized size = 1.29

$$-\frac{x^3}{F^{dx}F^c b^2 d \log(F) + abd \log(F)} + \frac{\log(F^{dx})^3}{abd^4 \log(F)^4} - \frac{3\left(\log\left(\frac{F^{dx}F^c b}{a} + 1\right)\log(F^{dx})^2 + 2\text{Li}_2\left(-\frac{F^{dx}F^c b}{a}\right)\log(F^{dx}) - 2\text{Li}_3\left(-\frac{F^{dx}F^c b}{a}\right)\right)}{abd^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^2,x, algorithm="maxima")

[Out] $-x^3/(F^{(d*x)}*F^c*b^2*d*\log(F) + a*b*d*\log(F)) + \log(F^{(d*x)})^3/(a*b*d^4*\log(F)^4) - 3*(\log(F^{(d*x)}*F^c*b/a + 1)*\log(F^{(d*x)})^2 + 2*dilog(-F^{(d*x)}*F^c*b/a)*\log(F^{(d*x)}) - 2*\text{polylog}(3, -F^{(d*x)}*F^c*b/a))/(a*b*d^4*\log(F)^4)$

Fricas [C] time = 1.55304, size = 575, normalized size = 4.11

$$\frac{ac^3 \log(F)^3 + (bd^3x^3 + bc^3)F^{dx+c} \log(F)^3 - 6(F^{dx+c}bdx \log(F) + adx \log(F))\text{Li}_2\left(-\frac{F^{dx+c}b+a}{a} + 1\right) - 3(F^{dx+c}bc^2 \log(F)^2 + F^{dx+c}ab^2 \log(F))}{F^{dx+c}ab^2 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^2,x, algorithm="fricas")

[Out] $(a*c^3*\log(F)^3 + (b*d^3*x^3 + b*c^3)*F^(d*x + c)*\log(F)^3 - 6*(F^(d*x + c) * b*d*x*\log(F) + a*d*x*\log(F))*\operatorname{dilog}(-F^(d*x + c)*b + a)/a + 1) - 3*(F^(d*x + c)*b*c^2*\log(F)^2 + a*c^2*\log(F)^2)*\log(F^(d*x + c)*b + a) - 3*((b*d^2*x^2 - b*c^2)*F^(d*x + c)*\log(F)^2 + (a*d^2*x^2 - a*c^2)*\log(F)^2)*\log((F^(d*x + c)*b + a)/a) + 6*(F^(d*x + c)*b + a)*\operatorname{polylog}(3, -F^(d*x + c)*b/a)/(F^(d*x + c)*a*b^2*d^4*\log(F)^4 + a^2*b*d^4*\log(F)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\frac{x^3}{F^{c+dx}b^2d\log(F) + abd\log(F)} + \frac{3\int\frac{x^2}{a+be^{c\log(F)}e^{dx\log(F)}}dx}{bd\log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)*x**3/(a+b*F**(d*x+c))**2,x)`

[Out] $-x**3/(F**(c + d*x)*b**2*d*\log(F) + a*b*d*\log(F)) + 3*\operatorname{Integral}(x**2/(a + b*\exp(c*\log(F))*\exp(d*x*\log(F))), x)/(b*d*\log(F))$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int\frac{F^{dx+c}x^3}{(F^{dx+c}b+a)^2}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^2,x, algorithm="giac")`

[Out] `integrate(F^(d*x + c)*x^3/(F^(d*x + c)*b + a)^2, x)`

$$3.83 \quad \int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=107

$$-\frac{2\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} - \frac{2x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{abd^2 \log^2(F)} - \frac{x^2}{bd \log(F)(a + bF^{c+dx})} + \frac{x^2}{abd \log(F)}$$

[Out] $x^2/(a*b*d*\text{Log}[F]) - x^2/(b*d*(a + b*F^{(c + d*x)})*\text{Log}[F]) - (2*x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(a*b*d^2*\text{Log}[F]^2) - (2*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a*b*d^3*\text{Log}[F]^3)$

Rubi [A] time = 0.181147, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {2191, 2184, 2190, 2279, 2391}

$$-\frac{2\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} - \frac{2x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{abd^2 \log^2(F)} - \frac{x^2}{bd \log(F)(a + bF^{c+dx})} + \frac{x^2}{abd \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d*x)*x^2)/(a + b*F^(c + d*x))^2, x]

[Out] $x^2/(a*b*d*\text{Log}[F]) - x^2/(b*d*(a + b*F^{(c + d*x)})*\text{Log}[F]) - (2*x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(a*b*d^2*\text{Log}[F]^2) - (2*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a*b*d^3*\text{Log}[F]^3)$

Rule 2191

Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2184

Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[

$b/a, \text{Int}[\frac{(c + dx)^m (F^{g(e+fx)})^n}{(a + b(F^{g(e+fx)}))^n}, x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

$\text{Int}[\frac{(F^{(g_*)(e_*) + (f_*)(x_*)})^{(n_*)} * ((c_*) + (d_*)(x_*)^{(m_*)}) / ((a_*) + (b_*)(F^{(g_*)(e_*) + (f_*)(x_*)})^{(n_*)}))}{(c + dx)^m \text{Log}[1 + (b(F^{g(e+fx)}))^n/a]} / (b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m) / (b*f*g*n*\text{Log}[F]), \text{Int}[(c + dx)^{(m-1)} * \text{Log}[1 + (b(F^{g(e+fx)}))^n/a], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

$\text{Int}[\text{Log}[(a_*) + (b_*)(F^{(e_*)(c_*) + (d_*)(x_*)})^{(n_*)}], x_Symbol] :> \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{e*(c + dx)})^n], x] /;$ FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

$\text{Int}[\text{Log}[(c_*)(d_*) + (e_*)(x_*)^{(n_*)}], x_Symbol] :> -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /;$ FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx} x^2}{(a + bF^{c+dx})^2} dx &= -\frac{x^2}{bd(a + bF^{c+dx}) \log(F)} + \frac{2 \int \frac{x}{a + bF^{c+dx}} dx}{bd \log(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2 \int \frac{F^{c+dx} x}{a + bF^{c+dx}} dx}{ad \log(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} + \frac{2 \int \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{abd^2 \log^2(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} + \frac{2 \text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, F^{c+dx}\right)}{abd^3 \log^3(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{2\text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} \end{aligned}$$

Mathematica [A] time = 0.0914333, size = 103, normalized size = 0.96

$$\frac{dx \log(F) \left(bdx \log(F) F^{c+dx} - 2(a + bF^{c+dx}) \log\left(\frac{bF^{c+dx}}{a} + 1\right) \right) - 2(a + bF^{c+dx}) \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F) (a + bF^{c+dx})}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d*x)*x^2)/(a + b*F^(c + d*x))^2, x]

[Out] (d*x*Log[F]*(b*d*F^(c + d*x)*x*Log[F] - 2*(a + b*F^(c + d*x))*Log[1 + (b*F^(c + d*x))/a]) - 2*(a + b*F^(c + d*x))*PolyLog[2, -((b*F^(c + d*x))/a)]/(a*b*d^3*(a + b*F^(c + d*x))*Log[F]^3)

Maple [B] time = 0.027, size = 231, normalized size = 2.2

$$-\frac{x^2}{bd(a + bF^{dx+c}) \ln(F)} + \frac{x^2}{\ln(F) abd} + 2 \frac{cx}{bd^2 \ln(F) a} + \frac{c^2}{bd^3 \ln(F) a} - 2 \frac{x}{bd^2 (\ln(F))^2 a} \ln\left(1 + \frac{bF^{dx} F^c}{a}\right) - 2 \frac{c}{bd^3 (\ln(F))^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^2, x)

[Out] -x^2/b/d/(a+b*F^(d*x+c))/ln(F)+x^2/a/b/d/ln(F)+2/b/d^2/ln(F)/a*c*x+1/b/d^3/ln(F)/a*c^2-2/b/d^2/ln(F)^2/a*ln(1+b*F^(d*x)*F^c/a)*x-2/b/d^3/ln(F)^2/a*ln(1+b*F^(d*x)*F^c/a)*c-2/b/d^3/ln(F)^3/a*polylog(2, -b*F^(d*x)*F^c/a)-2/b/d^3/ln(F)^2*c/a*ln(F^(d*x)*F^c)+2/b/d^3/ln(F)^2*c/a*ln(a+b*F^(d*x)*F^c)

Maxima [A] time = 1.09789, size = 143, normalized size = 1.34

$$-\frac{x^2}{F^{dx} F^c b^2 d \log(F) + abd \log(F)} + \frac{\log(F^{dx})^2}{abd^3 \log(F)^3} - \frac{2 \left(\log\left(\frac{F^{dx} F^c b}{a} + 1\right) \log(F^{dx}) + \text{Li}_2\left(-\frac{F^{dx} F^c b}{a}\right) \right)}{abd^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^2, x, algorithm="maxima")

[Out]
$$-x^2/(F^{(d*x)}*F^c*b^2*d*\log(F) + a*b*d*\log(F)) + \log(F^{(d*x)})^2/(a*b*d^3*\log(F)^3) - 2*(\log(F^{(d*x)}*F^c*b/a + 1)*\log(F^{(d*x)})) + \operatorname{dilog}(-F^{(d*x)}*F^c*b/a) / (a*b*d^3*\log(F)^3)$$

Fricas [A] time = 1.55778, size = 443, normalized size = 4.14

$$\frac{ac^2 \log(F)^2 - (bd^2x^2 - bc^2)F^{dx+c} \log(F)^2 + 2(F^{dx+c}b + a)\operatorname{Li}_2\left(-\frac{F^{dx+c}b+a}{a} + 1\right) - 2(F^{dx+c}bc \log(F) + ac \log(F)) \log(F^{dx+c}ab^2d^3 \log(F)^3 + a^2bd^3 \log(F)^3)}{F^{dx+c}ab^2d^3 \log(F)^3 + a^2bd^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^2,x, algorithm="fricas")`

[Out]
$$-(a*c^2*\log(F)^2 - (b*d^2*x^2 - b*c^2)*F^{(d*x + c)}*\log(F)^2 + 2*(F^{(d*x + c)}*b + a)*\operatorname{dilog}(-(F^{(d*x + c)}*b + a)/a + 1) - 2*(F^{(d*x + c)}*b*c*\log(F) + a*c*\log(F))*\log(F^{(d*x + c)}*b + a) + 2*((b*d*x + b*c)*F^{(d*x + c)}*\log(F) + (a*d*x + a*c)*\log(F))*\log((F^{(d*x + c)}*b + a)/a))/(F^{(d*x + c)}*a*b^2*d^3*\log(F)^3 + a^2*b*d^3*\log(F)^3)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\frac{x^2}{F^{c+dx}b^2d \log(F) + abd \log(F)} + \frac{2 \int \frac{x}{a+be^c \log(F)e^{dx \log(F)}} dx}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)*x**2/(a+b*F**(d*x+c))**2,x)`

[Out]
$$-x**2/(F**(c + d*x)*b**2*d*\log(F) + a*b*d*\log(F)) + 2*\operatorname{Integral}(x/(a + b*\exp(c*\log(F))*\exp(d*x*\log(F))), x)/(b*d*\log(F))$$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}x^2}{(F^{dx+c}b + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate(F^(d*x + c)*x^2/(F^(d*x + c)*b + a)^2, x)
```


$$3.84 \quad \int \frac{F^{c+dx} x}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=69

$$-\frac{\log(a+bF^{c+dx})}{abd^2 \log^2(F)} - \frac{x}{bd \log(F)(a+bF^{c+dx})} + \frac{x}{abd \log(F)}$$

[Out] x/(a*b*d*Log[F]) - x/(b*d*(a + b*F^(c + d*x))*Log[F]) - Log[a + b*F^(c + d*x)]/(a*b*d^2*Log[F]^2)

Rubi [A] time = 0.0738341, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {2191, 2282, 36, 29, 31}

$$-\frac{\log(a+bF^{c+dx})}{abd^2 \log^2(F)} - \frac{x}{bd \log(F)(a+bF^{c+dx})} + \frac{x}{abd \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d*x)*x)/(a + b*F^(c + d*x))^2,x]

[Out] x/(a*b*d*Log[F]) - x/(b*d*(a + b*F^(c + d*x))*Log[F]) - Log[a + b*F^(c + d*x)]/(a*b*d^2*Log[F]^2)

Rule 2191

```
Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :=
Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
```

(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 36

Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 29

Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{F^{c+dx} x}{(a + bF^{c+dx})^2} dx &= -\frac{x}{bd(a + bF^{c+dx}) \log(F)} + \frac{\int \frac{1}{a+bF^{c+dx}} dx}{bd \log(F)} \\
 &= -\frac{x}{bd(a + bF^{c+dx}) \log(F)} + \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, F^{c+dx}\right)}{bd^2 \log^2(F)} \\
 &= -\frac{x}{bd(a + bF^{c+dx}) \log(F)} - \frac{\text{Subst}\left(\int \frac{1}{a+bx} dx, x, F^{c+dx}\right)}{ad^2 \log^2(F)} + \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, F^{c+dx}\right)}{abd^2 \log^2(F)} \\
 &= \frac{x}{abd \log(F)} - \frac{x}{bd(a + bF^{c+dx}) \log(F)} - \frac{\log(a + bF^{c+dx})}{abd^2 \log^2(F)}
 \end{aligned}$$

Mathematica [A] time = 0.0701456, size = 54, normalized size = 0.78

$$\frac{\frac{dx \log(F)^{F^{c+dx}}}{a+bF^{c+dx}} - \frac{\log(a+bF^{c+dx})}{b}}{ad^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d*x)*x)/(a + b*F^(c + d*x))^2, x]

[Out] $((d \cdot F^{(c + d \cdot x)} \cdot x \cdot \text{Log}[F]) / (a + b \cdot F^{(c + d \cdot x)}) - \text{Log}[a + b \cdot F^{(c + d \cdot x)}] / b) / (a \cdot d^2 \cdot \text{Log}[F]^2)$

Maple [A] time = 0.01, size = 67, normalized size = 1.

$$\frac{x e^{(dx+c) \ln(F)}}{\ln(F) a d (a + b e^{(dx+c) \ln(F)})} - \frac{\ln(a + b e^{(dx+c) \ln(F)})}{(\ln(F))^2 a b d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(F^{(d \cdot x + c)} \cdot x / (a + b \cdot F^{(d \cdot x + c)})^2, x)$

[Out] $1/\ln(F)/a/d \cdot x \cdot \exp((d \cdot x + c) \cdot \ln(F)) / (a + b \cdot \exp((d \cdot x + c) \cdot \ln(F))) - 1/\ln(F)^2 / b / d^2 / a \cdot \ln(a + b \cdot \exp((d \cdot x + c) \cdot \ln(F)))$

Maxima [A] time = 1.0704, size = 97, normalized size = 1.41

$$\frac{F^{dx} F^c x}{F^{dx} F^c a b d \log(F) + a^2 d \log(F)} - \frac{\log\left(\frac{F^{dx} F^c b + a}{F^c b}\right)}{a b d^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(F^{(d \cdot x + c)} \cdot x / (a + b \cdot F^{(d \cdot x + c)})^2, x, \text{algorithm} = \text{"maxima"})$

[Out] $F^{(d \cdot x)} \cdot F^c \cdot x / (F^{(d \cdot x)} \cdot F^c \cdot a \cdot b \cdot d \cdot \log(F) + a^2 \cdot d \cdot \log(F)) - \log((F^{(d \cdot x)} \cdot F^c \cdot b + a) / (F^c \cdot b)) / (a \cdot b \cdot d^2 \cdot \log(F)^2)$

Fricas [A] time = 1.51882, size = 171, normalized size = 2.48

$$\frac{F^{dx+c} b d x \log(F) - (F^{dx+c} b + a) \log(F^{dx+c} b + a)}{F^{dx+c} a b^2 d^2 \log(F)^2 + a^2 b d^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(F^{(d \cdot x + c)} \cdot x / (a + b \cdot F^{(d \cdot x + c)})^2, x, \text{algorithm} = \text{"fricas"})$

[Out] $(F^{(d*x + c)*b*d*x*\log(F)} - (F^{(d*x + c)*b + a})*\log(F^{(d*x + c)*b + a}))/ (F^{(d*x + c)*a*b^2*d^2*\log(F)^2} + a^2*b*d^2*\log(F)^2)$

Sympy [A] time = 0.169933, size = 58, normalized size = 0.84

$$-\frac{x}{F^{c+dx}b^2d\log(F) + abd\log(F)} + \frac{x}{abd\log(F)} - \frac{\log\left(F^{c+dx} + \frac{a}{b}\right)}{abd^2\log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)*x/(a+b*F**(d*x+c))**2,x)

[Out] $-x/(F^{(c + d*x)*b**2*d*\log(F) + a*b*d*\log(F)} + x/(a*b*d*\log(F)) - \log(F^{(c + d*x) + a/b})/(a*b*d**2*\log(F)**2)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}x}{(F^{dx+cb} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^2,x, algorithm="giac")

[Out] integrate(F^(d*x + c)*x/(F^(d*x + c)*b + a)^2, x)

$$3.85 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=25

$$-\frac{1}{bd \log(F)(a + bF^{c+dx})}$$

[Out] $-(1/(b*d*(a + b*F^{(c + d*x)}))*\text{Log}[F])$

Rubi [A] time = 0.0352445, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2246, 32}

$$-\frac{1}{bd \log(F)(a + bF^{c+dx})}$$

Antiderivative was successfully verified.

[In] $\text{Int}[F^{(c + d*x)}/(a + b*F^{(c + d*x)})^2, x]$

[Out] $-(1/(b*d*(a + b*F^{(c + d*x)}))*\text{Log}[F])$

Rule 2246

$\text{Int}[\left((F_)^{\left((e_)*\left((c_)+(d_)*(x_)\right)\right)}\right)^{\left(n_*\left((a_)+(b_)*\left((F_)^{\left((e_)*\left((c_)+(d_)*(x_)\right)\right)}\right)^{\left(p_.\right)}\right)}\right), x_Symbol] \rightarrow \text{Dist}\left[1/(d*e*n*\text{Log}[F])\right], \text{Subst}\left[\text{Int}\left[(a + b*x)^p, x\right], x, (F^{(e*(c + d*x)))^n}, x\right] /; \text{FreeQ}\{F, a, b, c, d, e, n, p\}, x]$

Rule 32

$\text{Int}\left[\left((a_)+(b_)*(x_)\right)^{\left(m_.\right)}, x_Symbol\right] \rightarrow \text{Simp}\left[(a + b*x)^{\left(m + 1\right)}/(b*(m + 1)), x\right] /; \text{FreeQ}\{a, b, m\}, x \ \&\& \ \text{NeQ}[m, -1]$

Rubi steps

$$\int \frac{F^{c+dx}}{(a + bF^{c+dx})^2} dx = \frac{\text{Subst}\left(\int \frac{1}{(a+bx)^2} dx, x, F^{c+dx}\right)}{d \log(F)}$$

$$= -\frac{1}{bd(a + bF^{c+dx}) \log(F)}$$

Mathematica [A] time = 0.0198392, size = 25, normalized size = 1.

$$-\frac{1}{bd \log(F) (a + bF^{c+dx})}$$

Antiderivative was successfully verified.

[In] Integrate[F^(c + d*x)/(a + b*F^(c + d*x))^2,x]

[Out] -(1/(b*d*(a + b*F^(c + d*x))*Log[F]))

Maple [A] time = 0.003, size = 26, normalized size = 1.

$$-\frac{1}{bd(a + bF^{dx+c}) \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))^2,x)

[Out] -1/b/d/(a+b*F^(d*x+c))/ln(F)

Maxima [A] time = 1.1812, size = 34, normalized size = 1.36

$$-\frac{1}{(F^{dx+c}b + a)bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2,x, algorithm="maxima")

[Out] -1/((F^(d*x + c)*b + a)*b*d*log(F))

Fricas [A] time = 1.47666, size = 62, normalized size = 2.48

$$-\frac{1}{F^{dx+c}b^2d \log(F) + abd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2,x, algorithm="fricas")

[Out] -1/(F^(d*x + c)*b^2*d*log(F) + a*b*d*log(F))

Sympy [A] time = 0.115061, size = 26, normalized size = 1.04

$$-\frac{1}{F^{c+dx}b^2d \log(F) + abd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)/(a+b*F**(d*x+c))**2,x)

[Out] -1/(F**(c + d*x)*b**2*d*log(F) + a*b*d*log(F))

Giac [A] time = 1.27317, size = 34, normalized size = 1.36

$$-\frac{1}{(F^{dx+cb} + a)bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2,x, algorithm="giac")

[Out] -1/((F^(d*x + c)*b + a)*b*d*log(F))

$$3.86 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$$

Optimal. Leaf size=60

$$-\frac{\text{Unintegrable}\left(\frac{1}{x^2(a+bF^{c+dx})}, x\right)}{bd \log(F)} - \frac{1}{bdx \log(F)(a+bF^{c+dx})}$$

[Out] -(1/(b*d*(a + b*F^(c + d*x))*x*Log[F])) - Unintegrable[1/((a + b*F^(c + d*x))*x^2), x]/(b*d*Log[F])

Rubi [A] time = 0.118246, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$$

Verification is Not applicable to the result.

[In] Int[F^(c + d*x)/((a + b*F^(c + d*x))^2*x), x]

[Out] -(1/(b*d*(a + b*F^(c + d*x))*x*Log[F])) - Defer[Int][1/((a + b*F^(c + d*x))*x^2), x]/(b*d*Log[F])

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx = -\frac{1}{bd(a+bF^{c+dx})x \log(F)} - \frac{\int \frac{1}{(a+bF^{c+dx})x^2} dx}{bd \log(F)}$$

Mathematica [A] time = 0.125168, size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$$

Verification is Not applicable to the result.

[In] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^2*x), x]

[Out] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^2*x), x]

Maple [A] time = 0.052, size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(a + bF^{dx+c})^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))^2/x, x)

[Out] int(F^(d*x+c)/(a+b*F^(d*x+c))^2/x, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{F^{dx}F^c b^2 dx \log(F) + ab dx \log(F)} - \int \frac{1}{F^{dx}F^c b^2 dx^2 \log(F) + ab dx^2 \log(F)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2/x, x, algorithm="maxima")

[Out] -1/(F^(d*x)*F^c*b^2*d*x*log(F) + a*b*d*x*log(F)) - integrate(1/(F^(d*x)*F^c*b^2*d*x^2*log(F) + a*b*d*x^2*log(F)), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{F^{dx+c}}{2F^{dx+c}abx + F^{2dx+2c}b^2x + a^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2/x, x, algorithm="fricas")

[Out] $\text{integral}(F^{(d*x + c)}/(2*F^{(d*x + c)}*a*b*x + F^{(2*d*x + 2*c)}*b^2*x + a^2*x), x)$

Sympy [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{F^{c+dx}b^2dx \log(F) + abdx \log(F)} - \frac{\int \frac{1}{ax^2+bx^2e^{c \log(F)}e^{dx \log(F)}} dx}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(F^{(d*x+c)}/(a+b*F^{(d*x+c)})^2/x, x)$

[Out] $-1/(F^{(c + d*x)}*b^{**2}*d*x*\log(F) + a*b*d*x*\log(F)) - \text{Integral}(1/(a*x^{**2} + b*x^{**2}*\exp(c*\log(F))*\exp(d*x*\log(F))), x)/(b*d*\log(F))$

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(F^{dx+c}b + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(F^{(d*x+c)}/(a+b*F^{(d*x+c)})^2/x, x, \text{algorithm}="giac")$

[Out] $\text{integrate}(F^{(d*x + c)}/((F^{(d*x + c)}*b + a)^2*x), x)$

$$3.87 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$$

Optimal. Leaf size=60

$$-\frac{2\text{Unintegrable}\left(\frac{1}{x^3(a+bF^{c+dx})}, x\right)}{bd \log(F)} - \frac{1}{bdx^2 \log(F)(a+bF^{c+dx})}$$

[Out] $-(1/(b*d*(a + b*F^(c + d*x))*x^2*Log[F])) - (2*Unintegrable[1/((a + b*F^(c + d*x))*x^3), x])/(b*d*Log[F])$

Rubi [A] time = 0.117562, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$$

Verification is Not applicable to the result.

[In] $\text{Int}[F^{(c + d*x)/((a + b*F^{(c + d*x))}^2*x^2), x]$

[Out] $-(1/(b*d*(a + b*F^(c + d*x))*x^2*Log[F])) - (2*Defer[Int][1/((a + b*F^(c + d*x))*x^3), x])/(b*d*Log[F])$

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx = -\frac{1}{bd(a+bF^{c+dx})x^2 \log(F)} - \frac{2 \int \frac{1}{(a+bF^{c+dx})x^3} dx}{bd \log(F)}$$

Mathematica [A] time = 0.153874, size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^2*x^2), x]

[Out] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^2*x^2), x]

Maple [A] time = 0.058, size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(a + bF^{dx+c})^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))^2/x^2, x)

[Out] int(F^(d*x+c)/(a+b*F^(d*x+c))^2/x^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{F^{dx} F^c b^2 dx^2 \log(F) + ab dx^2 \log(F)} - 2 \int \frac{1}{F^{dx} F^c b^2 dx^3 \log(F) + ab dx^3 \log(F)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2/x^2, x, algorithm="maxima")

[Out] -1/(F^(d*x)*F^c*b^2*d*x^2*log(F) + a*b*d*x^2*log(F)) - 2*integrate(1/(F^(d*x)*F^c*b^2*d*x^3*log(F) + a*b*d*x^3*log(F)), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{F^{dx+c}}{2 F^{dx+c} abx^2 + F^{2dx+2c} b^2 x^2 + a^2 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2/x^2, x, algorithm="fricas")

[Out] `integral(F^(d*x + c)/(2*F^(d*x + c)*a*b*x^2 + F^(2*d*x + 2*c)*b^2*x^2 + a^2*x^2), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$-\frac{1}{F^{c+dx} b^2 dx^2 \log(F) + a b dx^2 \log(F)} - \frac{2 \int \frac{1}{a x^3 + b x^3 e^{c \log(F)} e^{dx \log(F)}} dx}{b d \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)/(a+b*F**(d*x+c))**2/x**2,x)`

[Out] `-1/(F**(c + d*x)*b**2*d*x**2*log(F) + a*b*d*x**2*log(F)) - 2*Integral(1/(a*x**3 + b*x**3*exp(c*log(F))*exp(d*x*log(F))), x)/(b*d*log(F))`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(F^{dx+c} b + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2/x^2,x, algorithm="giac")`

[Out] `integrate(F^(d*x + c)/((F^(d*x + c)*b + a)^2*x^2), x)`

$$3.88 \quad \int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^3} dx$$

Optimal. Leaf size=261

$$-\frac{3x \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2 b d^3 \log^3(F)} + \frac{3 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2 b d^4 \log^4(F)} + \frac{3 \text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{a^2 b d^4 \log^4(F)} - \frac{3x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{2a^2 b d^2 \log^2(F)} + \frac{3x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{a^2 b d^3 \log^3(F)}$$

[Out] $(-3*x^2)/(2*a^2*b*d^2*\text{Log}[F]^2) + (3*x^2)/(2*a*b*d^2*(a + b*F^{(c + d*x)})*\text{Log}[F]^2) + x^3/(2*a^2*b*d*\text{Log}[F]) - x^3/(2*b*d*(a + b*F^{(c + d*x)})^2*\text{Log}[F]) + (3*x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(a^2*b*d^3*\text{Log}[F]^3) - (3*x^2*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(2*a^2*b*d^2*\text{Log}[F]^2) + (3*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^4*\text{Log}[F]^4) - (3*x*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^3*\text{Log}[F]^3) + (3*\text{PolyLog}[3, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^4*\text{Log}[F]^4)$

Rubi [A] time = 0.503632, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {2191, 2185, 2184, 2190, 2531, 2282, 6589, 2279, 2391}

$$-\frac{3x \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2 b d^3 \log^3(F)} + \frac{3 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2 b d^4 \log^4(F)} + \frac{3 \text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{a^2 b d^4 \log^4(F)} - \frac{3x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{2a^2 b d^2 \log^2(F)} + \frac{3x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{a^2 b d^3 \log^3(F)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(F^{(c + d*x)}*x^3)/(a + b*F^{(c + d*x)})^3, x]$

[Out] $(-3*x^2)/(2*a^2*b*d^2*\text{Log}[F]^2) + (3*x^2)/(2*a*b*d^2*(a + b*F^{(c + d*x)})*\text{Log}[F]^2) + x^3/(2*a^2*b*d*\text{Log}[F]) - x^3/(2*b*d*(a + b*F^{(c + d*x)})^2*\text{Log}[F]) + (3*x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(a^2*b*d^3*\text{Log}[F]^3) - (3*x^2*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(2*a^2*b*d^2*\text{Log}[F]^2) + (3*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^4*\text{Log}[F]^4) - (3*x*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^3*\text{Log}[F]^3) + (3*\text{PolyLog}[3, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^4*\text{Log}[F]^4)$

Rule 2191

$\text{Int}[(F_1)^{(g_1)*((e_1) + (f_1)*(x_1))})^{(n_1)*((a_1) + (b_1)*(F_1)^{(g_1)*((e_1) + (f_1)*(x_1))})^{(n_1)}]^{(p_1)*((c_1) + (d_1)*(x_1))^{(m_1)}, x_Symbol] :>$
 $\text{Simp}[(c + d*x)^m*(a + b*(F^{(g*(e + f*x))})^n)^{(p + 1)}/(b*f*g*n*(p + 1)*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*(p + 1)*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*(a +$

$b*(F^{(g*(e + f*x))})^n)^{p + 1}, x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2185

Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^{p + 1}, x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2184

Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[(c + d*x)^{m + 1}/(a*d*(m + 1)), x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n]/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^{m - 1}*Log[1 + (b*(F^(g*(e + f*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^{m - 1}*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x^3}{(a + bF^{c+dx})^3} dx &= -\frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{3 \int \frac{x^2}{(a + bF^{c+dx})^2} dx}{2bd \log(F)} \\
&= -\frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{3 \int \frac{F^{c+dx} x^2}{(a + bF^{c+dx})^2} dx}{2ad \log(F)} + \frac{3 \int \frac{x^2}{a + bF^{c+dx}} dx}{2abd \log(F)} \\
&= \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{3 \int \frac{x}{a + bF^{c+dx}} dx}{abd^2 \log^2(F)} - \frac{3 \int \frac{F^{c+dx}}{a + bF^{c+dx}} dx}{2a^2bd \log(F)} \\
&= -\frac{3x^2}{2a^2bd^2 \log^2(F)} + \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{3x \log(F)}{2a^2bd} \\
&= -\frac{3x^2}{2a^2bd^2 \log^2(F)} + \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{3x \log(F)}{a^2bd} \\
&= -\frac{3x^2}{2a^2bd^2 \log^2(F)} + \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{3x \log(F)}{a^2bd}
\end{aligned}$$

Mathematica [A] time = 0.323482, size = 220, normalized size = 0.84

$$6(a + bF^{c+dx})^2 \text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right) - 6(dx \log(F) - 1)(a + bF^{c+dx})^2 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right) + dx \log(F) \left(bd^2x^2 \log^2(F)F\right) \\ \hline 2a^2bd^4 \log^4(F)$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d*x)*x^3)/(a + b*F^(c + d*x))^3,x]

[Out] (d*x*Log[F]*(b*d^2*F^(c + d*x)*(2*a + b*F^(c + d*x))*x^2*Log[F]^2 + 6*(a + b*F^(c + d*x))^2*Log[1 + (b*F^(c + d*x))/a] - 3*d*(a + b*F^(c + d*x))*x*Log[F]*(b*F^(c + d*x) + (a + b*F^(c + d*x))*Log[1 + (b*F^(c + d*x))/a])) - 6*(a + b*F^(c + d*x))^2*(-1 + d*x*Log[F])*PolyLog[2, -((b*F^(c + d*x))/a)] + 6*(a + b*F^(c + d*x))^2*PolyLog[3, -((b*F^(c + d*x))/a)]/(2*a^2*b*d^4*(a + b*F^(c + d*x))^2*Log[F]^4)

Maple [A] time = 0.066, size = 501, normalized size = 1.9

$$\frac{x^2(\ln(F)adx - 3bF^{dx+c} - 3a)}{2(\ln(F))^2 d^2 b (a + bF^{dx+c})^2 a} + \frac{x^3}{2a^2bd \ln(F)} - \frac{3c^2x}{2\ln(F)d^3a^2b} - \frac{c^3}{\ln(F)d^4a^2b} - \frac{3x^2}{2(\ln(F))^2 d^2 a^2 b} \ln\left(1 + \frac{bF^{dx}F^c}{a}\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^3,x)

[Out] -1/2*x^2*(ln(F)*a*d*x-3*b*F^(d*x+c)-3*a)/ln(F)^2/d^2/b/(a+b*F^(d*x+c))^2/a+ 1/2*x^3/a^2/b/d/ln(F)-3/2/ln(F)/d^3/a^2/b*c^2*x-1/ln(F)/d^4/a^2/b*c^3-3/2/ln(F)^2/d^2/a^2/b*ln(1+b*F^(d*x)*F^c/a)*x^2+3/2/ln(F)^2/d^4/a^2/b*ln(1+b*F^(d*x)*F^c/a)*c^2-3/ln(F)^3/d^3/a^2/b*polylog(2,-b*F^(d*x)*F^c/a)*x+3/ln(F)^4/d^4/a^2/b*polylog(3,-b*F^(d*x)*F^c/a)-3/2/ln(F)^2/d^4/a^2/b*c^2*ln(a+b*F^(d*x)*F^c)+3/2/ln(F)^2/d^4/a^2/b*c^2*ln(F^(d*x)*F^c)-3/2*x^2/a^2/b/d^2/ln(F)^2-3/ln(F)^2/d^3/a^2/b*c*x-3/2/ln(F)^2/d^4/a^2/b*c^2+3/ln(F)^3/d^3/a^2/b*ln(1+b*F^(d*x)*F^c/a)*x+3/ln(F)^3/d^4/a^2/b*ln(1+b*F^(d*x)*F^c/a)*c+3/ln(F)^4/d^4/a^2/b*polylog(2,-b*F^(d*x)*F^c/a)-3/ln(F)^3/d^4/a^2/b*c*ln(a+b*F^(d*x)*F^c)+3/ln(F)^3/d^4/a^2/b*c*ln(F^(d*x)*F^c)

Maxima [A] time = 1.14113, size = 355, normalized size = 1.36

$$\frac{adx^3 \log(F) - 3F^{dx}F^c bx^2 - 3ax^2}{2\left(2F^{dx}F^c a^2 b^2 d^2 \log(F)^2 + F^{2dx}F^{2c} ab^3 d^2 \log(F)^2 + a^3 b d^2 \log(F)^2\right)} - \frac{3\left(\log\left(\frac{F^{dx}F^c b}{a} + 1\right)\log(F^{dx})^2 + 2\text{Li}_2\left(-\frac{F^{dx}F^c b}{a}\right)\log(F)\right)}{2a^2 b d^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^3/(a+bF^(d*x+c))^3,x, algorithm="maxima")

[Out]
$$-1/2*(a*d*x^3*\log(F) - 3F^{(d*x)}*F^c*b*x^2 - 3*a*x^2)/(2F^{(d*x)}*F^c*a^2*b^2*d^2*\log(F)^2 + F^{(2*d*x)}*F^{(2*c)}*a*b^3*d^2*\log(F)^2 + a^3*b*d^2*\log(F)^2) - 3/2*(\log(F^{(d*x)}*F^c*b/a + 1)*\log(F^{(d*x)})^2 + 2*\text{dilog}(-F^{(d*x)}*F^c*b/a)*\log(F^{(d*x)})) - 2*\text{polylog}(3, -F^{(d*x)}*F^c*b/a)/(a^2*b*d^4*\log(F)^4) + 1/2*(\log(F^{(d*x)})^3 - 3*\log(F^{(d*x)})^2)/(a^2*b*d^4*\log(F)^4) + 3*(\log(F^{(d*x)}*F^c*b/a + 1)*\log(F^{(d*x)}) + \text{dilog}(-F^{(d*x)}*F^c*b/a))/(a^2*b*d^4*\log(F)^4)$$

Fricas [C] time = 1.63696, size = 1310, normalized size = 5.02

$$a^2 c^3 \log(F)^3 + 3 a^2 c^2 \log(F)^2 + \left((b^2 d^3 x^3 + b^2 c^3) \log(F)^3 - 3 (b^2 d^2 x^2 - b^2 c^2) \log(F)^2 \right) F^{2dx+2c} + \left(2 (abd^3 x^3 + abc^3) \log(F) \right) F^{dx+c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^3/(a+bF^(d*x+c))^3,x, algorithm="fricas")

[Out]
$$1/2*(a^2*c^3*\log(F)^3 + 3*a^2*c^2*\log(F)^2 + ((b^2*d^3*x^3 + b^2*c^3)*\log(F)^3 - 3*(b^2*d^2*x^2 - b^2*c^2)*\log(F)^2)*F^{(2*d*x + 2*c)} + (2*(a*b*d^3*x^3 + a*b*c^3)*\log(F)^3 - 3*(a*b*d^2*x^2 - 2*a*b*c^2)*\log(F)^2)*F^{(d*x + c)} - 6*(a^2*d*x*\log(F) + (b^2*d*x*\log(F) - b^2)*F^{(2*d*x + 2*c)} + 2*(a*b*d*x*\log(F) - a*b)*F^{(d*x + c)} - a^2)*\text{dilog}(-(F^{(d*x + c)}*b + a)/a + 1) - 3*(a^2*c^2*\log(F)^2 + 2*a^2*c*\log(F) + (b^2*c^2*\log(F)^2 + 2*b^2*c*\log(F))*F^{(2*d*x + 2*c)} + 2*(a*b*c^2*\log(F)^2 + 2*a*b*c*\log(F))*F^{(d*x + c)})*\log(F^{(d*x + c)}*b + a) - 3*((a^2*d^2*x^2 - a^2*c^2)*\log(F)^2 + ((b^2*d^2*x^2 - b^2*c^2)*\log(F)^2 - 2*(b^2*d*x + b^2*c)*\log(F))*F^{(2*d*x + 2*c)} + 2*((a*b*d^2*x^2 - a*b*c^2)*\log(F)^2 - 2*(a*b*d*x + a*b*c)*\log(F))*F^{(d*x + c)} - 2*(a^2*d*x + a^2*c)*\log(F))*\log((F^{(d*x + c)}*b + a)/a) + 6*(2F^{(d*x + c)}*a*b + F^{(2*d*x + 2*c)}*b^2 + a^2)*\text{polylog}(3, -F^{(d*x + c)}*b/a)/(2F^{(d*x + c)}*a^3*b^2*d^4*\log(F)^4 + F^{(2*d*x + 2*c)}*a^2*b^3*d^4*\log(F)^4 + a^4*b*d^4*\log(F)^4)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{3F^{c+dx}bx^2 - adx^3 \log(F) + 3ax^2}{4F^{c+dx}a^2b^2d^2 \log(F)^2 + 2F^{2c+2dx}ab^3d^2 \log(F)^2 + 2a^3bd^2 \log(F)^2} + \frac{3 \left(\int -\frac{2x}{a+be^{c \log(F)}e^{dx \log(F)}} dx + \int \frac{dx^2 \log(F)}{a+be^{c \log(F)}e^{dx \log(F)}} dx \right)}{2abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)*x**3/(a+b*F**(d*x+c))**3,x)

[Out] (3*F**(c + d*x)*b*x**2 - a*d*x**3*log(F) + 3*a*x**2)/(4*F**(c + d*x)*a**2*b**2*d**2*log(F)**2 + 2*F**(2*c + 2*d*x)*a*b**3*d**2*log(F)**2 + 2*a**3*b*d**2*log(F)**2) + 3*(Integral(-2*x/(a + b*exp(c*log(F))*exp(d*x*log(F))), x) + Integral(d*x**2*log(F)/(a + b*exp(c*log(F))*exp(d*x*log(F))), x))/(2*a*b*d**2*log(F)**2)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}x^3}{(F^{dx+c}b + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^3,x, algorithm="giac")

[Out] integrate(F^(d*x + c)*x^3/(F^(d*x + c)*b + a)^3, x)

$$3.89 \quad \int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^3} dx$$

Optimal. Leaf size=182

$$\frac{\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2bd^3 \log^3(F)} - \frac{x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{a^2bd^2 \log^2(F)} + \frac{\log(a + bF^{c+dx})}{a^2bd^3 \log^3(F)} - \frac{x}{a^2bd^2 \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} + \frac{x}{abd^2 \log^2(F)(a + bF^{c+dx})}$$

[Out] $-(x/(a^2*b*d^2*\text{Log}[F]^2)) + x/(a*b*d^2*(a + b*F^{(c + d*x)})*\text{Log}[F]^2) + x^2/(2*a^2*b*d*\text{Log}[F]) - x^2/(2*b*d*(a + b*F^{(c + d*x)})^2*\text{Log}[F]) + \text{Log}[a + b*F^{(c + d*x)}]/(a^2*b*d^3*\text{Log}[F]^3) - (x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/ (a^2*b*d^2*\text{Log}[F]^2) - \text{PolyLog}[2, -((b*F^{(c + d*x)})/a)]/(a^2*b*d^3*\text{Log}[F]^3)$

Rubi [A] time = 0.291422, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {2191, 2185, 2184, 2190, 2279, 2391, 2282, 36, 29, 31}

$$\frac{\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2bd^3 \log^3(F)} - \frac{x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{a^2bd^2 \log^2(F)} + \frac{\log(a + bF^{c+dx})}{a^2bd^3 \log^3(F)} - \frac{x}{a^2bd^2 \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} + \frac{x}{abd^2 \log^2(F)(a + bF^{c+dx})}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(F^{(c + d*x)}*x^2)/(a + b*F^{(c + d*x)})^3, x]$

[Out] $-(x/(a^2*b*d^2*\text{Log}[F]^2)) + x/(a*b*d^2*(a + b*F^{(c + d*x)})*\text{Log}[F]^2) + x^2/(2*a^2*b*d*\text{Log}[F]) - x^2/(2*b*d*(a + b*F^{(c + d*x)})^2*\text{Log}[F]) + \text{Log}[a + b*F^{(c + d*x)}]/(a^2*b*d^3*\text{Log}[F]^3) - (x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/ (a^2*b*d^2*\text{Log}[F]^2) - \text{PolyLog}[2, -((b*F^{(c + d*x)})/a)]/(a^2*b*d^3*\text{Log}[F]^3)$

Rule 2191

$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))^{(n_.)}*((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_)))^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_)))^{(m_.)}, x_Symbol] := \text{Simp}[(c + d*x)^m*(a + b*(F^{(g*(e + f*x)))^n)^{(p + 1)})/(b*f*g*n*(p + 1)*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*(p + 1)*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*(a + b*(F^{(g*(e + f*x)))^n)^{(p + 1)}, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[p, -1]$

Rule 2185

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e +
f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*
(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},
x] && ILtQ[p, 0] && IGtQ[m, 0]
```

Rule 2184

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))
)))^(n_), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[
b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x],
x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)], x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 36

```
Int[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
```

$x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 29

$\text{Int}[(x_)^{(-1)}, x_Symbol] \ :> \ \text{Simp}[\text{Log}[x], x]$

Rule 31

$\text{Int}[(a_) + (b_)*(x_)^{(-1)}, x_Symbol] \ :> \ \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rubi steps

$$\begin{aligned}
 \int \frac{F^{c+dx} x^2}{(a + bF^{c+dx})^3} dx &= -\frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\int \frac{x}{(a+bF^{c+dx})^2} dx}{bd \log(F)} \\
 &= -\frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{\int \frac{F^{c+dx} x}{(a+bF^{c+dx})^2} dx}{ad \log(F)} + \frac{\int \frac{x}{a+bF^{c+dx}} dx}{abd \log(F)} \\
 &= \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{\int \frac{1}{a+bF^{c+dx}} dx}{abd^2 \log^2(F)} - \frac{\int \frac{F^{c+dx} x}{a+bF^{c+dx}} dx}{a^2d \log(F)} \\
 &= \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{a^2bd^2 \log^2(F)} - \frac{\text{Subst}}{a^2bd^2 \log^2(F)} \\
 &= \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{a^2bd^2 \log^2(F)} + \frac{\text{Subst}}{a^2bd^2 \log^2(F)} \\
 &= -\frac{x}{a^2bd^2 \log^2(F)} + \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\log(a + bF^{c+dx})}{a^2bd^3}
 \end{aligned}$$

Mathematica [A] time = 0.162379, size = 177, normalized size = 0.97

$$\frac{-2(a + bF^{c+dx})^2 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right) + bd^2 x^2 \log^2(F) F^{c+dx} (2a + bF^{c+dx}) + 2(a + bF^{c+dx})^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right) - 2dx \log(F)}{2a^2bd^3 \log^3(F) (a + bF^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d*x)*x^2)/(a + b*F^(c + d*x))^3,x]

[Out] (b*d^2*F^(c + d*x)*(2*a + b*F^(c + d*x))*x^2*Log[F]^2 + 2*(a + b*F^(c + d*x))^2*Log[1 + (b*F^(c + d*x))/a] - 2*d*(a + b*F^(c + d*x))*x*Log[F]*(b*F^(c + d*x) + (a + b*F^(c + d*x))*Log[1 + (b*F^(c + d*x))/a]) - 2*(a + b*F^(c + d*x))^2*PolyLog[2, -(b*F^(c + d*x))/a])/(2*a^2*b*d^3*(a + b*F^(c + d*x))^2*Log[F]^3)

Maple [A] time = 0.056, size = 304, normalized size = 1.7

$$-\frac{x(\ln(F)adx - 2bF^{dx+c} - 2a)}{2(\ln(F))^2 d^2 ab(a + bF^{dx+c})^2} + \frac{x^2}{2a^2bd \ln(F)} + \frac{cx}{\ln(F)d^2a^2b} + \frac{c^2}{2\ln(F)d^3a^2b} - \frac{x}{(\ln(F))^2 d^2a^2b} \ln\left(1 + \frac{bF^{dx}F^c}{a}\right) - \frac{1}{\ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^3,x)

[Out] -1/2*x*(ln(F)*a*d*x-2*b*F^(d*x+c)-2*a)/ln(F)^2/d^2/a/b/(a+b*F^(d*x+c))^2+1/2*x^2/a^2/b/d/ln(F)+1/ln(F)/d^2/a^2/b*c*x+1/2/ln(F)/d^3/a^2/b*c^2-1/ln(F)^2/d^2/a^2/b*ln(1+b*F^(d*x)*F^c/a)*x-1/ln(F)^2/d^3/a^2/b*ln(1+b*F^(d*x)*F^c/a)*c-1/ln(F)^3/d^3/a^2/b*polylog(2,-b*F^(d*x)*F^c/a)-1/ln(F)^3/d^3/a^2/b*ln(F^(d*x)*F^c)+1/ln(F)^3/d^3/a^2/b*ln(a+b*F^(d*x)*F^c)-1/ln(F)^2/d^3/a^2/b*c*ln(F^(d*x)*F^c)+1/ln(F)^2/d^3/a^2/b*c*ln(a+b*F^(d*x)*F^c)

Maxima [A] time = 1.12691, size = 289, normalized size = 1.59

$$-\frac{adx^2 \log(F) - 2F^{dx}F^c bx - 2ax}{2(2F^{dx}F^c a^2 b^2 d^2 \log(F)^2 + F^{2dx}F^{2c} ab^3 d^2 \log(F)^2 + a^3 b d^2 \log(F)^2)} + \frac{\log(F^{dx})^2}{2a^2 b d^3 \log(F)^3} - \frac{\log\left(\frac{F^{dx}F^c b}{a} + 1\right) \log(F^{dx}) + \log(F)}{a^2 b d^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^3,x, algorithm="maxima")

[Out] -1/2*(a*d*x^2*log(F) - 2*F^(d*x)*F^c*b*x - 2*a*x)/(2*F^(d*x)*F^c*a^2*b^2*d^2*log(F)^2 + F^(2*d*x)*F^(2*c)*a*b^3*d^2*log(F)^2 + a^3*b*d^2*log(F)^2) + 1/2*log(F^(d*x))^2/(a^2*b*d^3*log(F)^3) - (log(F^(d*x)*F^c*b/a + 1)*log(F^(d*x)) + dilog(-F^(d*x)*F^c*b/a))/(a^2*b*d^3*log(F)^3) + log(F^(d*x)*F^c*b +

$$a)/(a^2*b*d^3*\log(F)^3) - \log(F^{(d*x)})/(a^2*b*d^3*\log(F)^3)$$

Fricas [B] time = 1.57237, size = 882, normalized size = 4.85

$$a^2c^2 \log(F)^2 + 2a^2c \log(F) - \left((b^2d^2x^2 - b^2c^2) \log(F)^2 - 2(b^2dx + b^2c) \log(F) \right) F^{2dx+2c} - 2 \left((abd^2x^2 - abc^2) \log(F)^2 - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(a^2*c^2*\log(F)^2 + 2*a^2*c*\log(F) - ((b^2*d^2*x^2 - b^2*c^2)*\log(F)^2 \\ & - 2*(b^2*d*x + b^2*c)*\log(F))*F^(2*d*x + 2*c) - 2*((a*b*d^2*x^2 - a*b*c^2) \\ & *\log(F)^2 - (a*b*d*x + 2*a*b*c)*\log(F))*F^(d*x + c) + 2*(2*F^(d*x + c)*a*b \\ & + F^(2*d*x + 2*c)*b^2 + a^2)*\operatorname{dilog}(-F^(d*x + c)*b + a)/a + 1) - 2*(a^2*c*\log(F) \\ & + (b^2*c*\log(F) + b^2)*F^(2*d*x + 2*c) + 2*(a*b*c*\log(F) + a*b)*F^(d*x \\ & + c) + a^2)*\log(F^(d*x + c)*b + a) + 2*((b^2*d*x + b^2*c)*F^(2*d*x + 2*c) \\ & *\log(F) + 2*(a*b*d*x + a*b*c)*F^(d*x + c)*\log(F) + (a^2*d*x + a^2*c)*\log(F) \\ &)*\log((F^(d*x + c)*b + a)/a))/(2*F^(d*x + c)*a^3*b^2*d^3*\log(F)^3 + F^(2*d*x \\ & + 2*c)*a^2*b^3*d^3*\log(F)^3 + a^4*b*d^3*\log(F)^3) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{2F^{c+dx}bx - adx^2 \log(F) + 2ax}{4F^{c+dx}a^2b^2d^2 \log(F)^2 + 2F^{2c+2dx}ab^3d^2 \log(F)^2 + 2a^3bd^2 \log(F)^2} + \frac{\int \frac{dx \log(F)}{a+be^{c \log(F)}e^{dx \log(F)}} dx + \int -\frac{1}{a+be^{c \log(F)}e^{dx \log(F)}} dx}{abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)*x**2/(a+b*F**(d*x+c))**3,x)

[Out]
$$\begin{aligned} & (2*F**(c + d*x)*b*x - a*d*x**2*\log(F) + 2*a*x)/(4*F**(c + d*x)*a**2*b**2*d* \\ & *2*\log(F)**2 + 2*F**(2*c + 2*d*x)*a*b**3*d**2*\log(F)**2 + 2*a**3*b*d**2*\log \\ & (F)**2) + (\operatorname{Integral}(d*x*\log(F)/(a + b*\exp(c*\log(F))*\exp(d*x*\log(F))), x) + \\ & \operatorname{Integral}(-1/(a + b*\exp(c*\log(F))*\exp(d*x*\log(F))), x))/(a*b*d**2*\log(F)**2) \end{aligned}$$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c} x^2}{(F^{dx+c} b + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^3,x, algorithm="giac")

[Out] integrate(F^(d*x + c)*x^2/(F^(d*x + c)*b + a)^3, x)

$$3.90 \quad \int \frac{F^{c+dx} x}{(a+bF^{c+dx})^3} dx$$

Optimal. Leaf size=106

$$-\frac{\log(a+bF^{c+dx})}{2a^2bd^2\log^2(F)} + \frac{x}{2a^2bd\log(F)} + \frac{1}{2abd^2\log^2(F)(a+bF^{c+dx})} - \frac{x}{2bd\log(F)(a+bF^{c+dx})^2}$$

[Out] 1/(2*a*b*d^2*(a + b*F^(c + d*x))*Log[F]^2) + x/(2*a^2*b*d*Log[F]) - x/(2*b*d*(a + b*F^(c + d*x))^2*Log[F]) - Log[a + b*F^(c + d*x)]/(2*a^2*b*d^2*Log[F]^2)

Rubi [A] time = 0.0885608, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {2191, 2282, 44}

$$-\frac{\log(a+bF^{c+dx})}{2a^2bd^2\log^2(F)} + \frac{x}{2a^2bd\log(F)} + \frac{1}{2abd^2\log^2(F)(a+bF^{c+dx})} - \frac{x}{2bd\log(F)(a+bF^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d*x)*x)/(a + b*F^(c + d*x))^3,x]

[Out] 1/(2*a*b*d^2*(a + b*F^(c + d*x))*Log[F]^2) + x/(2*a^2*b*d*Log[F]) - x/(2*b*d*(a + b*F^(c + d*x))^2*Log[F]) - Log[a + b*F^(c + d*x)]/(2*a^2*b*d^2*Log[F]^2)

Rule 2191

Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[((c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1))/(b*f*g*n*(p + 1)*Log[F]), x] - Dist[(d*m)/(b*f*g*n*(p + 1)*Log[F]), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi

```

onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 44

```

Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x}{(a + bF^{c+dx})^3} dx &= -\frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\int \frac{1}{(a + bF^{c+dx})^2} dx}{2bd \log(F)} \\
&= -\frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, F^{c+dx}\right)}{2bd^2 \log^2(F)} \\
&= -\frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\text{Subst}\left(\int \left(\frac{1}{a^2 x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, F^{c+dx}\right)}{2bd^2 \log^2(F)} \\
&= \frac{1}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x}{2a^2bd \log(F)} - \frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{\log(a + bF^{c+dx})}{2a^2bd^2 \log^2(F)}
\end{aligned}$$

Mathematica [A] time = 0.0853442, size = 98, normalized size = 0.92

$$\frac{bdx \log(F)^{F^{c+dx}} (2a + bF^{c+dx}) - (a + bF^{c+dx}) \left((a + bF^{c+dx}) \log(a + bF^{c+dx}) - a \right)}{2a^2bd^2 \log^2(F) (a + bF^{c+dx})^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(F^(c + d*x)*x)/(a + bF^(c + d*x))^3, x]
```

```
[Out] (b*d*F^(c + d*x)*(2*a + b*F^(c + d*x))*x*Log[F] - (a + b*F^(c + d*x))*(-a +
(a + b*F^(c + d*x))*Log[a + b*F^(c + d*x)])/(2*a^2*b*d^2*(a + b*F^(c + d*
x))^2*Log[F]^2)
```

Maple [A] time = 0.019, size = 127, normalized size = 1.2

$$\frac{1}{(a + be^{(dx+c)\ln(F)})^2} \left(\frac{e^{(dx+c)\ln(F)}}{2(\ln(F))^2 ad^2} + \frac{xe^{(dx+c)\ln(F)}}{\ln(F) ad} + \frac{bx(e^{(dx+c)\ln(F)})^2}{2\ln(F) a^2 d} + \frac{1}{2(\ln(F))^2 bd^2} \right) - \frac{\ln(a + be^{(dx+c)\ln(F)})}{2(\ln(F))^2 a^2 bd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)*x/(a+b*F^(d*x+c))^3,x)

[Out] (1/2/ln(F)^2/a/d^2*exp((d*x+c)*ln(F))+1/ln(F)/a/d*x*exp((d*x+c)*ln(F))+1/2/ln(F)/a^2/d*b*x*exp((d*x+c)*ln(F))^2+1/2/ln(F)^2/b/d^2)/(a+b*exp((d*x+c)*ln(F)))^2-1/2/ln(F)^2/b/d^2/a^2*ln(a+b*exp((d*x+c)*ln(F)))

Maxima [A] time = 1.16584, size = 203, normalized size = 1.92

$$\frac{F^{2dx} F^{2c} b^2 dx \log(F) + (2F^c ab dx \log(F) + F^c ab) F^{dx} + a^2}{2(F^{dx} F^c a^3 b^2 d^2 \log(F)^2 + F^{2dx} F^{2c} a^2 b^3 d^2 \log(F)^2 + a^4 b d^2 \log(F)^2)} - \frac{\log\left(\frac{F^{dx} F^c b + a}{F^c b}\right)}{2a^2 b d^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^3,x, algorithm="maxima")

[Out] 1/2*(F^(2*d*x)*F^(2*c)*b^2*d*x*log(F) + (2*F^c*a*b*d*x*log(F) + F^c*a*b)*F^(d*x) + a^2)/(2*F^(d*x)*F^c*a^3*b^2*d^2*log(F)^2 + F^(2*d*x)*F^(2*c)*a^2*b^3*d^2*log(F)^2 + a^4*b*d^2*log(F)^2) - 1/2*log((F^(d*x)*F^c*b + a)/(F^c*b))/(a^2*b*d^2*log(F)^2)

Fricas [A] time = 1.54996, size = 342, normalized size = 3.23

$$\frac{F^{2dx+2c} b^2 dx \log(F) + (2 ab dx \log(F) + ab) F^{dx+c} + a^2 - (2 F^{dx+c} ab + F^{2dx+2c} b^2 + a^2) \log(F^{dx+c} b + a)}{2(F^{dx+c} a^3 b^2 d^2 \log(F)^2 + F^{2dx+2c} a^2 b^3 d^2 \log(F)^2 + a^4 b d^2 \log(F)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^3,x, algorithm="fricas")

[Out] $\frac{1}{2}(F^{2dx+2c})b^2d^2x\log(F) + (2abdx\log(F) + ab)F^{dx+c} + a^2 - (2F^{dx+c})ab + F^{2dx+2c}b^2 + a^2)\log(F^{dx+c})b + a)/(2F^{dx+c})a^3b^2d^2\log(F)^2 + F^{2dx+2c})a^2b^3d^2\log(F)^2 + a^4bd^2\log(F)^2)$

Sympy [A] time = 0.204384, size = 122, normalized size = 1.15

$$\frac{F^{c+dx}b - adx \log(F) + a}{4F^{c+dx}a^2b^2d^2 \log(F)^2 + 2F^{2c+2dx}ab^3d^2 \log(F)^2 + 2a^3bd^2 \log(F)^2} + \frac{x}{2a^2bd \log(F)} - \frac{\log\left(F^{c+dx} + \frac{a}{b}\right)}{2a^2bd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)*x/(a+b*F**(d*x+c))**3,x)

[Out] $(F^{c+dx})b - adx\log(F) + a)/(4F^{c+dx})a^2b^2d^2\log(F)^2 + 2F^{2c+2dx})a^3b^3d^2\log(F)^2 + 2a^3bd^2\log(F)^2) + x/(2a^2bd\log(F)) - \log(F^{c+dx} + a/b)/(2a^2bd^2\log(F)^2)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}x}{(F^{dx+c}b + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^3,x, algorithm="giac")

[Out] integrate(F^(d*x + c)*x/(F^(d*x + c)*b + a)^3, x)

$$3.91 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^3} dx$$

Optimal. Leaf size=27

$$-\frac{1}{2bd \log(F) (a + bF^{c+dx})^2}$$

[Out] -1/(2*b*d*(a + b*F^(c + d*x))^2*Log[F])

Rubi [A] time = 0.0345761, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2246, 32}

$$-\frac{1}{2bd \log(F) (a + bF^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[F^(c + d*x)/(a + b*F^(c + d*x))^3, x]

[Out] -1/(2*b*d*(a + b*F^(c + d*x))^2*Log[F])

Rule 2246

```
Int[((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(p_)), x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[(a + b*x)^p, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n, p}, x]
```

Rule 32

```
Int[((a_) + (b_)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\int \frac{F^{c+dx}}{(a + bF^{c+dx})^3} dx = \frac{\text{Subst}\left(\int \frac{1}{(a+bx)^3} dx, x, F^{c+dx}\right)}{d \log(F)}$$

$$= -\frac{1}{2bd(a + bF^{c+dx})^2 \log(F)}$$

Mathematica [A] time = 0.0179545, size = 27, normalized size = 1.

$$-\frac{1}{2bd \log(F) (a + bF^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Integrate[F^(c + d*x)/(a + b*F^(c + d*x))^3,x]

[Out] -1/(2*b*d*(a + b*F^(c + d*x))^2*Log[F])

Maple [A] time = 0.001, size = 26, normalized size = 1.

$$-\frac{1}{2bd(a + bF^{dx+c})^2 \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))^3,x)

[Out] -1/2/b/d/(a+b*F^(d*x+c))^2/ln(F)

Maxima [A] time = 1.02482, size = 34, normalized size = 1.26

$$-\frac{1}{2(F^{dx+cb} + a)^2 bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3,x, algorithm="maxima")

[Out] -1/2/((F^(d*x + c)*b + a)^2*b*d*log(F))

Fricas [A] time = 1.50665, size = 115, normalized size = 4.26

$$-\frac{1}{2\left(2F^{dx+c}ab^2d\log(F) + F^{2dx+2c}b^3d\log(F) + a^2bd\log(F)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3,x, algorithm="fricas")

[Out] -1/2/(2*F^(d*x + c)*a*b^2*d*log(F) + F^(2*d*x + 2*c)*b^3*d*log(F) + a^2*b*d*log(F))

Sympy [B] time = 0.137012, size = 53, normalized size = 1.96

$$-\frac{1}{4F^{c+dx}ab^2d\log(F) + 2F^{2c+2dx}b^3d\log(F) + 2a^2bd\log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)/(a+b*F**(d*x+c))**3,x)

[Out] -1/(4*F**(c + d*x)*a*b**2*d*log(F) + 2*F**(2*c + 2*d*x)*b**3*d*log(F) + 2*a**2*b*d*log(F))

Giac [A] time = 1.28687, size = 34, normalized size = 1.26

$$-\frac{1}{2\left(F^{dx+c}b + a\right)^2bd\log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3,x, algorithm="giac")

[Out] -1/2/((F^(d*x + c)*b + a)^2*b*d*log(F))

$$3.92 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x} dx$$

Optimal. Leaf size=64

$$-\frac{\text{Unintegrable}\left(\frac{1}{x^2(a+bF^{c+dx})^2}, x\right)}{2bd \log(F)} - \frac{1}{2bdx \log(F) (a + bF^{c+dx})^2}$$

[Out] -1/(2*b*d*(a + b*F^(c + d*x))^2*x*Log[F]) - Unintegrable[1/((a + b*F^(c + d*x))^2*x^2), x]/(2*b*d*Log[F])

Rubi [A] time = 0.115808, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{F^{c+dx}}{(a + bF^{c+dx})^3 x} dx$$

Verification is Not applicable to the result.

[In] Int[F^(c + d*x)/((a + b*F^(c + d*x))^3*x), x]

[Out] -1/(2*b*d*(a + b*F^(c + d*x))^2*x*Log[F]) - Defer[Int][1/((a + b*F^(c + d*x))^2*x^2), x]/(2*b*d*Log[F])

Rubi steps

$$\int \frac{F^{c+dx}}{(a + bF^{c+dx})^3 x} dx = -\frac{1}{2bd (a + bF^{c+dx})^2 x \log(F)} - \frac{\int \frac{1}{(a+bF^{c+dx})^2 x^2} dx}{2bd \log(F)}$$

Mathematica [A] time = 0.686659, size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{(a + bF^{c+dx})^3 x} dx$$

Verification is Not applicable to the result.

[In] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^3*x), x]

[Out] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^3*x), x]

Maple [A] time = 0.158, size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(a + bF^{dx+c})^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))^3/x, x)

[Out] int(F^(d*x+c)/(a+b*F^(d*x+c))^3/x, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{adx \log(F) + F^{dx} F^c b + a}{2(2F^{dx} F^c a^2 b^2 d^2 x^2 \log(F)^2 + F^{2dx} F^{2c} a b^3 d^2 x^2 \log(F)^2 + a^3 b d^2 x^2 \log(F)^2)} - \int \frac{dx \log(F) + 2}{2(F^{dx} F^c a b^2 d^2 x^3 \log(F)^2 + a^2 b d^2 x^3 \log(F)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3/x, x, algorithm="maxima")

[Out] -1/2*(a*d*x*log(F) + F^(d*x)*F^c*b + a)/(2*F^(d*x)*F^c*a^2*b^2*d^2*x^2*log(F)^2 + F^(2*d*x)*F^(2*c)*a*b^3*d^2*x^2*log(F)^2 + a^3*b*d^2*x^2*log(F)^2) - integrate(1/2*(d*x*log(F) + 2)/(F^(d*x)*F^c*a*b^2*d^2*x^3*log(F)^2 + a^2*b*d^2*x^3*log(F)^2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{F^{dx+c}}{3F^{dx+c}a^2bx + 3F^{2dx+2c}ab^2x + F^{3dx+3c}b^3x + a^3x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3/x,x, algorithm="fricas")

[Out] integral(F^(d*x + c)/(3*F^(d*x + c)*a^2*b*x + 3*F^(2*d*x + 2*c)*a*b^2*x + F^(3*d*x + 3*c)*b^3*x + a^3*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{-F^{c+dx}b - adx \log(F) - a}{4F^{c+dx}a^2b^2d^2x^2 \log(F)^2 + 2F^{2c+2dx}ab^3d^2x^2 \log(F)^2 + 2a^3bd^2x^2 \log(F)^2} - \frac{\int \frac{dx \log(F)}{ax^3+bx^3e^{c \log(F)}e^{dx \log(F)}} dx + \int \frac{2}{ax^3+bx^3e^{c \log(F)}e^{dx \log(F)}} dx}{2abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)/(a+b*F**(d*x+c))**3/x,x)

[Out] (-F**(c + d*x)*b - a*d*x*log(F) - a)/(4*F**(c + d*x)*a**2*b**2*d**2*x**2*log(F)**2 + 2*F**(2*c + 2*d*x)*a*b**3*d**2*x**2*log(F)**2 + 2*a**3*b*d**2*x**2*log(F)**2) - (Integral(d*x*log(F)/(a*x**3 + b*x**3*exp(c*log(F))*exp(d*x*log(F))), x) + Integral(2/(a*x**3 + b*x**3*exp(c*log(F))*exp(d*x*log(F))), x))/(2*a*b*d**2*log(F)**2)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(F^{dx+c}b + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3/x,x, algorithm="giac")

[Out] integrate(F^(d*x + c)/((F^(d*x + c)*b + a)^3*x), x)

$$3.93 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$$

Optimal. Leaf size=62

$$-\frac{\text{Unintegrable}\left(\frac{1}{x^3(a+bF^{c+dx})^2}, x\right)}{bd \log(F)} - \frac{1}{2bdx^2 \log(F)(a+bF^{c+dx})^2}$$

[Out] $-1/(2*b*d*(a + b*F^{(c + d*x)})^2*x^2*\text{Log}[F]) - \text{Unintegrable}[1/((a + b*F^{(c + d*x)})^2*x^3), x]/(b*d*\text{Log}[F])$

Rubi [A] time = 0.113154, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$$

Verification is Not applicable to the result.

[In] $\text{Int}[F^{(c + d*x)} / ((a + b*F^{(c + d*x)})^3 * x^2), x]$

[Out] $-1/(2*b*d*(a + b*F^{(c + d*x)})^2*x^2*\text{Log}[F]) - \text{Defer}[\text{Int}][1/((a + b*F^{(c + d*x)})^2*x^3), x]/(b*d*\text{Log}[F])$

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx = -\frac{1}{2bd(a+bF^{c+dx})^2 x^2 \log(F)} - \frac{\int \frac{1}{(a+bF^{c+dx})^2 x^3} dx}{bd \log(F)}$$

Mathematica [A] time = 0.72888, size = 0, normalized size = 0.

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^3*x^2), x]

[Out] Integrate[F^(c + d*x)/((a + b*F^(c + d*x))^3*x^2), x]

Maple [A] time = 0.185, size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(a + bF^{dx+c})^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d*x+c)/(a+b*F^(d*x+c))^3/x^2, x)

[Out] int(F^(d*x+c)/(a+b*F^(d*x+c))^3/x^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{adx \log(F) + 2F^{dx}F^c b + 2a}{2(2F^{dx}F^c a^2 b^2 d^2 x^3 \log(F)^2 + F^{2dx}F^{2c} ab^3 d^2 x^3 \log(F)^2 + a^3 b d^2 x^3 \log(F)^2)} - \int \frac{dx \log(F) + 3}{F^{dx}F^c ab^2 d^2 x^4 \log(F)^2 + a^2 b d^2 x^4 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3/x^2, x, algorithm="maxima")

[Out] -1/2*(a*d*x*log(F) + 2*F^(d*x)*F^c*b + 2*a)/(2*F^(d*x)*F^c*a^2*b^2*d^2*x^3*log(F)^2 + F^(2*d*x)*F^(2*c)*a*b^3*d^2*x^3*log(F)^2 + a^3*b*d^2*x^3*log(F)^2) - integrate((d*x*log(F) + 3)/(F^(d*x)*F^c*a*b^2*d^2*x^4*log(F)^2 + a^2*b*d^2*x^4*log(F)^2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{F^{dx+c}}{3F^{dx+c}a^2bx^2 + 3F^{2dx+2c}ab^2x^2 + F^{3dx+3c}b^3x^2 + a^3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3/x^2,x, algorithm="fricas")

[Out] integral(F^(d*x + c)/(3*F^(d*x + c)*a^2*b*x^2 + 3*F^(2*d*x + 2*c)*a*b^2*x^2 + F^(3*d*x + 3*c)*b^3*x^2 + a^3*x^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{-2F^{c+dx}b - adx \log(F) - 2a}{4F^{c+dx}a^2b^2d^2x^3 \log(F)^2 + 2F^{2c+2dx}ab^3d^2x^3 \log(F)^2 + 2a^3bd^2x^3 \log(F)^2} - \frac{\int \frac{dx \log(F)}{ax^4+bx^4e^{c \log(F)}e^{dx \log(F)}} dx + \int \frac{3}{ax^4+bx^4e^{c \log(F)}e^{dx \log(F)}} dx}{abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F**(d*x+c)/(a+b*F**(d*x+c))**3/x**2,x)

[Out] (-2*F**(c + d*x)*b - a*d*x*log(F) - 2*a)/(4*F**(c + d*x)*a**2*b**2*d**2*x**3*log(F)**2 + 2*F**(2*c + 2*d*x)*a*b**3*d**2*x**3*log(F)**2 + 2*a**3*b*d**2*x**3*log(F)**2) - (Integral(d*x*log(F)/(a*x**4 + b*x**4*exp(c*log(F))*exp(d*x*log(F))), x) + Integral(3/(a*x**4 + b*x**4*exp(c*log(F))*exp(d*x*log(F))), x))/(a*b*d**2*log(F)**2)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{F^{dx+c}}{(F^{dx+c}b + a)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3/x^2,x, algorithm="giac")

[Out] integrate(F^(d*x + c)/((F^(d*x + c)*b + a)^3*x^2), x)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
```

```

22     If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27     "C",
28     "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46     If[AtomQ[expn],
47         1,
48     If[ListQ[expn],
49         Max[Map[ExpnType,expn]],
50     If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52             ExpnType[expn[[1]]],
53         If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55                 1,
56                 Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58     If[Head[expn]===Plus || Head[expn]===Times,
59         Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60     If[ElementaryFunctionQ[Head[expn]],
61         Max[3,ExpnType[expn[[1]]]],
62     If[SpecialFunctionQ[Head[expn]],
63         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64     If[HypergeometricFunctionQ[Head[expn]],
65         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66     If[AppellFunctionQ[Head[expn]],
67         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68     If[Head[expn]===RootSum,
```



```

69   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70   If[Head[expn]===Integrate || Head[expn]===Int,
71     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72   9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp, Log,
78     Sin, Cos, Tan, Cot, Sec, Csc,
79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
80     Sinh, Cosh, Tanh, Coth, Sech, Csch,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82   }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #
11 see problem 156, file Apostol_Problems

```

```

11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;
14
15     leaf_count_result:=leafcount(result);
16     #do NOT call ExpnType() if leaf size is too large. Recursion problem
17     if leaf_count_result > 500000 then
18         return "B";
19     fi;
20
21     leaf_count_optimal:=leafcount(optimal);
22
23     ExpnType_result:=ExpnType(result);
24     ExpnType_optimal:=ExpnType(optimal);
25
26     if debug then
27         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
    ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then

```

```

56     if debug then
57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71     else # result do not contain complex
72         # this assumes optimal do not as well
73         if debug then
74             print("result do not contain complex, this assumes optimal do not
as well");
75         fi;
76         if leaf_count_result<=2*leaf_count_optimal then
77             if debug then
78                 print("leaf_count_result<=2*leaf_count_optimal");
79             fi;
80             return "A";
81         else
82             if debug then
83                 print("leaf_count_result>2*leaf_count_optimal");
84             fi;
85             return "B";
86         end if
87     end if
88     else #ExpnType(result) > ExpnType(optimal)
89         if debug then
90             print("ExpnType(result) > ExpnType(optimal)");
91         fi;
92         return "C";
93     end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417

```

```

102 is_contains_complex:= proc(expression)
103   return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'^+^') or type(expn,'`*`') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))

```

```

149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])
182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple

```

```

196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:

```

```

42     if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43         return True
44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'^^')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
72 ))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
77 (expn,'*')
78         m1 = expnType(expn.args[0])
79         m2 = expnType(list(expn.args[1:]))
80         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84         m1 = max(map(expnType, list(expn.args)))
85         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88         m1 = max(map(expnType, list(expn.args)))

```

```

85     return max(5,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
86 elif is_appell_function(expn.func):
87     m1 = max(map(expnType, list(expn.args)))
88     return max(6,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
89 elif isinstance(expn,RootSum):
90     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result  = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result  = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as
well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

4.0.4 SageMath grading function

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by


```

2 #           Albert Rich to use with Sagemath. This is used to
3 #           grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #           'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33         flatten(tree(anti))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35         #since this estimate of leaf count is bit lower than
36         #what it should be compared to Mathematica's
37
38 def is_sqrt(expr):
39     debug=False;
40     if expr.operator() == operator.pow: #isinstance(expr,Pow):
41         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
42             if debug: print ("expr is sqrt")
43             return True
44         else:
45             return False
46     else:
47         return False

```

```

48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func ," is special_function")
83         else:
84             print ("func ", func ," is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
91     ']
92
93 def is_appell_function(func):

```

```

93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in
          sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().
          gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
          Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0]))    #max(2,expnType(expn.
          args[0]))
127     elif expn.operator() == operator.pow:    #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer:    #isinstance(expn.args[1],Integer)
129             return expnType(expn.operands()[0])    #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational:    #isinstance(expn.args[1],
          Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
          Rational)
132                 return 1

```

```

133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137         elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138             m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139             m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140             return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141         elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
142             return max(3,expnType(expn.operands()[0]))
143         elif is_special_function(expn.operator()): #is_special_function(expn.func)
144             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
145             return max(4,m1) #max(4,m1)
146         elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
148             return max(5,m1) #max(5,m1)
149         elif is_appell_function(expn.operator()):
150             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
151             return max(6,m1) #max(6,m1)
152         elif str(expn).find("Integral") != -1: #this will never happen, since it
153             #is checked before calling the grading function that is passed.
154             #but kept it here.
155             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
156             return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
157         else:
158             return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185         else: #result contains complex but optimal is not
186             return "C"
187     else: # result do not contain complex, this assumes optimal do not as
188         well
189         if leaf_count_result <= 2*leaf_count_optimal:
190             return "A"
191         else:
192             return "B"
193     else:
194         return "C"
```